

3R - 228

REPORTS

4/15/2003

Certified Mail: #7001 1940 0002 1371 7775

April 15, 2003

Mr. William C. Olson
New Mexico Oil Conservation Division
1220 St. Francis Dr.
Santa Fe, NM 87504



RE: Closure Request for the Ohio C Government # 3

Dear Mr. Olson:

El Paso Field Services (EPFS) hereby requests written approval of the closure of the Ohio C Government # 3. The attached report details the most recent closure sampling. Documentation supporting previous investigation, remediation and monitoring performed at the site have been submitted in earlier Annual Reports and closure requests.

If you have any questions concerning the enclosed closure request or require additional information please call me at (505) 599-2124.

Sincerely,

A handwritten signature in black ink, appearing to read "Scott T. Pope".

Scott T. Pope P.G.
Senior Environmental Scientist


Attachments: as stated

xc: Mr. Denny Foust, NMOCD, Aztec - w / enclosures; **Certified Mail # 7001 1940 0002 1371 7768**
Mr. Bill Liesse, BLM - w / enclosures (federal sites only), **Certified Mail # 7001 1940 0002 1371 7751**

EPFS GROUNDWATER
2003 GROUNDWATER CLOSURE REPORT

Ohio C Government #3
Meter Code: 72890

3R228



SITE DETAILS

LEGAL DESCRIPTION: Twn: 28N Rng: 11W Sec: 26 Unit:
NMOCD Haz Ranking: 40 **Land Type:** Federal **Operator:** Marathon Oil Co.

PREVIOUS ACTIVITIES

Site Assessment: 9/94 **Excavation:** 9/94 (50 cy) **Soil Boring:** 9/95
Monitor Well: 5/97 **Geoprobe:** 10/96 **Additional MWs:** 10/99
Downgradient MWs: 10/99 **Replace MW:** NA **Quarterly Initiated:** 6/97
ORC Nutrient Injection: NA **Re-Excavation:** 9/95 (1098cy) **PSH Removal Initiated:** NA
Annual Initiated: NA **Quarterly Resumed:** 12/00

Following the initial site assessment in September of 1994 the existing pit was excavated to a depth of 12 feet beneath ground surface (bgs). Approximately 50 cubic yards of source material was removed and disposed of at the Envirotech land farm. The headspace soil reading from the bottom of the excavation was 328 ppm, no groundwater was encountered. Soil analytical for the sample was as follows: Benzene 150 mg/kg, Toluene 930 mg/kg, Ethyl Benzene 61 mg/kg, Total Xylenes 700 mg/kg, Total BTEX 1840 mg/kg, and TPH (418.1) 11800 mg/kg.

A secondary re-excavation was done September 1995 the pit was excavated to a depth of 13-17 feet (bgs) and was approximately 76 feet by 50 feet. Approximately 1098 cubic yards of source material was removed and disposed of at the Envirotech land farm. The headspace soil reading from the bottom of the excavation was 72 ppm. A water sample was taken from pooled water in the pit the sample was as follows: Benzene 200 ppb, Toluene 713 ppb, Ethyl Benzene 713 ppb, Total Xylenes 808 ppb. Soil analytical for the excavation was as follows: Benzene <0.5 mg/kg, Toluene <0.5 mg/kg, Ethyl Benzene <0.5 mg/kg, Total Xylenes <1.5 mg/kg, Total BTEX <3 mg/kg, and TPH (418.1) 66.0 mg/kg.

Geoprobe groundwater data was collected in various locations on the site during October of 1996 and January 1997, the groundwater data indicated groundwater below standards at all locations except PH2, PH6, PH8, PH11, PH12, PH13, PZ3 and PZ4. Geoprobe data was submitted in the March 31, 1999 Annual Report.

One soil boring was drilled on 9/13/1995 and sampled at 15 feet bgs in the center of the EPFS former pit, groundwater not encountered, results as follows: Benzene <0.5 mg/kg, Toluene <0.5 mg/kg, Ethyl Benzene <0.5 mg/kg, Total Xylenes <1.5 mg/kg, and Total BTEX <3 mg/kg, and TPH (418.1) 54.8 mg/kg.

MW-1 was installed on May 21, 1997 at a depth of 20 feet bgs. Quarterly groundwater sampling was initiated on June 26, 1997 and continued through March 27, 1998.

**EPFS GROUNDWATER
2003 GROUNDWATER CLOSURE REPORT**

**Ohio C Government #3
Meter Code: 72890**

MW-1 was submitted for closure based on four consecutive quarters below NMWQCC standards in the "1998 Groundwater Annual Report" submitted on March 31, 1999. After review of the data for MW-1, NMOCD on July 28, 1999, denied closure and requested installation of downgradient wells to assess extent of contamination.

On October 1999, Marathon Oil in cooperation with EPFS installed MW-2 to MW-5 in response to the July 28, 1999 NMOCD denial letter.

Quarterly groundwater sampling was resumed on June 2000 through December 2000, at which point a request for closure was submitted in the "2000 Annual Report" dated February 26, 2001.

After review of the closure request NMOCD responded with a request letter dated July 18, 2001, asking for additional information included a pit remediation and closure form and soil remediation actions including BTEX results, before a decision on closure could be determined.

On August 1, 2001 EPFS submitted the requested information to NMOCD for their review. In a response back to EPFS dated January 4, 2002, NMOCD denied closure for the site based on elevated benzene levels in MW-5. In NMOCD's response letter they requested quarterly sampling until four consecutive clean quarters below NMWQCC standards for MW-5 were reached.

Quarterly closure sampling was resumed for MW-5 on December 2000 until March 2003 when four consecutive clean quarters below NMWQCC standards were achieved.

SUMMARY OF 2003 ACTIVITIES

First quarter samples for MW-5 were taken on March 1, 2003, Benzene was 3.5 ppb, Toluene was 0.4 ppb, Ethyl Benzene was 14.0 ppb, and Total Xylenes was 53.8 ppb.

Closure samples for MW-1 through MW-4 were taken on February 26 and March 7, 2003, 2002, MW-1 as follows Benzene was 0.08 ppb, Toluene was 0.2 ppb, Ethyl Benzene was <0.5 ppb, and Total Xylenes was 1.5 ppb, MW-2 as follows Benzene was 0.6 ppb, Toluene was 0.6 ppb, Ethyl Benzene was 1.2 ppb, and Total Xylenes was 2.9 ppb, MW-3 as follows Benzene was 0.1 ppb, Toluene was 0.9 ppb, Ethyl Benzene was 1.4 ppb, and Total Xylenes was 3.8 ppb, MW-4 as follows Benzene was 2.1 ppb, Toluene was 0.4 ppb, Ethyl Benzene was 9.3 ppb, and Total Xylenes was 8.1 ppb.

Closure samples collected during 2002 were detailed in the 2002 Annual Groundwater Report submitted in March of 2003. A table presenting the final four consecutive quarters below NMWQCC standards is presented as Appendix A.

Appendix B contains the NMOCD pit remediation closure report form and Appendix C contains the laboratory reports for the four consecutive quarters reported in Table 1. All other supporting data has been submitted in previous closure reports or Annual Reports.

**EPFS GROUNDWATER
2003 GROUNDWATER CLOSURE REPORT**

**Ohio C Government #3
Meter Code: 72890**

CONCLUSIONS

EPFS previously excavated approximately 1150 cubic yards of source material from the former pit, soils samples collected from the first excavation had benzene, TPH and Total BTEX above remediation goals. During the second re-excavation, all soils samples were below remediation goals but laboratory groundwater analysis taken during the second excavation had an elevated benzene level of 200 ppm. The installation of MW-1 and subsequent sampling indicated levels below NMWQCC standards. Additional monitoring wells 2 to 5 were installed and all were below NMWQCC standards for four quarters except MW-5.

The beginning of four clean consecutive quarters for MW-5 began with the March 2002 quarterly sample and ended with the fourth clean quarter in March 2003.

MW-1 through MW-4 were also sampled for closure on February 26 and March 7, 2003, MW-1 as follows Benzene was 0.08 ppb, Toluene was 0.2 ppb, Ethyl Benzene was <0.5 ppb, and Total Xylenes was 1.5 ppb, MW-2 as follows Benzene was 0.6 ppb, Toluene was 0.6 ppb, Ethyl Benzene was 1.2 ppb, and Total Xylenes was 2.9 ppb, MW-3 as follows Benzene was 0.1 ppb, Toluene was 0.9 ppb, Ethyl Benzene was 1.4 ppb, and Total Xylenes was 3.8 ppb, MW-4 as follows Benzene was 2.1 ppb, Toluene was 0.4 ppb, Ethyl Benzene was 9.3 ppb, and Total Xylenes was 8.1 ppb. Results of the closure sampling are provided in Table 1.

Minimal impact has occurred to groundwater at this site. Monitor Well five has showed a decreasing trend in BTEX over time with no evidence of significant rebound. BTEX levels have been below NMWQCC standards for four consecutive quarters. Based on the data presented in this closure report, the site poses minimal risk to human health and the environment. No potential receptors exist within 1,000 feet of the site and the majority of source material has been removed from the former EPFS pit. Therefore, EPFS requests this site be closed.

RECOMMENDATIONS

- EPFS requests closure of this site, based on four consecutive quarters below NMWQCC standards in Monitoring Wells MW-1 through MW-5.
- Following NMOCDD approval for closure, all monitoring wells installed by EPFS will be abandoned in accordance with the approved Monitoring Well Abandonment Plan.

Table 1

Ohio C Government #3
Meter Code: 72890

Sample #	Meter Line #	Site Name	Sample Date	MW#	Benzene	Ethyl Benzene	Toluene	m,p-Xylene	o-Xylene	Total Xylenes
OHI-0203-MW5	72890	Ohio C Government #3	3/19/2002	5	6.6	15	<5.0	N/A	N/A	97
02-4813-2	72890	Ohio C Government #3	9/9/2002	5	1.1	2.7	0.5	7.8	4.0	11.8
02-6831-4	72890	Ohio C Government #3	12/23/2002	5	5.6	15.4	0.7	59	18.6	71.6
03-01972-1	72890	Ohio C Government #3	3/1/2003	5	3.5	14	0.4	39	14.8	53.8

April 2003 Closure Samples for MW-2 through MW-5

Sample #	Meter Line #	Site Name	Sample Date	MW#	Benzene	Ethyl Benzene	Toluene	m,p-Xylene	o-Xylene	Total Xylenes
03-01960-2	72890	Ohio C Government #3	2/26/2003	1	0.08	<0.5	0.2	1	<0.5	1.5
03-02085-2	72890	Ohio C Government #3	3/7/2003	2	0.6	1.2	0.6	2.3	0.6	2.9
03-02085-3	72890	Ohio C Government #3	3/7/2003	3	0.1	1.4	0.9	3.1	0.7	3.8
03-02085-4	72890	Ohio C Government #3	3/7/2003	4	2.1	9.3	0.4	6.3	1.8	8.1


District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit 1 copy to
appropriate
District Office
and 1 copy to
the Santa Fe Office

(Revised 3/9/94)



PIT REMEDIATION AND CLOSURE REPORT

Operator: Marathon Oil Company (Site Closed by EL Paso Field Services)

Telephone: NA

Address: NA

Facility Or: Ohio C Government #3 Meter Line Number 72890

Well Name

Location: Unit or Qtr/Qtr Sec P Sec 26 T 28N R 11W County San Juan County, New Mexico

Pit Type: Separator _____ Dehydrator _____ Other Drip

Land Type: BLM X, State _____, Fee _____ Other _____

Pit Location: Pit dimensions: length 76 feet, width 56 feet, depth 13-17 feet
(Attach diagram)

Reference: wellhead X, other _____

Footage from reference: 192 feet

Direction from reference: 172 Degrees _____ East North X
of
_____ West South _____

Depth To Ground Water	Less than 50 feet	(20 points)
(Vertical distance from	50 feet to 99 feet	(10 points)
contaminants to seasonal	Greater than 100 feet	(0 points) <u>20</u>
high water elevation of		
ground water.)		

Wellhead Protection Area:	Yes (20 points)
(Less than 200 feet from a private	No (0 points) <u>0</u>
domestic water source, or; less than	
1000 feet from all other water sources.)	

Distance To Surface Water:	Less than 200 feet	(20 points)
(Horizontal distance to perennial	200 feet to 1000 feet	(10 points)
lakes, ponds, rivers, streams, creeks,	Greater than 1000 feet	(0 points) <u>20</u>
irrigation canals and ditches.)		

RANKING SCORE (TOTAL POINTS): 40

Date Remediation Started: 9/6/1995

Date completed: 9/12/1995

Remediation Method: Excavation X

Approx. cubic yards 1098

(Check all appropriate sections.)

Landfarmed X

Insitu Bioremediation _____

Other _____

Remediation Location: Onsite _____ Offsite Envirotech

(i.e. landfarmed onsite,
name and location of
offsite facility)

Hilltop, New Mexico

General Description of Remedial Action: Phase II, used 100 lbs of fertilizer, dug to 17 feet hit groundwater on west side, hit water at 13 feet on east side. Took water sample, took PID on south wall was 005 ppm, west wall was 5 ppm, bottom was 3 ppm, East wall was 236 ppm, no north wall it was backfill from previous pit. East wall contaminated starts at approx. 7 feet and is approx. 3 feet thick. Bottom sample are 13-17 feet. Due to surface ground slope.

Ground Water Encountered: No X Yes _____ Depth _____

Final Pit:

Sample location Composite from all four sides and center of pit

Closure Sampling:

(if multiple samples,
attach sample results

Sample depth 13 to 17 feet

and diagram of sample
locations and depths)

Sample Date 9/7/1995 Sample time 1510

Sample Results

Benzene(ppm) <0.5 mg/kg

Total BTEX(ppm) <3 mg/kg

Field headspace(ppm) 72 ppm

TPH 66.0 mg/kg

Ground Water Sample: Yes X No _____ (If yes, attach sample results)

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

Date

Signature

Printed Name
and Title

Scott Pope, Senior Environmental Scientist

e El Paso Natural Gas Company

FIELD SERVICES LABORATORY ANALYTICAL REPORT PIT CLOSURE PROJECT - Water

SAMPLE IDENTIFICATION

SAMPLE NUMBER: 947428
FIELD ID: JP 58
MTR CODE: 72890
SAMPLE DATE: 09-07-95
SAMPLE TYPE: WG (Excavation) Pit #1
SITE NAME: Ohio C. Gout #3 Pit #2, South Pit
PROJECT: Phase III Excavation RLB 10/19/95 II Excavation
DATE OF BTEX ANALYSIS: 9/11/95

FIELD COMMENTS:

EPA Method 8020 (BTEX) RESULTS

PARAMETER	RESULT	QUALIFIER	WQCC LIMIT PPB
TDS - TOTAL DISSOLVED SOLIDS (PPM)	NA		None
BENZENE (PPB)	200	D (x5)	10
TOLUENE (PPB)	713	D (x5)	740
ETHYL BENZENE (PPB)	< 10	D (x5)	750
TOTAL XYLENES (PPB)	808	D (x5)	620
SURROGATE % RECOVERY	99%	Allowed Range 80 to 120 %	

NOTES:

Approved By:

John Ford

9-11-95



FIELD SERVICES LABORATORY
ANALYTICAL REPORT

PIT CLOSURE PROJECT - Soil Samples Inside the GWV Zone

SAMPLE IDENTIFICATION

	Field ID	Lab ID
SAMPLE NUMBER:	JP 59	947427 (Pit #1)
MTR CODE SITE NAME:	72890	Ohio C Govt #3 Pit #2, South Pit
SAMPLE DATE TIME (Hrs):	09-07-95, 10/1/95	1510
PROJECT:	Phase III Excavation II Excavation	
DATE OF TPH EXT. ANAL.:	9-8-95	9/12/95 Under 7-5-96
DATE OF BTEX EXT. ANAL.:	9/8/95	9/12/95
TYPE DESCRIPTION:	VC	LIGHT BROWN SAND & CLAY

Field Remarks:

RESULTS

PARAMETER	RESULT	UNITS	QUALIFIERS			
			DF	Q	M(g)	V(ml)
BENZENE	< 0.5	MG/KG				
TOLUENE	< 0.5	MG/KG				
ETHYL BENZENE	< 0.5	MG/KG				
TOTAL XYLENES	< 1.5	MG/KG				
TOTAL BTEX	< 3	MG/KG				
TPH (418.1)	66.0 ^{ELB 9-11-95}	MG/KG			2.02	28
HEADSPACE PID	76	PPM				
PERCENT SOLIDS	90.3	%				

-- TPH is by EPA Method 418.1 and BTEX is by EPA Method 8020 --

The Surrogate Recovery was at 94% for this sample All QA/QC was acceptable.
ative:

DF = Dilution Factor Used

Approved By:

Date:

9-13-95

(Page 1 of 2)

Field Replicate Parent(s): None

Trig Butter 3-31-05
(Date/Signature)

[illegible]

DATA VALIDATION WORKSHEET

(Page 2 of 2)

Analytical Method:	SW-846 8021B (BTEX)	MWH Job Number:	EPC-SJRB (Jaquez)
Laboratory:	APCL	Batch Identification:	03-02085

Validation Criteria								
Sample ID	GCU A 142E MW-1	Ohio C Govt 3 MW-2	Ohio C Govt 3 MW-3	Ohio C Govt 3 MW-4	TB 260203-1			
Lab ID	03-02085- 01	03-02085- 02	03-02085- 03	03-02085- 04	03-02085- 05			
Holding Time	A	A	A	A	A			
Analyte List	A	A	A	A	A			
Reporting Limits	A	A	A	A	A			
Trip Blank	A ¹	A ¹	A ¹	A ¹	A ¹			
Equipment Rinseate Blanks	N/A	N/A	N/A	N/A	N/A			
Field Duplicate/Replicate	N/A	N/A	N/A	N/A	N/A			
Initial Calibration	N	N	N	N	N			
Initial Calibration Verification (ICV)	N	N	N	N	N			
Continuing Calibration Verification (CCV)	A	A	A	A	A			
Method Blank	A	A	A	A	A			
Laboratory Control Sample (LCS)	A	A	A	A	A			
Laboratory Control Sample Duplicate (LCSD)	N	N	N	N	N			
Matrix Spike/Matrix Spike Dup. (MS/MSD)	N/A	N/A	N/A	N/A	N/A			
Surrogate Spike Recovery	A	A	A	A	A			
Retention Time Window	N	N	N	N	N			
Injection Time(s)	N	N	N	N	N			
Hardcopy vs. Chain-of-Custody	A	A	A	A	A			
EDD vs. Hardcopy	N	N	N	N	N			
EDD vs. Chain of Custody	N	N	N	N	N			

(a) List QC batch identification if different than Batch ID

A indicates validation criteria were met

A/L indicates validation criteria met based upon Laboratory's QC Summary Form

X indicates validation criteria were not met

N indicates data review were not a project specific requirement

N/A indicates criteria are not applicable for the specified analytical method or sample

N/R indicates data not available for review

NOTES:

1) The following compounds were detected in the trip blank (TB 270203-1):

- a) Toluene @ 0.3 T µg/l, qualify associated sample concentrations greater than 1.5 µg/l with "B" flags and associated sample concentrations less than 1.5 µg/l with "UB" flags.

Applied P & Ch Laboratory

13760 Magnolia Ave. Chino CA 91710

Tel: (909) 590-1828 Fax: (909) 590-1498

Submitted to:

Montgomery Watson Harza

Attention: Brian Buttars

10619 South Jordan Gateway

Salt Lake City UT 84095

Tel: (801)617-3200 Fax: (801)617-4200

APCL Analytical Report

Service ID #: 801-032085

Collected by: M.J. Nee

Collected on: 03/07/03

Received: 03/10/03

Extracted: N/A

Tested: 03/11/03

Reported: 03/14/03

Sample Description: Water

Project Description: 220013 San Juan River Basin

Analysis of Water Samples

Component Analyzed	Method	Unit	PQL	Analysis Result	
				MW-1	MW-2
				03-02085-1	03-02085-2
BTXE					
Dilution Factor				1	1
BENZENE	8021B	µg/L	0.5	270	0.6
ETHYLBENZENE	8021B	µg/L	0.5	8.3	1.2
TOLUENE	8021B	µg/L	0.5	36.8	0.6
O-XYLENE	8021B	µg/L	0.5	5.1	0.6
M,P-XYLENE	8021B	µg/L	1	16	2.3

Component Analyzed	Method	Unit	PQL	Analysis Result		
				MW-3	MW-4	TB
				03-02085-3	03-02085-4	03-02085-5
BTXE						
Dilution Factor				1	1	1
BENZENE	8021B	µg/L	0.5	0.1J	2.1	<0.5
ETHYLBENZENE	8021B	µg/L	0.5	1.4	9.3	<0.5
TOLUENE	8021B	µg/L	0.5	0.9	0.4J	0.3J
O-XYLENE	8021B	µg/L	0.5	0.7	1.8	<0.5
M,P-XYLENE	8021B	µg/L	1	3.1	6.3	<1

PQL: Practical Quantitation Limit. MDL: Method Detection Limit. CRDL: Contract Required Detection Limit


N.D.: Not Detected or less than the practical quantitation limit.

"-": Analysis is not required.

J: Reported between PQL and MDL.

Listed Dilution Factors (DF) are relative to the method default DF. All unlisted DFs are 1.0

Respectfully submitted,


Dominic Lau

Laboratory Director

Applied P & Ch Laboratory

LABORATORY APC
Contract El Paso Corp., San Jaun River Basin

Chain of Custody ID 070303 MN-1
Page 1 of 1
Air Bill No. 836381674323

Phone (801) 617-3200 FAX (801) 617-4200

MVH Contact Brian Butters

Project Seni Tan Berin

Project Number 220013

Date Due STANDARD

Sampler's Name NY NY
(print clearly)

2005

SAMPLES WERE:

- 1 Shipped or hand delivered**
Notes:

2 Ambient or Chilled

Notes:

3 Temperature

**4 Received Broken/Leaking
(Improperly Sealed)**

Notes:

5 Properly Preserved

Notes:

6 Received Within Holding Times

Notes:

COC Tape Was:

- 1 Present on Outer Package**
Y N NA

- | 2 Unbroken on Outer Package | Y | N | NA |
|-----------------------------|---|---|----|
|-----------------------------|---|---|----|

- 3 Present on Sample
Y N NA

- 4 Unbroken on Sample
Y N NA

Notes:

Discrepancies Between Sample Labels and COC Record?

Y Notes:

Applied P & Ch Laboratory

13760 Magnolia Ave. Chino CA 91710

Tel: (909) 590-1828 Fax: (909) 590-1498

APCL QA/QC Report

Submitted to:

Montgomery Watson Harza

Attention: Brian Butters

10619 South Jordan Gateway

Salt Lake City, UT 84095

Tel: (801)617-3200 Fax: (801)617-4200

Service ID #: 801-032085

Collected by: M.J Nee

Collected on: 03/07/03

Sample description:

Water

Project: San Juan River Basin /220013

Received: 03/10/03

Tested: 03/11/03

Reported: 03/26/03

Analysis of Water

801-032085QC

Component Name	Analysis Batch #	CCV (µg/L)	CCV %Rec	M-Blank	Conc. Unit	SP Level	LCS %Rec	MS %Rec	MSD %Rec	MS/MSD %RPD	Control Limit %Rec	Control Limit %Diff
BTXE												
Benzene	03G1682	100	105	N.D.	µg/L	18.0	103	96	96	0	71-126	28
Toluene	03G1682	100	110	N.D.	µg/L	70.0	104	96	96	0	70-117	24
Ethylbenzene	03G1682	100	114	N.D.	µg/L	18.0	107	96	96	1	65-131	33
m/p-Xylene	03G1682	200	107	N.D.	µg/L	70.0	102	94	94	0	66-122	28
o-Xylene	03G1682	100	105	N.D.	µg/L	25.0	97	95	94	0	65-130	33

Notation:

ICV - Initial Calibration Verification
CCV - Continuation Calibration Verification
LCS - Lab Control Spike
MS - Matrix Spike
MSD - Matrix Spike Duplicate
ICS - Interference Check Standard
MD - Matrix Duplicate
N.D. - Not detected or less than PQL

CCB - Continuation Calibration Blank
M-blank - Method Blank
SP Level - Spike Level
%Rec - Recovery Percent
%RPD - Relative Percent Differences
%Diff - Control Limit for %RPD
ICP-SD - ICP Serial Dilution
N.A. - Not Applicable

Respectfully submitted,


Regina Kirakozova,
Associate QA/QC Director
Applied P & Ch Laboratory

FORM-2A

Applied P & Ch Laboratory

Surrogate Recovery Summary for Method 8021B

Client Name: Montgomery Watson Harza

Contract No:

Lab Code:

APCL

Case No:

SAS No:

SDG Number:

032085

Project ID: San Juan River Basin

Project No: 220013

Sample Matrix:

Water

Batch No: 03G1682

#	Client Sample No	Lab Sample ID	S1 % #	TOT OUT
1		03G1682-LCS-01	94	0
2		03G1682-LSD-01	90	0
3		03G1682-MB-01	96	0
4	TB	03-2085-5	97	0
5	MW-1	03-2085-1	94	0
6	MW-2	03-2085-2	99	0
7	MW-3	03-2085-3	100	0
8	MW-4	03-2085-4	100	0
9	842092-0052	03-2086-1MS	90	0
10	842092-0052	03-2086-1MSD	90	0
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				
23				
24				
25				

S1 = 4-BROMO-FLUOROBENZENE (PID)

QC Control Limit

66-133

Column to be used to flag recovery values:

* - Values outside of contract required QC Limits

D - Surrogate diluted out

I - Matrix Interference

Applied P & Ch Laboratory

13760 Magnolia Ave. Chino CA 91710

Tel: (909)590-1828 Fax: (909)590-1498

APCL INVOICE 03-02085

Samples from

Montgomery Watson Harza
10619 South Jordan Gateway
Salt Lake City, UT 84095

Project Manager:

Technical Contact: Brian Buttars
Purchase Order No:
Prime Contract No:

Remit Payment to

Applied P & Ch Laboratory
13760 Magnolia Ave.
Chino CA 91710

Invoice to

Montgomery Watson Harza
10619 South Jordan Gateway
Salt Lake City, UT 84095
Tel: (801)617-3200
Fax (801)617-4200

Subcontract No:

Project No: 220013
Project Name: San Juan River Basin

Invoice No. 03-02085

Invoice Date: 03/28/2003
Due Date: 04/27/2003
Printed Date: 03/28/2003
Past Due Interest:
1.5% per month

SDG Number: 03-02085
SDG Receive Date: 03/10/03

Catalog No.	Test Description	Method Code	Sample Matrix	Unit Price, \$	Sample Quant.	Subtotal \$
002316	BTXE	8021B	Water	40.00	5	200.00
Analytical Service Subtotal						200.00
Total Service Charge						200.00
Please Remit This Amount:						200.00

ACCOUNTS PAYABLE	
Job #	4270099
C/Code	011803 C/Type
CC:	Acct #
Approved by	Brian Buttars
Date	4-1-03
PO/Sub #	

Copy A: ORIGINAL INVOICE

LIMITED WARRANTY: APPLIED P & Ch Laboratory (APCL) warrants only the accuracy of the test result data for the samples analyzed. APCL disclaims any other warranty expressed or implied, including the fitness for intended purpose or merchantability of said data. APCL's liability is limited to the retesting of samples if upon reexamination of the data. APCL, in its sole judgement, determines if there is a deficiency in the data. APCL will not be held liable for consequential or incidental damages in connection with the test result data delivered and APCL will be indemnified and held harmless against any third party claims made in connection with the test data or its use by the client, unless such damages or claims result from the negligence of APCL.

***** APCL Invoice Control ID 1999-0746 APCL-00284 0984-0001 APCL Invoice Control ID*****



APCL Financial Department

(Page 1 of 2)

(Date/Signature)

[illegible]

DATA VALIDATION WORKSHEET

(Page 2 of 2)

Analytical Method:	SW-846 8021B (BTEX)	MWH Job Number:	EPC-SJRB (Jaquez)
Laboratory:	APCL	Batch Identification:	03-01972

Validation Criteria								
Sample ID	Ohio C Govt 3 MW-5	TB 010303-1						
Lab ID	03-01972-01	03-01972-02						
Holding Time	A	A						
Analyte List	A	A						
Reporting Limits	A	A						
Trip Blank	A ¹	A ¹						
Equipment Rinseate Blanks	N/A	N/A						
Field Duplicate/Replicate	N/A	N/A						
Initial Calibration	N	N						
Initial Calibration Verification (ICV)	N	N						
Continuing Calibration Verification (CCV)	A	A						
Method Blank	A	A						
Laboratory Control Sample (LCS)	A	A						
Laboratory Control Sample Duplicate (LCSD)	N	N						
Matrix Spike/Matrix Spike Dup. (MS/MSD)	N/A	N/A						
Surrogate Spike Recovery	A	A						
Retention Time Window	N	N						
Injection Time(s)	N	N						
Hardcopy vs. Chain-of-Custody	A	A						
EDD vs. Hardcopy	N	N						
EDD vs. Chain of Custody	N	N						

(a) List QC batch identification if different than Batch ID

A indicates validation criteria were met

A/L indicates validation criteria met based upon Laboratory's QC Summary Form

X indicates validation criteria were not met

N indicates data review were not a project specific requirement

N/A indicates criteria are not applicable for the specified analytical method or sample

N/R indicates data not available for review

NOTES:

1) The following compounds were detected in the trip blank (TB 010303-1):

- a) Toluene @ 0.1 T µg/l, qualify associated sample concentrations greater than 0.5 µg/l with "B" flags and associated sample concentrations less than 0.5 µg/l with "UB" flags.
- b) m/p-Xylene @ 0.9 T µg/l, qualify associated sample concentrations greater than 4.5 µg/l with "B" flags and associated sample concentrations less than 4.5 µg/l with "UB" flags.

Applied P & Ch Laboratory

13760 Magnolia Ave. Chino CA 91710

Tel: (909) 590-1828 Fax: (909) 590-1498

Submitted to:

Montgomery Watson Harza

Attention: Brian Buttars

10619 South Jordan Gateway

Salt Lake City UT 84095

Tel: (801)617-3200 Fax: (801)617-4200

APCL Analytical Report

Service ID #: 801-031972

Received: 03/04/03

Collected by: M.J. Nee

Extracted: N/A

Collected on: 03/01/03

Tested: 03/04/03

Reported: 03/13/03

Sample Description: Water

Project Description: San Juan River Basin

Analysis of Water Samples

Component Analyzed	Method	Unit	PQL	Analysis Result	
				MW-5	TB
				03-01972-1	03-01972-2
BTXE					
Dilution Factor				1	1
BENZENE	8021B	µg/L	0.5	3.5	<0.5
ETHYLBENZENE	8021B	µg/L	0.5	14.0	<0.5
TOLUENE	8021B	µg/L	0.5	0.4J	0.1J
O-XYLENE	8021B	µg/L	0.5	14.8	<0.5
M,P-XYLENE	8021B	µg/L	1	39	0.9J

PQL: Practical Quantitation Limit.

MDL: Method Detection Limit.

CRDL: Contract Required Detection Limit

N.D.: Not Detected or less than the practical quantitation limit.

"-": Analysis is not required.

J: Reported between PQL and MDL.

Listed Dilution Factors (DF) are relative to the method default DF. All unlisted DFs are 1.0

Respectfully submitted,



Dominic Lau

Laboratory Director

Applied P & Ch Laboratory

Applied P & Ch Laboratory

13760 Magnolia Ave. Chino CA 91710

Tel: (909) 590-1828 Fax: (909) 590-1498

APCL QA/QC Report

Submitted to:

Montgomery Watson Harza

Attention: Brian Buttars

10619 South Jordan Gateway

Salt Lake City, UT 84095

Tel: (801)617-3200 Fax: (801)617-4200

Service ID #: 801-031972

Collected by: M.J. Nee

Collected on: 03/01/03

Sample description:

Water

Project: San Juan River Basin

Received: 03/04/03

Tested: 03/04/03

Reported: 03/24/03

Analysis of Water

801-031972QC

Component Name	Analysis Batch #	GCV (µg/L)	CCV %Rec	M-Blank	Conc. Unit	SP Level	LCS %Rec	MS %Rec	MSD %Rec	MS/MSD %RPD	Control Limit %Rec	%Diff
BTXE												
Benzene	03G1623	100	95	N.D.	µg/L	18.0	93	89	89	0	71-126	28
Toluene	03G1623	100	100	N.D.	µg/L	70.0	94	90	90	0	70-117	24
Ethylbenzene	03G1623	100	101	N.D.	µg/L	18.0	104	95	96	0	65-131	33
m/p-Xylene	03G1623	200	96	N.D.	µg/L	70.0	98	88	88	0	66-122	28
o-Xylene	03G1623	100	95	N.D.	µg/L	25.0	95	88	88	0	65-130	33

Notation: ICV - Initial Calibration Verification
CCV - Continuation Calibration Verification
LCS - Lab Control Spike
MS - Matrix Spike
MSD - Matrix Spike Duplicate
ICS - Interference Check Standard
MD - Matrix Duplicate
N.D. - Not detected or less than PQL

COB - Continuation Calibration Blank
M-blank - Method Blank
SP Level - Spike Level
%Rec - Recovery Percent
%RPD - Relative Percent Differences
%Diff - Control Limit for %RPD
ICP-SD - ICP Serial Dilution
N.A. - Not Applicable

Respectfully submitted,


Regina Kirakozova,
Associate QA/QC Director
Applied P & Ch Laboratory

Received on

MAR 31 2003

at Montgomery Watson

FORM-2A

Applied P & Ch Laboratory

Surrogate Recovery Summary for Method 8021B

Client Name: Montgomery Watson Harza

Contract No:

Lab Code: APCL

Case No:

SAS No:

SDG Number: 031972

Project ID: San Juan River Basin

Project No: 1166121.061609

Sample Matrix: Water

Batch No: 03G1623

#	Client Sample No	Lab Sample ID	S1 % #	TOT OUT
1		03G1623-LCS-01	90	0
2		03G1623-LSD-01	89	0
3		03G1623-MB-01	89	0
4	TB	03-1972-2	94	0
5	MW-5	03-1972-1	99	0
6	LF793	03-1969-2MS	89	0
7	LF793	03-1969-2MSD	89	0
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				
23				
24				
25				

S1 = 4-BROMO-FLUOROBENZENE (PID)

QC Control Limit
66-133

Column to be used to flag recovery values:

* - Values outside of contract required QC Limits

D - Surrogate diluted out

I - Matrix Interference

Applied P & Ch Laboratory

13760 Magnolia Ave. Chino CA 91710

Tel: (909)590-1828 Fax: (909)590-1498

APCL INVOICE 03-01972

Samples from

Montgomery Watson Harza
10619 South Jordan Gateway
Salt Lake City, UT 84095

Project Manager:

Technical Contact: Brian Buttars
Purchase Order No:
Prime Contract No:

Remit Payment to

Applied P & Ch Laboratory
13760 Magnolia Ave.
Chino CA 91710

Invoice to

Montgomery Watson Harza
10619 South Jordan Gateway
Salt Lake City, UT 84095
Tel. (801)617-3200
Fax (801)617-4200

Subcontract No:

Project No: 220013
Project Name: San Juan River Basin

Invoice No. 03-01972

Invoice Date: 03/28/2003
Due Date: 04/27/2003
Printed Date: 03/28/2003
Past Due Interest:
1.5% per month

SDG Number: 03-01972
SDG Receive Date: 03/04/03

Catalog No.	Test Description	Method Code	Sample Matrix	Unit Price, \$	Sample Quant.	Subtotal \$
002316	BTXE	8021B	Water	40.00	2	80.00
Analytical Service Subtotal						80.00
Total Service Charge:						80.00
Please Remit This Amount:						80.00

ACCOUNTS PAYABLE	
Job #	4270099
C/Code	011803 C/Type
CC:	Acct #
Approved by	Brian Buttars
Date	4-1-03
PO/Sub #	

Copy A: ORIGINAL INVOICE

LIMITED WARRANTY: APPLIED P & Ch Laboratory (APCL) warrants only the accuracy of the test result data for the samples analyzed. APCL disclaims any other warranty expressed or implied, including the fitness for intended purpose or merchantability of said data. APCL's liability is limited to the retesting of samples if upon reexamination of the data. APCL, in its sole judgement, determines if there is a deficiency in the data. APCL will not be held liable for consequential or incidental damages in connection with the test result data delivered and APCL will be indemnified and held harmless against any third party claims made in connection with the test data or its use by the client, unless such damages or claims result from the negligence of APCL.

***** APCL Invoice Control ID 1999-0746 APCL-00284 0984-0001 APCL Invoice Control ID*****



APCL Financial Department

(Page 1 of 2)

3-27-03
(Date/Signature)

[illegible]

DATA VALIDATION WORKSHEET

(Page 2 of 2)

Analytical Method:	SW-846 8021B (BTEX)	MWH Job Number:	EPC-SJRB (Jaquez)
Laboratory:	APCL	Batch Identification:	03-01960

Validation Criteria							
Sample ID	Lindrith No. 24 MW-1	Ohio C Govt 3 MW-1	TB 260203-1				
Lab ID	03-01960- 01	03-01960- 02	03-01960- 03				
Holding Time	A	A	A				
Analyte List	A	A	A				
Reporting Limits	A	A	A				
Trip Blank	A ¹	A ¹	A ¹				
Equipment Rinseate Blanks	N/A	N/A	N/A				
Field Duplicate/Replicate	N/A	N/A	N/A				
Initial Calibration	N	N	N				
Initial Calibration Verification (ICV)	N	N	N				
Continuing Calibration Verification (CCV)	A	A	A				
Method Blank	A	A	A				
Laboratory Control Sample (LCS)	A	A	A				
Laboratory Control Sample Duplicate (LCSD)	N	N	N				
Matrix Spike/Matrix Spike Dup. (MS/MSD)	N/A	N/A	N/A				
Surrogate Spike Recovery	A	A	A				
Retention Time Window	N	N	N				
Injection Time(s)	N	N	N				
Hardcopy vs. Chain-of-Custody	A	A	A				
EDD vs. Hardcopy	N	N	N				
EDD vs. Chain of Custody	N	N	N				

(a) List QC batch identification if different than Batch ID

A indicates validation criteria were met

A/L indicates validation criteria met based upon Laboratory's QC Summary Form

X indicates validation criteria were not met

N indicates data review were not a project specific requirement

N/A indicates criteria are not applicable for the specified analytical method or sample

N/R indicates data not available for review

NOTES:

1) The following compounds were detected in the trip blank (TB 270203-1):

- a) Toluene @ 0.2 T µg/l, qualify associated sample concentrations greater than 1.0 µg/l with "B" flags and associated sample concentrations less than 1.0 µg/l with "UB" flags.

Applied P & Ch Laboratory

13760 Magnolia Ave. Chino CA 91710

Tel: (909) 590-1828 Fax: (909) 590-1498

Submitted to:

Montgomery Watson Harza

Attention: Brian Butters

10619 South Jordan Gateway

Salt Lake City UT 84095

Tel: (801)617-3200 Fax: (801)617-4200

APCL Analytical Report

Service ID #: 801-031960

Collected by: M.J. Nee.

Collected on: 02/26/03

Received: 03/01/03

Extracted: N/A

Tested: 03/03-05/03

Reported: 03/05/03

Sample Description: Water

Project Description: 220013 San Juan River Basin

Analysis of Water Samples

Component Analyzed	Method	Unit	PQL	Analysis Result	
				MW-1 Lindrith No. 24	
				03-01960-1	
BTXE					
Dilution Factor					1
BENZENE	8021B	µg/L	0.5		4.3
ETHYLBENZENE	8021B	µg/L	0.5		4.7
TOLUENE	8021B	µg/L	0.5		0.8
O-XYLENE	8021B	µg/L	0.5		2.5
M,P-XYLENE	8021B	µg/L	1		20

Component Analyzed	Method	Unit	PQL	Analysis Result	
				MW-1 Ohio C Govt 3	TB 260203-1
				03-01960-2	03-01960-3
BTXE					
Dilution Factor				1	1
BENZENE	8021B	µg/L	0.5	0.08J	<0.5
ETHYLBENZENE	8021B	µg/L	0.5	<0.5	<0.5
TOLUENE	8021B	µg/L	0.5	0.2J	0.2J
O-XYLENE	8021B	µg/L	0.5	<0.5	<0.5
M,P-XYLENE	8021B	µg/L	1	1	<1

PQL: Practical Quantitation Limit. MDL: Method Detection Limit. CRDL: Contract Required Detection Limit


N.D.: Not Detected or less than the practical quantitation limit.

"-": Analysis is not required.

J: Reported between PQL and MDL.

Listed Dilution Factors (DF) are relative to the method default DF. All unlisted DFs are 1.0

Respectfully submitted,


Dominic Lau

Laboratory Director

Applied P & Ch Laboratory

LABORATORY APCL

MWH

Phone (801) 617-3200 FAX (801) 617-4200

MVH Contact Brian Buttars

Project San Juan Basin

Project Number 6200313

Date Due Standard

Sampler's Name MT Nec
(print clearly)

199

LABORATORY USE ONLY

SAMPLES WERE:

- 1 Shipped or hand delivered
Notes: Fed-Ex
2 Ambient or Chilled
Notes:

Notes:

3 Temperature 3.9°C

**4 Received Broken/Leaking
(Improperly Sealed)**

Y
-
-
-
Z

Notes

5 Properly Preserved

Notes:

6 Received Within

2

Notes:

COC Tape Was:

- | | Y | N | NA |
|-----------------------------|---|---|----|
| 1 Present on Outer Package | Y | N | NA |
| 2 Unbroken on Outer Package | Y | N | NA |

3 Present on Sample
Y N

4 Unbroken on Sample

Notes

Discrepancies Between Sample Labels and COC Record?

Y



Chain of Custody ID 280203 MW 01
Page 1 of 1
Air Bill No. 83623 8167 4367

Applied P & Ch Laboratory

13760 Magnolia Ave. Chino CA 91710

Tel: (909) 590-1828 Fax: (909) 590-1498

APCL QA/QC Report

Submitted to:

Montgomery Watson Harza

Attention: Brian Buttars

10619 South Jordan Gateway

Salt Lake City, UT 84095

Tel: (801)617-3200 Fax: (801)617-4200

Service ID #: 801-031960

Collected by: M.J. Nee.

Collected on: 02/26/03

Sample description:

Water

Project: San Juan River Basin /220013

Received: 03/01/03

Tested: 03/03-05/03

Reported: 03/10/03

Analysis of Water

801-031960QC


Component Name	Analysis Batch #	CCV (µg/L)	CCV %Rec	M-Blank	Conc. Unit	SP Level	LCS %Rec	MS %Rec	MSD %Rec	MS/MSD %RPD	Control Limit %Rec	%Diff
BTXE												
Benzene	03G1615	100	97	N.D.	µg/L	18.0	87	91	91	0	71-126	28
Toluene	03G1615	100	101	N.D.	µg/L	70.0	89	91	92	1	70-117	24
Ethylbenzene	03G1615	100	104	N.D.	µg/L	18.0	95	97	98	1	65-131	33
m/p-Xylene	03G1615	200	98	N.D.	µg/L	70.0	90	89	91	2	66-122	28
o-Xylene	03G1615	100	96	N.D.	µg/L	25.0	87	89	90	1	65-130	33

Component Name	Analysis Batch #	CCV (µg/L)	CCV %Rec	M-Blank	Conc. Unit	SP Level	LCS %Rec	MS %Rec	MSD %Rec	MS/MSD %RPD	Control Limit %Rec	%Diff
BTXE												
Benzene	03G1636	100	94	N.D.	µg/L	180	100	81	91	12	71-126	28
Toluene	03G1636	100	97	N.D.	µg/L	700	102	81	95	15	70-117	24
Ethylbenzene	03G1636	100	100	N.D.	µg/L	180	103	84	103	20	65-131	33
m/p-Xylene	03G1636	200	93	N.D.	µg/L	700	99	84	101	19	66-122	28
o-Xylene	03G1636	100	93	N.D.	µg/L	250	94	89	108	19	65-130	33

Notation: ICV - Initial Calibration Verification
CCV - Continuation Calibration Verification
LCS - Lab Control Spike
MS - Matrix Spike
MSD - Matrix Spike Duplicate
ICS - Interference Check Standard
MD - Matrix Duplicate
N.D. - Not detected or less than PQL

CCB - Continuation Calibration Blank
M-blank - Method Blank
SP Level - Spike Level
%Rec - Recovery Percent
%RPD - Relative Percent Differences
%Diff - Control Limit for %RPD
ICP-SD - ICP Serial Dilution
N.A. - Not Applicable

Respectfully submitted,


Regina Kirakozova,
Associate QA/QC Director
Applied P & Ch Laboratory

FORM-2A

Applied P & Ch Laboratory

Surrogate Recovery Summary for Method 8021B

Client Name: Montgomery Watson Harza

Contract No:

Lab Code: APCL

Case No:

SAS No:

SDG Number: 031960

Project ID: San Juan River Basin

Project No: 220013

Sample Matrix: Water

Batch No: 03G1615

#	Client Sample No	Lab Sample ID	S1 % #	TOT OUT
1		03G1615-LCS-01	89	0
2		03G1615-LSD-01	90	0
3		03G1615-MB-01	84	0
4	MW-1 LINDRITH NO. 24	03-1960-1	97	0
5	MW-1 OHIO C GOVT 3	03-1960-2	96	0
6	MW-1 JAQUEZ	03-1958-1MS	88	0
7	MW-1 JAQUEZ	03-1958-1MSD	89	0
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				
23				
24				
25				

QC Control Limit

S1 = 4-BROMO-FLUOROBENZENE (PID)

66-133

Column to be used to flag recovery values:

* - Values outside of contract required QC Limits

D - Surrogate diluted out

I - Matrix Interference

FORM-2A

Applied P & Ch Laboratory

Surrogate Recovery Summary for Method 8021B

Client Name: Montgomery Watson Harza

Contract No:

Lab Code:

APCL

Case No:

SAS No:

Service ID:

031960

Project ID: San Juan River Basin

Project No: 220013

Sample Matrix:

Water

Batch No: 03G1636

#	Client Sample No	Lab Sample ID	S1 % #	TOT OUT
1		03G1636-MB-02	91	0
2	TB 260203-1	03-1960-3	94	0
3	03-0395-01	03-1981-1MS	90	0
4	03-0395-01	03-1981-1MSD	94	0
5		03G1636-LCS-01	88	0
6		03G1636-LSD-01	87	0
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				
23				
24				
25				

S1 = 4-BROMO-FLUOROBENZENE (PID)

QC Control Limit

66-133

Column to be used to flag recovery values:

* - Values outside of contract required QC Limits

D - Surrogate diluted out

I - Matrix Interference

Applied P & Ch Laboratory

13760 Magnolia Ave. Chino CA 91710

Tel: (909)590-1828 Fax: (909)590-1498

APCL INVOICE 03-01960

Samples from

Montgomery Watson Harza
10619 South Jordan Gateway
Salt Lake City, UT 84095

Project Manager:

Technical Contact: Brian Butters

Purchase Order No:

Prime Contract No:

Remit Payment to

Applied P & Ch Laboratory
13760 Magnolia Ave.
Chino CA 91710

Invoice to

Montgomery Watson Harza
10619 South Jordan Gateway
Salt Lake City, UT 84095
Tel. (801)617-3200
Fax (801)617-4200

Subcontract No:

Project No: 220013

Project Name: San Juan River Basin

SDG Number: 03-01960

SDG Receive Date: 03/01/03

Invoice No. 03-01960

Invoice Date: 03/14/2003

Due Date: 04/13/2003

Printed Date: 03/14/2003

Past Due Interest:

1.5% per month

Catalog No.	Test Description	Method Code	Sample Matrix	Unit Price, \$	Sample Quant.	Subtotal \$
002316	BTXE	8021B	Water	40.00	3	120.00
Analytical Service Subtotal						120.00
Total Service Charge						120.00
Please Remit This Amount:						120.00

Received on

MAR 20 2003

at Montgomery Watson

ACCOUNTS PAYABLE	
Job #	4270099
C/Code	011803 C/Type
CC:	Acct #
Approved by	Brian Butters
Date	3-27-03
PO/Sub #	

Copy A: ORIGINAL INVOICE

LIMITED WARRANTY: APPLIED P & Ch Laboratory (APCL) warrants only the accuracy of the test result data for the samples analysed. APCL disclaims any other warranty expressed or implied, including the fitness for intended purpose or merchantability of said data. APCL's liability is limited to the retesting of samples if upon reexamination of the data. APCL, in its sole judgement, determines if there is a deficiency in the data. APCL will not be held liable for consequential or incidental damages in connection with the test result data delivered and APCL will be indemnified and held harmless against any third party claims made in connection with the test data or its use by the client, unless such damages or claims result from the negligence of APCL.

***** APCL Invoice Control ID 1999_0746 APCL_00284 0984_0001 APCL Invoice Control ID*****



APCL Financial Department

DATA VALIDATION WORKSHEET

(Page 1 of 2)

Analytical Method/Analytes: SW-846 8021B (BTEX) Sample Collection Date(s): 12/23-24/02

Laboratory: APCL

MWH Job Number: EPC-SJRB
(Groundwater)

Batch Identification: 02-06831

Matrix: Water

MS/MSD Parent(s)^(a): 02-06831-05

Field Replicate Parent(s): None

Validation Complete:

[Signature] 1-16-03
(Date/Signature)

Foot Notes	Site ID	Sample ID	Lab. ID	Hits (Y/N)	Quals.	Comments
1	GW	Jennepah MW-1	02-06831-01	Y	B B B B B	Benzene @ 27.4 µg/l Ethylbenzene @ 62.5 µg/l Toluene @ 67.1 µg/l o-Xylene @ 210 µg/l m/p-Xylene @ 128 µg/l
1	GW	Canada Mesa MW-2	02-06831-02	Y	B B UB UB B	Benzene @ 12.1 µg/l Ethylbenzene @ 129 µg/l Toluene @ 2.1 µg/l o-Xylene @ 2.4 µg/l m/p-Xylene @ 14 µg/l
1	GW	Canada Mesa MW-3	02-06831-03	Y	B B B B B	Benzene @ 1,430 µg/l Ethylbenzene @ 483 µg/l Toluene @ 95 µg/l o-Xylene @ 169 µg/l m/p-Xylene @ 2,190 µg/l
1	GW	Ohio "C" Govt #3 MW-5	02-06831-04	Y	B B UB B B	Benzene @ 5.6 µg/l Ethylbenzene @ 15.4 µg/l Toluene @ 0.7 µg/l o-Xylene @ 18.6 µg/l m/p-Xylene @ 59 µg/l
1	QC	TB02101501	02-06831-05	Y		Benzene @ 0.3T µg/l Ethylbenzene @ 1.5 µg/l Toluene @ 0.5 µg/l o-Xylene @ 0.5 µg/l m/p-Xylene @ 2.4 µg/l

Applied P & Ch Laboratory

13760 Magnolia Ave. Chino CA 91710

Tel: (909) 590-1828 Fax: (909) 590-1498

Submitted to:

Montgomery Watson Harza

Attention: Brian Butters.

10619 South Jordan Gateway

Salt Lake City UT 84095

Tel: (801)617-3200 Fax: (801)617-4200

APCL Analytical Report

Service ID #: 801-026831

Collected by: Delbert Belcis.

Collected on: 10/15-12/24/02

Received: 12/26/02

Extracted: N/A

Tested: 12/26-31/02

Reported: 01/03/03

Sample Description: Water

Project Description: 220013

San Juan River Basin

Groundwater

Analysis of Water Samples

Component Analyzed	Method	Unit	PQL	Analysis Results	
				MW-1	MW-2
				02-06831-1	02-06831-2
BTXE					
Dilution Factor				1	1
BENZENE	8021B	µg/L	0.5	27.4	12.1
ETHYLBENZENE	8021B	µg/L	0.5	62.5	129
TOLUENE	8021B	µg/L	0.5	67.1	2.1
O-XYLENE	8021B	µg/L	0.5	210	2.4
M,P-XYLENE	8021B	µg/L	1	128	14

Component Analyzed	Method	Unit	PQL	Canada	Phap #24	TB02101501
				MW-3	MW-5	
				02-06831-3	02-06831-4	02-06831-5
BTXE						
Dilution Factor				5	1	1
BENZENE	8021B	µg/L	0.5	1,430	5.6	0.3J
ETHYLBENZENE	8021B	µg/L	0.5	483	15.4	1.5
TOLUENE	8021B	µg/L	0.5	95	0.7	0.5
O-XYLENE	8021B	µg/L	0.5	169	18.6	0.5
M,P-XYLENE	8021B	µg/L	1	2,190	59	2.4

PQL: Practical Quantitation Limit. MDL: Method Detection Limit.

CRDL: Contract Required Detection Limit

N.D.: Not Detected or less than the practical quantitation limit.

"-": Analysis is not required.

J: Reported between PQL and MDL.

Listed Dilution Factors (DF) are relative to the method default DF. All unlisted DFs are 1.0

Respectfully submitted,

Dominic Lau
Dominic Lau

Laboratory Director

Applied P & Ch Laboratory

DATA VALIDATION WORKSHEET

(Page 2 of 2)

Analytical Method: SW-846 8021B (BTEX) MWH Job Number: EPC-SJRB (Groundwater)

Laboratory: APCL Batch Identification: 02-06831

Validation Criteria								
Sample ID	Jennepah MW-1	Canada Mesa MW-2	Canada Mesa MW-3	Ohio "C" Govt #3 MW-5	TB 02101501			
Lab ID	02-06831-01	02-06831-02	02-06831-03	02-06831-04	02-06831-05			
Holding Time	A	A	A	A	A			
Analyte List	A	A	A	A	A			
Reporting Limits	A	A	A	A	A			
Method Blank	A	A	A	A	A			
Trip Blank	A ¹	A ¹	A ¹	A ¹	A ¹			
Equipment Rinseate Blanks	N/A	N/A	N/A	N/A	N/A			
Field Duplicate/Replicate	N/A	N/A	N/A	N/A	N/A			
Initial Calibration	N	N	N	N	N			
Initial Calibration Verification (ICV)	N	N	N	N	N			
Continuing Calibration Verification (CCV)	A	A	A	A	A			
Laboratory Control Sample (LCS)	A	A	A	A	A			
Laboratory Control Sample Duplicate (LCSD)	N	N	N	N	N			
Matrix Spike/Matrix Spike Dup. (MS/MSD)	N/A	N/A	N/A	N/A	A			
Surrogate Spike Recovery	A	A	A	A	A			
Retention Time Window	N	N	N	N	N			
Injection Time(s)	N	N	N	N	N			
Hardcopy vs. Chain-of-Custody	A	A	A	A	A			
EDD vs. Hardcopy	N	N	N	N	N			
EDD vs. Chain of Custody	N	N	N	N	N			

(a) List QC batch identification if different than Batch ID

A indicates validation criteria were met

A/L indicates validation criteria met based upon Laboratory's QC Summary Form

X indicates validation criteria were not met

N indicates data review were not a project specific requirement

N/A indicates criteria are not applicable for the specified analytical method or sample

N/R indicates data not available for review

NOTES:

1) The following analytes were detected in the trip blank:

- Benzene @ 0.3T µg/L, qualify all sample concentrations less than or equal to 1.5 µg/L with a "UB" flag and all sample concentrations greater than 1.5 µg/l with a "B" flag.
- Ethylbenzene @ 1.5 µg/L, qualify all sample concentrations less than or equal to 7.5 µg/L with a "UB" flag and all sample concentrations greater than 7.5 µg/l with a "B" flag.
- Toluene @ 0.5 µg/L, qualify all sample concentrations less than or equal to 2.5 µg/L with a "UB" flag and all sample concentrations greater than 2.5 µg/l with a "B" flag.
- o-Xylene @ 0.5 µg/L, qualify all sample concentrations less than or equal to 2.5 µg/L with a "UB" flag and all sample concentrations greater than 2.5 µg/l with a "B" flag.
- m/p-Xylene @ 2.4 µg/L, qualify all sample concentrations less than or equal to 12 µg/L with a "UB" flag and all sample concentrations greater than 12 µg/l with a "B" flag.

Applied P & Ch Laboratory

13760 Magnolia Ave. Chino CA 91710

Tel: (909) 590-1828 Fax: (909) 590-1498

APCL QA/QC Report

Submitted to:

Montgomery Watson Harza

Attention: Brian Butters

10619 South Jordan Gateway

Salt Lake City, UT 84095

Tel: (801)617-3200 Fax: (801)617-4200

Service ID #: 801-026831

Received: 12/26/02

Collected by: Delbert Belcis

Tested: 12/26-31/02

Collected on: 10/15-12/24/02

Reported: 01/09/03

Sample description:

Water

Project: San Juan River Basin /220013

Analysis of Water

801-026831QC

Component Name	Analysis Batch #	CCV (µg/L)	CCV %Rec	M-Blank	Conc. Unit	SP Level	LCS %Rec	MS %Rec	MSD %Rec	MS/MSD %RPD	Control Limit %Rec	%Diff
BTXE												
Benzene	02G5133	100	97	N.D.	µg/L	18.0	86	80	80	1	68-130	31
Toluene	02G5133	100	103	N.D.	µg/L	70.0	88	80	80	0	66-133	33
Ethylbenzene	02G5133	100	105	N.D.	µg/L	18.0	95	78	78	0	65-134	35
m/p-Xylene	02G5133	200	98	N.D.	µg/L	70.0	91	79	79	0	65-134	35
o-Xylene	02G5133	100	99	N.D.	µg/L	25.0	89	79	80	1	65-134	35

Component Name	Analysis Batch #	CCV (µg/L)	CCV %Rec	M-Blank	Conc. Unit	SP Level	LCS %Rec	MS %Rec	MSD %Rec	MS/MSD %RPD	Control Limit %Rec	%Diff
BTXE												
Benzene	02G5174	100	98	N.D.	µg/L	18.0	76	79	78	1	68-130	31
Toluene	02G5174	100	105	N.D.	µg/L	70.0	77	79	80	1	66-133	33
Ethylbenzene	02G5174	100	107	N.D.	µg/L	18.0	83	77	77	1	65-134	35
m/p-Xylene	02G5174	200	100	N.D.	µg/L	70.0	79	79	78	1	65-134	35
o-Xylene	02G5174	100	100	N.D.	µg/L	25.0	78	76	76	0	65-134	35

*: LCS/LCSD is used.

Notation: ICV - Initial Calibration Verification
CCV - Continuation Calibration Verification
LCS - Lab Control Spike
MS - Matrix Spike
MSD - Matrix Spike Duplicate
ICS - Interference Check Standard
MD - Matrix Duplicate
N.D. - Not detected or less than PQL

CCB - Continuation Calibration Blank
M-blank - Method Blank
SP Level - Spike Level
%Rec - Recovery Percent
%RPD - Relative Percent Differences
%Diff - Control Limit for %RPD
ICP-SD - ICP Serial Dilution
N.A. - Not Applicable

Respectfully submitted,


Regina Kirakozova,
Associate QA/QC Director
Applied P & Ch Laboratory

FORM-2A

Applied P & Ch Laboratory

Surrogate Recovery Summary for Method 8021B

Client Name: Montgomery Watson Harza

Contract No:

Lab Code:

APCL

Case No:

SAS No:

SDG Number:

026831

Project ID: San Juan River Basin

Project No: 220013

Sample Matrix:

Water

Batch No: 02G5133

#	Client Sample No	Lab Sample ID	S1 % #	TOT OUT
1		02G5133-LCS-01	85	0
2		02G5133-LSD-01	82	0
3		02G5133-MB-02	87	0
4	MW-1	02-6831-1	120	0
5	MW-2	02-6831-2	105	0
6	MW-5	02-6831-4	96	0
7	TB02101501	02-6831-5	89	0
8	TB02101501	02-6831-5MS	89	0
9	TB02101501	02-6831-5MSD	88	0
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				
23				
24				
25				

QC Control Limit

S1 = 4-BROMO-FLUOROBENZENE (PID)

65-134

Column to be used to flag recovery values:

* - Values outside of contract required QC Limits

D - Surrogate diluted out

I - Matrix Interference

FORM-2A

Applied P & Ch Laboratory

Surrogate Recovery Summary for Method 8021B

Client Name: Montgomery Watson Harza

Contract No:

Lab Code:

APCL

Case No:

SAS No:

Service ID:

026831

Project ID: San Juan River Basin

Project No: 220013

Sample Matrix:

Water

Batch No: 02G5174

#	Client Sample No	Lab Sample ID	S1 % #	TOT OUT
1		02G5174-LCS-01	82	0
2		02G5174-LSD-01	80	0
3		02G5174-MB-02	85	0
4	MW-3	02-6831-3	106	0
5	333-MW01-WG3	02-6870-1MS	82	0
6	333-MW01-WG3	02-6870-1MSD	83	0
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				
23				
24				
25				

QC Control Limit

S1 = 4-BROMO-FLUOROBENZENE (PID)

65-134

Column to be used to flag recovery values:

* - Values outside of contract required QC Limits

D - Surrogate diluted out

I - Matrix Interference

CHAIN OF CUSTODY RECORD/LAB WORK REQUEST

LABORATORY APCL

Contract El Paso Corp., San Juan River Basin

MWH

Phone (801) 617-3200 FAX (801) 617-4200

MWH Contact Brian Butters

Project San Juan River Basin

Project Number 220013

Date Due 21 Days

Sampler's Name Delbert Belas

(print clearly)

Location ID	Sample ID	Depth Interval (ft)	Date Collected	Time Collected	Matrix (a)	Sampling Technique (b)	ANALYSES REQUESTED											
							BTEX SW-846 8021B	Alkalinity SM 2320B	TDS USEPA 160.1	NM WQCC Metals SW-846 6010B & 7470A	Cations SW-846 6010B	Anions USEPA 300.0	Nitrate USEPA 300.0	Nitrite USEPA 300.0				
GW- Jeneedah	MW-1		12/23/02	1125	W6	B	✓											
GW- OHIC "C" BOU # 3	MW-5		12/23/02	1530	W6	B	✓											
GW- Canada Mesa	MW-2		12/24/02	1205	W6	B	✓											
GW- Canada Mesa	MW-3		12/24/02	1125	W6	B	✓											
TB02101501			10/6/02															

6331

(a) Matrix:

SO - Soil
WS - Surface Water
WG - Ground Water
AA - Air
WQ - Trip Blank/
Equipment Blanks
WW - Wastewater

(b) Sampling Technique:

Composite=C
Grab=G
Hand Auger=HA
Submersible Pump=SP
Bladder Pump=BP
Bailer=B
Wellhead Faucet=WF
Hydropunch=HP

Location IDs:

North Flare Pit=NF
South Flare Pit=SF
San Juan River Plant=SU
Bisit=BI
Jaquez=JA

Relinquished by/Affiliation	Received by/Affiliation	Date	Time
Delbert Belas / 935E		12/24/02	1410
	Paul K	12/26/02	1300

Chain of Custody ID 021224 DB
Page 1 of 1
Air Bill No. 836381676760

LABORATORY USE ONLY

SAMPLES WERE:

1 Shipped or hand delivered

Notes:

2 Ambient or Chilled

Notes:

3 Temperature

4 Received Broken/Leaking (Improperly Sealed)

Notes:

5 Properly Preserved

Notes:

6 Received Within Holding Times

Notes:

COC Tape Was:

1 Present on Outer Package

Notes:

2 Unbroken on Outer Package

Notes:

3 Present on Sample

Notes:

4 Unbroken on Sample

Notes:

Discrepancies Between Sample Labels and COC Record?

Notes:

Y N

Notes:

Y N

Notes:

Y N

Notes:

Y N

Notes:

Y N

DATA VALIDATION WORKSHEET

Analytical Method/Analytes: SW-846 8021B (BTEX) **Sample Collection Date(s):** 09/09-10/02

Laboratory: APCL

MWH Job Number: EPC-SJRB
(Ground Water)

Batch Identification: 02-04813

Matrix: **Water**

QC Identification^(a): _____

Page: 1 of 2

Validation Complete:

(Date/Signature)

[illegible]

APCL Analytical Report

Submitted to:

Montgomery Watson Harza

Attention: Brian Buttars

10619 South Jordan Gateway

Salt Lake City UT 84095

Tel: (801)617-3200 Fax: (801)617-4200

Service ID #: 801-024813

Collected by: Ashley Lowe

Collected on: 09/09/02

Received: 09/11/02

Extracted: N/A

Tested: 09/13/02

Reported: 09/16/02

Sample Description: Water

Project Description: 4270032-020105 San Juan River Basin

Analysis of Water Samples

Component Analyzed	Method	Unit	PQL	Analysis Result		
				MW-1 GW Horton 1E	MW-5 GW Ohio Gov	TB02090901
				02-04813-1	02-04813-2	02-04813-3
BTXE						
Dilution Factor				1	1	1
BENZENE	8021B	µg/L	0.5	167	1.1	<0.5
ETHYLBENZENE	8021B	µg/L	0.5	2.4	2.7	0.9
TOLUENE	8021B	µg/L	0.5	49.9	0.5	0.4J
O-XYLENE	8021B	µg/L	0.5	1.7	4.0	<0.5
M,P-XYLENE	8021B	µg/L	1	11	7.8	0.9J

PQL: Practical Quantitation Limit.

MDL: Method Detection Limit.

CRDL: Contract Required Detection Limit


N.D.: Not Detected or less than the practical quantitation limit.

"-": Analysis is not required.

J: Reported between PQL and MDL.

Listed Dilution Factors (DF) are relative to the method default DF. All unlisted DFs are 1.0

Respectfully submitted,


Dominic Lau

Laboratory Director

Applied P & Ch Laboratory

DATA VALIDATION WORKSHEET

Analytical Method: SW-846 8021B (BTEX)

MWH Job Number: _____

EPC-SJRB
(Ground Water)

Laboratory: APCL

Batch Identification: 02-04813

Validation Criteria								
Sample ID	Horton 1E MW-1	Ohio Gov. MW-5						
Lab ID	02-04813- 01	02-04813- 02						
Hardcopy vs. Chain-of-Custody	A	A						
Holding Time	A	A						
Analyte List	A	A						
Reporting Limits	A	A						
Method Blank	A	A						
Trip Blank	A	A						
Equipment Rinseate Blanks	N/A	N/A						
Field Duplicate/Replicate	N/A	N/A						
Initial Calibration	N	N						
Initial Calibration Verification (ICV)	N	N						
Continuing Calibration Verification (CCV)	A	A						
Laboratory Control Sample (LCS)	A	A						
Laboratory Control Sample Duplicate (LCSD)	N	N						
Matrix Spike/Matrix Spike Dup. (MS/MSD)	N/A	N/A						
Surrogate Spike Recovery	A	A						
Retention Time Window	N	N						
Injection Time(s)	N	N						
EDD vs. Hardcopy	N	N						
EDD vs. Chain of Custody	N	N						

(a) List QC batch identification if different than Batch ID

A indicates validation criteria were met

A/L indicates validation criteria met based upon Laboratory's QC Summary Form

X indicates validation criteria were not met

N indicates data review were not a project specific requirement

N/A indicates criteria are not applicable for the specified analytical method or sample

N/R indicates data not available for review

NOTES:

1) The following analytes were detected in the trip blank:

- Ethylbenzene @ 0.9 µg/L, qualify all sample concentrations less than or equal to 4.5 µg/L with a "UB" flag and all sample concentrations greater than 4.5 µg/L with a "B" flag.
- Toluene @ 0.4T µg/L, qualify all sample concentrations less than or equal to 2.0 µg/L with a "UB" flag and all sample concentrations greater than 2.0 µg/L with a "B" flag.
- m/p-Xylene @ 0.9T µg/L, qualify all sample concentrations less than or equal to 4.5 µg/L with a "UB" flag and all sample concentrations greater than 4.5 µg/L with a "B" flag.

Applied P & Ch Laboratory

13760 Magnolia Ave, Chino CA 91710

Tel: (909) 590-1828 Fax: (909) 590-1488

APCL QA/QC Report

Submitted to:
Montgomery Watson Harza
Attention: Brian Buttars
10619 South Jordan Gateway
Salt Lake City, UT 84095
Tel: (801)617-3200 Fax: (801)617-4200

Service ID #: 801-024813
Collected by: Ashley Lowe
Collected on: 09/09/02
Sample description:
Water
Project: San Juan River Basin /4270032-020105

Received: 09/11/02

Tested: 09/13/02

Reported: 09/17/02

Analysis of Water

801-024813QC


Component Name	Analysis Batch #	CCV ($\mu\text{g/L}$)	CCV %Rec	M-Blank	Conc. Unit	SP Level	LCS %Rec	MS %Rec	MSD %Rec	MS/MSD %RPD	Control Limit %Rec	Control Limit %Diff
BTXE												
Benzene	02G3843	100	99	N.D.	$\mu\text{g/L}$	18.0	85	85*	86*	2	65-129	31
Toluene	02G3843	100	100	N.D.	$\mu\text{g/L}$	7000	89	90	90	0	66-133	33
Ethylbenzene	02G3843	100	101	N.D.	$\mu\text{g/L}$	1800	97	96	94	2	65-134	35
m/p-Xylene	02G3843	200	94	N.D.	$\mu\text{g/L}$	7000	92	88	88	0	65-134	35
o-Xylene	02G3843	100	96	N.D.	$\mu\text{g/L}$	2500	91	97	94	4	65-134	35

*: LCS/LCSD is used.

Notation: ICV - Initial Calibration Verification
CCV - Continuation Calibration Verification
LCS - Lab Control Spike
MS - Matrix Spike
MSD - Matrix Spike Duplicate
ICS - Interference Check Standard
MD - Matrix Duplicate
N.D. - Not detected or less than PQL

CCB - Continuation Calibration Blank
M-blank - Method Blank
SP Level - Spike Level
%Rec - Recovery Percent
%RPD - Relative Percent Differences
%Diff - Control Limit for %RPD
ICP-SD - ICP Serial Dilution
N.A. - Not Applicable

Respectfully submitted,


Regina Kirakozova,
Associate QA/QC Director
Applied P & Ch Laboratory

LABORATORY APCL
Contract El Paso Corp., San Jaun River Basin

Phone (801) 617-3200 FAX (801) 617-4200

Project San Juan River Basin

Project Number 4270032-020105

Date Due 21 Days

Sampler's Name Ashley Lowe
(print clearly)

4000

AA - Air	
WG - Trip Blank/ Equipment Blanks	
WS - Surface Water	
WG - Ground Water	
WW - Wastewater	

(b) Sampling Technique:
Composite=C
Grab=G
Hand Auger=HA
Submersible Pump=SP
Bladder Pump=BP
Bailer=B
Wellhead Faucet=Wf

Location IDs:
Groundwater Siles=GW
Bisti=BI
Jaquez=JA

North Flare Pit=NF
South Flare Pit=SF
San Juan River Plant=SJ

Relinquished by/Affiliation

Received by/Affiliation

Date _____ Time _____

Ashley & Jane MASE 14:00

APR 1

09/11/02	14:00
9/11/02	0930A

Chain of Custody ID 020910AL61
 Page 1 of 1
 Air Bill No. 834715209748

LABORATORY USE ONLY

SAMPLES WERE:

1 Shipped or hand delivered
Notes: Ed-Ex

2 Ambient or Chilled

3 Temperature 4.4°C

4 Received Broken/Leaking

(Improperly Sealed)
Y
N

5 Properly Preserved
Y
Notes: N

6 Received Within Holding Times
Y Y N
Notes:

COC Tape Was:

1 Present on Outer Package

2 Unbroken on Outer

Package	N	NA
Y		

3 Present on Sample
Y N

4 Unbroken on Sample
Y N NA

Notes:

Discrepancies Between Sample Labels and COC Record?

Notes:



2709-D Pan American Freeway NE
Albuquerque, New Mexico 87107
Phone (505) 344-3777
Fax (505) 344-4413

Pinnacle Lab ID number 203085
April 10, 2002

AMEC EARTH & ENVIRONMENTAL
2060 AFTON PLACE
FARMINGTON, NM 87401

EL PASO FIELD SERVICES
614 RIELLY STREET
FARMINGTON, NM 87401

Project Name OHIO C GOVT. #3
Project Number 1517000121

Attention: LISA WINN/SCOTT POPE

On 03/22/02 Pinnacle Laboratories, Inc., (ADHS License No. AZ0592 pending), received a request to analyze aqueous samples. The samples were analyzed with EPA methodology or equivalent methods. The results of these analyses and the quality control data, which follow each set of analyses, are enclosed.

If you have any questions or comments, please do not hesitate to contact us at (505)344-3777.

H. Mitchell Rubenstein, Ph. D.
General Manager

MR: jt

Enclosure




2709-D Pan American Freeway NE
Albuquerque, New Mexico 87107
Phone (505) 344-3777
Fax (505) 344-4413

CLIENT : AMEC EARTH & ENVIRONMENTAL
PROJECT # : 1517000121
PROJECT NAME : OHIO C GOVT. #3

PINNACLE ID : 203085
DATE RECEIVED : 03/22/02
REPORT DATE : 04/10/02

PINNACLE ID #	CLIENT DESCRIPTION	MATRIX	DATE COLLECTED
203085 - 01	OHI-0203-MW5	AQUEOUS	03/19/02
203085 - 02	TRIP BLANK	AQUEOUS	03/20/02



2709-D Pan American Freeway NE
Albuquerque, New Mexico 87107
Phone (505) 344-3777
Fax (505) 344-4413

GAS CHROMATOGRAPHY RESULTS

TEST : EPA 8021 MODIFIED
CLIENT : AMEC EARTH & ENVIRONMENTAL
PROJECT # : 1517000121
PROJECT NAME : OHIO C GOVT. #3

PINNACLE I.D.: 203085

SAMPLE			DATE	DATE	DATE	DIL.
#	CLIENT I.D.	MATRIX	SAMPLED	EXTRACTED	ANALYZED	FACTOR
	OHI-0203-MW5	AQUEOUS	03/19/02	NA	03/25/02	1
	TRIP BLANK	AQUEOUS	03/20/02	NA	03/25/02	1

PARAMETER	DET. LIMIT	UNITS	OHI-0203-MW5	TRIP BLANK
BENZENE	0.5	UG/L	6.6	< 0.5
TOLUENE	0.5	UG/L	< 0.5	< 0.5
ETHYLBENZENE	0.5	UG/L	15	< 0.5
DIETHYLBENZENE	1.0	UG/L	97	< 1.0

IRROGATE:
ROMOFLUOROBENZENE (%) 97 90
IRROGATE LIMITS (80 - 120)

HEMIST NOTES:
/A



2709-D Pan American Freeway NE
Albuquerque, New Mexico 87107
Phone (505) 344-3777
Fax (505) 344-4413

GAS CHROMATOGRAPHY RESULTS
REAGENT BLANK

TEST	: EPA 8021 MODIFIED	PINNACLE I.D.	: 203085
LABORATORY I.D.	: 032502	DATE EXTRACTED	: N/A
CLIENT	: AMEC EARTH & ENVIRONMENTAL	DATE ANALYZED	: 03/25/02
PROJECT #	: 1517000121	SAMPLE MATRIX	: AQUEOUS
PROJECT NAME	: OHIO C GOVT. #3		

PARAMETER	UNITS	
BENZENE	UG/L	<0.5
TOLUENE	UG/L	<0.5
ETHYLBENZENE	UG/L	<0.5
TOTAL XYLENES	UG/L	<1.0


PROBATE:
BROMOFLUOROBENZENE (%)

86

PROBATE LIMITS: (80 - 120)

NOTES:

N/A



2709-D Pan American Freeway NE
Albuquerque, New Mexico 87107
Phone (505) 344-3777
Fax (505) 344-4413

GAS CHROMATOGRAPHY QUALITY CONTROL
LCS/LCSD

EST : EPA 8021 MODIFIED PINNACLE I.D. : 203085
BATCH # : 032502 DATE EXTRACTED : N/A
CLIENT : AMEC EARTH & ENVIRONMENTAL DATE ANALYZED : 03/25/02
PROJECT # : 1517000121 SAMPLE MATRIX : AQUEOUS
PROJECT NAME : OHIO C GOVT. #3 UNITS : UG/L

PARAMETER	SAMPLE RESULT	CONC SPIKE	SPIKED SAMPLE	% REC	DUP SPIKE	DUP % REC	RPD	REC LIMITS	RPD LIMITS
BENZENE	<0.5	20.0	18.2	91	17.9	90	2	(80 - 120)	20
TOLUENE	<0.5	20.0	18.2	91	17.1	86	6	(80 - 120)	20
ETHYLBENZENE	<0.5	20.0	17.9	90	16.8	84	6	(80 - 120)	20
TOTAL XYLENES	<1.0	60.0	55.6	93	52.3	87	6	(80 - 120)	20

TEST NOTES:
N/A

$$\% \text{ Recovery} = \frac{(\text{Spike Sample Result} - \text{Sample Result})}{\text{Spike Concentration}} \times 100$$

$$\text{RPD (Relative Percent Difference)} = \frac{(\text{Sample Result} - \text{Duplicate Result})}{\text{Average Result}} \times 100$$



2709-D Pan American Freeway NE
Albuquerque, New Mexico 87107
Phone (505) 344-3777
Fax (505) 344-4413

GAS CHROMATOGRAPHY QUALITY CONTROL
MSMSD

TEST : EPA 8021 MODIFIED
MSMSD # : 203085-01
CLIENT : AMEC EARTH & ENVIRONMENTAL
PROJECT # : 1517000121
PROJECT NAME : OHIO C GOVT. #3

PINNACLE I.D. : 203085
DATE EXTRACTED : N/A
DATE ANALYZED : 03/25/02
SAMPLE MATRIX : AQUEOUS
UNITS : UG/L

PARAMETER	SAMPLE RESULT	CONC SPIKE	SPIKED SAMPLE	% REC	DUP SPIKE	DUP % REC	RPD	REC LIMITS	RPD LIMITS
BENZENE	6.63	20.0	23.9	86	24.4	89	2	(80 - 120)	20
TOLUENE	<0.5	20.0	17.3	87	17.8	89	3	(80 - 120)	20
ETHYLBENZENE	15.2	20.0	31.4	81	32.6	87	4	(80 - 120)	20
BTAL XYLENES	96.8	60.0	144	79	149	87	3	(80 - 120)	20

NOTES:

Due to concentration of Xylenes, recovery limits not applicable. LCS/LCSD data indicates sample data acceptable.

$$\text{Recovery} = \frac{(\text{Spike Sample Result} - \text{Sample Result})}{\text{Spike Concentration}} \times 100$$

$$\text{PD (Relative Percent Difference)} = \frac{(\text{Sample Result} - \text{Duplicate Result})}{\text{Average Result}} \times 100$$

ATTACHMENT 2

FIELD DOCUMENTATION

WELL DEVELOPMENT AND SAMPLING LOG

Project No: 220013 Project Name: San Juan River Basin Client: MWH
 Location: Ohio C 904 #3 Well No: MW-5 Development ☐ Sampling ☒
 Project Manager: Delbert Bekis Date: 12-23-02 Start Time: 1400 Weather: cloudy
 Depth to Water: 16.040 Depth to Product: NA Product Thickness: NA Measuring Point: 70C
 Water Column Height: 5.58 Well Dia: 4" ~~FD = 21.620~~ ^{DB} TD = 21.620

Sampling Method: Submersible Pump ☐ Centrifugal Pump ☐ Peristaltic Pump ☐ Other ☐
 Bottom Valve Bailer ☐ Double Check Valve Bailer ☐ Stainless-Steel Kemmerer ☐
 Criteria: 3 to 5 Casing Volumes of Water Removal ☐ Stabilization of Indicator Parameters ☐ Other _____

Gal/ft x ft of water		Water Volume In Well				Gal/oz to be removed		
		Gallons	Ounces					
Time (military)	pH	SC (umhos/cm)	Temp (°C)	Eh-ORP (millivolts)	D.O. (mg/L)	Turbidity (NTU)	Vol Evac. (gal.)	Comments/ Flow rate
1425	7.5	2730	16.6				0.5	grayish black, oily
	7.64	2720	15.0				1 gal	film on top. odor
	7.50	2740	14.6				1.5	
	7.57	2680	13.9				2.0	
	7.53	2690	13.1				2.5	
	7.52	2650	12.8				3.0	
	7.49	2650	12.3					
	7.44	2800	13.1					
	7.49	2770	13.3					
	7.44	2800	13.1					
	7.44	2850	12.8					
	7.41	2870	12.5					
	7.43	2880	12.6					
	7.39	2950	12.5					
	7.37	2980	13.2					Continue on
	7.38	2960	12.3					next sheet

Final:
 Time pH SC Temp Eh-ORP D.O. Turbidity Ferrous Iron Vol Evac. Comments/Flow rate

COMMENTS: * sheet 1 of 2.
continue on next sheet.

INSTRUMENTATION: pH Meter ☐ _____ Temperature Meter ☐ _____
 DO Monitor ☐ _____ Other ☐ _____
 Conductivity Meter ☐ _____

Water Disposal _____
 Sample ID _____ Sample Time _____ BTEX ☐ VOCs ☐ Alkalinity ☐
 TDS ☐ Cations ☐ Anions ☐ Nitrate ☐ Nitrite ☐ Ammonia ☐ TKN ☐ NM WQCC Metals ☐
 Total Phosphorus ☐ _____
 MS/MSD _____ BD _____ BD Name/Time _____ TB _____

WELL DEVELOPMENT AND SAMPLING LOG

Project No: _____ Project Name: _____ Client: _____
 Location: _____ Well No: _____ Development ☐ Sampling ☐
 Project Manager _____ Date _____ Start Time _____ Weather _____
 Depth to Water _____ Depth to Product _____ Product Thickness _____ Measuring Point _____
 Water Column Height _____ Well Dia. _____

Sampling Method: Submersible Pump ☐ Centrifugal Pump ☐ Peristaltic Pump ☐ Other ☐
 Bottom Valve Bailer ☐ Double Check Valve Bailer ☐ Stainless-Steel Kemmerer ☐
 Criteria: 3 to 5 Casing Volumes of Water Removal ☐ Stabilization of Indicator Parameters ☐ Other _____

Gal/ft x ft of water	Water Volume In Well		Gal/oz to be removed
	Gallons	Ounces	

Time (military)	pH	SC (umhos/cm)	Temp (°C)	Eh-ORP (millivolts)	D.O. (mg/L)	Turbidity (NTU)	Vol Evac. (gal.)	Comments/ Flow rate
7.36	7.36	2950	11.6				8.5	Black, silty
7.36	7.36	3050	12.4				9.0	odor
7.40	7.40	3030	9.5 12.7				9.5	
7.35	7.35	3030	12.4				10.0	grey / cloudy
1530	7.34	3050	12.9				10.5	Sample.

Final:
 Time pH SC Temp Eh-ORP D.O. Turbidity Ferrous Iron Vol Evac. Comments/Flow rate
 1530 7.34 3050 12.9 / / / 10.5 Sample.

COMMENTS: at sample, color was grey to cloudy almost clear.

INSTRUMENTATION: pH Meter ☒ _____ Temperature Meter ☒ _____
 DO Monitor ☐ _____ Other ☐ _____
 Conductivity Meter ☒ _____
 Water Disposal KUTZ PLANT
 Sample ID Ohio C 904 #3 MW-5 Sample Time 1530 BTEX ☒ VOCs ☐ Alkalinity ☐
 TDS ☐ Cations ☐ Anions ☐ Nitrate ☐ Nitrite ☐ Ammonia ☐ TKN ☐ NM WQCC Metals ☐
 Total Phosphorus ☐ _____
 MS/MSD _____ BD _____ BD Name/Time _____ TB _____

Project No: 220613
Date: 12/24/02

Well	Time	Depth to Water (ft)	Depth to Product (ft)	Total Well Depth (ft)	Product Thickness (ft)	Volume Removed	Comments
MW-1	1400	13.11	—	21.620	—	—	
MW-4	1405	10.73	—	20.90	—	—	
MW-2	1410	10.59	—	16.62	—	—	
MW-3	1415	14.33	—	21.44	—	—	
MW-5	1425	16.040	—	21.620	—	—	collected sample.

COMMENTS:

Signature: Darbert Bekis

Date: 12/24/02



Chain of Custody ID 021224 PB
Page 1 of 1
Air Bill No. 836381676760

LABORATORY APCL
Contract El Paso Corp., San Jaun River Basin

Phone (801) 617-3200 FAX (801) 617-4200

Project San Juan River Basin

51.0015

(print clearly)

[illegible][illegible]

LABORATORY USE ONLY	
SAMPLES WERE:	
1 Shipped or hand delivered Notes:	
2 Ambient or Chilled Notes:	
3 Temperature _____	
4 Received Broken/Leaking (Improperly Sealed) Y N Notes:	
5 Properly Preserved Y N Notes:	
6 Received Within Holding Times Y N Notes:	
COC Tape Was:	
1 Present on Outer Package Y N NA	
2 Unbroken on Outer Package Y N NA	
3 Present on Sample Y N NA	
4 Unbroken on Sample Y N NA Notes:	
Discrepancies Between Sample Labels and COC Record? Y N Notes:	

Matrix:		Sampling Technique:		Location IDs:	
AA - Air	SO - Soil	Composite=C	Submersible Pump=SP	North Flare Pit=NF	
WQ - Trip Blank/ Equipment Blanks	WS - Surface Water	Grab=G	Bladder Pump=BP	South Flare Pit=SF	
WW - Wastewater	WG - Ground Water	Hand Auger=HA	Bailer=B	Bistl=B1	
			Wellhead Faucet=WF	Jaquez=JA	
			Hydropunch=HP		

Relinquished by/Affiliation	Received by/Affiliation	Date	Time
Delbert Beane / 935E		12/1/12	1410

FedEx. USA Airbill

Express

800 816 7676

Order's Copy

1 From 12/24/02 Sender's FedEx Account Number 220929116

Sender's Name Delbert Belas Phone 1505 566-9116

Company AESE

Address 906 San Juan Blvd Suite D

City Farmington State N.M. ZIP 87401

2 Your Internal Billing Reference OPTIONAL

3 To Recipient's Name Eric Wendland Phone 1 909 590-1828

Company APCL

Address 13760 Magnolia ave

City Chino State CA ZIP 91710

Try online shipping at fedex.com

By using this Airbill you agree to the service conditions on the back of this Airbill and in our current Service Guide, including terms that limit our liability.

Questions? Visit our Web site at fedex.com or call 1.800.Go.FedEx® 800.463.3339.

4a Express Package Service

☒ FedEx Priority Overnight
Next business morning

☐ FedEx 2Day
Second business day

☐ FedEx Express Saver
Third business day

☐ FedEx 1Day Freight*
Next business day

☐ FedEx 2Day Freight
Second business day

☐ FedEx 3Day Freight
Third business day

☐ FedEx International
Declared value limit \$500

☐ FedEx Envelope*
Includes FedEx Small Flat Pack, FedEx Large Flat and FedEx Small Flat Pack

☐ FedEx Pak*
Includes FedEx Small Flat Pack, FedEx Large Flat and FedEx Small Flat Pack

☐ FedEx Special Handling
Include FedEx address in Section 3

☐ FedEx Special Handling
Include FedEx address in Section 3

☐ FedEx Special Handling
Include FedEx address in Section 3

☐ FedEx Special Handling
Include FedEx address in Section 3

☐ FedEx Special Handling
Include FedEx address in Section 3

☐ FedEx Special Handling
Include FedEx address in Section 3

☐ FedEx Special Handling
Include FedEx address in Section 3

☐ FedEx Special Handling
Include FedEx address in Section 3

☐ FedEx Special Handling
Include FedEx address in Section 3

☐ FedEx Special Handling
Include FedEx address in Section 3

☐ FedEx Special Handling
Include FedEx address in Section 3

☐ FedEx Special Handling
Include FedEx address in Section 3

☐ FedEx Special Handling
Include FedEx address in Section 3

☐ FedEx Special Handling
Include FedEx address in Section 3

7. Payment: Bill to: ☒ Recipient ☐ Third Party ☐ Credit Card ☐ Cash/Check

8. Release Signature: 1491 27 695

Total Packages 1 Total Weight 16 lbs Total Declared Value* 00

FedEx Use Only

446

Project No: 220013
Date: 9/9/02

Well	Time	Depth to Water (ft)	Depth to Product (ft)	Total Well Depth (ft)	Product Thickness (ft)	Volume Removed	Comments
MW-1	15:47	13.212	—	21.620	—	—	
MW-4	15:56	10.948	—	20.895	—	—	
MW-2	16:00	10.742	—	16.645	—	—	
MW-5	16:08	16.330	—	21.645	—	—	sample collected
MW-3	16:45	14.443	—	21.465	—	—	

COMMENTS:

Signature: Ashley L Lowe

Date: 09/09/02

WELL DEVELOPMENT AND SAMPLING LOG

Project No: 220013 Project Name: San Juan River Basin Client: MWH
Location: Chino Gort #3 Well No: MW-5 Development ☐ Sampling ☒
Project Manager Ashley Lowe Date 9/9/02 Start Time 16:08 Weather 79° Cloudy
Depth to Water 16.330 Depth to Product NA Product Thickness NA Measuring Point TOC
Water Column Height 5.345' Well Dia. 4" TD 21.645

Sampling Method: Submersible Pump ☐ Centrifugal Pump ☐ Peristaltic Pump ☐ Other ☐
Bottom Valve Bailer ☒ Double Check Valve Bailer ☐ Stainless-Steel Kemmerer ☐
Criteria: 3 to 5 Casing Volumes of Water Removal ☒ Stabilization of Indicator Parameters ☐ Other or bail dry

Gal/ft x ft of water	Water Volume In Well		Gal/oz to be removed
	Gallons	Ounces	
0.65 x 5.345	3.5 x 3		10.42 gal

Time (military)	pH	SC (umhos/cm)	Temp (°C)	Eh-ORP (millivolts)	D.O. (mg/L)	Turbidity (NTU)	Vol Evac. (gal.)	Comments/ Flow rate
16:12	5.20	2800	29.4				0.5	light yellow-tan color
	5.14	2640	27.0				1.5	moderate odor, dirt
	5.11	2580	25.7				2.5	particles
	5.25	2680	23.2				3.5	dark brown, cloudy
	5.22	2600	21.7				4.5	some grass in water
	5.24	2580	21.2				5.5	
	5.26	2530	20.8				6.5	
	5.29	2550	20.2				7.5	
	5.29	2540	20.1				8.5	
	5.31	2550	20.2				9.5	
	5.31	2560	20.1				10.5	...

Final:

Time	pH	SC	Temp	Eh-ORP	D.O.	Turbidity	Ferrous Iron	Vol Evac.	Comments/Flow rate
16:29	5.31	2560	20.1					10.5 gal	No preservative

COMMENTS: HCl preservative reacted w/CO₂ in water. Rinsed vials before filling.

INSTRUMENTATION:

pH Meter ☒ _____

Temperature Meter ☒ _____

DO Monitor ☐ _____

Other ☐ _____

Conductivity Meter ☒ _____

Water Disposal Kutz Plant

Sample ID Ohio C. Government #3 Sample Time 16:29 BTEX ☒ VOCs ☐ Alkalinity ☐

☐ DS ☐ Cations ☐ ^{MW-5} Anions ☐ Nitrate ☐ Nitrite ☐ Ammonia ☐ TKN ☐ NM WQCC Metals ☐

Total Phosphorus ☐ _____ ☐ _____ ☐ _____ ☐ _____ ☐

MS/MSD _____ BD _____ BD Name/Time _____ TB TB01-090901

CHAIN OF CUSTODY RECORD/LAB WORK REQUEST

LABORATORY APCL
 Contract El Paso Corp., San Juan River Basin
 Chain of Custody ID 020910AL-01
 Page 1
 Air BBI No. 83415209748

MWH
 Phone (801) 617-3200 FAX (801) 617-4280
 MWH Contact Brian Butlers
 Project In San Juan River Basin
 Project Number 4210032-020105
 Date Due 21 Days
 Sampler's Name Ashley Lowe
 (print clearly)

Location ID	Sample ID	Depth Interval (ft)	Date Collected	Time Collected	Matrix (s)	Sampling Technique (s)	ANALYSES REQUESTED								LABORATORY USE ONLY										
							BTEX SW-448 80218	Alkalinity SM 2520B	TDS USEPA 180.1	NM WQCC Metals SW-448 6010B & 7470A	Cations SW-448 6010B	Anions USEPA 300.0	Nitrate USEPA 300.0	Nitro USEPA 300.0	No Preservative	SAMPLES WERE:	COC Tape Was:				Discrepancies Between Sample Labels and COC Record?				
																1 Shipped or hand delivered	1 Present on Outer Package	2 Unbroken on Outer Package	3 Present on Sample	4 Unbroken on Sample	5 Properly Preserved	6 Received Within Holding Time	Discrepancies Between Sample Labels and COC Record?		
																Notes:	Y	N	NA	Y	N	NA	Y	N	NA
GW Ohio C Government #3	MW-5		09/09/02	16:29	WG	B	✓									Notes: Fed-Ex	Y	N	NA	Y	N	NA	Y	N	NA
GW Horton IE	MW-1		09/10/02	12:16	WG	B	✓									Notes:	Y	N	NA	Y	N	NA	Y	N	NA
TB02090901			09/09/02		WG		✓									Notes:	Y	N	NA	Y	N	NA	Y	N	NA
																Notes:	Y	N	NA	Y	N	NA	Y	N	NA
																Notes:	Y	N	NA	Y	N	NA	Y	N	NA
																Notes:	Y	N	NA	Y	N	NA	Y	N	NA
																Notes:	Y	N	NA	Y	N	NA	Y	N	NA
																Notes:	Y	N	NA	Y	N	NA	Y	N	NA
																Notes:	Y	N	NA	Y	N	NA	Y	N	NA
																Notes:	Y	N	NA	Y	N	NA	Y	N	NA
																Notes:	Y	N	NA	Y	N	NA	Y	N	NA
																Notes:	Y	N	NA	Y	N	NA	Y	N	NA
																Notes:	Y	N	NA	Y	N	NA	Y	N	NA
																Notes:	Y	N	NA	Y	N	NA	Y	N	NA
																Notes:	Y	N	NA	Y	N	NA	Y	N	NA
																Notes:	Y	N	NA	Y	N	NA	Y	N	NA
																Notes:	Y	N	NA	Y	N	NA	Y	N	NA
																Notes:	Y	N	NA	Y	N	NA	Y	N	NA
																Notes:	Y	N	NA	Y	N	NA	Y	N	NA
																Notes:	Y	N	NA	Y	N	NA	Y	N	NA
																Notes:	Y	N	NA	Y	N	NA	Y	N	NA
																Notes:	Y	N	NA	Y	N	NA	Y	N	NA
																Notes:	Y	N	NA	Y	N	NA	Y	N	NA
																Notes:	Y	N	NA	Y	N	NA	Y	N	NA
																Notes:	Y	N	NA	Y	N	NA	Y	N	NA
																Notes:	Y	N	NA	Y	N	NA	Y	N	NA
																Notes:	Y	N	NA	Y	N	NA	Y	N	NA
																Notes:	Y	N	NA	Y	N	NA	Y	N	NA
																Notes:	Y	N	NA	Y	N	NA	Y	N	NA
																Notes:	Y	N	NA	Y	N	NA	Y	N	NA
																Notes:	Y	N	NA	Y	N	NA	Y	N	NA
																Notes:	Y	N	NA	Y	N	NA	Y	N	NA
																Notes:	Y	N	NA	Y	N	NA	Y	N	NA
																Notes:	Y	N	NA	Y	N	NA	Y	N	NA
																Notes:	Y	N	NA	Y	N	NA	Y	N	NA
																Notes:	Y	N	NA	Y	N	NA	Y	N	NA
																Notes:	Y	N	NA	Y	N	NA	Y	N	NA
																Notes:	Y	N	NA	Y	N	NA	Y	N	NA
																Notes:	Y	N	NA	Y	N	NA	Y	N	NA
																Notes:	Y	N	NA	Y	N	NA	Y	N	NA
																Notes:	Y	N	NA	Y	N	NA	Y	N	NA
																Notes:	Y	N	NA	Y	N	NA	Y	N	NA
																Notes:	Y	N	NA	Y	N	NA	Y	N	NA
																Notes:	Y	N	NA	Y	N	NA	Y	N	NA
																Notes:	Y	N	NA	Y	N	NA	Y	N	NA
																Notes:	Y	N	NA	Y	N	NA	Y	N	NA
																Notes:	Y	N	NA	Y	N	NA	Y	N	NA
																Notes:	Y	N	NA	Y	N	NA	Y	N	NA
																Notes:	Y	N	NA	Y	N	NA	Y	N	NA
																Notes:	Y	N	NA	Y	N	NA	Y	N	NA
																Notes:	Y	N	NA	Y	N	NA	Y	N	NA
																Notes:	Y	N	NA	Y	N	NA	Y	N	NA
																Notes:	Y	N	NA	Y	N	NA	Y	N	NA
																Notes:	Y	N	NA	Y	N	NA	Y	N	NA
																Notes:	Y	N	NA	Y	N	NA	Y	N	NA
																Notes:	Y	N	NA	Y	N	NA	Y	N	NA
																Notes:	Y	N	NA	Y	N	NA	Y	N	NA
																Notes:	Y	N	NA	Y	N	NA	Y	N	NA
																Notes:	Y	N	NA	Y	N	NA	Y	N	NA
																Notes:	Y	N	NA	Y	N	NA	Y	N	NA
																Notes:	Y	N	NA	Y	N	NA	Y	N	NA
																Notes:	Y	N	NA	Y	N	NA	Y	N	NA
																Notes:	Y	N	NA	Y	N	NA	Y	N	NA
																Notes:	Y	N	NA	Y	N	NA	Y	N	NA
																Notes:	Y	N	NA	Y	N	NA	Y	N	NA
																Notes:	Y	N	NA	Y	N	NA	Y	N	NA
																Notes:	Y	N	NA	Y	N	NA	Y	N	NA
																Notes:	Y	N	NA	Y	N	NA	Y	N	NA
																Notes:	Y	N	NA	Y	N	NA	Y	N	NA
																Notes:	Y	N	NA	Y	N	NA	Y	N	NA
																Notes:	Y	N	NA	Y	N	NA	Y	N	NA
																Notes:	Y	N	NA	Y	N	NA	Y	N	NA
																Notes:	Y	N	NA	Y	N	NA	Y	N	NA

Sampler's Name Ashley Lowe
(print clearly)

Air Bill No. 834715209748

CHAIN OF CUSTODY RECORD/LAB WORK REQUEST

[illegible]

(c) Matrix:

SO – Soil
WS – Surface Water
WG – Ground Water
WQ – Trip Blank/
Equipment Blanks
WW – Wastewater

Sampling Technique:
Composite=C
Grab=G
Hand Auger=HA

Submersible Pump=SP
Bladder Pump=BP
Bailer=B
Wellhead Faucet=WF
Hydropunch=HP

Location IDs:
Groundwater Sites=GW
Blstl=Bl
Jaquez=JA

North Flare Pit=NF
South Flare Pit=SF
San Juan River Plant=SJ

COC Tape Was:

1	Present on Outer Packaging	Y	N	NA
1	Present on Outer Packaging			

2 Unbroken on Outer Package

	Y	N	NA
3 Present on Sample			

	Y	N	NA
Present on Sample			

4 Unbroken on Sample

Discrepancies Between Sample Labels and COC Record?

Y **N**
Notes:

USA Airbill
Express
From Please print and press hard

FedEx
Tracking
Number

834715209748

Date Sender's FedEx
Account Number 220929116

Sender's Name Ashley Lowe Phone (505) 566-9116

Company A.E. Schmidt Environmental

Address 906 San Juan Blvd, Suite, D

City Farmington State NM ZIP 87401

Your Internal Billing Reference

Recipient's Name Eric Wendland

Company APCL Phone (909) 590 1828

Address 13760 Magnolia Ave

City Chino State CA ZIP 91710

Address 13760 Magnolia Ave

City Chino State CA ZIP 91710

Address 13760 Magnolia Ave

City Chino State CA ZIP 91710

Address 13760 Magnolia Ave

City Chino State CA ZIP 91710

Address 13760 Magnolia Ave

City Chino State CA ZIP 91710

Address 13760 Magnolia Ave

City Chino State CA ZIP 91710

Address 13760 Magnolia Ave

City Chino State CA ZIP 91710

Address 13760 Magnolia Ave

City Chino State CA ZIP 91710

Address 13760 Magnolia Ave

City Chino State CA ZIP 91710

Address 13760 Magnolia Ave

City Chino State CA ZIP 91710

Address 13760 Magnolia Ave

City Chino State CA ZIP 91710

Address 13760 Magnolia Ave

City Chino State CA ZIP 91710

Address 13760 Magnolia Ave

RETAIN THIS COPY FOR YOUR RECORDS.

4a Express Package Service
FedEx Priority Overnight
Next business morning
FedEx Standard Overnight
Next business afternoon
FedEx First Overnight
Earliest next business morning
delivery to select locations

4b Express Freight Service
FedEx 2Day
Second business day
FedEx Express Saver
Third business day
FedEx 1Day Freight
Next business day
FedEx 2Day Freight
Second business day
FedEx 3Day Freight
Third business day

5 Packaging
FedEx Envelope
FedEx Pak
Includes FedEx Small Pak, FedEx Large Pak, and FedEx Sturdy Pak
Other

6 Special Handling
Saturday Delivery
Available ONLY for FedEx Priority Overnight and FedEx 2Day to select ZIP codes
HOLD Saturday at FedEx Location
Available ONLY for FedEx Priority Overnight and FedEx 2Day to select locations
HOLD Saturday at FedEx Location
Available ONLY for FedEx Priority Overnight and FedEx 2Day to select locations

7 Payment Bill to:
Sender
Recipient
Third Party
Credit Card
Cash/Check
Cargocart Only

8 Release Signature
Signature required for delivery of this shipment. See back for details.

Total Packages 1
Total Weight 10 lbs
Total Declared Value \$ 00

FedEx Act No. 1424-27-695
Credit Card No. 10165
Exp. Date 00

By signing this Airbill you agree to the service conditions on the back of this Airbill and in our current Service Guide, including terms that limit our liability.

Questions? Visit our Web site at fedex.com or call 1.800.Go.FedEx® 800.463.3339.

Try online shipping at www.fedex.com

By using this Airbill you agree to the service conditions on the back of this Airbill and in our current Service Guide, including terms that limit our liability.

Questions? Visit our Web site at fedex.com or call 1.800.Go.FedEx® 800.463.3339.

Try online shipping at www.fedex.com

By using this Airbill you agree to the service conditions on the back of this Airbill and in our current Service Guide, including terms that limit our liability.

Questions? Visit our Web site at fedex.com or call 1.800.Go.FedEx® 800.463.3339.

Try online shipping at www.fedex.com

By using this Airbill you agree to the service conditions on the back of this Airbill and in our current Service Guide, including terms that limit our liability.

Questions? Visit our Web site at fedex.com or call 1.800.Go.FedEx® 800.463.3339.

Try online shipping at www.fedex.com

By using this Airbill you agree to the service conditions on the back of this Airbill and in our current Service Guide, including terms that limit our liability.

Questions? Visit our Web site at fedex.com or call 1.800.Go.FedEx® 800.463.3339.

Try online shipping at www.fedex.com

By using this Airbill you agree to the service conditions on the back of this Airbill and in our current Service Guide, including terms that limit our liability.

Questions? Visit our Web site at fedex.com or call 1.800.Go.FedEx® 800.463.3339.

Try online shipping at www.fedex.com

amec

Project No.: LS/7000/21

Task: 2

Date: 3-19-02

Date: 3-19-02

Reason Not Measured: D = Dry; O = Obstructed; N = Not Accessible

Signature: Chris A. Miller Date: 3-19-02

Date: 3-19-02

PLEASE FILL THIS FORM IN COMPLETELY.

SHADED AREAS ARE FOR LAB USE ONLY



Pinnacle Laboratories Inc.

CHAIN OF CUSTODY
DATE: 3-20-02 PAGE: 1 OF 1

PROJECT MANAGER: Lisa Winn

COMPANY: AMEC

ADDRESS: 2060 Afton place

PHONE: Farmington N.H. 87401

FAX: (603) 326-5721

BILL TO: SCOTT POPE

COMPANY: El Paso Field Services

ADDRESS: 64 Reilly AVE

Farmington N.H. 87401

SAMPLE ID: OHLE = 0003-MV 5

DATE: 3-19-02

Petroleum Hydrocarbons (418.1) TRPH
(MOD.8015) Diesel/Direct Inject

(M8015) Gas/Purge & Trap

8021 (BTEX)/8015 (Gasoline) MTBE

8021 (BTEX) ☐ MTBE ☐ TMB ☐ PCE

8021 (TCL)

8021 (EDX)

8021 (HALO)

8021 (CUST)

504.1 EDB ☐ / DBCP ☐

8260 (TCL) Volatile Organics

8260 (Full) Volatile Organics

8260 (CUST) Volatile Organics

8260 (Landfill) Volatile Organics

Pesticides /PCB (608/8081/8082)

Herbicides (615/8151)

Base/Neutral/Acid Compounds GC/MS (625/8270)

Polynuclear Aromatics (610/8310/8270-SIMS)

General Chemistry:

Priority Pollutant Metals (13)

Target Analyte List Metals (23)

RCRA Metals (8)

RCRA Metals by TCLP (Method 1311)

Metals:

NUMBER OF CONTAINERS

PROJECT INFORMATION

PROJ NO: 512000121

PROJ NAME: PFS GW. project

P.O. NO:

SHIPPED VIA: Greyhound

SAMPLE RECEIPT

NO. CONTAINERS:

CUSTODY/SEALS:

RECEIVED CONTACT:

BLUE

PRIOR AUTHORIZATION IS REQUIRED FOR RUSH PROJECTS

(RUSH) ☐ 24hr ☐ 48hr ☐ 72hr ☐ 1 WEEK

CERTIFICATION REQUIRED: ☐ NM ☐ SDWA ☐ OTHER

METHANOL PRESERVATION ☐

COMMENTS: FIXED FEE ☐

OHLE C GOVT. #3

meter # (02950)

SIGNATURE: Chris A. Meez

DATE: 3-20-02

PRINTED NAME: Chris A. Meez

COMPANY: See reverse side (Forc Majure)

SIGNATURE:

DATE:

PRINTED NAME:

DATE:

COMPANY:

SIGNATURE:

DATE:

PRINTED NAME:

COMPANY:

SIGNATURE:

DATE:

PRINTED NAME:

DATE:

COMPANY: