

GW - 109

**MONITORING
REPORT**

Engine Room Area

03/21/2008



Cypress Engineering

GW109

7171 Highway 6 North, Suite 102
Houston, Texas 77095-2422

(281) 797-3420 office
(281) 859-1881 fax

RECEIVED

March 21, 2008

2008 APR 15 PM 4 01

Mr. Glenn von Gonten
Environmental Bureau
New Mexico Oil Conservation Division
1220 South St. Francis Drive
Santa Fe, New Mexico 87505

RE: Report of Groundwater Remediation Activities
Transwestern Pipeline Company - WT-1 Station Engine Room Drain Pit Area
Lea County, New Mexico

Dear Glenn,

The enclosed Report of Groundwater Remediation Activities is submitted for your review and files.

If you have any questions or comments regarding this report, please contact me at (281) 797-3420 or Larry Campbell at (505) 625-8022.

Sincerely,

George C. Robinson, PE
President/Principal Engineer

xc w/attachment:	Sam Duletsky	Transwestern Pipeline Company
	Larry Campbell	Transwestern Pipeline Company
	Larry Johnson	NMOCD Hobbs District Office

Report of Groundwater Remediation Activities

RECEIVED
2008 APR 15 PM 4 01

**Transwestern Pipeline Company
WT-1 Compressor Station
Engine Room Drain Pit Area
Lea County, New Mexico**

**Submitted to:
New Mexico Oil Conservation Division**

February 22, 2008

**Prepared For:
Transwestern Pipeline Company
6381 North Main Street
Roswell, NM 88201**

**Prepared by:
Cypress Engineering Services, Inc.
7171 Highway 6 North, Suite 102
Houston, Texas 77095-2422**

TABLE OF CONTENTS

Section	Page
1. Groundwater Monitoring Activities.....	1
1.1 Semi-Annual Groundwater Sampling Events.....	1
1.2 Results/Conclusions from Groundwater Sampling Events	1
1.2.1 Occurrence and Direction of Groundwater Flow	1
1.2.2 Lateral Extent of Phase Separated Hydrocarbon	1
1.2.3 Condition of Affected Groundwater	1
2. Status of Remediation Activities	2
2.1 Remediation Activities Completed through December 2007.....	2
2.2 Remediation Activities Planned for January 2008 through December 2008	2
3. Proposed Modifications	2
3.1 Modifications to the Routine Groundwater Sampling Plan	2
3.2 Reporting Frequency	2

LIST OF FIGURES

Figure

- 1 Facility Site Map
- 2 Site Map – Former Engine Room Pit Area
- 3 Groundwater Surface Elevations, December 06, 2007
- 4 Distribution of BTEX Compounds in Groundwater, December 06, 2007
- 5 Distribution of Halogenated Compounds in Groundwater, December 06, 2007
- 6 Distribution of Inorganic Constituents in Groundwater, December 06, 2007

LIST OF TABLES

Table

- 1 Summary of Groundwater Surface Elevations
- 2 Summary of Groundwater Surface Elevations - Recovery Wells
- 3 Summary of Field Measured Parameters
- 4 Summary of Groundwater Analyses – Selected Organics
- 5 Summary of Groundwater Analyses – Additional Organics
- 6 Summary of Groundwater Analyses – Inorganics
- 7 Summary of Completion Details for Soil Borings Completed as Wells
- 8 Monitor Well Sampling Locations, Frequency, and Sample Analysis Plan

LIST OF APPENDICES

- A Laboratory Reports

1. Groundwater Monitoring Activities

1.1 Semi-Annual Groundwater Sampling Events

Two semi-annual groundwater-sampling events have been completed since the last report of remediation activities. These events were completed on June 20, 2007 and December 06, 2007.

Prior to sampling, the depth to water, and the depth to hydrocarbon where phase-separated hydrocarbons (PSH) were present, was determined for each monitoring well. The measured depth to water and the corresponding water table elevation for each monitoring well is presented in Table 1. Similar measurements obtained from the remediation wells are presented in Table 2.

Groundwater samples were collected from selected monitoring wells at the site. Samples were not collected from wells with accumulated PSH in the well casing. Groundwater samples were delivered to a laboratory for analysis for volatile organic compounds (VOCs) by EPA Method 8260, selected inorganic constituents by EPA Methods 6010 or 7470 (mercury), total dissolved solids by EPA Method 160.1, chlorides by EPA Method 325.2, nitrate and nitrite by EPA Method 353.1, and sulfate by EPA Method 375.4. A summary of field measured groundwater quality parameters (pH, temperature, electrical conductivity and dissolved oxygen) is presented in Table 3. A summary of organic and inorganic laboratory results is presented in Tables 4, 5, and 6. A copy of the laboratory results for each of the sampling events is included as an appendix to this report.

1.2 Results/Conclusions from Groundwater Sampling Events

1.2.1 *Occurrence and Direction of Groundwater Flow*

A water table elevation map based on measurements obtained in the course of the December 6, 2007 sampling event is included as Figure 3. The apparent direction of groundwater flow is consistent with water table elevation maps previously developed for this site.

1.2.2 *Lateral Extent of Phase Separated Hydrocarbon*

The lateral extent of PSH is currently defined by the intermittent occurrence of PSH at the water table in wells MW-2, RW-1, RW-2, RW-3, and RW-8, and the absence of a measurable thickness of PSH in all other wells. The thickness of accumulated PSH in monitor well MW-2 could not be measured during the last eleven sampling events due to the water table dropping below the total depth of the well.

1.2.3 *Condition of Affected Groundwater*

The condition of affected groundwater, based on the recent sampling events, has not changed significantly from previous sampling events as evidenced by the information presented in Table 4 and Table 6. The primary constituents of concern are benzene, 1,1-dichloroethane, and trichloroethene. Distribution maps for BTEX, selected VOCs, and selected inorganic constituents are included as Figure 4, Figure 5, and Figure 6, respectively.

2. Status of Remediation Activities

2.1 Remediation Activities Completed through December 2007

The following remediation activities have been completed since the last report of groundwater remediation activities:

- 1) Two groundwater-sampling events were completed.

2.2 Remediation Activities Planned for January 2008 through December 2008

Semiannual groundwater sampling will continue.

3. Proposed Modifications

3.1 Modifications to the Routine Groundwater Sampling Plan

Sampling location, frequency and the sampling analysis plan will continue on a semiannual basis. A summary of the sample analysis plan is presented in Table 8.

3.2 Reporting Frequency

Annual reporting will continue with the next scheduled report being submitted to the OCD by February 28, 2009.

FORMER ENGINE ROOM DRAIN AND
FILTER PIT REMEDIATION AREA






FIGURE 1

Facility Site Map

WT-1 COMPRESSOR STATION
TRANSWESTERN PIPELINE COMPANY




Figure 2




Figure 3




Figure 4

MW-17
 $\frac{< 1}{< 1} \mid \frac{1.2}{1.7}$

MW-14
 $\frac{< 1}{4.7} \mid \frac{1.8}{< 1}$

MW-8
 $\frac{< 1}{41} \mid \frac{68}{< 1}$

MW-6
 $\frac{< 1}{9.1} \mid \frac{4.1}{< 1}$

MW-5
 $\frac{1.4}{41} \mid \frac{80}{2.3}$

MW-7
 $\frac{< 1}{9.7} \mid \frac{33}{< 1}$

MW-2
 PSH

MW-1
 $\frac{38}{58} \mid \frac{600}{46}$

MW-15
 $\frac{1.1}{< 1} \mid \frac{1.7}{< 1}$

MW-3
 P&A
 01/00

MW-4
 $\frac{< 1}{< 1} \mid \frac{2}{< 1}$

MW-16
 $\frac{< 1}{< 1} \mid \frac{1}{3.9}$



Explanation

- Monitor well
- No Sample (not enough water in monitor well)
- Phase Separated Hydrocarbon

Concentration in ground water (ug/L)
 1,1,1-TCA | 1,1-DCA | PCE
 (Constituents in excess of NMWQCC standards are shown in bold)

Distribution of Halogenated Compounds in Groundwater - December 6, 2007

WT-1 COMPRESSOR STATION
 FORMER ENGINE ROOM PIT AREA

Figure 5




Figure 6

**Table 1. Summary of Groundwater Surface Elevations
TW WT-1 Station Engine Room Pit Area**

Well ID	Sampling Date	Top of Casing (ft)	Depth to PSH (ft)	Depth to Water (ft)	PSH (ft)	Surface Elevation (ft)
MW-1	11/15/94	3547.67	(a)	47.59	(a)	3500.08
	09/14/95		(a)	48.85	(a)	3498.82
	11/12/96		(a)	49.79	(a)	3497.88
	02/04/97		(a)	49.71	(a)	3497.96
	05/10/97		(a)	49.86	(a)	3497.81
	08/06/97		(a)	49.90	(a)	3497.77
	10/08/97		(a)	49.76	(a)	3497.91
	01/21/98		(a)	50.73	(a)	3496.94
	04/15/98		(a)	49.68	(a)	3497.99
	07/16/98		(a)	49.91	(a)	3497.76
	01/26/99		(a)	49.39	(a)	3498.28
	07/08/99		(a)	49.52	sheen	3498.15
	01/26/00		(a)	49.43	sheen	3498.24
	07/17/00	3547.65 (c)	(a)	50.04	sheen	3497.63
	11/21/00		(a)	50.66	(a)	3496.99
	02/17/01		(a)	50.73	sheen	3496.92
	08/20/01		(a)	50.72	sheen	3496.93
	02/27/02		(a)	50.63	(a)	3497.02
	07/31/02		(a)	50.68	sheen	3496.97
	02/10/03		(a)	50.77	sheen	3496.88
	08/04/03		(a)	50.90	sheen	3496.75
	05/25/04		(a)	50.55	(a)	3497.10
	11/09/04		(a)	50.91	(a)	3496.74
	04/11/05		(a)	50.55	(a)	3497.10
	12/01/05		(a)	50.50	(a)	3497.15
	05/10/06		(a)	50.46	(a)	3497.19
	12/13/06		(a)	50.35	(a)	3497.30
	06/20/07		(a)	50.20	(a)	3497.45
	12/06/07		(a)	49.77	(a)	3497.88

**Table 1. Summary of Groundwater Surface Elevations
TW WT-1 Station Engine Room Pit Area**

Well ID	Sampling Date	Top of Casing (ft)	Depth to PSH (ft)	Depth to Water (ft)	PSH (ft)	Surface Elevation (ft)
MW-2	11/15/94	3546.28	PSH	-	-	NA
	09/12/95		PSH	-	-	NA
	11/12/96		49.91	-	NA *	NA *
	02/04/97		49.90	52.15	2.25	3495.93
	05/10/97		50.09	52.18	2.09	3495.77
	08/06/97		50.20	52.17	1.97	3495.69
	10/09/97		50.27	52.22	1.95	3495.62
	01/21/98		50.08	--	NA *	NA *
	04/15/98		49.97	--	NA *	NA *
	07/16/98		50.25	--	NA *	NA *
	01/26/99		50.10	--	NA *	NA *
	07/08/99		50.12	--	NA *	NA *
	01/26/00		50.54	52.17	1.63	3495.41
	07/17/00		50.62	--	NA *	NA *
	11/21/00	3546.28 (c)	50.95	--	NA *	NA *
	02/17/01		51.08	52.23	1.15	3494.97
	08/20/01		51.82	--	NA *	NA *
	02/27/02		51.94	--	NA *	NA *
	07/31/02		52.23	--	NA *	NA *
	02/10/03		(a)	dry (TD=52.32)	NA *	NA *
	08/04/03		(a)	dry (TD=52.32)	NA *	NA *
	05/25/04		(a)	dry (TD=52.32)	NA *	NA *
	11/09/04		(a)	dry (TD=52.32)	NA *	NA *
	04/11/05		(a)	dry (TD=52.32)	NA *	NA *
	12/01/05		(a)	dry (TD=52.32)	NA *	NA *
	05/10/06		52.32	PSH to (TD=52.32)	sheen	NA *
	12/13/06		51.81	PSH to (TD=52.32)	NA *	NA *
	06/20/07		51.53	PSH to (TD=52.32)	NA *	NA *
	12/06/07		51.46	PSH to (TD=52.32)	NA *	NA *
MW-3	11/16/94	3548.99	(a)	48.71	(a)	3500.28
	09/12/95		(a)	49.49	(a)	3499.50
	11/12/96		(a)	49.76	(a)	3499.23
	02/04/97		(a)	49.57	(a)	3499.42
	05/10/97		(a)	49.81	(a)	3499.18
	08/06/97		(a)	49.81	(a)	3499.18
	10/08/97		(a)	49.84	(a)	3499.15
	01/21/98		(a)	49.29	(a)	3499.70
	07/16/98		(a)	49.42	(a)	3499.57
	01/26/99		(a)	48.62	(a)	3500.37
	07/08/99		(a)	48.99	(a)	3500.00

**Table 1. Summary of Groundwater Surface Elevations
TW WT-1 Station Engine Room Pit Area**

Well ID	Sampling Date	Top of Casing (ft)	Depth to PSH (ft)	Depth to Water (ft)	PSH (ft)	Surface Elevation (ft)
MW-4	12/01/94	3548.29	(a)	47.18	(a)	3501.11
	09/12/95		(a)	47.50	(a)	3500.79
	11/12/96		(a)	47.50	(a)	3500.79
	02/04/97		(a)	47.51	(a)	3500.78
	05/10/97		(a)	47.51	(a)	3500.78
	08/06/97		(a)	47.49	(a)	3500.80
	10/08/97		(a)	47.43	(a)	3500.86
	01/21/98		(a)	47.02	(a)	3501.27
	04/16/98		(a)	46.81	(a)	3501.48
	07/16/98		(a)	46.75	(a)	3501.54
	01/26/99		(a)	46.36	(a)	3501.93
	07/08/99		(a)	46.76	(a)	3501.53
	01/26/00		(a)	46.91	(a)	3501.38
	07/17/00		(a)	47.33	(a)	3500.96
	11/21/00	3548.29 (c)	(a)	47.51	(a)	3500.78
	02/17/01		(a)	47.46	(a)	3500.83
	08/20/01		(a)	47.45	(a)	3500.84
	02/27/02		(a)	47.00	(a)	3501.29
	07/31/02		(a)	47.09	(a)	3501.20
	02/10/03		(a)	46.92	(a)	3501.37
	08/04/03		(a)	46.72	(a)	3501.57
	05/25/04		(a)	47.20	(a)	3501.09
	11/09/04		(a)	47.00	(a)	3501.29
	04/11/05		(a)	46.72	(a)	3501.57
	12/01/05		(a)	46.48	(a)	3501.81
	05/10/06		(a)	47.09	(a)	3501.20
	12/13/06		(a)	46.41	(a)	3501.88
	06/20/07		(a)	46.95	(a)	3501.34
	12/06/07		(a)	46.62	(a)	3501.67

**Table 1. Summary of Groundwater Surface Elevations
TW WT-1 Station Engine Room Pit Area**

Well ID	Sampling Date	Top of Casing (ft)	Depth to PSH (ft)	Depth to Water (ft)	PSH (ft)	Surface Elevation (ft)
MW-5	12/01/94	3543.59	(a)	48.68	(a)	3494.91
	09/12/95		(a)	49.48	(a)	3494.11
	11/12/96		(a)	50.12	(a)	3493.47
	02/04/97		(a)	50.11	(a)	3493.48
	05/10/97		(a)	50.35	(a)	3493.24
	08/06/97		(a)	50.40	(a)	3493.19
	10/08/97		(a)	50.18	(a)	3493.41
	01/21/98		(a)	50.13	(a)	3493.46
	04/15/98		(a)	50.15	(a)	3493.44
	07/16/98		(a)	50.45	(a)	3493.14
	01/26/99		(a)	50.04	(a)	3493.55
	07/08/99		(a)	50.21	(a)	3493.38
	01/26/00		(a)	50.07	(a)	3493.52
	07/17/00		(a)	50.53	(a)	3493.06
	11/21/00	3543.60 (c)	(a)	50.98	(a)	3492.62
	02/17/01		(a)	51.04	(a)	3492.56
	08/20/01		(a)	51.09	(a)	3492.51
	02/27/02		(a)	51.17	(a)	3492.43
	07/31/02		(a)	51.22	(a)	3492.38
	02/10/03		(a)	51.34	(a)	3492.26
	08/04/03		(a)	51.49	(a)	3492.11
	05/25/04		(a)	51.12	(a)	3492.48
	11/09/04		(a)	51.41	(a)	3492.19
	04/11/05		(a)	51.03	(a)	3492.57
	12/01/05		(a)	50.81	(a)	3492.79
	05/10/06		(a)	50.71	(a)	3492.89
	12/13/06		(a)	50.55	(a)	3493.05
	06/20/07		(a)	50.38	(a)	3493.22
	12/06/07		(a)	49.98	(a)	3493.62

**Table 1. Summary of Groundwater Surface Elevations
TW WT-1 Station Engine Room Pit Area**

Well ID	Sampling Date	Top of Casing (ft)	Depth to PSH (ft)	Depth to Water (ft)	PSH (ft)	Surface Elevation (ft)
MW-6	11/30/94	3543.29	(a)	50.22	(a)	3493.07
	09/12/95		(a)	50.97	(a)	3492.32
	11/12/96		(a)	51.93	(a)	3491.36
	02/04/97		(a)	51.93	(a)	3491.36
	05/10/97		(a)	52.08	(a)	3491.21
	08/06/97		(a)	52.11	(a)	3491.18
	10/08/97		(a)	51.88	(a)	3491.41
	01/21/98		(a)	51.72	(a)	3491.57
	04/15/98		(a)	51.63	(a)	3491.66
	07/16/98		(a)	51.87	(a)	3491.42
	01/26/99		(a)	51.39	(a)	3491.90
	07/08/99		(a)	51.65	(a)	3491.64
	01/26/00		(a)	51.59	(a)	3491.70
	07/17/00		(a)	52.11	(a)	3491.18
	11/21/00	3543.33 (c)	(a)	52.64	(a)	3490.69
	02/17/01		(a)	52.74	(a)	3490.59
	08/20/01		(a)	52.68	(a)	3490.65
	02/27/02		(a)	52.46	(a)	3490.87
	07/31/02		(a)	52.27	(a)	3491.06
	02/10/03		(a)	52.27	(a)	3491.06
	08/04/03		(a)	52.37	(a)	3490.96
	05/25/04		(a)	51.90	(a)	3491.43
	11/09/04		(a)	52.24	(a)	3491.09
	04/11/05		(a)	51.53	(a)	3491.80
	12/01/05		(a)	51.52	(a)	3491.81
	05/10/06		(a)	51.42	(a)	3491.91
	12/13/06		(a)	51.16	(a)	3492.17
	06/20/07		(a)	51.05	(a)	3492.28
	12/06/07		(a)	49.60	(a)	3493.73

**Table 1. Summary of Groundwater Surface Elevations
TW WT-1 Station Engine Room Pit Area**

Well ID	Sampling Date	Top of Casing (ft)	Depth to PSH (ft)	Depth to Water (ft)	PSH (ft)	Surface Elevation (ft)
MW-7	11/30/94	3541.97	(a)	47.67	(a)	3494.30
	09/12/95		(a)	48.54	(a)	3493.43
	11/12/96		(a)	48.67	(a)	3493.30
	02/04/97		(a)	48.83	(a)	3493.14
	05/10/97		(a)	49.05	(a)	3492.92
	08/06/97		(a)	48.96	(a)	3493.01
	10/08/97		(a)	48.74	(a)	3493.23
	01/21/98		(a)	48.65	(a)	3493.32
	04/15/98		(a)	48.71	(a)	3493.26
	07/16/98		(a)	49.12	(a)	3492.85
	01/26/99		(a)	48.70	(a)	3493.27
	07/08/99		(a)	48.96	(a)	3493.01
	01/26/00		(a)	48.72	(a)	3493.25
	07/17/00		(a)	49.25	(a)	3492.72
	11/21/00	3542.00 (c)	(a)	50.18	(a)	3491.82
	02/17/01		(a)	49.82	(a)	3492.18
	08/20/01		(a)	50.21	(a)	3491.79
	02/27/02		(a)	49.86	(a)	3492.14
	07/31/02		(a)	50.06	(a)	3491.94
	02/10/03		(a)	50.26	(a)	3491.74
	08/04/03		(a)	50.47	(a)	3491.53
	05/25/04		(a)	50.40	(a)	3491.60
	11/09/04		(a)	50.21	(a)	3491.79
	04/11/05		(a)	49.93	(a)	3492.07
	12/01/05		(a)	50.02	(a)	3491.98
	05/10/06		(a)	49.97	(a)	3492.03
	12/13/06		(a)	49.40	(a)	3492.60
	06/20/07		(a)	49.31	(a)	3492.69
	12/06/07		(a)	48.89	(a)	3493.11

**Table 1. Summary of Groundwater Surface Elevations
TW WT-1 Station Engine Room Pit Area**

Well ID	Sampling Date	Top of Casing (ft)	Depth to PSH (ft)	Depth to Water (ft)	PSH (ft)	Surface Elevation (ft)
MW-8	11/30/94	3541.47	(a)	49.20	(a)	3492.27
	09/13/95		(a)	50.14	(a)	3491.33
	11/12/96		(a)	50.73	(a)	3490.74
	02/04/97		(a)	50.79	(a)	3490.68
	05/10/97		(a)	51.03	(a)	3490.44
	08/06/97		(a)	51.08	(a)	3490.39
	10/08/97		(a)	50.90	(a)	3490.57
	01/21/98		(a)	50.73	(a)	3490.74
	04/15/98		(a)	49.62	(a)	3491.85
	07/16/98		(a)	50.96	(a)	3490.51
	01/26/99		(a)	50.55	(a)	3490.92
	07/08/99		(a)	50.84	(a)	3490.63
	01/26/00		(a)	50.72	(a)	3490.75
	07/17/00		(a)	51.23	(a)	3490.24
	11/21/00	3541.49 (c)	(a)	51.75	(a)	3489.74
	02/17/01		(a)	51.93	(a)	3489.56
	08/20/01		(a)	51.89	(a)	3489.60
	02/27/02		(a)	51.88	(a)	3489.61
	07/31/02		(a)	51.92	(a)	3489.57
	02/10/03		(a)	52.09	(a)	3489.40
	08/04/03		(a)	52.18	(a)	3489.31
	05/25/04		(a)	52.02	(a)	3489.47
	11/09/04		(a)	52.15	(a)	3489.34
	04/11/05		(a)	51.47	(a)	3490.02
	12/01/05		(a)	51.47	(a)	3490.02
	05/10/06		(a)	51.35	(a)	3490.14
	12/13/06		(a)	50.91	(a)	3490.58
	06/20/07		(a)	50.76	(a)	3490.73
	12/06/07		(a)	50.29	(a)	3491.20

**Table 1. Summary of Groundwater Surface Elevations
TW WT-1 Station Engine Room Pit Area**

Well ID	Sampling Date	Top of Casing (ft)	Depth to PSH (ft)	Depth to Water (ft)	PSH (ft)	Surface Elevation (ft)
MW-14	09/13/95	3539.71	(a)	51.53	(a)	3488.18
	11/12/96		(a)	51.96	(a)	3487.75
	02/04/97		(a)	52.00	(a)	3487.71
	05/10/97		(a)	52.12	(a)	3487.59
	08/06/97		(a)	52.11	(a)	3487.60
	10/08/97		(a)	51.95	(a)	3487.76
	01/21/98		(a)	51.88	(a)	3487.83
	04/15/98		(a)	51.83	(a)	3487.88
	07/16/98		(a)	52.09	(a)	3487.62
	01/26/99		(a)	51.72	(a)	3487.99
	07/08/99		(a)	51.95	(a)	3487.76
	01/26/00		(a)	51.77	(a)	3487.94
	07/17/00		(a)	52.17	(a)	3487.54
	11/21/00	3539.73 (c)	(a)	52.60	(a)	3487.13
	02/17/01		(a)	53.69	(a)	3486.04
	08/20/01		(a)	52.61	(a)	3487.12
	02/27/02		(a)	52.55	(a)	3487.18
	07/31/02		(a)	52.56	(a)	3487.17
	02/10/03		(a)	52.64	(a)	3487.09
	08/04/03		(a)	52.70	(a)	3487.03
	05/25/04		(a)	52.55	(a)	3487.18
	11/09/04		(a)	52.75	(a)	3486.98
	04/11/05		(a)	52.25	(a)	3487.48
	12/01/05		(a)	52.16	(a)	3487.57
	05/10/06		(a)	52.05	(a)	3487.68
	12/13/06		(a)	51.86	(a)	3487.87
	06/20/07		(a)	51.66	(a)	3488.07
	12/06/07		(a)	51.29	(a)	3488.44

**Table 1. Summary of Groundwater Surface Elevations
TW WT-1 Station Engine Room Pit Area**

Well ID	Sampling Date	Top of Casing (ft)	Depth to PSH (ft)	Depth to Water (ft)	PSH (ft)	Surface Elevation (ft)
MW-15	09/14/95	3542.82	(a)	46.43	(a)	3496.39
	11/12/96		(a)	46.61	(a)	3496.21
	02/04/97		(a)	46.90	(a)	3495.92
	05/10/97		(a)	47.23	(a)	3495.59
	08/06/97		(a)	46.97	(a)	3495.85
	10/08/97		(a)	46.75	(a)	3496.07
	01/21/98		(a)	46.62	(a)	3496.20
	04/15/98		(a)	46.81	(a)	3496.01
	07/16/98		(a)	47.24	(a)	3495.58
	01/26/99		(a)	46.71	(a)	3496.11
	07/08/99		(a)	46.99	(a)	3495.83
	01/26/00		(a)	46.88	(a)	3495.94
	07/17/00		(a)	47.54	(a)	3495.28
	11/21/00	3542.82 (c)	(a)	48.06	(a)	3494.76
	02/17/01		(a)	48.24	(a)	3494.58
	08/20/01		(a)	48.39	(a)	3494.43
	02/27/02		(a)	48.37	(a)	3494.45
	07/31/02		(a)	48.52	(a)	3494.30
	02/10/03		(a)	48.75	(a)	3494.07
	08/04/03		(a)	48.90	(a)	3493.92
	05/25/04		(a)	48.77	(a)	3494.05
	11/09/04		(a)	48.37	(a)	3494.45
	04/11/05		(a)	48.39	(a)	3494.43
	12/01/05		(a)	48.51	(a)	3494.31
	05/10/06		(a)	48.54	(a)	3494.28
	12/13/06		(a)	47.84	(a)	3494.98
	06/20/07		(a)	47.79	(a)	3495.03
	12/06/07		(a)	47.39	(a)	3495.43

**Table 1. Summary of Groundwater Surface Elevations
TW WT-1 Station Engine Room Pit Area**

Well ID	Sampling Date	Top of Casing (ft)	Depth to PSH (ft)	Depth to Water (ft)	PSH (ft)	Surface Elevation (ft)
MW-16	09/14/95	3546.01	(a)	48.86	(a)	3497.15
	11/12/96		(a)	49.42	(a)	3496.59
	02/04/97		(a)	49.41	(a)	3496.60
	05/10/97		(a)	49.51	(a)	3496.50
	08/06/97		(a)	49.57	(a)	3496.44
	10/08/97		(a)	49.36	(a)	3496.65
	01/21/98		(a)	49.00	(a)	3497.01
	04/15/98		(a)	48.84	(a)	3497.17
	07/16/98		(a)	49.02	(a)	3496.99
	01/26/99		(a)	48.46	(a)	3497.55
	07/08/99		(a)	48.79	(a)	3497.22
	01/26/00		(a)	48.96	(a)	3497.05
	07/17/00		(a)	49.18	(a)	3496.83
	11/21/00	3545.68 (c)	(a)	49.65	(a)	3496.03
	02/17/01		(a)	49.73	(a)	3495.95
	08/20/01		(a)	49.62	(a)	3496.06
	02/27/02		(a)	49.78	(a)	3495.90
	07/31/02		(a)	48.35	(a)	3497.33
	02/10/03		(a)	48.28	(a)	3497.40
	08/04/03		(a)	48.21	(a)	3497.47
	05/25/04		(a)	47.79	(a)	3497.89
	11/09/04		(a)	48.12	(a)	3497.56
	04/11/05		(a)	47.32	(a)	3498.36
	12/01/05		(a)	47.52	(a)	3498.16
	05/10/06		(a)	47.76	(a)	3497.92
	12/13/06		(a)	47.46	(a)	3498.22
	06/20/07		(a)	47.48	(a)	3498.20
	12/06/07		(a)	47.25	(a)	3498.43
MW-17	11/09/04	3538.60 (d)	(a)	54.45	(a)	3484.15
	04/11/05		(a)	54.05	(a)	3484.55
	12/01/05		(a)	53.99	(a)	3484.61
	05/10/06		(a)	53.89	(a)	3484.71
	12/13/06		(a)	53.75	(a)	3484.85
	06/20/07		(a)	53.61	(a)	3484.99
	12/06/07		(a)	53.25	(a)	3485.35

**Table 1. Summary of Groundwater Surface Elevations
TW WT-1 Station Engine Room Pit Area**

Well ID	Sampling Date	Top of Casing (ft)	Depth to PSH (ft)	Depth to Water (ft)	PSH (ft)	Surface Elevation (ft)
SVE-1A	01/26/00	3545.58	(a)	47.33	(a)	3498.25
	07/17/00		(a)	47.95	(a)	3497.63
	11/21/00	3545.59 (c)	(a)	48.56	(a)	3497.03
	02/17/01		(a)	48.71	(a)	3496.88
	08/20/01		(a)	48.90	(a)	3496.69
	02/27/02		(a)	48.73	(a)	3496.86
	07/31/02		(a)	48.80	(a)	3496.79
	02/10/03		(a)	48.92	(a)	3496.67
	08/04/03		(a)	49.06	(a)	3496.53
	05/25/04		(a)	48.75	(a)	3496.84
	11/09/04		(a)	49.06	(a)	3496.53
	04/11/05		(a)	48.75	(a)	3496.84
	12/01/05		(a)	48.81	(a)	3496.78
	05/10/06		(a)	48.72	(a)	3496.87
	12/13/06		(a)	48.58	(a)	3497.01
	06/20/07		(a)	48.45	(a)	3497.14
	12/06/07		(a)	48.07	(a)	3497.52

NOTES:

- (a) Not applicable since no measurable thickness of hydrocarbon is present
- (b) Corrections to ground water surface elevation for presence of hydrocarbon is calculated assuming a specific gravity of 0.88 (0.80 used for 07/17/00 and prior)
- (c) Survey by John West Surveying Co. on October 31, 2000
- (d) Survey by Cypress Engineering (GAF) on November 4, 2004
- (e) NA* - No PSH/water interface detected

**Table 2. Summary of Groundwater Surface Elevations - Recovery Wells
TW WT-1 Station Engine Room Pit Area**

Well ID	Sampling Date	Top of Casing (ft)	Depth to PSH (ft)	Depth to Water (ft)	PSH (ft)	Surface Elevation (ft)
RW-1	11/21/00*	3545.97 (c)	51.86	51.87	0.01	3494.11
	11/30/00		(a)	51.67	sheen	3494.30
	12/06/00		(a)	51.91	sheen	3494.06
	01/25/01		(a)	51.78	sheen	3494.19
	02/06/01		51.67	51.68	0.01	3494.30
	02/17/01*		52.07	52.08	0.01	3493.90
	02/23/01		(a)	51.50	sheen	3494.47
	03/09/01		(a)	51.61	sheen	3494.36
	08/20/01		(a)	52.18	sheen	3493.79
	02/27/02		(a)	52.22	sheen	3493.75
	07/31/02		(a)	52.68	(a)	3493.29
	02/10/03		(a)	52.65	(a)	3493.32
	08/04/03		(a)	52.86	(a)	3493.11
	05/25/04		(a)	52.72	(a)	3493.25
	11/09/04		(a)	52.33	(a)	3493.64
	04/11/05		(a)	52.29	(a)	3493.68
	12/01/05		(a)	52.40	(a)	3493.57
	05/10/06		(a)	52.41	(a)	3493.56
	12/13/06		(a)	51.72	(a)	3494.25
	06/20/07		(a)	51.62	(a)	3494.35
	12/06/07		(a)	51.30	(a)	3494.67
RW-2	11/21/00*	3546.26 (c)	(a)	52.18	(a)	3494.08
	11/30/00		(a)	51.96	(a)	3494.30
	12/06/00		(a)	52.61	sheen	3493.65
	01/25/01		(a)	52.05	sheen	3494.21
	02/06/01		(a)	51.94	sheen	3494.32
	02/17/01*		(a)	52.38	sheen	3493.88
	02/23/01		(a)	51.75	sheen	3494.51
	03/09/01		(a)	51.80	sheen	3494.46
	08/20/01		(a)	52.42	sheen	3493.84
	02/27/02		(a)	52.46	(a)	3493.80
	07/31/02		(a)	52.68	(a)	3493.58
	02/10/03		(a)	52.88	sheen	3493.38
	08/04/03		(a)	53.08	sheen	3493.18
	05/25/04		52.93	52.94	0.01	3493.33
	11/09/04		(a)	52.58	(a)	3493.68
	04/11/05		(a)	52.57	sheen	3493.69
	12/01/05		(a)	52.68	(a)	3493.58
	05/10/06		(a)	52.68	sheen	3493.58
	12/13/06		(a)	52.01	(a)	3494.25
	06/20/07		(a)	51.95	(a)	3494.31
	12/06/07		(a)	51.55	sheen	3494.71

**Table 2. Summary of Groundwater Surface Elevations - Recovery Wells
TW WT-1 Station Engine Room Pit Area**

Well ID	Sampling Date	Top of Casing (ft)	Depth to PSH (ft)	Depth to Water (ft)	PSH (ft)	Surface Elevation (ft)
RW-3	11/21/00*	3546.41 (c)	52.27	52.29	0.02	3494.14
	11/30/00		52.02	52.07	0.05	3494.38
	12/06/00		52.12	52.13	0.01	3494.29
	01/25/01		52.13	52.19	0.06	3494.27
	02/06/01		51.92	52.00	0.08	3494.47
	02/17/01*		52.41	52.43	0.02	3494.00
	02/23/01		51.80	51.83	0.03	3494.60
	03/09/01		51.81	51.84	0.03	3494.59
	03/30/01		50.92	50.94	0.02	3495.49
	08/20/01		(a)	52.42	(a)	3493.99
	02/27/02		(a)	52.58	sheen	3493.83
	07/31/02		(a)	52.46	(a)	3493.95
	02/10/03		(a)	52.85	sheen	3493.56
	08/04/03		(a)	52.09	(a)	3494.32
	05/25/04		(a)	52.68	(a)	3493.73
	11/09/04		(a)	52.58	(a)	3493.83
	04/11/05		(a)	52.49	(a)	3493.92
	12/01/05		(a)	52.65	(a)	3493.76
	05/10/06		(a)	52.51	(a)	3493.90
	12/13/06		(a)	52.06	(a)	3494.35
	06/20/07		(a)	51.97	(a)	3494.44
	12/06/07		(a)	51.56	(a)	3494.85
RW-4	11/21/00*	3546.96 (c)	(a)	52.45	(a)	3494.51
	11/30/00		(a)	52.20	sheen	3494.76
	12/06/00		(a)	52.33	(a)	3494.63
	01/25/01		(a)	52.29	(a)	3494.67
	02/06/01		(a)	52.09	(a)	3494.87
	02/17/01*		(a)	52.52	(a)	3494.44
	02/23/01		(a)	51.97	(a)	3494.99
	03/09/01		(a)	52.01	(a)	3494.95
	03/30/01		(a)	52.06	sheen	3494.90
	08/20/01		(a)	52.55	(a)	3494.41
	02/27/02		(a)	52.75	(a)	3494.21
	07/31/02		(a)	52.77	(a)	3494.19
	02/10/03		(a)	52.90	(a)	3494.06
	08/04/03		(a)	53.04	(a)	3493.92
	05/25/04		(a)	52.68	(a)	3494.28
	11/09/04		(a)	52.83	(a)	3494.13
	04/11/05		(a)	52.54	(a)	3494.42
	12/01/05		(a)	52.68	(a)	3494.28
	05/10/06		(a)	52.49	(a)	3494.47
	12/13/06		(a)	52.25	(a)	3494.71
	06/20/07		(a)	51.72	(a)	3495.24
	12/06/07		(a)	51.70	(a)	3495.26

**Table 2. Summary of Groundwater Surface Elevations - Recovery Wells
TW WT-1 Station Engine Room Pit Area**

Well ID	Sampling Date	Top of Casing (ft)	Depth to PSH (ft)	Depth to Water (ft)	PSH (ft)	Surface Elevation (ft)
RW-5	11/21/00*	3546.75 (c)	(a)	50.76	(a)	3495.99
	11/30/00		(a)	50.56	(a)	3496.19
	12/06/00		(a)	50.78	sheen	3495.97
	01/25/01		(a)	50.64	(a)	3496.11
	02/06/01		(a)	50.54	(a)	3496.21
	02/17/01*		(a)	50.98	(a)	3495.77
	02/23/01		(a)	50.39	(a)	3496.36
	03/09/01		(a)	50.44	(a)	3496.31
	03/30/01		(a)	50.60	(a)	3496.15
	08/20/01		(a)	50.95	(a)	3495.80
	02/27/02		(a)	51.03	(a)	3495.72
	07/31/02		(a)	51.12	(a)	3495.63
	02/10/03		(a)	51.24	(a)	3495.51
	08/04/03		(a)	51.32	(a)	3495.43
	05/25/04		(a)	51.03	(a)	3495.72
	11/09/04		(a)	51.37	(a)	3495.38
	04/11/05		(a)	51.10	(a)	3495.65
	12/01/05		(a)	51.11	(a)	3495.64
	05/10/06		(a)	50.92	(a)	3495.83
	12/13/06		(a)	50.88	(a)	3495.87
RW-6	06/20/07		(a)	50.76	(a)	3495.99
	12/06/07		(a)	50.32	(a)	3496.43
	11/21/00*	3546.69 (c)	(a)	50.72	(a)	3495.97
	11/30/00		(a)	50.47	(a)	3496.22
	12/06/00		(a)	50.71	sheen	3495.98
	01/25/01		(a)	50.53	(a)	3496.16
	02/06/01		(a)	50.32	(a)	3496.37
	02/17/01*		(a)	50.87	(a)	3495.82
	02/23/01		(a)	50.20	(a)	3496.49
	03/09/01		(a)	50.27	(a)	3496.42
	03/30/01		(a)	50.39	(a)	3496.30
	08/20/01		(a)	50.82	(a)	3495.87
	02/27/02		(a)	50.85	(a)	3495.84
	07/31/02		(a)	50.83	(a)	3495.86
	02/10/03		(a)	50.95	(a)	3495.74
	08/04/03		(a)	51.04	(a)	3495.65
	05/25/04		(a)	50.55	(a)	3496.14
	11/09/04		(a)	51.07	(a)	3495.62
	04/11/05		(a)	50.57	(a)	3496.12
	12/01/05		(a)	50.64	(a)	3496.05
	05/10/06		(a)	50.37	(a)	3496.32
	12/13/06		(a)	50.62	(a)	3496.07
	06/20/07		(a)	50.33	(a)	3496.36
	12/06/07		(a)	49.95	(a)	3496.74

**Table 2. Summary of Groundwater Surface Elevations - Recovery Wells
TW WT-1 Station Engine Room Pit Area**

Well ID	Sampling Date	Top of Casing (ft)	Depth to PSH (ft)	Depth to Water (ft)	PSH (ft)	Surface Elevation (ft)
RW-7	11/21/00*	3547.50 (c)	(a)	51.27	(a)	3496.23
	11/30/00		(a)	51.01	(a)	3496.49
	12/06/00		(a)	51.22	sheen	3496.28
	01/25/01		(a)	51.10	(a)	3496.40
	02/06/01		(a)	50.92	sheen	3496.58
	02/17/01*		(a)	51.42	(a)	3496.08
	02/23/01		(a)	50.77	(a)	3496.73
	03/09/01		(a)	50.76	(a)	3496.74
	03/30/01		(a)	50.93	(a)	3496.57
	08/20/01		(a)	51.35	(a)	3496.15
	02/27/02		(a)	51.44	(a)	3496.06
	07/31/02		(a)	51.34	(a)	3496.16
	02/10/03		(a)	51.44	(a)	3496.06
	08/04/03		(a)	51.52	(a)	3495.98
	05/25/04		(a)	50.98	(a)	3496.52
	11/09/04		(a)	51.55	(a)	3495.95
	04/11/05		(a)	50.92	(a)	3496.58
	12/01/05		(a)	50.96	(a)	3496.54
	05/10/06		(a)	50.76	(a)	3496.74
	12/13/06		(a)	50.91	(a)	3496.59
	06/20/07		(a)	50.70	(a)	3496.80
	12/06/07		(a)	50.34	(a)	3497.16
RW-8	11/21/00*	3547.04 (c)	(a)	50.20	(a)	3496.84
	11/30/00		(a)	50.06	sheen	3496.98
	12/06/00		(a)	50.28	(a)	3496.76
	01/25/01		(a)	50.14	(a)	3496.90
	02/06/01		(a)	50.05	sheen	3496.99
	02/17/01*		(a)	50.42	(a)	3496.62
	02/23/01		(a)	49.95	(a)	3497.09
	03/09/01		(a)	50.01	(a)	3497.03
	03/30/01		(a)	50.09	(a)	3496.95
	08/20/01		(a)	50.40	(a)	3496.64
	02/27/02		(a)	50.27	(a)	3496.77
	07/31/02		(a)	50.19	(a)	3496.85
	02/10/03		50.33	50.33	sheen	3496.71
	08/04/03		50.42	50.42	sheen	3496.62
	05/25/04		49.87	50.30	0.43	3497.08
	11/09/04		(a)	50.40	sheen	3496.64
	04/11/05		49.77	49.79	0.02	3497.27
	12/01/05		(a)	49.71	(a)	3497.33
	05/10/06		(a)	49.66	sheen	3497.38
	12/13/06		(a)	49.76	sheen	3497.28
	06/20/07		(a)	49.64	(a)	3497.40
	12/06/07		(a)	49.36	(a)	3497.68

**Table 2. Summary of Groundwater Surface Elevations - Recovery Wells
TW WT-1 Station Engine Room Pit Area**

Well ID	Sampling Date	Top of Casing (ft)	Depth to PSH (ft)	Depth to Water (ft)	PSH (ft)	Surface Elevation (ft)
RW-9	11/21/00*	3545.84 (c)	(a)	48.41	(a)	3497.43
	11/30/00		(a)	48.17	sheen	3497.67
	12/06/00		(a)	43.42	(a)	3502.42
	01/25/01		(a)	48.25	(a)	3497.59
	02/06/01		(a)	48.12	(a)	3497.72
	02/17/01*		(a)	48.60	(a)	3497.24
	02/23/01		(a)	47.94	(a)	3497.90
	03/09/01		(a)	47.99	(a)	3497.85
	08/20/01		(a)	48.52	(a)	3497.32
	02/27/02		(a)	48.37	(a)	3497.47
	07/31/02		(a)	48.39	(a)	3497.45
	02/10/03		(a)	48.50	(a)	3497.34
	08/04/03	(d)	---	---	---	---
RW-10	11/21/00*	3546.32 (c)	(a)	48.36	(a)	3497.96
	11/30/00		(a)	48.13	(a)	3498.19
	12/06/00		(a)	48.40	(a)	3497.92
	01/25/01		(a)	48.43	(a)	3497.89
	02/06/01		(a)	48.11	(a)	3498.21
	02/17/01*		(a)	48.60	(a)	3497.72
	02/23/01		(a)	47.92	(a)	3498.40
	03/09/01		(a)	50.01	(a)	3496.31
	08/20/01		(a)	48.57	(a)	3497.75
	02/27/02		(a)	48.33	(a)	3497.99
	07/31/02		(a)	48.39	(a)	3497.93
	02/10/03		(a)	48.48	(a)	3497.84
	08/04/03		(a)	48.63	(a)	3497.69
	05/25/04		(a)	48.20	(a)	3498.12
	11/09/04		(a)	48.75	(a)	3497.57
	04/11/05		(a)	48.15	(a)	3498.17
	12/01/05		(a)	48.17	(a)	3498.15
	05/10/06		(a)	48.23	(a)	3498.09
	12/13/06		(a)	47.98	(a)	3498.34
	06/20/07		(a)	48.09	(a)	3498.23
	12/06/07		(a)	47.49	(a)	3498.83

**Table 2. Summary of Groundwater Surface Elevations - Recovery Wells
TW WT-1 Station Engine Room Pit Area**

Well ID	Sampling Date	Top of Casing (ft)	Depth to PSH (ft)	Depth to Water (ft)	PSH (ft)	Surface Elevation (ft)
RW-11	11/21/00*	3545.74 (c)	(a)	48.51	(a)	3497.23
	11/30/00		(a)	48.01	(a)	3497.73
	12/06/00		(a)	48.55	(a)	3497.19
	01/25/01		(a)	48.24	(a)	3497.50
	02/06/01		(a)	48.30	(a)	3497.44
	02/17/01*		(a)	48.76	(a)	3496.98
	02/23/01		(a)	48.12	(a)	3497.62
	03/09/01		(a)	48.19	(a)	3497.55
	08/20/01		(a)	48.90	(a)	3496.84
	02/27/02		(a)	48.74	(a)	3497.00
	07/31/02		(a)	48.92	(a)	3496.82
	02/10/03		(a)	49.07	(a)	3496.67
	08/04/03		(a)	49.25	(a)	3496.49
	05/25/04		(a)	48.75	(a)	3496.99
	11/09/04		(a)	49.18	(a)	3496.56
	04/11/05		(a)	48.67	(a)	3497.07
	12/01/05		(a)	48.78	(a)	3496.96
	05/10/06		(a)	48.78	(a)	3496.96
	12/13/06		(a)	48.41	(a)	3497.33
	06/20/07		(a)	48.43	(a)	3497.31
	12/06/07		(a)	47.81	(a)	3497.93
RW-12	11/21/00*	3544.43 (c)	(a)	49.44	(a)	3494.99
	11/30/00		(a)	49.11	(a)	3495.32
	12/06/00		(a)	49.17	(a)	3495.26
	01/25/01		(a)	49.53	(a)	3494.90
	02/06/01		(a)	49.24	(a)	3495.19
	02/17/01*		(a)	49.70	(a)	3494.73
	02/23/01		(a)	49.07	(a)	3495.36
	03/09/01		(a)	49.14	(a)	3495.29
	08/20/01		(a)	49.77	(a)	3494.66
	02/27/02		(a)	49.74	(a)	3494.69
	07/31/02		(a)	49.95	(a)	3494.48
	02/10/03		(a)	50.13	(a)	3494.30
	08/04/03		(a)	50.37	(a)	3494.06
	05/25/04		(a)	50.10	(a)	3494.33
	11/09/04		(a)	49.92	(a)	3494.51
	04/11/05		(a)	49.79	(a)	3494.64
	12/01/05		(a)	49.90	(a)	3494.53
	05/10/06		(a)	49.90	(a)	3494.53
	12/13/06		(a)	49.28	(a)	3495.15
	06/20/07		(a)	49.24	(a)	3495.19
	12/06/07		(a)	48.76	(a)	3495.67

NOTES:

- (a) Not applicable since no measurable thickness of hydrocarbon is present
- (b) Corrections to ground water surface elevation for presence of hydrocarbon is calculated assuming a specific gravity of 0.88 (0.80 used for 07/17/00 and prior)
- (c) Survey by John West Surveying Co. on October 31, 2000
- (d) Well damaged can no longer access to get water level.

**Table 3. Summary of Field Measured Parameters
TW WT-1 Engine Room Pit Area**

Well ID	Date	Dissolved Oxygen (mg/L) Meter/Hach Kit	pH	Temperature °C	Electrical Conductivity (ms/cm)	Turbidity (NTU/FTU) field / lab	Remarks
MW-1	11/12/96	0.0	6.67	22.2	--	--	strong mercaptin odor, bailed dry 1 gal
	02/04/97	0.0	6.70	17.3	3,100	39.3/127	strong odor, blk color, bailed dry 1 gal
	05/10/96	--	6.92	21.8	3,110	62.0	strong odor, blk/gry color
	08/08/97	0.0	6.88	20.3	3,260	101	clear to gray, strong odor
	10/09/97	1.2	6.89	21.6	3,080	--	gray blk, strong odor
	01/23/98	0.0	6.65	17.1	2,970	--	strong odor, amber color
	04/17/98	0.9	6.96	19.9	3,070	58.0	clear, gold tint, strong odor
	07/17/98	0.1	6.91	22.4	3,400	9.97	clear, light tint, strong odor
	01/27/99	--	6.81	20.8	3,020	--	clear, odor
	08/21/01	0.8	6.78	23.4	2,380	--	gray, odor, pumped dry @ 1 gallon purged
	03/01/02	1.2/0.2	7.06	21.6	2,940	--	clear, odor
	08/01/02	1.0	7.04	27.2	2,960	6.77	clear, odor
	02/12/03	--	--	--	--	--	sheen
	08/05/03	--	--	--	--	12.93	sheen
	05/24/04	1.30	6.62	21.70	2550	--	clear, odor
	11/09/04	1.70	6.95	21.50	2540	13.46	clear, odor, gold color
	12/02/05	1.93	6.94	17.72	2199	13.96	clear, odor
	05/11/06	1.52	6.83	20.64	2342	--	clear
	12/17/06	2.26	6.73	19.32	2248	38.64	clear
	06/21/07	1.66	6.99	23.13	2793	--	clear, odor
	12/07/07	0.99	6.69	17.99	3143	3.55	clear, odor
MW-4	11/12/96	--	7.10	20.8	--	--	clear, no odor
	02/04/97	4.0	7.17	17.5	3,400	41.8/32	fine red silt, no odor
	05/10/97	3.0	7.09	19.7	3,400	5.46	very slight brn silt, mostly clear
	08/06/97	3.5	7.02	21.7	3,390	45.2	red silty
	10/08/97	3.0	7.05	21.5	3,060	--	slightly silty, light gold to brown
	01/23/98	0.6/0.8	7.11	18.7	2,640	--	clear
	04/16/98	1.8/0.4	7.00	21.1	2,720	2.5	clear
	07/16/98	1.3/0.8	6.99	21.6	3,090	0.67	clear
	01/26/99	1.2	7.01	19.1	2,740	--	clear
	07/08/99	3.3/1.4	7.12	21.0	3,050	0.76	clear, no odor
	01/27/00	--	7.03	19.1	3,070	--	clear
	07/17/00	2.6/2.6	7.06	20.6	3,100	3.49	clear
	02/17/01	3.5	7.07	20.5	3,130	--	clear
	08/21/01	3.1	6.96	20.3	3,010	--	clear
	02/28/02	0.7	7.01	21.1	2,860	--	clear
	08/01/02	1.2	7.03	23.5	3,000	1.19	clear
	02/12/03	1.1	6.97	22.2	3,010	--	clear
	08/05/03	0.9	6.97	22.8	2,910	0.89	clear
	05/24/04	1.5	6.73	20.2	3,110	--	clear
	11/09/04	1.2	6.94	19.9	2,750	0.62	clear
	12/02/05	1.0	7.02	19.4	2,253	2.37	clear
	05/11/06	1.4	6.88	20.0	2,522	--	clear
	12/17/06	1.3	6.76	19.5	2,238	2.59	clear
	06/21/07	1.8	7.09	20.1	2,488	--	clear
	12/07/07	2.1	6.84	19.4	1,986	0.00	clear

**Table 3. Summary of Field Measured Parameters
TW WT-1 Engine Room Pit Area**

Well ID	Date	Dissolved Oxygen (mg/L) Meter/Hach Kit	pH	Temperature °C	Electrical Conductivity (ms/cm)	Turbidity (NTU/FTU) field / lab	Remarks
MW-5	11/12/96	--	7.00	23.1	--	--	strong odor, bailed dry 3.5 gal
	02/06/97	0.6	7.17	15.7	3,600	303/2040	strong odor, silty, foamy
	05/10/96	0.8	7.25	20.7	3,500	295	strong odor, red-yellow color, bailed dry 3.5g
	08/07/97	4.9	7.47	20.7	2,810	173	silty, red
	10/09/97	0.2	7.12	22.9	2,970	--	red silty, strong odor
	01/24/98	0.8	7.14	18.7	2,870	31.1	clear, amber color, strong odor
	04/17/98	0.6	7.16	20.2	2,840	52.0	clear, amber tint, strong odor
	07/17/98	0.7	7.02	22.5	3,140	43.18	foamy, light tint, strong odor
	01/27/99	0.6	7.10	20.5	2,700	--	clear, odor
	07/08/99	0.9/0.4	7.11	21.5	2,780	36.98	clear, light amber tint
	01/27/00	--	7.06	19.9	2,820	--	clear, strong odor
	07/18/00	0.0	7.12	23.5	2,800	25.00	clear, amber tint, odor
	02/18/01	0.9	7.13	19.5	2,760	--	clear, amber tint, odor
	08/21/01	1.0	7.01	23.7	2,410	--	grayblack, strong odor
	03/01/02	1.0	7.23	20.6	2,610	--	clear, amber tint, odor
	08/01/02	1.0	7.16	26.2	2,680	6.62	clear, odor
	02/12/03	1.0	7.14	22.3	2,580	--	clear, amber tint, odor
	08/05/03	0.4	7.07	24.4	2,370	22.73	clear, odor
	05/24/04	1.4	6.90	22.3	2,470	--	gray blk, strong odor
	11/10/04	1.3	6.94	19.7	2,000	8.07	gold color, strong odor
	12/02/05	1.0	7.10	19.6	2,146	12.57	clear, odor
	05/11/06	1.8	7.03	20.5	2,183	--	clear
	12/17/06	1.5	6.87	19.5	2,099	47.39	clear
	06/21/07	1.4	7.03	23.2	2,267	--	clear, odor
	12/07/07	0.8	6.89	19.8	1,685	5.33	clear, odor
MW-6	11/12/96	--	--	21.6	--	--	red silty
	02/04/97	2.0	6.56	17.0	3,800	279/600	fine red silt, no odor
	05/10/97	1.8	6.96	21.7	3,800	234	red silty
	08/07/97	1.8	6.89	20.2	3,730	173	red silty
	10/09/97	1.7	6.89	19.3	3,510	--	red silty
	01/23/98	0.6	6.81	19.7	3,460	--	slightly turbid
	04/16/98	0.4	6.87	19.1	3,470	15.36	clear
	07/16/98	2.9/1.6	6.84	22.6	3,810	5.37	clear, took 4 cycles to get final parameters
	01/27/99	1.1	6.79	19.6	3,550	--	clear, odor
	07/08/99	1.8/1.0	6.85	21.2	3,760	4.64	clear, slight odor, took 4 cycles to get final parameters
	01/27/00	--	6.85	19.3	3,800	--	clear, slight odor
	07/18/00	0.5	6.87	21.9	3,790	1.54	clear, slight odor
	02/18/01	1.5	6.88	20.2	3,800	--	clear
	08/21/01	1.5	6.68	22.9	3,560	--	clear with odor
	02/28/02	1.3	6.88	21.6	3,810	--	clear
	08/01/02	1.5	6.89	24.6	3,830	3.57	clear
	02/12/03	1.5	6.87	22.3	3,930	--	clear
	08/05/03	1.1	6.86	24.4	3,910	4.63	clear
	05/24/04	1.4	6.57	21.3	3,610	--	clear
	11/09/04	1.3	6.87	20.5	3,730	4.34	clear
	12/02/05	0.8	6.88	20.3	3,243	22.53	clear
	05/11/06	1.2	6.85	20.4	3,352	--	clear
	12/17/06	1.6	6.65	19.8	3,291	11.38	clear
	06/21/07	1.3	6.93	21.0	3,485	--	clear
	12/07/07	1.7	6.75	19.9	2,738	2.60	clear

**Table 3. Summary of Field Measured Parameters
TW WT-1 Engine Room Pit Area**

Well ID	Date	Dissolved Oxygen (mg/L) Meter/Hach Kit	pH	Temperature °C	Electrical Conductivity (ms/cm)	Turbidity (NTU/FTU) field / lab	Remarks
MW-7	11/12/97	--	7.16	23.6	--	--	red silty
	02/04/97	2.0	6.89	--	2,900	539/2080	fine red silt, no odor
	05/10/97	2.0	7.17	21.1	2,970	>1000	red silty/sandy
	08/07/97	2.0	7.18	20.2	2,970	18.8	slight red silt
	10/09/97	2.6	7.20	19.6	2,750	--	red silty
	01/23/98	1.1/1.6	7.10	18.7	2,730	--	clear
	04/17/98	2.5/2.6	7.21	18.0	2,720	1.64	clear
	07/16/98	3.5	7.12	21.7	2,970	1.81	clear
	01/27/99	2.6	7.10	19.9	2,740	--	clear
	07/08/99	3.4	7.16	20.7	2,850	1.12	clear
	01/27/00	--	7.13	18.9	2,840	--	clear
	07/18/00	2.3	7.22	21.9	2,780	1.98	clear
	02/18/01	2.8	7.18	19.8	2,790	--	clear
	08/21/01	4.0	7.11	22.5	2,660	--	clear
	02/28/02	2.5	7.21	20.6	2,800	--	clear
	08/01/02	--	--	--	--	--	turbid, pulled pump and bailed
	02/12/03	2.6	7.12	22.2	2,820	--	red turbid
	08/05/03	3.3	7.16	22.0	2,450	> 100	Red sand/ turbid
	05/24/04	2.6	6.94	20.2	2,640	--	Red sand/ slightly turbid
	11/09/04	1.6	6.80	19.3	2,641	41.67	Cloudy
	12/02/05	1.6	7.17	19.2	2,212	30.50	Cloudy
	05/11/06	3.0	6.99	20.3	2,885	--	turbid
	12/14/06	1.9	6.82	19.4	2,270	29.80	clear
	06/21/07	1.4	7.01	20.5	2,310	--	clear
	12/07/07	1.2	6.85	19.3	2,194	5.58	clear
MW-8	11/12/96	--	6.91	22.1	--	--	very fine red silt,
	02/06/97	2.0	6.95	14.1	3,000	<1000/590	red, silty, no odor
	05/10/97	1.6	7.00	22.0	3,040	193	red silt/sand
	08/07/97	1.1	6.97	20.1	3,040	237	red silt
	10/09/97	2.9	6.95	20.8	2,800	--	red silty
	01/24/98	0/0.2	6.90	19.0	2,810	26.17	Lt. amber color, clear
	04/17/98	0.9	6.97	19.2	2,860	25.46	clear, Lt. amber color
	07/17/98	0.2/0.0	6.85	22.5	3,070	4.10	clear, odor
	01/27/99	0.8/0.0	6.84	19.4	2,830	--	clear, odor
	07/08/99	1.9	6.87	22.1	2,950	2.79	clear
	01/27/00	--	6.87	19.2	2,960	--	clear, odor
	07/18/00	0.8	6.95	22.6	2,910	6.70	clear, odor
	02/18/01	1.2	6.91	20.3	2,910	--	clear
	08/21/01	1.2	6.82	22.3	2,730	--	clear
	02/28/02	1.6	6.96	20.3	2,900	--	clear
	08/01/02	1.4	6.95	25.6	2,880	2.61	clear
	02/12/03	1.5	6.91	22.5	2,860	--	clear
	08/05/03	1.4	6.92	26.4	2,800	6.73	clear
	05/24/04	1.2	6.64	21.4	2,670	--	clear, odor
	11/09/04	1.4	6.87	19.8	2,740	0.89	clear, odor
	12/02/05	1.2	6.90	20.7	2,392	5.19	clear
	05/11/06	1.1	6.74	20.4	2,434	--	clear
	12/17/06	1.5	6.72	20.1	2,114	9.97	clear
	06/21/07	1.1	6.96	21.5	2,393	--	clear
	12/07/07	1.2	6.61	19.9	1,982	5.46	clear, odor

**Table 3. Summary of Field Measured Parameters
TW WT-1 Engine Room Pit Area**

Well ID	Date	Dissolved Oxygen (mg/L) Meter/Hach Kit	pH	Temperature °C	Electrical Conductivity (ms/cm)	Turbidity (NTU/FTU) field / lab	Remarks
MW-14	11/12/96	--	7.07	19.9	--	--	mostly clear, slight silt
	02/04/97	3.0	7.06	15.3	3,600	70.1/92	clear initially, red silty, no odor
	05/10/97	2.0	7.04	21.2	3,390	16.2	slight red sand/silt
	08/07/97	1.0	7.09	20.4	3,340	2.8	clear
	10/08/97	1.5	6.74	20.7	3,170	--	clear
	01/23/98	0.7	6.97	17.5	3,150	--	clear
	04/17/98	1.2	7.08	21.1	3,180	0.79	clear
	07/17/98	0.6	6.94	21.8	3,520	2.25	clear
	01/27/99	--	6.92	19.9	3,260	--	clear
	07/08/99	1.3	6.96	20.9	3,460	0.87	clear
	01/27/00	--	6.96	19.5	3,420	--	clear
	07/18/00	0.2/0.6	7.00	20.9	3,330	1.65	clear
	02/18/01	0.9	6.98	20.3	3,350	--	clear
	08/21/01	3.5	7.10	22.3	2,690	--	clear
	02/28/02	2.2	7.03	21.5	3,340	--	clear
	08/01/02	1.4	7.03	24.2	3,330	1.32	clear
	02/12/03	1.1	6.96	22.4	3,360	--	clear
	08/05/03	0.8	6.96	23.6	3,280	2.72	clear
	05/24/04	1.3	6.74	21.3	3,160	--	clear
	11/10/04	1.3	6.90	19.7	2,830	2.16	clear
	12/02/05	0.9	6.97	20.1	2,883	7.97	clear
	05/11/06	1.0	6.81	20.1	2,957	--	clear
	12/17/06	1.3	6.73	19.2	2,948	1.79	clear
	06/21/07	1.2	7.03	20.5	3,072	--	clear
	12/07/07	1.0	6.81	20.2	2,432	13.45	clear
MW-15	11/12/96	--	7.21	24.6	--	--	clear
	02/04/97	8.0	6.90	18.3	3,200	34.5/133	fine red silt, no odor
	05/10/97	--	7.28	20.0	3,230	63.1	silty red sand
	08/07/97	7.4	7.13	20.5	3,160	159	red silt
	10/08/97	7.4	7.26	21.0	2,900	--	red sand/ fine silt
	01/23/98	5.2	7.24	18.8	2,930	--	turbid
	04/16/98	4.9	7.13	19.4	2,940	5.69	clear
	07/17/98	5.8/5.0	7.04	22.1	3,210	11.05	clear
	01/26/99	4.5	7.08	19.4	2,830	--	clear
	07/08/99	6.1	7.08	20.2	2,840	11.34	clear
	01/27/00	--	7.11	18.9	2,850	--	clear
	07/17/00	5.6	7.07	20.6	2,750	5.62	clear
	02/17/01	5.4	7.13	19.9	2,750	--	clear
	08/21/01	5.6	7.06	20.6	2,600	--	clear
	02/28/02	4.9	7.19	21.4	2,770	--	clear
	08/01/02	5.0	7.20	23.1	2,750	1.74	clear
	02/12/03	4.7	7.13	21.9	2,730	--	clear
	08/05/03	5.7	7.14	23.6	2,650	4.76	clear
	05/24/04	3.8	6.87	21.1	2,380	--	clear
	11/09/04	3.5	7.14	20.1	2,500	3.38	clear
	12/02/05	3.5	7.12	19.4	2,222	30.87	clear
	05/11/06	4.2	6.97	19.9	2,222	--	clear
	12/17/06	4.6	6.89	19.2	1,958	8.31	clear
	06/21/07	3.5	7.17	20.1	2,062	--	cloudy
	12/07/07	3.7	6.88	19.4	1,691	49.37	cloudy

**Table 3. Summary of Field Measured Parameters
TW WT-1 Engine Room Pit Area**

Well ID	Date	Dissolved Oxygen (mg/L) Meter/Hach Kit	pH	Temperature °C	Electrical Conductivity (ms/cm)	Turbidity (NTU/FTU) field / lab	Remarks
MW-16	11/12/96	--	6.7	22.7	--	--	mostly clear, slight red silt
	02/04/97	4.0	6.49	17.2	4,900	139/830	fine red silt, no odor
	05/10/97	1.4	6.91	20.1	4,800	203	red sand/silt
	08/06/97	3.3	6.87	21.3	4,540	670	very silty, red
	10/08/97	3.3	6.88	21.3	4,190	--	red silty
	01/23/98	1.9	6.84	18.6	3,940	--	slightly turbid
	04/16/98	1.4/1.0	6.88	20.8	3,990	1.27	clear
	07/16/98	2.2	6.81	21.2	4,380	0.43	clear
	01/26/99	1.3	6.82	19.5	3,980	--	clear
	07/08/99	1.6/1.0	6.84	20.7	4,520	0.80	clear, no odor
	01/27/00	--	6.80	19.3	4,540	--	clear
	07/17/00	0.9	6.83	20.7	4,520	2.12	clear
	02/17/01	2.0	6.85	20.0	4,230	--	clear
	08/21/01	1.1	6.73	20.6	4,030	--	clear
	02/28/02	1.6	6.89	21.6	4,090	--	clear
	08/01/02	1.4	6.90	23.2	4,300	3.71	clear
	02/12/03	0.8	6.85	22.2	4,350	--	clear
	08/05/03	1.6	6.87	23.1	4,110	0.92	clear
	05/24/04	1.0	6.62	21.0	4,140	--	clear
	11/09/04	1.6	6.87	20.1	4,020	1.34	clear
	12/02/05	0.9	6.87	19.9	3,286	26.45	clear
	05/11/06	1.0	6.71	20.0	3,382	--	clear
	12/17/06	1.9	6.64	19.6	3,314	11.18	clear
	06/21/07	1.0	6.94	20.5	3,465	--	clear
	12/07/07	1.4	6.66	19.8	2,738	0.88	clear
MW-17	11/10/04	4.3	7.05	19.7	2,880	>100	red sand/turbid
	12/02/05	1.8	7.03	19.5	2,912	>100	red sand/turbid
	05/11/06	--	--	--	--	--	--
	12/15/06	2.3	6.9	19.7	3,015	>100	red sand/turbid
	06/21/07	2.3	7.1	21.1	3,152	--	clear
	12/07/07	2.0	6.8	20.2	2,467	3.96	clear
SVE-1A	01/26/00	--	7.07	18.2	2,800	--	turbid, odor
	07/18/00	0.0	7.09	21.3	2,890	--	turbid, odor
	02/18/01	--	--	--	--	--	turbid, odor, insufficient h2o for parameters
	08/21/01	1.3	7.09	21.4	2420.0	--	gray/black, strong odor, bailed dry @ 0.75 gallons
	03/01/02	1.3	7.25	21.9	2820.0	--	red, turbid, odor
	08/01/02	--	--	--	--	--	turbid, odor, insufficient h2o for parameters
	02/12/03	0.3	7.10	22.3	2,700	--	turbid
	08/05/03	0.8	7.08	23.4	2,600	9.28	clear
	05/24/04	1.6	6.82	21.0	2,610	--	turbid, strong odor
	11/10/04	1.91	6.74	19.9	2,621	55	cloudy
	12/02/05	0.77	7.07	19.5	2,300	89	cloudy
	05/11/06	1.55	6.87	20.1	2,338	--	clear
	12/14/06	1.26	6.77	20.2	2,353	>100	turbid, odor
	06/21/07	1.81	7.06	21.0	2,479	--	turbid, odor
	12/07/07	0.74	6.79	20.1	1,926	9.75	slightly turbid, odor

Table 4. Summary of Groundwater Analyses - Organics
TW WT-1 Station Engine Room Pit Area

		BTEX (ug/L)				Other VOCs (ug/L)													
Well ID	Sampling Date	Benzene	Toluene	Ethylbenzene	Xylenes (total)	Acetone	Methyl ethyl ketone (2-butanone)	Chloroethane	Chloroform	1,1-Dichloroethane	1,2-Dichloroethane	1,1-Dichloroethene	cis-1,2-Dichloroethene	Dichloromethane (Methylene chloride)	4-methyl-2-pentanone	Tetrachloroethene	1,1,1-Trichloroethane	Trichloroethene	Vinyl chloride
NMWQCC Standard		10	750	750	620	none	none	none	100.0	25.0	10.0	5	none	none	none	20	60	100	1
MW-1	11/15/94	12 ^a	100 ^a	10 ^a	110 ^a	na	na	<2.0 ^a	<2.0 ^a	690 ^a	6.7 ^a	2.2 ^a	2.8 ^a	420 ^a	na	16 ^a	<2.0 ^a	28 ^a	<2.0 ^a
	09/14/95	13	90	8	110	2000	400	<10	<5	730	13	9	na	170	1800	19	57	24	<10
	11/12/96	9	66	<5	39	630	100	<10	<5	480	9	<5	na	88	1500	12	<5	20	<10
	02/04/97	13	94	8	80	790	300	<10	<5	480	10	<5	<5	89 ^b	1700	9	<5	29	11
	05/10/97	10	75	6	45	470	<100	<10	<5	470	9	<5	<5	<50	1000	8	9	20	<10
	08/07/97	<50	<50	<50	<50	1100	1100	<50	<50	590	<50	<50	<50	200	1200	<50	<50	<50	<100
	10/09/97	<50	132	<50	97	1660	<1000	<100	<50	597	<50	<50	<50	221 ^b	1650	<50	<50	<50	<100
	01/23/98	11	82	7	85	2300	93	<10	<5	530	<5	<5	<5	230	2000	8	<5	24	<10
	04/17/98	11	84	7	85	2100	52	<10	<5	480	8	<5	<5	360	1600	6	<5	24	<10
	04/17/98	14	93	8	96	2400	100	11	<5	460	11	<5	<5	230	2100	8	<5	30	<10
	07/17/98	15	93	8	97	<2000	98	<10	<5	820	8	12	<5	330	1800	14	93	21	<10
	01/27/99	15	58	9	93	330	120	4	<1	460	8	4	3	310	2100	10	18	26	<2
Dup (MW-17)	08/21/01	12.8	62.7	6.5	92.8	198	71.3	3.25	<1	791	6.89	20	4.1	133	1200	28.1	147	18.8	2.65
	03/01/02	<50.0	51.4	<50.0	50.2	<500	<250	<50.0	<50.0	544	<50.0	<50.0	<50.0	<250	1750	<50.0	<50.0	<50.0	<50.0
	08/01/02	12	49	<10	81	<1300	<2500	<10	<10	470	<10	12	<10	84	1900	20	42	24	<20
	02/12/03	14	41	<10	84	340	<500	<20	<10	360	<10	<10	<10	52	2100	11	14	26	<20
	08/05/03	15	38	<10	94	270	<100	<20	<10	440	<10	<10	<10	62	2100	10	25	26	<20
	05/25/04	25	63	14	120	63	<50	<10	<5	640	7.1	21	8.5	190	2200	32	170	38	<5
	11/09/04	23	53	16	160	<100	<100	<20	<10	410	<10	<10	<10	<30	2800	11	39	42	<10
	04/12/05	26	60	18	150	110	<50	<10	<5	250	6.4	<5	8.9	17	2400	13	22	37	<5
	12/02/05	37	94	23	190	140	<50	10	<5	440	<5	12	9.9	100	1900	32	89	54	13
	05/11/06	26	61	17	120	120	<50	<10	<5	280	6.7	5.4	6.4	<15	1700	19	15	30	<5
	12/17/06	48	130	32	210	<100	<100	<20	<10	380	<10	<10	12	<30	2400	20	18	58	<10
	06/21/07	25	66	16	92	290	54	3.1	<1	350	3.1	4.9	5.6	9.0	1400	42	31	41	1.6
12/07/07	20	62	11	79	1000	170	<10	<10	600	<10	<10	<10	<30	1200	46	38	58	<10	
MW-3	11/16/94	5	<0.5	<0.5	0.5	na	na	na	na	na	na	na	na	na	na	na	na	na	na

Table 4. Summary of Groundwater Analyses - Organics
TW WT-1 Station Engine Room Pit Area

		BTEX (ug/L)				Other VOCs (ug/L)														
Well ID	Sampling Date	Benzene	Toluene	Ethylbenzene	Xylenes (total)	Acetone	Methyl ethyl ketone (2-butanone)	Chloroethane	Chloroform	1,1-Dichloroethane	1,2-Dichloroethane	1,1-Dichloroethene	cis-1,2-Dichloroethene	Dichloromethane (Methylene chloride)	4-methyl-2-pentanone	Tetrachloroethene	1,1,1-Trichloroethane	Trichloroethene	Vinyl chloride	
NMWQCC Standard		10	750	750	620	none	none	none	100.0	25.0	10.0	5	none	none	none	20	60	100	1	
MW-4	12/01/94	< 0.5	< 0.5	< 0.5	< 0.5	na	na	< 0.2	7.6	0.9	< 0.2	4.7	< 0.2	< 2.0	na	0.5	< 0.2	< 0.2	< 0.2	
	09/12/95	< 1	< 5	< 5	< 5	< 100	< 100	< 10	6	< 5	< 5	< 5	na	< 5	< 50	< 5	< 5	< 5	< 10	
	11/12/96	< 5	< 5	< 5	< 5	< 100	< 100	< 10	6	< 5	< 5	< 5	na	< 5	< 50	< 5	< 5	< 5	< 10	
	02/04/97	< 5	< 5	< 5	< 5	< 100	< 100	< 10	< 5	< 5	< 5	< 5	< 5	< 5	100	< 5	< 5	< 5	< 10	
	05/10/97	< 5	< 5	< 5	< 5	< 100	< 100	< 10	< 5	< 5	< 5	< 5	< 5	< 50	< 50	< 5	< 5	< 5	< 10	
	08/06/97	< 5	< 5	< 5	< 5	< 100	< 100	< 10	< 5	< 5	< 5	5.4	< 5	< 5	< 50	< 5	< 5	< 5	< 10	
	10/08/97	< 5	< 5	< 5	< 5	< 100	< 100	< 10	< 5	< 5	< 5	< 5	< 5	< 5	< 50	< 5	< 5	< 5	< 10	
	01/23/98	< 5	< 5	< 5	< 5	< 100	< 20	< 10	5	< 5	< 5	< 5	< 5	< 5	< 50	< 5	< 5	< 5	< 10	
	04/16/98	< 5	< 5	< 5	< 5	< 100	< 20	< 10	< 5	< 5	< 5	< 5	< 5	< 5	< 10	< 5	< 5	< 5	< 10	
	07/16/98	< 5	< 5	< 5	< 5	< 100	< 20	< 10	5	< 5	< 5	5	< 5	< 5	< 10	< 5	< 5	< 5	< 10	
	01/26/99	< 1	< 1	< 1	< 1	< 20	< 20	< 2	4	< 1	< 1	4	< 1	< 2	< 10	< 1	< 1	< 1	< 2	
	07/08/99	< 1	< 1	< 1	< 1	< 20	< 20	< 2	4	1	< 1	4	< 1	< 2	< 10	< 1	< 1	< 1	< 2	
	01/27/00	< 1	< 1	< 1	< 1	< 20	< 20	< 2	4	1	< 1	4	< 1	< 2	< 10	< 1	< 1	< 1	< 2	
	07/17/00	< 1	< 1	< 1	< 1	< 20	< 20	< 2	4	1	< 1	3	< 1	< 2	< 10	< 1	< 1	< 1	< 2	
	02/17/01	< 1.00	< 1.00	< 1.00	< 1.00	< 10.00	< 10.00	< 1.00	< 1.00	2.79	< 1.00	< 1.00	3.62	< 1.00	< 5.00	< 5.00	< 1.00	< 1.00	< 1.00	< 1.00
	08/21/01	< 1	< 1	< 1	< 3	< 10	< 10	< 1	< 1	2.3	< 1	< 1	3.6	< 1	< 5	< 5	< 1	< 1	< 1	< 1
	02/28/02	< 1	< 1	< 1	< 2	< 10	< 5	< 1	2.00	< 1	< 1	2.92	< 1	< 5	< 5	< 1	< 1	< 1	< 1	
08/01/02	< 1.0	< 1.0	< 1.0	< 1.0	< 25	< 50	< 1.0	2.1	1.8	< 1.0	3.5	< 1.0	< 3.0	< 15	< 1.0	< 1.0	< 1.0	< 2.0		
02/12/03	< 1.0	< 1.0	< 1.0	< 1.0	< 25	< 50	< 2.0	< 1.0	< 1.0	< 1.0	2.3	< 1.0	< 3.0	< 15	< 1.0	< 1.0	< 1.0	< 2.0		
08/05/03	< 1.0	< 1.0	< 1.0	< 1.0	< 10	< 10	< 2.0	< 1.0	< 1.0	< 1.0	1.9	< 1.0	< 3.0	< 10	< 1.0	< 1.0	< 1.0	< 2.0		
05/25/04	< 1.0	< 1.0	< 1.0	< 1.0	< 10	< 10	< 2.0	< 1.0	< 1.0	< 1.0	1.6	< 1.0	< 3.0	< 10	< 1.0	< 1.0	< 1.0	< 1.0		
11/09/04	< 1.0	< 1.0	< 1.0	< 1.0	< 10	< 10	< 2.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 3.0	< 10	< 1.0	< 1.0	< 1.0	< 1.0		
04/12/05	< 1.0	< 1.0	< 1.0	< 1.0	< 10	< 10	< 2.0	< 2.0	1.2	1.4	< 1.0	1.3	< 1.0	< 3.0	< 10	< 1.0	< 1.0	< 1.0		
12/02/05	< 1.0	< 1.0	< 1.0	< 1.0	< 10	< 10	< 2.0	< 2.0	< 1.0	< 2.0	< 1.0	< 1.0	< 1.0	< 3.0	< 10	< 1.0	< 1.0	< 1.0		
05/11/06	< 1.0	< 1.0	< 1.0	< 1.0	< 3.0	< 10	< 10	< 2.0	< 1.0	< 2.0	< 1.0	1.1	< 1.0	< 3.0	< 10	< 1.0	< 1.0	< 1.0	< 1.0	
12/17/06	< 1.0	< 1.0	< 1.0	< 3.0	< 10	< 10	< 2.0	< 2.0	< 1.0	< 2.0	< 1.0	< 1.0	< 1.0	< 3.0	< 10	< 1.0	< 1.0	< 1.0	< 1.0	
06/21/07	< 1.0	< 1.0	< 1.0	< 1.5	< 10	< 10	< 2.0	< 2.0	< 1.0	< 2.0	< 1.0	< 1.0	< 1.0	< 3.0	< 10	< 1.0	< 1.0	< 1.0	< 1.0	
12/07/07	< 1.0	< 1.0	< 1.0	< 1.5	< 10	< 10	< 2.0	< 2.0	< 1.0	< 2.0	< 1.0	< 1.0	< 1.0	< 3.0	< 10	< 1.0	< 1.0	< 1.0	< 1.0	

Table 4. Summary of Groundwater Analyses - Organics
TW WT-1 Station Engine Room Pit Area

		BTEX (ug/L)				Other VOCs (ug/L)													
		Benzene	Toluene	Ethylbenzene	Xylenes (total)	Acetone	Methyl ethyl ketone (2-butanone)	Chloroethane	Chloroform	1,1-Dichloroethane	1,2-Dichloroethane	1,1-Dichloroethene	cis-1,2-Dichloroethene	Dichloromethane (Methylene chloride)	4-methyl-2-pentanone	Tetrachloroethene	1,1,1-Trichloroethane	Trichloroethene	Vinyl chloride
NMWQCC Standard	Well ID	10	750	750	620	none	none	none	100.0	25.0	10.0	5	none	none	none	20	60	100	1
MW-5		20	19	8.3	26	na	na	8.9	<0.2	18	1.1	<0.2	12	43	na	0.8	<0.2	3.2	<0.2
		12	24	<5	24	1000	200	100	<5	200	7	<5	na	190	520	<5	<5	67	<10
		20	44	18	44	<100	<100	31	<5	150	<5	<5	na	5	300	<5	<5	<5	11
		31	53	12	83	56	<100	56	<5	160	<5	5.6	140	36 ^b	280	<5	<5	120	16
Dup (BS-99)		24	35	9	38	<100	<100	22	<5	140	<5	<5	120	<50	210	<5	<5	86	<10
		23	38	9	38	<100	<100	22	<5	130	<5	<5	111	<50	180	<5	<5	82	<10
		22	9	<5	15	<100	<100	11	<5	47	<5	<5	53	7	50	<5	<5	35	<10
		19	15	7	24	<100	<100	<10	<5	96	<5	<5	103	10 ^b	89	<5	<5	71	<10
Dup (MW-17)		18	14	7	25	<100	<100	<10	<5	102	<5	<5	111	10 ^b	98	<5	<5	69	<10
		23	18	9	33	<100	<20	<10	<5	120	<5	6	140	<5	130	<5	<5	75	<10
		25	19	9	34	<100	<20	10	<5	130	<5	7	150	<5	120	<5	<5	77	<10
		16	9	<5	14	<100	<20	<10	<5	83	<5	<5	91	<5	18	<5	<5	67	<10
Dup (MW-17)		21	10	5	17	<100	<20	16	<5	110	<5	6	100	<5	47	<5	<5	91	<10
		22	9	7	19	<20	<20	7	<1	84	1	5	85	<2	17	4	3	100	<2
		22	9	7	19	<20	<20	5	<1	81	1	5	86	<2	19	3	2	96	<2
		22	11	6	15	<20	<20	5	<1	100	2	4	84	<2	22	3	3	100	<2
Dup (MW-17)		22	8	7	16	<20	<20	3	<1	68	1	3	60	<2	10	3	3	85	<2
		22	8	7	15	<20	<20	3	<1	67	1	3	60	<2	10	3	3	84	<2
		23	8	7	15	<20	<20	4	<1	59	1	3	54	<2	<10	4	3	82	<2
		19.4	7.63	7.77	16.97	11.7	<10.00	4.95	<1.00	59.8	1.24	3.34	61.9	<5.00	14.6	3.38	3.31	65.6	<1.00
Dup (MW-19)		19.5	7.73	7.84	17.15	<10.00	<10.00	4.34	<1.00	57.7	1.23	3.06	62.0	<5.00	13.9	2.93	3.11	63.8	<1.00
		19.8	7.18	6.15	14.35	19	<10	8.62	<1	108	1.5	4.37	106	<5	11.2	1.95	4.49	94.5	1.12
		14.3	3.72	4.58	8.68	<10.0	<5.00	4.10	<1.00	119	1.98	4.29	87.6	<5.00	6.19	1.04	3.23	104	3.26
		14.1	3.54	4.45	8.67	<10.0	<5.00	4.09	<1.00	124	1.97	4.15	86.9	<5.00	6.63	1.10	3.37	104	2.24
Dup (MW-19)		21	6.3	4.8	12	<50	<100	5.3	<2.0	130	2.2	8.3	110	<6.0	<30	3.3	7.3	110	<4.0
		18	3.7	3.8	9.4	<50	<100	5.9	<2.0	150	2.4	5.6	100	<6.0	<30	5.0	4.9	160	<4.0
		17	3.7	3.7	9.0	<50	<100	5.8	<2.0	140	2.3	5.6	100	<6.0	<30	3.7	4.6	150	<4.0
		22	<5	<5	5.4	<50	<50	<10	<5.0	220	<5.0	6.3	160	<15	<50	<5.0	<5.0	180	<10
		05/25/04	22	7.5	5.1	<50	<50	<10	<5.0	150	<5.0	<5.0	120	<15	<50	<5.0	<5.0	130	<5.0
		11/09/04	19	8.3	<5.0	<5.0	<50	<10	<5.0	160	<5.0	<5.0	150	<15	<50	<5.0	<5.0	130	<5.0
		05/12/05	23	7.3	<5.0	15	<50	<10	<5.0	98	<5.0	5.8	82	<15	<50	<5.0	<5.0	94	<5.0

Table 4. Summary of Groundwater Analyses - Organics
TW WT-1 Station Engine Room Pit Area

Well ID	Sampling Date	BTEX (ug/L)				Other VOCs (ug/L)													
		Benzene	Toluene	Ethylbenzene	Xylenes (total)	Acetone	Methyl ethyl ketone (2-butanone)	Chloroethane	Chloroform	1,1-Dichloroethane	1,2-Dichloroethane	1,1-Dichloroethene	cis-1,2-Dichloroethene	Dichloromethane (Methylene chloride)	4-methyl-2-pentanone	Tetrachloroethene	1,1,1-Trichloroethane	Trichloroethene	Vinyl chloride
NMWQCC Standard		10	750	750	620	none	none	none	100.0	25.0	10.0	5	none	none	none	20	60	100	1
	12/02/05	21	7.7	6.4	16	17	< 10	3.9	< 1.0	71	1.7	3.3	61	< 3	< 10	2.4	2.0	66	2.2
	05/11/06	14	4.1	4.5	10	< 10	< 10	2.2	< 1.0	95	3	2.1	39	< 3	< 10	1.6	< 1.0	47	< 1.0
Dup (MW-24)	12/17/06	58	16	19	49	< 50	< 10	< 10	< 5.0	240	9.3	5.8	150	< 15	< 50	< 5.0	< 5.0	170	< 5.0
	12/17/06	47	16	17	42	< 50	< 10	< 10	< 5.0	210	8.7	5.8	120	< 15	< 50	< 5.0	< 5.0	150	< 5.0
	06/21/07	15	5.7	5.6	12	< 10	< 10	2.7	< 1.0	73	1.3	2.6	36	< 1	< 10	1.8	1.1	43	< 1.0
	12/07/07	15	4.7	4.3	11	< 10	< 10	< 2.0	< 1.0	71	2.9	2.1	30	< 1	< 10	2.6	1.5	38	< 1.0
Dup (MW-2)	12/07/07	17	6.0	5.0	12	11	< 10	< 2.0	< 1.0	80	3.4	2.4	31	< 1	< 10	2.3	1.4	41	< 1.0

Table 4. Summary of Groundwater Analyses - Organics
TW WT-1 Station Engine Room Pit Area

		BTEX (ug/L)				Other VOCs (ug/L)														
Well ID	Sampling Date	Benzene	Toluene	Ethylbenzene	Xylenes (total)	Acetone	Methyl ethyl ketone (2-butanone)	Chloroethane	Chloroform	1,1-Dichloroethane	1,2-Dichloroethane	1,1-Dichloroethene	cis-1,2-Dichloroethene	Dichloromethane (Methylene chloride)	4-methyl-2-pentanone	Tetrachloroethene	1,1,1-Trichloroethane	Trichloroethene	Vinyl chloride	
MMWQCC Standard		10	750	750	620	none	none	none	100.0	25.0	10.0	5	none	none	none	20	60	100	1	
MW-6	11/30/94	1.8	< 0.5	< 0.5	0.5	na	na	0.5	< 0.2	13	< 0.2	2.9	6.8	< 2.0	na	0.4	< 0.2	15	< 0.2	
	09/12/95	2	< 5	< 5	< 5	< 100	< 100	< 10	< 5	17	< 5	< 5	na	< 5	< 50	< 5	< 5	21	< 10	
	11/12/96	< 5	< 5	< 5	< 5	< 100	< 100	< 10	< 5	12	< 5	< 5	na	< 5	< 50	< 5	< 5	15	< 10	
	02/04/97	< 5	< 5	< 5	< 5	< 100	< 100	< 10	< 5	11	< 5	< 5	6	< 50	< 50	< 5	< 5	18	< 10	
	05/10/97	< 5	< 5	< 5	< 5	< 100	< 100	< 10	< 5	10	< 5	< 5	< 5	< 50	< 50	< 5	< 5	14	< 10	
	08/07/97	< 5	< 5	< 5	< 5	< 100	< 100	< 10	< 5	12	< 5	< 5	7	< 5	< 50	< 5	< 5	16	< 10	
	10/09/97	< 5	< 5	< 5	< 5	< 100	< 100	< 10	< 5	12	< 5	< 5	7	< 5	< 50	< 5	< 5	16	< 10	
	01/23/98	< 5	< 5	< 5	< 5	< 100	< 20	< 10	< 5	14	< 5	< 5	7	< 5	< 10	< 5	< 5	15	< 10	
	04/16/98	< 5	< 5	< 5	< 5	< 100	< 20	< 10	< 5	13	< 5	< 5	8	< 5	< 10	< 5	< 5	17	< 10	
	07/16/98	< 5	< 5	< 5	< 5	< 100	< 20	< 10	< 5	12	< 5	< 5	7	< 5	< 10	< 5	< 5	14	< 10	
	01/27/99	1	< 1	< 1	< 1	< 20	< 20	< 2	< 1	11	< 1	3	8	< 2	< 10	< 1	< 1	16	< 2	
	07/08/99	2	< 1	< 1	< 1	< 20	< 20	< 2	< 1	12	< 1	2	9	< 2	< 10	< 1	< 1	18	< 2	
	01/27/00	2	< 1	< 1	< 1	< 20	< 20	< 2	< 1	14	< 1	3	9	< 2	< 10	< 1	< 1	19	< 2	
	07/18/00	2	< 1	< 1	< 1	< 20	< 20	< 2	< 1	14	< 1	3	10	< 2	< 10	< 1	< 1	19	< 2	
	02/18/01	1.60	< 1.00	< 1.00	< 1.00	< 10.00	< 10.00	< 1.00	< 1.00	12.1	< 1.00	2.09	9.49	< 5.00	< 5.00	< 1.00	< 1.00	16.4	< 1.00	
	08/21/01	1.5	< 1	< 1	< 3	< 10	< 10	< 1	< 1	10	< 1	< 1	2.02	8.28	< 5	< 5	< 1	< 1	15.5	< 1
	02/28/02	1.6	< 1.00	< 1.00	< 2.00	< 10.0	< 5.00	< 1.00	< 1.00	11.8	< 1.00	1.88	8.60	< 5.00	< 5.00	< 1.00	< 1.00	16.4	< 1.00	
08/01/02	1.3	< 1.0	< 1.0	< 1.0	< 25	< 50	< 2.0	< 1.0	11	< 1.0	2.5	8.4	< 3.0	< 15	< 1.0	< 1.0	17	< 2.0		
02/12/03	1.1	< 1.0	< 1.0	< 1.0	< 25	< 50	< 2.0	< 1.0	8.5	< 1.0	1.4	6.2	< 3.0	< 15	< 1.0	< 1.0	13	< 2.0		
08/05/03	< 1.0	< 1.0	< 1.0	< 1.0	< 10	< 10	< 2.0	< 1.0	8.2	< 1.0	1.2	6.0	< 3.0	< 10	< 1.0	< 1.0	13	< 2.0		
05/25/04	< 1.0	< 1.0	< 1.0	< 1.0	< 10	< 10	< 2.0	< 1.0	6.9	< 1.0	1.1	5.2	< 3.0	< 10	< 1.0	< 1.0	12	< 1.0		
11/09/04	< 1.0	< 1.0	< 1.0	< 1.0	< 10	< 10	< 2.0	< 1.0	5.5	< 1.0	< 1.0	< 1.0	4.6	< 3.0	< 10	< 1.0	10	< 1.0		
04/12/05	1.1	< 1.0	< 1.0	< 1.0	< 10	< 10	< 2.0	< 1.0	6.7	< 1.0	< 1.0	1.3	5.1	< 3.0	< 10	< 1.0	10	< 1.0		
12/02/05	< 1.0	< 1.0	< 1.0	< 1.0	< 10	< 10	< 2.0	< 1.0	5.3	< 1.0	< 1.0	< 1.0	4.2	< 3.0	< 10	< 1.0	10	< 1.0		
05/11/06	1.1	< 1.0	< 1.0	< 1.0	< 3.0	< 10	< 2.0	< 1.0	6.4	< 1.0	< 1.0	1.2	4.6	< 1.0	< 10	< 1.0	9.9	< 1.0		
12/17/06	< 1.0	< 1.0	< 1.0	< 3.0	< 10	< 10	< 2.0	< 1.0	6.5	< 1.0	< 1.0	< 1.0	4.1	< 1.0	< 10	< 1.0	11	< 1.0		
06/21/07	< 1.0	< 1.0	< 1.0	< 1.5	< 10	< 10	< 2.0	< 1.0	4.7	< 1.0	< 1.0	< 1.0	3.5	< 3.0	< 10	< 1.0	9.1	< 1.0		
12/07/07	< 1.0	< 1.0	< 1.0	< 1.5	< 10	< 10	< 2.0	< 1.0	4.1	< 1.0	< 1.0	< 1.0	3.1	< 3.0	< 10	< 1.0	9.1	< 1.0		

Table 4. Summary of Groundwater Analyses - Organics
TW WT-1 Station Engine Room Pit Area

		BTEX (ug/L)				Other VOCs (ug/L)														
		Benzene	Toluene	Ethylbenzene	Xylenes (total)	Acetone	Methyl ethyl ketone (2-butanone)	Chloroethane	Chloroform	1,1-Dichloroethane	1,2-Dichloroethane	1,1-Dichloroethene	cis-1,2-Dichloroethene	Dichloromethane (Methylene chloride)	4-methyl-2-pentanone	Tetrachloroethene	1,1,1-Trichloroethane	Trichloroethene	Vinyl chloride	
		10	750	750	620	none	none	none	100.0	25.0	10.0	5	none	none	none	20	60	100	1	
MW-7	11/22/94	7	< 0.5	< 0.5	< 0.5	na	na	< 0.2	< 0.2	23	0.3	2.3	7.3	< 2.0	na	0.4	1.6	14	0.3	
	09/12/95	6	< 5	< 5	< 5	< 100	< 100	< 10	< 5	22	< 5	< 5	na	< 5	< 50	< 5	< 5	13	< 10	
	11/12/96	9	< 5	< 5	< 5	< 100	< 100	< 10	< 5	22	24	< 5	na	< 5	< 50	< 5	< 5	18	< 10	
	02/04/97	8	< 5	< 5	< 5	< 100	< 100	< 10	< 5	18	< 5	< 5	7	< 50	< 50	< 5	< 5	15	< 10	
	05/10/97	6	< 5	< 5	< 5	< 100	< 100	< 10	< 5	16	< 5	< 5	< 5	< 50	< 50	< 5	< 5	13	< 10	
	08/07/97	9	< 5	< 5	< 5	< 100	< 100	< 10	< 5	22	< 5	< 5	8	< 5	< 50	< 5	< 5	17	< 10	
	10/09/97	< 5	< 5	< 5	< 5	< 100	< 100	< 10	< 5	20	< 5	< 5	6	< 5	< 50	< 5	< 5	16	< 10	
	01/23/98	6	< 5	< 5	< 5	< 100	< 20	< 10	< 5	21	< 5	< 5	6	< 5	< 10	< 5	< 5	13	< 10	
	04/17/98	6	< 5	< 5	< 5	< 100	< 20	< 10	< 5	20	< 5	< 5	8	< 5	< 10	< 5	< 5	14	< 10	
	07/16/98	7	< 5	< 5	< 5	< 100	< 20	< 10	< 5	19	< 5	< 5	7	< 5	< 10	< 5	< 5	12	< 10	
	01/27/99	7	< 1	< 1	< 1	< 20	< 20	< 2	1	19	< 1	3	10	< 2	< 10	< 1	< 1	12	< 2	
	07/08/99	7	< 1	< 1	< 1	< 20	< 20	< 2	1	20	< 1	2	10	< 2	< 10	< 1	< 1	12	< 2	
	01/27/00	8	< 1	< 1	< 1	< 20	< 20	< 2	1	24	< 1	2	13	< 2	< 10	< 1	< 1	12	< 2	
	07/18/00	6	< 1	< 1	< 1	< 20	< 20	< 2	1	19	< 1	2	11	< 2	< 10	< 1	< 1	9	< 2	
	02/18/01	7.90	< 1.00	< 1.00	< 1.00	< 10.00	< 10.00	< 1.00	1.36	24.3	< 1.00	2.24	16.0	< 5.00	< 5.00	< 1.00	< 1.00	12.1	< 1.00	
	08/21/01	4.25	< 1	< 1	< 1	< 3	< 10	< 10	< 1	< 1	21.6	< 1	1.79	15	< 5	< 5	< 1	< 1	11.2	< 1
	02/28/02	< 1.00	< 1.00	< 1.00	< 2.00	< 10.0	< 5.00	< 1.00	1.27	34.3	< 1.00	2.37	24.8	< 5.00	< 5.00	< 1.00	< 1.00	15.3	< 1.00	
08/01/02	< 1.0	< 1.0	< 1.0	< 1.0	< 25	< 50	< 2.0	1.7	30	< 1.0	2.9	24	< 3.0	< 15	< 1.0	< 1.0	15	< 2.0		
02/12/03	< 1.0	< 1.0	< 1.0	< 1.0	< 25	< 50	< 2.0	< 1.0	24	< 1.0	2.0	20	< 3.0	< 15	< 1.0	< 1.0	11	< 2.0		
08/05/03	< 1.0	< 1.0	< 1.0	< 1.0	< 10	< 10	< 2.0	< 1.0	36	< 1.0	2.0	34	< 3.0	< 10	< 1.0	< 1.0	15	< 2.0		
05/25/04	< 1.0	< 1.0	< 1.0	< 1.0	< 10	< 10	< 2.0	< 1.0	29	< 1.0	1.4	28	< 3.0	< 10	< 1.0	< 1.0	12	< 1.0		
11/10/04	< 1.0	< 1.0	< 1.0	< 1.0	< 10	< 10	< 2.0	< 1.0	28	< 1.0	< 1.0	< 1.0	31	< 3.0	< 10	< 1.0	12	< 1.0		
04/12/05	< 1.0	< 1.0	< 1.0	< 1.0	< 10	< 10	< 2.0	1.6	32	< 1.0	1.9	34	< 3.0	< 10	< 1.0	< 1.0	13	< 1.0		
12/02/05	< 1.0	< 1.0	< 1.0	< 1.0	< 10	< 10	< 2.0	< 1.0	30	< 1.0	1.4	33	< 3.0	< 10	< 1.0	< 1.0	12	< 1.0		
05/11/06	< 1.0	< 1.0	< 1.0	< 1.0	< 3.0	< 10	< 10	< 2.0	1.2	30	< 1.0	1.3	25	< 3.0	< 10	< 1.0	< 1.0	9.8	< 1.0	
12/14/06	< 1.0	< 1.0	< 1.0	< 1.0	< 3.0	< 10	< 10	< 2.0	< 1.0	38	< 1.0	1.4	41	< 3.0	< 10	< 1.0	< 1.0	21	< 1.0	
06/21/07	< 1.0	< 1.0	< 1.0	< 1.5	< 10	< 10	< 1.0	< 1.0	30	< 1.0	< 1.0	1.4	36	< 1.0	< 10	< 1.0	< 1.0	10	< 1.0	
12/07/07	< 1.0	< 1.0	< 1.0	< 1.5	< 10	< 10	< 1.0	< 1.0	33	< 1.0	< 1.0	1.2	36	< 1.0	< 10	< 1.0	< 1.0	9.7	< 1.0	

Table 4. Summary of Groundwater Analyses - Organics
TW WT-1 Station Engine Room Pit Area

		BTEX (ug/L)				Other VOCs (ug/L)													
Well ID	Sampling Date	Benzene	Toluene	Ethylbenzene	Xylenes (total)	Acetone	Methyl ethyl ketone (2-butanone)	Chloroethane	Chloroform	1,1-Dichloroethane	1,2-Dichloroethane	1,1-Dichloroethene	cis-1,2-Dichloroethene	Dichloromethane (Methylene chloride)	4-methyl-2-pentanone	Tetrachloroethene	1,1,1-Trichloroethane	Trichloroethene	Vinyl chloride
NMWQCC Standard		10	750	750	620	none	none	none	100.0	25.0	10.0	5	none	none	none	20	60	100	1
MW-8	11/30/94	12	< 0.5	< 0.5	< 0.5	na	na	0.5	< 0.2	71	0.9	1.3	18	< 2.0	na	< 0.2	< 0.2	17	0.2
	09/13/95	18	< 5	< 5	< 5	< 100	< 100	< 10	< 5	92	< 5	< 5	na	< 5	< 50	< 5	< 5	45	< 10
	11/12/96	19	< 5	< 5	< 5	< 100	< 100	< 10	< 5	86	< 5	6	na	< 5	< 50	< 5	< 5	59	< 10
	02/06/97	24	< 5	< 5	< 5	< 100	< 100	< 10	< 5	80	< 5	< 5	28	5.2 ^b	< 50	< 5	< 5	52	< 10
Dup (MW-17)	05/10/97	19	42	< 5	< 5	< 100	< 100	25	< 5	74	< 5	< 5	120	< 50	130	< 5	< 5	44	< 10
	08/07/97	21	< 5	< 5	< 5	< 100	< 100	25	< 5	86 ^c	< 5	7.4	30	< 5	< 50	< 5	< 5	49	< 10
	08/07/97	21	< 5	< 5	< 5	< 100	< 100	25	< 5	88	< 5	7.8	32	< 5	< 50	< 5	< 5	51	< 10
	10/09/97	25	< 5	< 5	< 5	< 100	< 100	< 10	< 5	104	< 5	< 5	34	7 ^b	< 50	< 5	< 5	67	< 10
Dup (MW-17)	01/24/98	21	< 5	< 5	< 5	< 100	< 20	< 10	< 5	100	< 5	< 5	33	< 5	0	< 5	< 5	52	< 10
	04/17/98	19	< 5	< 5	< 5	< 100	< 20	< 10	< 5	89	< 5	< 5	33	< 5	< 10	< 5	< 5	51	< 10
	07/17/98	20	< 5	< 5	< 5	< 100	< 20	< 10	< 5	91	< 5	< 5	32	< 5	< 10	< 5	< 5	51	< 10
	07/17/98	20	< 5	< 5	< 5	< 100	< 20	< 10	< 5	88	< 5	< 5	31	< 5	< 10	< 5	< 5	52	< 10
Dup (MW-17)	01/27/99	20	< 1	< 1	< 1	< 20	< 20	< 2	< 1	94	2	5	37	< 2	< 10	< 1	< 1	54	< 2
	07/09/99	17	< 1	< 1	< 1	< 20	< 20	< 2	< 1	99	2	5	39	< 2	< 10	< 1	< 1	59	< 2
	07/09/99	16	< 1	< 1	< 1	< 20	< 20	< 2	< 1	95	2	5	39	< 2	< 10	< 1	< 1	59	< 2
	01/27/00	21	< 1	< 1	< 1	< 20	< 20	< 2	< 1	110	2	5	43	< 2	< 10	< 1	< 1	59	< 2
Dup (MW-17)	07/18/00	21	< 1	< 1	< 1	< 20	< 20	< 2	< 1	100	2	5	45	< 2	< 10	< 1	< 1	59	< 2
	07/18/00	20	< 1	< 1	< 1	< 20	< 20	< 2	< 1	100	2	5	44	< 2	< 10	< 1	< 1	59	< 2
	02/18/01	17.8	< 1.00	< 1.00	< 1.00	< 10.00	< 10.00	< 1.00	< 1.00	89.2	1.49	4.52	42.0	< 5.00	< 5.00	< 1.00	< 1.00	52.8	< 1.00
	08/21/01	17.7	< 1	< 1	< 3	< 10	< 10	< 1	< 1	97.9	1.59	4.74	42.6	< 5	< 5	< 1	< 1	54.1	1.13
Dup (MW-17)	08/21/01	17.8	< 1	< 1	< 3	< 10	< 10	< 1	< 1	100	1.42	4.47	45.8	< 5	< 5	< 1	< 1	52.9	1.11
	02/28/02	22.1	< 1.00	< 1.00	< 2.00	< 10.0	< 5.00	< 1.00	< 1.00	108	2.33	4.50	47.1	< 5.00	< 5.00	< 1.00	< 1.00	56.6	2.92
	08/01/02	25	< 1.0	< 1.0	< 1.0	< 25	< 50	< 2.0	< 1.0	120	1.7	6.1	51	< 3.0	< 15	< 1.0	< 1.0	68	< 2.0
	08/01/02	24	< 1.0	< 1.0	< 1.0	< 25	< 50	< 2.0	< 1.0	130	1.6	6.0	48	< 3.0	< 15	< 1.0	< 1.0	59	< 2.0
Dup (MW-19)	02/12/03	23	< 1.0	< 1.0	< 1.0	< 25	< 50	< 2.0	< 1.0	95	1.7	5.0	49	< 3.0	< 15	< 1.0	< 1.0	52	< 2.0
	08/05/03	19	< 2.0	< 2.0	< 2.0	< 20	< 20	< 4.0	< 2.0	120	< 2	5.0	62	< 6.0	< 20	< 2.0	< 2.0	61	< 4.0
	08/05/03	22	< 2.0	< 2.0	< 2.0	< 20	< 20	< 4.0	< 2.0	150	2.0	6.4	77	< 6.0	< 20	< 2.0	< 2.0	76	< 4.0
	05/25/04	12	< 2.0	< 2.0	< 2.0	< 20	< 20	< 4.0	< 2.0	120	2.1	5.5	72	< 6.0	< 20	< 2.0	< 2.0	58	< 2.0
Dup (MW-20)	11/09/04	7.5	< 5.0	< 5.0	< 5.0	< 50	< 50	< 10	< 5.0	92	< 5.0	< 5.0	59	< 15	< 50	< 5.0	< 5.0	54	< 5.0
	04/12/05	6.4	< 5.0	< 5.0	< 5.0	< 50	< 50	< 10	< 5.0	63	< 5.0	< 5.0	36	< 15	< 50	< 5.0	< 5.0	35	< 5.0
	12/02/05	5.6	< 1.0	< 1.0	< 1.0	< 10	< 10	< 2	< 1.0	67	1.4	3.7	47	< 3	< 10	< 1.0	< 1.0	42	2.6
	12/02/05	5.6	< 1.0	< 1.0	< 1.0	< 10	< 10	< 2	< 1.0	72	1.5	3.6	49	< 3	< 10	< 1.0	< 1.0	41	2.4

Table 4. Summary of Groundwater Analyses - Organics
TW WT-1 Station Engine Room Pit Area

Well ID	Sampling Date	BTEX (ug/L)				Other VOCs (ug/L)													
		Benzene	Toluene	Ethylbenzene	Xylenes (total)	Acetone	Methyl ethyl ketone (2-butanone)	Chloroethane	Chloroform	1,1-Dichloroethane	1,2-Dichloroethane	1,1-Dichloroethene	cis-1,2-Dichloroethene	Dichloromethane (Methylene chloride)	4-methyl-2-pentanone	Tetrachloroethene	1,1,1-Trichloroethane	Trichloroethene	Vinyl chloride
NMWQCC Standard		10	750	750	620	none	none	none	100.0	25.0	10.0	5	none	none	none	20	60	100	1
	05/11/06	4	< 1.0	< 1.0	< 3.0	< 10	< 10	< 2	< 1.0	82	3.1	3.4	46	< 3	< 10	< 1.0	< 1.0	35	1.2
Dup (MW-24)	05/11/06	4.4	< 1.0	< 1.0	< 3.0	< 10	< 10	< 2	< 1.0	85	3.3	3.7	51	< 3	< 10	< 1.0	< 1.0	40	1.2
	12/17/06	2.1	< 1.0	< 1.0	< 3.0	< 10	< 10	< 2	< 1.0	33	1.1	1.2	19	< 3	< 10	< 1.0	< 1.0	18	< 1.0
	06/21/07	2.8	< 1.0	< 1.0	< 1.5	< 10	< 10	< 2	< 1.0	45	< 1.0	2.3	30	< 3	< 10	< 1.0	< 1.0	29	< 1.0
Dup (MW-24)	06/21/07	2.7	< 1.0	< 1.0	< 1.5	< 10	< 10	< 2	< 1.0	44	< 1.0	2.3	31	< 3	< 10	< 1.0	< 1.0	28	< 1.0
	12/07/07	3.9	< 1.0	< 1.0	< 1.5	< 10	< 10	< 2	< 1.0	68	2.7	3.4	48	< 3	< 10	< 1.0	< 1.0	41	< 1.0

Table 4. Summary of Groundwater Analyses - Organics
TW WT-1 Station Engine Room Pit Area

Well ID	Sampling Date	BTEX (ug/L)				Other VOCs (ug/L)													
		Benzene	Toluene	Ethylbenzene	Xylenes (total)	Acetone	Methyl ethyl ketone (2-butanone)	Chloroethane	Chloroform	1,1-Dichloroethane	1,2-Dichloroethane	1,1-Dichloroethene	cis-1,2-Dichloroethene	Dichloromethane (Methylene chloride)	4-methyl-2-pentanone	Tetrachloroethene	1,1,1-Trichloroethane	Trichloroethene	Vinyl chloride
NMWQCC Standard		10	750	750	620	none	none	none	100.0	25.0	10.0	5	none	none	none	20	60	100	1
MW-14	09/13/95	1	<5	<5	<5	<100	<100	<10	<5	24	<10	<5	na	<5	<50	<5	<5	11	<10
	11/12/96	<5	<5	<5	<5	<100	<100	<10	<5	25	<10	<5	na	<5	<50	<5	<5	13	<10
	02/04/97	<5	<5	<5	<5	<100	<100	<10	<5	21	<5	<5	<5	<50	<50	<5	<5	13	<10
	05/10/97	<5	<5	<5	<5	<100	<100	<10	<5	22	<5	<5	<5	<50	<50	<5	<5	12	<10
	08/07/97	<5	<5	<5	<5	<100	<100	<10	<5	27	<5	<5	<5	<5	<50	<5	<5	14	<10
	10/09/97	<5	<5	<5	<5	<100	<100	<10	<5	27	<5	<5	<5	6 ^b	<50	<5	<5	15	<10
	01/23/98	<5	<5	<5	<5	<100	<20	<10	<5	31	<5	<5	5	<5	<10	<5	<5	13	<10
	04/17/98	<5	<5	<5	<5	<100	<20	<10	<5	28	<5	<5	<5	<5	<10	<5	<5	14	<10
	07/17/98	<5	<5	<5	<5	<100	<20	<10	<5	26	<5	<5	<5	<5	<10	<5	<5	14	<10
	01/27/99	<1	<1	<1	<1	<20	<20	<2	<1	27	<1	2	5	<2	<10	1	<1	14	<2
	07/09/99	<1	<1	<1	<1	<20	<20	<2	<1	29	<1	2	5	<2	<10	1	<1	16	<2
	01/27/00	<1	<1	<1	<1	<20	<20	<2	<1	29	<1	2	5	<2	<10	1	<1	15	<2
	07/18/00	<1	<1	<1	<1	<20	<20	<2	<1	32	<1	2	6	<2	<10	1	<1	16	<2
	02/18/01	<1.00	<1.00	<1.00	<1.00	<10.00	<10.00	<1.00	<1.00	31.50	<1.00	<1.00	1.78	5.95	<5.00	1.18	<1.00	15.4	<1.00
	08/21/01	<1	<1	<1	<3	<10	<10	<1	<1	33.7	<1	<1	1.61	5.93	<5	<5	<1	15.7	<1
	02/28/02	<1.00	<1.00	<1.00	<2.00	<10.0	<5.00	<1.00	<1.00	37.1	<1.00	<1.00	1.52	6.97	<5.00	<5.00	<1.00	16.5	1.06
	08/01/02	<1.0	<1.0	<1.0	<1.0	<25	<15	<1.0	<1.0	37	<1.0	<1.0	2.4	7.6	<3.0	<15	1.7	<1.0	18
02/12/03	<1.0	<1.0	<1.0	<1.0	<25	<50	<2.0	<1.0	26	<1.0	<1.0	1.2	5.4	<3.0	<15	1.1	<1.0	12	<2.0
08/05/03	<1.0	<1.0	<1.0	<1.0	<10	<10	<2.0	<1.0	33	<1.0	<1.0	1.2	6.2	<3.0	<10	<1.0	<1.0	14	<2.0
05/25/04	<1.0	<1.0	<1.0	<1.0	<10	<10	<2.0	<1.0	29	<1.0	<1.0	<1.0	5.8	<3.0	<10	<1.0	<1.0	12	<1.0
11/10/04	<1.0	<1.0	<1.0	<1.0	<10	<10	<2.0	<1.0	24	<1.0	<1.0	<1.0	5.0	<3.0	<10	<1.0	<1.0	10	<1.0
04/12/05	<1.0	<1.0	<1.0	<1.0	<10	<10	<2.0	<1.0	27	<1.0	<1.0	1.0	5.3	<3.0	<10	<1.0	<1.0	9.8	<1.0
12/02/05	<1.0	<1.0	<1.0	<1.0	<10	<10	<2.0	<1.0	26	<1.0	<1.0	<1.0	5.0	<3.0	<10	<1.0	<1.0	8.9	<1.0
05/11/06	<1.0	<1.0	<1.0	<3.0	<10	<10	<2.0	<1.0	28	<1.0	<1.0	<1.0	4.1	<3.0	<10	<1.0	<1.0	6.8	<1.0
12/17/06	<1.0	<1.0	<1.0	<3.0	<10	<10	<2.0	<1.0	28	<1.0	<1.0	<1.0	4.5	<3.0	<10	<1.0	<1.0	7.4	<1.0
06/21/07	<1.0	<1.0	<1.0	<1.5	<10	<10	<2.0	<1.0	19	<1.0	<1.0	<1.0	3.1	<3.0	<10	<1.0	<1.0	5.2	<1.0
12/07/07	<1.0	<1.0	<1.0	<1.5	<10	<10	<2.0	<1.0	18	<1.0	<1.0	<1.0	2.4	<3.0	<10	<1.0	<1.0	4.7	<1.0

Table 4. Summary of Groundwater Analyses - Organics
TW WT-1 Station Engine Room Pit Area

		BTEX (ug/L)				Other VOCs (ug/L)													
Well ID	Sampling Date	Benzene	Toluene	Ethylbenzene	Xylenes (total)	Acetone	Methyl ethyl ketone (2-butanone)	Chloroethane	Chloroform	1,1-Dichloroethane	1,2-Dichloroethane	1,1-Dichloroethene	cis-1,2-Dichloroethene	Dichloromethane (Methylene chloride)	4-methyl-2-pentanone	Tetrachloroethene	1,1,1-Trichloroethane	Trichloroethene	Vinyl chloride
NMWQCC Standard		10	750	750	620	none	none	none	100.0	25.0	10.0	5	none	none	none	20	60	100	1
MW-15	09/14/95	<1	<5	<5	<5	<100	<100	<10	<5	<5	<5	5	na	<5	<50	<5	<5	<5	<10
	11/12/96	<5	<5	<5	<5	<100	<100	<10	<5	<5	<5	5	na	<5	<50	<5	<5	<5	<10
	02/04/97	<5	<5	<5	<5	<100	<100	<10	<5	<5	<5	<5	<5	<50	<50	<5	<5	<5	<10
	05/10/97	<5	<5	<5	<5	<100	<100	<10	<5	<5	<5	<5	<5	<50	<50	<5	<5	<5	<10
	08/07/97	<5	<5	<5	<5	<100	<100	<10	<5	<5	<5	<5	<5	<5	<50	<5	<5	<5	<10
	10/08/97	<5	<5	<5	<5	<100	<100	<10	<5	<5	<5	<5	<5	6 ^b	<50	<5	<5	<5	<10
	01/23/98	<5	<5	<5	<5	<100	<20	<10	<5	<5	<5	5	<5	<5	<10	<5	<5	<5	<10
	04/16/98	<5	13	<5	<5	<100	<20	<10	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
	07/17/98	<5	<5	<5	<5	<100	<20	<10	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
	01/26/99	<1	<1	<1	<1	<20	<20	<2	2	3	<1	5	<1	<2	<10	<1	1	<1	<2
	07/08/99	<1	<1	<1	<1	<20	<20	<2	2	4	<1	4	<1	<2	<10	<1	2	<1	<2
	01/27/00	<1	<1	<1	<1	<20	<20	<2	2	4	<1	5	<1	<2	<10	<1	2	<1	<2
	07/17/00	<1	<1	<1	<1	<20	<20	<2	2	3	<1	4	<1	<2	<10	<1	2	<1	<2
	02/17/01	<1.00	<1.00	<1.00	<1.00	<10.00	<10.00	<1.00	1.77	3.54	<1.00	3.97	<1.00	<5.00	<5.00	<1.00	1.81	<1.00	<1.00
	08/21/01	<1	<1	<1	<3	<10	<5	<1	1.39	3.18	<1	3.59	<1	<5	<5	<1	1.72	<1	<1
	02/28/02	<1.00	<1.00	<1.00	<2.00	<10.0	<5.00	<1.00	1.68	3.56	<1.00	3.66	<1.00	<5.00	<5.00	<1.00	1.87	<1.00	<1.00
	08/01/02	<1.0	<1.0	<1.0	<1.0	<25	<50	<2.0	1.9	3.6	<1.0	3.8	<1.0	<3.0	<15	<1.0	2.1	<1.0	<2.0
	02/12/03	<1.0	<1.0	<1.0	<1.0	<25	<50	<2.0	1.4	2.5	<1.0	3.1	<1.0	<3.0	<15	<1.0	1.6	<1.0	<2.0
08/05/03	<1.0	<1.0	<1.0	<1.0	<10	<10	<2.0	1.0	2.5	<1.0	2.4	<1.0	<3.0	<10	<1.0	2.2	<1.0	<2.0	
Dup (MW-17)	05/25/04	<1.0	<1.0	<1.0	<1.0	<10	<10	<2.0	1.1	2.5	<1.0	2.6	<1.0	<3.0	<10	<1.0	1.9	<1.0	<2.0
	05/25/04	<1.0	<1.0	<1.0	<1.0	<10	<10	<2.0	1.1	2.4	<1.0	2.6	<1.0	<3.0	<10	<1.0	1.9	<1.0	<2.0
	11/09/04	<1.0	<1.0	<1.0	<1.0	<10	<10	<2.0	<1.0	2.5	<1.0	1.9	<1.0	<3.0	<10	<1.0	2.7	<1.0	<1.0
	04/12/05	<1.0	<1.0	<1.0	<1.0	<10	<10	<2.0	1.8	3.7	<1.0	2.6	<1.0	<3.0	<10	<1.0	1.9	<1.0	<1.0
	12/02/05	<1.0	<1.0	<1.0	<1.0	<10	<10	<2.0	1.0	2.5	<1.0	2.1	<1.0	<3.0	<10	<1.0	1.9	<1.0	<1.0
	05/11/06	<1.0	<1.0	<1.0	<3.0	<10	<10	<2.0	1.4	2.3	<1.0	2.4	<1.0	<3.0	<10	<1.0	1.7	<1.0	<1.0
	12/17/06	<1.0	<1.0	<1.0	<3.0	<10	<10	<2.0	<1.0	3.1	<1.0	1.7	<1.0	<3.0	<10	<1.0	1.9	<1.0	<1.0
	06/21/07	<1.0	<1.0	<1.0	<1.5	<10	<10	<2.0	<1.0	2.1	<1.0	1.6	<1.0	<3.0	<10	<1.0	1.4	<1.0	<1.0
	12/07/07	<1.0	<1.0	<1.0	<1.5	<10	<10	<2.0	<1.0	1.7	<1.0	1.4	<1.0	<3.0	<10	<1.0	1.1	<1.0	<1.0

Table 4. Summary of Groundwater Analyses - Organics
TW WT-1 Station Engine Room Pit Area

		BTEX (ug/L)				Other VOCs (ug/L)													
Well ID	Sampling Date	Benzene	Toluene	Ethylbenzene	Xylenes (total)	Acetone	Methyl ethyl ketone (2-butanone)	Chloroethane	Chloroform	1,1-Dichloroethane	1,2-Dichloroethane	1,1-Dichloroethene	cis-1,2-Dichloroethene	Dichloromethane (Methylene chloride)	4-methyl-2-pentanone	Tetrachloroethene	1,1,1-Trichloroethane	Trichloroethene	Vinyl chloride
NMWQCC Standard		10	750	750	620	none	none	none	100.0	25.0	10.0	5	none	none	none	20	60	100	1
MW-16	09/14/95	<1	<5	<5	<5	<100	<100	<10	<5	6	<5	<5	na	<5	<50	6	<5	<5	<10
	11/12/96	<5	<5	<5	<5	<100	<100	<10	<5	6	<5	<5	na	<5	<50	21	<5	<5	<10
	02/04/97	<5	<5	<5	<5	<100	<100	<10	<5	<5	<5	<5	<5	<50	<50	17	<5	<5	<10
	05/10/97	<5	<5	<5	<5	<100	<100	<10	<5	<5	<5	<5	<5	<50	<50	<5	<5	<5	<10
	08/06/97	<5	<5	<5	<5	<100	<100	<10	<5	<5	<5	<5	<5	6	<50	14	<5	<5	<10
	10/08/97	<5	<5	<5	<5	<100	<100	<10	<5	<5	<5	<5	<5	7 ^b	<50	15	<5	<5	<10
	01/23/98	<5	<5	<5	<5	<100	<20	<10	<5	<5	<5	<5	<5	<5	<10	13	<5	<5	<10
	04/16/98	<5	<5	<5	<5	<100	<20	<10	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
	07/16/98	<5	<5	<5	<5	<100	<20	<10	<5	<5	<5	<5	<5	<5	<10	16	<5	<5	<10
	01/26/99	<1	<1	<1	<1	<20	<20	<2	<1	3	<1	3	<1	<2	<10	16	<1	1	<2
07/08/99	<1	<1	<1	<1	<20	<20	<2	<1	3	<1	3	<1	<2	<10	14	<1	<1	<2	
01/27/00	<1	<1	<1	<1	<20	<20	<2	<1	3	<1	2	<1	<2	<10	14	<1	1	<2	
07/17/00	<1	<1	<1	<1	<20	<20	<2	<1	3	<1	2	<1	<2	<10	13	<1	1	<2	
02/17/01	<1.00	<1.00	<1.00	<1.00	<10.00	<10.00	<1.00	<1.00	2.43	<1.00	3.13	<1.00	<1.00	<5.00	<5.00	10.5	<1.00	<1.00	<1.00
08/21/01	<1	<1	<1	<3	<10	<10	<1	<1	2.03	<1	3.15	<1	<1	<5	<5	8.22	<1	<1	<1
02/28/02	<1	<1	<1	<2	<10	<5	<1	<1	2.33	<1	2.45	<1	<1	<5	<5	6.53	<1	<1	<1
08/01/02	<1.0	<1.0	<1.0	<1.0	<25	<50	<2.0	<1.0	2.9	<1.0	2.7	<1.0	<1.0	<3.0	<15	9.6	<1.0	1.2	<2.0
02/12/03	<1.0	<1.0	<1.0	<1.0	<25	<50	<2.0	<1.0	1.8	<1.0	1.8	<1.0	<1.0	<3.0	<15	10	<1.0	<1.0	<2.0
08/05/03	<1.0	<1.0	<1.0	<1.0	<10	<10	<2.0	<1.0	1.7	<1.0	1.8	<1.0	<1.0	<3.0	<10	8.4	<1.0	<1.0	<2.0
05/25/04	<1.0	<1.0	<1.0	<1.0	<10	<10	<2.0	<1.0	1.5	<1.0	2.1	<1.0	<1.0	<3.0	<10	6.6	<1.0	<1.0	<1.0
11/09/04	<1.0	<1.0	<1.0	<1.0	<10	<10	<2.0	<1.0	1.3	<1.0	1.0	<1.0	<1.0	<3.0	<10	8.3	<1.0	<1.0	<1.0
04/12/05	<1.0	<1.0	<1.0	<1.0	<10	<10	<2.0	<1.0	2.3	<1.0	2.0	<1.0	<1.0	<3.0	<10	5.6	<1.0	<1.0	<1.0
12/02/05	<1.0	<1.0	<1.0	<1.0	<10	<10	<2.0	<1.0	<2.0	<1.0	1.4	<1.0	<1.0	<3.0	<10	5.2	<1.0	<1.0	<1.0
05/11/06	<1.0	<1.0	<1.0	<3.0	<10	<10	<2.0	<1.0	<2.0	<1.0	1.8	<1.0	<1.0	<3.0	<10	5.1	<1.0	1.3	<1.0
12/17/06	<1.0	<1.0	<1.0	<3.0	<10	<10	<2.0	<1.0	<2.0	<1.0	1.2	<1.0	<1.0	<3.0	<10	4.0	<1.0	1.3	<1.0
06/21/07	<1.0	<1.0	<1.0	<1.5	<10	<10	<2.0	<1.0	1.1	<1.0	1.2	<1.0	<1.0	<3.0	<10	4.8	<1.0	<1.0	<1.0
12/07/07	<1.0	<1.0	<1.0	<1.5	<10	<10	<2.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<3.0	<10	3.9	<1.0	<1.0	<1.0

Table 4. Summary of Groundwater Analyses - Organics
TW WT-1 Station Engine Room Pit Area

		BTEX (ug/L)				Other VOCs (ug/L)													
Well ID	Sampling Date	Benzene	Toluene	Ethylbenzene	Xylenes (total)	Acetone	Methyl ethyl ketone (2-butanone)	Chloroethane	Chloroform	1,1-Dichloroethane	1,2-Dichloroethane	1,1-Dichloroethene	cis-1,2-Dichloroethene	Dichloromethane (Methylene chloride)	4-methyl-2-pentanone	Tetrachloroethene	1,1,1-Trichloroethane	Trichloroethene	Vinyl chloride
NMWQCC Standard		10	750	750	620	none	none	none	100.0	25.0	10.0	5	none	none	none	20	60	100	1
MW-17	11/10/04	< 1.0	< 1.0	< 1.0	< 1.0	< 10	< 10	< 2.0	1.6	1.9	< 1.0	2.6	< 1.0	< 3.0	< 10	1.7	< 1.0	< 1.0	< 1.0
	04/12/05	< 1.0	< 1.0	< 1.0	< 1.0	< 10	< 10	< 2.0	2.4	3.0	< 1.0	2.8	< 1.0	< 3.0	< 10	1.7	< 1.0	< 1.0	< 1.0
	12/02/05	< 1.0	< 1.0	< 1.0	< 1.0	< 10	< 10	< 2.0	1.7	2.1	< 1.0	2.7	< 1.0	< 3.0	< 10	2.1	< 1.0	< 1.0	< 1.0
	05/11/06	< 1.0	< 1.0	< 1.0	< 1.0	< 10	< 10	< 2.0	1.6	1.7	< 1.0	< 1.0	< 1.0	< 3.0	< 10	1	< 1.0	< 1.0	< 1.0
	12/15/06	< 1.0	< 1.0	< 1.0	< 3.0	< 10	< 10	< 2.0	1.1	< 2.0	< 1.0	1.9	< 1.0	< 3.0	< 10	1.4	< 1.0	1.2	< 1.0
	06/21/07	< 1.0	< 1.0	< 1.0	< 1.5	< 10	< 10	< 2.0	1.4	1.5	< 1.0	2.0	< 1.0	< 3.0	< 10	1.7	< 1.0	< 1.0	< 1.0
	12/07/07	< 1.0	< 1.0	< 1.0	< 1.5	< 10	< 10	< 2.0	1.0	1.2	< 1.0	1.6	< 1.0	< 3.0	< 10	1.7	< 1.0	< 1.0	< 1.0
SVE-1A	01/26/00	59	16	14	57	< 20	< 20	11	< 1	240	2	8	54	5	240	8	44	59	< 2
	07/18/00	59	16	15	59	< 20	< 20	9	< 1	230	3	8	62	3	480	3	33	57	< 2
	02/18/01	45.6	29.6	14.2	101.12	< 50.0	< 50.0	14.2	< 5.00	466	5.45	15.8	101	< 25.0	883	13.8	55.1	98.9	< 5.00
	08/21/01	51.9	31.4	16.2	92.6	< 10	< 10	13.3	< 1	607	5.08	21.8	116	< 5	610	7.65	62.5	133	3.6
	03/01/02	47.7	41.5	16.0	89.2	< 100	< 50.0	< 10.0	< 10.0	334	< 10.0	10.8	101	< 50.0	842	< 10.0	14.9	84.7	< 10.0
	08/01/02	60	57	17	110	< 250	< 500	< 20	< 10	480	< 10	21	170	< 30	1000	11	33	150	< 20
	02/12/03	55	78	20	120	< 250	< 500	< 20	< 10	370	< 10	11	160	< 30	1100	< 10	19	130	< 20
	08/05/03	69	83	24	170	< 100	< 100	< 20	< 10	630	< 10	16	240	< 30	1500	< 10	34	180	< 20
	05/25/04	90	47	25	95	< 100	< 100	< 20	< 10	380	< 10	10	120	< 30	420	< 10	40	80	< 10
	11/10/04	91	99	32	190	< 50	< 50	18	< 5.0	680	< 5.0	19	310	< 15	1500	< 5.0	41	140	< 5.0
	04/12/05	85	36	29	79	< 100	< 100	< 20	< 10	150	< 10	< 10	85	< 30	550	< 10	< 10	35	< 10
	12/02/05	170	37	60	110	< 100	< 100	< 20	< 10	150	< 10	< 10	76	< 30	180	< 10	12	48	< 10
	05/11/06	110	23	41	89	< 50	< 50	< 10	< 5	150	8.1	< 5	74	< 15	260	< 5	< 5	37	< 5
	12/14/06	160	31	65	120	< 100	< 100	< 20	< 10	230	< 10	< 10	95	< 30	200	< 10	15	60	< 10
	06/21/07	72	12	28	56	< 10	< 10	8	< 1	240	1.4	9.2	59	< 3	58	7.9	21	42	1.1
	12/07/07	73	8.8	25	39	< 50	< 50	< 10	< 5	96	< 5	< 5	37	< 15	< 50	< 5	6.2	24	< 5

NOTES:

- (a) Sample analyzed at 10x dilution
(b) Constituent also detected in laboratory blank sample
(c) na - Analysis for this constituent was not run on samples collected during this sample event

Table 5. Summary of Groundwater Analyses - Additional Organics
TW WT-1 Station Engine Room Pit Area

Well ID	Sampling Date	Compound	Concentration (µg/L)	Reporting Limit (µg/L)
MW-1	10/09/97	1,1,2,2-Tetrchloroethane	107	50
	01/23/98	1,2,4-Trimethylbenzene	36	5
	01/23/98	1,3,5-Trimethylbenzene	13	5
	01/23/98	2-Hexanone	25	10
	04/17/98	Naphthalene	11	5
	04/17/98	1,2,4-Trimethylbenzene	39	5
	04/17/98	1,3,5-Trimethylbenzene	13	5
Dup(MW-17)	04/17/98	2-Hexanone	18	10
	04/17/98	Naphthalene	24	5
	04/17/98	1,2,4-Trimethylbenzene	40	5
	04/17/98	1,3,5-Trimethylbenzene	14	5
	04/17/98	2-Hexanone	26	10
	07/17/98	Napthalene	13	5
	07/17/98	1,2,4-Trimethylbenzene	32	5
	07/17/98	1,3,5-Trimethylbenzene	11	5
	07/17/98	2-Hexanone	18	10
	01/27/99	Carbon disulfide	1	1
	01/27/99	Isopropylbenzene	2	1
	01/27/99	n-Propylbenzene	3	1
	01/27/99	1,3,5-Trimethylbenzene	14	1
	01/27/99	1,2,4-Trimethylbenzene	38	1
	01/27/99	4-Isopropyltoluene	2	1
	01/27/99	1,2-Dichlorobenzene	1	1
	01/27/99	Naphthalene	14	1
	08/21/01	1,2,4-Trimethylbenzene	27.8	5
	08/21/01	1,2-Dichlorobenzene	1.02	1
	08/21/01	1,3,5-Trimethylbenzene	15.3	1
	08/21/01	n-Propylbenzene	1.12	1
	08/21/01	Naphthalene	11.2	2
	08/01/02	1,2,4-Trimethylbenzene	33	10
	08/01/02	1,3,5-Trimethylbenzene	16	10
	02/12/03	1,2,4-Trimethylbenzene	45	10
	02/12/03	1,3,5-Trimethylbenzene	15	10
	08/05/03	1,2,4-Trimethylbenzene	41	10
	08/05/03	1,3,5-Trimethylbenzene	18	10
	05/25/04	1,2,4-Trimethylbenzene	50	5
	05/25/04	1,3,5-Trimethylbenzene	22	5
	05/25/04	Naphthalene	21	10
	11/09/04	1,2,4-Trimethylbenzene	62	10
	11/09/04	1,3,5-Trimethylbenzene	22	10
	11/09/04	Naphthalene	23	20
	04/12/05	1,2,4-Trimethylbenzene	61	5
	04/12/05	1,3,5-Trimethylbenzene	25	5
	04/12/05	Naphthalene	30	5

**Table 5. Summary of Groundwater Analyses - Additional Organics
TW WT-1 Station Engine Room Pit Area**

Well ID	Sampling Date	Compound	Concentration (µg/L)	Reporting Limit (µg/L)
	04/12/05	4-Isopropyltoluene	5.7	5
	04/12/05	n-Butylbenzene	6.5	5
	04/12/05	n-Propylbenzene	5.9	5
	12/02/05	1,2,4-Trimethylbenzene	72	5
	12/02/05	1,3,5-Trimethylbenzene	36	5
	12/02/05	Naphthalene	31	10
	12/02/05	2-Methylnaphthalene	32	20
	05/11/06	1,2,4-Trimethylbenzene	45	5
	05/11/06	1,3,5-Trimethylbenzene	23	5
	05/11/06	Naphthalene	27	5
	12/17/06	1,2,4-Trimethylbenzene	90	10
	12/17/06	1,3,5-Trimethylbenzene	40	10
	12/17/06	Naphthalene	32	20
	06/21/07	1,2,4-Trimethylbenzene	51	1
	06/21/07	1,3,5-Trimethylbenzene	21	1
	06/21/07	Naphthalene	22	2
	06/21/07	1-Methylnaphthalene	6.9	4
	06/21/07	2-Methylnaphthalene	9.6	4
	06/21/07	2-Chlorotoluene	1.3	1
	06/21/07	Isopropylbenzene	2.9	1
	06/21/07	4-Isopropyltoluene	1.7	1
	06/21/07	n-Butylbenzene	2.4	1
	06/21/07	n-Propylbenzene	4.1	1
	12/07/07	1,2,4-Trimethylbenzene	47	1
	12/07/07	1,3,5-Trimethylbenzene	19	1
MW-4	12/01/94	Bromodichloromethane	0.2	0.2
	02/12/03	Chlorobenzene	1.3	1
	08/05/03	Chlorobenzene	1.8	1
	05/25/04	Chlorobenzene	3.1	1
	11/09/04	Chlorobenzene	5.6	1
	11/09/04	sec-Butylbenzene	1.1	1
	04/12/05	Chlorobenzene	3.7	1
	12/02/05	Chlorobenzene	2.7	1
	12/02/05	sec-Butylbenzene	1.1	1
	12/17/06	Chlorobenzene	1.4	1

**Table 5. Summary of Groundwater Analyses - Additional Organics
TW WT-1 Station Engine Room Pit Area**

Well ID	Sampling Date	Compound	Concentration (µg/L)	Reporting Limit (µg/L)
MW-5	12/01/94	1,2-Dichlorobenzene	0.5	0.2
	11/12/96	Bromodichloromethane	94	5
	01/24/98	Naphthalene	48	5
	01/24/98	1,2,4-Trimethylbenzene	17	5
	01/24/98	1,3,5-Trimethylbenzene	10	5
Dup(MW-17)	01/24/98	Naphthalene	40	5
	01/24/98	1,2,4-Trimethylbenzene	17	5
	01/24/98	1,3,5-Trimethylbenzene	10	5
	04/17/98	Naphthalene	5	5
	04/17/98	1,2,4-Trimethylbenzene	6	5
	07/17/98	Naphthalene	7	5
	07/17/98	1,2,4-Trimethylbenzene	6	5
	01/27/99	trans-1,2-Dichloroethene	1	1
	01/27/99	1,3,5-Trimethylbenzene	6	1
	01/27/99	1,2,4-Trimethylbenzene	9	1
	01/27/99	4-Isopropyltoluene	1	1
	01/27/99	1,2-Dichlorobenzene	1	1
	01/27/99	Naphthalene	9	1
Dup(MW-17)	01/27/99	1,3,5-Trimethylbenzene	7	1
Dup(MW-17)	01/27/99	1,2,4-Trimethylbenzene	10	1
Dup(MW-17)	01/27/99	4-Isopropyltoluene	1	1
Dup(MW-17)	01/27/99	1,2-Dichlorobenzene	1	1
Dup(MW-17)	01/27/99	Naphthalene	9	1
	07/09/99	1,3,5-Trimethylbenzene	6	1
	07/09/99	1,2,4-Trimethylbenzene	9	1
	07/09/99	4-Isopropyltoluene	1	1
	07/09/99	Naphthalene	9	1
Dup(MW-17)	01/27/00	1,3,5-Trimethylbenzene	8	1
Dup(MW-17)	01/27/00	1,2,4-Trimethylbenzene	13	1
Dup(MW-17)	01/27/00	4-Isopropyltoluene	2	1
Dup(MW-17)	01/27/00	Naphthalene	12	1
	01/27/00	1,3,5-Trimethylbenzene	8	1
	01/27/00	1,2,4-Trimethylbenzene	13	1
	01/27/00	4-Isopropyltoluene	2	1
	01/27/00	Naphthalene	13	1
	01/27/00	1,3,5-Trimethylbenzene	9	1
	01/27/00	1,2,4-Trimethylbenzene	15	1
	01/27/00	4-Isopropyltoluene	2	1
	01/27/00	Naphthalene	11	1
Dup(MW-19)	02/18/01	1,2-Dichlorobenzene	1.04	1.00
Dup(MW-19)	02/18/01	p-Isopropyltoluene	2.10	2.00
Dup(MW-19)	02/18/01	n-Propylbenzene	1.12	1.00
Dup(MW-19)	02/18/01	1,2,4-Trimethylbenzene	16.6	1.00
Dup(MW-19)	02/18/01	1,3,5-Trimethylbenzene	9.35	1.00
	02/18/01	1,2-Dichlorobenzene	1.04	1.00
	02/18/01	p-Isopropyltoluene	2.18	2.00
	02/18/01	Naphthalene	14.4	2.00

Table 5. Summary of Groundwater Analyses - Additional Organics
TW WT-1 Station Engine Room Pit Area

Well ID	Sampling Date	Compound	Concentration (µg/L)	Reporting Limit (µg/L)
	02/18/01	n-Propylbenzene	1.12	1.00
	02/18/01	1,2,4-Trimethylbenzene	16.7	1.00
	02/18/01	1,3,5-Trimethylbenzene	9.23	1.00
	08/21/01	1,2,4-Trimethylbenzene	11.8	1
	08/21/01	1,3,5-Trimethylbenzene	7.71	1
	08/21/01	Napthalene	9.4	1
	08/21/01	trans-1,2-Dichloroethene	1.15	1
Dup(MW-19)	03/01/02	Carbon disulfide	2.1	1
Dup(MW-19)	03/01/02	trans-1,2-Dichloroethene	1.14	1
Dup(MW-19)	03/01/02	1,3,5-Trimethylbenzene	8.06	1
Dup(MW-19)	03/01/02	1,2,4-Trimethylbenzene	9.37	1
Dup(MW-19)	03/01/02	p-Isopropyltoluene	3.50	1
Dup(MW-19)	03/01/02	Napthalene	8.39	1
	03/01/02	Carbon disulfide	1.19	1
	03/01/02	trans-1,2-Dichloroethene	1.42	1
	03/01/02	1,3,5-Trimethylbenzene	7.79	1
	03/01/02	1,2,4-Trimethylbenzene	8.96	1
	03/01/02	p-Isopropyltoluene	3.36	1
	03/01/02	Napthalene	10.5	1
	08/01/02	1,2,4-Trimethylbenzene	9.2	5
	08/01/02	1,3,5-Trimethylbenzene	2.2	5
	08/01/02	Napthalene	7	4
	08/01/02	4-Isopropyltoluene	2.5	2
	08/01/02	n-Propylbenzene	2.2	2
	08/01/02	trans-1,2-Dichloroethene	2.4	2
Dup(MW-19)	02/12/03	1,2,4-Trimethylbenzene	7.1	2
Dup(MW-19)	02/12/03	1,3,5-Trimethylbenzene	7.7	2
Dup(MW-19)	02/12/03	Napthalene	6.6	4
Dup(MW-19)	02/12/03	4-Isopropyltoluene	2.7	2
	02/12/03	1,2,4-Trimethylbenzene	7.6	2
	02/12/03	1,3,5-Trimethylbenzene	8.0	2
	02/12/03	Napthalene	7.4	4
	02/12/03	4-Isopropyltoluene	2.7	2
	08/05/03	1,2,4-Trimethylbenzene	8	5
	08/05/03	1,3,5-Trimethylbenzene	8.3	5
	05/25/04	1,2,4-Trimethylbenzene	8.4	5
	05/25/04	1,3,5-Trimethylbenzene	6.3	5
	04/12/05	1,2,4-Trimethylbenzene	12	5
	04/12/05	1,3,5-Trimethylbenzene	9.2	5
	04/12/05	Napthalene	11	10
	04/12/05	4-Isopropyltoluene	5.4	5
	12/02/05	1,2,4-Trimethylbenzene	12	1
	12/02/05	1,3,5-Trimethylbenzene	6.5	1
	12/02/05	Napthalene	9.8	1
	12/02/05	2-Methylnapthalene	5.8	4
	12/02/05	4-Isopropyltoluene	1.8	1
	05/11/06	1,2,4-Trimethylbenzene	8.2	1

**Table 5. Summary of Groundwater Analyses - Additional Organics
TW WT-1 Station Engine Room Pit Area**

Well ID	Sampling Date	Compound	Concentration (µg/L)	Reporting Limit (µg/L)
	05/11/06	1,3,5-Trimethylbenzene	4.2	1
	05/11/06	Napthalene	8.5	2
	05/11/06	4-Isopropyltoluene	2.3	1
	05/11/06	1,2-Dichlorobenzene	1.1	1
	12/17/06	1,2,4-Trimethylbenzene	35	5
	12/17/06	1,3,5-Trimethylbenzene	17	5
	12/17/06	Napthalene	24	10
	12/17/06	4-Isopropyltoluene	5.2	5
Dup(MW-24)	12/17/06	1,2,4-Trimethylbenzene	32	5
Dup(MW-24)	12/17/06	1,3,5-Trimethylbenzene	17	5
Dup(MW-24)	12/17/06	Napthalene	21	10
	06/21/07	1,2,4-Trimethylbenzene	12	1
	06/21/07	1,3,5-Trimethylbenzene	5.7	1
	06/21/07	Napthalene	9.7	2
	06/21/07	4-Isopropyltoluene	1.4	1
	12/07/07	1,2,4-Trimethylbenzene	12	1
	12/07/07	1,3,5-Trimethylbenzene	5.6	1
	12/07/07	Napthalene	8.7	1
	12/07/07	4-Isopropyltoluene	1.3	1
Dup(MW-2)	12/07/07	1,2,4-Trimethylbenzene	14	1
Dup(MW-2)	12/07/07	1,3,5-Trimethylbenzene	6.6	1
Dup(MW-2)	12/07/07	Napthalene	11	1
Dup(MW-2)	12/07/07	4-Isopropyltoluene	1.5	1

Table 5. Summary of Groundwater Analyses - Additional Organics
TW WT-1 Station Engine Room Pit Area

Well ID	Sampling Date	Compound	Concentration (µg/L)	Reporting Limit (µg/L)
MW-6	11/30/94	1,2-Dichlorobenzene	0.3	0.2
MW-8	11/30/94	1,2-Dichlorobenzene	0.4	0.2
	01/24/98	P-Isopropyltoluene	10	5
	01/27/99	Isopropylbenzene	2	1
	01/27/99	4-Isopropyltoluene	2	1
	01/27/99	1,2- Dichlorobenzene	1	1
Dup(MW-17)	07/09/99	1,2-Dichlorobenzene	1	1
	07/09/99	1,2-Dichlorobenzene	1	1
	01/27/00	1,2-Dichlorobenzene	1	1
	07/18/00	1,2-Dichlorobenzene	1	1
Dup(MW-17)	07/18/00	1,2-Dichlorobenzene	1	1
	02/18/01	1,2-Dichlorobenzene	1.14	1.00
	08/21/01	1,2-Dichlorobenzene	1.08	1
	02/28/02	1,2-Dichlorobenzene	1.33	1
	02/28/02	trans 1,2 Dichloroethene	1.01	1
	08/01/02	1,2-Dichlorobenzene	1.3	1
	08/01/02	Isopropylbenzene	1.0	1
	08/01/02	trans-1,2-Dichloroethene	1.7	1
Dup(MW-18)	08/01/02	1,2-Dichlorobenzene	1.3	1
	08/01/02	Isopropylbenzene	1.1	1
	08/01/02	trans-1,2-Dichloroethene	1.5	1
	02/12/03	1,2-Dichlorobenzene	1.2	1
	12/02/05	1,3,5-Trimethylbenzene	1.6	1
	12/02/05	trans-1,2-Dichloroethene	1.3	1
	12/02/05	Isopropylbenzene	1.3	1
Dup(MW-20)	12/02/05	Isopropylbenzene	1.2	1
	12/02/05	sec-Butylbenzene	1	1
	12/02/05	trans-1,2-Dichloroethene	1.3	1
	05/11/06	1,2-Dichlorobenzene	1.4	1
	05/11/06	Isopropylbenzene	1.1	1
	05/11/06	trans-1,2-Dichloroethene	1.1	1
Dup(MW-24)	05/11/06	1,2-Dichlorobenzene	1.5	1
	05/11/06	Isopropylbenzene	1.1	1
	05/11/06	trans-1,2-Dichloroethene	1	1
	12/07/07	Isopropylbenzene	1	1

Table 5. Summary of Groundwater Analyses - Additional Organics
TW WT-1 Station Engine Room Pit Area

Well ID	Sampling Date	Compound	Concentration (µg/L)	Reporting Limit (µg/L)
SVE-1A	01/26/00	Isopropylbenzene	2	1
	01/26/00	n-Propylbenzene	3	1
	01/26/00	1,3,5-Trimethylbenzene	19	1
	01/26/00	1,2,4-Trimethylbenzene	30	1
	01/26/00	4-Isopropyltoluene	2	1
	01/26/00	Naphthalene	14	1
	07/18/00	Isopropylbenzene	2	1
	07/18/00	n-Propylbenzene	3	1
	07/18/00	1,3,5-Trimethylbenzene	21	1
	07/18/00	1,2,4-Trimethylbenzene	33	1
	07/18/00	4-Isopropyltoluene	2	1
	07/18/00	Naphthalene	15	1
	02/18/01	1,2,4-Trimethylbenzene	44.5	5.00
	02/18/01	1,3,5-Trimethylbenzene	25.2	5.00
	08/21/01	1,1,2-Trichloroethane	1.48	1
	08/21/01	1,2,4-Trimethylbenzene	47.2	5
	08/21/01	1,3,5-Trimethylbenzene	23.8	1
	08/21/01	Isopropylbenzene	2.44	2
	08/21/01	n-Propylbenzene	3.12	1
	08/21/01	Naphthalene	16.2	2
	08/21/01	trans-1,2-Dichloroethene	1.06	1
	03/01/02	1,3,5-Trimethylbenzene	27	1
	03/01/02	1,2,4-Trimethylbenzene	57	1
	03/01/02	n-Propylbenzene	12	1
	02/12/03	1,2,4-Trimethylbenzene	73	10
	08/05/03	1,3,5-Trimethylbenzene	40	10
	08/05/03	1,2,4-Trimethylbenzene	75	10
	05/24/04	1,3,5-Trimethylbenzene	54	10
	05/24/04	1,2,4-Trimethylbenzene	36	10
	05/24/04	Naphthalene	23	20
	11/10/04	1,2,4-Trimethylbenzene	94	5
	11/10/04	1,3,5-Trimethylbenzene	44	5
	11/10/04	1,2-Dichloroethane	6.3	5
	11/10/04	Naphthalene	26	10
	11/10/04	2-Methylnaphthalene	21	20
	11/10/04	Isopropylbenzene	7.7	5
	11/10/04	n-Propylbenzene	8.1	5
	04/12/05	1,2,4-Trimethylbenzene	53	10
	04/12/05	1,3,5-Trimethylbenzene	35	10
	04/12/05	Naphthalene	28	20
	04/12/05	n-Propylbenzene	10	10
	12/2/2005	1,2,4-Trimethylbenzene	100	10
	12/2/2005	1,3,5-Trimethylbenzene	69	10
	12/2/2005	Naphthalene	39	20
	12/2/2005	2-Methylnaphthalene	51	40
	12/2/2005	Isopropylbenzene	10	10
	12/2/2005	sec-Butylbenzene	96	10

**Table 5. Summary of Groundwater Analyses - Additional Organics
TW WT-1 Station Engine Room Pit Area**

Well ID	Sampling Date	Compound	Concentration (µg/L)	Reporting Limit (µg/L)
	5/11/2006	1,2,4-Trimethylbenzene	77	5
	5/11/2006	1,3,5-Trimethylbenzene	54	5
	5/11/2006	Naphthalene	33	5
	5/11/2006	Isopropylbenzene	7.1	5
	5/11/2006	4-Isopropyltoluene	7.0	5
	5/11/2006	n-Butylbenzene	8.2	5
	5/11/2006	n-Propylbenzene	8.2	5
	12/14/2006	1,2,4-Trimethylbenzene	94	10
	12/14/2006	1,3,5-Trimethylbenzene	70	10
	12/14/2006	Naphthalene	37	20
	12/14/2006	n-Propylbenzene	14	10
	6/21/2007	1,2,4-Trimethylbenzene	46	1
	6/21/2007	1,3,5-Trimethylbenzene	35	1
	6/21/2007	Naphthalene	21	2
	6/21/2007	1-Methylnaphthalene	6.8	4
	6/21/2007	2-Methylnaphthalene	8.5	4
	6/21/2007	Isopropylbenzene	4.3	1
	6/21/2007	4-Isopropyltoluene	2.1	1
	6/21/2007	n-Butylbenzene	3.1	1
	6/21/2007	n-Propylbenzene	5.2	1
	12/7/2007	1,2,4-Trimethylbenzene	46	5
	12/7/2007	1,3,5-Trimethylbenzene	36	5
	12/7/2007	Naphthalene	19	10
MW-17	5/11/2006	1,2,4-Trimethylbenzene	1.7	1

Table 6. Summary of Groundwater Analyses - Inorganics
TW WT-1 Station Engine Room Pit Area

Well ID	Sampling Date	Major Ions (mg/L)							Metals (mg/L)														
		TDS	Chloride	Sulfate	NO ₂ /NO ₃ - N, total	Calcium	Potassium	Magnesium	Sodium	Total alkalinity (as CaCO ₃)	Arsenic	Barium	Cadmium	Chromium	Copper	Iron	Lead	Mercury	Manganese	Selenium	Silver	Zinc	
NM/WQCC Standard		1000	250	600	10	none	none	none	none	none	0.1	1.0	0.01	0.05	1.0	1.0	0.05	0.002	0.2	0.05	0.05	10	
MW-1	11/15/94	2900	190	< 5	< 0.06	485	59.1	175	216	1610	0.11	24	< 0.0005	< 0.01	< 0.01	0.325	< 0.002	< 0.0002	0.1	< 0.005	< 0.01	< 0.01	
	09/14/95	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	
	11/12/96	2370	165	< 50	na	na	na	na	na	na	0.13	22.9	< 0.01	< 0.01	na	na	< 0.03	< 0.0002	0.05	< 0.04	< 0.01	na	
	02/04/97	2460	172	< 5.0	na	na	na	na	na	na	0.12	20	< 0.01	< 0.01	< 0.01	< 0.01	0.25	< 0.03	< 0.0002	0.03	< 0.04	< 0.01	< 0.03
		(Unfiltered metals analysis)									0.13	22	< 0.01	< 0.01	< 0.01	< 0.01	10	< 0.03	< 0.0002	0.05	< 0.04	< 0.01	< 0.03
Dup (MW-17)	05/10/97	2840	162	< 5.0	< 0.05	na	na	na	na	na	0.15	22.5	< 0.01	< 0.01	< 0.01	0.21	< 0.03	< 0.0002	0.02	< 0.04	< 0.01	< 0.03	
	08/07/97	2910	150	< 5.0	5.4	na	na	na	na	na	0.11	27	< 0.01	< 0.01	< 0.01	0.21	< 0.03	< 0.0002	0.02	< 0.04	< 0.01	0.46	
	10/09/97	2690	175	< 5.0	< 0.05	na	na	na	na	na	0.16	26	< 0.01	< 0.01	0.04	0.11	< 0.03	< 0.0002	0.02	< 0.04	< 0.01	0.45	
	01/23/98	1890	160	9	0.15	na	na	na	na	na	0.2	27.2	< 0.005	< 0.01	< 0.01	0.54	< 0.05	< 0.0002	0.020	< 0.1	< 0.01	< 0.02	
	04/17/98	2100	150	200	0.90	na	na	na	na	na	0.2	26.8	< 0.005	< 0.01	< 0.01	8.42	< 0.05	< 0.0002	0.018	< 0.1	< 0.01	< 0.02	
	04/17/98	1800	150	7	1.29	na	na	na	na	na	0.1	24.9	< 0.005	< 0.01	< 0.01	8.92	< 0.05	< 0.0002	0.019	< 0.1	< 0.01	< 0.02	
	07/17/98	2200	156	9	< 0.1	na	na	na	na	na	0.15	32.2	< 0.005	< 0.01	< 0.01	15.1	< 0.05	< 0.0002	0.023	< 0.005	< 0.01	< 0.02	
	08/21/01	3000	157	< 1	0.103	na	na	na	na	na	0.152	10.9	na	na	na	4.93	na	< 0.0002	0.0201	na	na	na	
	08/01/02	5900	150	< 5.0	< 2.0	na	na	na	na	na	0.25	33	na	na	na	3.0	na	na	0.010	na	na	na	
	08/05/03	2100	180	0.73	< 0.2	na	na	na	na	na	0.17	27	na	na	na	8.1	na	na	0.012	na	na	na	
	11/09/04	1900	180	0.80	< 0.50	na	na	na	na	na	0.15	25	na	na	na	8.7	na	na	0.014	na	na	na	
	12/02/05	1700	250	4.1	< 0.50	na	na	na	na	na	0.21	24	na	na	na	8.8	na	na	0.014	na	na	na	
	12/17/06	1700	280	< 0.50	< 5.0	na	na	na	na	na	0.20	25	na	na	na	9.1	na	na	0.013	na	na	na	
12/07/07	3200	270	0.52	< 1.0	na	na	na	na	na	0.16	55	na	na	na	20	na	na	0.036	na	na	na		

Table 6. Summary of Groundwater Analyses - Inorganics
TW WT-1 Station Engine Room Pit Area

		Major Ions (mg/L)										Metals (mg/L)											
Well ID	Sampling Date	TDS	Chloride	Sulfate	NO ₂ /NO ₃ - N, total	Calcium	Potassium	Magnesium	Sodium	Total alkalinity (as CaCO ₃)	Arsenic	Barium	Cadmium	Chromium	Copper	Iron	Lead	Mercury	Manganese	Selenium	Silver	Zinc	
MW-4		1000	250	600	10	none	none	none	none	none	0.1	1.0	0.01	0.05	1.0	1.0	0.05	0.002	0.2	0.05	0.05		
	12/01/94	2800	540	1000	20	332	5.9	153	353	273	0.007	0.025	< 0.0005	< 0.01	< 0.01	< 0.05	< 0.002	< 0.0002	0.024	0.02	< 0.01	na	
	09/12/95	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	
	11/12/96	2500	430	1000	na	na	na	na	na	na	< 0.03	0.03	< 0.01	< 0.01	na	na	< 0.03	< 0.0002	0.03	< 0.04	< 0.01	na	
	02/04/97	2370	416	416	na	na	na	na	na	na	< 0.03	0.03	< 0.01	< 0.01	< 0.01	< 0.01	0.57	< 0.03	< 0.0002	< 0.01	< 0.04	< 0.01	
												< 0.03	0.02	< 0.01	< 0.01	< 0.01	< 0.03	< 0.0002	< 0.01	< 0.04	< 0.01	< 0.03	
	05/10/97	2660	410	778	10.7	na	na	na	na	na	< 0.03	0.33	< 0.01	0.02	< 0.01	< 0.01	< 0.01	< 0.03	< 0.0002	< 0.01	0.08	< 0.01	0.25
	08/06/97	2620	435	863	12.8	na	na	na	na	na	< 0.03	0.92	< 0.01	< 0.01	< 0.01	< 0.01	0.14	< 0.03	< 0.0002	< 0.01	< 0.04	< 0.01	0.4
	10/08/97	2470	380	879	9.6	na	na	na	na	na	< 0.03	0.017	< 0.005	< 0.01	< 0.01	< 0.02	< 0.05	< 0.0002	0.188	< 0.1	< 0.01	< 0.02	
	01/23/98	1920	300	581	< 0.05	na	na	na	na	na	< 0.1	0.026	< 0.005	< 0.01	< 0.01	0.07	< 0.05	< 0.0002	0.201	< 0.1	< 0.01	0.03	
	04/16/98	1600	320	800	11.6	na	na	na	na	na	0.011	0.020	< 0.005	< 0.01	< 0.01	< 0.02	< 0.05	< 0.0002	0.154	0.018	< 0.01	< 0.02	
	07/16/98	2300	301	900	14.1	na	na	na	na	na	0.010	0.0213	< 0.0020	< 0.0050	< 0.0020	< 0.010	< 0.025	< 0.00020	0.0381	0.020	< 0.0030	< 0.010	
	07/08/99	2200	320	710	14.0	na	na	na	na	na	0.010	0.0206	na	na	na	na	0.030	na	< 0.00020	0.0011	na	na	na
	07/17/00	2240	370	820	15.0	na	na	na	na	na	na	0.010	0.0206	na	na	na	na	na	< 0.00020	0.0011	na	na	na
	08/21/01	2400	411	782	5.11	na	na	na	na	na	< 0.05	0.0196	na	na	na	na	< 0.05	na	< 0.0002	< 0.01	na	na	na
	08/01/02	2200	310	670	10	na	na	na	na	na	< 0.010	0.023	na	na	na	na	< 0.020	na	na	0.085	na	na	na
	08/05/03	2100	280	630	6.5	na	na	na	na	na	< 0.020	0.042	na	na	na	na	< 0.020	na	na	0.15	na	na	na
	11/09/04	2000	270	580	6.7	na	na	na	na	na	< 0.020	0.022	na	na	na	na	< 0.020	na	na	0.18	na	na	na
	12/02/05	1800	240	590	9.6	na	na	na	na	na	< 0.020	0.024	na	na	na	na	0.026	na	na	0.24	na	na	na
	12/17/06	1800	220	610	10	na	na	na	na	na	< 0.020	0.025	na	na	na	na	< 0.05	na	na	0.22	na	na	na
12/07/07	2000	260	730	16	na	na	na	na	na	< 0.020	0.024	na	na	na	na	< 0.05	na	na	< 0.002	na	na	na	

Table 6. Summary of Groundwater Analyses - Inorganics
TW WT-1 Station Engine Room Pit Area

Well ID	Sampling Date	Major Ions (mg/L)										Metals (mg/L)										
		TDS	Chloride	Sulfate	NO ₂ /NO ₃ - N, total	Calcium	Potassium	Magnesium	Sodium	Total alkalinity (as CaCO ₃)	Arsenic	Barium	Cadmium	Chromium	Copper	Iron	Lead	Mercury	Manganese	Selenium	Silver	Zinc
NMWQCC Standard		1000	250	600	10	none	none	none	none	none	0.1	1.0	0.01	0.05	1.0	1.0	0.05	0.002	0.2	0.05	0.05	10
MW-5	12/01/94	2000	360	< 5	< 0.06	185	6.1	200	326	1080	0.036	17.3	< 0.0005	< 0.01	< 0.01	0.097	< 0.002	< 0.0002	0.112	< 0.005	< 0.01	na
	09/12/95	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
	11/12/96	2610	495	< 25	na	na	na	na	na	na	0.06	25.9	< 0.01	< 0.01	na	na	< 0.03	< 0.0002	0.43	< 0.04	< 0.01	na
	02/06/97	2300	4400	< 5.0	na	na	na	na	na	na	0.04	21	< 0.01	< 0.01	< 0.01	< 0.01	0.21	< 0.03	< 0.0002	0.02	< 0.04	< 0.01
Dup (MW-17)										(Unfiltered metals analysis)												
	05/10/97	2340	380	< 5.0	< 0.05	na	na	na	na	na	0.05	22.2	< 0.01	< 0.01	< 0.01	0.12	< 0.03	< 0.0002	0.01	< 0.04	< 0.01	< 0.03
	08/07/97	1870	300	< 5.0	0.09	na	na	na	na	na	< 0.03	16	< 0.01	< 0.01	< 0.01	0.08	< 0.03	< 0.0002	< 0.01	< 0.04	< 0.01	0.24
	10/09/97	2090	320	< 5.0	< 0.05	na	na	na	na	na	< 0.03	23	< 0.01	< 0.01	< 0.01	0.02	< 0.03	< 0.0002	< 0.01	< 0.04	< 0.01	0.23
	10/09/97	2100	340	< 5.0	< 0.05	na	na	na	na	na	< 0.03	16	< 0.01	< 0.01	< 0.01	0.01	< 0.03	< 0.0002	< 0.01	< 0.04	< 0.01	0.23
	01/24/98	1640	300	4	< 0.05	na	na	na	na	na	< 0.05	15.5	< 0.005	< 0.01	< 0.01	0.19	< 0.05	< 0.0002	0.017	< 0.1	< 0.01	< 0.02
	01/24/98	1680	300	4	< 0.05	na	na	na	na	na	0.1	16.4	< 0.005	< 0.01	< 0.01	0.19	< 0.05	< 0.0002	0.015	< 0.1	< 0.01	< 0.02
	04/17/98	1400	290	200	0.88	na	na	na	na	na	< 0.1	14.4	< 0.005	< 0.01	< 0.01	1.29	< 0.05	< 0.0002	0.022	< 0.1	< 0.01	0.03
	07/17/98	1600	281	3	< 0.1	na	na	na	na	na	0.020	13.7	< 0.005	< 0.01	< 0.01	4.61	< 0.05	< 0.0002	0.018	< 0.005	< 0.01	< 0.02
	07/09/99	1800	260	< 25	< 0.01	na	na	na	na	na	0.019	13.3	< 0.0020	< 0.0050	< 0.0020	2.50	< 0.025	< 0.00020	0.0224	< 0.010	< 0.0030	< 0.010
Dup (MW-24)	07/18/00	1740	270	< 3.0	< 0.01	na	na	na	na	na	0.022	13.2	na	na	na	2.80	na	< 0.00020	0.0233	na	na	na
	08/21/01	1860	253	< 1	0.0842	na	na	na	na	na	< 0.05	4.09	na	na	na	1.34	na	< 0.0002	0.025	na	na	na
	08/01/02	1700	240	< 5	< 2	na	na	na	na	na	0.12	14	na	na	na	0.30	na	na	0.027	na	na	na
	08/05/03	1600	250	< 0.5	< 0.2	na	na	na	na	na	< 0.02	12	na	na	na	3.0	na	na	0.035	na	na	na
	11/10/04	1500	210	1.6	< 0.50	na	na	na	na	na	< 0.020	13	na	na	na	4.9	na	na	0.049	na	na	na
	12/02/05	1600	220	0.61	< 0.50	na	na	na	na	na	< 0.020	15	na	na	na	5.9	na	na	0.049	na	na	na
	12/17/06	1600	240	< 5	< 0.50	na	na	na	na	na	< 0.020	15	na	na	na	2.5	na	na	0.042	na	na	na
	12/17/06	1500	240	< 5	< 0.50	na	na	na	na	na	0.036	15	na	na	na	3.8	na	na	0.046	na	na	na
	12/07/07	1400	240	1.2	< 1	na	na	na	na	na	< 0.020	14	na	na	na	5.3	na	na	0.052	na	na	na
	Dup (MW-2)	12/07/07	1500	250	0.61	< 1	na	na	na	na	na	< 0.020	13	na	na	na	4.9	na	na	0.050	na	na

Table 6. Summary of Groundwater Analyses - Inorganics
TW WT-1 Station Engine Room Pit Area

Well ID	Sampling Date	Major Ions (mg/L)										Metals (mg/L)											
		TDS	Chloride	Sulfate	NO ₂ /NO ₃ - N, total	Calcium	Potassium	Magnesium	Sodium	Total alkalinity (as CaCO ₃)	Arsenic	Barium	Cadmium	Chromium	Copper	Iron	Lead	Mercury	Manganese	Selenium	Silver	Zinc	
MW-6	11/30/94	2400	700	410	< 0.06	293	7.1	197	267	624	< 0.005	0.109	< 0.0005	< 0.01	0.014	< 0.05	< 0.002	< 0.0002	0.562	< 0.005	< 0.01	na	
	09/12/95	na	na	na	na	na	na	na	na	na	< 0.03	0.37	< 0.01	< 0.01	na	na	na	na	na	na	na	na	
	11/12/96	2460	715	527	na	na	na	na	na	na	< 0.03	0.12	< 0.01	< 0.01	< 0.01	0.01	< 0.03	< 0.0002	0.95	< 0.04	< 0.01	na	
	02/04/97	2390	700	467	na	na	na	na	na	na	< 0.03	0.55	< 0.01	0.02	0.03	14	< 0.03	< 0.0002	1.1	< 0.04	< 0.01	0.05	
	05/10/97	2550	700	463	< 0.05	na	na	na	na	na	< 0.03	0.1	< 0.01	< 0.01	< 0.01	0.01	< 0.03	< 0.0002	0.69	< 0.04	< 0.01	< 0.03	
	08/07/97	2660	720	427	0.4	na	na	na	na	na	< 0.03	0.8	< 0.01	< 0.01	< 0.01	< 0.01	< 0.03	< 0.0002	0.93	< 0.04	< 0.01	0.29	
	10/09/97	2710	710	468	< 0.05	na	na	na	na	na	< 0.03	0.95	< 0.01	< 0.01	< 0.01	0.18	< 0.03	< 0.0002	0.91	< 0.04	< 0.01	0.4	
	01/23/98	2190	700	378	< 0.05	na	na	na	na	na	< 0.1	0.121	< 0.005	< 0.01	< 0.01	< 0.02	< 0.05	< 0.0002	0.933	< 0.1	< 0.01	< 0.02	
	04/16/98	1700	720	500	0.89	na	na	na	na	na	< 0.1	0.112	< 0.005	< 0.01	< 0.01	0.7	< 0.05	< 0.0002	0.844	< 0.1	< 0.01	< 0.02	
	07/16/98	2100	620	550	< 0.1	na	na	na	na	na	0.008	0.110	< 0.005	< 0.01	< 0.01	0.70	< 0.05	< 0.0002	0.832	< 0.005	< 0.01	< 0.02	
	07/08/99	2400	720	390	< 0.01	na	na	na	na	na	< 0.010	0.114	< 0.0020	< 0.0050	< 0.0020	0.638	< 0.025	< 0.00020	0.888	< 0.010	< 0.0030	< 0.010	
	07/18/00	2390	780	450	< 0.01	na	na	na	na	na	< 0.010	0.1140	na	na	na	0.707	na	< 0.00020	0.804	na	na	na	na
08/21/01	3380	802	411	0.0636	na	na	na	na	na	< 0.05	< 0.01	na	na	na	0.103	na	< 0.0002	< 0.01	na	na	na	na	
08/01/02	2700	740	490	< 2.0	na	na	na	na	na	na	0.025	0.11	na	na	na	0.36	na	na	0.88	na	na	na	na
08/05/03	2600	720	560	< 0.2	na	na	na	na	na	na	< 0.020	0.12	na	na	na	1.0	na	na	0.93	na	na	na	na
11/09/04	2600	680	540	< 0.50	na	na	na	na	na	na	< 0.020	0.088	na	na	na	0.74	na	na	0.83	na	na	na	na
12/02/05	2400	720	560	< 0.50	na	na	na	na	na	na	< 0.020	0.097	na	na	na	0.99	na	na	0.85	na	na	na	na
12/17/06	2400	700	570	< 0.50	na	na	na	na	na	na	< 0.020	0.084	na	na	na	0.96	na	na	0.83	na	na	na	na
12/07/07	2500	740	610	< 1.0	na	na	na	na	na	na	< 0.020	0.079	na	na	na	1.1	na	na	0.83	na	na	na	na

Table 6. Summary of Groundwater Analyses - Inorganics
TW WT-1 Station Engine Room Pit Area

Well ID	Sampling Date	Major Ions (mg/L)							Metals (mg/L)													
		TDS	Chloride	Sulfate	NO ₂ /NO ₃ - N, total	Calcium	Potassium	Magnesium	Sodium	Total alkalinity (as CaCO ₃)	Arsenic	Barium	Cadmium	Chromium	Copper	Iron	Lead	Mercury	Manganese	Selenium	Silver	Zinc
MW-7	11/30/94	2400	400	920	6.8	323	7.9	148	244	327	0.006	0.032	< 0.0005	< 0.01	0.014	< 0.05	< 0.002	< 0.0002	0.069	0.008	< 0.01	na
	09/12/95	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
	11/12/96	2240	400	823	na	na	na	na	na	na	< 0.03	1.27	< 0.01	0.01	na	na	< 0.03	< 0.0002	0.6	< 0.04	< 0.01	na
	02/04/97	2100	380	779	na	na	na	na	na	na	< 0.03	0.04	< 0.01	< 0.01	< 0.01	0.01	< 0.03	< 0.0002	0.04	< 0.04	< 0.01	< 0.03
											0.12	3.2	< 0.01	0.04	0.06	41	0.04	< 0.0002	1.2	< 0.04	< 0.01	0.14
	05/10/97	2250	390	757	7.3	na	na	na	na	na	< 0.03	0.02	< 0.01	< 0.01	< 0.01	< 0.01	< 0.03	< 0.0002	0.04	< 0.04	< 0.01	< 0.03
	08/07/97	2310	370	716	4.1	na	na	na	na	na	< 0.03	0.61	< 0.01	< 0.01	< 0.01	< 0.01	< 0.03	< 0.0002	0.09	< 0.04	< 0.01	0.22
	10/09/97	2190	410	784	7	na	na	na	na	na	< 0.03	0.81	< 0.01	< 0.01	< 0.01	0.19	< 0.03	< 0.0002	0.07	< 0.04	< 0.01	0.35
	01/23/98	1700	400	646	8.4	na	na	na	na	na	< 0.1	0.018	< 0.005	< 0.01	< 0.01	< 0.02	< 0.05	< 0.0002	0.042	< 0.1	< 0.01	< 0.02
	04/17/98	1800	410	900	8.38	na	na	na	na	na	< 0.1	0.021	< 0.005	< 0.01	< 0.01	< 0.02	< 0.05	< 0.0002	0.051	< 0.1	< 0.01	< 0.02
07/16/98	1900	301	800	8.2	na	na	na	na	na	0.007	0.019	< 0.005	< 0.01	< 0.01	< 0.02	< 0.05	< 0.0002	0.061	0.012	< 0.01	< 0.02	
07/08/99	2100	360	670	8.0	na	na	na	na	na	< 0.010	0.0191	< 0.0020	< 0.0050	< 0.0020	< 0.010	< 0.025	< 0.00020	0.0517	0.012	< 0.0030	< 0.010	
07/18/00	2040	390	730	8.0	na	na	na	na	na	na	< 0.010	0.0184	na	na	na	< 0.010	na	< 0.00020	0.0384	na	na	na
08/21/01	2290	394	632	3.46	na	na	na	na	na	na	< 0.05	0.0215	na	na	na	< 0.05	na	< 0.0002	0.0459	na	na	na
08/01/02	2000	380	650	7.5	na	na	na	na	na	na	< 0.010	0.022	na	na	na	< 0.020	na	na	0.061	na	na	na
08/05/03	2000	380	660	6.7	na	na	na	na	na	na	< 0.020	0.019	na	na	na	< 0.020	na	na	0.060	na	na	na
11/10/04	2000	340	610	6.1	na	na	na	na	na	na	< 0.020	0.023	na	na	na	0.12	na	na	0.078	na	na	na
12/02/05	1800	350	590	5.2	na	na	na	na	na	na	< 0.020	0.034	na	na	na	0.31	na	na	0.090	na	na	na
12/20/06	1800	340	540	4.4	na	na	na	na	na	na	< 0.020	0.022	na	na	na	< 0.05	na	na	0.068	na	na	na
12/07/07	1700	340	520	4.2	na	na	na	na	na	na	< 0.020	0.021	na	na	na	0.11	na	na	0.079	na	na	na

Table 6. Summary of Groundwater Analyses - Inorganics
TW WT-1 Station Engine Room Pit Area

Well ID	Sampling Date	Major Ions (mg/L)										Metals (mg/L)										
		TDS	Chloride	Sulfate	NO ₂ /NO ₃ - N, total	Calcium	Potassium	Magnesium	Sodium	Total alkalinity (as CaCO ₃)	Arsenic	Barium	Cadmium	Chromium	Copper	Iron	Lead	Mercury	Manganese	Selenium	Silver	Zinc
NMWQCC Standard		1000	250	600	10	none	none	none	none	none	0.1	1.0	0.01	0.05	1.0	1.0	0.05	0.002	0.2	0.05	0.05	10
MW-8	11/30/94	1900	590	330	0.44	247	6	137	221	441	0.006	0.052	< 0.0005	< 0.01	0.014	< 0.05	< 0.002	< 0.0002	0.136	< 0.005	< 0.01	na
	09/13/95	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
	11/12/96	2010	555	395	na	na	na	na	na	na	< 0.03	0.13	< 0.01	< 0.01	na	na	< 0.03	< 0.0002	0.41	< 0.04	< 0.01	na
	02/06/97	2000	575	222	na	na	na	na	na	na	< 0.03	0.08	< 0.01	< 0.01	< 0.01	< 0.01	< 0.03	< 0.0002	0.44	< 0.04	< 0.01	< 0.03
Dup (MW-17)											< 0.03	0.27	< 0.01	0.02	0.02	8.9	< 0.03	< 0.0002	0.72	< 0.04	< 0.01	0.05
	05/10/97	1990	550	263	< 0.05	na	na	na	na	na	< 0.03	0.06	< 0.01	< 0.01	< 0.01	< 0.01	< 0.03	< 0.0002	0.52	< 0.04	< 0.01	< 0.03
	08/07/97	2020	540	251	0.07	na	na	na	na	na	< 0.03	0.8	< 0.01	< 0.01	< 0.01	< 0.01	< 0.03	< 0.0002	0.67	< 0.04	< 0.01	0.24
	10/09/97	2100	570	242	< 0.05	na	na	na	na	na	< 0.03	0.7	< 0.01	< 0.01	< 0.01	0.18	< 0.03	< 0.0002	0.86	< 0.04	< 0.01	0.25
	01/24/98	1740	500	248	< 0.05	na	na	na	na	na	< 0.1	0.071	< 0.005	< 0.01	< 0.01	< 0.02	< 0.05	< 0.0002	0.543	< 0.1	< 0.01	< 0.02
	04/17/98	1300	550	400	0.88	na	na	na	na	na	< 0.1	0.071	< 0.005	< 0.01	< 0.01	0.65	< 0.05	< 0.0002	0.751	< 0.1	< 0.01	< 0.02
	07/17/98	1500	557	400	< 0.1	na	na	na	na	na	0.008	0.063	< 0.005	< 0.01	< 0.01	0.03	< 0.05	< 0.0002	0.506	< 0.005	< 0.01	< 0.02
	07/17/98	1500	578	30	< 0.1	na	na	na	na	na	0.008	0.070	< 0.005	< 0.01	< 0.01	0.09	< 0.05	< 0.0002	0.654	< 0.005	< 0.01	< 0.02
	07/09/99	1900	550	250	0.09	na	na	na	na	na	< 0.010	0.0731	< 0.0020	< 0.0050	< 0.0020	0.141	< 0.025	< 0.00020	0.781	< 0.010	< 0.0030	< 0.010
	07/09/99	1900	540	250	0.11	na	na	na	na	na	< 0.010	0.0728	< 0.0020	< 0.0050	0.0029	0.242	< 0.025	< 0.00020	0.731	< 0.010	< 0.0030	< 0.010
Dup (MW-17)	07/18/00	1790	580	240	0.02	na	na	na	na	na	< 0.010	0.0703	na	na	na	0.082	na	< 0.00020	0.734	na	na	na
	07/18/00	1830	580	240	0.02	na	na	na	na	na	< 0.010	0.0712	na	na	na	0.107	na	< 0.00020	0.734	na	na	na
Dup (MW-17)	08/21/01	2430	576	195	< 0.01	na	na	na	na	na	< 0.05	0.0717	na	na	na	0.0909	na	< 0.0002	0.903	na	na	na
	08/21/01	2460	647	172	0.0813	na	na	na	na	na	< 0.05	0.078	na	na	na	0.097	na	< 0.0002	0.948	na	na	na
Dup (MW-18)	08/01/02	1900	490	170	< 2.0	na	na	na	na	na	< 0.010	0.082	na	na	na	0.026	na	na	0.91	na	na	na
	08/01/02	1800	510	170	< 2.0	na	na	na	na	na	< 0.010	0.080	na	na	na	0.024	na	na	0.94	na	na	na
Dup (MW-19)	08/05/03	1700	470	180	< 0.2	na	na	na	na	na	< 0.020	0.11	na	na	na	0.18	na	na	1.0	na	na	na
	08/05/03	1700	490	170	< 0.2	na	na	na	na	na	< 0.020	0.16	na	na	na	0.18	na	na	0.98	na	na	na
Dup (MW-20)	11/09/04	1800	430	160	< 0.50	na	na	na	na	na	< 0.020	0.069	na	na	na	0.15	na	na	0.97	na	na	na
	12/02/05	1700	460	150	< 0.50	na	na	na	na	na	< 0.020	0.077	na	na	na	0.14	na	na	0.94	na	na	na
	12/02/05	1700	460	150	< 0.50	na	na	na	na	na	< 0.020	0.077	na	na	na	0.13	na	na	0.95	na	na	na
	12/17/06	1500	370	340	< 0.50	na	na	na	na	na	< 0.020	0.098	na	na	na	< 0.05	na	na	0.34	na	na	na
	12/07/07	1700	490	140	< 1.0	na	na	na	na	na	< 0.020	0.098	na	na	na	0.48	na	na	0.96	na	na	na

Table 6. Summary of Groundwater Analyses - Inorganics
TW WT-1 Station Engine Room Pit Area

Well ID	Sampling Date	Major Ions (mg/L)						Metals (mg/L)															
		TDS	Chloride	Sulfate	NO ₂ /NO ₃ - N, total	Calcium	Potassium	Magnesium	Sodium	Total alkalinity (as CaCO ₃)	Arsenic	Barium	Cadmium	Chromium	Copper	Iron	Lead	Mercury	Manganese	Selenium	Silver	Zinc	
NMWQCC Standard		1000	250	600	10	none	none	none	none	none	0.1	1.0	0.01	0.05	1.0	1.0	0.05	0.002	0.2	0.05	0.05	10	
MW-14	09/13/95	2360	515	700	1.91	276	7	147	170	444	< 0.05	0.14	< 0.005	< 0.01	na	na	< 0.05	< 0.0002	na	< 0.1	< 0.01	na	
	11/12/96	2510	550	837	na	na	na	na	na	na	< 0.03	0.05	< 0.01	< 0.01	na	na	< 0.03	< 0.0002	0.07	< 0.04	< 0.01	na	
	02/04/97	2510	575	757	na	na	na	na	na	na	< 0.03	0.07	< 0.01	< 0.01	< 0.01	< 0.01	< 0.03	< 0.0002	0.06	< 0.04	< 0.01	< 0.03	
											< 0.03	0.13	< 0.01	< 0.01	< 0.01	1.9	< 0.03	< 0.0002	0.1	< 0.04	< 0.01	< 0.03	
	05/10/97	2530	520	715	2.2	na	na	na	na	na	< 0.03	0.02	< 0.01	< 0.01	< 0.01	< 0.01	< 0.03	< 0.0002	0.07	< 0.04	< 0.01	< 0.03	
	08/07/97	2420	520	662	1.9	na	na	na	na	na	< 0.03	0.73	< 0.01	< 0.01	< 0.01	< 0.01	< 0.03	< 0.0002	0.11	< 0.04	< 0.01	0.22	
	10/08/97	2490	550	769	2.3	na	na	na	na	na	< 0.03	0.54	< 0.01	< 0.01	< 0.01	0.18	< 0.03	< 0.0002	0.11	< 0.04	< 0.01	0.22	
	01/23/98	2200	500	663	2.9	na	na	na	na	na	< 0.1	0.018	< 0.005	< 0.01	< 0.01	< 0.02	< 0.05	< 0.0002	0.080	< 0.1	< 0.01	< 0.02	
	04/17/98	2000	540	800	3.72	na	na	na	na	na	< 0.028	0.028	< 0.005	< 0.01	< 0.01	0.03	0.05	< 0.0002	0.119	< 0.1	< 0.01	0.02	
	07/17/98	1800	557	700	2.8	na	na	na	na	na	0.011	0.021	< 0.005	< 0.01	< 0.01	< 0.02	< 0.05	< 0.0002	0.136	0.010	< 0.01	0.02	
	07/09/99	2400	530	640	2.7	na	na	na	na	na	< 0.010	0.0216	< 0.0020	< 0.0050	0.0025	< 0.010	< 0.025	< 0.00020	0.111	< 0.010	< 0.0030	< 0.010	
	07/18/00	2310	570	690	2.1	na	na	na	na	na	na	< 0.010	0.0182	na	na	na	< 0.010	na	< 0.00020	0.105	na	na	na
	08/21/01	2900	593	597	0.817	na	na	na	na	na	na	< 0.05	0.0228	na	na	na	< 0.05	na	< 0.0002	0.173	na	na	na
	08/01/02	2300	510	580	1.2	na	na	na	na	na	na	< 0.010	0.026	na	na	na	< 0.020	na	na	0.31	na	na	na
08/05/03	2300	560	610	0.71	na	na	na	na	na	na	< 0.020	0.280	na	na	na	< 0.020	na	na	0.42	na	na	na	
11/10/04	2300	560	590	0.95	na	na	na	na	na	na	< 0.020	0.025	na	na	na	< 0.020	na	na	0.44	na	na	na	
12/02/05	2200	610	650	1.2	na	na	na	na	na	na	< 0.020	0.027	na	na	na	< 0.020	na	na	0.51	na	na	na	
12/17/06	2300	570	620	1.2	na	na	na	na	na	na	< 0.020	0.026	na	na	na	< 0.050	na	na	0.62	na	na	na	
12/07/07	2300	560	670	2.1	na	na	na	na	na	na	< 0.020	0.024	na	na	na	< 0.050	na	na	0.62	na	na	na	

Table 6. Summary of Groundwater Analyses - Inorganics
TW WT-1 Station Engine Room Pit Area

Well ID	Sampling Date	Major Ions (mg/L)										Metals (mg/L)										
		TDS	Chloride	Sulfate	NO ₃ /NO ₃ - N, total	Calcium	Potassium	Magnesium	Sodium	Total alkalinity (as CaCO ₃)	Arsenic	Barium	Cadmium	Chromium	Copper	Iron	Lead	Mercury	Manganese	Selenium	Silver	Zinc
MW15	09/14/95	2500	442	900	13.2	291	6.5	137	206	286	< 0.05	0.02	< 0.005	< 0.01	na	na	< 0.05	< 0.0002	na	< 0.1	0.01	na
	11/12/96	2420	435	892	na	na	na	na	na	na	< 0.03	0.06	< 0.01	< 0.01	na	na	< 0.03	< 0.0002	0.02	< 0.04	< 0.01	na
	02/04/97	2360	420	924	na	na	na	na	na	na	< 0.03	0.03	< 0.01	< 0.01	< 0.01	< 0.01	< 0.03	< 0.0002	< 0.01	< 0.04	< 0.01	< 0.03
											< 0.03	0.17	< 0.01	< 0.01	< 0.01	2.3	< 0.03	< 0.0002	0.06	< 0.04	< 0.01	< 0.03
	05/10/97	2530	860	1020	10.2	na	na	na	na	na	< 0.03	0.02	< 0.01	< 0.01	< 0.01	< 0.01	< 0.03	< 0.0002	< 0.01	< 0.04	< 0.01	< 0.03
	08/07/97	2510	410	825	10.2	na	na	na	na	na	< 0.03	0.63	< 0.01	< 0.01	< 0.01	< 0.01	< 0.03	< 0.0002	< 0.01	< 0.04	< 0.01	0.26
	10/08/97	2400	420	941	5.8	na	na	na	na	na	< 0.03	0.53	< 0.01	< 0.01	< 0.01	0.19	< 0.03	< 0.0002	< 0.01	< 0.04	< 0.01	0.23
	01/23/98	2150	400	766	12.54	na	na	na	na	na	< 0.1	0.014	< 0.005	< 0.01	< 0.01	< 0.02	< 0.05	< 0.0002	< 0.005	< 0.1	< 0.01	< 0.02
	04/16/98	1700	420	1000	19.6	na	na	na	na	na	< 0.1	0.020	< 0.005	< 0.01	< 0.01	0.06	< 0.05	< 0.0002	< 0.005	< 0.1	< 0.01	0.03
	07/17/98	1800	386	1000	11.9	na	na	na	na	na	0.012	0.018	< 0.005	< 0.01	< 0.01	0.24	< 0.05	< 0.0002	< 0.005	0.020	< 0.01	< 0.02
	07/08/99	2100	340	710	13.0	na	na	na	na	na	< 0.010	0.0231	< 0.0020	< 0.0050	< 0.0020	0.144	< 0.025	< 0.00020	0.0014	0.016	< 0.0030	< 0.010
	07/17/00	1970	350	730	13.0	na	na	na	na	na	< 0.010	0.0226	na	na	na	0.042	na	< 0.00020	0.002	na	na	na
	08/21/01	2290	368	736	4.96	na	na	na	na	na	< 0.05	0.0283	na	na	na	< 0.05	na	< 0.0002	< 0.01	na	na	na
	08/01/02	2000	340	740	12	na	na	na	na	na	0.043	0.045	na	na	na	< 0.020	na	na	< 0.002	na	na	na
	08/05/03	2000	320	730	11	na	na	na	na	na	< 0.020	0.022	na	na	na	< 0.020	na	na	< 0.002	na	na	na
11/09/04	1900	280	630	8.7	na	na	na	na	na	< 0.020	0.024	na	na	na	< 0.020	na	na	0.0030	na	na	na	
12/02/05	1800	290	640	7.8	na	na	na	na	na	< 0.020	0.021	na	na	na	0.020	na	na	< 0.002	na	na	na	
12/17/06	1600	240	540	7.6	na	na	na	na	na	< 0.020	0.022	na	na	na	< 0.05	na	na	< 0.002	na	na	na	
12/07/07	1700	260	580	8.8	na	na	na	na	na	na	< 0.020	0.055	na	na	na	0.24	na	na	0.057	na	na	na

Table 6. Summary of Groundwater Analyses - Inorganics
TW WT-1 Station Engine Room Pit Area

Well ID	Sampling Date	Major Ions (mg/L)										Metals (mg/L)										
		TDS	Chloride	Sulfate	NO ₂ /NO ₃ - N, total	Calcium	Potassium	Magnesium	Sodium	Total alkalinity (as CaCO ₃)	Arsenic	Barium	Cadmium	Chromium	Copper	Iron	Lead	Mercury	Manganese	Selenium	Silver	Zinc
NM/VGCC Standard		1000	250	600	10	none	none	none	none	none	0.1	1.0	0.01	0.05	1.0	1.0	0.05	0.002	0.2	0.05	0.05	10
MW-16	09/14/95	2570	624	850	2.62	320	9.7	188	211	410	< 0.05	0.22	< 0.005	0.02	na	na	< 0.05	0.0003	na	< 0.1	< 0.01	na
	11/12/96	3550	995	1020	na	na	na	na	na	na	< 0.03	0.06	< 0.01	< 0.01	na	na	< 0.03	< 0.0002	1.21	< 0.04	< 0.01	na
	02/04/97	3470	950	830	na	na	na	na	na	na	< 0.03	0.05	< 0.01	< 0.01	< 0.01	< 0.01	< 0.03	< 0.0002	1.1	< 0.04	< 0.01	< 0.03
											0.07	0.37	< 0.01	0.02	0.04	27	0.04	< 0.0002	1.8	< 0.04	< 0.01	0.1
	05/10/97	3520	420	1110	1.6	na	na	na	na	na	< 0.03	0.02	< 0.01	< 0.01	< 0.01	< 0.01	< 0.03	< 0.0002	1.07	< 0.04	0.02	0.02
	08/06/97	3480	860	1010	1.7	na	na	na	na	na	< 0.03	0.67	< 0.01	< 0.01	< 0.01	< 0.01	< 0.03	< 0.0002	1.1	< 0.04	0.02	0.29
	10/08/97	3370	860	904	0.95	na	na	na	na	na	< 0.03	0.52	< 0.01	< 0.01	< 0.01	< 0.01	< 0.03	< 0.0002	1.14	< 0.04	< 0.01	0.25
	01/23/98	2730	800	824	0.91	na	na	na	na	na	< 0.1	0.019	< 0.005	< 0.01	< 0.01	< 0.02	< 0.05	< 0.0002	0.971	< 0.1	< 0.01	< 0.02
	04/16/98	2400	710	1100	1.78	na	na	na	na	na	< 0.1	0.026	< 0.005	< 0.01	< 0.01	0.04	< 0.05	< 0.0002	0.941	< 0.1	< 0.01	< 0.02
	07/16/98	2500	620	1100	1.2	na	na	na	na	na	< 0.005	0.023	< 0.005	< 0.01	< 0.01	< 0.02	< 0.05	< 0.0002	0.913	< 0.005	< 0.01	0.03
	07/08/99	3200	830	920	1.8	na	na	na	na	na	< 0.010	0.0240	< 0.0020	< 0.0050	0.0020	< 0.010	< 0.025	< 0.00020	0.781	< 0.010	< 0.0030	< 0.010
	07/17/00	3080	890	1000	2.1	na	na	na	na	na	< 0.010	0.0204	na	na	na	0.0140	na	< 0.00020	0.957	na	na	na
	08/21/01	3530	809	937	0.295	na	na	na	na	na	< 0.05	0.019	na	na	na	< 0.05	na	< 0.0002	1.52	na	na	na
	08/01/02	3000	690	930	1.5	na	na	na	na	na	< 0.020	0.016	na	na	na	< 0.020	na	na	0.85	na	na	na
	08/05/03	3000	700	980	1.4	na	na	na	na	na	< 0.020	0.016	na	na	na	< 0.020	na	na	0.61	na	na	na
	11/09/04	3000	680	960	2.0	na	na	na	na	na	< 0.020	0.021	na	na	na	< 0.020	na	na	0.31	na	na	na
	12/02/05	2700	560	930	< 0.5	na	na	na	na	na	< 0.020	< 0.020	na	na	na	0.025	na	na	1.5	na	na	na
	12/17/06	2700	590	950	< 0.5	na	na	na	na	na	< 0.002	< 0.020	na	na	na	< 0.050	na	na	1.4	na	na	na
	12/07/07	2700	570	910	< 1.0	na	na	na	na	na	< 0.020	< 0.020	na	na	na	< 0.050	na	na	1.6	na	na	na
MW-17	11/10/04	2500	570	680	8.5	na	na	na	na	na	< 0.020	0.056	na	na	na	0.021	na	na	0.019	na	na	na
	12/02/05	2300	590	670	7.6	na	na	na	na	na	< 0.020	0.067	na	na	na	0.086	na	na	0.0022	na	na	na
	12/15/06	2300	600	640	7.1	na	na	na	na	na	< 0.020	0.065	na	na	na	< 0.020	na	na	< 0.0020	na	na	na
	12/07/07	2400	590	660	8.7	na	na	na	na	na	< 0.020	0.065	na	na	na	0.068	na	na	0.0041	na	na	na
SVE-1A	07/18/01	1870	300	< 3.0	0.03	na	na	na	na	na	0.067	30.7	na	na	na	6.79	na	0.00020	0.0257	na	na	na
	08/21/01	2030	193	6.69	< 0.01	na	na	na	na	na	0.109	8.71	na	na	na	0.531	na	< 0.0002	0.0112	na	na	na
	08/01/02	1700	190	< 5.0	< 2.0	na	na	na	na	na	0.21	29	na	na	na	0.29	na	na	0.010	na	na	na
	08/05/03	1700	240	< 0.5	< 0.2	na	na	na	na	na	0.12	24	na	na	na	5.3	na	na	0.0092	na	na	na
	11/10/04	1700	260	0.59	< 0.50	na	na	na	na	na	0.12	23	na	na	na	6.8	na	na	0.015	na	na	na
	12/02/05	1700	310	< 0.5	< 0.5	na	na	na	na	na	0.062	26	na	na	na	8.6	na	na	0.030	na	na	na
	12/14/06	1600	340	< 0.5	< 5.0	na	na	na	na	na	0.046	25	na	na	na	7.9	na	na	0.024	na	na	na
	12/07/07	1700	370	< 0.5	< 1.0	na	na	na	na	na	0.047	27	na	na	na	11	na	na	0.034	na	na	na

NOTES:
(a) na - Analysis for this constituent was not run on samples collected during this sample event

**Table 7. Summary of Completion Details for Soil Borings Completed as Wells
TW WT-1 Station Engine Room Pit Area**

Well ID	Source ^a	Date of Completion	Measuring Point Elevation ^b (ft)	Northing (ft)	Easting (ft)	Total Depth of Boring (ft bgs)	Measured Depth of Well (ft from TOC)	Surface Completion Type	Casing Diameter (in.)	Screen Interval (ft bgs)	Top of Sand Pack (ft bgs)
MW-1	SH&B/B&R	08/12/92	3,547.65	-36.2	-661.8	53.5	55.04	Stickup	2	43.5-53.5	41.0
MW-2	SH&B/B&R	09/01/92	3,546.28	-2.8	-552.0	50.0	52.31	Stickup	2	40-50	38.0
MW-3	SH&B/B&R	08/28/92	3,548.99	-174.5	-619.3	48.5	50.00	Flush Mount	2	38.5-48.5	35.5
MW-3 P&A	CMB	01/08/00	--	--	--	--	--	--	--	--	--
MW-4	Eades/DBS&A	11/29/94	3,548.29	-322.5	-664.2	80.0	58.25	Flush Mount	2	43.5-58.5	41.0
MW-5	Eades/DBS&A	11/29/94	3,543.60	52.4	-642.0	59.6	59.75	Flush Mount	2	44.6-59.6	41.0
MW-6	Eades/DBS&A	11/28/94	3,543.33	132.1	-834.3	61.0	61.20	Flush Mount	2	46-61	42.5
MW-7	Eades/DBS&A	11/21/94	3,542.00	129.5	-470.6	56.0	54.88	Flush Mount	2	40-55	37.0
MW-8	Eades/DBS&A	11/20/94	3,541.49	195.3	-639.1	59.0	59.20	Flush Mount	2	44-59	42.0
MW-14	Eades/DBS&A	09/11/95	3,539.73	353.3	-671.4	61.0	60.25	Flush Mount	2	45.5-60.5	43.0
MW-15	Eades/DBS&A	09/12/95	3,542.82	-84.1	-345.5	60.5	57.85	Flush Mount	2	43-58	40.5
MW-16	Eades/DBS&A	09/12/95	3,545.68	-76.1	-930.0	61.0	60.02	Flush Mount	2	45-60	42.0
MW-17	Atkins/CES	10/28/04	3,538.60	487.6	-699.1	75.0	74.83	Flush Mount	2	44-74	42.0
SVE-1A	Eades/DBS&A	11/18/94	3,545.59	-73.0	-616.0	53.0	52.63	Flush Mount	2	42.5-52.5	41.2
SVE-1B	Eades/DBS&A	11/18/94	3,545.61	-73.0	-616.0	37.5	NA	Flush Mount	2	21-36	18.3
RW-1	GPI/CES	09/07/00	3,545.97	-4.6	-507.7	60.2	62.36	Stickup	4.5	Open hole 43-60.2	None
RW-2	GPI/CES	09/08/00	3,546.26	-3.1	-536.5	60.4	62.45	Stickup	4.5	Open hole 43-60.4	None
RW-3	GPI/CES	09/09/00	3,546.41	-3.1	-566.3	60.0	61.65	Stickup	4.5	Open hole 43-60	None
RW-4	GPI/CES	09/10/00	3,546.96	-2.9	-597.4	60.0	62.10	Stickup	4.5	Open hole 43-60	None
RW-5	GPI/CES	09/11/00	3,546.75	-3.9	-627.0	60.0	62.35	Stickup	4.5	Open hole 43-60	None
RW-6	GPI/CES	09/12/00	3,546.69	-4.0	-656.5	60.0	62.12	Stickup	4.5	Open hole 43-60	None
RW-7	GPI/CES	09/13/00	3,547.50	-3.7	-687.2	60.2	62.52	Stickup	4.5	Open hole 43-60.2	None
RW-8	GPI/CES	09/14/00	3,547.04	-4.2	-716.3	60.1	62.17	Stickup	4.5	Open hole 43-60.1	None
RW-9	GPI/CES	09/20/00	3,545.84	-54.9	-690.0	60.2	59.98	Stickup	4.5	Open hole 43-60.2	None

**Table 7. Summary of Completion Details for Soil Borings Completed as Wells
TW WT-1 Station Engine Room Pit Area**

Well ID	Source ^a	Date of Completion	Measuring Point Elevation ^b (ft)	Northing (ft)	Easting (ft)	Total Depth of Boring (ft bgs)	Measured Depth of Well (ft from TOC)	Surface Completion Type	Casing Diameter (in.)	Screen Interval (ft bgs)	Top of Sand Pack (ft bgs)
RW-10	GPI/CES	09/21/00	3,546.32	-107.0	-661.4	60.1	59.90	Stickup	4.5	Open hole 43-60.1	None
RW-11	GPI/CES	09/22/00	3,545.74	-107.8	-568.2	60.2	59.97	Stickup	4.5	Open hole 43-60.2	None
RW-12	GPI/CES	09/23/00	3,544.43	-55.4	-541.4	60.2	60.09	Stickup	4.5	Open hole 43-60.2	None

NOTES:

- (a) Driller/Consultant
- (b) Survey by John W. West Engineering
- (c) Survey by Cypress Engineering (GAF) on November 4, 2004 for well MW-17

**Table 8. Monitor Well Sampling Locations, Frequency, and Sample Analysis Plan
TW WT-1 Station Engine Room Pit Area**

Well ID	Analytical Requirements		1,1-DCA (ppb) Latest Result	Comments
	1st Semiannual Event	2nd Semiannual Event		
MW-1	VOC's	VOC's & Inorganics	600	
MW-2	na	na	na	Well contains PSH
MW-3	na	na	na	Well abandoned
MW-4	VOC's	VOC's & Inorganics	< 2	
MW-5	VOC's	VOC's & Inorganics	80	
MW-6	VOC's	VOC's & Inorganics	4.1	
MW-7	VOC's	VOC's & Inorganics	33	
MW-8	VOC's	VOC's & Inorganics	68	
MW-14	VOC's	VOC's & Inorganics	18	
MW-15	VOC's	VOC's & Inorganics	1.7	
MW-16	VOC's	VOC's & Inorganics	< 1	
MW-17	VOC's	VOC's & Inorganics	< 1	
SVE-1A	VOC's	VOC's & Inorganics	96	
Notes: 1) VOC's by 8260 2) Inorganics include TDS, Cl, NO2/NO3 as N, As, Ba, Fe & Mn 3) "Comments" are provided for wells that will not be sampled during one or more events				

COVER LETTER

Tuesday, July 03, 2007

George Robinson
Cypress Engineering
7171 Highway 6 North
Suite 102
Houston, TX 770952422

TEL: (281) 797-3420

FAX (281) 859-1881

RE: TWP WT-1 ERP

Order No.: 0706352

Dear George Robinson:


Hall Environmental Analysis Laboratory, Inc. received 13 sample(s) on 6/23/2007 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent.

Reporting limits are determined by EPA methodology. No determination of compounds below these (denoted by the ND or < sign) has been made.

Please don't hesitate to contact HEAL for any additional information or clarifications.

Sincerely,



Andy Freeman, Business Manager

Nancy McDuffie, Laboratory Manager

NM Lab # NM9425

AZ license # AZ0682

ORELAP Lab # NM100001



Hall Environmental Analysis Laboratory, Inc.

Date: 03-Jul-07

CLIENT: Cypress Engineering
Lab Order: 0706352
Project: TWP WT- I ERP
Lab ID: 0706352-01

Client Sample ID: MW-1
Collection Date: 6/21/2007 7:20:00 PM
Date Received: 6/23/2007
Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8260B: VOLATILES						Analyst: SMP
Benzene	25	1.0		µg/L	1	6/27/2007 1:48:02 PM
Toluene	66	1.0		µg/L	1	6/27/2007 1:48:02 PM
Ethylbenzene	16	1.0		µg/L	1	6/27/2007 1:48:02 PM
Methyl tert-butyl ether (MTBE)	ND	1.0		µg/L	1	6/27/2007 1:48:02 PM
1,2,4-Trimethylbenzene	51	1.0		µg/L	1	6/27/2007 1:48:02 PM
1,3,5-Trimethylbenzene	21	1.0		µg/L	1	6/27/2007 1:48:02 PM
1,2-Dichloroethane (EDC)	3.1	1.0		µg/L	1	6/27/2007 1:48:02 PM
1,2-Dibromoethane (EDB)	ND	1.0		µg/L	1	6/27/2007 1:48:02 PM
Naphthalene	22	2.0		µg/L	1	6/27/2007 1:48:02 PM
1-Methylnaphthalene	6.9	4.0		µg/L	1	6/27/2007 1:48:02 PM
2-Methylnaphthalene	9.6	4.0		µg/L	1	6/27/2007 1:48:02 PM
Acetone	290	100		µg/L	10	6/26/2007 11:47:27 PM
Bromobenzene	ND	1.0		µg/L	1	6/27/2007 1:48:02 PM
Bromochloromethane	ND	1.0		µg/L	1	6/27/2007 1:48:02 PM
Bromodichloromethane	ND	1.0		µg/L	1	6/27/2007 1:48:02 PM
Bromoform	ND	1.0		µg/L	1	6/27/2007 1:48:02 PM
Bromomethane	ND	1.0		µg/L	1	6/27/2007 1:48:02 PM
2-Butanone	54	10		µg/L	1	6/27/2007 1:48:02 PM
Carbon disulfide	ND	10		µg/L	1	6/27/2007 1:48:02 PM
Carbon Tetrachloride	ND	1.0		µg/L	1	6/27/2007 1:48:02 PM
Chlorobenzene	ND	1.0		µg/L	1	6/27/2007 1:48:02 PM
Chloroethane	3.1	2.0		µg/L	1	6/27/2007 1:48:02 PM
Chloroform	ND	1.0		µg/L	1	6/27/2007 1:48:02 PM
Chloromethane	ND	1.0		µg/L	1	6/27/2007 1:48:02 PM
2-Chlorotoluene	1.3	1.0		µg/L	1	6/27/2007 1:48:02 PM
4-Chlorotoluene	ND	1.0		µg/L	1	6/27/2007 1:48:02 PM
cis-1,2-DCE	5.6	1.0		µg/L	1	6/27/2007 1:48:02 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	6/27/2007 1:48:02 PM
1,2-Dibromo-3-chloropropane	ND	2.0		µg/L	1	6/27/2007 1:48:02 PM
Dibromochloromethane	ND	1.0		µg/L	1	6/27/2007 1:48:02 PM
Dibromomethane	ND	1.0		µg/L	1	6/27/2007 1:48:02 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	6/27/2007 1:48:02 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	6/27/2007 1:48:02 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	6/27/2007 1:48:02 PM
Dichlorodifluoromethane	ND	1.0		µg/L	1	6/27/2007 1:48:02 PM
1,1-Dichloroethane	350	10		µg/L	10	6/26/2007 11:47:27 PM
1,1-Dichloroethene	4.9	1.0		µg/L	1	6/27/2007 1:48:02 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	6/27/2007 1:48:02 PM
1,3-Dichloropropane	ND	1.0		µg/L	1	6/27/2007 1:48:02 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	6/27/2007 1:48:02 PM
1,1-Dichloropropene	ND	1.0		µg/L	1	6/27/2007 1:48:02 PM

Qualifiers: * Value exceeds Maximum Contaminant Level
E Value above quantitation range
J Analyte detected below quantitation limits
ND Not Detected at the Reporting Limit
S Spike recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
MCL Maximum Contaminant Level
RL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 03-Jul-07

CLIENT: Cypress Engineering
Lab Order: 0706352
Project: TWP WT- 1 ERP
Lab ID: 0706352-01

Client Sample ID: MW-1
Collection Date: 6/21/2007 7:20:00 PM
Date Received: 6/23/2007
Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8260B: VOLATILES						Analyst: SMP
Hexachlorobutadiene	ND	1.0		µg/L	1	6/27/2007 1:48:02 PM
2-Hexanone	ND	10		µg/L	1	6/27/2007 1:48:02 PM
Isopropylbenzene	2.9	1.0		µg/L	1	6/27/2007 1:48:02 PM
4-Isopropyltoluene	1.7	1.0		µg/L	1	6/27/2007 1:48:02 PM
4-Methyl-2-pentanone	1400	100		µg/L	10	6/26/2007 11:47:27 PM
Methylene Chloride	9.0	3.0		µg/L	1	6/27/2007 1:48:02 PM
n-Butylbenzene	2.4	1.0		µg/L	1	6/27/2007 1:48:02 PM
n-Propylbenzene	4.1	1.0		µg/L	1	6/27/2007 1:48:02 PM
sec-Butylbenzene	ND	1.0		µg/L	1	6/27/2007 1:48:02 PM
Styrene	ND	1.0		µg/L	1	6/27/2007 1:48:02 PM
tert-Butylbenzene	ND	1.0		µg/L	1	6/27/2007 1:48:02 PM
1,1,1,2-Tetrachloroethane	ND	1.0		µg/L	1	6/27/2007 1:48:02 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	6/27/2007 1:48:02 PM
Tetrachloroethene (PCE)	42	1.0		µg/L	1	6/27/2007 1:48:02 PM
trans-1,2-DCE	ND	1.0		µg/L	1	6/27/2007 1:48:02 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	6/27/2007 1:48:02 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	6/27/2007 1:48:02 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	6/27/2007 1:48:02 PM
1,1,1-Trichloroethane	31	1.0		µg/L	1	6/27/2007 1:48:02 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	6/27/2007 1:48:02 PM
Trichloroethene (TCE)	41	1.0		µg/L	1	6/27/2007 1:48:02 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	6/27/2007 1:48:02 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	6/27/2007 1:48:02 PM
Vinyl chloride	1.6	1.0		µg/L	1	6/27/2007 1:48:02 PM
Xylenes, Total	92	1.5		µg/L	1	6/27/2007 1:48:02 PM
Surr: 1,2-Dichloroethane-d4	99.6	68.1-123		%REC	1	6/27/2007 1:48:02 PM
Surr: 4-Bromofluorobenzene	103	53.2-145		%REC	1	6/27/2007 1:48:02 PM
Surr: Dibromofluoromethane	107	68.5-119		%REC	1	6/27/2007 1:48:02 PM
Surr: Toluene-d8	95.8	64-131		%REC	1	6/27/2007 1:48:02 PM

Qualifiers:

- * Value exceeds Maximum Contaminant Level
- E Value above quantitation range
- J Analyte detected below quantitation limits
- ND Not Detected at the Reporting Limit
- S Spike recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- MCL Maximum Contaminant Level
- RL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 03-Jul-07

CLIENT: Cypress Engineering
Lab Order: 0706352
Project: TWP WT- 1 ERP
Lab ID: 0706352-02

Client Sample ID: MW-5
Collection Date: 6/21/2007 7:30:00 PM
Date Received: 6/23/2007
Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8260B: VOLATILES						Analyst: SMP
Benzene	15	1.0		µg/L	1	6/27/2007 2:21:28 PM
Toluene	5.7	1.0		µg/L	1	6/27/2007 2:21:28 PM
Ethylbenzene	5.6	1.0		µg/L	1	6/27/2007 2:21:28 PM
Methyl tert-butyl ether (MTBE)	ND	1.0		µg/L	1	6/27/2007 2:21:28 PM
1,2,4-Trimethylbenzene	12	1.0		µg/L	1	6/27/2007 2:21:28 PM
1,3,5-Trimethylbenzene	5.7	1.0		µg/L	1	6/27/2007 2:21:28 PM
1,2-Dichloroethane (EDC)	1.3	1.0		µg/L	1	6/27/2007 2:21:28 PM
1,2-Dibromoethane (EDB)	ND	1.0		µg/L	1	6/27/2007 2:21:28 PM
Naphthalene	9.7	2.0		µg/L	1	6/27/2007 2:21:28 PM
1-Methylnaphthalene	ND	4.0		µg/L	1	6/27/2007 2:21:28 PM
2-Methylnaphthalene	ND	4.0		µg/L	1	6/27/2007 2:21:28 PM
Acetone	ND	10		µg/L	1	6/27/2007 2:21:28 PM
Bromobenzene	ND	1.0		µg/L	1	6/27/2007 2:21:28 PM
Bromochloromethane	ND	1.0		µg/L	1	6/27/2007 2:21:28 PM
Bromodichloromethane	ND	1.0		µg/L	1	6/27/2007 2:21:28 PM
Bromoform	ND	1.0		µg/L	1	6/27/2007 2:21:28 PM
Bromomethane	ND	1.0		µg/L	1	6/27/2007 2:21:28 PM
2-Butanone	ND	10		µg/L	1	6/27/2007 2:21:28 PM
Carbon disulfide	ND	10		µg/L	1	6/27/2007 2:21:28 PM
Carbon Tetrachloride	ND	1.0		µg/L	1	6/27/2007 2:21:28 PM
Chlorobenzene	ND	1.0		µg/L	1	6/27/2007 2:21:28 PM
Chloroethane	2.7	2.0		µg/L	1	6/27/2007 2:21:28 PM
Chloroform	ND	1.0		µg/L	1	6/27/2007 2:21:28 PM
Chloromethane	ND	1.0		µg/L	1	6/27/2007 2:21:28 PM
2-Chlorotoluene	ND	1.0		µg/L	1	6/27/2007 2:21:28 PM
4-Chlorotoluene	ND	1.0		µg/L	1	6/27/2007 2:21:28 PM
cis-1,2-DCE	36	1.0		µg/L	1	6/27/2007 2:21:28 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	6/27/2007 2:21:28 PM
1,2-Dibromo-3-chloropropane	ND	2.0		µg/L	1	6/27/2007 2:21:28 PM
Dibromochloromethane	ND	1.0		µg/L	1	6/27/2007 2:21:28 PM
Dibromomethane	ND	1.0		µg/L	1	6/27/2007 2:21:28 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	6/27/2007 2:21:28 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	6/27/2007 2:21:28 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	6/27/2007 2:21:28 PM
Dichlorodifluoromethane	ND	1.0		µg/L	1	6/27/2007 2:21:28 PM
1,1-Dichloroethane	73	1.0		µg/L	1	6/27/2007 2:21:28 PM
1,1-Dichloroethene	2.6	1.0		µg/L	1	6/27/2007 2:21:28 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	6/27/2007 2:21:28 PM
1,3-Dichloropropane	ND	1.0		µg/L	1	6/27/2007 2:21:28 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	6/27/2007 2:21:28 PM
1,1-Dichloropropene	ND	1.0		µg/L	1	6/27/2007 2:21:28 PM

Qualifiers: * Value exceeds Maximum Contaminant Level
E Value above quantitation range
J Analyte detected below quantitation limits
ND Not Detected at the Reporting Limit
S Spike recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
MCL Maximum Contaminant Level
RL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 03-Jul-07

CLIENT: Cypress Engineering
Lab Order: 0706352
Project: TWP WT- I ERP
Lab ID: 0706352-02

Client Sample ID: MW-5
Collection Date: 6/21/2007 7:30:00 PM
Date Received: 6/23/2007
Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8260B: VOLATILES						Analyst: SMP
Hexachlorobutadiene	ND	1.0		µg/L	1	6/27/2007 2:21:28 PM
2-Hexanone	ND	10		µg/L	1	6/27/2007 2:21:28 PM
Isopropylbenzene	ND	1.0		µg/L	1	6/27/2007 2:21:28 PM
4-Isopropyltoluene	1.4	1.0		µg/L	1	6/27/2007 2:21:28 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	6/27/2007 2:21:28 PM
Methylene Chloride	ND	3.0		µg/L	1	6/27/2007 2:21:28 PM
n-Butylbenzene	ND	1.0		µg/L	1	6/27/2007 2:21:28 PM
n-Propylbenzene	ND	1.0		µg/L	1	6/27/2007 2:21:28 PM
sec-Butylbenzene	ND	1.0		µg/L	1	6/27/2007 2:21:28 PM
Styrene	ND	1.0		µg/L	1	6/27/2007 2:21:28 PM
tert-Butylbenzene	ND	1.0		µg/L	1	6/27/2007 2:21:28 PM
1,1,1,2-Tetrachloroethane	ND	1.0		µg/L	1	6/27/2007 2:21:28 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	6/27/2007 2:21:28 PM
Tetrachloroethene (PCE)	1.8	1.0		µg/L	1	6/27/2007 2:21:28 PM
trans-1,2-DCE	ND	1.0		µg/L	1	6/27/2007 2:21:28 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	6/27/2007 2:21:28 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	6/27/2007 2:21:28 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	6/27/2007 2:21:28 PM
1,1,1-Trichloroethane	1.1	1.0		µg/L	1	6/27/2007 2:21:28 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	6/27/2007 2:21:28 PM
Trichloroethene (TCE)	43	1.0		µg/L	1	6/27/2007 2:21:28 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	6/27/2007 2:21:28 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	6/27/2007 2:21:28 PM
Vinyl chloride	ND	1.0		µg/L	1	6/27/2007 2:21:28 PM
Xylenes, Total	12	1.5		µg/L	1	6/27/2007 2:21:28 PM
Surr: 1,2-Dichloroethane-d4	98.2	68.1-123		%REC	1	6/27/2007 2:21:28 PM
Surr: 4-Bromofluorobenzene	96.0	53.2-145		%REC	1	6/27/2007 2:21:28 PM
Surr: Dibromofluoromethane	104	68.5-119		%REC	1	6/27/2007 2:21:28 PM
Surr: Toluene-d8	104	64-131		%REC	1	6/27/2007 2:21:28 PM

Qualifiers:
* Value exceeds Maximum Contaminant Level
E Value above quantitation range
J Analyte detected below quantitation limits
ND Not Detected at the Reporting Limit
S Spike recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
MCL Maximum Contaminant Level
RL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 03-Jul-07

CLIENT: Cypress Engineering

Client Sample ID: SVE-1A

Lab Order: 0706352

Collection Date: 6/21/2007 6:50:00 PM

Project: TWP WT- 1 ERP

Date Received: 6/23/2007

Lab ID: 0706352-03

Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8260B: VOLATILES						Analyst: SMP
Benzene	72	1.0		µg/L	1	6/27/2007 2:54:56 PM
Toluene	12	1.0		µg/L	1	6/27/2007 2:54:56 PM
Ethylbenzene	28	1.0		µg/L	1	6/27/2007 2:54:56 PM
Methyl tert-butyl ether (MTBE)	ND	1.0		µg/L	1	6/27/2007 2:54:56 PM
1,2,4-Trimethylbenzene	46	1.0		µg/L	1	6/27/2007 2:54:56 PM
1,3,5-Trimethylbenzene	35	1.0		µg/L	1	6/27/2007 2:54:56 PM
1,2-Dichloroethane (EDC)	1.4	1.0		µg/L	1	6/27/2007 2:54:56 PM
1,2-Dibromoethane (EDB)	ND	1.0		µg/L	1	6/27/2007 2:54:56 PM
Naphthalene	21	2.0		µg/L	1	6/27/2007 2:54:56 PM
1-Methylnaphthalene	6.8	4.0		µg/L	1	6/27/2007 2:54:56 PM
2-Methylnaphthalene	8.5	4.0		µg/L	1	6/27/2007 2:54:56 PM
Acetone	ND	10		µg/L	1	6/27/2007 2:54:56 PM
Bromobenzene	ND	1.0		µg/L	1	6/27/2007 2:54:56 PM
Bromochloromethane	ND	1.0		µg/L	1	6/27/2007 2:54:56 PM
Bromodichloromethane	ND	1.0		µg/L	1	6/27/2007 2:54:56 PM
Bromoform	ND	1.0		µg/L	1	6/27/2007 2:54:56 PM
Bromomethane	ND	1.0		µg/L	1	6/27/2007 2:54:56 PM
2-Butanone	ND	10		µg/L	1	6/27/2007 2:54:56 PM
Carbon disulfide	ND	10		µg/L	1	6/27/2007 2:54:56 PM
Carbon Tetrachloride	ND	1.0		µg/L	1	6/27/2007 2:54:56 PM
Chlorobenzene	ND	1.0		µg/L	1	6/27/2007 2:54:56 PM
Chloroethane	8.0	2.0		µg/L	1	6/27/2007 2:54:56 PM
Chloroform	ND	1.0		µg/L	1	6/27/2007 2:54:56 PM
Chloromethane	ND	1.0		µg/L	1	6/27/2007 2:54:56 PM
2-Chlorotoluene	ND	1.0		µg/L	1	6/27/2007 2:54:56 PM
4-Chlorotoluene	ND	1.0		µg/L	1	6/27/2007 2:54:56 PM
cis-1,2-DCE	59	1.0		µg/L	1	6/27/2007 2:54:56 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	6/27/2007 2:54:56 PM
1,2-Dibromo-3-chloropropane	ND	2.0		µg/L	1	6/27/2007 2:54:56 PM
Dibromochloromethane	ND	1.0		µg/L	1	6/27/2007 2:54:56 PM
Dibromomethane	ND	1.0		µg/L	1	6/27/2007 2:54:56 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	6/27/2007 2:54:56 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	6/27/2007 2:54:56 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	6/27/2007 2:54:56 PM
Dichlorodifluoromethane	ND	1.0		µg/L	1	6/27/2007 2:54:56 PM
1,1-Dichloroethane	240	5.0		µg/L	5	6/27/2007 12:54:07 AM
1,1-Dichloroethene	9.2	1.0		µg/L	1	6/27/2007 2:54:56 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	6/27/2007 2:54:56 PM
1,3-Dichloropropane	ND	1.0		µg/L	1	6/27/2007 2:54:56 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	6/27/2007 2:54:56 PM
1,1-Dichloropropene	ND	1.0		µg/L	1	6/27/2007 2:54:56 PM

Qualifiers:

- * Value exceeds Maximum Contaminant Level
- E Value above quantitation range
- J Analyte detected below quantitation limits
- ND Not Detected at the Reporting Limit
- S Spike recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- MCL Maximum Contaminant Level
- RL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 03-Jul-07

CLIENT: Cypress Engineering

Client Sample ID: SVE-1A

Lab Order: 0706352

Collection Date: 6/21/2007 6:50:00 PM

Project: TWP WT- 1 ERP

Date Received: 6/23/2007

Lab ID: 0706352-03

Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8260B: VOLATILES						Analyst: SMP
Hexachlorobutadiene	ND	1.0		µg/L	1	6/27/2007 2:54:56 PM
2-Hexanone	ND	10		µg/L	1	6/27/2007 2:54:56 PM
Isopropylbenzene	4.3	1.0		µg/L	1	6/27/2007 2:54:56 PM
4-Isopropyltoluene	2.1	1.0		µg/L	1	6/27/2007 2:54:56 PM
4-Methyl-2-pentanone	58	10		µg/L	1	6/27/2007 2:54:56 PM
Methylene Chloride	ND	3.0		µg/L	1	6/27/2007 2:54:56 PM
n-Butylbenzene	3.1	1.0		µg/L	1	6/27/2007 2:54:56 PM
n-Propylbenzene	5.2	1.0		µg/L	1	6/27/2007 2:54:56 PM
sec-Butylbenzene	ND	1.0		µg/L	1	6/27/2007 2:54:56 PM
Styrene	ND	1.0		µg/L	1	6/27/2007 2:54:56 PM
tert-Butylbenzene	ND	1.0		µg/L	1	6/27/2007 2:54:56 PM
1,1,1,2-Tetrachloroethane	ND	1.0		µg/L	1	6/27/2007 2:54:56 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	6/27/2007 2:54:56 PM
Tetrachloroethene (PCE)	7.9	1.0		µg/L	1	6/27/2007 2:54:56 PM
trans-1,2-DCE	ND	1.0		µg/L	1	6/27/2007 2:54:56 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	6/27/2007 2:54:56 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	6/27/2007 2:54:56 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	6/27/2007 2:54:56 PM
1,1,1-Trichloroethane	21	1.0		µg/L	1	6/27/2007 2:54:56 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	6/27/2007 2:54:56 PM
Trichloroethene (TCE)	42	1.0		µg/L	1	6/27/2007 2:54:56 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	6/27/2007 2:54:56 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	6/27/2007 2:54:56 PM
Vinyl chloride	1.1	1.0		µg/L	1	6/27/2007 2:54:56 PM
Xylenes, Total	56	1.5		µg/L	1	6/27/2007 2:54:56 PM
Surr: 1,2-Dichloroethane-d4	102	68.1-123		%REC	1	6/27/2007 2:54:56 PM
Surr: 4-Bromofluorobenzene	98.0	53.2-145		%REC	1	6/27/2007 2:54:56 PM
Surr: Dibromofluoromethane	106	68.5-119		%REC	1	6/27/2007 2:54:56 PM
Surr: Toluene-d8	102	64-131		%REC	1	6/27/2007 2:54:56 PM

Qualifiers:

- * Value exceeds Maximum Contaminant Level
- E Value above quantitation range
- J Analyte detected below quantitation limits
- ND Not Detected at the Reporting Limit
- S Spike recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank

H Holding times for preparation or analysis exceeded

MCL Maximum Contaminant Level

RL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 03-Jul-07

CLIENT: Cypress Engineering
Lab Order: 0706352
Project: TWP WT- 1 ERP
Lab ID: 0706352-04

Client Sample ID: MW-7
Collection Date: 6/21/2007 3:15:00 PM
Date Received: 6/23/2007
Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8260B: VOLATILES						Analyst: BDH
Benzene	ND	1.0		µg/L	1	6/27/2007 1:27:27 AM
Toluene	ND	1.0		µg/L	1	6/27/2007 1:27:27 AM
Ethylbenzene	ND	1.0		µg/L	1	6/27/2007 1:27:27 AM
Methyl tert-butyl ether (MTBE)	ND	1.0		µg/L	1	6/27/2007 1:27:27 AM
1,2,4-Trimethylbenzene	ND	1.0		µg/L	1	6/27/2007 1:27:27 AM
1,3,5-Trimethylbenzene	ND	1.0		µg/L	1	6/27/2007 1:27:27 AM
1,2-Dichloroethane (EDC)	ND	1.0		µg/L	1	6/27/2007 1:27:27 AM
1,2-Dibromoethane (EDB)	ND	1.0		µg/L	1	6/27/2007 1:27:27 AM
Naphthalene	ND	2.0		µg/L	1	6/27/2007 1:27:27 AM
1-Methylnaphthalene	ND	4.0		µg/L	1	6/27/2007 1:27:27 AM
2-Methylnaphthalene	ND	4.0		µg/L	1	6/27/2007 1:27:27 AM
Acetone	ND	10		µg/L	1	6/27/2007 1:27:27 AM
Bromobenzene	ND	1.0		µg/L	1	6/27/2007 1:27:27 AM
Bromochloromethane	ND	1.0		µg/L	1	6/27/2007 1:27:27 AM
Bromodichloromethane	ND	1.0		µg/L	1	6/27/2007 1:27:27 AM
Bromoform	ND	1.0		µg/L	1	6/27/2007 1:27:27 AM
Bromomethane	ND	1.0		µg/L	1	6/27/2007 1:27:27 AM
2-Butanone	ND	10		µg/L	1	6/27/2007 1:27:27 AM
Carbon disulfide	ND	10		µg/L	1	6/27/2007 1:27:27 AM
Carbon Tetrachloride	ND	1.0		µg/L	1	6/27/2007 1:27:27 AM
Chlorobenzene	ND	1.0		µg/L	1	6/27/2007 1:27:27 AM
Chloroethane	ND	2.0		µg/L	1	6/27/2007 1:27:27 AM
Chloroform	ND	1.0		µg/L	1	6/27/2007 1:27:27 AM
Chloromethane	ND	1.0		µg/L	1	6/27/2007 1:27:27 AM
2-Chlorotoluene	ND	1.0		µg/L	1	6/27/2007 1:27:27 AM
4-Chlorotoluene	ND	1.0		µg/L	1	6/27/2007 1:27:27 AM
cis-1,2-DCE	36	1.0		µg/L	1	6/27/2007 1:27:27 AM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	6/27/2007 1:27:27 AM
1,2-Dibromo-3-chloropropane	ND	2.0		µg/L	1	6/27/2007 1:27:27 AM
Dibromochloromethane	ND	1.0		µg/L	1	6/27/2007 1:27:27 AM
Dibromomethane	ND	1.0		µg/L	1	6/27/2007 1:27:27 AM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	6/27/2007 1:27:27 AM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	6/27/2007 1:27:27 AM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	6/27/2007 1:27:27 AM
Dichlorodifluoromethane	ND	1.0		µg/L	1	6/27/2007 1:27:27 AM
1,1-Dichloroethane	30	1.0		µg/L	1	6/27/2007 1:27:27 AM
1,1-Dichloroethene	1.4	1.0		µg/L	1	6/27/2007 1:27:27 AM
1,2-Dichloropropane	ND	1.0		µg/L	1	6/27/2007 1:27:27 AM
1,3-Dichloropropane	ND	1.0		µg/L	1	6/27/2007 1:27:27 AM
2,2-Dichloropropane	ND	2.0		µg/L	1	6/27/2007 1:27:27 AM
1,1-Dichloropropene	ND	1.0		µg/L	1	6/27/2007 1:27:27 AM

Qualifiers:
* Value exceeds Maximum Contaminant Level
E Value above quantitation range
J Analyte detected below quantitation limits
ND Not Detected at the Reporting Limit
S Spike recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
MCL Maximum Contaminant Level
RL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 03-Jul-07

CLIENT: Cypress Engineering
Lab Order: 0706352
Project: TWP WT- 1 ERP
Lab ID: 0706352-04

Client Sample ID: MW-7
Collection Date: 6/21/2007 3:15:00 PM
Date Received: 6/23/2007
Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8260B: VOLATILES						Analyst: BDH
Hexachlorobutadiene	ND	1.0		µg/L	1	6/27/2007 1:27:27 AM
2-Hexanone	ND	10		µg/L	1	6/27/2007 1:27:27 AM
Isopropylbenzene	ND	1.0		µg/L	1	6/27/2007 1:27:27 AM
4-Isopropyltoluene	ND	1.0		µg/L	1	6/27/2007 1:27:27 AM
4-Methyl-2-pentanone	ND	10		µg/L	1	6/27/2007 1:27:27 AM
Methylene Chloride	ND	3.0		µg/L	1	6/27/2007 1:27:27 AM
n-Butylbenzene	ND	1.0		µg/L	1	6/27/2007 1:27:27 AM
n-Propylbenzene	ND	1.0		µg/L	1	6/27/2007 1:27:27 AM
sec-Butylbenzene	ND	1.0		µg/L	1	6/27/2007 1:27:27 AM
Styrene	ND	1.0		µg/L	1	6/27/2007 1:27:27 AM
tert-Butylbenzene	ND	1.0		µg/L	1	6/27/2007 1:27:27 AM
1,1,1,2-Tetrachloroethane	ND	1.0		µg/L	1	6/27/2007 1:27:27 AM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	6/27/2007 1:27:27 AM
Tetrachloroethene (PCE)	ND	1.0		µg/L	1	6/27/2007 1:27:27 AM
trans-1,2-DCE	ND	1.0		µg/L	1	6/27/2007 1:27:27 AM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	6/27/2007 1:27:27 AM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	6/27/2007 1:27:27 AM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	6/27/2007 1:27:27 AM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	6/27/2007 1:27:27 AM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	6/27/2007 1:27:27 AM
Trichloroethene (TCE)	10	1.0		µg/L	1	6/27/2007 1:27:27 AM
Trichlorofluoromethane	ND	1.0		µg/L	1	6/27/2007 1:27:27 AM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	6/27/2007 1:27:27 AM
Vinyl chloride	ND	1.0		µg/L	1	6/27/2007 1:27:27 AM
Xylenes, Total	ND	1.5		µg/L	1	6/27/2007 1:27:27 AM
Surr: 1,2-Dichloroethane-d4	102	68.1-123		%REC	1	6/27/2007 1:27:27 AM
Surr: 4-Bromofluorobenzene	98.6	53.2-145		%REC	1	6/27/2007 1:27:27 AM
Surr: Dibromofluoromethane	105	68.5-119		%REC	1	6/27/2007 1:27:27 AM
Surr: Toluene-d8	104	64-131		%REC	1	6/27/2007 1:27:27 AM

Qualifiers: * Value exceeds Maximum Contaminant Level
E Value above quantitation range
J Analyte detected below quantitation limits
ND Not Detected at the Reporting Limit
S Spike recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
MCL Maximum Contaminant Level
RL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 03-Jul-07

CLIENT: Cypress Engineering
Lab Order: 0706352
Project: TWP WT- 1 ERP
Lab ID: 0706352-05

Client Sample ID: MW-24
Collection Date: 6/21/2007 1:10:00 PM
Date Received: 6/23/2007
Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8260B: VOLATILES						Analyst: SMP
Benzene	2.7	1.0		µg/L	1	6/27/2007 3:28:23 PM
Toluene	ND	1.0		µg/L	1	6/27/2007 3:28:23 PM
Ethylbenzene	ND	1.0		µg/L	1	6/27/2007 3:28:23 PM
Methyl tert-butyl ether (MTBE)	ND	1.0		µg/L	1	6/27/2007 3:28:23 PM
1,2,4-Trimethylbenzene	ND	1.0		µg/L	1	6/27/2007 3:28:23 PM
1,3,5-Trimethylbenzene	ND	1.0		µg/L	1	6/27/2007 3:28:23 PM
1,2-Dichloroethane (EDC)	ND	1.0		µg/L	1	6/27/2007 3:28:23 PM
1,2-Dibromoethane (EDB)	ND	1.0		µg/L	1	6/27/2007 3:28:23 PM
Naphthalene	ND	2.0		µg/L	1	6/27/2007 3:28:23 PM
1-Methylnaphthalene	ND	4.0		µg/L	1	6/27/2007 3:28:23 PM
2-Methylnaphthalene	ND	4.0		µg/L	1	6/27/2007 3:28:23 PM
Acetone	ND	10		µg/L	1	6/27/2007 3:28:23 PM
Bromobenzene	ND	1.0		µg/L	1	6/27/2007 3:28:23 PM
Bromochloromethane	ND	1.0		µg/L	1	6/27/2007 3:28:23 PM
Bromodichloromethane	ND	1.0		µg/L	1	6/27/2007 3:28:23 PM
Bromoform	ND	1.0		µg/L	1	6/27/2007 3:28:23 PM
Bromomethane	ND	1.0		µg/L	1	6/27/2007 3:28:23 PM
2-Butanone	ND	10		µg/L	1	6/27/2007 3:28:23 PM
Carbon disulfide	ND	10		µg/L	1	6/27/2007 3:28:23 PM
Carbon Tetrachloride	ND	1.0		µg/L	1	6/27/2007 3:28:23 PM
Chlorobenzene	ND	1.0		µg/L	1	6/27/2007 3:28:23 PM
Chloroethane	ND	2.0		µg/L	1	6/27/2007 3:28:23 PM
Chloroform	ND	1.0		µg/L	1	6/27/2007 3:28:23 PM
Chloromethane	ND	1.0		µg/L	1	6/27/2007 3:28:23 PM
2-Chlorotoluene	ND	1.0		µg/L	1	6/27/2007 3:28:23 PM
4-Chlorotoluene	ND	1.0		µg/L	1	6/27/2007 3:28:23 PM
cis-1,2-DCE	31	1.0		µg/L	1	6/27/2007 3:28:23 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	6/27/2007 3:28:23 PM
1,2-Dibromo-3-chloropropane	ND	2.0		µg/L	1	6/27/2007 3:28:23 PM
Dibromochloromethane	ND	1.0		µg/L	1	6/27/2007 3:28:23 PM
Dibromomethane	ND	1.0		µg/L	1	6/27/2007 3:28:23 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	6/27/2007 3:28:23 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	6/27/2007 3:28:23 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	6/27/2007 3:28:23 PM
Dichlorodifluoromethane	ND	1.0		µg/L	1	6/27/2007 3:28:23 PM
1,1-Dichloroethane	44	1.0		µg/L	1	6/27/2007 3:28:23 PM
1,1-Dichloroethene	2.3	1.0		µg/L	1	6/27/2007 3:28:23 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	6/27/2007 3:28:23 PM
1,3-Dichloropropane	ND	1.0		µg/L	1	6/27/2007 3:28:23 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	6/27/2007 3:28:23 PM
1,1-Dichloropropene	ND	1.0		µg/L	1	6/27/2007 3:28:23 PM

Qualifiers: * Value exceeds Maximum Contaminant Level
E Value above quantitation range
J Analyte detected below quantitation limits
ND Not Detected at the Reporting Limit
S Spike recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
MCL Maximum Contaminant Level
RL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 03-Jul-07

CLIENT: Cypress Engineering
Lab Order: 0706352
Project: TWP WT- 1 ERP
Lab ID: 0706352-05

Client Sample ID: MW-24
Collection Date: 6/21/2007 1:10:00 PM
Date Received: 6/23/2007
Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8260B: VOLATILES						Analyst: SMP
Hexachlorobutadiene	ND	1.0		µg/L	1	6/27/2007 3:28:23 PM
2-Hexanone	ND	10		µg/L	1	6/27/2007 3:28:23 PM
Isopropylbenzene	ND	1.0		µg/L	1	6/27/2007 3:28:23 PM
4-Isopropyltoluene	ND	1.0		µg/L	1	6/27/2007 3:28:23 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	6/27/2007 3:28:23 PM
Methylene Chloride	ND	3.0		µg/L	1	6/27/2007 3:28:23 PM
n-Butylbenzene	ND	1.0		µg/L	1	6/27/2007 3:28:23 PM
n-Propylbenzene	ND	1.0		µg/L	1	6/27/2007 3:28:23 PM
sec-Butylbenzene	ND	1.0		µg/L	1	6/27/2007 3:28:23 PM
Styrene	ND	1.0		µg/L	1	6/27/2007 3:28:23 PM
tert-Butylbenzene	ND	1.0		µg/L	1	6/27/2007 3:28:23 PM
1,1,1,2-Tetrachloroethane	ND	1.0		µg/L	1	6/27/2007 3:28:23 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	6/27/2007 3:28:23 PM
Tetrachloroethene (PCE)	ND	1.0		µg/L	1	6/27/2007 3:28:23 PM
trans-1,2-DCE	ND	1.0		µg/L	1	6/27/2007 3:28:23 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	6/27/2007 3:28:23 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	6/27/2007 3:28:23 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	6/27/2007 3:28:23 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	6/27/2007 3:28:23 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	6/27/2007 3:28:23 PM
Trichloroethene (TCE)	28	1.0		µg/L	1	6/27/2007 3:28:23 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	6/27/2007 3:28:23 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	6/27/2007 3:28:23 PM
Vinyl chloride	ND	1.0		µg/L	1	6/27/2007 3:28:23 PM
Xylenes, Total	ND	1.5		µg/L	1	6/27/2007 3:28:23 PM
Surr: 1,2-Dichloroethane-d4	97.6	68.1-123		%REC	1	6/27/2007 3:28:23 PM
Surr: 4-Bromofluorobenzene	99.1	53.2-145		%REC	1	6/27/2007 3:28:23 PM
Surr: Dibromofluoromethane	99.7	68.5-119		%REC	1	6/27/2007 3:28:23 PM
Surr: Toluene-d8	105	64-131		%REC	1	6/27/2007 3:28:23 PM

Qualifiers:

- Value exceeds Maximum Contaminant Level
- E Value above quantitation range
- J Analyte detected below quantitation limits
- ND Not Detected at the Reporting Limit
- S Spike recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
MCL Maximum Contaminant Level
RL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 03-Jul-07

CLIENT: Cypress Engineering
Lab Order: 0706352
Project: TWP WT- I ERP
Lab ID: 0706352-06

Client Sample ID: MW-8
Collection Date: 6/21/2007 3:05:00 PM
Date Received: 6/23/2007
Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8260B: VOLATILES						Analyst: BDH
Benzene	2.8	1.0		µg/L	1	6/27/2007 2:34:18 AM
Toluene	ND	1.0		µg/L	1	6/27/2007 2:34:18 AM
Ethylbenzene	ND	1.0		µg/L	1	6/27/2007 2:34:18 AM
Methyl tert-butyl ether (MTBE)	ND	1.0		µg/L	1	6/27/2007 2:34:18 AM
1,2,4-Trimethylbenzene	ND	1.0		µg/L	1	6/27/2007 2:34:18 AM
1,3,5-Trimethylbenzene	ND	1.0		µg/L	1	6/27/2007 2:34:18 AM
1,2-Dichloroethane (EDC)	ND	1.0		µg/L	1	6/27/2007 2:34:18 AM
1,2-Dibromoethane (EDB)	ND	1.0		µg/L	1	6/27/2007 2:34:18 AM
Naphthalene	ND	2.0		µg/L	1	6/27/2007 2:34:18 AM
1-Methylnaphthalene	ND	4.0		µg/L	1	6/27/2007 2:34:18 AM
2-Methylnaphthalene	ND	4.0		µg/L	1	6/27/2007 2:34:18 AM
Acetone	ND	10		µg/L	1	6/27/2007 2:34:18 AM
Bromobenzene	ND	1.0		µg/L	1	6/27/2007 2:34:18 AM
Bromochloromethane	ND	1.0		µg/L	1	6/27/2007 2:34:18 AM
Bromodichloromethane	ND	1.0		µg/L	1	6/27/2007 2:34:18 AM
Bromoform	ND	1.0		µg/L	1	6/27/2007 2:34:18 AM
Bromomethane	ND	1.0		µg/L	1	6/27/2007 2:34:18 AM
2-Butanone	ND	10		µg/L	1	6/27/2007 2:34:18 AM
Carbon disulfide	ND	10		µg/L	1	6/27/2007 2:34:18 AM
Carbon Tetrachloride	ND	1.0		µg/L	1	6/27/2007 2:34:18 AM
Chlorobenzene	ND	1.0		µg/L	1	6/27/2007 2:34:18 AM
Chloroethane	ND	2.0		µg/L	1	6/27/2007 2:34:18 AM
Chloroform	ND	1.0		µg/L	1	6/27/2007 2:34:18 AM
Chloromethane	ND	1.0		µg/L	1	6/27/2007 2:34:18 AM
2-Chlorotoluene	ND	1.0		µg/L	1	6/27/2007 2:34:18 AM
4-Chlorotoluene	ND	1.0		µg/L	1	6/27/2007 2:34:18 AM
cis-1,2-DCE	30	1.0		µg/L	1	6/27/2007 2:34:18 AM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	6/27/2007 2:34:18 AM
1,2-Dibromo-3-chloropropane	ND	2.0		µg/L	1	6/27/2007 2:34:18 AM
Dibromochloromethane	ND	1.0		µg/L	1	6/27/2007 2:34:18 AM
Dibromomethane	ND	1.0		µg/L	1	6/27/2007 2:34:18 AM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	6/27/2007 2:34:18 AM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	6/27/2007 2:34:18 AM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	6/27/2007 2:34:18 AM
Dichlorodifluoromethane	ND	1.0		µg/L	1	6/27/2007 2:34:18 AM
1,1-Dichloroethane	45	1.0		µg/L	1	6/27/2007 2:34:18 AM
1,1-Dichloroethene	2.3	1.0		µg/L	1	6/27/2007 2:34:18 AM
1,2-Dichloropropane	ND	1.0		µg/L	1	6/27/2007 2:34:18 AM
1,3-Dichloropropane	ND	1.0		µg/L	1	6/27/2007 2:34:18 AM
2,2-Dichloropropane	ND	2.0		µg/L	1	6/27/2007 2:34:18 AM
1,1-Dichloropropene	ND	1.0		µg/L	1	6/27/2007 2:34:18 AM

Qualifiers: * Value exceeds Maximum Contaminant Level
E Value above quantitation range
J Analyte detected below quantitation limits
ND Not Detected at the Reporting Limit
S Spike recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
MCL Maximum Contaminant Level
RL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 03-Jul-07

CLIENT: Cypress Engineering
Lab Order: 0706352
Project: TWP WT-1 ERP
Lab ID: 0706352-06

Client Sample ID: MW-8
Collection Date: 6/21/2007 3:05:00 PM
Date Received: 6/23/2007
Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8260B: VOLATILES						Analyst: BDH
Hexachlorobutadiene	ND	1.0		µg/L	1	6/27/2007 2:34:18 AM
2-Hexanone	ND	10		µg/L	1	6/27/2007 2:34:18 AM
Isopropylbenzene	ND	1.0		µg/L	1	6/27/2007 2:34:18 AM
4-Isopropyltoluene	ND	1.0		µg/L	1	6/27/2007 2:34:18 AM
4-Methyl-2-pentanone	ND	10		µg/L	1	6/27/2007 2:34:18 AM
Methylene Chloride	ND	3.0		µg/L	1	6/27/2007 2:34:18 AM
n-Butylbenzene	ND	1.0		µg/L	1	6/27/2007 2:34:18 AM
n-Propylbenzene	ND	1.0		µg/L	1	6/27/2007 2:34:18 AM
sec-Butylbenzene	ND	1.0		µg/L	1	6/27/2007 2:34:18 AM
Styrene	ND	1.0		µg/L	1	6/27/2007 2:34:18 AM
tert-Butylbenzene	ND	1.0		µg/L	1	6/27/2007 2:34:18 AM
1,1,1,2-Tetrachloroethane	ND	1.0		µg/L	1	6/27/2007 2:34:18 AM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	6/27/2007 2:34:18 AM
Tetrachloroethene (PCE)	ND	1.0		µg/L	1	6/27/2007 2:34:18 AM
trans-1,2-DCE	ND	1.0		µg/L	1	6/27/2007 2:34:18 AM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	6/27/2007 2:34:18 AM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	6/27/2007 2:34:18 AM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	6/27/2007 2:34:18 AM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	6/27/2007 2:34:18 AM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	6/27/2007 2:34:18 AM
Trichloroethene (TCE)	29	1.0		µg/L	1	6/27/2007 2:34:18 AM
Trichlorofluoromethane	ND	1.0		µg/L	1	6/27/2007 2:34:18 AM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	6/27/2007 2:34:18 AM
Vinyl chloride	ND	1.0		µg/L	1	6/27/2007 2:34:18 AM
Xylenes, Total	ND	1.5		µg/L	1	6/27/2007 2:34:18 AM
Surr: 1,2-Dichloroethane-d4	101	68.1-123		%REC	1	6/27/2007 2:34:18 AM
Surr: 4-Bromofluorobenzene	98.4	53.2-145		%REC	1	6/27/2007 2:34:18 AM
Surr: Dibromofluoromethane	100	68.5-119		%REC	1	6/27/2007 2:34:18 AM
Surr: Toluene-d8	102	64-131		%REC	1	6/27/2007 2:34:18 AM

Qualifiers: * Value exceeds Maximum Contaminant Level
E Value above quantitation range
J Analyte detected below quantitation limits
ND Not Detected at the Reporting Limit
S Spike recovery outside accepted recovery limits
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
MCL Maximum Contaminant Level
RL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 03-Jul-07

CLIENT: Cypress Engineering
Lab Order: 0706352
Project: TWP WT- 1 ERP
Lab ID: 0706352-07

Client Sample ID: MW-6
Collection Date: 6/21/2007 4:05:00 PM
Date Received: 6/23/2007
Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8260B: VOLATILES						Analyst: BDH
Benzene	ND	1.0		µg/L	1	6/27/2007 3:07:43 AM
Toluene	ND	1.0		µg/L	1	6/27/2007 3:07:43 AM
Ethylbenzene	ND	1.0		µg/L	1	6/27/2007 3:07:43 AM
Methyl tert-butyl ether (MTBE)	ND	1.0		µg/L	1	6/27/2007 3:07:43 AM
1,2,4-Trimethylbenzene	ND	1.0		µg/L	1	6/27/2007 3:07:43 AM
1,3,5-Trimethylbenzene	ND	1.0		µg/L	1	6/27/2007 3:07:43 AM
1,2-Dichloroethane (EDC)	ND	1.0		µg/L	1	6/27/2007 3:07:43 AM
1,2-Dibromoethane (EDB)	ND	1.0		µg/L	1	6/27/2007 3:07:43 AM
Naphthalene	ND	2.0		µg/L	1	6/27/2007 3:07:43 AM
1-Methylnaphthalene	ND	4.0		µg/L	1	6/27/2007 3:07:43 AM
2-Methylnaphthalene	ND	4.0		µg/L	1	6/27/2007 3:07:43 AM
Acetone	ND	10		µg/L	1	6/27/2007 3:07:43 AM
Bromobenzene	ND	1.0		µg/L	1	6/27/2007 3:07:43 AM
Bromochloromethane	ND	1.0		µg/L	1	6/27/2007 3:07:43 AM
Bromodichloromethane	ND	1.0		µg/L	1	6/27/2007 3:07:43 AM
Bromoform	ND	1.0		µg/L	1	6/27/2007 3:07:43 AM
Bromomethane	ND	1.0		µg/L	1	6/27/2007 3:07:43 AM
2-Butanone	ND	10		µg/L	1	6/27/2007 3:07:43 AM
Carbon disulfide	ND	10		µg/L	1	6/27/2007 3:07:43 AM
Carbon Tetrachloride	ND	1.0		µg/L	1	6/27/2007 3:07:43 AM
Chlorobenzene	ND	1.0		µg/L	1	6/27/2007 3:07:43 AM
Chloroethane	ND	2.0		µg/L	1	6/27/2007 3:07:43 AM
Chloroform	ND	1.0		µg/L	1	6/27/2007 3:07:43 AM
Chloromethane	ND	1.0		µg/L	1	6/27/2007 3:07:43 AM
2-Chlorotoluene	ND	1.0		µg/L	1	6/27/2007 3:07:43 AM
4-Chlorotoluene	ND	1.0		µg/L	1	6/27/2007 3:07:43 AM
cis-1,2-DCE	3.5	1.0		µg/L	1	6/27/2007 3:07:43 AM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	6/27/2007 3:07:43 AM
1,2-Dibromo-3-chloropropane	ND	2.0		µg/L	1	6/27/2007 3:07:43 AM
Dibromochloromethane	ND	1.0		µg/L	1	6/27/2007 3:07:43 AM
Dibromomethane	ND	1.0		µg/L	1	6/27/2007 3:07:43 AM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	6/27/2007 3:07:43 AM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	6/27/2007 3:07:43 AM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	6/27/2007 3:07:43 AM
Dichlorodifluoromethane	ND	1.0		µg/L	1	6/27/2007 3:07:43 AM
1,1-Dichloroethane	4.7	1.0		µg/L	1	6/27/2007 3:07:43 AM
1,1-Dichloroethene	ND	1.0		µg/L	1	6/27/2007 3:07:43 AM
1,2-Dichloropropane	ND	1.0		µg/L	1	6/27/2007 3:07:43 AM
1,3-Dichloropropane	ND	1.0		µg/L	1	6/27/2007 3:07:43 AM
2,2-Dichloropropane	ND	2.0		µg/L	1	6/27/2007 3:07:43 AM
1,1-Dichloropropene	ND	1.0		µg/L	1	6/27/2007 3:07:43 AM

Qualifiers: * Value exceeds Maximum Contaminant Level
E Value above quantitation range
J Analyte detected below quantitation limits
ND Not Detected at the Reporting Limit
S Spike recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
MCL Maximum Contaminant Level
RL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 03-Jul-07

CLIENT: Cypress Engineering
Lab Order: 0706352
Project: TWP WT- 1 ERP
Lab ID: 0706352-07

Client Sample ID: MW-6
Collection Date: 6/21/2007 4:05:00 PM
Date Received: 6/23/2007
Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8260B: VOLATILES						Analyst: BDH
Hexachlorobutadiene	ND	1.0		µg/L	1	6/27/2007 3:07:43 AM
2-Hexanone	ND	10		µg/L	1	6/27/2007 3:07:43 AM
Isopropylbenzene	ND	1.0		µg/L	1	6/27/2007 3:07:43 AM
4-Isopropyltoluene	ND	1.0		µg/L	1	6/27/2007 3:07:43 AM
4-Methyl-2-pentanone	ND	10		µg/L	1	6/27/2007 3:07:43 AM
Methylene Chloride	ND	3.0		µg/L	1	6/27/2007 3:07:43 AM
n-Butylbenzene	ND	1.0		µg/L	1	6/27/2007 3:07:43 AM
n-Propylbenzene	ND	1.0		µg/L	1	6/27/2007 3:07:43 AM
sec-Butylbenzene	ND	1.0		µg/L	1	6/27/2007 3:07:43 AM
Styrene	ND	1.0		µg/L	1	6/27/2007 3:07:43 AM
tert-Butylbenzene	ND	1.0		µg/L	1	6/27/2007 3:07:43 AM
1,1,1,2-Tetrachloroethane	ND	1.0		µg/L	1	6/27/2007 3:07:43 AM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	6/27/2007 3:07:43 AM
Tetrachloroethene (PCE)	ND	1.0		µg/L	1	6/27/2007 3:07:43 AM
trans-1,2-DCE	ND	1.0		µg/L	1	6/27/2007 3:07:43 AM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	6/27/2007 3:07:43 AM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	6/27/2007 3:07:43 AM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	6/27/2007 3:07:43 AM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	6/27/2007 3:07:43 AM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	6/27/2007 3:07:43 AM
Trichloroethene (TCE)	9.1	1.0		µg/L	1	6/27/2007 3:07:43 AM
Trichlorofluoromethane	ND	1.0		µg/L	1	6/27/2007 3:07:43 AM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	6/27/2007 3:07:43 AM
Vinyl chloride	ND	1.0		µg/L	1	6/27/2007 3:07:43 AM
Xylenes, Total	ND	1.5		µg/L	1	6/27/2007 3:07:43 AM
Surr: 1,2-Dichloroethane-d4	100	68.1-123		%REC	1	6/27/2007 3:07:43 AM
Surr: 4-Bromofluorobenzene	103	53.2-145		%REC	1	6/27/2007 3:07:43 AM
Surr: Dibromofluoromethane	101	68.5-119		%REC	1	6/27/2007 3:07:43 AM
Surr: Toluene-d8	102	64-131		%REC	1	6/27/2007 3:07:43 AM

Qualifiers:

- * Value exceeds Maximum Contaminant Level
- E Value above quantitation range
- J Analyte detected below quantitation limits
- ND Not Detected at the Reporting Limit
- S Spike recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- MCL Maximum Contaminant Level
- RL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 03-Jul-07

CLIENT: Cypress Engineering
Lab Order: 0706352
Project: TWP WT- 1 ERP
Lab ID: 0706352-08

Client Sample ID: MW-14
Collection Date: 6/21/2007 5:45:00 PM
Date Received: 6/23/2007
Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8260B: VOLATILES						Analyst: BDH
Benzene	ND	1.0		µg/L	1	6/27/2007 4:47:49 AM
Toluene	ND	1.0		µg/L	1	6/27/2007 4:47:49 AM
Ethylbenzene	ND	1.0		µg/L	1	6/27/2007 4:47:49 AM
Methyl tert-butyl ether (MTBE)	ND	1.0		µg/L	1	6/27/2007 4:47:49 AM
1,2,4-Trimethylbenzene	ND	1.0		µg/L	1	6/27/2007 4:47:49 AM
1,3,5-Trimethylbenzene	ND	1.0		µg/L	1	6/27/2007 4:47:49 AM
1,2-Dichloroethane (EDC)	ND	1.0		µg/L	1	6/27/2007 4:47:49 AM
1,2-Dibromoethane (EDB)	ND	1.0		µg/L	1	6/27/2007 4:47:49 AM
Naphthalene	ND	2.0		µg/L	1	6/27/2007 4:47:49 AM
1-Methylnaphthalene	ND	4.0		µg/L	1	6/27/2007 4:47:49 AM
2-Methylnaphthalene	ND	4.0		µg/L	1	6/27/2007 4:47:49 AM
Acetone	ND	10		µg/L	1	6/27/2007 4:47:49 AM
Bromobenzene	ND	1.0		µg/L	1	6/27/2007 4:47:49 AM
Bromochloromethane	ND	1.0		µg/L	1	6/27/2007 4:47:49 AM
Bromodichloromethane	ND	1.0		µg/L	1	6/27/2007 4:47:49 AM
Bromoform	ND	1.0		µg/L	1	6/27/2007 4:47:49 AM
Bromomethane	ND	1.0		µg/L	1	6/27/2007 4:47:49 AM
2-Butanone	ND	10		µg/L	1	6/27/2007 4:47:49 AM
Carbon disulfide	ND	10		µg/L	1	6/27/2007 4:47:49 AM
Carbon Tetrachloride	ND	1.0		µg/L	1	6/27/2007 4:47:49 AM
Chlorobenzene	ND	1.0		µg/L	1	6/27/2007 4:47:49 AM
Chloroethane	ND	2.0		µg/L	1	6/27/2007 4:47:49 AM
Chloroform	ND	1.0		µg/L	1	6/27/2007 4:47:49 AM
Chloromethane	ND	1.0		µg/L	1	6/27/2007 4:47:49 AM
2-Chlorotoluene	ND	1.0		µg/L	1	6/27/2007 4:47:49 AM
4-Chlorotoluene	ND	1.0		µg/L	1	6/27/2007 4:47:49 AM
cis-1,2-DCE	3.1	1.0		µg/L	1	6/27/2007 4:47:49 AM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	6/27/2007 4:47:49 AM
1,2-Dibromo-3-chloropropane	ND	2.0		µg/L	1	6/27/2007 4:47:49 AM
Dibromochloromethane	ND	1.0		µg/L	1	6/27/2007 4:47:49 AM
Dibromomethane	ND	1.0		µg/L	1	6/27/2007 4:47:49 AM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	6/27/2007 4:47:49 AM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	6/27/2007 4:47:49 AM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	6/27/2007 4:47:49 AM
Dichlorodifluoromethane	ND	1.0		µg/L	1	6/27/2007 4:47:49 AM
1,1-Dichloroethane	19	1.0		µg/L	1	6/27/2007 4:47:49 AM
1,1-Dichloroethene	ND	1.0		µg/L	1	6/27/2007 4:47:49 AM
1,2-Dichloropropane	ND	1.0		µg/L	1	6/27/2007 4:47:49 AM
1,3-Dichloropropane	ND	1.0		µg/L	1	6/27/2007 4:47:49 AM
2,2-Dichloropropane	ND	2.0		µg/L	1	6/27/2007 4:47:49 AM
1,1-Dichloropropene	ND	1.0		µg/L	1	6/27/2007 4:47:49 AM

Qualifiers: V Value exceeds Maximum Contaminant Level
E Value above quantitation range
J Analyte detected below quantitation limits
ND Not Detected at the Reporting Limit
S Spike recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
MCL Maximum Contaminant Level
RL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 03-Jul-07

CLIENT: Cypress Engineering
Lab Order: 0706352
Project: TWP WT- 1 ERP
Lab ID: 0706352-08

Client Sample ID: MW-14
Collection Date: 6/21/2007 5:45:00 PM
Date Received: 6/23/2007
Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8260B: VOLATILES						Analyst: BDH
Hexachlorobutadiene	ND	1.0		µg/L	1	6/27/2007 4:47:49 AM
2-Hexanone	ND	10		µg/L	1	6/27/2007 4:47:49 AM
Isopropylbenzene	ND	1.0		µg/L	1	6/27/2007 4:47:49 AM
4-Isopropyltoluene	ND	1.0		µg/L	1	6/27/2007 4:47:49 AM
4-Methyl-2-pentanone	ND	10		µg/L	1	6/27/2007 4:47:49 AM
Methylene Chloride	ND	3.0		µg/L	1	6/27/2007 4:47:49 AM
n-Butylbenzene	ND	1.0		µg/L	1	6/27/2007 4:47:49 AM
n-Propylbenzene	ND	1.0		µg/L	1	6/27/2007 4:47:49 AM
sec-Butylbenzene	ND	1.0		µg/L	1	6/27/2007 4:47:49 AM
Styrene	ND	1.0		µg/L	1	6/27/2007 4:47:49 AM
tert-Butylbenzene	ND	1.0		µg/L	1	6/27/2007 4:47:49 AM
1,1,1,2-Tetrachloroethane	ND	1.0		µg/L	1	6/27/2007 4:47:49 AM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	6/27/2007 4:47:49 AM
Tetrachloroethene (PCE)	ND	1.0		µg/L	1	6/27/2007 4:47:49 AM
trans-1,2-DCE	ND	1.0		µg/L	1	6/27/2007 4:47:49 AM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	6/27/2007 4:47:49 AM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	6/27/2007 4:47:49 AM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	6/27/2007 4:47:49 AM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	6/27/2007 4:47:49 AM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	6/27/2007 4:47:49 AM
Trichloroethene (TCE)	5.2	1.0		µg/L	1	6/27/2007 4:47:49 AM
Trichlorofluoromethane	ND	1.0		µg/L	1	6/27/2007 4:47:49 AM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	6/27/2007 4:47:49 AM
Vinyl chloride	ND	1.0		µg/L	1	6/27/2007 4:47:49 AM
Xylenes, Total	ND	1.5		µg/L	1	6/27/2007 4:47:49 AM
Surr: 1,2-Dichloroethane-d4	103	68.1-123		%REC	1	6/27/2007 4:47:49 AM
Surr: 4-Bromofluorobenzene	92.9	53.2-145		%REC	1	6/27/2007 4:47:49 AM
Surr: Dibromofluoromethane	104	68.5-119		%REC	1	6/27/2007 4:47:49 AM
Surr: Toluene-d8	101	64-131		%REC	1	6/27/2007 4:47:49 AM

Qualifiers:

- * Value exceeds Maximum Contaminant Level
- E Value above quantitation range
- J Analyte detected below quantitation limits
- ND Not Detected at the Reporting Limit
- S Spike recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- MCL Maximum Contaminant Level
- RL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 03-Jul-07

CLIENT: Cypress Engineering
Lab Order: 0706352
Project: TWP WT-1 ERP
Lab ID: 0706352-09

Client Sample ID: MW-17
Collection Date: 6/21/2007 5:15:00 PM
Date Received: 6/23/2007
Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8260B: VOLATILES						Analyst: BDH
Benzene	ND	1.0		µg/L	1	6/27/2007 5:21:08 AM
Toluene	ND	1.0		µg/L	1	6/27/2007 5:21:08 AM
Ethylbenzene	ND	1.0		µg/L	1	6/27/2007 5:21:08 AM
Methyl tert-butyl ether (MTBE)	ND	1.0		µg/L	1	6/27/2007 5:21:08 AM
1,2,4-Trimethylbenzene	ND	1.0		µg/L	1	6/27/2007 5:21:08 AM
1,3,5-Trimethylbenzene	ND	1.0		µg/L	1	6/27/2007 5:21:08 AM
1,2-Dichloroethane (EDC)	ND	1.0		µg/L	1	6/27/2007 5:21:08 AM
1,2-Dibromoethane (EDB)	ND	1.0		µg/L	1	6/27/2007 5:21:08 AM
Naphthalene	ND	2.0		µg/L	1	6/27/2007 5:21:08 AM
1-Methylnaphthalene	ND	4.0		µg/L	1	6/27/2007 5:21:08 AM
2-Methylnaphthalene	ND	4.0		µg/L	1	6/27/2007 5:21:08 AM
Acetone	ND	10		µg/L	1	6/27/2007 5:21:08 AM
Bromobenzene	ND	1.0		µg/L	1	6/27/2007 5:21:08 AM
Bromochloromethane	ND	1.0		µg/L	1	6/27/2007 5:21:08 AM
Bromodichloromethane	ND	1.0		µg/L	1	6/27/2007 5:21:08 AM
Bromoform	ND	1.0		µg/L	1	6/27/2007 5:21:08 AM
Bromomethane	ND	1.0		µg/L	1	6/27/2007 5:21:08 AM
2-Butanone	ND	10		µg/L	1	6/27/2007 5:21:08 AM
Carbon disulfide	ND	10		µg/L	1	6/27/2007 5:21:08 AM
Carbon Tetrachloride	ND	1.0		µg/L	1	6/27/2007 5:21:08 AM
Chlorobenzene	ND	1.0		µg/L	1	6/27/2007 5:21:08 AM
Chloroethane	ND	2.0		µg/L	1	6/27/2007 5:21:08 AM
Chloroform	1.4	1.0		µg/L	1	6/27/2007 5:21:08 AM
Chloromethane	ND	1.0		µg/L	1	6/27/2007 5:21:08 AM
2-Chlorotoluene	ND	1.0		µg/L	1	6/27/2007 5:21:08 AM
4-Chlorotoluene	ND	1.0		µg/L	1	6/27/2007 5:21:08 AM
cis-1,2-DCE	ND	1.0		µg/L	1	6/27/2007 5:21:08 AM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	6/27/2007 5:21:08 AM
1,2-Dibromo-3-chloropropane	ND	2.0		µg/L	1	6/27/2007 5:21:08 AM
Dibromochloromethane	ND	1.0		µg/L	1	6/27/2007 5:21:08 AM
Dibromomethane	ND	1.0		µg/L	1	6/27/2007 5:21:08 AM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	6/27/2007 5:21:08 AM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	6/27/2007 5:21:08 AM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	6/27/2007 5:21:08 AM
Dichlorodifluoromethane	ND	1.0		µg/L	1	6/27/2007 5:21:08 AM
1,1-Dichloroethane	1.5	1.0		µg/L	1	6/27/2007 5:21:08 AM
1,1-Dichloroethene	2.0	1.0		µg/L	1	6/27/2007 5:21:08 AM
1,2-Dichloropropane	ND	1.0		µg/L	1	6/27/2007 5:21:08 AM
1,3-Dichloropropane	ND	1.0		µg/L	1	6/27/2007 5:21:08 AM
2,2-Dichloropropane	ND	2.0		µg/L	1	6/27/2007 5:21:08 AM
1,1-Dichloropropene	ND	1.0		µg/L	1	6/27/2007 5:21:08 AM

Qualifiers:

- * Value exceeds Maximum Contaminant Level
- E Value above quantitation range
- J Analyte detected below quantitation limits
- ND Not Detected at the Reporting Limit
- S Spike recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
MCL Maximum Contaminant Level
RL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 03-Jul-07

CLIENT: Cypress Engineering

Client Sample ID: MW-17

Lab Order: 0706352

Collection Date: 6/21/2007 5:15:00 PM

Project: TWP WT-1 ERP

Date Received: 6/23/2007

Lab ID: 0706352-09

Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8260B: VOLATILES						Analyst: BDH
Hexachlorobutadiene	ND	1.0		µg/L	1	6/27/2007 5:21:08 AM
2-Hexanone	ND	10		µg/L	1	6/27/2007 5:21:08 AM
Isopropylbenzene	ND	1.0		µg/L	1	6/27/2007 5:21:08 AM
4-Isopropyltoluene	ND	1.0		µg/L	1	6/27/2007 5:21:08 AM
4-Methyl-2-pentanone	ND	10		µg/L	1	6/27/2007 5:21:08 AM
Methylene Chloride	ND	3.0		µg/L	1	6/27/2007 5:21:08 AM
n-Butylbenzene	ND	1.0		µg/L	1	6/27/2007 5:21:08 AM
n-Propylbenzene	ND	1.0		µg/L	1	6/27/2007 5:21:08 AM
sec-Butylbenzene	ND	1.0		µg/L	1	6/27/2007 5:21:08 AM
Styrene	ND	1.0		µg/L	1	6/27/2007 5:21:08 AM
tert-Butylbenzene	ND	1.0		µg/L	1	6/27/2007 5:21:08 AM
1,1,1,2-Tetrachloroethane	ND	1.0		µg/L	1	6/27/2007 5:21:08 AM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	6/27/2007 5:21:08 AM
Tetrachloroethene (PCE)	1.7	1.0		µg/L	1	6/27/2007 5:21:08 AM
trans-1,2-DCE	ND	1.0		µg/L	1	6/27/2007 5:21:08 AM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	6/27/2007 5:21:08 AM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	6/27/2007 5:21:08 AM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	6/27/2007 5:21:08 AM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	6/27/2007 5:21:08 AM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	6/27/2007 5:21:08 AM
Trichloroethene (TCE)	ND	1.0		µg/L	1	6/27/2007 5:21:08 AM
Trichlorofluoromethane	ND	1.0		µg/L	1	6/27/2007 5:21:08 AM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	6/27/2007 5:21:08 AM
Vinyl chloride	ND	1.0		µg/L	1	6/27/2007 5:21:08 AM
Xylenes, Total	ND	1.5		µg/L	1	6/27/2007 5:21:08 AM
Surr: 1,2-Dichloroethane-d4	97.6	68.1-123		%REC	1	6/27/2007 5:21:08 AM
Surr: 4-Bromofluorobenzene	95.4	53.2-145		%REC	1	6/27/2007 5:21:08 AM
Surr: Dibromofluoromethane	96.8	68.5-119		%REC	1	6/27/2007 5:21:08 AM
Surr: Toluene-d8	104	64-131		%REC	1	6/27/2007 5:21:08 AM

Qualifiers:

- * Value exceeds Maximum Contaminant Level
- E Value above quantitation range
- J Analyte detected below quantitation limits
- ND Not Detected at the Reporting Limit
- S Spike recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- MCL Maximum Contaminant Level
- RL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 03-Jul-07

CLIENT: Cypress Engineering
Lab Order: 0706352
Project: TWP WT- 1 ERP
Lab ID: 0706352-10

Client Sample ID: MW-16
Collection Date: 6/21/2007 6:15:00 PM
Date Received: 6/23/2007
Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8260B: VOLATILES						Analyst: BDH
Benzene	ND	1.0		µg/L	1	6/27/2007 5:54:36 AM
Toluene	ND	1.0		µg/L	1	6/27/2007 5:54:36 AM
Ethylbenzene	ND	1.0		µg/L	1	6/27/2007 5:54:36 AM
Methyl tert-butyl ether (MTBE)	ND	1.0		µg/L	1	6/27/2007 5:54:36 AM
1,2,4-Trimethylbenzene	ND	1.0		µg/L	1	6/27/2007 5:54:36 AM
1,3,5-Trimethylbenzene	ND	1.0		µg/L	1	6/27/2007 5:54:36 AM
1,2-Dichloroethane (EDC)	ND	1.0		µg/L	1	6/27/2007 5:54:36 AM
1,2-Dibromoethane (EDB)	ND	1.0		µg/L	1	6/27/2007 5:54:36 AM
Naphthalene	ND	2.0		µg/L	1	6/27/2007 5:54:36 AM
1-Methylnaphthalene	ND	4.0		µg/L	1	6/27/2007 5:54:36 AM
2-Methylnaphthalene	ND	4.0		µg/L	1	6/27/2007 5:54:36 AM
Acetone	ND	10		µg/L	1	6/27/2007 5:54:36 AM
Bromobenzene	ND	1.0		µg/L	1	6/27/2007 5:54:36 AM
Bromochloromethane	ND	1.0		µg/L	1	6/27/2007 5:54:36 AM
Bromodichloromethane	ND	1.0		µg/L	1	6/27/2007 5:54:36 AM
Bromoform	ND	1.0		µg/L	1	6/27/2007 5:54:36 AM
Bromomethane	ND	1.0		µg/L	1	6/27/2007 5:54:36 AM
2-Butanone	ND	10		µg/L	1	6/27/2007 5:54:36 AM
Carbon disulfide	ND	10		µg/L	1	6/27/2007 5:54:36 AM
Carbon Tetrachloride	ND	1.0		µg/L	1	6/27/2007 5:54:36 AM
Chlorobenzene	ND	1.0		µg/L	1	6/27/2007 5:54:36 AM
Chloroethane	ND	2.0		µg/L	1	6/27/2007 5:54:36 AM
Chloroform	ND	1.0		µg/L	1	6/27/2007 5:54:36 AM
Chloromethane	ND	1.0		µg/L	1	6/27/2007 5:54:36 AM
2-Chlorotoluene	ND	1.0		µg/L	1	6/27/2007 5:54:36 AM
4-Chlorotoluene	ND	1.0		µg/L	1	6/27/2007 5:54:36 AM
cis-1,2-DCE	ND	1.0		µg/L	1	6/27/2007 5:54:36 AM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	6/27/2007 5:54:36 AM
1,2-Dibromo-3-chloropropane	ND	2.0		µg/L	1	6/27/2007 5:54:36 AM
Dibromochloromethane	ND	1.0		µg/L	1	6/27/2007 5:54:36 AM
Dibromomethane	ND	1.0		µg/L	1	6/27/2007 5:54:36 AM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	6/27/2007 5:54:36 AM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	6/27/2007 5:54:36 AM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	6/27/2007 5:54:36 AM
Dichlorodifluoromethane	ND	1.0		µg/L	1	6/27/2007 5:54:36 AM
1,1-Dichloroethane	1.1	1.0		µg/L	1	6/27/2007 5:54:36 AM
1,1-Dichloroethene	1.2	1.0		µg/L	1	6/27/2007 5:54:36 AM
1,2-Dichloropropane	ND	1.0		µg/L	1	6/27/2007 5:54:36 AM
1,3-Dichloropropane	ND	1.0		µg/L	1	6/27/2007 5:54:36 AM
2,2-Dichloropropane	ND	2.0		µg/L	1	6/27/2007 5:54:36 AM
1,1-Dichloropropene	ND	1.0		µg/L	1	6/27/2007 5:54:36 AM

Qualifiers:
* Value exceeds Maximum Contaminant Level
E Value above quantitation range
J Analyte detected below quantitation limits
ND Not Detected at the Reporting Limit
S Spike recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
MCL Maximum Contaminant Level
RL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 03-Jul-07

CLIENT: Cypress Engineering
Lab Order: 0706352
Project: TWP WT- 1 ERP
Lab ID: 0706352-10

Client Sample ID: MW-16
Collection Date: 6/21/2007 6:15:00 PM
Date Received: 6/23/2007
Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8260B: VOLATILES						Analyst: BDH
Hexachlorobutadiene	ND	1.0		µg/L	1	6/27/2007 5:54:36 AM
2-Hexanone	ND	10		µg/L	1	6/27/2007 5:54:36 AM
Isopropylbenzene	ND	1.0		µg/L	1	6/27/2007 5:54:36 AM
4-Isopropyltoluene	ND	1.0		µg/L	1	6/27/2007 5:54:36 AM
4-Methyl-2-pentanone	ND	10		µg/L	1	6/27/2007 5:54:36 AM
Methylene Chloride	ND	3.0		µg/L	1	6/27/2007 5:54:36 AM
n-Butylbenzene	ND	1.0		µg/L	1	6/27/2007 5:54:36 AM
n-Propylbenzene	ND	1.0		µg/L	1	6/27/2007 5:54:36 AM
sec-Butylbenzene	ND	1.0		µg/L	1	6/27/2007 5:54:36 AM
Styrene	ND	1.0		µg/L	1	6/27/2007 5:54:36 AM
tert-Butylbenzene	ND	1.0		µg/L	1	6/27/2007 5:54:36 AM
1,1,1,2-Tetrachloroethane	ND	1.0		µg/L	1	6/27/2007 5:54:36 AM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	6/27/2007 5:54:36 AM
Tetrachloroethene (PCE)	4.8	1.0		µg/L	1	6/27/2007 5:54:36 AM
trans-1,2-DCE	ND	1.0		µg/L	1	6/27/2007 5:54:36 AM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	6/27/2007 5:54:36 AM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	6/27/2007 5:54:36 AM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	6/27/2007 5:54:36 AM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	6/27/2007 5:54:36 AM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	6/27/2007 5:54:36 AM
Trichloroethene (TCE)	ND	1.0		µg/L	1	6/27/2007 5:54:36 AM
Trichlorofluoromethane	ND	1.0		µg/L	1	6/27/2007 5:54:36 AM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	6/27/2007 5:54:36 AM
Vinyl chloride	ND	1.0		µg/L	1	6/27/2007 5:54:36 AM
Xylenes, Total	ND	1.5		µg/L	1	6/27/2007 5:54:36 AM
Surr: 1,2-Dichloroethane-d4	101	68.1-123		%REC	1	6/27/2007 5:54:36 AM
Surr: 4-Bromofluorobenzene	92.6	53.2-145		%REC	1	6/27/2007 5:54:36 AM
Surr: Dibromofluoromethane	103	68.5-119		%REC	1	6/27/2007 5:54:36 AM
Surr: Toluene-d8	103	64-131		%REC	1	6/27/2007 5:54:36 AM

Qualifiers: * Value exceeds Maximum Contaminant Level
E Value above quantitation range
J Analyte detected below quantitation limits
ND Not Detected at the Reporting Limit
S Spike recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
MCL Maximum Contaminant Level
RL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 03-Jul-07

CLIENT: Cypress Engineering
Lab Order: 0706352
Project: TWP WT- 1 ERP
Lab ID: 0706352-11

Client Sample ID: MW-15
Collection Date: 6/21/2007 6:45:00 PM
Date Received: 6/23/2007
Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8260B: VOLATILES						Analyst: BDH
Benzene	ND	1.0		µg/L	1	6/27/2007 6:28:07 AM
Toluene	ND	1.0		µg/L	1	6/27/2007 6:28:07 AM
Ethylbenzene	ND	1.0		µg/L	1	6/27/2007 6:28:07 AM
Methyl tert-butyl ether (MTBE)	ND	1.0		µg/L	1	6/27/2007 6:28:07 AM
1,2,4-Trimethylbenzene	ND	1.0		µg/L	1	6/27/2007 6:28:07 AM
1,3,5-Trimethylbenzene	ND	1.0		µg/L	1	6/27/2007 6:28:07 AM
1,2-Dichloroethane (EDC)	ND	1.0		µg/L	1	6/27/2007 6:28:07 AM
1,2-Dibromoethane (EDB)	ND	1.0		µg/L	1	6/27/2007 6:28:07 AM
Naphthalene	ND	2.0		µg/L	1	6/27/2007 6:28:07 AM
1-Methylnaphthalene	ND	4.0		µg/L	1	6/27/2007 6:28:07 AM
2-Methylnaphthalene	ND	4.0		µg/L	1	6/27/2007 6:28:07 AM
Acetone	ND	10		µg/L	1	6/27/2007 6:28:07 AM
Bromobenzene	ND	1.0		µg/L	1	6/27/2007 6:28:07 AM
Bromochloromethane	ND	1.0		µg/L	1	6/27/2007 6:28:07 AM
Bromodichloromethane	ND	1.0		µg/L	1	6/27/2007 6:28:07 AM
Bromoform	ND	1.0		µg/L	1	6/27/2007 6:28:07 AM
Bromomethane	ND	1.0		µg/L	1	6/27/2007 6:28:07 AM
2-Butanone	ND	10		µg/L	1	6/27/2007 6:28:07 AM
Carbon disulfide	ND	10		µg/L	1	6/27/2007 6:28:07 AM
Carbon Tetrachloride	ND	1.0		µg/L	1	6/27/2007 6:28:07 AM
Chlorobenzene	ND	1.0		µg/L	1	6/27/2007 6:28:07 AM
Chloroethane	ND	2.0		µg/L	1	6/27/2007 6:28:07 AM
Chloroform	ND	1.0		µg/L	1	6/27/2007 6:28:07 AM
Chloromethane	ND	1.0		µg/L	1	6/27/2007 6:28:07 AM
2-Chlorotoluene	ND	1.0		µg/L	1	6/27/2007 6:28:07 AM
4-Chlorotoluene	ND	1.0		µg/L	1	6/27/2007 6:28:07 AM
cis-1,2-DCE	ND	1.0		µg/L	1	6/27/2007 6:28:07 AM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	6/27/2007 6:28:07 AM
1,2-Dibromo-3-chloropropane	ND	2.0		µg/L	1	6/27/2007 6:28:07 AM
Dibromochloromethane	ND	1.0		µg/L	1	6/27/2007 6:28:07 AM
Dibromomethane	ND	1.0		µg/L	1	6/27/2007 6:28:07 AM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	6/27/2007 6:28:07 AM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	6/27/2007 6:28:07 AM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	6/27/2007 6:28:07 AM
Dichlorodifluoromethane	ND	1.0		µg/L	1	6/27/2007 6:28:07 AM
1,1-Dichloroethane	2.1	1.0		µg/L	1	6/27/2007 6:28:07 AM
1,1-Dichloroethene	1.6	1.0		µg/L	1	6/27/2007 6:28:07 AM
1,2-Dichloropropane	ND	1.0		µg/L	1	6/27/2007 6:28:07 AM
1,3-Dichloropropane	ND	1.0		µg/L	1	6/27/2007 6:28:07 AM
2,2-Dichloropropane	ND	2.0		µg/L	1	6/27/2007 6:28:07 AM
1,1-Dichloropropene	ND	1.0		µg/L	1	6/27/2007 6:28:07 AM

Qualifiers: * Value exceeds Maximum Contaminant Level
E Value above quantitation range
J Analyte detected below quantitation limits
ND Not Detected at the Reporting Limit
S Spike recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
MCL Maximum Contaminant Level
RL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 03-Jul-07

CLIENT: Cypress Engineering
Lab Order: 0706352
Project: TWP WT-1 ERP
Lab ID: 0706352-11

Client Sample ID: MW-15
Collection Date: 6/21/2007 6:45:00 PM
Date Received: 6/23/2007
Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8260B: VOLATILES						Analyst: BDH
Hexachlorobutadiene	ND	1.0		µg/L	1	6/27/2007 6:28:07 AM
2-Hexanone	ND	10		µg/L	1	6/27/2007 6:28:07 AM
Isopropylbenzene	ND	1.0		µg/L	1	6/27/2007 6:28:07 AM
4-Isopropyltoluene	ND	1.0		µg/L	1	6/27/2007 6:28:07 AM
4-Methyl-2-pentanone	ND	10		µg/L	1	6/27/2007 6:28:07 AM
Methylene Chloride	ND	3.0		µg/L	1	6/27/2007 6:28:07 AM
n-Butylbenzene	ND	1.0		µg/L	1	6/27/2007 6:28:07 AM
n-Propylbenzene	ND	1.0		µg/L	1	6/27/2007 6:28:07 AM
sec-Butylbenzene	ND	1.0		µg/L	1	6/27/2007 6:28:07 AM
Styrene	ND	1.0		µg/L	1	6/27/2007 6:28:07 AM
tert-Butylbenzene	ND	1.0		µg/L	1	6/27/2007 6:28:07 AM
1,1,1,2-Tetrachloroethane	ND	1.0		µg/L	1	6/27/2007 6:28:07 AM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	6/27/2007 6:28:07 AM
Tetrachloroethene (PCE)	ND	1.0		µg/L	1	6/27/2007 6:28:07 AM
trans-1,2-DCE	ND	1.0		µg/L	1	6/27/2007 6:28:07 AM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	6/27/2007 6:28:07 AM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	6/27/2007 6:28:07 AM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	6/27/2007 6:28:07 AM
1,1,1-Trichloroethane	1.4	1.0		µg/L	1	6/27/2007 6:28:07 AM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	6/27/2007 6:28:07 AM
Trichloroethene (TCE)	ND	1.0		µg/L	1	6/27/2007 6:28:07 AM
Trichlorofluoromethane	ND	1.0		µg/L	1	6/27/2007 6:28:07 AM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	6/27/2007 6:28:07 AM
Vinyl chloride	ND	1.0		µg/L	1	6/27/2007 6:28:07 AM
Xylenes, Total	ND	1.5		µg/L	1	6/27/2007 6:28:07 AM
Surr: 1,2-Dichloroethane-d4	97.4	68.1-123		%REC	1	6/27/2007 6:28:07 AM
Surr: 4-Bromofluorobenzene	96.1	53.2-145		%REC	1	6/27/2007 6:28:07 AM
Surr: Dibromofluoromethane	101	68.5-119		%REC	1	6/27/2007 6:28:07 AM
Surr: Toluene-d8	102	64-131		%REC	1	6/27/2007 6:28:07 AM

Qualifiers:

- * Value exceeds Maximum Contaminant Level
- E Value above quantitation range
- J Analyte detected below quantitation limits
- ND Not Detected at the Reporting Limit
- S Spike recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- MCL Maximum Contaminant Level
- RL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 03-Jul-07

CLIENT: Cypress Engineering
Lab Order: 0706352
Project: TWP WT- 1 ERP
Lab ID: 0706352-12

Client Sample ID: MW-4
Collection Date: 6/21/2007 7:10:00 PM
Date Received: 6/23/2007
Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8260B: VOLATILES						Analyst: BDH
Benzene	ND	1.0		µg/L	1	6/27/2007 7:01:28 AM
Toluene	ND	1.0		µg/L	1	6/27/2007 7:01:28 AM
Ethylbenzene	ND	1.0		µg/L	1	6/27/2007 7:01:28 AM
Methyl tert-butyl ether (MTBE)	ND	1.0		µg/L	1	6/27/2007 7:01:28 AM
1,2,4-Trimethylbenzene	ND	1.0		µg/L	1	6/27/2007 7:01:28 AM
1,3,5-Trimethylbenzene	ND	1.0		µg/L	1	6/27/2007 7:01:28 AM
1,2-Dichloroethane (EDC)	ND	1.0		µg/L	1	6/27/2007 7:01:28 AM
1,2-Dibromoethane (EDB)	ND	1.0		µg/L	1	6/27/2007 7:01:28 AM
Naphthalene	ND	2.0		µg/L	1	6/27/2007 7:01:28 AM
1-Methylnaphthalene	ND	4.0		µg/L	1	6/27/2007 7:01:28 AM
2-Methylnaphthalene	ND	4.0		µg/L	1	6/27/2007 7:01:28 AM
Acetone	ND	10		µg/L	1	6/27/2007 7:01:28 AM
Bromobenzene	ND	1.0		µg/L	1	6/27/2007 7:01:28 AM
Bromochloromethane	ND	1.0		µg/L	1	6/27/2007 7:01:28 AM
Bromodichloromethane	ND	1.0		µg/L	1	6/27/2007 7:01:28 AM
Bromoform	ND	1.0		µg/L	1	6/27/2007 7:01:28 AM
Bromomethane	ND	1.0		µg/L	1	6/27/2007 7:01:28 AM
2-Butanone	ND	10		µg/L	1	6/27/2007 7:01:28 AM
Carbon disulfide	ND	10		µg/L	1	6/27/2007 7:01:28 AM
Carbon Tetrachloride	ND	1.0		µg/L	1	6/27/2007 7:01:28 AM
Chlorobenzene	ND	1.0		µg/L	1	6/27/2007 7:01:28 AM
Chloroethane	ND	2.0		µg/L	1	6/27/2007 7:01:28 AM
Chloroform	ND	1.0		µg/L	1	6/27/2007 7:01:28 AM
Chloromethane	ND	1.0		µg/L	1	6/27/2007 7:01:28 AM
2-Chlorotoluene	ND	1.0		µg/L	1	6/27/2007 7:01:28 AM
4-Chlorotoluene	ND	1.0		µg/L	1	6/27/2007 7:01:28 AM
cis-1,2-DCE	ND	1.0		µg/L	1	6/27/2007 7:01:28 AM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	6/27/2007 7:01:28 AM
1,2-Dibromo-3-chloropropane	ND	2.0		µg/L	1	6/27/2007 7:01:28 AM
Dibromochloromethane	ND	1.0		µg/L	1	6/27/2007 7:01:28 AM
Dibromomethane	ND	1.0		µg/L	1	6/27/2007 7:01:28 AM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	6/27/2007 7:01:28 AM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	6/27/2007 7:01:28 AM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	6/27/2007 7:01:28 AM
Dichlorodifluoromethane	ND	1.0		µg/L	1	6/27/2007 7:01:28 AM
1,1-Dichloroethane	ND	1.0		µg/L	1	6/27/2007 7:01:28 AM
1,1-Dichloroethene	ND	1.0		µg/L	1	6/27/2007 7:01:28 AM
1,2-Dichloropropane	ND	1.0		µg/L	1	6/27/2007 7:01:28 AM
1,3-Dichloropropane	ND	1.0		µg/L	1	6/27/2007 7:01:28 AM
2,2-Dichloropropane	ND	2.0		µg/L	1	6/27/2007 7:01:28 AM
1,1-Dichloropropene	ND	1.0		µg/L	1	6/27/2007 7:01:28 AM

Qualifiers: * Value exceeds Maximum Contaminant Level
E Value above quantitation range
J Analyte detected below quantitation limits
ND Not Detected at the Reporting Limit
S Spike recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
MCL Maximum Contaminant Level
RL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 03-Jul-07

CLIENT: Cypress Engineering
Lab Order: 0706352
Project: TWP WT- 1 ERP
Lab ID: 0706352-12

Client Sample ID: MW-4
Collection Date: 6/21/2007 7:10:00 PM
Date Received: 6/23/2007
Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8260B: VOLATILES						Analyst: BDH
Hexachlorobutadiene	ND	1.0		µg/L	1	6/27/2007 7:01:28 AM
2-Hexanone	ND	10		µg/L	1	6/27/2007 7:01:28 AM
Isopropylbenzene	ND	1.0		µg/L	1	6/27/2007 7:01:28 AM
4-Isopropyltoluene	ND	1.0		µg/L	1	6/27/2007 7:01:28 AM
4-Methyl-2-pentanone	ND	10		µg/L	1	6/27/2007 7:01:28 AM
Methylene Chloride	ND	3.0		µg/L	1	6/27/2007 7:01:28 AM
n-Butylbenzene	ND	1.0		µg/L	1	6/27/2007 7:01:28 AM
n-Propylbenzene	ND	1.0		µg/L	1	6/27/2007 7:01:28 AM
sec-Butylbenzene	ND	1.0		µg/L	1	6/27/2007 7:01:28 AM
Styrene	ND	1.0		µg/L	1	6/27/2007 7:01:28 AM
tert-Butylbenzene	ND	1.0		µg/L	1	6/27/2007 7:01:28 AM
1,1,1,2-Tetrachloroethane	ND	1.0		µg/L	1	6/27/2007 7:01:28 AM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	6/27/2007 7:01:28 AM
Tetrachloroethene (PCE)	ND	1.0		µg/L	1	6/27/2007 7:01:28 AM
trans-1,2-DCE	ND	1.0		µg/L	1	6/27/2007 7:01:28 AM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	6/27/2007 7:01:28 AM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	6/27/2007 7:01:28 AM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	6/27/2007 7:01:28 AM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	6/27/2007 7:01:28 AM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	6/27/2007 7:01:28 AM
Trichloroethene (TCE)	ND	1.0		µg/L	1	6/27/2007 7:01:28 AM
Trichlorofluoromethane	ND	1.0		µg/L	1	6/27/2007 7:01:28 AM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	6/27/2007 7:01:28 AM
Vinyl chloride	ND	1.0		µg/L	1	6/27/2007 7:01:28 AM
Xylenes, Total	ND	1.5		µg/L	1	6/27/2007 7:01:28 AM
Surr: 1,2-Dichloroethane-d4	101	68.1-123		%REC	1	6/27/2007 7:01:28 AM
Surr: 4-Bromofluorobenzene	105	53.2-145		%REC	1	6/27/2007 7:01:28 AM
Surr: Dibromofluoromethane	101	68.5-119		%REC	1	6/27/2007 7:01:28 AM
Surr: Toluene-d8	100	64-131		%REC	1	6/27/2007 7:01:28 AM

Qualifiers: * Value exceeds Maximum Contaminant Level
E Value above quantitation range
J Analyte detected below quantitation limits
ND Not Detected at the Reporting Limit
S Spike recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
MCL Maximum Contaminant Level
RL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 03-Jul-07

CLIENT: Cypress Engineering

Client Sample ID: TRIP BLANK

Lab Order: 0706352

Collection Date:

Project: TWP WT-1 ERP

Date Received: 6/23/2007

Lab ID: 0706352-13

Matrix: TRIP BLANK

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8260B: VOLATILES						Analyst: BDH
Benzene	ND	1.0		µg/L	1	6/27/2007 7:34:53 AM
Toluene	ND	1.0		µg/L	1	6/27/2007 7:34:53 AM
Ethylbenzene	ND	1.0		µg/L	1	6/27/2007 7:34:53 AM
Methyl tert-butyl ether (MTBE)	ND	1.0		µg/L	1	6/27/2007 7:34:53 AM
1,2,4-Trimethylbenzene	ND	1.0		µg/L	1	6/27/2007 7:34:53 AM
1,3,5-Trimethylbenzene	ND	1.0		µg/L	1	6/27/2007 7:34:53 AM
1,2-Dichloroethane (EDC)	ND	1.0		µg/L	1	6/27/2007 7:34:53 AM
1,2-Dibromoethane (EDB)	ND	1.0		µg/L	1	6/27/2007 7:34:53 AM
Naphthalene	ND	2.0		µg/L	1	6/27/2007 7:34:53 AM
1-Methylnaphthalene	ND	4.0		µg/L	1	6/27/2007 7:34:53 AM
2-Methylnaphthalene	ND	4.0		µg/L	1	6/27/2007 7:34:53 AM
Acetone	ND	10		µg/L	1	6/27/2007 7:34:53 AM
Bromobenzene	ND	1.0		µg/L	1	6/27/2007 7:34:53 AM
Bromochloromethane	ND	1.0		µg/L	1	6/27/2007 7:34:53 AM
Bromodichloromethane	ND	1.0		µg/L	1	6/27/2007 7:34:53 AM
Bromoform	ND	1.0		µg/L	1	6/27/2007 7:34:53 AM
Bromomethane	ND	1.0		µg/L	1	6/27/2007 7:34:53 AM
2-Butanone	ND	10		µg/L	1	6/27/2007 7:34:53 AM
Carbon disulfide	ND	10		µg/L	1	6/27/2007 7:34:53 AM
Carbon Tetrachloride	ND	1.0		µg/L	1	6/27/2007 7:34:53 AM
Chlorobenzene	ND	1.0		µg/L	1	6/27/2007 7:34:53 AM
Chloroethane	ND	2.0		µg/L	1	6/27/2007 7:34:53 AM
Chloroform	ND	1.0		µg/L	1	6/27/2007 7:34:53 AM
Chloromethane	ND	1.0		µg/L	1	6/27/2007 7:34:53 AM
2-Chlorotoluene	ND	1.0		µg/L	1	6/27/2007 7:34:53 AM
4-Chlorotoluene	ND	1.0		µg/L	1	6/27/2007 7:34:53 AM
cis-1,2-DCE	ND	1.0		µg/L	1	6/27/2007 7:34:53 AM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	6/27/2007 7:34:53 AM
1,2-Dibromo-3-chloropropane	ND	2.0		µg/L	1	6/27/2007 7:34:53 AM
Dibromochloromethane	ND	1.0		µg/L	1	6/27/2007 7:34:53 AM
Dibromomethane	ND	1.0		µg/L	1	6/27/2007 7:34:53 AM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	6/27/2007 7:34:53 AM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	6/27/2007 7:34:53 AM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	6/27/2007 7:34:53 AM
Dichlorodifluoromethane	ND	1.0		µg/L	1	6/27/2007 7:34:53 AM
1,1-Dichloroethane	ND	1.0		µg/L	1	6/27/2007 7:34:53 AM
1,1-Dichloroethene	ND	1.0		µg/L	1	6/27/2007 7:34:53 AM
1,2-Dichloropropane	ND	1.0		µg/L	1	6/27/2007 7:34:53 AM
1,3-Dichloropropane	ND	1.0		µg/L	1	6/27/2007 7:34:53 AM
2,2-Dichloropropane	ND	2.0		µg/L	1	6/27/2007 7:34:53 AM
1,1-Dichloropropene	ND	1.0		µg/L	1	6/27/2007 7:34:53 AM

Qualifiers: * Value exceeds Maximum Contaminant Level
 E Value above quantitation range
 J Analyte detected below quantitation limits
 ND Not Detected at the Reporting Limit
 S Spike recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 MCL Maximum Contaminant Level
 RL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 03-Jul-07

CLIENT: Cypress Engineering

Client Sample ID: TRIP BLANK

Lab Order: 0706352

Collection Date:

Project: TWP WT- 1 ERP

Date Received: 6/23/2007

Lab ID: 0706352-13

Matrix: TRIP BLANK

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8260B: VOLATILES						Analyst: BDH
Hexachlorobutadiene	ND	1.0		µg/L	1	6/27/2007 7:34:53 AM
2-Hexanone	ND	10		µg/L	1	6/27/2007 7:34:53 AM
Isopropylbenzene	ND	1.0		µg/L	1	6/27/2007 7:34:53 AM
4-Isopropyltoluene	ND	1.0		µg/L	1	6/27/2007 7:34:53 AM
4-Methyl-2-pentanone	ND	10		µg/L	1	6/27/2007 7:34:53 AM
Methylene Chloride	ND	3.0		µg/L	1	6/27/2007 7:34:53 AM
n-Butylbenzene	ND	1.0		µg/L	1	6/27/2007 7:34:53 AM
n-Propylbenzene	ND	1.0		µg/L	1	6/27/2007 7:34:53 AM
sec-Butylbenzene	ND	1.0		µg/L	1	6/27/2007 7:34:53 AM
Styrene	ND	1.0		µg/L	1	6/27/2007 7:34:53 AM
tert-Butylbenzene	ND	1.0		µg/L	1	6/27/2007 7:34:53 AM
1,1,1,2-Tetrachloroethane	ND	1.0		µg/L	1	6/27/2007 7:34:53 AM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	6/27/2007 7:34:53 AM
Tetrachloroethene (PCE)	ND	1.0		µg/L	1	6/27/2007 7:34:53 AM
trans-1,2-DCE	ND	1.0		µg/L	1	6/27/2007 7:34:53 AM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	6/27/2007 7:34:53 AM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	6/27/2007 7:34:53 AM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	6/27/2007 7:34:53 AM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	6/27/2007 7:34:53 AM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	6/27/2007 7:34:53 AM
Trichloroethene (TCE)	ND	1.0		µg/L	1	6/27/2007 7:34:53 AM
Trichlorofluoromethane	ND	1.0		µg/L	1	6/27/2007 7:34:53 AM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	6/27/2007 7:34:53 AM
Vinyl chloride	ND	1.0		µg/L	1	6/27/2007 7:34:53 AM
Xylenes, Total	ND	1.5		µg/L	1	6/27/2007 7:34:53 AM
Surr: 1,2-Dichloroethane-d4	101	68.1-123		%REC	1	6/27/2007 7:34:53 AM
Surr: 4-Bromofluorobenzene	102	53.2-145		%REC	1	6/27/2007 7:34:53 AM
Surr: Dibromofluoromethane	106	68.5-119		%REC	1	6/27/2007 7:34:53 AM
Surr: Toluene-d8	103	64-131		%REC	1	6/27/2007 7:34:53 AM

Qualifiers:

- * Value exceeds Maximum Contaminant Level
- E Value above quantitation range
- J Analyte detected below quantitation limits
- ND Not Detected at the Reporting Limit
- S Spike recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- MCL Maximum Contaminant Level
- RL Reporting Limit

QA/QC SUMMARY REPORT

Client: Cypress Engineering
Project: TWP WT-1 ERP

Work Order: 0706352

Analyte	Result	Units	PQL	%Rec	LowLimit	HighLimit	%RPD	RPDLimit	Qual
---------	--------	-------	-----	------	----------	-----------	------	----------	------

Method: SW8260B

Sample ID: 0706352-07a msd

MSD

Batch ID: R24134

Analysis Date: 6/27/2007 4:14:26 AM

Benzene	18.68	µg/L	1.0	89.8	82.4	128	6.84	15	
Toluene	19.24	µg/L	1.0	96.2	77.2	115	0.396	15	
Chlorobenzene	18.45	µg/L	1.0	92.2	78.3	117	0.724	15	
1,1-Dichloroethene	20.15	µg/L	1.0	96.7	90.7	132	1.50	17.8	
Trichloroethene (TCE)	26.67	µg/L	1.0	87.9	71.8	113	3.62	19.8	

Sample ID: 5ml rb

MBLK

Batch ID: R24134

Analysis Date: 6/26/2007 8:10:34 AM

Benzene	ND	µg/L	1.0						
Toluene	ND	µg/L	1.0						
Ethylbenzene	ND	µg/L	1.0						
Methyl tert-butyl ether (MTBE)	ND	µg/L	1.0						
1,2,4-Trimethylbenzene	ND	µg/L	1.0						
1,3,5-Trimethylbenzene	ND	µg/L	1.0						
1,2-Dichloroethane (EDC)	ND	µg/L	1.0						
1,2-Dibromoethane (EDB)	ND	µg/L	1.0						
Naphthalene	ND	µg/L	2.0						
1-Methylnaphthalene	ND	µg/L	4.0						
2-Methylnaphthalene	ND	µg/L	4.0						
Acetone	ND	µg/L	10						
Bromobenzene	ND	µg/L	1.0						
Bromochloromethane	ND	µg/L	1.0						
Bromodichloromethane	ND	µg/L	1.0						
Bromoform	ND	µg/L	1.0						
Bromomethane	ND	µg/L	1.0						
2-Butanone	ND	µg/L	10						
Carbon disulfide	ND	µg/L	10						
Carbon Tetrachloride	ND	µg/L	1.0						
Chlorobenzene	ND	µg/L	1.0						
Chloroethane	ND	µg/L	2.0						
Chloroform	ND	µg/L	1.0						
Chloromethane	ND	µg/L	1.0						
2-Chlorotoluene	ND	µg/L	1.0						
4-Chlorotoluene	ND	µg/L	1.0						
cis-1,2-DCE	ND	µg/L	1.0						
cis-1,3-Dichloropropene	ND	µg/L	1.0						
1,2-Dibromo-3-chloropropane	ND	µg/L	2.0						
Dibromochloromethane	ND	µg/L	1.0						
Dibromomethane	ND	µg/L	1.0						
1,2-Dichlorobenzene	ND	µg/L	1.0						
1,3-Dichlorobenzene	ND	µg/L	1.0						
1,4-Dichlorobenzene	ND	µg/L	1.0						
Dichlorodifluoromethane	ND	µg/L	1.0						
1,1-Dichloroethane	ND	µg/L	1.0						
1,1-Dichloroethene	ND	µg/L	1.0						
1,2-Dichloropropane	ND	µg/L	1.0						

Qualifiers:

E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
R	RPD outside accepted recovery limits	S	Spike recovery outside accepted recovery limits

QA/QC SUMMARY REPORT

Client: Cypress Engineering
 Project: TWP WT-1 ERP

Work Order: 0706352

Analyte	Result	Units	PQL	%Rec	LowLimit	HighLimit	%RPD	RPDLimit	Qual
---------	--------	-------	-----	------	----------	-----------	------	----------	------

Method: SW8260B

Sample ID: 5ml rb

MBLK

Batch ID: R24134 Analysis Date: 6/26/2007 8:10:34 AM

1,3-Dichloropropane	ND	µg/L	1.0
2,2-Dichloropropane	ND	µg/L	2.0
1,1-Dichloropropene	ND	µg/L	1.0
Hexachlorobutadiene	ND	µg/L	1.0
2-Hexanone	ND	µg/L	10
Isopropylbenzene	ND	µg/L	1.0
4-Isopropyltoluene	ND	µg/L	1.0
4-Methyl-2-pentanone	ND	µg/L	10
Methylene Chloride	ND	µg/L	3.0
n-Butylbenzene	ND	µg/L	1.0
n-Propylbenzene	ND	µg/L	1.0
sec-Butylbenzene	ND	µg/L	1.0
Styrene	ND	µg/L	1.0
tert-Butylbenzene	ND	µg/L	1.0
1,1,1,2-Tetrachloroethane	ND	µg/L	1.0
1,1,2,2-Tetrachloroethane	ND	µg/L	2.0
Tetrachloroethene (PCE)	ND	µg/L	1.0
trans-1,2-DCE	ND	µg/L	1.0
cis-1,3-Dichloropropene	ND	µg/L	1.0
1,2,3-Trichlorobenzene	ND	µg/L	1.0
1,2,4-Trichlorobenzene	ND	µg/L	1.0
1,1,1-Trichloroethane	ND	µg/L	1.0
1,1,2-Trichloroethane	ND	µg/L	1.0
Trichloroethene (TCE)	ND	µg/L	1.0
Trichlorofluoromethane	ND	µg/L	1.0
1,2,3-Trichloropropane	ND	µg/L	2.0
Vinyl chloride	ND	µg/L	1.0
Xylenes, Total	ND	µg/L	1.5

Sample ID: b1

MBLK

Batch ID: R24149 Analysis Date: 6/27/2007 9:48:31 AM

Benzene	ND	µg/L	1.0
Toluene	ND	µg/L	1.0
Ethylbenzene	ND	µg/L	1.0
Methyl tert-butyl ether (MTBE)	ND	µg/L	1.0
1,2,4-Trimethylbenzene	ND	µg/L	1.0
1,3,5-Trimethylbenzene	ND	µg/L	1.0
1,2-Dichloroethane (EDC)	ND	µg/L	1.0
1,2-Dibromoethane (EDB)	ND	µg/L	1.0
Naphthalene	ND	µg/L	2.0
1-Methylnaphthalene	ND	µg/L	4.0
2-Methylnaphthalene	ND	µg/L	4.0
Acetone	ND	µg/L	10
Bromobenzene	ND	µg/L	1.0
Bromochloromethane	ND	µg/L	1.0
Bromodichloromethane	ND	µg/L	1.0

Qualifiers:

E Value above quantitation range
 J Analyte detected below quantitation limits
 R RPD outside accepted recovery limits

H Holding times for preparation or analysis exceeded
 ND Not Detected at the Reporting Limit
 S Spike recovery outside accepted recovery limits

QA/QC SUMMARY REPORT

Client: Cypress Engineering
Project: TWP WT-1 ERP

Work Order: 0706352

Analyte	Result	Units	PQL	%Rec	LowLimit	HighLimit	%RPD	RPDLimit	Qual
---------	--------	-------	-----	------	----------	-----------	------	----------	------

Method: SW8260B

Sample ID: b1

MBLK

Batch ID: R24149 Analysis Date: 6/27/2007 948:31 AM

Bromoform	ND	µg/L	1.0
Bromomethane	ND	µg/L	1.0
2-Butanone	ND	µg/L	10
Carbon disulfide	ND	µg/L	10
Carbon Tetrachloride	ND	µg/L	1.0
Chlorobenzene	ND	µg/L	1.0
Chloroethane	ND	µg/L	2.0
Chloroform	ND	µg/L	1.0
Chloromethane	ND	µg/L	1.0
2-Chlorotoluene	ND	µg/L	1.0
4-Chlorotoluene	ND	µg/L	1.0
cis-1,2-DCE	ND	µg/L	1.0
cis-1,3-Dichloropropene	ND	µg/L	1.0
1,2-Dibromo-3-chloropropane	ND	µg/L	2.0
Dibromochloromethane	ND	µg/L	1.0
Dibromomethane	ND	µg/L	1.0
1,2-Dichlorobenzene	ND	µg/L	1.0
1,3-Dichlorobenzene	ND	µg/L	1.0
1,4-Dichlorobenzene	ND	µg/L	1.0
Dichlorodifluoromethane	ND	µg/L	1.0
1,1-Dichloroethane	ND	µg/L	1.0
1,1-Dichloroethene	ND	µg/L	1.0
1,2-Dichloropropane	ND	µg/L	1.0
1,3-Dichloropropane	ND	µg/L	1.0
2,2-Dichloropropane	ND	µg/L	2.0
1,1-Dichloropropene	ND	µg/L	1.0
Hexachlorobutadiene	ND	µg/L	1.0
2-Hexanone	ND	µg/L	10
Isopropylbenzene	ND	µg/L	1.0
4-Isopropyltoluene	ND	µg/L	1.0
4-Methyl-2-pentanone	ND	µg/L	10
Methylene Chloride	ND	µg/L	3.0
n-Butylbenzene	ND	µg/L	1.0
n-Propylbenzene	ND	µg/L	1.0
sec-Butylbenzene	ND	µg/L	1.0
Styrene	ND	µg/L	1.0
tert-Butylbenzene	ND	µg/L	1.0
1,1,1,2-Tetrachloroethane	ND	µg/L	1.0
1,1,1,2,2-Tetrachloroethane	ND	µg/L	2.0
Tetrachloroethene (PCE)	ND	µg/L	1.0
trans-1,2-DCE	ND	µg/L	1.0
trans-1,3-Dichloropropene	ND	µg/L	1.0
1,2,3-Trichlorobenzene	ND	µg/L	1.0
1,2,4-Trichlorobenzene	ND	µg/L	1.0

Qualifiers:

E Value above quantitation range
J Analyte detected below quantitation limits
R RPD outside accepted recovery limits

H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
S Spike recovery outside accepted recovery limits

QA/QC SUMMARY REPORT

Client: Cypress Engineering
 Project: TWP WT- 1 ERP

Work Order: 0706352

Analyte	Result	Units	PQL	%Rec	LowLimit	HighLimit	%RPD	RPDLimit	Qual
---------	--------	-------	-----	------	----------	-----------	------	----------	------

Method: SW8260B

Sample ID: b1

MBLK

Batch ID: R24149 Analysis Date: 6/27/2007 9:48:31 AM

1,1,1-Trichloroethane	ND	µg/L	1.0
1,1,2-Trichloroethane	ND	µg/L	1.0
Trichloroethene (TCE)	ND	µg/L	1.0
Trichlorofluoromethane	ND	µg/L	1.0
1,2,3-Trichloropropane	ND	µg/L	2.0
Vinyl chloride	ND	µg/L	1.0
Xylenes, Total	ND	µg/L	1.5

Sample ID: 100ng lcs b

LCS

Batch ID: R24134 Analysis Date: 6/26/2007 9:00:26 PM

Benzene	19.23	µg/L	1.0	96.2	82.4	128
Toluene	19.85	µg/L	1.0	99.2	77.2	115
Chlorobenzene	19.24	µg/L	1.0	96.2	78.3	117
1,1-Dichloroethene	20.25	µg/L	1.0	101	90.7	132
Trichloroethene (TCE)	18.78	µg/L	1.0	93.9	71.8	113

Sample ID: 100ng lcs

LCS

Batch ID: R24149 Analysis Date: 6/27/2007 10:55:15 AM

Benzene	19.44	µg/L	1.0	97.2	82.4	128
Toluene	19.39	µg/L	1.0	96.9	77.2	115
Chlorobenzene	19.02	µg/L	1.0	95.1	78.3	117
1,1-Dichloroethene	19.77	µg/L	1.0	98.9	90.7	132
Trichloroethene (TCE)	18.07	µg/L	1.0	90.3	71.8	113

Sample ID: 0706352-07a ms

MS

Batch ID: R24134 Analysis Date: 6/27/2007 3:41:04 AM

Benzene	20.01	µg/L	1.0	96.4	82.4	128
Toluene	19.16	µg/L	1.0	95.8	77.2	115
Chlorobenzene	18.58	µg/L	1.0	92.9	78.3	117
1,1-Dichloroethene	20.45	µg/L	1.0	98.2	90.7	132
Trichloroethene (TCE)	27.65	µg/L	1.0	92.8	71.8	113

Qualifiers:

E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
R	RPD outside accepted recovery limits	S	Spike recovery outside accepted recovery limits

Hall Environmental Analysis Laboratory, Inc.

Sample Receipt Checklist

Client Name CYP

Date and Time Received:

6/23/2007

Work Order Number 0706352

Received by AMF

Checklist completed by

Signature *George SL*

Date 6/23/07

Matrix

Carrier name Greyhound

Shipping container/cooler in good condition?

Yes ☒

No ☐

Not Present ☐

Custody seals intact on shipping container/cooler?

Yes ☒

No ☐

Not Present ☐

Not Shipped ☐

Custody seals intact on sample bottles?

Yes ☐

No ☐

N/A ☒

Chain of custody present?

Yes ☒

No ☐

Chain of custody signed when relinquished and received?

Yes ☒

No ☐

Chain of custody agrees with sample labels?

Yes ☒

No ☐

Samples in proper container/bottle?

Yes ☒

No ☐

Sample containers intact?

Yes ☒

No ☐

Sufficient sample volume for indicated test?

Yes ☒

No ☐

All samples received within holding time?

Yes ☒

No ☐

Water - VOA vials have zero headspace?

No VOA vials submitted ☐

Yes ☒

No ☐

Water - Preservation labels on bottle and cap match?

Yes ☐

No ☐

N/A ☒

Water - pH acceptable upon receipt?

Yes ☐

No ☐

N/A ☒

Container/Temp Blank temperature?

4°

4° C ± 2 Acceptable

If given sufficient time to cool.

COMMENTS:

Client contacted

Date contacted:

Person contacted

Contacted by:

Regarding

Comments:

Corrective Action

HALL ENVIRONMENTAL ANALYSIS LABORATORY

4901 Hawkins NE, Suite D
Albuquerque, New Mexico 87109
Tel. 505.345.3975 Fax 505.345.4107
www.hallenvironmental.com

Project Name: D-6710F (Hawkeye)

~~WT-1~~ WT-1 ELP

Project #:

TWP WT-1 EEP

Project Manager: *Carol Pabst*

Sampler: Sandy Sharp
Sample temperature: 4°C

Date	Time	Matrix	Sample I.D. No.	Number/Volume	Preservative			HEAL No.
					HgCl ₂	HNO ₃	HAL	
10/07	1920	W	MW-1	3/40ml			X	070LP352
	1930		MW-5				/	1
	1850		SUE-1A				/	2
	1515		MW-7				/	3
	1310		MW-24				/	4
	1505		MW-8				/	5
	1605		MW-6				/	6
	1745		MW-14				/	7
	1715		MW-17				/	8
	1815		MW-10				/	9
	1845		MW-15				/	10
	1910		MW-4				/	11
			TRIP BLANK				/	12
Date: 2/07	Time: 1000	Relinquished By: (Signature) <i>[Signature]</i>	Received By: (Signature) <i>[Signature]</i>	6/23/07 0950				
Date:	Time:	Relinquished By: (Signature)	Received By: (Signature)					

Remarks: *cf* I

Remarks:
of Include
1,2 DICHLORETHENE (CIS- & TRANS-)
DICHLOMBENZENE (O-, m- & p-)
ACETONE, Methyl Ethyl Ketone, 4-Methyl
2-Pentanol

COVER LETTER

Tuesday, December 18, 2007

George Robinson
Cypress Engineering
7171 Highway 6 North
Suite 102
Houston, TX 770952422

TEL: (281) 797-3420

FAX (281) 859-1881

RE: TWP WT- 1 ERP

Order No.: 0712141

Dear George Robinson:

Hall Environmental Analysis Laboratory, Inc. received 13 sample(s) on 12/11/2007 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent.

Reporting limits are determined by EPA methodology. No determination of compounds below these (denoted by the ND or < sign) has been made.

Please don't hesitate to contact HEAL for any additional information or clarifications.

Sincerely,



Andy Freeman, Business Manager
Nancy McDuffie, Laboratory Manager

NM Lab # NM9425

AZ license # AZ0682

ORELAP Lab # NM100001



Hall Environmental Analysis Laboratory, Inc.

Date: 18-Dec-07

CLIENT: Cypress Engineering
Project: TWP WT-1 ERP

Lab Order: 0712141

Lab ID: 0712141-01

Collection Date: 12/7/2007 2:01:00 PM

Client Sample ID: MW-17

Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 300.0: ANIONS						Analyst: SMP
Chloride	590	2.0		mg/L	20	12/13/2007 9:27:36 PM
Nitrate (As N)+Nitrite (As N)	8.7	1.0		mg/L	5	12/13/2007 3:21:58 AM
Sulfate	660	5.0		mg/L	10	12/12/2007 2:18:37 PM
EPA 6010B: TOTAL RECOVERABLE METALS						Analyst: TES
Arsenic	ND	0.020		mg/L	1	12/12/2007 5:43:12 PM
Barium	0.065	0.020		mg/L	1	12/12/2007 5:43:12 PM
Iron	0.068	0.050		mg/L	1	12/12/2007 5:43:12 PM
Manganese	0.0041	0.0020		mg/L	1	12/12/2007 5:43:12 PM
EPA METHOD 8260B: VOLATILES						Analyst: BDH
Benzene	ND	1.0		µg/L	1	12/13/2007 7:40:32 PM
Toluene	ND	1.0		µg/L	1	12/13/2007 7:40:32 PM
Ethylbenzene	ND	1.0		µg/L	1	12/13/2007 7:40:32 PM
Methyl tert-butyl ether (MTBE)	ND	1.0		µg/L	1	12/13/2007 7:40:32 PM
1,2,4-Trimethylbenzene	ND	1.0		µg/L	1	12/13/2007 7:40:32 PM
1,3,5-Trimethylbenzene	ND	1.0		µg/L	1	12/13/2007 7:40:32 PM
1,2-Dichloroethane (EDC)	ND	1.0		µg/L	1	12/13/2007 7:40:32 PM
1,2-Dibromoethane (EDB)	ND	1.0		µg/L	1	12/13/2007 7:40:32 PM
Naphthalene	ND	2.0		µg/L	1	12/13/2007 7:40:32 PM
1-Methylnaphthalene	ND	4.0		µg/L	1	12/13/2007 7:40:32 PM
2-Methylnaphthalene	ND	4.0		µg/L	1	12/13/2007 7:40:32 PM
Acetone	ND	10		µg/L	1	12/13/2007 7:40:32 PM
Bromobenzene	ND	1.0		µg/L	1	12/13/2007 7:40:32 PM
Bromochloromethane	ND	1.0		µg/L	1	12/13/2007 7:40:32 PM
Bromodichloromethane	ND	1.0		µg/L	1	12/13/2007 7:40:32 PM
Bromoform	ND	1.0		µg/L	1	12/13/2007 7:40:32 PM
Bromomethane	ND	1.0		µg/L	1	12/13/2007 7:40:32 PM
2-Butanone	ND	10		µg/L	1	12/13/2007 7:40:32 PM
Carbon disulfide	ND	10		µg/L	1	12/13/2007 7:40:32 PM
Carbon Tetrachloride	ND	1.0		µg/L	1	12/13/2007 7:40:32 PM
Chlorobenzene	ND	1.0		µg/L	1	12/13/2007 7:40:32 PM
Chloroethane	ND	2.0		µg/L	1	12/13/2007 7:40:32 PM
Chloroform	1.0	1.0		µg/L	1	12/13/2007 7:40:32 PM
Chloromethane	ND	1.0		µg/L	1	12/13/2007 7:40:32 PM
2-Chlorotoluene	ND	1.0		µg/L	1	12/13/2007 7:40:32 PM
4-Chlorotoluene	ND	1.0		µg/L	1	12/13/2007 7:40:32 PM
cis-1,2-DCE	ND	1.0		µg/L	1	12/13/2007 7:40:32 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	12/13/2007 7:40:32 PM
1,2-Dibromo-3-chloropropane	ND	2.0		µg/L	1	12/13/2007 7:40:32 PM
Dibromochloromethane	ND	1.0		µg/L	1	12/13/2007 7:40:32 PM
Dibromomethane	ND	1.0		µg/L	1	12/13/2007 7:40:32 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	12/13/2007 7:40:32 PM

Qualifiers: * Value exceeds Maximum Contaminant Level
E Value above quantitation range
J Analyte detected below quantitation limits
ND Not Detected at the Reporting Limit

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
MCL Maximum Contaminant Level
RL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 18-Dec-07

CLIENT: Cypress Engineering
Project: TWP WT-1 ERP

Lab Order: 0712141

EPA METHOD 8260B: VOLATILES

Analyst: BDH

1,3-Dichlorobenzene	ND	1.0	µg/L	1	12/13/2007 7:40:32 PM
1,4-Dichlorobenzene	ND	1.0	µg/L	1	12/13/2007 7:40:32 PM
Dichlorodifluoromethane	ND	1.0	µg/L	1	12/13/2007 7:40:32 PM
1,1-Dichloroethane	1.2	1.0	µg/L	1	12/13/2007 7:40:32 PM
1,1-Dichloroethene	1.6	1.0	µg/L	1	12/13/2007 7:40:32 PM
1,2-Dichloropropane	ND	1.0	µg/L	1	12/13/2007 7:40:32 PM
1,3-Dichloropropane	ND	1.0	µg/L	1	12/13/2007 7:40:32 PM
2,2-Dichloropropane	ND	2.0	µg/L	1	12/13/2007 7:40:32 PM
1,1-Dichloropropene	ND	1.0	µg/L	1	12/13/2007 7:40:32 PM
Hexachlorobutadiene	ND	1.0	µg/L	1	12/13/2007 7:40:32 PM
2-Hexanone	ND	10	µg/L	1	12/13/2007 7:40:32 PM
Isopropylbenzene	ND	1.0	µg/L	1	12/13/2007 7:40:32 PM
4-Isopropyltoluene	ND	1.0	µg/L	1	12/13/2007 7:40:32 PM
4-Methyl-2-pentanone	ND	10	µg/L	1	12/13/2007 7:40:32 PM
Methylene Chloride	ND	3.0	µg/L	1	12/13/2007 7:40:32 PM
n-Butylbenzene	ND	1.0	µg/L	1	12/13/2007 7:40:32 PM
n-Propylbenzene	ND	1.0	µg/L	1	12/13/2007 7:40:32 PM
sec-Butylbenzene	ND	1.0	µg/L	1	12/13/2007 7:40:32 PM
Styrene	ND	1.0	µg/L	1	12/13/2007 7:40:32 PM
tert-Butylbenzene	ND	1.0	µg/L	1	12/13/2007 7:40:32 PM
1,1,1,2-Tetrachloroethane	ND	1.0	µg/L	1	12/13/2007 7:40:32 PM
1,1,2,2-Tetrachloroethane	ND	2.0	µg/L	1	12/13/2007 7:40:32 PM
Tetrachloroethene (PCE)	1.7	1.0	µg/L	1	12/13/2007 7:40:32 PM
trans-1,2-DCE	ND	1.0	µg/L	1	12/13/2007 7:40:32 PM
trans-1,3-Dichloropropene	ND	1.0	µg/L	1	12/13/2007 7:40:32 PM
1,2,3-Trichlorobenzene	ND	1.0	µg/L	1	12/13/2007 7:40:32 PM
1,2,4-Trichlorobenzene	ND	1.0	µg/L	1	12/13/2007 7:40:32 PM
1,1,1-Trichloroethane	ND	1.0	µg/L	1	12/13/2007 7:40:32 PM
1,1,2-Trichloroethane	ND	1.0	µg/L	1	12/13/2007 7:40:32 PM
Trichloroethene (TCE)	ND	1.0	µg/L	1	12/13/2007 7:40:32 PM
Trichlorofluoromethane	ND	1.0	µg/L	1	12/13/2007 7:40:32 PM
1,2,3-Trichloropropane	ND	2.0	µg/L	1	12/13/2007 7:40:32 PM
Vinyl chloride	ND	1.0	µg/L	1	12/13/2007 7:40:32 PM
Xylenes, Total	ND	1.5	µg/L	1	12/13/2007 7:40:32 PM
Surr: 1,2-Dichloroethane-d4	87.7	68.1-123	%REC	1	12/13/2007 7:40:32 PM
Surr: 4-Bromofluorobenzene	89.0	53.2-145	%REC	1	12/13/2007 7:40:32 PM
Surr: Dibromofluoromethane	91.8	68.5-119	%REC	1	12/13/2007 7:40:32 PM
Surr: Toluene-d8	84.1	64-131	%REC	1	12/13/2007 7:40:32 PM

SM 2540C: TDS

Analyst: TAF

Total Dissolved Solids	2400	20	mg/L	1	12/13/2007
------------------------	------	----	------	---	------------

Qualifiers: * Value exceeds Maximum Contaminant Level

E Value above quantitation range

J Analyte detected below quantitation limits

ND Not Detected at the Reporting Limit

B Analyte detected in the associated Method Blank

H Holding times for preparation or analysis exceeded

MCL Maximum Contaminant Level

RI Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 18-Dec-07

CLIENT: Cypress Engineering
Project: TWP WT-1 ERP

Lab Order: 0712141

Lab ID: 0712141-02

Collection Date: 12/7/2007 2:51:00 PM

Client Sample ID: MW-16

Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 300.0: ANIONS						Analyst: SMP
Chloride	570	2.0		mg/L	20	12/13/2007 9:45:00 PM
Nitrate (As N)+Nitrite (As N)	ND	1.0		mg/L	5	12/13/2007 3:39:23 AM
Sulfate	910	10		mg/L	20	12/13/2007 9:45:00 PM
EPA 6010B: TOTAL RECOVERABLE METALS						Analyst: TES
Arsenic	ND	0.020		mg/L	1	12/12/2007 5:47:20 PM
Barium	ND	0.020		mg/L	1	12/12/2007 5:47:20 PM
Iron	ND	0.050		mg/L	1	12/12/2007 5:47:20 PM
Manganese	1.6	0.010		mg/L	5	12/13/2007 10:24:20 AM
EPA METHOD 8260B: VOLATILES						Analyst: BDH
Benzene	ND	1.0		µg/L	1	12/13/2007 8:09:03 PM
Toluene	ND	1.0		µg/L	1	12/13/2007 8:09:03 PM
Ethylbenzene	ND	1.0		µg/L	1	12/13/2007 8:09:03 PM
Methyl tert-butyl ether (MTBE)	ND	1.0		µg/L	1	12/13/2007 8:09:03 PM
1,2,4-Trimethylbenzene	ND	1.0		µg/L	1	12/13/2007 8:09:03 PM
1,3,5-Trimethylbenzene	ND	1.0		µg/L	1	12/13/2007 8:09:03 PM
1,2-Dichloroethane (EDC)	ND	1.0		µg/L	1	12/13/2007 8:09:03 PM
1,2-Dibromoethane (EDB)	ND	1.0		µg/L	1	12/13/2007 8:09:03 PM
Naphthalene	ND	2.0		µg/L	1	12/13/2007 8:09:03 PM
1-Methylnaphthalene	ND	4.0		µg/L	1	12/13/2007 8:09:03 PM
2-Methylnaphthalene	ND	4.0		µg/L	1	12/13/2007 8:09:03 PM
Acetone	ND	10		µg/L	1	12/13/2007 8:09:03 PM
Bromobenzene	ND	1.0		µg/L	1	12/13/2007 8:09:03 PM
Bromochloromethane	ND	1.0		µg/L	1	12/13/2007 8:09:03 PM
Bromodichloromethane	ND	1.0		µg/L	1	12/13/2007 8:09:03 PM
Bromoform	ND	1.0		µg/L	1	12/13/2007 8:09:03 PM
Bromomethane	ND	1.0		µg/L	1	12/13/2007 8:09:03 PM
2-Butanone	ND	10		µg/L	1	12/13/2007 8:09:03 PM
Carbon disulfide	ND	10		µg/L	1	12/13/2007 8:09:03 PM
Carbon Tetrachloride	ND	1.0		µg/L	1	12/13/2007 8:09:03 PM
Chlorobenzene	ND	1.0		µg/L	1	12/13/2007 8:09:03 PM
Chloroethane	ND	2.0		µg/L	1	12/13/2007 8:09:03 PM
Chloroform	ND	1.0		µg/L	1	12/13/2007 8:09:03 PM
Chloromethane	ND	1.0		µg/L	1	12/13/2007 8:09:03 PM
2-Chlorotoluene	ND	1.0		µg/L	1	12/13/2007 8:09:03 PM
4-Chlorotoluene	ND	1.0		µg/L	1	12/13/2007 8:09:03 PM
cis-1,2-DCE	ND	1.0		µg/L	1	12/13/2007 8:09:03 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	12/13/2007 8:09:03 PM
1,2-Dibromo-3-chloropropane	ND	2.0		µg/L	1	12/13/2007 8:09:03 PM
Dibromochloromethane	ND	1.0		µg/L	1	12/13/2007 8:09:03 PM
Dibromomethane	ND	1.0		µg/L	1	12/13/2007 8:09:03 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	12/13/2007 8:09:03 PM

Qualifiers: * Value exceeds Maximum Contaminant Level
E Value above quantitation range
J Analyte detected below quantitation limits
ND Not Detected at the Reporting Limit

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
MCL Maximum Contaminant Level
RI Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 18-Dec-07

CLIENT: Cypress Engineering
Project: TWP WT-1 ERP

Lab Order: 0712141

EPA METHOD 8260B: VOLATILES

Analyst: BDH

1,3-Dichlorobenzene	ND	1.0	µg/L	1	12/13/2007 8:09:03 PM
1,4-Dichlorobenzene	ND	1.0	µg/L	1	12/13/2007 8:09:03 PM
Dichlorodifluoromethane	ND	1.0	µg/L	1	12/13/2007 8:09:03 PM
1,1-Dichloroethane	ND	1.0	µg/L	1	12/13/2007 8:09:03 PM
1,1-Dichloroethene	ND	1.0	µg/L	1	12/13/2007 8:09:03 PM
1,2-Dichloropropane	ND	1.0	µg/L	1	12/13/2007 8:09:03 PM
1,3-Dichloropropane	ND	1.0	µg/L	1	12/13/2007 8:09:03 PM
2,2-Dichloropropane	ND	2.0	µg/L	1	12/13/2007 8:09:03 PM
1,1-Dichloropropene	ND	1.0	µg/L	1	12/13/2007 8:09:03 PM
Hexachlorobutadiene	ND	1.0	µg/L	1	12/13/2007 8:09:03 PM
2-Hexanone	ND	10	µg/L	1	12/13/2007 8:09:03 PM
Isopropylbenzene	ND	1.0	µg/L	1	12/13/2007 8:09:03 PM
4-Isopropyltoluene	ND	1.0	µg/L	1	12/13/2007 8:09:03 PM
4-Methyl-2-pentanone	ND	10	µg/L	1	12/13/2007 8:09:03 PM
Methylene Chloride	ND	3.0	µg/L	1	12/13/2007 8:09:03 PM
n-Butylbenzene	ND	1.0	µg/L	1	12/13/2007 8:09:03 PM
n-Propylbenzene	ND	1.0	µg/L	1	12/13/2007 8:09:03 PM
sec-Butylbenzene	ND	1.0	µg/L	1	12/13/2007 8:09:03 PM
Styrene	ND	1.0	µg/L	1	12/13/2007 8:09:03 PM
tert-Butylbenzene	ND	1.0	µg/L	1	12/13/2007 8:09:03 PM
1,1,1,2-Tetrachloroethane	ND	1.0	µg/L	1	12/13/2007 8:09:03 PM
1,1,2,2-Tetrachloroethane	ND	2.0	µg/L	1	12/13/2007 8:09:03 PM
Tetrachloroethene (PCE)	3.9	1.0	µg/L	1	12/13/2007 8:09:03 PM
trans-1,2-DCE	ND	1.0	µg/L	1	12/13/2007 8:09:03 PM
trans-1,3-Dichloropropene	ND	1.0	µg/L	1	12/13/2007 8:09:03 PM
1,2,3-Trichlorobenzene	ND	1.0	µg/L	1	12/13/2007 8:09:03 PM
1,2,4-Trichlorobenzene	ND	1.0	µg/L	1	12/13/2007 8:09:03 PM
1,1,1-Trichloroethane	ND	1.0	µg/L	1	12/13/2007 8:09:03 PM
1,1,2-Trichloroethane	ND	1.0	µg/L	1	12/13/2007 8:09:03 PM
Trichloroethene (TCE)	ND	1.0	µg/L	1	12/13/2007 8:09:03 PM
Trichlorofluoromethane	ND	1.0	µg/L	1	12/13/2007 8:09:03 PM
1,2,3-Trichloropropane	ND	2.0	µg/L	1	12/13/2007 8:09:03 PM
Vinyl chloride	ND	1.0	µg/L	1	12/13/2007 8:09:03 PM
Xylenes, Total	ND	1.5	µg/L	1	12/13/2007 8:09:03 PM
Surr: 1,2-Dichloroethane-d4	90.1	68.1-123	%REC	1	12/13/2007 8:09:03 PM
Surr: 4-Bromofluorobenzene	88.3	53.2-145	%REC	1	12/13/2007 8:09:03 PM
Surr: Dibromofluoromethane	88.1	68.5-119	%REC	1	12/13/2007 8:09:03 PM
Surr: Toluene-d8	83.8	64-131	%REC	1	12/13/2007 8:09:03 PM

SM 2540C: TDS

Analyst: TAF

Total Dissolved Solids	2700	20	mg/L	1	12/13/2007
------------------------	------	----	------	---	------------

Qualifiers: * Value exceeds Maximum Contaminant Level
E Value above quantitation range
J Analyte detected below quantitation limits
ND Not Detected at the Reporting Limit

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
MCL Maximum Contaminant Level
RL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 18-Dec-07

CLIENT: Cypress Engineering
Project: TWP WT-1 ERP

Lab Order: 0712141

Lab ID: 0712141-03

Collection Date: 12/7/2007 3:30:00 PM

Client Sample ID: MW-15

Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 300.0: ANIONS						Analyst: SMP
Chloride	260	1.0		mg/L	10	12/12/2007 3:28:16 PM
Nitrate (As N)+Nitrite (As N)	8.8	1.0		mg/L	5	12/13/2007 3:56:48 AM
Sulfate	580	5.0		mg/L	10	12/12/2007 3:28:16 PM
EPA 6010B: TOTAL RECOVERABLE METALS						Analyst: TES
Arsenic	ND	0.020		mg/L	1	12/12/2007 5:51:30 PM
Barium	0.055	0.020		mg/L	1	12/12/2007 5:51:30 PM
Iron	0.24	0.050		mg/L	1	12/12/2007 5:51:30 PM
Manganese	0.057	0.0020		mg/L	1	12/12/2007 5:51:30 PM
EPA METHOD 8260B: VOLATILES						Analyst: BDH
Benzene	ND	1.0		µg/L	1	12/13/2007 10:31:23 PM
Toluene	ND	1.0		µg/L	1	12/13/2007 10:31:23 PM
Ethylbenzene	ND	1.0		µg/L	1	12/13/2007 10:31:23 PM
Methyl tert-butyl ether (MTBE)	ND	1.0		µg/L	1	12/13/2007 10:31:23 PM
1,2,4-Trimethylbenzene	ND	1.0		µg/L	1	12/13/2007 10:31:23 PM
1,3,5-Trimethylbenzene	ND	1.0		µg/L	1	12/13/2007 10:31:23 PM
1,2-Dichloroethane (EDC)	ND	1.0		µg/L	1	12/13/2007 10:31:23 PM
1,2-Dibromoethane (EDB)	ND	1.0		µg/L	1	12/13/2007 10:31:23 PM
Naphthalene	ND	2.0		µg/L	1	12/13/2007 10:31:23 PM
1-Methylnaphthalene	ND	4.0		µg/L	1	12/13/2007 10:31:23 PM
2-Methylnaphthalene	ND	4.0		µg/L	1	12/13/2007 10:31:23 PM
Acetone	ND	10		µg/L	1	12/13/2007 10:31:23 PM
Bromobenzene	ND	1.0		µg/L	1	12/13/2007 10:31:23 PM
Bromochloromethane	ND	1.0		µg/L	1	12/13/2007 10:31:23 PM
Bromodichloromethane	ND	1.0		µg/L	1	12/13/2007 10:31:23 PM
Bromoform	ND	1.0		µg/L	1	12/13/2007 10:31:23 PM
Bromomethane	ND	1.0		µg/L	1	12/13/2007 10:31:23 PM
2-Butanone	ND	10		µg/L	1	12/13/2007 10:31:23 PM
Carbon disulfide	ND	10		µg/L	1	12/13/2007 10:31:23 PM
Carbon Tetrachloride	ND	1.0		µg/L	1	12/13/2007 10:31:23 PM
Chlorobenzene	ND	1.0		µg/L	1	12/13/2007 10:31:23 PM
Chloroethane	ND	2.0		µg/L	1	12/13/2007 10:31:23 PM
Chloroform	ND	1.0		µg/L	1	12/13/2007 10:31:23 PM
Chloromethane	ND	1.0		µg/L	1	12/13/2007 10:31:23 PM
2-Chlorotoluene	ND	1.0		µg/L	1	12/13/2007 10:31:23 PM
4-Chlorotoluene	ND	1.0		µg/L	1	12/13/2007 10:31:23 PM
cis-1,2-DCE	ND	1.0		µg/L	1	12/13/2007 10:31:23 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	12/13/2007 10:31:23 PM
1,2-Dibromo-3-chloropropane	ND	2.0		µg/L	1	12/13/2007 10:31:23 PM
Dibromochloromethane	ND	1.0		µg/L	1	12/13/2007 10:31:23 PM
Dibromomethane	ND	1.0		µg/L	1	12/13/2007 10:31:23 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	12/13/2007 10:31:23 PM

Qualifiers: * Value exceeds Maximum Contaminant Level
E Value above quantitation range
J Analyte detected below quantitation limits
ND Not Detected at the Reporting Limit

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
MCL Maximum Contaminant Level
RI Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 18-Dec-07

CLIENT: Cypress Engineering
Project: TWP WT-1 ERP

Lab Order: 0712141

EPA METHOD 8260B: VOLATILES

Analyst: BDH

1,3-Dichlorobenzene	ND	1.0	µg/L	1	12/13/2007 10:31:23 PM
1,4-Dichlorobenzene	ND	1.0	µg/L	1	12/13/2007 10:31:23 PM
Dichlorodifluoromethane	ND	1.0	µg/L	1	12/13/2007 10:31:23 PM
1,1-Dichloroethane	1.7	1.0	µg/L	1	12/13/2007 10:31:23 PM
1,1-Dichloroethene	1.4	1.0	µg/L	1	12/13/2007 10:31:23 PM
1,2-Dichloropropane	ND	1.0	µg/L	1	12/13/2007 10:31:23 PM
1,3-Dichloropropane	ND	1.0	µg/L	1	12/13/2007 10:31:23 PM
2,2-Dichloropropane	ND	2.0	µg/L	1	12/13/2007 10:31:23 PM
1,1-Dichloropropene	ND	1.0	µg/L	1	12/13/2007 10:31:23 PM
Hexachlorobutadiene	ND	1.0	µg/L	1	12/13/2007 10:31:23 PM
2-Hexanone	ND	10	µg/L	1	12/13/2007 10:31:23 PM
Isopropylbenzene	ND	1.0	µg/L	1	12/13/2007 10:31:23 PM
4-Isopropyltoluene	ND	1.0	µg/L	1	12/13/2007 10:31:23 PM
4-Methyl-2-pentanone	ND	10	µg/L	1	12/13/2007 10:31:23 PM
Methylene Chloride	ND	3.0	µg/L	1	12/13/2007 10:31:23 PM
n-Butylbenzene	ND	1.0	µg/L	1	12/13/2007 10:31:23 PM
n-Propylbenzene	ND	1.0	µg/L	1	12/13/2007 10:31:23 PM
sec-Butylbenzene	ND	1.0	µg/L	1	12/13/2007 10:31:23 PM
Styrene	ND	1.0	µg/L	1	12/13/2007 10:31:23 PM
tert-Butylbenzene	ND	1.0	µg/L	1	12/13/2007 10:31:23 PM
1,1,1,2-Tetrachloroethane	ND	1.0	µg/L	1	12/13/2007 10:31:23 PM
1,1,2,2-Tetrachloroethane	ND	2.0	µg/L	1	12/13/2007 10:31:23 PM
Tetrachloroethene (PCE)	ND	1.0	µg/L	1	12/13/2007 10:31:23 PM
trans-1,2-DCE	ND	1.0	µg/L	1	12/13/2007 10:31:23 PM
trans-1,3-Dichloropropene	ND	1.0	µg/L	1	12/13/2007 10:31:23 PM
1,2,3-Trichlorobenzene	ND	1.0	µg/L	1	12/13/2007 10:31:23 PM
1,2,4-Trichlorobenzene	ND	1.0	µg/L	1	12/13/2007 10:31:23 PM
1,1,1-Trichloroethane	1.1	1.0	µg/L	1	12/13/2007 10:31:23 PM
1,1,2-Trichloroethane	ND	1.0	µg/L	1	12/13/2007 10:31:23 PM
Trichloroethene (TCE)	ND	1.0	µg/L	1	12/13/2007 10:31:23 PM
Trichlorofluoromethane	ND	1.0	µg/L	1	12/13/2007 10:31:23 PM
1,2,3-Trichloropropane	ND	2.0	µg/L	1	12/13/2007 10:31:23 PM
Vinyl chloride	ND	1.0	µg/L	1	12/13/2007 10:31:23 PM
Xylenes, Total	ND	1.5	µg/L	1	12/13/2007 10:31:23 PM
Surr: 1,2-Dichloroethane-d4	90.0	68.1-123	%REC	1	12/13/2007 10:31:23 PM
Surr: 4-Bromofluorobenzene	89.2	53.2-145	%REC	1	12/13/2007 10:31:23 PM
Surr: Dibromofluoromethane	89.9	68.5-119	%REC	1	12/13/2007 10:31:23 PM
Surr: Toluene-d8	83.1	64-131	%REC	1	12/13/2007 10:31:23 PM

SM 2540C: TDS

Analyst: TAF

Total Dissolved Solids	1700	100	mg/L	1	12/13/2007
------------------------	------	-----	------	---	------------

Qualifiers: * Value exceeds Maximum Contaminant Level
E Value above quantitation range
J Analyte detected below quantitation limits
ND Not Detected at the Reporting Limit

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
MCL Maximum Contaminant Level
RL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 18-Dec-07

CLIENT: Cypress Engineering
Project: TWP WT- 1 ERP**Lab Order:** 0712141**Lab ID:** 0712141-04**Collection Date:** 12/7/2007 11:11:00 AM**Client Sample ID:** MW-8**Matrix:** AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 300.0: ANIONS						Analyst: SMP
Chloride	490	2.0		mg/L	20	12/13/2007 10:02:24 PM
Nitrate (As N)+Nitrite (As N)	ND	1.0		mg/L	5	12/13/2007 4:14:12 AM
Sulfate	140	5.0		mg/L	10	12/12/2007 4:37:54 PM
EPA 6010B: TOTAL RECOVERABLE METALS						Analyst: TES
Arsenic	ND	0.020		mg/L	1	12/12/2007 5:55:41 PM
Barium	0.098	0.020		mg/L	1	12/12/2007 5:55:41 PM
Iron	0.48	0.050		mg/L	1	12/12/2007 5:55:41 PM
Manganese	0.96	0.0020		mg/L	1	12/12/2007 5:55:41 PM
EPA METHOD 8260B: VOLATILES						Analyst: BDH
Benzene	3.9	1.0		µg/L	1	12/13/2007 10:59:55 PM
Toluene	ND	1.0		µg/L	1	12/13/2007 10:59:55 PM
Ethylbenzene	ND	1.0		µg/L	1	12/13/2007 10:59:55 PM
Methyl tert-butyl ether (MTBE)	ND	1.0		µg/L	1	12/13/2007 10:59:55 PM
1,2,4-Trimethylbenzene	ND	1.0		µg/L	1	12/13/2007 10:59:55 PM
1,3,5-Trimethylbenzene	ND	1.0		µg/L	1	12/13/2007 10:59:55 PM
1,2-Dichloroethane (EDC)	2.7	1.0		µg/L	1	12/13/2007 10:59:55 PM
1,2-Dibromoethane (EDB)	ND	1.0		µg/L	1	12/13/2007 10:59:55 PM
Naphthalene	ND	2.0		µg/L	1	12/13/2007 10:59:55 PM
1-Methylnaphthalene	ND	4.0		µg/L	1	12/13/2007 10:59:55 PM
2-Methylnaphthalene	ND	4.0		µg/L	1	12/13/2007 10:59:55 PM
Acetone	ND	10		µg/L	1	12/13/2007 10:59:55 PM
Bromobenzene	ND	1.0		µg/L	1	12/13/2007 10:59:55 PM
Bromochloromethane	ND	1.0		µg/L	1	12/13/2007 10:59:55 PM
Bromodichloromethane	ND	1.0		µg/L	1	12/13/2007 10:59:55 PM
Bromoform	ND	1.0		µg/L	1	12/13/2007 10:59:55 PM
Bromomethane	ND	1.0		µg/L	1	12/13/2007 10:59:55 PM
2-Butanone	ND	10		µg/L	1	12/13/2007 10:59:55 PM
Carbon disulfide	ND	10		µg/L	1	12/13/2007 10:59:55 PM
Carbon Tetrachloride	ND	1.0		µg/L	1	12/13/2007 10:59:55 PM
Chlorobenzene	ND	1.0		µg/L	1	12/13/2007 10:59:55 PM
Chloroethane	ND	2.0		µg/L	1	12/13/2007 10:59:55 PM
Chloroform	ND	1.0		µg/L	1	12/13/2007 10:59:55 PM
Chloromethane	ND	1.0		µg/L	1	12/13/2007 10:59:55 PM
2-Chlorotoluene	ND	1.0		µg/L	1	12/13/2007 10:59:55 PM
4-Chlorotoluene	ND	1.0		µg/L	1	12/13/2007 10:59:55 PM
cis-1,2-DCE	48	1.0		µg/L	1	12/13/2007 10:59:55 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	12/13/2007 10:59:55 PM
1,2-Dibromo-3-chloropropane	ND	2.0		µg/L	1	12/13/2007 10:59:55 PM
Dibromochloromethane	ND	1.0		µg/L	1	12/13/2007 10:59:55 PM
Dibromomethane	ND	1.0		µg/L	1	12/13/2007 10:59:55 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	12/13/2007 10:59:55 PM

Qualifiers: * Value exceeds Maximum Contaminant Level
E Value above quantitation range
J Analyte detected below quantitation limits
ND Not Detected at the Reporting Limit

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
MCL Maximum Contaminant Level
RL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 18-Dec-07

CLIENT: Cypress Engineering
Project: TWP WT-1 ERP

Lab Order: 0712141

EPA METHOD 8260B: VOLATILES

Analyst: BDH

1,3-Dichlorobenzene	ND	1.0	µg/L	1	12/13/2007 10:59:55 PM
1,4-Dichlorobenzene	ND	1.0	µg/L	1	12/13/2007 10:59:55 PM
Dichlorodifluoromethane	ND	1.0	µg/L	1	12/13/2007 10:59:55 PM
1,1-Dichloroethane	68	1.0	µg/L	1	12/13/2007 10:59:55 PM
1,1-Dichloroethene	3.4	1.0	µg/L	1	12/13/2007 10:59:55 PM
1,2-Dichloropropane	ND	1.0	µg/L	1	12/13/2007 10:59:55 PM
1,3-Dichloropropane	ND	1.0	µg/L	1	12/13/2007 10:59:55 PM
2,2-Dichloropropane	ND	2.0	µg/L	1	12/13/2007 10:59:55 PM
1,1-Dichloropropene	ND	1.0	µg/L	1	12/13/2007 10:59:55 PM
Hexachlorobutadiene	ND	1.0	µg/L	1	12/13/2007 10:59:55 PM
2-Hexanone	ND	10	µg/L	1	12/13/2007 10:59:55 PM
Isopropylbenzene	1.0	1.0	µg/L	1	12/13/2007 10:59:55 PM
4-Isopropyltoluene	ND	1.0	µg/L	1	12/13/2007 10:59:55 PM
4-Methyl-2-pentanone	ND	10	µg/L	1	12/13/2007 10:59:55 PM
Methylene Chloride	ND	3.0	µg/L	1	12/13/2007 10:59:55 PM
n-Butylbenzene	ND	1.0	µg/L	1	12/13/2007 10:59:55 PM
n-Propylbenzene	ND	1.0	µg/L	1	12/13/2007 10:59:55 PM
sec-Butylbenzene	ND	1.0	µg/L	1	12/13/2007 10:59:55 PM
Styrene	ND	1.0	µg/L	1	12/13/2007 10:59:55 PM
tert-Butylbenzene	ND	1.0	µg/L	1	12/13/2007 10:59:55 PM
1,1,1,2-Tetrachloroethane	ND	1.0	µg/L	1	12/13/2007 10:59:55 PM
1,1,2,2-Tetrachloroethane	ND	2.0	µg/L	1	12/13/2007 10:59:55 PM
Tetrachloroethene (PCE)	ND	1.0	µg/L	1	12/13/2007 10:59:55 PM
trans-1,2-DCE	ND	1.0	µg/L	1	12/13/2007 10:59:55 PM
trans-1,3-Dichloropropene	ND	1.0	µg/L	1	12/13/2007 10:59:55 PM
1,2,3-Trichlorobenzene	ND	1.0	µg/L	1	12/13/2007 10:59:55 PM
1,2,4-Trichlorobenzene	ND	1.0	µg/L	1	12/13/2007 10:59:55 PM
1,1,1-Trichloroethane	ND	1.0	µg/L	1	12/13/2007 10:59:55 PM
1,1,2-Trichloroethane	ND	1.0	µg/L	1	12/13/2007 10:59:55 PM
Trichloroethene (TCE)	41	1.0	µg/L	1	12/13/2007 10:59:55 PM
Trichlorofluoromethane	ND	1.0	µg/L	1	12/13/2007 10:59:55 PM
1,2,3-Trichloropropane	ND	2.0	µg/L	1	12/13/2007 10:59:55 PM
Vinyl chloride	ND	1.0	µg/L	1	12/13/2007 10:59:55 PM
Xylenes, Total	ND	1.5	µg/L	1	12/13/2007 10:59:55 PM
Surr: 1,2-Dichloroethane-d4	91.2	68.1-123	%REC	1	12/13/2007 10:59:55 PM
Surr: 4-Bromofluorobenzene	90.8	53.2-145	%REC	1	12/13/2007 10:59:55 PM
Surr: Dibromofluoromethane	96.6	68.5-119	%REC	1	12/13/2007 10:59:55 PM
Surr: Toluene-d8	83.0	64-131	%REC	1	12/13/2007 10:59:55 PM

SM 2540C: TDS

Analyst: TAF

Total Dissolved Solids	1700	20	mg/L	1	12/13/2007
------------------------	------	----	------	---	------------

Qualifiers: * Value exceeds Maximum Contaminant Level
E Value above quantitation range
J Analyte detected below quantitation limits
ND Not Detected at the Reporting Limit

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
MCL Maximum Contaminant Level
RI Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 18-Dec-07

CLIENT: Cypress Engineering
Project: TWP WT- 1 ERP

Lab Order: 0712141

Lab ID: 0712141-05

Collection Date: 12/7/2007 12:07:00 PM

Client Sample ID: MW-6

Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 300.0: ANIONS						Analyst: SMP
Chloride	740	2.0		mg/L	20	12/13/2007 10:19:49 PM
Nitrate (As N)+Nitrite (As N)	ND	1.0		mg/L	5	12/13/2007 4:31:37 AM
Sulfate	610	5.0		mg/L	10	12/12/2007 5:12:43 PM
EPA 6010B: TOTAL RECOVERABLE METALS						Analyst: TES
Arsenic	ND	0.020		mg/L	1	12/12/2007 6:01:33 PM
Barium	0.079	0.020		mg/L	1	12/12/2007 6:01:33 PM
Iron	1.1	0.25		mg/L	5	12/13/2007 10:27:25 AM
Manganese	0.83	0.0020		mg/L	1	12/12/2007 6:01:33 PM
EPA METHOD 8260B: VOLATILES						Analyst: BDH
Benzene	ND	1.0		µg/L	1	12/13/2007 11:28:24 PM
Toluene	ND	1.0		µg/L	1	12/13/2007 11:28:24 PM
Ethylbenzene	ND	1.0		µg/L	1	12/13/2007 11:28:24 PM
Methyl tert-butyl ether (MTBE)	ND	1.0		µg/L	1	12/13/2007 11:28:24 PM
1,2,4-Trimethylbenzene	ND	1.0		µg/L	1	12/13/2007 11:28:24 PM
1,3,5-Trimethylbenzene	ND	1.0		µg/L	1	12/13/2007 11:28:24 PM
1,2-Dichloroethane (EDC)	ND	1.0		µg/L	1	12/13/2007 11:28:24 PM
1,2-Dibromoethane (EDB)	ND	1.0		µg/L	1	12/13/2007 11:28:24 PM
Naphthalene	ND	2.0		µg/L	1	12/13/2007 11:28:24 PM
1-Methylnaphthalene	ND	4.0		µg/L	1	12/13/2007 11:28:24 PM
2-Methylnaphthalene	ND	4.0		µg/L	1	12/13/2007 11:28:24 PM
Acetone	ND	10		µg/L	1	12/13/2007 11:28:24 PM
Bromobenzene	ND	1.0		µg/L	1	12/13/2007 11:28:24 PM
Bromochloromethane	ND	1.0		µg/L	1	12/13/2007 11:28:24 PM
Bromodichloromethane	ND	1.0		µg/L	1	12/13/2007 11:28:24 PM
Bromoform	ND	1.0		µg/L	1	12/13/2007 11:28:24 PM
Bromomethane	ND	1.0		µg/L	1	12/13/2007 11:28:24 PM
2-Butanone	ND	10		µg/L	1	12/13/2007 11:28:24 PM
Carbon disulfide	ND	10		µg/L	1	12/13/2007 11:28:24 PM
Carbon Tetrachloride	ND	1.0		µg/L	1	12/13/2007 11:28:24 PM
Chlorobenzene	ND	1.0		µg/L	1	12/13/2007 11:28:24 PM
Chloroethane	ND	2.0		µg/L	1	12/13/2007 11:28:24 PM
Chloroform	ND	1.0		µg/L	1	12/13/2007 11:28:24 PM
Chloromethane	ND	1.0		µg/L	1	12/13/2007 11:28:24 PM
2-Chlorotoluene	ND	1.0		µg/L	1	12/13/2007 11:28:24 PM
4-Chlorotoluene	ND	1.0		µg/L	1	12/13/2007 11:28:24 PM
cis-1,2-DCE	3.1	1.0		µg/L	1	12/13/2007 11:28:24 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	12/13/2007 11:28:24 PM
1,2-Dibromo-3-chloropropane	ND	2.0		µg/L	1	12/13/2007 11:28:24 PM
Dibromochloromethane	ND	1.0		µg/L	1	12/13/2007 11:28:24 PM
Dibromomethane	ND	1.0		µg/L	1	12/13/2007 11:28:24 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	12/13/2007 11:28:24 PM

Qualifiers: * Value exceeds Maximum Contaminant Level
E Value above quantitation range
J Analyte detected below quantitation limits
ND Not Detected at the Reporting Limit

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
MCL Maximum Contaminant Level
DL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 18-Dec-07

CLIENT: Cypress Engineering
Project: TWP WT-1 ERP

Lab Order: 0712141

EPA METHOD 8260B: VOLATILES

Analyst: BDH

1,3-Dichlorobenzene	ND	1.0	µg/L	1	12/13/2007 11:28:24 PM
1,4-Dichlorobenzene	ND	1.0	µg/L	1	12/13/2007 11:28:24 PM
Dichlorodifluoromethane	ND	1.0	µg/L	1	12/13/2007 11:28:24 PM
1,1-Dichloroethane	4.1	1.0	µg/L	1	12/13/2007 11:28:24 PM
1,1-Dichloroethene	ND	1.0	µg/L	1	12/13/2007 11:28:24 PM
1,2-Dichloropropane	ND	1.0	µg/L	1	12/13/2007 11:28:24 PM
1,3-Dichloropropane	ND	1.0	µg/L	1	12/13/2007 11:28:24 PM
2,2-Dichloropropane	ND	2.0	µg/L	1	12/13/2007 11:28:24 PM
1,1-Dichloropropene	ND	1.0	µg/L	1	12/13/2007 11:28:24 PM
Hexachlorobutadiene	ND	1.0	µg/L	1	12/13/2007 11:28:24 PM
2-Hexanone	ND	10	µg/L	1	12/13/2007 11:28:24 PM
Isopropylbenzene	ND	1.0	µg/L	1	12/13/2007 11:28:24 PM
4-Isopropyltoluene	ND	1.0	µg/L	1	12/13/2007 11:28:24 PM
4-Methyl-2-pentanone	ND	10	µg/L	1	12/13/2007 11:28:24 PM
Methylene Chloride	ND	3.0	µg/L	1	12/13/2007 11:28:24 PM
n-Butylbenzene	ND	1.0	µg/L	1	12/13/2007 11:28:24 PM
n-Propylbenzene	ND	1.0	µg/L	1	12/13/2007 11:28:24 PM
sec-Butylbenzene	ND	1.0	µg/L	1	12/13/2007 11:28:24 PM
Styrene	ND	1.0	µg/L	1	12/13/2007 11:28:24 PM
tert-Butylbenzene	ND	1.0	µg/L	1	12/13/2007 11:28:24 PM
1,1,1,2-Tetrachloroethane	ND	1.0	µg/L	1	12/13/2007 11:28:24 PM
1,1,2,2-Tetrachloroethane	ND	2.0	µg/L	1	12/13/2007 11:28:24 PM
Tetrachloroethene (PCE)	ND	1.0	µg/L	1	12/13/2007 11:28:24 PM
trans-1,2-DCE	ND	1.0	µg/L	1	12/13/2007 11:28:24 PM
trans-1,3-Dichloropropene	ND	1.0	µg/L	1	12/13/2007 11:28:24 PM
1,2,3-Trichlorobenzene	ND	1.0	µg/L	1	12/13/2007 11:28:24 PM
1,2,4-Trichlorobenzene	ND	1.0	µg/L	1	12/13/2007 11:28:24 PM
1,1,1-Trichloroethane	ND	1.0	µg/L	1	12/13/2007 11:28:24 PM
1,1,2-Trichloroethane	ND	1.0	µg/L	1	12/13/2007 11:28:24 PM
Trichloroethene (TCE)	9.1	1.0	µg/L	1	12/13/2007 11:28:24 PM
Trichlorofluoromethane	ND	1.0	µg/L	1	12/13/2007 11:28:24 PM
1,2,3-Trichloropropane	ND	2.0	µg/L	1	12/13/2007 11:28:24 PM
Vinyl chloride	ND	1.0	µg/L	1	12/13/2007 11:28:24 PM
Xylenes, Total	ND	1.5	µg/L	1	12/13/2007 11:28:24 PM
Surr: 1,2-Dichloroethane-d4	89.0	68.1-123	%REC	1	12/13/2007 11:28:24 PM
Surr: 4-Bromofluorobenzene	90.8	53.2-145	%REC	1	12/13/2007 11:28:24 PM
Surr: Dibromofluoromethane	93.7	68.5-119	%REC	1	12/13/2007 11:28:24 PM
Surr: Toluene-d8	82.1	64-131	%REC	1	12/13/2007 11:28:24 PM

SM 2540C: TDS

Analyst: TAF

Total Dissolved Solids	2500	20	mg/L	1	12/14/2007
------------------------	------	----	------	---	------------

Qualifiers: * Value exceeds Maximum Contaminant Level
E Value above quantitation range
J Analyte detected below quantitation limits
ND Not Detected at the Reporting Limit

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
MCL Maximum Contaminant Level
PI Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 18-Dec-07

CLIENT: Cypress Engineering
Project: TWP WT- 1 ERP**Lab Order:** 0712141**Lab ID:** 0712141-06**Collection Date:** 12/7/2007 12:57:00 PM**Client Sample ID:** MW-14**Matrix:** AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 300.0: ANIONS						Analyst: SMP
Chloride	560	2.0		mg/L	20	12/13/2007 10:37:14 PM
Nitrate (As N)+Nitrite (As N)	2.1	1.0		mg/L	5	12/13/2007 4:49:01 AM
Sulfate	670	5.0		mg/L	10	12/12/2007 5:47:32 PM
EPA 6010B: TOTAL RECOVERABLE METALS						Analyst: TES
Arsenic	ND	0.020		mg/L	1	12/12/2007 6:05:41 PM
Barium	0.024	0.020		mg/L	1	12/12/2007 6:05:41 PM
Iron	ND	0.050		mg/L	1	12/12/2007 6:05:41 PM
Manganese	0.62	0.0020		mg/L	1	12/12/2007 6:05:41 PM
EPA METHOD 8260B: VOLATILES						Analyst: BDH
Benzene	ND	1.0		µg/L	1	12/13/2007 11:56:54 PM
Toluene	ND	1.0		µg/L	1	12/13/2007 11:56:54 PM
Ethylbenzene	ND	1.0		µg/L	1	12/13/2007 11:56:54 PM
Methyl tert-butyl ether (MTBE)	ND	1.0		µg/L	1	12/13/2007 11:56:54 PM
1,2,4-Trimethylbenzene	ND	1.0		µg/L	1	12/13/2007 11:56:54 PM
1,3,5-Trimethylbenzene	ND	1.0		µg/L	1	12/13/2007 11:56:54 PM
1,2-Dichloroethane (EDC)	ND	1.0		µg/L	1	12/13/2007 11:56:54 PM
1,2-Dibromoethane (EDB)	ND	1.0		µg/L	1	12/13/2007 11:56:54 PM
Naphthalene	ND	2.0		µg/L	1	12/13/2007 11:56:54 PM
1-Methylnaphthalene	ND	4.0		µg/L	1	12/13/2007 11:56:54 PM
2-Methylnaphthalene	ND	4.0		µg/L	1	12/13/2007 11:56:54 PM
Acetone	ND	10		µg/L	1	12/13/2007 11:56:54 PM
Bromobenzene	ND	1.0		µg/L	1	12/13/2007 11:56:54 PM
Bromochloromethane	ND	1.0		µg/L	1	12/13/2007 11:56:54 PM
Bromodichloromethane	ND	1.0		µg/L	1	12/13/2007 11:56:54 PM
Bromoform	ND	1.0		µg/L	1	12/13/2007 11:56:54 PM
Bromomethane	ND	1.0		µg/L	1	12/13/2007 11:56:54 PM
2-Butanone	ND	10		µg/L	1	12/13/2007 11:56:54 PM
Carbon disulfide	ND	10		µg/L	1	12/13/2007 11:56:54 PM
Carbon Tetrachloride	ND	1.0		µg/L	1	12/13/2007 11:56:54 PM
Chlorobenzene	ND	1.0		µg/L	1	12/13/2007 11:56:54 PM
Chloroethane	ND	2.0		µg/L	1	12/13/2007 11:56:54 PM
Chloroform	ND	1.0		µg/L	1	12/13/2007 11:56:54 PM
Chloromethane	ND	1.0		µg/L	1	12/13/2007 11:56:54 PM
2-Chlorotoluene	ND	1.0		µg/L	1	12/13/2007 11:56:54 PM
4-Chlorotoluene	ND	1.0		µg/L	1	12/13/2007 11:56:54 PM
cis-1,2-DCE	2.4	1.0		µg/L	1	12/13/2007 11:56:54 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	12/13/2007 11:56:54 PM
1,2-Dibromo-3-chloropropane	ND	2.0		µg/L	1	12/13/2007 11:56:54 PM
Dibromochloromethane	ND	1.0		µg/L	1	12/13/2007 11:56:54 PM
Dibromomethane	ND	1.0		µg/L	1	12/13/2007 11:56:54 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	12/13/2007 11:56:54 PM

Qualifiers: * Value exceeds Maximum Contaminant Level
E Value above quantitation range
J Analyte detected below quantitation limits
ND Not Detected at the Reporting Limit

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
MCL Maximum Contaminant Level
RL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 18-Dec-07

CLIENT: Cypress Engineering
Project: TWP WT-1 ERP

Lab Order: 0712141

EPA METHOD 8260B: VOLATILES

Analyst: BDH

1,3-Dichlorobenzene	ND	1.0	µg/L	1	12/13/2007 11:56:54 PM
1,4-Dichlorobenzene	ND	1.0	µg/L	1	12/13/2007 11:56:54 PM
Dichlorodifluoromethane	ND	1.0	µg/L	1	12/13/2007 11:56:54 PM
1,1-Dichloroethane	18	1.0	µg/L	1	12/13/2007 11:56:54 PM
1,1-Dichloroethene	ND	1.0	µg/L	1	12/13/2007 11:56:54 PM
1,2-Dichloropropane	ND	1.0	µg/L	1	12/13/2007 11:56:54 PM
1,3-Dichloropropane	ND	1.0	µg/L	1	12/13/2007 11:56:54 PM
2,2-Dichloropropane	ND	2.0	µg/L	1	12/13/2007 11:56:54 PM
1,1-Dichloropropene	ND	1.0	µg/L	1	12/13/2007 11:56:54 PM
Hexachlorobutadiene	ND	1.0	µg/L	1	12/13/2007 11:56:54 PM
2-Hexanone	ND	10	µg/L	1	12/13/2007 11:56:54 PM
Isopropylbenzene	ND	1.0	µg/L	1	12/13/2007 11:56:54 PM
4-Isopropyltoluene	ND	1.0	µg/L	1	12/13/2007 11:56:54 PM
4-Methyl-2-pentanone	ND	10	µg/L	1	12/13/2007 11:56:54 PM
Methylene Chloride	ND	3.0	µg/L	1	12/13/2007 11:56:54 PM
n-Butylbenzene	ND	1.0	µg/L	1	12/13/2007 11:56:54 PM
n-Propylbenzene	ND	1.0	µg/L	1	12/13/2007 11:56:54 PM
sec-Butylbenzene	ND	1.0	µg/L	1	12/13/2007 11:56:54 PM
Styrene	ND	1.0	µg/L	1	12/13/2007 11:56:54 PM
tert-Butylbenzene	ND	1.0	µg/L	1	12/13/2007 11:56:54 PM
1,1,1,2-Tetrachloroethane	ND	1.0	µg/L	1	12/13/2007 11:56:54 PM
1,1,2,2-Tetrachloroethane	ND	2.0	µg/L	1	12/13/2007 11:56:54 PM
Tetrachloroethene (PCE)	ND	1.0	µg/L	1	12/13/2007 11:56:54 PM
trans-1,2-DCE	ND	1.0	µg/L	1	12/13/2007 11:56:54 PM
trans-1,3-Dichloropropene	ND	1.0	µg/L	1	12/13/2007 11:56:54 PM
1,2,3-Trichlorobenzene	ND	1.0	µg/L	1	12/13/2007 11:56:54 PM
1,2,4-Trichlorobenzene	ND	1.0	µg/L	1	12/13/2007 11:56:54 PM
1,1,1-Trichloroethane	ND	1.0	µg/L	1	12/13/2007 11:56:54 PM
1,1,2-Trichloroethane	ND	1.0	µg/L	1	12/13/2007 11:56:54 PM
Trichloroethene (TCE)	4.7	1.0	µg/L	1	12/13/2007 11:56:54 PM
Trichlorofluoromethane	ND	1.0	µg/L	1	12/13/2007 11:56:54 PM
1,2,3-Trichloropropane	ND	2.0	µg/L	1	12/13/2007 11:56:54 PM
Vinyl chloride	ND	1.0	µg/L	1	12/13/2007 11:56:54 PM
Xylenes, Total	ND	1.5	µg/L	1	12/13/2007 11:56:54 PM
Surr: 1,2-Dichloroethane-d4	90.4	68.1-123	%REC	1	12/13/2007 11:56:54 PM
Surr: 4-Bromofluorobenzene	86.2	53.2-145	%REC	1	12/13/2007 11:56:54 PM
Surr: Dibromofluoromethane	90.9	68.5-119	%REC	1	12/13/2007 11:56:54 PM
Surr: Toluene-d8	82.8	64-131	%REC	1	12/13/2007 11:56:54 PM

SM 2540C: TDS

Analyst: TAF

Total Dissolved Solids	2300	20	mg/L	1	12/14/2007
------------------------	------	----	------	---	------------

Qualifiers: * Value exceeds Maximum Contaminant Level

E Value above quantitation range

J Analyte detected below quantitation limits

ND Not Detected at the Reporting Limit

B Analyte detected in the associated Method Blank

H Holding times for preparation or analysis exceeded

MCL Maximum Contaminant Level

DL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 18-Dec-07

CLIENT: Cypress Engineering
Project: TWP WT-1 ERP

Lab Order: 0712141

Lab ID: 0712141-07

Collection Date: 12/7/2007 5:05:00 PM

Client Sample ID: MW-5

Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 300.0: ANIONS						Analyst: SMP
Chloride	240	1.0		mg/L	10	12/12/2007 6:22:21 PM
Nitrate (As N)+Nitrite (As N)	ND	1.0		mg/L	5	12/13/2007 5:06:26 AM
Sulfate	1.2	0.50		mg/L	1	12/12/2007 6:04:57 PM
EPA 6010B: TOTAL RECOVERABLE METALS						Analyst: TES
Arsenic	ND	0.020		mg/L	1	12/12/2007 6:09:52 PM
Barium	14	0.40		mg/L	20	12/13/2007 10:30:32 AM
Iron	5.3	1.0		mg/L	20	12/13/2007 10:30:32 AM
Manganese	0.052	0.0020		mg/L	1	12/12/2007 6:09:52 PM
EPA METHOD 8260B: VOLATILES						Analyst: BDH
Benzene	15	1.0		µg/L	1	12/14/2007 12:25:24 AM
Toluene	4.7	1.0		µg/L	1	12/14/2007 12:25:24 AM
Ethylbenzene	4.3	1.0		µg/L	1	12/14/2007 12:25:24 AM
Methyl tert-butyl ether (MTBE)	ND	1.0		µg/L	1	12/14/2007 12:25:24 AM
1,2,4-Trimethylbenzene	12	1.0		µg/L	1	12/14/2007 12:25:24 AM
1,3,5-Trimethylbenzene	5.6	1.0		µg/L	1	12/14/2007 12:25:24 AM
1,2-Dichloroethane (EDC)	2.9	1.0		µg/L	1	12/14/2007 12:25:24 AM
1,2-Dibromoethane (EDB)	ND	1.0		µg/L	1	12/14/2007 12:25:24 AM
Naphthalene	8.7	2.0		µg/L	1	12/14/2007 12:25:24 AM
1-Methylnaphthalene	ND	4.0		µg/L	1	12/14/2007 12:25:24 AM
2-Methylnaphthalene	ND	4.0		µg/L	1	12/14/2007 12:25:24 AM
Acetone	ND	10		µg/L	1	12/14/2007 12:25:24 AM
Bromobenzene	ND	1.0		µg/L	1	12/14/2007 12:25:24 AM
Bromochloromethane	ND	1.0		µg/L	1	12/14/2007 12:25:24 AM
Bromodichloromethane	ND	1.0		µg/L	1	12/14/2007 12:25:24 AM
Bromoform	ND	1.0		µg/L	1	12/14/2007 12:25:24 AM
Bromomethane	ND	1.0		µg/L	1	12/14/2007 12:25:24 AM
2-Butanone	ND	10		µg/L	1	12/14/2007 12:25:24 AM
Carbon disulfide	ND	10		µg/L	1	12/14/2007 12:25:24 AM
Carbon Tetrachloride	ND	1.0		µg/L	1	12/14/2007 12:25:24 AM
Chlorobenzene	ND	1.0		µg/L	1	12/14/2007 12:25:24 AM
Chloroethane	ND	2.0		µg/L	1	12/14/2007 12:25:24 AM
Chloroform	ND	1.0		µg/L	1	12/14/2007 12:25:24 AM
Chloromethane	ND	1.0		µg/L	1	12/14/2007 12:25:24 AM
2-Chlorotoluene	ND	1.0		µg/L	1	12/14/2007 12:25:24 AM
4-Chlorotoluene	ND	1.0		µg/L	1	12/14/2007 12:25:24 AM
cis-1,2-DCE	30	1.0		µg/L	1	12/14/2007 12:25:24 AM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	12/14/2007 12:25:24 AM
1,2-Dibromo-3-chloropropane	ND	2.0		µg/L	1	12/14/2007 12:25:24 AM
Dibromochloromethane	ND	1.0		µg/L	1	12/14/2007 12:25:24 AM
Dibromomethane	ND	1.0		µg/L	1	12/14/2007 12:25:24 AM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	12/14/2007 12:25:24 AM

Qualifiers: * Value exceeds Maximum Contaminant Level
E Value above quantitation range
J Analyte detected below quantitation limits
ND Not Detected at the Reporting Limit

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
MCL Maximum Contaminant Level
DL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 18-Dec-07

CLIENT: Cypress Engineering
Project: TWP WT-1 ERP

Lab Order: 0712141

EPA METHOD 8260B: VOLATILES

Analyst: BDH

1,3-Dichlorobenzene	ND	1.0	µg/L	1	12/14/2007 12:25:24 AM
1,4-Dichlorobenzene	ND	1.0	µg/L	1	12/14/2007 12:25:24 AM
Dichlorodifluoromethane	ND	1.0	µg/L	1	12/14/2007 12:25:24 AM
1,1-Dichloroethane	71	1.0	µg/L	1	12/14/2007 12:25:24 AM
1,1-Dichloroethene	2.1	1.0	µg/L	1	12/14/2007 12:25:24 AM
1,2-Dichloropropane	ND	1.0	µg/L	1	12/14/2007 12:25:24 AM
1,3-Dichloropropane	ND	1.0	µg/L	1	12/14/2007 12:25:24 AM
2,2-Dichloropropane	ND	2.0	µg/L	1	12/14/2007 12:25:24 AM
1,1-Dichloropropene	ND	1.0	µg/L	1	12/14/2007 12:25:24 AM
Hexachlorobutadiene	ND	1.0	µg/L	1	12/14/2007 12:25:24 AM
2-Hexanone	ND	10	µg/L	1	12/14/2007 12:25:24 AM
Isopropylbenzene	ND	1.0	µg/L	1	12/14/2007 12:25:24 AM
4-Isopropyltoluene	1.3	1.0	µg/L	1	12/14/2007 12:25:24 AM
4-Methyl-2-pentanone	ND	10	µg/L	1	12/14/2007 12:25:24 AM
Methylene Chloride	ND	3.0	µg/L	1	12/14/2007 12:25:24 AM
n-Butylbenzene	ND	1.0	µg/L	1	12/14/2007 12:25:24 AM
n-Propylbenzene	ND	1.0	µg/L	1	12/14/2007 12:25:24 AM
sec-Butylbenzene	ND	1.0	µg/L	1	12/14/2007 12:25:24 AM
Styrene	ND	1.0	µg/L	1	12/14/2007 12:25:24 AM
tert-Butylbenzene	ND	1.0	µg/L	1	12/14/2007 12:25:24 AM
1,1,1,2-Tetrachloroethane	ND	1.0	µg/L	1	12/14/2007 12:25:24 AM
1,1,2,2-Tetrachloroethane	ND	2.0	µg/L	1	12/14/2007 12:25:24 AM
Tetrachloroethene (PCE)	2.6	1.0	µg/L	1	12/14/2007 12:25:24 AM
trans-1,2-DCE	ND	1.0	µg/L	1	12/14/2007 12:25:24 AM
trans-1,3-Dichloropropene	ND	1.0	µg/L	1	12/14/2007 12:25:24 AM
1,2,3-Trichlorobenzene	ND	1.0	µg/L	1	12/14/2007 12:25:24 AM
1,2,4-Trichlorobenzene	ND	1.0	µg/L	1	12/14/2007 12:25:24 AM
1,1,1-Trichloroethane	1.5	1.0	µg/L	1	12/14/2007 12:25:24 AM
1,1,2-Trichloroethane	ND	1.0	µg/L	1	12/14/2007 12:25:24 AM
Trichloroethene (TCE)	38	1.0	µg/L	1	12/14/2007 12:25:24 AM
Trichlorofluoromethane	ND	1.0	µg/L	1	12/14/2007 12:25:24 AM
1,2,3-Trichloropropane	ND	2.0	µg/L	1	12/14/2007 12:25:24 AM
Vinyl chloride	ND	1.0	µg/L	1	12/14/2007 12:25:24 AM
Xylenes, Total	11	1.5	µg/L	1	12/14/2007 12:25:24 AM
Surr: 1,2-Dichloroethane-d4	88.9	68.1-123	%REC	1	12/14/2007 12:25:24 AM
Surr: 4-Bromofluorobenzene	94.1	53.2-145	%REC	1	12/14/2007 12:25:24 AM
Surr: Dibromofluoromethane	94.1	68.5-119	%REC	1	12/14/2007 12:25:24 AM
Surr: Toluene-d8	81.9	64-131	%REC	1	12/14/2007 12:25:24 AM

SM 2540C: TDS

Analyst: TAF

Total Dissolved Solids	1400	100	mg/L	1	12/14/2007
------------------------	------	-----	------	---	------------

Qualifiers: * Value exceeds Maximum Contaminant Level

E Value above quantitation range

J Analyte detected below quantitation limits

ND Not Detected at the Reporting Limit

B Analyte detected in the associated Method Blank

H Holding times for preparation or analysis exceeded

MCL Maximum Contaminant Level

DI Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 18-Dec-07

CLIENT: Cypress Engineering
Project: TWP WT- 1 ERP

Lab Order: 0712141

Lab ID: 0712141-08

Collection Date: 12/7/2007 9:00:00 AM

Client Sample ID: MW-2

Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 300.0: ANIONS						Analyst: SMP
Chloride	250	1.0		mg/L	10	12/12/2007 6:57:10 PM
Nitrate (As N)+Nitrite (As N)	ND	1.0		mg/L	5	12/13/2007 5:23:51 AM
Sulfate	0.61	0.50		mg/L	1	12/12/2007 6:39:45 PM
EPA 6010B: TOTAL RECOVERABLE METALS						Analyst: TES
Arsenic	ND	0.020		mg/L	1	12/12/2007 6:14:00 PM
Barium	13	0.40		mg/L	20	12/13/2007 10:33:49 AM
Iron	4.9	1.0		mg/L	20	12/13/2007 10:33:49 AM
Manganese	0.050	0.0020		mg/L	1	12/12/2007 6:14:00 PM
EPA METHOD 8260B: VOLATILES						Analyst: BDH
Benzene	17	1.0		µg/L	1	12/14/2007 12:53:48 AM
Toluene	6.0	1.0		µg/L	1	12/14/2007 12:53:48 AM
Ethylbenzene	5.0	1.0		µg/L	1	12/14/2007 12:53:48 AM
Methyl tert-butyl ether (MTBE)	ND	1.0		µg/L	1	12/14/2007 12:53:48 AM
1,2,4-Trimethylbenzene	14	1.0		µg/L	1	12/14/2007 12:53:48 AM
1,3,5-Trimethylbenzene	6.6	1.0		µg/L	1	12/14/2007 12:53:48 AM
1,2-Dichloroethane (EDC)	3.4	1.0		µg/L	1	12/14/2007 12:53:48 AM
1,2-Dibromoethane (EDB)	ND	1.0		µg/L	1	12/14/2007 12:53:48 AM
Naphthalene	11	2.0		µg/L	1	12/14/2007 12:53:48 AM
1-Methylnaphthalene	ND	4.0		µg/L	1	12/14/2007 12:53:48 AM
2-Methylnaphthalene	ND	4.0		µg/L	1	12/14/2007 12:53:48 AM
Acetone	11	10		µg/L	1	12/14/2007 12:53:48 AM
Bromobenzene	ND	1.0		µg/L	1	12/14/2007 12:53:48 AM
Bromochloromethane	ND	1.0		µg/L	1	12/14/2007 12:53:48 AM
Bromodichloromethane	ND	1.0		µg/L	1	12/14/2007 12:53:48 AM
Bromoform	ND	1.0		µg/L	1	12/14/2007 12:53:48 AM
Bromomethane	ND	1.0		µg/L	1	12/14/2007 12:53:48 AM
2-Butanone	ND	10		µg/L	1	12/14/2007 12:53:48 AM
Carbon disulfide	ND	10		µg/L	1	12/14/2007 12:53:48 AM
Carbon Tetrachloride	ND	1.0		µg/L	1	12/14/2007 12:53:48 AM
Chlorobenzene	ND	1.0		µg/L	1	12/14/2007 12:53:48 AM
Chloroethane	ND	2.0		µg/L	1	12/14/2007 12:53:48 AM
Chloroform	ND	1.0		µg/L	1	12/14/2007 12:53:48 AM
Chloromethane	ND	1.0		µg/L	1	12/14/2007 12:53:48 AM
2-Chlorotoluene	ND	1.0		µg/L	1	12/14/2007 12:53:48 AM
4-Chlorotoluene	ND	1.0		µg/L	1	12/14/2007 12:53:48 AM
cis-1,2-DCE	31	1.0		µg/L	1	12/14/2007 12:53:48 AM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	12/14/2007 12:53:48 AM
1,2-Dibromo-3-chloropropane	ND	2.0		µg/L	1	12/14/2007 12:53:48 AM
Dibromochloromethane	ND	1.0		µg/L	1	12/14/2007 12:53:48 AM
Dibromomethane	ND	1.0		µg/L	1	12/14/2007 12:53:48 AM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	12/14/2007 12:53:48 AM

Qualifiers: * Value exceeds Maximum Contaminant Level
E Value above quantitation range
J Analyte detected below quantitation limits
ND Not Detected at the Reporting Limit

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
MCL Maximum Contaminant Level
RI Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 18-Dec-07

CLIENT: Cypress Engineering
Project: TWP WT- 1 ERP

Lab Order: 0712141

EPA METHOD 8260B: VOLATILES

Analyst: BDH

1,3-Dichlorobenzene	ND	1.0	µg/L	1	12/14/2007 12:53:48 AM
1,4-Dichlorobenzene	ND	1.0	µg/L	1	12/14/2007 12:53:48 AM
Dichlorodifluoromethane	ND	1.0	µg/L	1	12/14/2007 12:53:48 AM
1,1-Dichloroethane	80	1.0	µg/L	1	12/14/2007 12:53:48 AM
1,1-Dichloroethene	2.4	1.0	µg/L	1	12/14/2007 12:53:48 AM
1,2-Dichloropropane	ND	1.0	µg/L	1	12/14/2007 12:53:48 AM
1,3-Dichloropropane	ND	1.0	µg/L	1	12/14/2007 12:53:48 AM
2,2-Dichloropropane	ND	2.0	µg/L	1	12/14/2007 12:53:48 AM
1,1-Dichloropropene	ND	1.0	µg/L	1	12/14/2007 12:53:48 AM
Hexachlorobutadiene	ND	1.0	µg/L	1	12/14/2007 12:53:48 AM
2-Hexanone	ND	10	µg/L	1	12/14/2007 12:53:48 AM
Isopropylbenzene	ND	1.0	µg/L	1	12/14/2007 12:53:48 AM
4-Isopropyltoluene	1.5	1.0	µg/L	1	12/14/2007 12:53:48 AM
4-Methyl-2-pentanone	ND	10	µg/L	1	12/14/2007 12:53:48 AM
Methylene Chloride	ND	3.0	µg/L	1	12/14/2007 12:53:48 AM
n-Butylbenzene	ND	1.0	µg/L	1	12/14/2007 12:53:48 AM
n-Propylbenzene	ND	1.0	µg/L	1	12/14/2007 12:53:48 AM
sec-Butylbenzene	ND	1.0	µg/L	1	12/14/2007 12:53:48 AM
Styrene	ND	1.0	µg/L	1	12/14/2007 12:53:48 AM
tert-Butylbenzene	ND	1.0	µg/L	1	12/14/2007 12:53:48 AM
1,1,1,2-Tetrachloroethane	ND	1.0	µg/L	1	12/14/2007 12:53:48 AM
1,1,2,2-Tetrachloroethane	ND	2.0	µg/L	1	12/14/2007 12:53:48 AM
Tetrachloroethene (PCE)	2.3	1.0	µg/L	1	12/14/2007 12:53:48 AM
trans-1,2-DCE	ND	1.0	µg/L	1	12/14/2007 12:53:48 AM
trans-1,3-Dichloropropene	ND	1.0	µg/L	1	12/14/2007 12:53:48 AM
1,2,3-Trichlorobenzene	ND	1.0	µg/L	1	12/14/2007 12:53:48 AM
1,2,4-Trichlorobenzene	ND	1.0	µg/L	1	12/14/2007 12:53:48 AM
1,1,1-Trichloroethane	1.4	1.0	µg/L	1	12/14/2007 12:53:48 AM
1,1,2-Trichloroethane	ND	1.0	µg/L	1	12/14/2007 12:53:48 AM
Trichloroethene (TCE)	41	1.0	µg/L	1	12/14/2007 12:53:48 AM
Trichlorofluoromethane	ND	1.0	µg/L	1	12/14/2007 12:53:48 AM
1,2,3-Trichloropropane	ND	2.0	µg/L	1	12/14/2007 12:53:48 AM
Vinyl chloride	ND	1.0	µg/L	1	12/14/2007 12:53:48 AM
Xylenes, Total	12	1.5	µg/L	1	12/14/2007 12:53:48 AM
Surr: 1,2-Dichloroethane-d4	90.7	68.1-123	%REC	1	12/14/2007 12:53:48 AM
Surr: 4-Bromofluorobenzene	92.6	53.2-145	%REC	1	12/14/2007 12:53:48 AM
Surr: Dibromofluoromethane	95.4	68.5-119	%REC	1	12/14/2007 12:53:48 AM
Surr: Toluene-d8	84.6	64-131	%REC	1	12/14/2007 12:53:48 AM

SM 2540C: TDS

Analyst: TAF

Total Dissolved Solids	1500	200	mg/L	1	12/14/2007
------------------------	------	-----	------	---	------------

Qualifiers: * Value exceeds Maximum Contaminant Level
E Value above quantitation range
J Analyte detected below quantitation limits
ND Not Detected at the Reporting Limit

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
MCL Maximum Contaminant Level
RL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 08-Jan-08

CLIENT: Cypress Engineering
Project: TWP WT-1 ERP

Lab Order: 0712141

Lab ID: 0712141-09

Collection Date: 12/7/2007 4:25:00 PM

Client Sample ID: MW-1

Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 300.0: ANIONS						Analyst: SMP
Chloride	270	1.0		mg/L	10	12/12/2007 8:06:48 PM
Nitrate (As N)+Nitrite (As N)	ND	1.0		mg/L	5	12/13/2007 6:16:05 AM
Sulfate	0.52	0.50		mg/L	1	12/12/2007 7:49:24 PM
EPA 6010B: TOTAL RECOVERABLE METALS						Analyst: TES
Arsenic	0.16	0.020		mg/L	1	12/12/2007 6:17:59 PM
Barium	55	1.0		mg/L	50	12/13/2007 10:36:40 AM
Iron	20	2.5		mg/L	50	12/13/2007 10:36:40 AM
Manganese	0.036	0.0020		mg/L	1	12/12/2007 6:17:59 PM
EPA METHOD 8260B: VOLATILES						Analyst: BDH
Benzene	20	10		µg/L	10	12/14/2007 1:23:40 AM
Toluene	62	10		µg/L	10	12/14/2007 1:23:40 AM
Ethylbenzene	11	10		µg/L	10	12/14/2007 1:23:40 AM
Methyl tert-butyl ether (MTBE)	ND	10		µg/L	10	12/14/2007 1:23:40 AM
1,2,4-Trimethylbenzene	47	10		µg/L	10	12/14/2007 1:23:40 AM
1,3,5-Trimethylbenzene	19	10		µg/L	10	12/14/2007 1:23:40 AM
1,2-Dichloroethane (EDC)	ND	10		µg/L	10	12/14/2007 1:23:40 AM
1,2-Dibromoethane (EDB)	ND	10		µg/L	10	12/14/2007 1:23:40 AM
Naphthalene	ND	20		µg/L	10	12/14/2007 1:23:40 AM
1-Methylnaphthalene	ND	40		µg/L	10	12/14/2007 1:23:40 AM
2-Methylnaphthalene	ND	40		µg/L	10	12/14/2007 1:23:40 AM
Acetone	1000	100		µg/L	10	12/14/2007 1:23:40 AM
Bromobenzene	ND	10		µg/L	10	12/14/2007 1:23:40 AM
Bromochloromethane	ND	10		µg/L	10	12/14/2007 1:23:40 AM
Bromodichloromethane	ND	10		µg/L	10	12/14/2007 1:23:40 AM
Bromoform	ND	10		µg/L	10	12/14/2007 1:23:40 AM
Bromomethane	ND	10		µg/L	10	12/14/2007 1:23:40 AM
2-Butanone	170	100		µg/L	10	12/14/2007 1:23:40 AM
Carbon disulfide	ND	100		µg/L	10	12/14/2007 1:23:40 AM
Carbon Tetrachloride	ND	10		µg/L	10	12/14/2007 1:23:40 AM
Chlorobenzene	ND	10		µg/L	10	12/14/2007 1:23:40 AM
Chloroethane	ND	20		µg/L	10	12/14/2007 1:23:40 AM
Chloroform	ND	10		µg/L	10	12/14/2007 1:23:40 AM
Chloromethane	ND	10		µg/L	10	12/14/2007 1:23:40 AM
2-Chlorotoluene	ND	10		µg/L	10	12/14/2007 1:23:40 AM
4-Chlorotoluene	ND	10		µg/L	10	12/14/2007 1:23:40 AM
cis-1,2-DCE	ND	10		µg/L	10	12/14/2007 1:23:40 AM
cis-1,3-Dichloropropene	ND	10		µg/L	10	12/14/2007 1:23:40 AM
1,2-Dibromo-3-chloropropane	ND	20		µg/L	10	12/14/2007 1:23:40 AM
Dibromochloromethane	ND	10		µg/L	10	12/14/2007 1:23:40 AM
Dibromomethane	ND	10		µg/L	10	12/14/2007 1:23:40 AM
1,2-Dichlorobenzene	ND	10		µg/L	10	12/14/2007 1:23:40 AM

Qualifiers: * Value exceeds Maximum Contaminant Level
E Value above quantitation range
J Analyte detected below quantitation limits
ND Not Detected at the Reporting Limit
S Spike recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
MCL Maximum Contaminant Level
RL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 18-Dec-07

CLIENT: Cypress Engineering
Project: TWP WT-1 ERP

Lab Order: 0712141

EPA METHOD 8260B: VOLATILES

Analyst: BDH

1,3-Dichlorobenzene	ND	10	µg/L	10	12/14/2007 1:23:40 AM
1,4-Dichlorobenzene	ND	10	µg/L	10	12/14/2007 1:23:40 AM
Dichlorodifluoromethane	ND	10	µg/L	10	12/14/2007 1:23:40 AM
1,1-Dichloroethane	600	10	µg/L	10	12/14/2007 1:23:40 AM
1,1-Dichloroethene	ND	10	µg/L	10	12/14/2007 1:23:40 AM
1,2-Dichloropropane	ND	10	µg/L	10	12/14/2007 1:23:40 AM
1,3-Dichloropropane	ND	10	µg/L	10	12/14/2007 1:23:40 AM
2,2-Dichloropropane	ND	20	µg/L	10	12/14/2007 1:23:40 AM
1,1-Dichloropropene	ND	10	µg/L	10	12/14/2007 1:23:40 AM
Hexachlorobutadiene	ND	10	µg/L	10	12/14/2007 1:23:40 AM
2-Hexanone	ND	100	µg/L	10	12/14/2007 1:23:40 AM
Isopropylbenzene	ND	10	µg/L	10	12/14/2007 1:23:40 AM
4-Isopropyltoluene	ND	10	µg/L	10	12/14/2007 1:23:40 AM
4-Methyl-2-pentanone	1200	100	µg/L	10	12/14/2007 1:23:40 AM
Methylene Chloride	ND	30	µg/L	10	12/14/2007 1:23:40 AM
n-Butylbenzene	ND	10	µg/L	10	12/14/2007 1:23:40 AM
n-Propylbenzene	ND	10	µg/L	10	12/14/2007 1:23:40 AM
sec-Butylbenzene	ND	10	µg/L	10	12/14/2007 1:23:40 AM
Styrene	ND	10	µg/L	10	12/14/2007 1:23:40 AM
tert-Butylbenzene	ND	10	µg/L	10	12/14/2007 1:23:40 AM
1,1,1,2-Tetrachloroethane	ND	10	µg/L	10	12/14/2007 1:23:40 AM
1,1,2,2-Tetrachloroethane	ND	20	µg/L	10	12/14/2007 1:23:40 AM
Tetrachloroethene (PCE)	46	10	µg/L	10	12/14/2007 1:23:40 AM
trans-1,2-DCE	ND	10	µg/L	10	12/14/2007 1:23:40 AM
trans-1,3-Dichloropropene	ND	10	µg/L	10	12/14/2007 1:23:40 AM
1,2,3-Trichlorobenzene	ND	10	µg/L	10	12/14/2007 1:23:40 AM
1,2,4-Trichlorobenzene	ND	10	µg/L	10	12/14/2007 1:23:40 AM
1,1,1-Trichloroethane	38	10	µg/L	10	12/14/2007 1:23:40 AM
1,1,2-Trichloroethane	ND	10	µg/L	10	12/14/2007 1:23:40 AM
Trichloroethene (TCE)	58	10	µg/L	10	12/14/2007 1:23:40 AM
Trichlorofluoromethane	ND	10	µg/L	10	12/14/2007 1:23:40 AM
1,2,3-Trichloropropane	ND	20	µg/L	10	12/14/2007 1:23:40 AM
Vinyl chloride	ND	10	µg/L	10	12/14/2007 1:23:40 AM
Xylenes, Total	79	15	µg/L	10	12/14/2007 1:23:40 AM
Surr: 1,2-Dichloroethane-d4	90.3	68.1-123	%REC	10	12/14/2007 1:23:40 AM
Surr: 4-Bromofluorobenzene	90.3	53.2-145	%REC	10	12/14/2007 1:23:40 AM
Surr: Dibromofluoromethane	91.5	68.5-119	%REC	10	12/14/2007 1:23:40 AM
Surr: Toluene-d8	85.3	64-131	%REC	10	12/14/2007 1:23:40 AM

SM 2540C: TDS

Analyst: TAF

Total Dissolved Solids	3200	200	mg/L	1	12/14/2007
------------------------	------	-----	------	---	------------

Qualifiers: * Value exceeds Maximum Contaminant Level
E Value above quantitation range
J Analyte detected below quantitation limits
ND Not Detected at the Reporting Limit

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
MCL Maximum Contaminant Level
RI Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 18-Dec-07

CLIENT: Cypress Engineering
Project: TWP WT-1 ERP

Lab Order: 0712141

Lab ID: 0712141-10

Collection Date: 12/7/2007 4:05:00 PM

Client Sample ID: MW-4

Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 300.0: ANIONS						
Chloride	260	1.0		mg/L	10	12/12/2007 8:41:37 PM
Nitrate (As N)+Nitrite (As N)	16	1.0		mg/L	5	12/13/2007 6:33:29 AM
Sulfate	730	5.0		mg/L	10	12/12/2007 8:41:37 PM

Analyst: SMP

EPA 6010B: TOTAL RECOVERABLE METALS

Analyst: TES

Arsenic	ND	0.020		mg/L	1	12/12/2007 6:22:03 PM
Barium	0.024	0.020		mg/L	1	12/12/2007 6:22:03 PM
Iron	ND	0.050		mg/L	1	12/12/2007 6:22:03 PM
Manganese	ND	0.0020		mg/L	1	12/12/2007 6:22:03 PM

EPA METHOD 8260B: VOLATILES

Analyst: BDH

Benzene	ND	1.0		µg/L	1	12/14/2007 1:52:09 AM
Toluene	ND	1.0		µg/L	1	12/14/2007 1:52:09 AM
Ethylbenzene	ND	1.0		µg/L	1	12/14/2007 1:52:09 AM
Methyl tert-butyl ether (MTBE)	ND	1.0		µg/L	1	12/14/2007 1:52:09 AM
1,2,4-Trimethylbenzene	ND	1.0		µg/L	1	12/14/2007 1:52:09 AM
1,3,5-Trimethylbenzene	ND	1.0		µg/L	1	12/14/2007 1:52:09 AM
1,2-Dichloroethane (EDC)	ND	1.0		µg/L	1	12/14/2007 1:52:09 AM
1,2-Dibromoethane (EDB)	ND	1.0		µg/L	1	12/14/2007 1:52:09 AM
Naphthalene	ND	2.0		µg/L	1	12/14/2007 1:52:09 AM
1-Methylnaphthalene	ND	4.0		µg/L	1	12/14/2007 1:52:09 AM
2-Methylnaphthalene	ND	4.0		µg/L	1	12/14/2007 1:52:09 AM
Acetone	ND	10		µg/L	1	12/14/2007 1:52:09 AM
Bromobenzene	ND	1.0		µg/L	1	12/14/2007 1:52:09 AM
Bromochloromethane	ND	1.0		µg/L	1	12/14/2007 1:52:09 AM
Bromodichloromethane	ND	1.0		µg/L	1	12/14/2007 1:52:09 AM
Bromoform	ND	1.0		µg/L	1	12/14/2007 1:52:09 AM
Bromomethane	ND	1.0		µg/L	1	12/14/2007 1:52:09 AM
2-Butanone	ND	10		µg/L	1	12/14/2007 1:52:09 AM
Carbon disulfide	ND	10		µg/L	1	12/14/2007 1:52:09 AM
Carbon Tetrachloride	ND	1.0		µg/L	1	12/14/2007 1:52:09 AM
Chlorobenzene	ND	1.0		µg/L	1	12/14/2007 1:52:09 AM
Chloroethane	ND	2.0		µg/L	1	12/14/2007 1:52:09 AM
Chloroform	ND	1.0		µg/L	1	12/14/2007 1:52:09 AM
Chloromethane	ND	1.0		µg/L	1	12/14/2007 1:52:09 AM
2-Chlorotoluene	ND	1.0		µg/L	1	12/14/2007 1:52:09 AM
4-Chlorotoluene	ND	1.0		µg/L	1	12/14/2007 1:52:09 AM
cis-1,2-DCE	ND	1.0		µg/L	1	12/14/2007 1:52:09 AM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	12/14/2007 1:52:09 AM
1,2-Dibromo-3-chloropropane	ND	2.0		µg/L	1	12/14/2007 1:52:09 AM
Dibromochloromethane	ND	1.0		µg/L	1	12/14/2007 1:52:09 AM
Dibromomethane	ND	1.0		µg/L	1	12/14/2007 1:52:09 AM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	12/14/2007 1:52:09 AM

Qualifiers: * Value exceeds Maximum Contaminant Level

E Value above quantitation range

J Analyte detected below quantitation limits

ND Not Detected at the Reporting Limit

B Analyte detected in the associated Method Blank

H Holding times for preparation or analysis exceeded

MCL Maximum Contaminant Level

RI Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 18-Dec-07

CLIENT: Cypress Engineering
Project: TWP WT- 1 ERP

Lab Order: 0712141

EPA METHOD 8260B: VOLATILES

Analyst: BDH

1,3-Dichlorobenzene	ND	1.0	µg/L	1	12/14/2007 1:52:09 AM
1,4-Dichlorobenzene	ND	1.0	µg/L	1	12/14/2007 1:52:09 AM
Dichlorodifluoromethane	ND	1.0	µg/L	1	12/14/2007 1:52:09 AM
1,1-Dichloroethane	ND	1.0	µg/L	1	12/14/2007 1:52:09 AM
1,1-Dichloroethene	ND	1.0	µg/L	1	12/14/2007 1:52:09 AM
1,2-Dichloropropane	ND	1.0	µg/L	1	12/14/2007 1:52:09 AM
1,3-Dichloropropane	ND	1.0	µg/L	1	12/14/2007 1:52:09 AM
2,2-Dichloropropane	ND	2.0	µg/L	1	12/14/2007 1:52:09 AM
1,1-Dichloropropene	ND	1.0	µg/L	1	12/14/2007 1:52:09 AM
Hexachlorobutadiene	ND	1.0	µg/L	1	12/14/2007 1:52:09 AM
2-Hexanone	ND	10	µg/L	1	12/14/2007 1:52:09 AM
Isopropylbenzene	ND	1.0	µg/L	1	12/14/2007 1:52:09 AM
4-Isopropyltoluene	ND	1.0	µg/L	1	12/14/2007 1:52:09 AM
4-Methyl-2-pentanone	ND	10	µg/L	1	12/14/2007 1:52:09 AM
Methylene Chloride	ND	3.0	µg/L	1	12/14/2007 1:52:09 AM
n-Butylbenzene	ND	1.0	µg/L	1	12/14/2007 1:52:09 AM
n-Propylbenzene	ND	1.0	µg/L	1	12/14/2007 1:52:09 AM
sec-Butylbenzene	ND	1.0	µg/L	1	12/14/2007 1:52:09 AM
Styrene	ND	1.0	µg/L	1	12/14/2007 1:52:09 AM
tert-Butylbenzene	ND	1.0	µg/L	1	12/14/2007 1:52:09 AM
1,1,1,2-Tetrachloroethane	ND	1.0	µg/L	1	12/14/2007 1:52:09 AM
1,1,2,2-Tetrachloroethane	ND	2.0	µg/L	1	12/14/2007 1:52:09 AM
Tetrachloroethane (PCE)	ND	1.0	µg/L	1	12/14/2007 1:52:09 AM
trans-1,2-DCE	ND	1.0	µg/L	1	12/14/2007 1:52:09 AM
trans-1,3-Dichloropropene	ND	1.0	µg/L	1	12/14/2007 1:52:09 AM
1,2,3-Trichlorobenzene	ND	1.0	µg/L	1	12/14/2007 1:52:09 AM
1,2,4-Trichlorobenzene	ND	1.0	µg/L	1	12/14/2007 1:52:09 AM
1,1,1-Trichloroethane	ND	1.0	µg/L	1	12/14/2007 1:52:09 AM
1,1,2-Trichloroethane	ND	1.0	µg/L	1	12/14/2007 1:52:09 AM
Trichloroethene (TCE)	ND	1.0	µg/L	1	12/14/2007 1:52:09 AM
Trichlorofluoromethane	ND	1.0	µg/L	1	12/14/2007 1:52:09 AM
1,2,3-Trichloropropane	ND	2.0	µg/L	1	12/14/2007 1:52:09 AM
Vinyl chloride	ND	1.0	µg/L	1	12/14/2007 1:52:09 AM
Xylenes, Total	ND	1.5	µg/L	1	12/14/2007 1:52:09 AM
Surr: 1,2-Dichloroethane-d4	87.9	68.1-123	%REC	1	12/14/2007 1:52:09 AM
Surr: 4-Bromofluorobenzene	92.8	53.2-145	%REC	1	12/14/2007 1:52:09 AM
Surr: Dibromofluoromethane	90.8	68.5-119	%REC	1	12/14/2007 1:52:09 AM
Surr: Toluene-d8	83.4	64-131	%REC	1	12/14/2007 1:52:09 AM

SM 2540C: TDS

Analyst: TAF

Total Dissolved Solids	2000	20	mg/L	1	12/14/2007
------------------------	------	----	------	---	------------

Qualifiers: * Value exceeds Maximum Contaminant Level
E Value above quantitation range
J Analyte detected below quantitation limits
ND Not Detected at the Reporting Limit

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
MCL Maximum Contaminant Level
RL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 18-Dec-07

CLIENT: Cypress Engineering
Project: TWP WT-1 ERP

Lab Order: 0712141

Lab ID: 0712141-11

Collection Date: 12/7/2007 5:05:00 PM

Client Sample ID: MW-7

Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 300.0: ANIONS						
Chloride	340	1.0		mg/L	10	12/12/2007 9:16:27 PM
Nitrate (As N)+Nitrite (As N)	4.2	1.0		mg/L	5	12/13/2007 6:50:53 AM
Sulfate	520	5.0		mg/L	10	12/12/2007 9:16:27 PM

Analyst: SMP

EPA 6010B: TOTAL RECOVERABLE METALS

Analyst: TES

Arsenic	ND	0.020		mg/L	1	12/12/2007 6:41:05 PM
Barium	0.021	0.020		mg/L	1	12/12/2007 6:41:05 PM
Iron	0.11	0.050		mg/L	1	12/12/2007 6:41:05 PM
Manganese	0.079	0.0020		mg/L	1	12/12/2007 6:41:05 PM

EPA METHOD 8260B: VOLATILES

Analyst: BDH

Benzene	ND	1.0		µg/L	1	12/14/2007 2:20:36 AM
Toluene	ND	1.0		µg/L	1	12/14/2007 2:20:36 AM
Ethylbenzene	ND	1.0		µg/L	1	12/14/2007 2:20:36 AM
Methyl tert-butyl ether (MTBE)	ND	1.0		µg/L	1	12/14/2007 2:20:36 AM
1,2,4-Trimethylbenzene	ND	1.0		µg/L	1	12/14/2007 2:20:36 AM
1,3,5-Trimethylbenzene	ND	1.0		µg/L	1	12/14/2007 2:20:36 AM
1,2-Dichloroethane (EDC)	ND	1.0		µg/L	1	12/14/2007 2:20:36 AM
1,2-Dibromoethane (EDB)	ND	1.0		µg/L	1	12/14/2007 2:20:36 AM
Naphthalene	ND	2.0		µg/L	1	12/14/2007 2:20:36 AM
1-Methylnaphthalene	ND	4.0		µg/L	1	12/14/2007 2:20:36 AM
2-Methylnaphthalene	ND	4.0		µg/L	1	12/14/2007 2:20:36 AM
Acetone	ND	10		µg/L	1	12/14/2007 2:20:36 AM
Bromobenzene	ND	1.0		µg/L	1	12/14/2007 2:20:36 AM
Bromochloromethane	ND	1.0		µg/L	1	12/14/2007 2:20:36 AM
Bromodichloromethane	ND	1.0		µg/L	1	12/14/2007 2:20:36 AM
Bromoform	ND	1.0		µg/L	1	12/14/2007 2:20:36 AM
Bromomethane	ND	1.0		µg/L	1	12/14/2007 2:20:36 AM
2-Butanone	ND	10		µg/L	1	12/14/2007 2:20:36 AM
Carbon disulfide	ND	10		µg/L	1	12/14/2007 2:20:36 AM
Carbon Tetrachloride	ND	1.0		µg/L	1	12/14/2007 2:20:36 AM
Chlorobenzene	ND	1.0		µg/L	1	12/14/2007 2:20:36 AM
Chloroethane	ND	2.0		µg/L	1	12/14/2007 2:20:36 AM
Chloroform	ND	1.0		µg/L	1	12/14/2007 2:20:36 AM
Chloromethane	ND	1.0		µg/L	1	12/14/2007 2:20:36 AM
2-Chlorotoluene	ND	1.0		µg/L	1	12/14/2007 2:20:36 AM
4-Chlorotoluene	ND	1.0		µg/L	1	12/14/2007 2:20:36 AM
cis-1,2-DCE	36	1.0		µg/L	1	12/14/2007 2:20:36 AM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	12/14/2007 2:20:36 AM
1,2-Dibromo-3-chloropropane	ND	2.0		µg/L	1	12/14/2007 2:20:36 AM
Dibromochloromethane	ND	1.0		µg/L	1	12/14/2007 2:20:36 AM
Dibromomethane	ND	1.0		µg/L	1	12/14/2007 2:20:36 AM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	12/14/2007 2:20:36 AM

Qualifiers: * Value exceeds Maximum Contaminant Level

E Value above quantitation range

J Analyte detected below quantitation limits

ND Not Detected at the Reporting Limit

B Analyte detected in the associated Method Blank

H Holding times for preparation or analysis exceeded

MCL Maximum Contaminant Level

RL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 18-Dec-07

CLIENT: Cypress Engineering
Project: TWP WT-1 ERP

Lab Order: 0712141

EPA METHOD 8260B: VOLATILES

Analyst: BDH

1,3-Dichlorobenzene	ND	1.0	µg/L	1	12/14/2007 2:20:36 AM
1,4-Dichlorobenzene	ND	1.0	µg/L	1	12/14/2007 2:20:36 AM
Dichlorodifluoromethane	ND	1.0	µg/L	1	12/14/2007 2:20:36 AM
1,1-Dichloroethane	33	1.0	µg/L	1	12/14/2007 2:20:36 AM
1,1-Dichloroethene	1.2	1.0	µg/L	1	12/14/2007 2:20:36 AM
1,2-Dichloropropane	ND	1.0	µg/L	1	12/14/2007 2:20:36 AM
1,3-Dichloropropane	ND	1.0	µg/L	1	12/14/2007 2:20:36 AM
2,2-Dichloropropane	ND	2.0	µg/L	1	12/14/2007 2:20:36 AM
1,1-Dichloropropene	ND	1.0	µg/L	1	12/14/2007 2:20:36 AM
Hexachlorobutadiene	ND	1.0	µg/L	1	12/14/2007 2:20:36 AM
2-Hexanone	ND	10	µg/L	1	12/14/2007 2:20:36 AM
Isopropylbenzene	ND	1.0	µg/L	1	12/14/2007 2:20:36 AM
4-Isopropyltoluene	ND	1.0	µg/L	1	12/14/2007 2:20:36 AM
4-Methyl-2-pentanone	ND	10	µg/L	1	12/14/2007 2:20:36 AM
Methylene Chloride	ND	3.0	µg/L	1	12/14/2007 2:20:36 AM
n-Butylbenzene	ND	1.0	µg/L	1	12/14/2007 2:20:36 AM
n-Propylbenzene	ND	1.0	µg/L	1	12/14/2007 2:20:36 AM
sec-Butylbenzene	ND	1.0	µg/L	1	12/14/2007 2:20:36 AM
Styrene	ND	1.0	µg/L	1	12/14/2007 2:20:36 AM
tert-Butylbenzene	ND	1.0	µg/L	1	12/14/2007 2:20:36 AM
1,1,1,2-Tetrachloroethane	ND	1.0	µg/L	1	12/14/2007 2:20:36 AM
1,1,2,2-Tetrachloroethane	ND	2.0	µg/L	1	12/14/2007 2:20:36 AM
Tetrachloroethene (PCE)	ND	1.0	µg/L	1	12/14/2007 2:20:36 AM
trans-1,2-DCE	ND	1.0	µg/L	1	12/14/2007 2:20:36 AM
trans-1,3-Dichloropropene	ND	1.0	µg/L	1	12/14/2007 2:20:36 AM
1,2,3-Trichlorobenzene	ND	1.0	µg/L	1	12/14/2007 2:20:36 AM
1,2,4-Trichlorobenzene	ND	1.0	µg/L	1	12/14/2007 2:20:36 AM
1,1,1-Trichloroethane	ND	1.0	µg/L	1	12/14/2007 2:20:36 AM
1,1,2-Trichloroethane	ND	1.0	µg/L	1	12/14/2007 2:20:36 AM
Trichloroethene (TCE)	9.7	1.0	µg/L	1	12/14/2007 2:20:36 AM
Trichlorofluoromethane	ND	1.0	µg/L	1	12/14/2007 2:20:36 AM
1,2,3-Trichloropropane	ND	2.0	µg/L	1	12/14/2007 2:20:36 AM
Vinyl chloride	ND	1.0	µg/L	1	12/14/2007 2:20:36 AM
Xylenes, Total	ND	1.5	µg/L	1	12/14/2007 2:20:36 AM
Surr: 1,2-Dichloroethane-d4	90.9	68.1-123	%REC	1	12/14/2007 2:20:36 AM
Surr: 4-Bromofluorobenzene	91.7	53.2-145	%REC	1	12/14/2007 2:20:36 AM
Surr: Dibromofluoromethane	90.4	68.5-119	%REC	1	12/14/2007 2:20:36 AM
Surr: Toluene-d8	85.4	64-131	%REC	1	12/14/2007 2:20:36 AM

SM 2540C: TDS

Analyst: TAF

Total Dissolved Solids	1700	20	mg/L	1	12/14/2007
------------------------	------	----	------	---	------------

Qualifiers: * Value exceeds Maximum Contaminant Level
E Value above quantitation range
J Analyte detected below quantitation limits
ND Not Detected at the Reporting Limit

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
MCL Maximum Contaminant Level
RL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 18-Dec-07

CLIENT: Cypress Engineering
Project: TWP WT-1 ERP

Lab Order: 0712141

Lab ID: 0712141-12

Collection Date: 12/7/2007 6:30:00 PM

Client Sample ID: SVE-1A

Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 300.0: ANIONS						Analyst: SMP
Chloride	370	1.0		mg/L	10	12/12/2007 9:51:15 PM
Nitrate (As N)+Nitrite (As N)	ND	1.0		mg/L	5	12/13/2007 7:08:18 AM
Sulfate	ND	0.50		mg/L	1	12/12/2007 9:33:51 PM
EPA 6010B: TOTAL RECOVERABLE METALS						Analyst: TES
Arsenic	0.047	0.020		mg/L	1	12/12/2007 6:45:13 PM
Barium	27	1.0		mg/L	50	12/13/2007 10:39:42 AM
Iron	11	2.5		mg/L	50	12/13/2007 10:39:42 AM
Manganese	0.034	0.0020		mg/L	1	12/12/2007 6:45:13 PM
EPA METHOD 8260B: VOLATILES						Analyst: BDH
Benzene	73	5.0		µg/L	5	12/14/2007 2:50:24 AM
Toluene	8.8	5.0		µg/L	5	12/14/2007 2:50:24 AM
Ethylbenzene	25	5.0		µg/L	5	12/14/2007 2:50:24 AM
Methyl tert-butyl ether (MTBE)	ND	5.0		µg/L	5	12/14/2007 2:50:24 AM
1,2,4-Trimethylbenzene	46	5.0		µg/L	5	12/14/2007 2:50:24 AM
1,3,5-Trimethylbenzene	36	5.0		µg/L	5	12/14/2007 2:50:24 AM
1,2-Dichloroethane (EDC)	ND	5.0		µg/L	5	12/14/2007 2:50:24 AM
1,2-Dibromoethane (EDB)	ND	5.0		µg/L	5	12/14/2007 2:50:24 AM
Naphthalene	19	10		µg/L	5	12/14/2007 2:50:24 AM
1-Methylnaphthalene	ND	20		µg/L	5	12/14/2007 2:50:24 AM
2-Methylnaphthalene	ND	20		µg/L	5	12/14/2007 2:50:24 AM
Acetone	ND	50		µg/L	5	12/14/2007 2:50:24 AM
Bromobenzene	ND	5.0		µg/L	5	12/14/2007 2:50:24 AM
Bromochloromethane	ND	5.0		µg/L	5	12/14/2007 2:50:24 AM
Bromodichloromethane	ND	5.0		µg/L	5	12/14/2007 2:50:24 AM
Bromoform	ND	5.0		µg/L	5	12/14/2007 2:50:24 AM
Bromomethane	ND	5.0		µg/L	5	12/14/2007 2:50:24 AM
2-Butanone	ND	50		µg/L	5	12/14/2007 2:50:24 AM
Carbon disulfide	ND	50		µg/L	5	12/14/2007 2:50:24 AM
Carbon Tetrachloride	ND	5.0		µg/L	5	12/14/2007 2:50:24 AM
Chlorobenzene	ND	5.0		µg/L	5	12/14/2007 2:50:24 AM
Chloroethane	ND	10		µg/L	5	12/14/2007 2:50:24 AM
Chloroform	ND	5.0		µg/L	5	12/14/2007 2:50:24 AM
Chloromethane	ND	5.0		µg/L	5	12/14/2007 2:50:24 AM
2-Chlorotoluene	ND	5.0		µg/L	5	12/14/2007 2:50:24 AM
4-Chlorotoluene	ND	5.0		µg/L	5	12/14/2007 2:50:24 AM
cis-1,2-DCE	37	5.0		µg/L	5	12/14/2007 2:50:24 AM
cis-1,3-Dichloropropene	ND	5.0		µg/L	5	12/14/2007 2:50:24 AM
1,2-Dibromo-3-chloropropane	ND	10		µg/L	5	12/14/2007 2:50:24 AM
Dibromochloromethane	ND	5.0		µg/L	5	12/14/2007 2:50:24 AM
Dibromomethane	ND	5.0		µg/L	5	12/14/2007 2:50:24 AM
1,2-Dichlorobenzene	ND	5.0		µg/L	5	12/14/2007 2:50:24 AM

Qualifiers: * Value exceeds Maximum Contaminant Level

E Value above quantitation range

J Analyte detected below quantitation limits

ND Not Detected at the Reporting Limit

B Analyte detected in the associated Method Blank

H Holding times for preparation or analysis exceeded

MCL Maximum Contaminant Level

DL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 18-Dec-07

CLIENT: Cypress Engineering
Project: TWP WT-1 ERP

Lab Order: 0712141

EPA METHOD 8260B: VOLATILES

Analyst: BDH

1,3-Dichlorobenzene	ND	5.0	µg/L	5	12/14/2007 2:50:24 AM
1,4-Dichlorobenzene	ND	5.0	µg/L	5	12/14/2007 2:50:24 AM
Dichlorodifluoromethane	ND	5.0	µg/L	5	12/14/2007 2:50:24 AM
1,1-Dichloroethane	96	5.0	µg/L	5	12/14/2007 2:50:24 AM
1,1-Dichloroethene	ND	5.0	µg/L	5	12/14/2007 2:50:24 AM
1,2-Dichloropropane	ND	5.0	µg/L	5	12/14/2007 2:50:24 AM
1,3-Dichloropropane	ND	5.0	µg/L	5	12/14/2007 2:50:24 AM
2,2-Dichloropropane	ND	10	µg/L	5	12/14/2007 2:50:24 AM
1,1-Dichloropropene	ND	5.0	µg/L	5	12/14/2007 2:50:24 AM
Hexachlorobutadiene	ND	5.0	µg/L	5	12/14/2007 2:50:24 AM
2-Hexanone	ND	50	µg/L	5	12/14/2007 2:50:24 AM
Isopropylbenzene	ND	5.0	µg/L	5	12/14/2007 2:50:24 AM
4-Isopropyltoluene	ND	5.0	µg/L	5	12/14/2007 2:50:24 AM
4-Methyl-2-pentanone	ND	50	µg/L	5	12/14/2007 2:50:24 AM
Methylene Chloride	ND	15	µg/L	5	12/14/2007 2:50:24 AM
n-Butylbenzene	ND	5.0	µg/L	5	12/14/2007 2:50:24 AM
n-Propylbenzene	ND	5.0	µg/L	5	12/14/2007 2:50:24 AM
sec-Butylbenzene	ND	5.0	µg/L	5	12/14/2007 2:50:24 AM
Styrene	ND	5.0	µg/L	5	12/14/2007 2:50:24 AM
tert-Butylbenzene	ND	5.0	µg/L	5	12/14/2007 2:50:24 AM
1,1,1,2-Tetrachloroethane	ND	5.0	µg/L	5	12/14/2007 2:50:24 AM
1,1,2,2-Tetrachloroethane	ND	10	µg/L	5	12/14/2007 2:50:24 AM
Tetrachloroethene (PCE)	ND	5.0	µg/L	5	12/14/2007 2:50:24 AM
trans-1,2-DCE	ND	5.0	µg/L	5	12/14/2007 2:50:24 AM
trans-1,3-Dichloropropene	ND	5.0	µg/L	5	12/14/2007 2:50:24 AM
1,2,3-Trichlorobenzene	ND	5.0	µg/L	5	12/14/2007 2:50:24 AM
1,2,4-Trichlorobenzene	ND	5.0	µg/L	5	12/14/2007 2:50:24 AM
1,1,1-Trichloroethane	6.2	5.0	µg/L	5	12/14/2007 2:50:24 AM
1,1,2-Trichloroethane	ND	5.0	µg/L	5	12/14/2007 2:50:24 AM
Trichloroethene (TCE)	24	5.0	µg/L	5	12/14/2007 2:50:24 AM
Trichlorofluoromethane	ND	5.0	µg/L	5	12/14/2007 2:50:24 AM
1,2,3-Trichloropropane	ND	10	µg/L	5	12/14/2007 2:50:24 AM
Vinyl chloride	ND	5.0	µg/L	5	12/14/2007 2:50:24 AM
Xylenes, Total	39	7.5	µg/L	5	12/14/2007 2:50:24 AM
Surr: 1,2-Dichloroethane-d4	89.7	68.1-123	%REC	5	12/14/2007 2:50:24 AM
Surr: 4-Bromofluorobenzene	90.8	53.2-145	%REC	5	12/14/2007 2:50:24 AM
Surr: Dibromofluoromethane	92.0	68.5-119	%REC	5	12/14/2007 2:50:24 AM
Surr: Toluene-d8	82.1	64-131	%REC	5	12/14/2007 2:50:24 AM

SM 2540C: TDS

Analyst: TAF

Total Dissolved Solids	1700	200	mg/L	1	12/14/2007
------------------------	------	-----	------	---	------------

Qualifiers: * Value exceeds Maximum Contaminant Level

E Value above quantitation range

J Analyte detected below quantitation limits

ND Not Detected at the Reporting Limit

B Analyte detected in the associated Method Blank

H Holding times for preparation or analysis exceeded

MCL Maximum Contaminant Level

RL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 18-Dec-07

CLIENT: Cypress Engineering
Project: TWP WT- 1 ERP

Lab Order: 0712141

Lab ID: 0712141-13

Collection Date:

Client Sample ID: TRIP BLANK

Matrix: TRIP BLANK

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8260B: VOLATILES						Analyst: BDH
Benzene	ND	1.0		µg/L	1	12/14/2007 3:18:54 AM
Toluene	ND	1.0		µg/L	1	12/14/2007 3:18:54 AM
Ethylbenzene	ND	1.0		µg/L	1	12/14/2007 3:18:54 AM
Methyl tert-butyl ether (MTBE)	ND	1.0		µg/L	1	12/14/2007 3:18:54 AM
1,2,4-Trimethylbenzene	ND	1.0		µg/L	1	12/14/2007 3:18:54 AM
1,3,5-Trimethylbenzene	ND	1.0		µg/L	1	12/14/2007 3:18:54 AM
1,2-Dichloroethane (EDC)	ND	1.0		µg/L	1	12/14/2007 3:18:54 AM
1,2-Dibromoethane (EDB)	ND	1.0		µg/L	1	12/14/2007 3:18:54 AM
Naphthalene	ND	2.0		µg/L	1	12/14/2007 3:18:54 AM
1-Methylnaphthalene	ND	4.0		µg/L	1	12/14/2007 3:18:54 AM
2-Methylnaphthalene	ND	4.0		µg/L	1	12/14/2007 3:18:54 AM
Acetone	ND	10		µg/L	1	12/14/2007 3:18:54 AM
Bromobenzene	ND	1.0		µg/L	1	12/14/2007 3:18:54 AM
Bromochloromethane	ND	1.0		µg/L	1	12/14/2007 3:18:54 AM
Bromodichloromethane	ND	1.0		µg/L	1	12/14/2007 3:18:54 AM
Bromoform	ND	1.0		µg/L	1	12/14/2007 3:18:54 AM
Bromomethane	ND	1.0		µg/L	1	12/14/2007 3:18:54 AM
2-Butanone	ND	10		µg/L	1	12/14/2007 3:18:54 AM
Carbon disulfide	ND	10		µg/L	1	12/14/2007 3:18:54 AM
Carbon Tetrachloride	ND	1.0		µg/L	1	12/14/2007 3:18:54 AM
Chlorobenzene	ND	1.0		µg/L	1	12/14/2007 3:18:54 AM
Chloroethane	ND	2.0		µg/L	1	12/14/2007 3:18:54 AM
Chloroform	ND	1.0		µg/L	1	12/14/2007 3:18:54 AM
Chloromethane	ND	1.0		µg/L	1	12/14/2007 3:18:54 AM
2-Chlorotoluene	ND	1.0		µg/L	1	12/14/2007 3:18:54 AM
4-Chlorotoluene	ND	1.0		µg/L	1	12/14/2007 3:18:54 AM
cis-1,2-DCE	ND	1.0		µg/L	1	12/14/2007 3:18:54 AM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	12/14/2007 3:18:54 AM
1,2-Dibromo-3-chloropropane	ND	2.0		µg/L	1	12/14/2007 3:18:54 AM
Dibromochloromethane	ND	1.0		µg/L	1	12/14/2007 3:18:54 AM
Dibromomethane	ND	1.0		µg/L	1	12/14/2007 3:18:54 AM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	12/14/2007 3:18:54 AM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	12/14/2007 3:18:54 AM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	12/14/2007 3:18:54 AM
Dichlorodifluoromethane	ND	1.0		µg/L	1	12/14/2007 3:18:54 AM
1,1-Dichloroethane	ND	1.0		µg/L	1	12/14/2007 3:18:54 AM
1,1-Dichloroethene	ND	1.0		µg/L	1	12/14/2007 3:18:54 AM
1,2-Dichloropropane	ND	1.0		µg/L	1	12/14/2007 3:18:54 AM
1,3-Dichloropropane	ND	1.0		µg/L	1	12/14/2007 3:18:54 AM
2,2-Dichloropropane	ND	2.0		µg/L	1	12/14/2007 3:18:54 AM
1,1-Dichloropropene	ND	1.0		µg/L	1	12/14/2007 3:18:54 AM
Hexachlorobutadiene	ND	1.0		µg/L	1	12/14/2007 3:18:54 AM
2-Hexanone	ND	10		µg/L	1	12/14/2007 3:18:54 AM

Qualifiers: * Value exceeds Maximum Contaminant Level

E Value above quantitation range

J Analyte detected below quantitation limits

ND Not Detected at the Reporting Limit

B Analyte detected in the associated Method Blank

H Holding times for preparation or analysis exceeded

MCL Maximum Contaminant Level

RL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 18-Dec-07

CLIENT: Cypress Engineering
Project: TWP WT- 1 ERP

Lab Order: 0712141

EPA METHOD 8260B: VOLATILES

Analyst: BDH

Isopropylbenzene	ND	1.0	µg/L	1	12/14/2007 3:18:54 AM
4-Isopropyltoluene	ND	1.0	µg/L	1	12/14/2007 3:18:54 AM
4-Methyl-2-pentanone	ND	10	µg/L	1	12/14/2007 3:18:54 AM
Methylene Chloride	ND	3.0	µg/L	1	12/14/2007 3:18:54 AM
n-Butylbenzene	ND	1.0	µg/L	1	12/14/2007 3:18:54 AM
n-Propylbenzene	ND	1.0	µg/L	1	12/14/2007 3:18:54 AM
sec-Butylbenzene	ND	1.0	µg/L	1	12/14/2007 3:18:54 AM
Styrene	ND	1.0	µg/L	1	12/14/2007 3:18:54 AM
tert-Butylbenzene	ND	1.0	µg/L	1	12/14/2007 3:18:54 AM
1,1,1,2-Tetrachloroethane	ND	1.0	µg/L	1	12/14/2007 3:18:54 AM
1,1,2,2-Tetrachloroethane	ND	2.0	µg/L	1	12/14/2007 3:18:54 AM
Tetrachloroethene (PCE)	ND	1.0	µg/L	1	12/14/2007 3:18:54 AM
trans-1,2-DCE	ND	1.0	µg/L	1	12/14/2007 3:18:54 AM
trans-1,3-Dichloropropene	ND	1.0	µg/L	1	12/14/2007 3:18:54 AM
1,2,3-Trichlorobenzene	ND	1.0	µg/L	1	12/14/2007 3:18:54 AM
1,2,4-Trichlorobenzene	ND	1.0	µg/L	1	12/14/2007 3:18:54 AM
1,1,1-Trichloroethane	ND	1.0	µg/L	1	12/14/2007 3:18:54 AM
1,1,2-Trichloroethane	ND	1.0	µg/L	1	12/14/2007 3:18:54 AM
Trichloroethene (TCE)	ND	1.0	µg/L	1	12/14/2007 3:18:54 AM
Trichlorofluoromethane	ND	1.0	µg/L	1	12/14/2007 3:18:54 AM
1,2,3-Trichloropropane	ND	2.0	µg/L	1	12/14/2007 3:18:54 AM
Vinyl chloride	ND	1.0	µg/L	1	12/14/2007 3:18:54 AM
Xylenes, Total	ND	1.5	µg/L	1	12/14/2007 3:18:54 AM
Surr: 1,2-Dichloroethane-d4	88.5	68.1-123	%REC	1	12/14/2007 3:18:54 AM
Surr: 4-Bromofluorobenzene	92.0	53.2-145	%REC	1	12/14/2007 3:18:54 AM
Surr: Dibromofluoromethane	91.4	68.5-119	%REC	1	12/14/2007 3:18:54 AM
Surr: Toluene-d8	84.1	64-131	%REC	1	12/14/2007 3:18:54 AM

Qualifiers: * Value exceeds Maximum Contaminant Level
E Value above quantitation range
J Analyte detected below quantitation limits
ND Not Detected at the Reporting Limit

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
MCL Maximum Contaminant Level
RL Reporting Limit

QA/QC SUMMARY REPORT

Client: Cypress Engineering
Project: TWP WT- 1 ERP

Work Order: 0712141

Analyte	Result	Units	PQL	%Rec	LowLimit	HighLimit	%RPD	RPDLimit	Qual
---------	--------	-------	-----	------	----------	-----------	------	----------	------

Method: EPA Method 300.0: Anions

Sample ID: MBLK

MBLK

Batch ID: R26492 Analysis Date: 12/12/2007 10:49:40 AM

Chloride ND mg/L 0.10

Nitrate (As N)+Nitrite (As N) ND mg/L 0.20

Sulfate ND mg/L 0.50

Sample ID: MBLK

MBLK

Batch ID: R26528 Analysis Date: 12/13/2007 5:47:28 AM

Chloride ND mg/L 0.10

Nitrate (As N)+Nitrite (As N) ND mg/L 0.20

Sulfate ND mg/L 0.50

Sample ID: LCS

LCS

Batch ID: R26492 Analysis Date: 12/12/2007 11:24:30 AM

Chloride 4.857 mg/L 0.10 97.1 90 110

Sulfate 9.845 mg/L 0.50 98.5 90 110

Sample ID: LCS

LCS

Batch ID: R26492 Analysis Date: 12/13/2007 9:45:00 AM

Chloride 4.938 mg/L 0.10 98.8 90 110

Nitrate (As N)+Nitrite (As N) 3.474 mg/L 0.20 99.3 90 110

Sulfate 10.03 mg/L 0.50 100 90 110

Sample ID: LCS

LCS

Batch ID: R26528 Analysis Date: 12/13/2007 6:04:52 AM

Chloride 4.947 mg/L 0.10 98.9 90 110

Nitrate (As N)+Nitrite (As N) 3.458 mg/L 0.20 98.8 90 110

Sulfate 9.960 mg/L 0.50 99.6 90 110

Method: EPA 6010B: Total Recoverable Metals

Sample ID: MB-14618

MBLK

Batch ID: 14618 Analysis Date: 12/12/2007 5:00:48 PM

Arsenic ND mg/L 0.020

Barium ND mg/L 0.010

Iron ND mg/L 0.050

Manganese ND mg/L 0.0020

Sample ID: LCS-14618

LCS

Batch ID: 14618 Analysis Date: 12/12/2007 5:03:49 PM

Arsenic 0.4859 mg/L 0.020 97.2 80 120

Barium 0.4642 mg/L 0.010 92.8 80 120

Iron 0.5139 mg/L 0.050 103 80 120

Manganese 0.4652 mg/L 0.0020 93.0 80 120

Qualifiers:

E Value above quantitation range
J Analyte detected below quantitation limits
R RPD outside accepted recovery limits

H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
S Spike recovery outside accepted recovery limits

QA/QC SUMMARY REPORT

Client: Cypress Engineering
 Project: TWP WT- 1 ERP

Work Order: 0712141

Analyte	Result	Units	PQL	%Rec	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Method: SM 2540C: TDS									
Sample ID: 0712141-02B MSD		MSD							
Total Dissolved Solids	3760	mg/L	20	102	80	120	0.0798	20	
Sample ID: MB-14628		MBLK							
Total Dissolved Solids	ND	mg/L	20						
Sample ID: MB-14645		MBLK							
Total Dissolved Solids	ND	mg/L	20						
Sample ID: LCS-14628		LCS							
Total Dissolved Solids	1018	mg/L	20	102	80	120			
Sample ID: LCS-14645		LCS							
Total Dissolved Solids	1012	mg/L	20	101	80	120			
Sample ID: 0712141-02B MS		MS							
Total Dissolved Solids	3757	mg/L	20	102	80	120			

Qualifiers:

E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
R	RPD outside accepted recovery limits	S	Spike recovery outside accepted recovery limits

QA/QC SUMMARY REPORT

Client: Cypress Engineering

Project: TWP WT-1 ERP

Work Order: 0712141

Analyte	Result	Units	PQL	%Rec	LowLimit	HighLimit	%RPD	RPDLimit	Qual
---------	--------	-------	-----	------	----------	-----------	------	----------	------

Method: EPA Method 8260B: VOLATILES

Sample ID: 5mL rb

MBLK

Batch ID: R26531 Analysis Date: 12/13/2007 9:10:39 AM

Benzene	ND	µg/L	1.0
Toluene	ND	µg/L	1.0
Ethylbenzene	ND	µg/L	1.0
Methyl tert-butyl ether (MTBE)	ND	µg/L	1.0
1,2,4-Trimethylbenzene	ND	µg/L	1.0
1,3,5-Trimethylbenzene	ND	µg/L	1.0
1,2-Dichloroethane (EDC)	ND	µg/L	1.0
1,2-Dibromoethane (EDB)	ND	µg/L	1.0
Naphthalene	ND	µg/L	2.0
1-Methylnaphthalene	ND	µg/L	4.0
2-Methylnaphthalene	ND	µg/L	4.0
Acetone	ND	µg/L	10
Bromobenzene	ND	µg/L	1.0
Bromochloromethane	ND	µg/L	1.0
Bromedichloromethane	ND	µg/L	1.0
Bromoform	ND	µg/L	1.0
Bromomethane	ND	µg/L	1.0
2-Butanone	ND	µg/L	10
Carbon disulfide	ND	µg/L	10
Carbon Tetrachloride	ND	µg/L	1.0
Chlorobenzene	ND	µg/L	1.0
Chloroethane	ND	µg/L	2.0
Chloroform	ND	µg/L	1.0
Chloromethane	ND	µg/L	1.0
2-Chlorotoluene	ND	µg/L	1.0
4-Chlorotoluene	ND	µg/L	1.0
cis-1,2-DCE	ND	µg/L	1.0
cis-1,3-Dichloropropene	ND	µg/L	1.0
1,2-Dibromo-3-chloropropane	ND	µg/L	2.0
Dibromochloromethane	ND	µg/L	1.0
Dibromomethane	ND	µg/L	1.0
1,2-Dichlorobenzene	ND	µg/L	1.0
1,3-Dichlorobenzene	ND	µg/L	1.0
1,4-Dichlorobenzene	ND	µg/L	1.0
Dichlorodifluoromethane	ND	µg/L	1.0
1,1-Dichloroethane	ND	µg/L	1.0
1,1-Dichloroethene	ND	µg/L	1.0
1,2-Dichloropropane	ND	µg/L	1.0
1,3-Dichloropropane	ND	µg/L	1.0
2,2-Dichloropropane	ND	µg/L	2.0
1,1-Dichloropropene	ND	µg/L	1.0
Hexachlorobutadiene	ND	µg/L	1.0
2-Hexanone	ND	µg/L	10
Isopropylbenzene	ND	µg/L	1.0

Qualifiers:

E Value above quantitation range
 J Analyte detected below quantitation limits
 R RPD outside accepted recovery limits

H Holding times for preparation or analysis exceeded
 ND Not Detected at the Reporting Limit
 S Spike recovery outside accepted recovery limits

QA/QC SUMMARY REPORT

Client: Cypress Engineering
Project: TWP WT- 1 ERP

Work Order: 0712141

Analyte	Result	Units	PQL	%Rec	LowLimit	HighLimit	%RPD	RPDLimit	Qual
---------	--------	-------	-----	------	----------	-----------	------	----------	------

Method: EPA Method 8260B: VOLATILES

Sample ID: 5mL rb

MBLK

Batch ID: R26531 Analysis Date: 12/13/2007 9:10:39 AM

4-Isopropyltoluene	ND	µg/L	1.0
4-Methyl-2-pentanone	ND	µg/L	10
Methylene Chloride	ND	µg/L	3.0
n-Butylbenzene	ND	µg/L	1.0
n-Propylbenzene	ND	µg/L	1.0
sec-Butylbenzene	ND	µg/L	1.0
Styrene	ND	µg/L	1.0
tert-Butylbenzene	ND	µg/L	1.0
1,1,1,2-Tetrachloroethane	ND	µg/L	1.0
1,1,2,2-Tetrachloroethane	ND	µg/L	2.0
Tetrachloroethene (PCE)	ND	µg/L	1.0
trans-1,2-DCE	ND	µg/L	1.0
trans-1,3-Dichloropropene	ND	µg/L	1.0
1,2,3-Trichlorobenzene	ND	µg/L	1.0
1,2,4-Trichlorobenzene	ND	µg/L	1.0
1,1,1-Trichloroethane	ND	µg/L	1.0
1,1,2-Trichloroethane	ND	µg/L	1.0
1,1,2,2-Tetrachloroethane (TCE)	ND	µg/L	1.0
1,1,1,2-Tetrachloroethane	ND	µg/L	1.0
1,2,3-Trichloropropane	ND	µg/L	2.0
Vinyl chloride	ND	µg/L	1.0
Xylenes, Total	ND	µg/L	1.5

Sample ID: 100ng lcs

LCS

Batch ID: R26531 Analysis Date: 12/13/2007 10:07:25 AM

Benzene	19.57	µg/L	1.0	97.8	72.4	126
Toluene	16.72	µg/L	1.0	83.6	79.2	115
Chlorobenzene	18.90	µg/L	1.0	94.5	83.1	111
1,1-Dichloroethene	22.53	µg/L	1.0	113	81.4	122
Trichloroethene (TCE)	18.76	µg/L	1.0	93.8	64.4	118

Qualifiers:

E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
R	RPD outside accepted recovery limits	S	Spike recovery outside accepted recovery limits

Hall Environmental Analysis Laboratory, Inc.

Sample Receipt Checklist

Client Name CYP

Date Received:

12/11/2007

Work Order Number 0712141

Received by: ARS

Checklist completed by:

Janup Shonmin
Signature

12/11/07
Date

Sample ID labels checked by

ARS
Initials

Matrix

Carrier name Greyhound

Shipping container/cooler in good condition?

Yes ☒

No ☐

Not Present ☐

Custody seals intact on shipping container/cooler?

Yes ☒

No ☐

Not Present ☐

Not Shipped ☐

Custody seals intact on sample bottles?

Yes ☐

No ☐

N/A ☒

Chain of custody present?

Yes ☒

No ☐

Chain of custody signed when relinquished and received?

Yes ☒

No ☐

Chain of custody agrees with sample labels?

Yes ☒

No ☐

Samples in proper container/bottle?

Yes ☒

No ☐

Sample containers intact?

Yes ☒

No ☐

Sufficient sample volume for indicated test?

Yes ☒

No ☐

All samples received within holding time?

Yes ☒

No ☐

Water - VOA vials have zero headspace?

No VOA vials submitted ☐

Yes ☒

No ☐

Water - Preservation labels on bottle and cap match?

Yes ☒

No ☐

N/A ☐

Water - pH acceptable upon receipt?

Yes ☒

No ☐

N/A ☐

Container/Temp Blank temperature?

2°

<6° C Acceptable

If given sufficient time to cool.

COMMENTS:

Client contacted

Date contacted:

Person contacted

Contacted by:

Regarding

Comments:

0712141-9 (MW-1) added 1ml HNO₃ for acceptable pH
AS 12/11/07
MW-17, MW-2, MW-1 bubbles formed in 1 x 3 vials. AS 12/11/07

Corrective Action

Chain-of-Custody Record

Client:

Cypress Engineering Services

Address: 2171 Hwy 6 North, STE 102

Houston, TX 77065

Phone #: 281.797.3420

email or Fax#: 281.559.881

QA/QC Package:

☐ Standard ☐ Level 4 (Full Validation)

☐ Other

☐ EDD (Type) _____

Turn-Around Time:

☒ Standard ☐ Rush

Project Name:

Transwestern Pipeline to W-1 DEP

Project #:

TWP NT-1 DEP

Project Manager:

George Robinson

Sampler:

Sandy Sharp

Container Type and #

3x40ml VOA

1x125ml P

1x500ml P

1x500ml P

3x40ml VOA

1x125ml P

1x500ml P

1x500ml P

3x40ml VOA

1x125ml P

1x500ml P

1x500ml P

3x40ml VOA

1x125ml P

1x500ml P

1x500ml P

3x40ml VOA

1x125ml P

1x500ml P

1x500ml P

3x40ml VOA

1x125ml P

1x500ml P

1x500ml P

3x40ml VOA

1x125ml P

1x500ml P

1x500ml P

3x40ml VOA

1x125ml P

1x500ml P

1x500ml P

Sample Request ID

MW-8

MW-10

MW-14

MW-14

MW-14

MW-14

MW-14

MW-14

MW-14

MW-14

MW-14

MW-14

MW-14

MW-14

MW-14

MW-14

MW-14

MW-14

MW-14

MW-14

MW-14

MW-14

MW-14

MW-14

MW-14

MW-14

Date

12/7/07

12/7/07

12/7/07

12/7/07

12/7/07

12/7/07

12/7/07

12/7/07

12/7/07

12/7/07

12/7/07

12/7/07

12/7/07

12/7/07

12/7/07

12/7/07

12/7/07

12/7/07

12/7/07

12/7/07

12/7/07

12/7/07

12/7/07

12/7/07

12/7/07

12/7/07

Time

1111

1207

1207

1207

1207

1207

1207

1207

1207

1207

1207

1207

1207

1207

1207

1207

1207

1207

1207

1207

1207

1207

1207

1207

1207

1207

HEAL No.

0712141

4

4

4

4

5

5

5

5

4

4

4

4

4

4

4

4

4

4

4

4

4

4

4

4

4

Preservative Type

HCL

H2SO4

HNO3

NT

HCL

H2SO4

HNO3

NT

HCL

H2SO4

HNO3

NT

HCL

H2SO4

HNO3

NT

HCL

H2SO4

HNO3

NT

HCL

H2SO4

HNO3

NT

HCL

H2SO4

HNO3

BTX + MTBE + TMBs (8021)

BTX + MTBE + TMBs (8021)

BTX + MTBE + TMBs (8021)

BTX + MTBE + TMBs (8021)

BTX + MTBE + TMBs (8021)

BTX + MTBE + TMBs (8021)

BTX + MTBE + TMBs (8021)

BTX + MTBE + TMBs (8021)

BTX + MTBE + TMBs (8021)

BTX + MTBE + TMBs (8021)

BTX + MTBE + TMBs (8021)

BTX + MTBE + TMBs (8021)

BTX + MTBE + TMBs (8021)

BTX + MTBE + TMBs (8021)

BTX + MTBE + TMBs (8021)

BTX + MTBE + TMBs (8021)

BTX + MTBE + TMBs (8021)

BTX + MTBE + TMBs (8021)

BTX + MTBE + TMBs (8021)

BTX + MTBE + TMBs (8021)

BTX + MTBE + TMBs (8021)

BTX + MTBE + TMBs (8021)

BTX + MTBE + TMBs (8021)

BTX + MTBE + TMBs (8021)

BTX + MTBE + TMBs (8021)

BTX + MTBE + TMBs (8021)

BTX + MTBE + TMBs (8021)

BTX + MTBE + TMBs (8021)

TPH Method 8015B (Gas/Diesel)

TPH Method 8015B (Gas/Diesel)

TPH Method 8015B (Gas/Diesel)

TPH Method 8015B (Gas/Diesel)

TPH Method 8015B (Gas/Diesel)

TPH Method 8015B (Gas/Diesel)

TPH Method 8015B (Gas/Diesel)

TPH Method 8015B (Gas/Diesel)

TPH Method 8015B (Gas/Diesel)

TPH Method 8015B (Gas/Diesel)

TPH Method 8015B (Gas/Diesel)

TPH Method 8015B (Gas/Diesel)

TPH Method 8015B (Gas/Diesel)

TPH Method 8015B (Gas/Diesel)

TPH Method 8015B (Gas/Diesel)

TPH Method 8015B (Gas/Diesel)

TPH Method 8015B (Gas/Diesel)

TPH Method 8015B (Gas/Diesel)

TPH Method 8015B (Gas/Diesel)

TPH Method 8015B (Gas/Diesel)

TPH Method 8015B (Gas/Diesel)

TPH Method 8015B (Gas/Diesel)

TPH Method 8015B (Gas/Diesel)

TPH Method 8015B (Gas/Diesel)

TPH Method 8015B (Gas/Diesel)

TPH Method 8015B (Gas/Diesel)

TPH Method 8015B (Gas/Diesel)

TPH Method 8015B (Gas/Diesel)

EDC (Method 8260)

EDC (Method 8260)

EDC (Method 8260)

EDC (Method 8260)

EDC (Method 8260)

EDC (Method 8260)

EDC (Method 8260)

EDC (Method 8260)

EDC (Method 8260)

EDC (Method 8260)

EDC (Method 8260)

EDC (Method 8260)

EDC (Method 8260)

EDC (Method 8260)

EDC (Method 8260)

EDC (Method 8260)

EDC (Method 8260)

EDC (Method 8260)

EDC (Method 8260)

EDC (Method 8260)

EDC (Method 8260)

EDC (Method 8260)

EDC (Method 8260)

EDC (Method 8260)

EDC (Method 8260)

EDC (Method 8260)

EDC (Method 8260)

EDC (Method 8260)

EDB (Method 504.1)

EDB (Method 504.1)

EDB (Method 504.1)

EDB (Method 504.1)

EDB (Method 504.1)

EDB (Method 504.1)

EDB (Method 504.1)

EDB (Method 504.1)

**HALL ENVIRONMENTAL
ANALYSIS LABORATORY**
4901 Hawkins NE, Suite D
Albuquerque, New Mexico 87109
Tel. 505.345.3975 Fax 505.345.4111
www.hallenvironmental.com

ANALYSIS REQUEST

[illegible]

Remarks:

Remarks: ~~* Involucry: 1, 2 Dichloroethane (Cis + Trans)~~
Dichloroethane Co., n.d.p. Acetone, MEK
16-methyl-7-octanone