

AP - 52

STAGE 1 & 2 REPORTS

DATE:

4-8-08



**PLAINS
PIPELINE**

April 18, 2008

RECEIVED
RECEIVED

APR 23 2008
Environmental Bureau
Oil Conservation Division

RECEIVED

APR 25 2008
Environmental Bureau
Oil Conservation Division

Mr. Edward Hansen
New Mexico Oil Conservation Division
Environmental Bureau
1220 South St. Francis Drive
Santa Fe, New Mexico 87505

Re: Plains Pipeline, L. P. C. S. Caylor Release Site
NMOCD Reference # AP-052
Unit Letter B of Section 6, Township 17 South, Range 37 East
Lea County, New Mexico

Dear Mr. Hansen,

Plains Pipeline, L. P. is pleased to submit the attached request to conduct backfilling activities at the C. S. Caylor release site located in Section 6 of Township 17 South, and Range 37 East of Lea County, New Mexico. This document was submitted to your office electronically on April 8, 2008.

Should you have any questions or comments, please contact me at (505) 441-0965.

Sincerely,

Camille Bryant
Remediation Coordinator
Plains Pipeline

Enclosure



**PLAINS
PIPELINE**

April 8, 2008

Mr. Edward Hansen
New Mexico Oil Conservation Division
1220 South St. Francis Drive
Santa Fe, New Mexico 87505

Re: Plains Pipeline, L.P. C.S. Cayler (Plains SRS#2002-10250)
NMOCD Reference # AP-052 (OLD 1R-0382)
UL-B (NW¼ of the NE¼) of Section 6, T17S, R37E
Latitude: 32° 52' 2.45"N and Longitude: 103° 17' 17.73"W
Landowner: Robert C. Rice
Lea County, New Mexico

Dear Mr. Hansen:

Plains Pipeline, L.P. (Plains) submits this response to the verbal authorization to backfill the C.S. Cayler site by the New Mexico Oil Conservation Division (OCD) dated February 26, 2008. This letter describes the backfill activities that will be performed onsite.

A 20-mil liner will be installed at the floor of the excavation to inhibit percolation from the surface. A layer of imported sand will be utilized to cushion the 20-mil polyethylene liner being placed in the excavation. To protect the liner from punctures or tearing, during backfill, another layer of sand (approximately six inches thick above and below) will be placed on top of the liner.

Following the liner installation, the stockpiled rock will be placed in the excavation followed by the attenuation cell soil. The four soil lift quadrants and one sidewall were re-sampled on February 27, 2008. The Northwest, Northeast, Southwest, and Southeast Quadrant benzene, toluene, ethylbenzene, and xylenes (BTEX) concentrations were below laboratory reporting limits. The total petroleum hydrocarbons (TPH) concentrations were below the New Mexico Oil Conservation Division (NMOCD) Remediation Threshold of 100 mg/kg. The Northeast sidewall TPH concentration did not exceed the NMOCD guidelines. (See Table 1 and Table 2)

Subsequent to backfilling activities, the surface will be restored to original grade and seeded, according to the landowner's preference. If additional soil is required, Plains will purchase it locally.

If you have any questions or require further information, please contact me at (505) 441-0965.

Sincerely,

Camille Bryant
Remediation Coordinator
Plains Pipeline

TABLE 1
SOIL LIFT ANALYTICAL SUMMARY
PLAINS PIPELINE, L.P.
C.S. CAYLER
NMOC D REF. # AP-052 (OLD 1R-0382)
LEA COUNTY, NEW MEXICO SRS#2002-10250
TALON/LPE PROJECT NUMBER PLAINS044SPL

Sample Location	Sample ID	Sample Date	Lithology & Description	VOC ⁸ (ppm)	Benzene (mg/Kg)	Toluene (mg/Kg)	Ethylbenzene (mg/Kg)	Xylenes (m,p) (mg/Kg)	Xylene (o) (mg/Kg)	Total Xylene (mg/Kg)	BTEX (mg/Kg)	TPH ⁷ (GRO ⁶) (mg/Kg)		TPH (DRO ⁵) (mg/Kg)	TPH (mg/Kg)
Northwest Quadrant	NW	12/16/2004	Sand/rock mix	NA	NA	NA	NA	NA	NA	NA	NA	<5	741	741	741
Northeast Quadrant	NE	12/16/2004	Sand/rock mix	NA	NA	NA	NA	NA	NA	NA	NA	<5	1,000	1,000	1,000
Southeast Quadrant	SE	12/16/2004	Sand/rock mix	NA	NA	NA	NA	NA	NA	NA	NA	<5	72.2	72.2	72.2
Southwest Quadrant	SW	12/16/2004	Sand/rock mix	NA	NA	NA	NA	NA	NA	NA	NA	<5	492	492	492
Northwest Quadrant A		2/27/2008			<0.01	<0.01	<0.01			<0.01	<0.01	1.66	<50.0	1.66	
Northeast Quadrant A		2/27/2008			<0.01	<0.01	<0.01			<0.01	<0.01	1.11	98.0	99.11	
Southeast Quadrant A		2/27/2008			<0.01	<0.01	<0.01			<0.01	<0.01	<1.00	<50.0	<51.0	
Southwest Quadrant A		2/27/2008			<0.01	<0.01	<0.01			<0.01	<0.01	<1.00	<50.0	<51.0	
New Mexico Oil Conservation Division Remedial Goals					10						50				100

¹ Bolded values are in excess of the NMOC D Remediation Thresholds

² NA : Not Analyzed

³ NS : Not Sampled

⁴ bgs : feet below ground surface

⁵ DRO : Diesel range organics

⁶ GRO : Gasoline range organics

⁷ TPH : Total Petroleum Hydrocarbons

⁸ VOC : Volatile Organic Constituent vapor headspace



TABLE 2
EXCAVATION SIDEWALLS AND BOTTOM SOIL SAMPLE ANALYTICAL SUMMARY
PLAINS PIPELINE, L.P.
C.S. CAYLER
NMOCD REF. # AP-052 (IR-0382)
LEA COUNTY, NEW MEXICO SRS# 2002-10250
TALON/LPE PROJECT NUMBER PLAINS044SPL

Sample Location	Sample ID	Sampling Interval (hrs)	Sample Date	Lithology & Description	VOC ^a (ppm)	Benzene (mg/kg)	Toluene (mg/kg)	Ethylbenzene (mg/kg)	Nylene (m.p) (mg/kg)	Nylene (o) (mg/kg)	BTX ^b (mg/kg)	GRO ^b (C ₆ -C ₁₂) (mg/kg)	DRO ^c		TPH ^d (mg/kg)
													(C ₁₃ -C ₂₈) (mg/kg)	(C ₂₉ -C ₃₃) (mg/kg)	
Southeast	Sidevall	S1	3	5/16/2006	Caliche	1.6	--	--	--	--	--	--	--	--	--
	Bottom	B1	6	5/16/2006	Caliche	2.4	--	--	--	--	--	--	--	--	--
	Sidevall	S2	3	5/16/2006	Caliche	2.5	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<10.0	<10.0	<10.0	<10.0
	Bottom	B2	6	5/16/2006	Caliche	3.5	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<10.0	<10.0	<10.0	<10.0
	Sidevall	S3	3	5/16/2006	Caliche	3.0	--	--	--	--	--	--	--	--	--
	Bottom	B3	6	5/16/2006	Caliche	3.4	--	--	--	--	--	--	--	--	--
	Sidevall	S4	3	5/16/2006	Brown Sand	3.1	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<10.0	<10.0	<10.0	<10.0
	Bottom	B4	6	5/16/2006	Caliche	3.6	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<10.0	<10.0	<10.0	<10.0
	Sidevall	S5	3	5/16/2006	Caliche	2.6	--	--	--	--	--	--	--	--	--
	Bottom	B5	6	5/16/2006	Caliche	3.7	--	--	--	--	--	--	--	--	--
	Sidevall	S6	3	5/16/2006	Caliche	2.6	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<10.0	<10.0	<10.0	<10.0
	Bottom	B6	6	5/16/2006	Caliche	0.6	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<10.0	<10.0	<10.0	<10.0
	Sidevall	S7	3	5/16/2006	Caliche	2.9	--	--	--	--	--	--	--	--	--
	Bottom	B7	6	5/16/2006	Brown Sand	26.3	--	--	--	--	--	--	--	--	--
	Sidevall	S8	3	5/16/2006	Caliche	27.4	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<10.0	<10.0	<10.0	<10.0
Southwest	Bottom	B8	6	5/16/2006	Brown Sand	24.8	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<10.0	<10.0	<10.0	<10.0
	Sidevall	S9	3	5/16/2006	Caliche	24.9	--	--	--	--	--	--	--	--	--
	Bottom	B9	6	5/16/2006	Caliche	24.7	--	--	--	--	--	--	--	--	--
	Sidevall	S10	3	5/16/2006	Caliche	27.1	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<10.0	<10.0	<10.0	<10.0
	Bottom	B10	6	5/16/2006	Caliche	26.8	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<10.0	<10.0	<10.0	<10.0
	Sidevall	S11	3	5/16/2006	Caliche	26.3	--	--	--	--	--	--	--	--	--
	Bottom	B11	6	5/16/2006	Caliche	26.1	--	--	--	--	--	--	--	--	--
	Sidevall	S12	3	5/16/2006	Caliche	30.1	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<10.0	<10.0	<10.0	<10.0
	Bottom	B12	6	5/16/2006	Caliche	26.0	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<10.0	<10.0	<10.0	<10.0
	Sidevall	S13	3	5/16/2006	Caliche	32.2	--	--	--	--	--	--	--	--	--
	Bottom	B13	6	5/16/2006	Caliche	32.0	--	--	--	--	--	--	--	--	--
	Sidevall	S14	3	5/16/2006	Caliche	30.2	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<10.0	<10.0	<10.0	<10.0
	Bottom	B14	6	5/16/2006	Caliche	31.0	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<10.0	<10.0	<10.0	<10.0
	Sidevall	S15	3	5/16/2006	Caliche	31.6	--	--	--	--	--	--	--	--	--
	Bottom	B15	6	5/16/2006	Caliche	31.4	--	--	--	--	--	--	--	--	--
	Sidevall	S16	3	5/16/2006	Caliche	33.1	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<10.0	<10.0	<10.0	<10.0
	Bottom	B16	6	5/16/2006	Caliche	31.9	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<10.0	<10.0	<10.0	<10.0



TABLE 2
EXCAVATION SIDEWALLS AND BOTTOM SOIL SAMPLE ANALYTICAL SUMMARY
PLAINS PIPELINE, L.P.
C.S. CAYLER
NMOCD REF. # AP-052 (IR-0382)
LEA COUNTY, NEW MEXICO SRS# 2002-10250
TALON/LPE PROJECT NUMBER PLAINS044SPL

Sample Location	Sample ID	Sampling Interval (days)	Sample Date	Lithology & Description	VOC ⁸ (ppm)	Benzene (mg/kg)	Toluene (mg/kg)	Ethylbenzene (mg/kg)	Xylene (m.p.) (mg/kg)	Xylene (o.) (mg/kg)	BTEN (mg/kg)	GRO ⁶ (C ₆ -C ₁₀) (mg/kg)	DRO ⁵		TPH ⁷ (mg/kg)
													(C ₁₂ -C ₃₈) (mg/kg)	(C ₃₈ -C ₅₂) (mg/kg)	
Northwest	Sidewall	3	5/16/2006	Caliche	33.1	--	--	--	--	--	--	--	--	--	--
	Bottom	6	5/16/2006	Caliche	32.4	--	--	--	--	--	--	--	--	--	--
	Sidewall	3	5/16/2006	Caliche	30.9	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<10.0	8.13	<10.0	8.13
	Bottom	6	5/16/2006	Caliche	30.2	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<10.0	<10.0	<10.0	<10.0
	Sidewall	3	5/16/2006	Caliche	7.5	--	--	--	--	--	--	--	--	--	--
	Bottom	6	5/16/2006	Caliche	27.3	--	--	--	--	--	--	--	--	--	--
	Sidewall	3	5/16/2006	Caliche	27.8	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<10.0	<10.0	<10.0	<10.0
	Bottom	6	5/16/2006	Caliche	34.6	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<10.0	<10.0	<10.0	<10.0
	Sidewall	3	5/16/2006	Caliche	27.8	--	--	--	--	--	--	--	--	--	--
	Bottom	6	5/16/2006	Caliche	27.2	--	--	--	--	--	--	--	--	--	--
Northeast	Sidewall	3	5/16/2006	Caliche	27.7	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<10.0	<10.0	<10.0	<10.0
	Bottom	6	5/16/2006	Caliche	33.2	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<10.0	21.2	<10.0	21.2
	Sidewall	3	5/16/2006	Caliche	28.8	--	--	--	--	--	--	--	--	--	--
	Bottom	6	5/16/2006	Caliche	27.8	--	--	--	--	--	--	--	--	--	--
	Sidewall	3	5/16/2006	Caliche	30.0	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<10.0	173	36.5	210
	Bottom	6	5/16/2006	Caliche	30.5	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<0.0250	<10.0	<10.0	<10.0	<10.0
	Sidewall	3	5/16/2006	Caliche	33.2	--	--	--	--	--	--	--	--	--	--
	Bottom	6	5/16/2006	Caliche	33.2	--	--	--	--	--	--	--	--	--	--
	Sidewall	3	5/16/2006	Caliche	33.2	--	--	--	--	--	--	--	--	--	--
	Bottom	6	5/16/2006	Caliche	33.2	--	--	--	--	--	--	--	--	--	--
Northwest	Sidewall	3	2/27/2008	Caliche								4.73	<50.0		4.73

¹ Batted values are in excess of the NMOCD Remediation Thresholds

² N/A: Not Analyzed

³ -: Not Sampled

⁴ kg: feet below ground surface

⁵ DRO: Diesel range organics

⁶ GRO: Gasoline range organics

⁷ TPH: Total Petroleum Hydrocarbons

⁸ VOC: Volatile Organic Constituents vapor headspace

5-8-08



TRACE ANALYSIS, INC.

6701 Aberdeen Avenue, Suite 9
200 East Sunset Road, Suite E
5002 Basin Street, Suite A1
6015 Harris Parkway, Suite 110

Lubbock, Texas 79424
El Paso, Texas 79922
Midland, Texas 79703
Ft. Worth, Texas 76132

800•378•1296
888•588•3443

806•794•1296
915•585•3443
432•689•6301
817•201•5260

FAX 806•794•1298
FAX 915•585•4944
FAX 432•689•6313

E-Mail: lab@traceanalysis.com

Analytical and Quality Control Report

Shanna Smith
Talon LPE-Amarillo
921 North Bivins
Amarillo, TX, 79107

Report Date: March 5, 2008

Work Order: 8022805



Project Location: Hobbs, NM
Project Name: Cayler/Plains 044SPL
Project Number: 2002-10270

Enclosed are the Analytical Report and Quality Control Report for the following sample(s) submitted to TraceAnalysis, Inc.

Sample	Description	Matrix	Date Taken	Time Taken	Date Received
151944	S24 A	soil	2008-02-27	11:15	2008-02-28

These results represent only the samples received in the laboratory. The Quality Control Report is generated on a batch basis. All information contained in this report is for the analytical batch(es) in which your sample(s) were analyzed.

This report consists of a total of 5 pages and shall not be reproduced except in its entirety, without written approval of TraceAnalysis, Inc.

Dr. Blair Leftwich, Director

Standard Flags

B - The sample contains less than ten times the concentration found in the method blank.

Analytical Report

Sample: 151944 - S24 A

Analysis:	TPH DRO	Analytical Method:	Mod. 8015B	Prep Method:	N/A
QC Batch:	46081	Date Analyzed:	2008-02-28	Analyzed By:	LD
Prep Batch:	39644	Sample Preparation:	2008-02-28	Prepared By:	LD

Parameter	Flag	RL Result	Units	Dilution	RL
DRO		<50.0	mg/Kg	1	50.0

per TRACE 5-8-08

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
n-Triacontane		86.3	mg/Kg	1	100	86	10 - 250.4

Sample: 151944 - S24 A

Analysis:	TPH GRO	Analytical Method:	S 8015B	Prep Method:	S 5035
QC Batch:	46118	Date Analyzed:	2008-02-29	Analyzed By:	DC
Prep Batch:	39653	Sample Preparation:	2008-02-28	Prepared By:	DC

Parameter	Flag	RL Result	Units	Dilution	RL
GRO	B	4.73	mg/Kg	1	1.00

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)		0.982	mg/Kg	1	1.00	98	84.4 - 101.7
4-Bromofluorobenzene (4-BFB)		0.984	mg/Kg	1	1.00	98	74.9 - 140.5

Method Blank (1) QC Batch: 46081

QC Batch:	46081	Date Analyzed:	2008-02-28	Analyzed By:	LD
Prep Batch:	39644	QC Preparation:	2008-02-28	Prepared By:	LD

Parameter	Flag	MDL Result	Units	RL
DRO		<15.8	mg/Kg	50

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
n-Triacontane		101	mg/Kg	1	100	101	30.9 - 146.4

Method Blank (1) QC Batch: 46118

QC Batch:	46118	Date Analyzed:	2008-02-29	Analyzed By:	DC
Prep Batch:	39653	QC Preparation:	2008-02-28	Prepared By:	DC

Parameter	Flag	MDL Result	Units	RL
GRO		0.660	mg/Kg	1

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)		0.831	mg/Kg	1	1.00	83	70 - 130
4-Bromofluorobenzene (4-BFB)		1.19	mg/Kg	1	1.00	119	70 - 130

Laboratory Control Spike (LCS-1)

QC Batch: 46081 Date Analyzed: 2008-02-28 Analyzed By: LD
Prep Batch: 39644 QC Preparation: 2008-02-28 Prepared By: LD

Param	LCS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
DRO	255	mg/Kg	1	250	<15.8	102	27.8 - 152.1

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	LCSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
DRO	230	mg/Kg	1	250	<15.8	92	27.8 - 152.1	10	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Surrogate	LCS Result	LCSD Result	Units	Dil.	Spike Amount	LCS Rec.	LCSD Rec.	Rec. Limit
n-Triacontane	112	102	mg/Kg	1	100	112	102	38 - 130.4

Laboratory Control Spike (LCS-1)

QC Batch: 46118 Date Analyzed: 2008-02-29 Analyzed By: DC
Prep Batch: 39653 QC Preparation: 2008-02-28 Prepared By: DC

Param	LCS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
GRO	8.72	mg/Kg	1	10.0	0.66	81	69.6 - 97.3

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	LCSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
GRO	9.04	mg/Kg	1	10.0	0.66	84	69.6 - 97.3	4	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Surrogate	LCS Result	LCSD Result	Units	Dil.	Spike Amount	LCS Rec.	LCSD Rec.	Rec. Limit
Trifluorotoluene (TFT)	0.843	0.887	mg/Kg	1	1.00	84	89	70 - 130
4-Bromofluorobenzene (4-BFB)	1.24	1.24	mg/Kg	1	1.00	124	124	70 - 130

Matrix Spike (MS-1) Spiked Sample: 151944

QC Batch: 46081
Prep Batch: 39644

Date Analyzed: 2008-02-28
QC Preparation: 2008-02-28

Analyzed By: LD
Prepared By: LD

Param	MS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
DRO	207	mg/Kg	1	250	<15.8	83	18 - 179.5

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	MSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
DRO	199	mg/Kg	1	250	<15.8	80	18 - 179.5	4	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Surrogate	MS Result	MSD Result	Units	Dil.	Spike Amount	MS Rec.	MSD Rec.	Rec. Limit
n-Triacontane	79.9	65.9	mg/Kg	1	100	80	66	34.1 - 158

Matrix Spike (MS-1) Spiked Sample: 152023

QC Batch: 46118
Prep Batch: 39653

Date Analyzed: 2008-02-29
QC Preparation: 2008-02-28

Analyzed By: DC
Prepared By: DC

Param	MS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
GRO	163	mg/Kg	1	10.0	155.353	76	22.3 - 134.6

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	MSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
GRO	¹ 126	mg/Kg	1	10.0	155.353	0	22.3 - 134.6	26	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Surrogate	MS Result	MSD Result	Units	Dil.	Spike Amount	MS Rec.	MSD Rec.	Rec. Limit
Trifluorotoluene (TFT)	0.872	0.968	mg/Kg	1	1	87	97	68.4 - 113.1
4-Bromofluorobenzene (4-BFB)	^{2 3} 6.72	4.45	mg/Kg	1	1	672	445	66.7 - 134.3

Standard (ICV-1)

QC Batch: 46081

Date Analyzed: 2008-02-28

Analyzed By: LD

Param	Flag	Units	ICVs True Conc.	ICVs Found Conc.	ICVs Percent Recovery	Percent Recovery Limits	Date Analyzed
DRO		mg/Kg	250	220	88	85 - 115	2008-02-28

¹Matrix spike recovery out of control limits due to peak interference. Use LCS/LCSD to demonstrate analysis is under control.

²High surrogate recovery due to peak interference.

³High surrogate recovery due to peak interference.

Standard (CCV-1)

QC Batch: 46081

Date Analyzed: 2008-02-28

Analyzed By: LD

Param	Flag	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
DRO		mg/Kg	250	239	96	85 - 115	2008-02-28

Standard (ICV-1)

QC Batch: 46118

Date Analyzed: 2008-02-29

Analyzed By: DC

Param	Flag	Units	ICVs True Conc.	ICVs Found Conc.	ICVs Percent Recovery	Percent Recovery Limits	Date Analyzed
GRO		mg/Kg	1.00	1.09	109	85 - 115	2008-02-29

Standard (CCV-1)

QC Batch: 46118

Date Analyzed: 2008-02-29

Analyzed By: DC

Param	Flag	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
GRO		mg/Kg	1.00	1.12	112	85 - 115	2008-02-29

