

GW - 052

**GENERAL
CORRESPONDENCE**

2008-2010



ENERGY TRANSFER PARTNERS

Transwestern Pipeline Company

RECEIVED OCD

April 1, 2011

2011 APR -4 A 11:39

UPS Tracking No. 1Z 875 525 03 4744 5537

Mr. Leonard Lowe
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87504

Re: 2011 Notification of Annual Sump Inspections, Transwestern Pipeline Company

Dear Mr. Lowe:

By this letter, Transwestern Pipeline Company is providing written notification to the Oil Conservation Division that the annual sump inspections will be completed for the following facilities by April 15, 2011:

San Juan Compressor Station	(GW-084)
Bisti Compressor Station	(GW-285)
Thoreau Compressor Station	(GW-080)
Mountainair Compressor Station	(GW-110)
Corona Compressor Station	(GW-089)
Roswell Compressor Station	(GW-052)
Monument Compressor station	(GW-197)
Gallup Compressor Station	(GW-325)

Submittal of this letter complies with the notification requirements presented in each facilities Discharge Plan.

Should your agency require additional information concerning this written notification, contact the undersigned at our Roswell Technical Operations office at (575) 625-8022.

Sincerely,

Larry Campbell

Sr. Environmental Specialist

xc: Envisions file no. 205.1.20

All charges are in USD; fuel surcharge included where applicable.

Name / Address	Shipment Detail	Options	Published Rate Charges
Ship To: Leonard Lowe NMOCD 1220 South St.Francis Dr. Santa Fe NM 87505 United States	Service Type: GROUND Total Packages: 1 Billable Wt.: 1.0 lb Transportation: Shipper	Shipment Service Charge:	5.31
Ship From: Larry Campbell Transwester Pipeline Company 6381 N MAIN ST ROSWELL NM 88201-9485	Tracking No.: 1Z8755250347445537 Package Type: Package Weight: 1.0 lb	Package Service Charge: UPS Total Charge:	5.31 5.31

Summary Totals:

Shipment Option	Shpts	Pkgs	Pub Charges	Billing Option	Shpts	Pkgs	Pub Charges
Package Option				Prepaid	1	1	5.31
				TOTAL CHARGES			5.31
				1 Shipment(s)			
				1 Package(s)			

All charges are in USD; fuel surcharge included where applicable.
Your invoice may vary from the displayed rates.
* Indicates Shipper-Paid Declared Value

Lowe, Leonard, EMNRD

From: Campbell, Lawrence (Larry) [Larry.Campbell@energytransfer.com]
Sent: Wednesday, December 15, 2010 1:38 PM
To: Jolly, Dustin; Lowe, Leonard, EMNRD
Cc: McCracken, John (Mike)
Subject: RE: Drain Line testing

Thanks Dustin. Ill forward this information on the the OCD. Ill be in Flagstaff that week if you need anything.

Leonard, by this email, Transwestern is providing notification to the OCD of the drainline testing that will be completed during the week of January 17, 2011 at the Roswell C/S (GW-052). As we discussed during our meeting on 11/17/2010, Transwestern will be using pressurized natural gas which will incorporated into each drainline and left for 2-4 hours. A gas detector will be run over the ground surface of each drainline to monitor and detect any leaking gas. Questions, give me a call or email.

Thanks,

Larry Campbell
Transwestern Pipeline Company

From: Jolly, Dustin
Sent: Friday, December 03, 2010 6:56 AM
To: Campbell, Lawrence (Larry)
Subject: Drain Line testing

Larry,

I would like to set up the Station 9 Drain Line testing for the week of January 17 , 2011. I hope this will work for you ? We are going to set up a meeting previous to the testing to identify lines and make sure everyone is on the same page. I will let you know the date we are going to do this.

Thanks
Dustin

RECEIVED OCD

2010 JUN 15 A 8: 51

Transwestern Pipeline Company

6381 North Main Street
Roswell, NM 88201
505-625-8022

June 10, 2010

Mr. Leonard Lowe
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, New Mexico 87504

Re: Submittal of Renewal Fee and Verification of Public Notice Displays,
Transwestern Pipeline Company, Roswell Compressor Station, Discharge Plan
GW-052

Dear Mr. Lowe:

By this letter, Transwestern Pipeline Company, owner and operator of the Roswell Compressor Station, is submitting the required Renewal Fee of \$100.00 and tear sheets documenting the Public Notice displays in English and Spanish in the Roswell Daily Record for renewal of the discharge plan for the Roswell Compressor Station.

Should you require any additional information concerning this renewal request, contact the undersigned at our Roswell Technical Operations office at (575) 625-8022.

Sincerely,



Larry Campbell
Division Environmental Specialist

xc: envisions file no. 205.1.20
Roswell Team
file


AFFIDAVIT OF PUBLICATION
STATE OF NEW MEXICO

I, Isabell Starr Powell
Advertising

Of the Roswell Daily Record, a daily
newspaper published at Roswell, New
Mexico, do solemnly swear that the
clipping attached was published
in the regular and entire issue of said
paper and not in a supplement thereof
for a period of:
One time beginning & ending with the issue dated

June 8, 2010


FOR TRANSWESTERN PIPELINE



Signature

Sworn and subscribed to before me

9th day of June, 2010



Yvonne Salazar
Notary Public
My Commission expires
June 13, 2010

(SEAL)



PUBLIC NOTICE

Transwestern Pipeline Company, 6381 North Main Street, Roswell, New Mexico 88201, has submitted a renewal application to the New Mexico Energy, Minerals and Natural Resources Department, Oil Conservation Division for the previously approved discharge plan (GW-052) for their Roswell Compressor Station No. 9 located in the SW/4 SW/4 Section 21 Township 9 South, Range 24 East NMPM, Chaves County, New Mexico. The physical location of this remote facility is on highway 285 approximately 5 miles north of Roswell, New Mexico. The mailing address of the facility is 6381 North Main Street, Roswell, New Mexico, 88201.

Materials generated or used at the facility include pipeline condensate liquid generated from the removal of entrained liquids in the natural gas, new and used compressor lubrication oil generated from the operation of the engine compressors, gear oil and oily waste water from engine or scrubber wash down. The wash down water amounts to approximately 25 gallons per week. All liquids utilized at the facility are stored in dedicated above ground storage tanks prior to offsite disposal or recycling at an OCD approved site. All storage tanks are within properly engineered and OCD approved secondary containments. No onsite discharges are intentionally allowed to contact or enter surface or groundwater. The volume of discharges is zero and therefore, the quality of the discharges is not applicable. The aquifer most likely to be affected is 240 feet in depth, and the total dissolved solids concentration of this aquifer is approximately 1550 mg/l.

Any interested person or persons may obtain information, submit comments or request to be placed on a facility-specific mailing list for future notices by contacting Leonard Lowe at the New Mexico OCD at 1220 South St. Francis Drive, Santa Fe, New Mexico 87505, Telephone (505) 476-3492. The OCD will accept comments and statements of interest regarding the renewal and will create a facility-specific mailing list for persons who wish to receive future notices.

AVISO PÚBLICO

La empresa Transwestern Pipeline Company, 6381 North Main Street, Roswell, New Mexico 88201, ha presentado ante la Oil Conservation Division (División de Conservación del Petróleo, OCD por su sigla en inglés) del New Mexico Energy, Minerals and Natural Resources Department (Departamento de Energía, Minerales y Recursos Naturales de Nuevo México) una solicitud de renovación para el plan de descarga (GW-052) anteriormente aprobado, para su estación compresora Roswell Compressor Station No. 9, ubicada en el ¼ SO del ¼ SO, Sección 21, Distrito Municipal (Township) 9 Sur, Zona (Range) 24 Este NMPM, condado de Chaves, Nuevo México. La ubicación física de estas instalaciones remotas se encuentra a aproximadamente 5 millas al norte de Roswell, Nuevo México, por la carretera 285. La dirección postal de estas instalaciones es 6381 North Main Street, Roswell, New Mexico, 88201.

Los materiales generados o usados en las instalaciones incluyen líquido condensado de las tuberías, generado durante la eliminación de líquidos arrastrados por el flujo del gas natural; aceite lubricante para compresores nuevo y usado, generado por el funcionamiento de los compresores de motores; aceite para engranajes y agua aceitosa residual del lavado de motores o depuradores. El agua de lavado ascende a aproximadamente 25 galones por semana. Todos los líquidos utilizados en las instalaciones son almacenados en tanques de almacenamiento para tal fin, sobre la superficie del suelo, antes de su disposición final fuera de las instalaciones o de su reciclaje en instalaciones aprobadas por la OCD. Todos los tanques de almacenamiento cumplen con un diseño adecuado y aprobado por la OCD para contención secundaria. No se permite que, de manera intencional, las descargas en el lugar tengan contacto con aguas superficiales o subterráneas ni que ingresen en ellas. El volumen de descarga es cero y, por lo tanto, la calidad de la descarga no es pertinente. El acuífero con mayor probabilidad de ser afectado tiene una profundidad de 240 pies y la concentración de sólidos disueltos totales en dicho acuífero es de aproximadamente 1550 mg/l.

Los interesados en obtener información, presentar comentarios o solicitar su inclusión en una lista de correo para recibir notificaciones futuras sobre instalaciones específicas deberán comunicarse con Leonard Lowe, New Mexico OCD, 1220 South St. Francis Drive, Santa Fe, New Mexico 87505, teléfono (505) 476-3492. La OCD aceptará comentarios y declaraciones de interés con respecto a la renovación y creará una lista de correo para las personas que deseen recibir futuras notificaciones relativas a instalaciones específicas.



ENERGY TRANSFER PARTNERS

Transwestern Pipeline Company

March 16, 2010

UPS Tracking No. 1Z 815 525 03 4688 9695

Mr. Brad Jones
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87504

RECEIVED OGD
2010 MAR 18 A 11:59

Re: 2010 Notification of Annual Sump Inspections, Transwestern Pipeline Company

Dear Mr. Jones:

By this letter, Transwestern Pipeline Company is providing written notification to the Oil Conservation Division that the annual sump inspections will be completed for the following facilities on the following dates:

San Juan Compressor Station (GW-084)	5/3/2010-5/7/2010
Bisti Compressor Station (GW-285)	5/3/2010-5/7/2010
Thoreau Compressor Station (GW-080)	5/3/2010-5/7/2010
Mountainair Compressor Station (GW-110)	5/3/2010-5/7/2010
Corona Compressor Station (GW-089)	5/3/2010-5/7/2010
Roswell Compressor Station (GW-052)	5/3/2010-5/7/2010

Submittal of this letter complies with the notification requirements as presented in each facilities Discharge Plan.

Should your agency require additional information concerning this written notification, contact the undersigned at our Roswell Technical Operations office at (575) 625-8022.

Sincerely,

Larry Campbell

Sr. Environmental Specialist

xc: Envisions file no. 205.1.20

RECEIVED
2009 JUN 18 PM 1 08

ENERGY TRANSFER PARTNERS

Transwestern Pipeline Company

June 16, 2009

UPS Confirmation No.

1Z 875 525 02 4787 6207

Mr. Leonard Lowe
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87504

Re: Notification of Drain line Testing, Transwestern Pipeline Company,
Roswell Compressor Station, GW-52 and Monument Turbine Compressor Station
GW-197

Dear Mr. Lowe:

By this letter, Transwestern Pipeline Company is providing written notification to the Oil Conservation Division that the 5 year drain line testing and inspection program will be initiated for the Roswell Compressor Station on June 19, 2009 and the Monument Turbine Station on June 23, 2009.

Submittal of this letter complies with the notification requirements as presented in each facility's Discharge Plan.

Should your agency require additional information concerning this written notification, contact the undersigned at our Roswell Technical Operations office at (575) 625-8022.

Sincerely,



Larry Campbell
Division Environmental Specialist

xc: Envisions file no. 205.1.20



ENERGY TRANSFER PARTNERS

Transwestern Pipeline Company

RECEIVED

2009 APR 2 AM 11 38

April 1, 2009

UPS Confirmation No. 1Z 875 525 03 4709 3042

Mr. Brad Jones
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87504

Re: Notification of Annual Sump Inspections, Transwestern Pipeline Company

Dear Mr. Jones:

By this letter, Transwestern Pipeline Company is providing written notification to the Oil Conservation Division that the annual sump inspections will be completed for the following facilities on the following dates:

Station 8 Corona GW-89	4/16/09
Station 9 Roswell GW-52	4/16/09
Monument Compressor Station GW-197	4/16/09

Submittal of this letter complies with the notification requirements as presented in each facilities Discharge Plan.

Should your agency require additional information concerning this written notification, contact the undersigned at our Roswell Technical Operations office at (575) 625-8022.

Sincerely,

Larry Campbell
Division Environmental Specialist

xc: Roswell Compressor Station
Corona Compressor Station
Monument Compressor Station
Envisions file no. 205.1.20

6381 N. Main
Roswell, NM 88201



ENERGY TRANSFER PARTNERS

Transwestern Pipeline Company

April 18, 2008

UPS Confirmation No. 1Z 875 525 03 4322 1660

Mr. Brad Jones
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87504

Re: Notification of Annual Sump Inspections, Transwestern Pipeline Company

Dear Mr. Jones:

By this letter, Transwestern Pipeline Company is providing written notification to the Oil Conservation Division that the annual sump inspections will be completed for the following facilities on the following dates:

Station 8 Corona GW-89	5/16/08
Station 9 Roswell GW-52	5/16/08
Monument Compressor Station GW-197	5/16/08

Submittal of this letter complies with the notification requirements as presented in each facilities Discharge Plan.

Should your agency require additional information concerning this written notification, contact the undersigned at our Roswell Technical Operations office at (505) 625-8022.

Sincerely,

Larry Campbell
Division Environmental Specialist

xc: Roswell Compressor Station
Corona Compressor Station
Monument Compressor Station
Envisions file no. 205.1.20

RECEIVED
2008 APR 22 PM 3 28

6381 North Main Street
Roswell, New Mexico 88201