

DATE IN 6/11/08	SUSPENSE	ENGINEER W Jones	LOGGED IN 6/11/08	TYPE IPI	APP NO. PKVR0816354368
-----------------	----------	------------------	-------------------	----------	------------------------

ABOVE THIS LINE FOR DIVISION USE ONLY

NEW MEXICO OIL CONSERVATION DIVISION
- Engineering Bureau -
 1220 South St. Francis Drive, Santa Fe, NM 87505



ADMINISTRATIVE APPLICATION CHECKLIST

THIS CHECKLIST IS MANDATORY FOR ALL ADMINISTRATIVE APPLICATIONS FOR EXCEPTIONS TO DIVISION RULES AND REGULATIONS WHICH REQUIRE PROCESSING AT THE DIVISION LEVEL IN SANTA FE

Application Acronyms:

[NSL-Non-Standard Location] [NSP-Non-Standard Proration Unit] [SD-Simultaneous Dedication]
[DHC-Downhole Commingling] [CTB-Lease Commingling] [PLC-Pool/Lease Commingling]
[PC-Pool Commingling] [OLS - Off-Lease Storage] [OLM-Off-Lease Measurement]
[WFX-Waterflood Expansion] [PMX-Pressure Maintenance Expansion]
[SWD-Salt Water Disposal] [IPI-Injection Pressure Increase]
[EOR-Qualified Enhanced Oil Recovery Certification] [PPR-Positive Production Response]

[1] TYPE OF APPLICATION - Check Those Which Apply for [A]

[A] Location - Spacing Unit - Simultaneous Dedication
☐ NSL ☐ NSP ☐ SD

Check One Only for [B] or [C]

[B] Commingling - Storage - Measurement
☐ DHC ☐ CTB ☐ PLC ☐ PC ☐ OLS ☐ OLM

[C] Injection - Disposal - Pressure Increase - Enhanced Oil Recovery
☐ WFX ☐ PMX ☐ SWD ☒ IPI ☐ EOR ☐ PPR

[D] Other: Specify _____

*SWD-806-B
5/17/06
6705
3036-3974*

RECEIVED
2008 JUN 11 PM 1 54

[2] NOTIFICATION REQUIRED TO: - Check Those Which Apply, or ☐ Does Not Apply

[A] ☐ Working, Royalty or Overriding Royalty Interest Owners
[B] ☐ Offset Operators, Leaseholders or Surface Owner
[C] ☐ Application is One Which Requires Published Legal Notice
[D] ☐ Notification and/or Concurrent Approval by BLM or SLO
U.S. Bureau of Land Management - Commissioner of Public Lands, State Land Office
[E] ☐ For all of the above, Proof of Notification or Publication is Attached, and/or,
[F] ☐ Waivers are Attached

[3] SUBMIT ACCURATE AND COMPLETE INFORMATION REQUIRED TO PROCESS THE TYPE OF APPLICATION INDICATED ABOVE.

[4] CERTIFICATION: I hereby certify that the information submitted with this application for administrative approval is **accurate** and **complete** to the best of my knowledge. I also understand that **no action** will be taken on this application until the required information and notifications are submitted to the Division.

Note: Statement must be completed by an individual with managerial and/or supervisory capacity.

Michael T. Hanson

Michael T. Hanson

Operations Engineer

June 9, 2008

cogmhanson@sprynet.com

Print or Type Name Signature

Title:

Date:

e-mail Address:

Submit 3 Copies To Appropriate District Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
May 27, 2004

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-045-29732
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No. V-5292

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☐ Gas Well ☐ Other ☒ Disposal

2. Name of Operator
Coleman Oil & Gas, Inc.

3. Address of Operator
P.O. Drawer 3337 Farmington, NM 87499

4. Well Location
Unit Letter : D : 800 feet from the North line and 730 feet from the West line
Section 16 Township 24N Range 10W NMPM County San Juan

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
6694' GR.

Pit or Below-grade Tank Application ☐ or Closure ☐

Pit type: LINED EARTHEN Depth to Groundwater: feet. Distance from nearest fresh water well . Distance from nearest surface water .

Pit Liner Thickness: mil Below-Grade Tank: Volume bbls; Construction Material

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER Step rate Test ☒

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

ATTACHED IS THE BOTTOM-HOLE PRESSURE INFORMATION FROM THE STEP RATE TEST THAT WAS RUN ON MAY 28, 2008. COLEMAN OIL & GAS, INC. WOULD LIKE TO PROPOSE AN INCREASE IN THE MAXIMUM SURFACE INJECTION PRESSURE TO 1450 PSIG.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed and closed according to NMOCD guidelines ☐ a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

SIGNATURE Michael T. Hanson TITLE: Operations Engineer DATE: June 9, 2008

Michael T. Hanson cogmhanson@sprynet.com (505) 327-0356

For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____
Conditions of Approval (if any): _____

Coleman Oil & Gas, Inc.
P.O. Drawer 3337
Farmington, NM 87499-3337

VIA US MAIL

Monday, June 09, 2008

Mr. William Jones
Oil Conservation Division
1220 South St. Francis Drive
Santa Fe, NM 87505

Attn: Mr. Jones

Re: Juniper West SWD #1; API #30-045-29732, Sec16, T24N, R10W

Dear Mr. Jones:

Coleman Oil & Gas, Inc. recently ran a Step Rate Test on the Juniper SWD #1; API #30-045-29732, Sec16, T24N, R10W to determine the parting pressure of this disposal well currently operated by Coleman Oil & Gas, Inc. After review of the bottom-hole pressure and surface pressure with corresponding rates, I would like to request an increase in the maximum surface pressure from 607 psig to a maximum pressure of 1450 psig.

Step rate test was run with tandem bottom-hole pressure recorders landed at 3850 feet. The rate of water injection was started out at 1 barrel per minute with 30 minute intervals and increased to a maximum of 8 barrels per minute. After review of the data I feel confident that the parting pressure is above the requested increased maximum surface pressure reading of 1450 psig.

If you have any questions, please give me a call at the phone number listed below.


Sincerely,

Coleman Oil & Gas, Inc.



Michael T. Hanson
Operations Engineer
(505) 327-0356

XC: **Oil Conservation Office - Aztec**
Bureau of Land Management – Farmington
Chris Coleman
Well File



BHP • BU • PI • DD • GWT • RFS • GOR • FL • TS

EFTELLER, INC.

reservoir engineering data

FARMINGTON, NEW MEXICO/
GRAND JUNCTION, COLORADO

P. O. Box 1198
Farmington, New Mexico 87499
(505) 325-1731
Fax (505) 325-1148

2332 Interstate Ave., Ste. A
Grand Junction, CO 81505
(970) 241-0403
Fax (970) 241-7634

COLEMAN OIL & GAS, INC.

JUNIPER SWD NO. 1

MAY 28 - 29, 2008

Serving the Rocky Mountain Area

 *
 * EVENT SUMMARY *
 *

COMPANY : COLEMAN OIL & GAS, INC.

PAGE : B1

WELL NAME : JUNIPER SWD NO. 1

DATE : 06/06/08

WELL LOCATION : SAN JUAN COUNTY, NM

FILE REF: F252529.RED

Date	Time	Test Time	Key Event	Pressure	Temp
MM/DD	hh:mm:ss	mmmmmm.mmmmm		Psig	Deg F
05/28	08:05:00	10.0000	PRESSURED UP LUBRICATOR	209.19	70.40
05/28	08:09:45	14.7500	R.I.H. W/TANDEM ELEC. MEMORY INST.	370.51	68.25
05/28	08:24:00	29.0000	TANDEM ELEC. MEMORY INST. @ 3850'	2030.12	80.94
05/28	09:40:45	105.7500	BEGAN PUMPING	2038.57	87.68
05/28	09:44:00	109.0000	RATE #1 - 1.0 BPM	2098.78	89.25
05/28	10:14:00	139.0000	END RATE #1 - 1.0 BPM	2184.93	84.89
05/28	10:15:15	140.2500	RATE #2 - 2.0 BPM	2186.73	84.65
05/28	10:45:30	170.5000	END RATE #2 - 2.0 BPM	2362.09	74.77
05/28	10:45:45	170.7500	RATE #3 - 3.1 BPM	2376.06	74.73
05/28	11:15:15	200.2500	END RATE #3 - 3.1 BPM	2524.70	72.27
05/28	11:15:45	200.7500	RATE #4 - 4.2 BPM	2532.65	72.27
05/28	11:45:30	230.5000	END RATE #4 - 4.2 BPM	2666.91	72.87
05/28	11:47:30	232.5000	RATE #5 - 5.0 BPM	2695.65	72.93
05/28	12:15:45	260.7500	END RATE #5 - 5.0 BPM	2779.04	74.24
05/28	12:16:00	261.0000	RATE #6 - 6.0 BPM	2782.12	74.24
05/28	12:45:30	290.5000	END RATE #6 - 6.0 BPM	2847.27	73.43
05/28	12:48:15	293.2500	RATE #7 - 7.1 BPM	2861.83	73.58
05/28	13:15:30	320.5000	END RATE #7 - 7.1 BPM	2897.16	73.29
05/28	13:18:30	323.5000	RATE #8 - 8.2 BPM	2897.76	73.49
05/28	13:49:45	354.7500	END RATE #8 - 8.2 BPM	2927.34	74.16
05/28	13:50:00	355.0000	BEGAN FALL-OFF	2903.61	74.15
05/28	13:55:00	360.0000	FALL-OFF / 5 MINUTES	2765.17	74.11
05/28	14:01:00	366.0000	FALL-OFF / 10 MINUTES	2683.29	74.50
05/28	14:06:15	371.2500	FALL-OFF / 15 MINUTES	2636.39	74.87
05/28	14:11:00	376.0000	FALL-OFF / 20 MINUTES	2603.87	75.16
05/28	14:16:45	381.7500	FALL-OFF / 25 MINUTES	2572.22	75.45
05/28	14:20:00	385.0000	FALL-OFF / 30 MINUTES	2556.72	75.58
05/28	14:26:00	391.0000	FALL-OFF / 35 MINUTES	2532.74	75.80
05/28	14:32:00	397.0000	FALL-OFF / 40 MINUTES	2511.46	76.00
05/28	14:35:00	400.0000	FALL-OFF / 45 MINUTES	2501.77	76.11
05/28	14:41:00	406.0000	FALL-OFF / 50 MINUTES	2484.03	76.29
05/28	14:47:00	412.0000	FALL-OFF / 55 MINUTES	2468.03	76.44
05/28	14:50:00	415.0000	FALL-OFF / 1 HOUR	2460.46	76.52
05/28	15:50:00	475.0000	FALL-OFF / 2 HOURS	2357.48	77.41
05/28	16:50:00	535.0000	FALL-OFF / 3 HOURS	2298.40	77.94
05/28	17:50:00	595.0000	FALL-OFF / 4 HOURS	2257.78	78.27
05/28	18:50:00	655.0000	FALL-OFF / 5 HOURS	2227.58	78.52
05/28	19:50:00	715.0000	FALL-OFF / 6 HOURS	2203.57	78.73
05/28	21:50:00	835.0000	FALL-OFF / 8 HOURS	2167.83	79.09
05/28	23:50:00	955.0000	FALL-OFF / 10 HOURS	2140.84	79.34
05/29	01:50:00	1075.0000	FALL-OFF / 12 HOURS	2119.55	79.54
05/29	03:50:00	1195.0000	FALL-OFF / 14 HOURS	2102.25	79.72
05/29	05:50:00	1315.0000	FALL-OFF / 16 HOURS	2087.53	79.87
05/29	07:10:00	1395.0000	FALL-OFF / 17 HOURS, 20 MINUTES	2078.77	80.17
05/29	07:11:00	1396.0000	TANDEM ELEC. MEMORY INST. OFF BOTTOM	2030.30	80.29
05/29	07:25:15	1410.2500	TANDEM ELEC. MEMORY INST. @ SURFACE	397.26	71.47
05/29	07:26:30	1411.5000	bled OFF LUBRICATOR	393.37	69.69

COMPANY: COLEMAN OIL & GAS, INC.

PAGE 1 OF 11

WELL NAME : JUNIPER SWD NO. 1

DATE : 06/06/08

WELL LOCATION : SAN JUAN COUNTY, NM

FILE REF: F252529.RED

Date MM/DD	Time hh:mm:ss	Test Time mmmmmm.mmmm	Pressure Psig	Temp Deg F	deltaP Psi	Comment Ga. Press Ref. to 14.7 Psi Atm.
05/28	07:55:00	.0000	.01	69.96		
05/28	07:58:00	3.0000	.01	70.00	.00	
05/28	08:04:00	9.0000	.01	70.47	.00	
05/28	08:05:00	10.0000	209.19	70.40	209.18	PRESSURED UP LUBRICATOR
05/28	08:05:15	10.2500	356.73	70.20	147.54	
05/28	08:08:15	13.2500	357.75	69.14	1.02	
05/28	08:09:45	14.7500	370.51	68.25	12.75	R.I.H. W/TANDEM ELEC. MEMORY INST.
05/28	08:10:00	15.0000	385.43	68.10	14.93	
05/28	08:10:15	15.2500	399.50	67.95	14.07	
05/28	08:10:30	15.5000	417.15	67.80	17.65	
05/28	08:10:45	15.7500	440.35	67.65	23.20	
05/28	08:11:00	16.0000	467.37	67.50	27.02	
05/28	08:11:15	16.2500	497.73	67.37	30.36	
05/28	08:11:30	16.5000	532.01	67.44	34.28	
05/28	08:11:45	16.7500	569.26	67.52	37.24	
05/28	08:12:00	17.0000	597.86	67.60	28.61	
05/28	08:12:15	17.2500	613.52	67.68	15.66	
05/28	08:12:30	17.5000	632.75	67.76	19.23	
05/28	08:12:45	17.7500	649.88	67.85	17.13	
05/28	08:13:00	18.0000	673.92	67.93	24.04	
05/28	08:13:15	18.2500	706.96	68.01	33.04	
05/28	08:13:30	18.5000	740.87	68.09	33.90	
05/28	08:13:45	18.7500	774.03	68.17	33.16	
05/28	08:14:00	19.0000	806.08	68.25	32.05	
05/28	08:14:15	19.2500	836.86	68.55	30.78	
05/28	08:14:30	19.5000	866.02	68.92	29.16	
05/28	08:14:45	19.7500	898.87	69.29	32.85	
05/28	08:15:00	20.0000	933.69	69.66	34.82	
05/28	08:15:15	20.2500	967.40	70.03	33.71	
05/28	08:15:30	20.5000	1000.36	70.40	32.96	
05/28	08:15:45	20.7500	1023.70	70.77	23.34	
05/28	08:16:00	21.0000	1045.31	71.14	21.61	
05/28	08:16:15	21.2500	1066.30	71.51	20.99	
05/28	08:16:30	21.5000	1088.89	71.88	22.59	
05/28	08:16:45	21.7500	1112.33	72.25	23.45	
05/28	08:17:00	22.0000	1135.90	72.62	23.57	
05/28	08:17:15	22.2500	1161.40	73.13	25.50	
05/28	08:17:30	22.5000	1187.57	73.38	26.18	
05/28	08:17:45	22.7500	1213.75	73.64	26.17	
05/28	08:18:00	23.0000	1241.77	73.89	28.02	
05/28	08:18:15	23.2500	1269.78	74.15	28.01	
05/28	08:18:30	23.5000	1298.90	74.40	29.12	
05/28	08:18:45	23.7500	1328.76	74.66	29.86	
05/28	08:19:00	24.0000	1359.11	74.91	30.35	
05/28	08:19:15	24.2500	1390.19	75.17	31.08	
05/28	08:19:30	24.5000	1421.89	75.42	31.70	
05/28	08:19:45	24.7500	1454.56	75.68	32.68	
05/28	08:20:00	25.0000	1487.74	75.93	33.17	
05/28	08:20:15	25.2500	1521.43	76.45	33.69	
05/28	08:20:30	25.5000	1555.56	76.74	34.14	
05/28	08:20:45	25.7500	1590.93	77.03	35.36	
05/28	08:21:00	26.0000	1622.59	77.32	31.67	
05/28	08:21:15	26.2500	1655.85	77.62	33.26	
05/28	08:21:30	26.5000	1690.22	77.91	34.37	
05/28	08:21:45	26.7500	1724.10	78.20	33.87	
05/28	08:22:00	27.0000	1760.06	78.50	35.96	
05/28	08:22:15	27.2500	1796.26	78.79	36.21	
05/28	08:22:30	27.5000	1833.08	79.08	36.82	
05/28	08:22:45	27.7500	1870.15	79.38	37.06	
05/28	08:23:00	28.0000	1906.22	79.66	36.07	
05/28	08:23:15	28.2500	1946.23	80.24	40.01	
05/28	08:23:30	28.5000	1974.94	80.47	28.71	
05/28	08:23:45	28.7500	2005.60	80.71	30.67	
05/28	08:24:00	29.0000	2030.12	80.94	24.52	TANDEM ELEC. MEMORY INST. @ 3850'
05/28	08:27:00	32.0000	2036.10	83.00	5.98	

WELL NAME : JUNIPER SWD NO. 1

DATE : 06/06/08

WELL LOCATION : SAN JUAN COUNTY, NM

FILE REF: F252529.RED

Date MM/DD	Time hh:mm:ss	Test Time mmmmmm.mmmmm	Pressure Psig	Temp Deg F	deltaP Psi	Comment Ga. Press Ref. to 14.7 Psi Atm.
05/28	08:30:00	35.0000	2037.46	83.42	1.36	
05/28	08:33:00	38.0000	2037.87	83.71	.41	
05/28	08:36:00	41.0000	2037.86	83.99	-.01	
05/28	08:39:00	44.0000	2037.83	84.27	-.03	
05/28	08:42:00	47.0000	2037.79	84.54	-.05	
05/28	08:45:00	50.0000	2037.73	84.78	-.05	
05/28	08:48:00	53.0000	2037.71	84.99	-.02	
05/28	08:51:00	56.0000	2037.69	85.17	-.03	
05/28	08:54:00	59.0000	2037.65	85.33	-.03	
05/28	08:57:00	62.0000	2037.37	85.53	-.29	
05/28	09:00:00	65.0000	2037.19	85.76	-.17	
05/28	09:03:00	68.0000	2037.17	85.91	-.02	
05/28	09:06:00	71.0000	2037.01	86.07	-.16	
05/28	09:09:00	74.0000	2036.84	86.21	-.17	
05/28	09:12:00	77.0000	2036.79	86.35	-.06	
05/28	09:15:00	80.0000	2036.73	86.50	-.06	
05/28	09:18:00	83.0000	2036.49	86.63	-.24	
05/28	09:21:00	86.0000	2036.36	86.76	-.13	
05/28	09:24:00	89.0000	2036.33	86.89	-.03	
05/28	09:27:00	92.0000	2036.13	87.02	-.20	
05/28	09:30:00	95.0000	2035.99	87.14	-.14	
05/28	09:33:00	98.0000	2035.90	87.25	-.09	
05/28	09:36:00	101.0000	2035.74	87.37	-.16	
05/28	09:39:00	104.0000	2035.62	87.45	-.12	
05/28	09:40:45	105.7500	2038.57	87.68	2.95	BEGAN PUMPING
05/28	09:41:00	106.0000	2053.26	87.79	14.69	
05/28	09:41:15	106.2500	2063.91	87.90	10.64	
05/28	09:41:30	106.5000	2070.73	88.02	6.83	
05/28	09:42:15	107.2500	2082.74	88.36	12.01	
05/28	09:42:30	107.5000	2085.75	88.48	3.01	
05/28	09:44:00	109.0000	2098.78	89.25	13.03	RATE #1 - 1.0 BPM
05/28	09:44:15	109.2500	2100.93	89.40	2.14	
05/28	09:46:45	111.7500	2115.40	90.73	14.48	
05/28	09:47:00	112.0000	2116.60	90.80	1.19	
05/28	09:50:00	115.0000	2130.35	91.32	13.75	
05/28	09:53:00	118.0000	2141.07	90.78	10.72	
05/28	09:56:00	121.0000	2150.64	89.53	9.56	
05/28	09:59:00	124.0000	2158.35	88.20	7.72	
05/28	10:02:00	127.0000	2165.24	86.83	6.89	
05/28	10:05:00	130.0000	2170.84	85.89	5.60	
05/28	10:08:00	133.0000	2175.35	85.54	4.51	
05/28	10:11:00	136.0000	2180.16	85.27	4.80	
05/28	10:14:00	139.0000	2184.93	84.89	4.77	END RATE #1 - 1.0 BPM
05/28	10:15:15	140.2500	2186.73	84.65	1.81	RATE #2 - 2.0 BPM
05/28	10:15:30	140.5000	2206.44	84.61	19.71	
05/28	10:15:45	140.7500	2216.80	84.56	10.36	
05/28	10:16:00	141.0000	2222.49	84.51	5.69	
05/28	10:16:45	141.7500	2235.32	84.20	12.83	
05/28	10:17:00	142.0000	2238.95	84.09	3.63	
05/28	10:18:15	143.2500	2252.16	83.53	13.21	
05/28	10:18:30	143.5000	2254.31	83.42	2.15	
05/28	10:20:30	145.5000	2268.37	82.42	14.06	
05/28	10:20:45	145.7500	2270.03	82.30	1.66	
05/28	10:23:30	148.5000	2283.75	80.98	13.71	
05/28	10:23:45	148.7500	2285.32	80.87	1.57	
05/28	10:26:45	151.7500	2296.95	79.65	11.63	
05/28	10:29:45	154.7500	2310.19	78.60	13.23	
05/28	10:32:45	157.7500	2319.77	77.57	9.58	
05/28	10:35:45	160.7500	2328.64	76.65	8.87	
05/28	10:38:45	163.7500	2335.95	75.89	7.31	
05/28	10:41:45	166.7500	2343.47	75.32	7.52	
05/28	10:44:45	169.7500	2350.14	74.87	6.66	
05/28	10:45:30	170.5000	2362.09	74.77	11.96	END RATE #2 - 2.0 BPM
05/28	10:45:45	170.7500	2376.06	74.73	13.97	RATE #3 - 3.1 BPM
05/28	10:46:15	171.2500	2389.42	74.67	13.36	

COMPANY: COLEMAN OIL & GAS, INC.

PAGE 3 OF 11

WELL NAME : JUNIPER SWD NO. 1

DATE : 06/06/08

WELL LOCATION : SAN JUAN COUNTY, NM

FILE REF: F252529.RED

Date MM/DD	Time hh:mm:ss	Test Time mmmmmm.mmmmm	Pressure Psig	Temp Deg F	deltaP Psi	Comment Ga. Press Ref. to 14.7 Psi Atm.
05/28	10:46:30	171.5000	2399.06	74.64	9.64	
05/28	10:47:30	172.5000	2411.97	74.50	12.91	
05/28	10:47:45	172.7500	2414.09	74.47	2.11	
05/28	10:49:15	174.2500	2427.89	74.28	13.81	
05/28	10:49:30	174.5000	2429.89	74.24	2.00	
05/28	10:51:30	176.5000	2443.39	73.99	13.50	
05/28	10:51:45	176.7500	2445.73	73.96	2.33	
05/28	10:54:00	179.0000	2458.33	73.64	12.61	
05/28	10:54:15	179.2500	2460.61	73.61	2.28	
05/28	10:57:15	182.2500	2474.72	73.13	14.10	
05/28	11:00:15	185.2500	2485.88	72.78	11.16	
05/28	11:03:15	188.2500	2495.43	72.57	9.55	
05/28	11:06:15	191.2500	2503.86	72.42	8.44	
05/28	11:09:15	194.2500	2512.37	72.32	8.51	
05/28	11:12:15	197.2500	2519.32	72.28	6.95	
05/28	11:15:15	200.2500	2524.70	72.27	5.38	END RATE #3 - 3.1 BPM
05/28	11:15:45	200.7500	2532.65	72.27	7.95	RATE #4 - 4.2 BPM
05/28	11:16:00	201.0000	2542.90	72.26	10.26	
05/28	11:16:30	201.5000	2554.38	72.27	11.48	
05/28	11:16:45	201.7500	2558.46	72.27	4.08	
05/28	11:17:45	202.7500	2570.82	72.25	12.36	
05/28	11:18:00	203.0000	2573.66	72.25	2.84	
05/28	11:20:15	205.2500	2588.00	72.23	14.34	
05/28	11:20:30	205.5000	2588.47	72.22	.46	
05/28	11:23:30	208.5000	2600.87	72.20	12.40	
05/28	11:26:30	211.5000	2607.78	72.24	6.92	
05/28	11:29:30	214.5000	2613.93	72.34	6.15	
05/28	11:30:15	215.2500	2618.18	72.37	4.25	
05/28	11:30:30	215.5000	2630.40	72.38	12.22	
05/28	11:33:30	218.5000	2642.81	72.48	12.41	
05/28	11:36:30	221.5000	2650.21	72.57	7.39	
05/28	11:39:30	224.5000	2656.40	72.67	6.19	
05/28	11:42:30	227.5000	2661.90	72.78	5.50	
05/28	11:45:30	230.5000	2666.91	72.87	5.01	END RATE #4 - 4.2 BPM
05/28	11:46:00	231.0000	2677.52	72.88	10.61	
05/28	11:46:15	231.2500	2682.46	72.89	4.94	
05/28	11:47:30	232.5000	2695.65	72.93	13.19	RATE #5 - 5.0 BPM
05/28	11:47:45	232.7500	2697.99	72.94	2.34	
05/28	11:50:30	235.5000	2711.90	73.01	13.91	
05/28	11:50:45	235.7500	2713.25	73.02	1.35	
05/28	11:53:45	238.7500	2722.58	73.14	9.33	
05/28	11:56:45	241.7500	2731.14	73.29	8.55	
05/28	11:59:45	244.7500	2738.77	73.42	7.63	
05/28	12:02:45	247.7500	2744.77	73.58	6.00	
05/28	12:05:45	250.7500	2750.05	73.73	5.28	
05/28	12:08:45	253.7500	2754.58	73.88	4.52	
05/28	12:11:45	256.7500	2758.89	74.04	4.31	
05/28	12:14:45	259.7500	2765.49	74.20	6.60	
05/28	12:15:45	260.7500	2779.04	74.24	13.55	END RATE #5 - 5.0 BPM
05/28	12:16:00	261.0000	2782.12	74.24	3.09	RATE #6 - 6.0 BPM
05/28	12:18:15	263.2500	2796.53	73.93	14.41	
05/28	12:18:30	263.5000	2797.79	73.90	1.26	
05/28	12:21:30	266.5000	2808.05	73.38	10.26	
05/28	12:24:30	269.5000	2814.55	73.14	6.50	
05/28	12:27:30	272.5000	2820.47	73.04	5.92	
05/28	12:30:30	275.5000	2825.22	72.99	4.75	
05/28	12:33:30	278.5000	2829.39	73.00	4.17	
05/28	12:36:30	281.5000	2831.89	73.06	2.49	
05/28	12:39:30	284.5000	2835.81	73.16	3.93	
05/28	12:42:30	287.5000	2839.37	73.29	3.55	
05/28	12:45:30	290.5000	2847.27	73.43	7.90	END RATE #6 - 6.0 BPM
05/28	12:48:15	293.2500	2861.83	73.58	14.56	RATE #7 - 7.1 BPM
05/28	12:48:30	293.5000	2862.63	73.59	.79	
05/28	12:51:30	296.5000	2869.85	73.86	7.22	
05/28	12:54:30	299.5000	2875.01	73.84	5.16	

COMPANY: COLEMAN OIL & GAS, INC.

PAGE 4 OF 11

WELL NAME : JUNIPER SWD NO. 1

DATE : 06/06/08

WELL LOCATION : SAN JUAN COUNTY, NM

FILE REF: F252529.RED

Date MM/DD	Time hh:mm:ss	Test Time mmmmmm.mmmmm	Pressure Psig	Temp Deg F	deltaP Psi	Comment Ga. Press Ref. to 14.7 Psi Atm.
05/28	12:57:30	302.5000	2879.44	73.27	4.44	
05/28	13:00:30	305.5000	2882.60	72.86	3.16	
05/28	13:03:30	308.5000	2885.70	72.68	3.10	
05/28	13:06:30	311.5000	2889.53	72.70	3.84	
05/28	13:09:30	314.5000	2892.89	72.86	3.35	
05/28	13:12:30	317.5000	2894.85	73.08	1.97	
05/28	13:15:30	320.5000	2897.16	73.29	2.31	END RATE #7 - 7.1 BPM
05/28	13:18:30	323.5000	2897.76	73.49	.60	RATE #8 - 8.2 BPM
05/28	13:21:30	326.5000	2905.74	73.67	7.98	
05/28	13:24:30	329.5000	2910.06	73.89	4.32	
05/28	13:27:30	332.5000	2914.41	74.17	4.35	
05/28	13:30:30	335.5000	2900.44	74.43	-13.96	
05/28	13:33:30	338.5000	2895.95	74.65	-4.50	
05/28	13:36:30	341.5000	2899.63	74.64	3.68	
05/28	13:38:45	343.7500	2913.20	74.60	13.57	
05/28	13:39:00	344.0000	2915.41	74.60	2.20	
05/28	13:42:00	347.0000	2921.45	74.71	6.04	
05/28	13:45:00	350.0000	2923.60	74.60	2.16	
05/28	13:48:00	353.0000	2926.26	74.28	2.66	
05/28	13:49:45	354.7500	2927.34	74.16	1.08	END RATE #8 - 8.2 BPM
05/28	13:50:00	355.0000	2903.61	74.15	-23.74	BEGAN FALL-OFF
05/28	13:50:15	355.2500	2888.67	74.14	-14.93	
05/28	13:50:30	355.5000	2877.06	74.13	-11.61	
05/28	13:50:45	355.7500	2867.31	74.12	-9.75	
05/28	13:51:00	356.0000	2858.79	74.11	-8.52	
05/28	13:51:15	356.2500	2850.89	74.10	-7.90	
05/28	13:51:45	356.7500	2836.45	74.09	-14.45	
05/28	13:52:00	357.0000	2829.67	74.07	-6.78	
05/28	13:52:30	357.5000	2817.06	74.08	-12.61	
05/28	13:52:45	357.7500	2811.13	74.09	-5.94	
05/28	13:53:15	358.2500	2799.89	74.09	-11.24	
05/28	13:53:30	358.5000	2794.33	74.09	-5.56	
05/28	13:54:00	359.0000	2784.07	74.10	-10.26	
05/28	13:54:15	359.2500	2779.25	74.11	-4.82	
05/28	13:55:00	360.0000	2765.17	74.11	-14.08	FALL-OFF / 5 MINUTES
05/28	13:55:15	360.2500	2760.71	74.14	-4.46	
05/28	13:56:00	361.0000	2748.08	74.18	-12.63	
05/28	13:56:15	361.2500	2744.11	74.20	-3.96	
05/28	13:57:00	362.0000	2732.85	74.24	-11.26	
05/28	13:57:15	362.2500	2729.14	74.25	-3.71	
05/28	13:58:15	363.2500	2715.51	74.32	-13.63	
05/28	13:58:30	363.5000	2712.29	74.33	-3.22	
05/28	13:59:30	364.5000	2700.02	74.40	-12.27	
05/28	13:59:45	364.7500	2697.17	74.42	-2.85	
05/28	14:01:00	366.0000	2683.29	74.50	-13.88	FALL-OFF / 10 MINUTES
05/28	14:01:15	366.2500	2680.68	74.53	-2.61	
05/28	14:02:30	367.5000	2668.16	74.61	-12.52	
05/28	14:02:45	367.7500	2665.67	74.63	-2.48	
05/28	14:04:15	369.2500	2652.40	74.73	-13.27	
05/28	14:04:30	369.5000	2650.29	74.75	-2.11	
05/28	14:06:15	371.2500	2636.39	74.87	-13.90	FALL-OFF / 15 MINUTES
05/28	14:06:30	371.5000	2634.40	74.89	-1.99	
05/28	14:08:30	373.5000	2620.01	75.00	-14.39	
05/28	14:08:45	373.7500	2618.27	75.03	-1.75	
05/28	14:11:00	376.0000	2603.87	75.16	-14.40	FALL-OFF / 20 MINUTES
05/28	14:11:15	376.2500	2602.38	75.18	-1.49	
05/28	14:13:45	378.7500	2587.85	75.31	-14.53	
05/28	14:14:00	379.0000	2586.61	75.32	-1.24	
05/28	14:16:45	381.7500	2572.22	75.45	-14.40	FALL-OFF / 25 MINUTES
05/28	14:17:00	382.0000	2570.98	75.46	-1.24	
05/28	14:20:00	385.0000	2556.72	75.58	-14.26	FALL-OFF / 30 MINUTES
05/28	14:23:00	388.0000	2543.94	75.69	-12.78	
05/28	14:26:00	391.0000	2532.74	75.80	-11.20	FALL-OFF / 35 MINUTES
05/28	14:29:00	394.0000	2521.64	75.90	-11.10	
05/28	14:32:00	397.0000	2511.46	76.00	-10.18	FALL-OFF / 40 MINUTES

WELL NAME : JUNIPER SWD NO. 1

DATE : 06/06/08

WELL LOCATION : SAN JUAN COUNTY, NM

FILE REF: F252529.RED

Date MM/DD	Time hh:mm:ss	Test Time mmmmmm.mmmmm	Pressure Psig	Temp Deg F	deltaP Psi	Comment Ga. Press Ref. to 14.7 Psi Atm.

05/28	14:35:00	400.0000	2501.77	76.11	-9.69	FALL-OFF / 45 MINUTES
05/28	14:38:00	403.0000	2492.59	76.20	-9.18	
05/28	14:41:00	406.0000	2484.03	76.29	-8.56	FALL-OFF / 50 MINUTES
05/28	14:44:00	409.0000	2475.79	76.36	-8.25	
05/28	14:47:00	412.0000	2468.03	76.44	-7.75	FALL-OFF / 55 MINUTES
05/28	14:50:00	415.0000	2460.46	76.52	-7.57	FALL-OFF / 1 HOUR
05/28	14:53:00	418.0000	2453.39	76.59	-7.07	
05/28	14:56:00	421.0000	2446.64	76.65	-6.75	
05/28	14:59:00	424.0000	2440.01	76.71	-6.63	
05/28	15:02:00	427.0000	2433.74	76.77	-6.27	
05/28	15:05:00	430.0000	2427.60	76.82	-6.14	
05/28	15:08:00	433.0000	2421.79	76.88	-5.82	
05/28	15:11:00	436.0000	2416.21	76.92	-5.58	
05/28	15:14:00	439.0000	2410.82	76.96	-5.39	
05/28	15:17:00	442.0000	2405.32	77.00	-5.50	
05/28	15:20:00	445.0000	2400.41	77.05	-4.91	
05/28	15:23:00	448.0000	2395.64	77.09	-4.77	
05/28	15:26:00	451.0000	2390.87	77.13	-4.77	
05/28	15:29:00	454.0000	2386.22	77.17	-4.65	
05/28	15:32:00	457.0000	2381.70	77.21	-4.52	
05/28	15:35:00	460.0000	2377.69	77.25	-4.02	
05/28	15:38:00	463.0000	2373.28	77.28	-4.41	
05/28	15:41:00	466.0000	2369.19	77.31	-4.09	
05/28	15:44:00	469.0000	2365.17	77.35	-4.03	
05/28	15:47:00	472.0000	2361.18	77.38	-3.99	
05/28	15:50:00	475.0000	2357.48	77.41	-3.69	FALL-OFF / 2 HOURS
05/28	15:53:00	478.0000	2353.74	77.45	-3.74	
05/28	15:56:00	481.0000	2350.15	77.48	-3.59	
05/28	15:59:00	484.0000	2346.68	77.51	-3.47	
05/28	16:02:00	487.0000	2343.42	77.54	-3.26	
05/28	16:05:00	490.0000	2340.18	77.57	-3.24	
05/28	16:08:00	493.0000	2336.77	77.60	-3.41	
05/28	16:11:00	496.0000	2333.80	77.62	-2.96	
05/28	16:14:00	499.0000	2330.60	77.65	-3.20	
05/28	16:17:00	502.0000	2327.62	77.68	-2.98	
05/28	16:20:00	505.0000	2324.73	77.70	-2.89	
05/28	16:23:00	508.0000	2321.84	77.73	-2.90	
05/28	16:26:00	511.0000	2319.02	77.75	-2.82	
05/28	16:29:00	514.0000	2316.12	77.78	-2.90	
05/28	16:32:00	517.0000	2313.57	77.80	-2.56	
05/28	16:35:00	520.0000	2310.95	77.83	-2.62	
05/28	16:38:00	523.0000	2308.24	77.85	-2.71	
05/28	16:41:00	526.0000	2305.71	77.88	-2.53	
05/28	16:44:00	529.0000	2303.14	77.90	-2.56	
05/28	16:47:00	532.0000	2300.69	77.92	-2.45	
05/28	16:50:00	535.0000	2298.40	77.94	-2.29	FALL-OFF / 3 HOURS
05/28	16:53:00	538.0000	2296.02	77.96	-2.38	
05/28	16:56:00	541.0000	2293.60	77.99	-2.42	
05/28	16:59:00	544.0000	2291.24	78.00	-2.36	
05/28	17:02:00	547.0000	2289.11	78.03	-2.13	
05/28	17:05:00	550.0000	2286.91	78.04	-2.20	
05/28	17:08:00	553.0000	2284.67	78.07	-2.23	
05/28	17:11:00	556.0000	2282.57	78.08	-2.10	
05/28	17:14:00	559.0000	2280.52	78.11	-2.05	
05/28	17:17:00	562.0000	2278.48	78.12	-2.04	
05/28	17:20:00	565.0000	2276.52	78.14	-1.96	
05/28	17:23:00	568.0000	2274.48	78.15	-2.04	
05/28	17:26:00	571.0000	2272.57	78.15	-1.91	
05/28	17:29:00	574.0000	2270.53	78.16	-2.04	
05/28	17:32:00	577.0000	2268.67	78.18	-1.86	
05/28	17:35:00	580.0000	2266.75	78.19	-1.92	
05/28	17:38:00	583.0000	2264.96	78.21	-1.79	
05/28	17:41:00	586.0000	2263.16	78.22	-1.80	
05/28	17:44:00	589.0000	2261.31	78.24	-1.85	
05/28	17:47:00	592.0000	2259.58	78.25	-1.73	

WELL NAME : JUNIPER SWD NO. 1

DATE : 06/06/08

WELL LOCATION : SAN JUAN COUNTY, NM

FILE REF: F252529.RED

Date MM/DD	Time hh:mm:ss	Test Time mmmmmm.mmmmm	Pressure Psig	Temp Deg F	deltaP Psi	Comment Ga. Press Ref. to 14.7 Psi Atm.
05/28	17:50:00	595.0000	2257.78	78.27	-1.80	FALL-OFF / 4 HOURS
05/28	17:53:00	598.0000	2256.11	78.28	-1.67	
05/28	17:56:00	601.0000	2254.43	78.30	-1.68	
05/28	17:59:00	604.0000	2252.77	78.31	-1.66	
05/28	18:02:00	607.0000	2251.15	78.32	-1.62	
05/28	18:05:00	610.0000	2249.42	78.34	-1.73	
05/28	18:08:00	613.0000	2247.75	78.36	-1.68	
05/28	18:11:00	616.0000	2246.33	78.37	-1.42	
05/28	18:14:00	619.0000	2244.72	78.38	-1.61	
05/28	18:17:00	622.0000	2243.24	78.39	-1.48	
05/28	18:20:00	625.0000	2241.75	78.40	-1.48	
05/28	18:23:00	628.0000	2240.20	78.41	-1.55	
05/28	18:26:00	631.0000	2238.71	78.43	-1.49	
05/28	18:29:00	634.0000	2237.24	78.44	-1.48	
05/28	18:32:00	637.0000	2235.74	78.46	-1.49	
05/28	18:35:00	640.0000	2234.39	78.47	-1.36	
05/28	18:38:00	643.0000	2233.02	78.48	-1.36	
05/28	18:41:00	646.0000	2231.60	78.49	-1.43	
05/28	18:44:00	649.0000	2230.30	78.50	-1.29	
05/28	18:47:00	652.0000	2228.88	78.51	-1.43	
05/28	18:50:00	655.0000	2227.58	78.52	-1.30	FALL-OFF / 5 HOURS
05/28	18:53:00	658.0000	2226.28	78.52	-1.30	
05/28	18:56:00	661.0000	2224.98	78.54	-1.31	
05/28	18:59:00	664.0000	2223.62	78.55	-1.35	
05/28	19:02:00	667.0000	2222.39	78.56	-1.24	
05/28	19:05:00	670.0000	2220.88	78.57	-1.51	
05/28	19:08:00	673.0000	2219.91	78.58	-.97	
05/28	19:11:00	676.0000	2218.67	78.60	-1.24	
05/28	19:14:00	679.0000	2217.49	78.61	-1.18	
05/28	19:17:00	682.0000	2216.25	78.63	-1.24	
05/28	19:20:00	685.0000	2215.01	78.63	-1.23	
05/28	19:23:00	688.0000	2213.71	78.65	-1.30	
05/28	19:26:00	691.0000	2212.73	78.65	-.98	
05/28	19:29:00	694.0000	2211.55	78.67	-1.18	
05/28	19:32:00	697.0000	2210.38	78.67	-1.17	
05/28	19:35:00	700.0000	2209.26	78.69	-1.12	
05/28	19:38:00	703.0000	2208.21	78.69	-1.05	
05/28	19:41:00	706.0000	2207.03	78.70	-1.17	
05/28	19:44:00	709.0000	2205.77	78.71	-1.26	
05/28	19:47:00	712.0000	2204.80	78.72	-.97	
05/28	19:50:00	715.0000	2203.57	78.73	-1.23	FALL-OFF / 6 HOURS
05/28	19:53:00	718.0000	2202.70	78.74	-.88	
05/28	19:56:00	721.0000	2201.47	78.75	-1.23	
05/28	19:59:00	724.0000	2200.54	78.76	-.93	
05/28	20:02:00	727.0000	2199.55	78.76	-.99	
05/28	20:05:00	730.0000	2198.35	78.77	-1.20	
05/28	20:08:00	733.0000	2197.26	78.78	-1.09	
05/28	20:11:00	736.0000	2196.51	78.79	-.76	
05/28	20:14:00	739.0000	2195.53	78.79	-.98	
05/28	20:17:00	742.0000	2194.54	78.81	-.99	
05/28	20:20:00	745.0000	2193.48	78.82	-1.06	
05/28	20:23:00	748.0000	2192.55	78.83	-.93	
05/28	20:26:00	751.0000	2191.68	78.84	-.87	
05/28	20:29:00	754.0000	2190.66	78.85	-1.03	
05/28	20:32:00	757.0000	2189.55	78.86	-1.10	
05/28	20:35:00	760.0000	2188.56	78.87	-.99	
05/28	20:38:00	763.0000	2187.73	78.88	-.84	
05/28	20:41:00	766.0000	2186.83	78.89	-.90	
05/28	20:44:00	769.0000	2186.07	78.89	-.75	
05/28	20:47:00	772.0000	2185.10	78.90	-.98	
05/28	20:50:00	775.0000	2184.25	78.92	-.85	
05/28	20:53:00	778.0000	2183.39	78.93	-.86	
05/28	20:56:00	781.0000	2182.46	78.93	-.93	
05/28	20:59:00	784.0000	2181.65	78.94	-.81	
05/28	21:02:00	787.0000	2180.75	78.95	-.91	

COMPANY: COLEMAN OIL & GAS, INC.

PAGE 7 OF 11

WELL NAME : JUNIPER SWD NO. 1

DATE : 06/06/08

WELL LOCATION : SAN JUAN COUNTY, NM

FILE REF: F252529.RED

Date MM/DD	Time hh:mm:ss	Test Time mmmmmm.mmmmm	Pressure Psig	Temp Deg F	deltaP Psi	Comment Ga. Press Ref. to 14.7 Psi Atm.
05/28	21:05:00	790.0000	2179.76	78.97	-.98	
05/28	21:08:00	793.0000	2178.90	78.97	-.86	
05/28	21:11:00	796.0000	2178.14	78.99	-.76	
05/28	21:14:00	799.0000	2177.16	79.00	-.98	
05/28	21:17:00	802.0000	2176.58	79.00	-.59	
05/28	21:20:00	805.0000	2175.56	79.01	-1.02	
05/28	21:23:00	808.0000	2174.80	79.02	-.76	
05/28	21:26:00	811.0000	2173.85	79.03	-.95	
05/28	21:29:00	814.0000	2173.24	79.04	-.61	
05/28	21:32:00	817.0000	2172.44	79.05	-.80	
05/28	21:35:00	820.0000	2171.47	79.05	-.97	
05/28	21:38:00	823.0000	2170.73	79.06	-.74	
05/28	21:41:00	826.0000	2170.13	79.07	-.60	
05/28	21:44:00	829.0000	2169.15	79.07	-.98	
05/28	21:47:00	832.0000	2168.48	79.09	-.67	
05/28	21:50:00	835.0000	2167.83	79.09	-.65	FALL-OFF / 8 HOURS
05/28	21:53:00	838.0000	2166.87	79.10	-.96	
05/28	21:56:00	841.0000	2166.28	79.10	-.59	
05/28	21:59:00	844.0000	2165.49	79.11	-.79	
05/28	22:02:00	847.0000	2164.75	79.12	-.74	
05/28	22:05:00	850.0000	2164.11	79.12	-.64	
05/28	22:08:00	853.0000	2163.39	79.12	-.73	
05/28	22:11:00	856.0000	2162.64	79.14	-.75	
05/28	22:14:00	859.0000	2161.90	79.14	-.74	
05/28	22:17:00	862.0000	2161.10	79.15	-.80	
05/28	22:20:00	865.0000	2160.42	79.15	-.68	
05/28	22:23:00	868.0000	2159.67	79.16	-.74	
05/28	22:26:00	871.0000	2158.97	79.17	-.70	
05/28	22:29:00	874.0000	2158.25	79.18	-.72	
05/28	22:32:00	877.0000	2157.52	79.18	-.73	
05/28	22:35:00	880.0000	2156.65	79.19	-.87	
05/28	22:38:00	883.0000	2155.90	79.20	-.75	
05/28	22:41:00	886.0000	2155.35	79.20	-.55	
05/28	22:44:00	889.0000	2154.78	79.21	-.57	
05/28	22:47:00	892.0000	2154.00	79.22	-.78	
05/28	22:50:00	895.0000	2153.49	79.22	-.51	
05/28	22:53:00	898.0000	2152.85	79.22	-.64	
05/28	22:56:00	901.0000	2152.13	79.24	-.72	
05/28	22:59:00	904.0000	2151.38	79.25	-.75	
05/28	23:02:00	907.0000	2150.78	79.26	-.61	
05/28	23:05:00	910.0000	2150.09	79.27	-.69	
05/28	23:08:00	913.0000	2149.59	79.27	-.50	
05/28	23:11:00	916.0000	2148.84	79.27	-.75	
05/28	23:14:00	919.0000	2148.29	79.28	-.55	
05/28	23:17:00	922.0000	2147.65	79.29	-.64	
05/28	23:20:00	925.0000	2147.03	79.28	-.62	
05/28	23:23:00	928.0000	2146.22	79.29	-.82	
05/28	23:26:00	931.0000	2145.69	79.29	-.53	
05/28	23:29:00	934.0000	2145.16	79.30	-.53	
05/28	23:32:00	937.0000	2144.48	79.31	-.68	
05/28	23:35:00	940.0000	2143.80	79.31	-.67	
05/28	23:38:00	943.0000	2143.32	79.31	-.49	
05/28	23:41:00	946.0000	2142.70	79.32	-.62	
05/28	23:44:00	949.0000	2142.07	79.33	-.62	
05/28	23:47:00	952.0000	2141.47	79.33	-.60	
05/28	23:50:00	955.0000	2140.84	79.34	-.63	FALL-OFF / 10 HOURS
05/28	23:53:00	958.0000	2140.26	79.34	-.58	
05/28	23:56:00	961.0000	2139.67	79.35	-.60	
05/28	23:59:00	964.0000	2139.09	79.35	-.58	
05/29	00:02:00	967.0000	2138.56	79.36	-.53	
05/29	00:05:00	970.0000	2138.02	79.37	-.53	
05/29	00:08:00	973.0000	2137.40	79.38	-.62	
05/29	00:11:00	976.0000	2136.81	79.38	-.59	
05/29	00:14:00	979.0000	2136.20	79.39	-.61	
05/29	00:17:00	982.0000	2135.73	79.39	-.47	

WELL NAME : JUNIPER SWD NO. 1

DATE : 06/06/08

WELL LOCATION : SAN JUAN COUNTY, NM

FILE REF: F252529.RED

Date MM/DD	Time hh:mm:ss	Test Time mmmmmm.mmm	Pressure Psig	Temp Deg F	deltaP Psi	Comment Ga. Press Ref. to 14.7 Psi Atm.
05/29	00:20:00	985.0000	2135.02	79.39	-.71	
05/29	00:23:00	988.0000	2134.60	79.40	-.42	
05/29	00:26:00	991.0000	2134.00	79.40	-.60	
05/29	00:29:00	994.0000	2133.46	79.41	-.53	
05/29	00:32:00	997.0000	2132.88	79.41	-.59	
05/29	00:35:00	1000.0000	2132.17	79.42	-.71	
05/29	00:38:00	1003.0000	2131.79	79.42	-.38	
05/29	00:41:00	1006.0000	2131.27	79.44	-.52	
05/29	00:44:00	1009.0000	2130.74	79.44	-.53	
05/29	00:47:00	1012.0000	2130.20	79.44	-.54	
05/29	00:50:00	1015.0000	2129.65	79.45	-.55	
05/29	00:53:00	1018.0000	2129.09	79.46	-.56	
05/29	00:56:00	1021.0000	2128.62	79.46	-.47	
05/29	00:59:00	1024.0000	2128.13	79.46	-.48	
05/29	01:02:00	1027.0000	2127.58	79.47	-.55	
05/29	01:05:00	1030.0000	2127.05	79.47	-.54	
05/29	01:08:00	1033.0000	2126.53	79.48	-.52	
05/29	01:11:00	1036.0000	2125.98	79.47	-.55	
05/29	01:14:00	1039.0000	2125.51	79.48	-.47	
05/29	01:17:00	1042.0000	2125.01	79.48	-.51	
05/29	01:20:00	1045.0000	2124.50	79.49	-.51	
05/29	01:23:00	1048.0000	2123.99	79.50	-.51	
05/29	01:26:00	1051.0000	2123.54	79.51	-.45	
05/29	01:29:00	1054.0000	2122.92	79.52	-.63	
05/29	01:32:00	1057.0000	2122.48	79.52	-.44	
05/29	01:35:00	1060.0000	2122.04	79.53	-.44	
05/29	01:38:00	1063.0000	2121.56	79.53	-.49	
05/29	01:41:00	1066.0000	2121.03	79.53	-.53	
05/29	01:44:00	1069.0000	2120.49	79.53	-.54	
05/29	01:47:00	1072.0000	2120.00	79.54	-.49	
05/29	01:50:00	1075.0000	2119.55	79.54	-.46	FALL-OFF / 12 HOURS
05/29	01:53:00	1078.0000	2119.10	79.55	-.45	
05/29	01:56:00	1081.0000	2118.63	79.54	-.47	
05/29	01:59:00	1084.0000	2118.15	79.56	-.48	
05/29	02:02:00	1087.0000	2117.62	79.57	-.53	
05/29	02:05:00	1090.0000	2117.21	79.58	-.41	
05/29	02:08:00	1093.0000	2116.74	79.59	-.47	
05/29	02:11:00	1096.0000	2116.30	79.59	-.44	
05/29	02:14:00	1099.0000	2115.83	79.59	-.47	
05/29	02:17:00	1102.0000	2115.39	79.59	-.44	
05/29	02:20:00	1105.0000	2114.91	79.59	-.48	
05/29	02:23:00	1108.0000	2114.49	79.60	-.42	
05/29	02:26:00	1111.0000	2114.02	79.61	-.47	
05/29	02:29:00	1114.0000	2113.57	79.61	-.44	
05/29	02:32:00	1117.0000	2113.08	79.62	-.49	
05/29	02:35:00	1120.0000	2112.64	79.62	-.45	
05/29	02:38:00	1123.0000	2112.23	79.63	-.40	
05/29	02:41:00	1126.0000	2111.83	79.63	-.41	
05/29	02:44:00	1129.0000	2111.41	79.63	-.41	
05/29	02:47:00	1132.0000	2110.94	79.64	-.48	
05/29	02:50:00	1135.0000	2110.52	79.64	-.41	
05/29	02:53:00	1138.0000	2110.09	79.65	-.43	
05/29	02:56:00	1141.0000	2109.61	79.65	-.49	
05/29	02:59:00	1144.0000	2109.19	79.65	-.42	
05/29	03:02:00	1147.0000	2108.80	79.65	-.39	
05/29	03:05:00	1150.0000	2108.38	79.67	-.42	
05/29	03:08:00	1153.0000	2107.98	79.68	-.40	
05/29	03:11:00	1156.0000	2107.52	79.68	-.46	
05/29	03:14:00	1159.0000	2107.13	79.68	-.38	
05/29	03:17:00	1162.0000	2106.75	79.68	-.38	
05/29	03:20:00	1165.0000	2106.29	79.68	-.46	
05/29	03:23:00	1168.0000	2105.87	79.69	-.42	
05/29	03:26:00	1171.0000	2105.42	79.69	-.45	
05/29	03:29:00	1174.0000	2104.99	79.70	-.44	
05/29	03:32:00	1177.0000	2104.60	79.70	-.39	

COMPANY: COLEMAN OIL & GAS, INC.

PAGE 9 OF 11

WELL NAME : JUNIPER SWD NO. 1

DATE : 06/06/08

WELL LOCATION : SAN JUAN COUNTY, NM

FILE REF: F252529.RED

Date MM/DD	Time hh:mm:ss	Test Time mmmmmm.mmmmm	Pressure Psig	Temp Deg F	deltaP Psi	Comment Ga. Press Ref. to 14.7 Psi Atm.
05/29	03:35:00	1180.0000	2104.19	79.70	-.41	
05/29	03:38:00	1183.0000	2103.84	79.70	-.34	
05/29	03:41:00	1186.0000	2103.41	79.71	-.43	
05/29	03:44:00	1189.0000	2103.13	79.70	-.29	
05/29	03:47:00	1192.0000	2102.67	79.72	-.46	
05/29	03:50:00	1195.0000	2102.25	79.72	-.42	FALL-OFF / 14 HOURS
05/29	03:53:00	1198.0000	2101.88	79.72	-.37	
05/29	03:56:00	1201.0000	2101.51	79.72	-.37	
05/29	03:59:00	1204.0000	2101.05	79.74	-.46	
05/29	04:02:00	1207.0000	2100.78	79.74	-.27	
05/29	04:05:00	1210.0000	2100.29	79.74	-.49	
05/29	04:08:00	1213.0000	2099.90	79.74	-.39	
05/29	04:11:00	1216.0000	2099.52	79.76	-.38	
05/29	04:14:00	1219.0000	2099.15	79.76	-.37	
05/29	04:17:00	1222.0000	2098.74	79.76	-.41	
05/29	04:20:00	1225.0000	2098.38	79.77	-.36	
05/29	04:23:00	1228.0000	2097.96	79.77	-.41	
05/29	04:26:00	1231.0000	2097.63	79.77	-.33	
05/29	04:29:00	1234.0000	2097.18	79.78	-.45	
05/29	04:32:00	1237.0000	2096.78	79.78	-.39	
05/29	04:35:00	1240.0000	2096.41	79.78	-.38	
05/29	04:38:00	1243.0000	2096.09	79.79	-.32	
05/29	04:41:00	1246.0000	2095.69	79.79	-.41	
05/29	04:44:00	1249.0000	2095.31	79.80	-.37	
05/29	04:47:00	1252.0000	2094.94	79.80	-.37	
05/29	04:50:00	1255.0000	2094.57	79.80	-.37	
05/29	04:53:00	1258.0000	2094.20	79.81	-.37	
05/29	04:56:00	1261.0000	2093.83	79.80	-.36	
05/29	04:59:00	1264.0000	2093.46	79.82	-.38	
05/29	05:02:00	1267.0000	2093.10	79.82	-.35	
05/29	05:05:00	1270.0000	2092.82	79.82	-.28	
05/29	05:08:00	1273.0000	2092.41	79.82	-.40	
05/29	05:11:00	1276.0000	2092.23	79.83	-.18	
05/29	05:14:00	1279.0000	2091.65	79.84	-.58	
05/29	05:17:00	1282.0000	2091.39	79.84	-.26	
05/29	05:20:00	1285.0000	2091.05	79.84	-.34	
05/29	05:23:00	1288.0000	2090.66	79.85	-.39	
05/29	05:26:00	1291.0000	2090.25	79.85	-.41	
05/29	05:29:00	1294.0000	2090.03	79.85	-.22	
05/29	05:32:00	1297.0000	2089.61	79.85	-.43	
05/29	05:35:00	1300.0000	2089.20	79.86	-.41	
05/29	05:38:00	1303.0000	2088.89	79.86	-.31	
05/29	05:41:00	1306.0000	2088.71	79.87	-.18	
05/29	05:44:00	1309.0000	2088.26	79.87	-.45	
05/29	05:47:00	1312.0000	2087.89	79.87	-.37	
05/29	05:50:00	1315.0000	2087.53	79.87	-.35	FALL-OFF / 16 HOURS
05/29	05:53:00	1318.0000	2087.28	79.88	-.25	
05/29	05:56:00	1321.0000	2086.93	79.87	-.35	
05/29	05:59:00	1324.0000	2086.44	79.89	-.49	
05/29	06:02:00	1327.0000	2086.16	79.89	-.27	
05/29	06:05:00	1330.0000	2085.93	79.89	-.23	
05/29	06:08:00	1333.0000	2085.43	79.89	-.50	
05/29	06:11:00	1336.0000	2085.13	79.89	-.30	
05/29	06:14:00	1339.0000	2084.85	79.89	-.28	
05/29	06:17:00	1342.0000	2084.47	79.90	-.38	
05/29	06:20:00	1345.0000	2084.11	79.89	-.36	
05/29	06:23:00	1348.0000	2083.77	79.91	-.34	
05/29	06:26:00	1351.0000	2083.57	79.91	-.20	
05/29	06:29:00	1354.0000	2083.12	79.91	-.45	
05/29	06:32:00	1357.0000	2082.87	79.93	-.25	
05/29	06:35:00	1360.0000	2082.56	79.93	-.31	
05/29	06:38:00	1363.0000	2082.22	79.93	-.33	
05/29	06:41:00	1366.0000	2081.86	79.93	-.36	
05/29	06:44:00	1369.0000	2081.56	79.93	-.30	
05/29	06:47:00	1372.0000	2081.20	79.94	-.37	

COMPANY: COLEMAN OIL & GAS, INC.

PAGE 10 OF 11

WELL NAME : JUNIPER SWD NO. 1

DATE : 06/06/08

WELL LOCATION : SAN JUAN COUNTY, NM

FILE REF: F252529.RED


Date MM/DD	Time hh:mm:ss	Test Time mmmmmm.mmmmm	Pressure Psig	Temp Deg F	deltaP Psi	Comment Ga. Press Ref. to 14.7 Psi Atm.
05/29	06:50:00	1375.0000	2080.92	79.94	-.27	
05/29	06:53:00	1378.0000	2080.65	79.94	-.28	
05/29	06:56:00	1381.0000	2080.40	79.95	-.24	
05/29	06:59:00	1384.0000	2080.01	79.95	-.39	
05/29	07:02:00	1387.0000	2079.63	79.95	-.38	
05/29	07:05:00	1390.0000	2079.26	79.95	-.36	
05/29	07:08:00	1393.0000	2078.99	79.95	-.27	
05/29	07:10:00	1395.0000	2078.77	80.17	-.22	FALL-OFF / 17 HOURS, 20 MINUTES
05/29	07:11:00	1396.0000	2030.30	80.29	-48.47	TANDEM ELEC. MEMORY INST. OFF BOTTOM
05/29	07:11:15	1396.2500	2004.65	80.64	-25.65	
05/29	07:11:30	1396.5000	1978.36	80.79	-26.29	
05/29	07:11:45	1396.7500	1951.46	80.94	-26.90	
05/29	07:12:00	1397.0000	1924.68	81.09	-26.78	
05/29	07:12:15	1397.2500	1897.42	81.23	-27.26	
05/29	07:12:30	1397.5000	1870.40	81.38	-27.02	
05/29	07:12:45	1397.7500	1843.02	81.52	-27.38	
05/29	07:13:00	1398.0000	1815.39	81.67	-27.63	
05/29	07:13:15	1398.2500	1787.65	81.82	-27.75	
05/29	07:13:30	1398.5000	1759.54	81.97	-28.11	
05/29	07:13:45	1398.7500	1732.42	82.11	-27.12	
05/29	07:14:00	1399.0000	1705.05	82.26	-27.37	
05/29	07:14:15	1399.2500	1677.69	82.41	-27.36	
05/29	07:14:30	1399.5000	1647.80	82.40	-29.88	
05/29	07:14:45	1399.7500	1617.06	82.40	-30.75	
05/29	07:15:00	1400.0000	1585.95	82.39	-31.11	
05/29	07:15:15	1400.2500	1553.73	82.38	-32.22	
05/29	07:15:30	1400.5000	1519.05	82.38	-34.68	
05/29	07:15:45	1400.7500	1484.38	82.36	-34.67	
05/29	07:16:00	1401.0000	1449.59	82.36	-34.80	
05/29	07:16:15	1401.2500	1414.55	82.35	-35.04	
05/29	07:16:30	1401.5000	1379.39	82.34	-35.16	
05/29	07:16:45	1401.7500	1343.98	82.34	-35.41	
05/29	07:17:00	1402.0000	1308.21	82.33	-35.77	
05/29	07:17:15	1402.2500	1272.03	82.50	-36.19	
05/29	07:17:30	1402.5000	1235.80	82.38	-36.23	
05/29	07:17:45	1402.7500	1200.30	82.27	-35.49	
05/29	07:18:00	1403.0000	1163.46	82.14	-36.84	
05/29	07:18:15	1403.2500	1126.61	82.03	-36.85	
05/29	07:18:30	1403.5000	1090.01	81.91	-36.60	
05/29	07:18:45	1403.7500	1054.02	81.79	-35.99	
05/29	07:19:00	1404.0000	1017.54	81.67	-36.48	
05/29	07:19:15	1404.2500	980.45	81.56	-37.10	
05/29	07:19:30	1404.5000	943.60	81.43	-36.85	
05/29	07:19:45	1404.7500	905.77	81.32	-37.83	
05/29	07:20:00	1405.0000	868.54	81.20	-37.22	
05/29	07:20:15	1405.2500	835.41	80.89	-33.14	
05/29	07:20:30	1405.5000	803.16	80.39	-32.25	
05/29	07:20:45	1405.7500	769.79	79.90	-33.37	
05/29	07:21:00	1406.0000	735.81	79.41	-33.99	
05/29	07:21:15	1406.2500	701.81	78.92	-34.00	
05/29	07:21:30	1406.5000	667.31	78.43	-34.50	
05/29	07:21:45	1406.7500	632.20	77.94	-35.12	
05/29	07:22:00	1407.0000	597.93	77.45	-34.27	
05/29	07:22:15	1407.2500	562.30	76.96	-35.63	
05/29	07:22:30	1407.5000	527.03	76.47	-35.27	
05/29	07:22:45	1407.7500	491.76	75.98	-35.28	
05/29	07:23:00	1408.0000	459.05	75.48	-32.70	
05/29	07:23:15	1408.2500	430.66	74.92	-28.40	
05/29	07:23:30	1408.5000	408.77	74.50	-21.89	
05/29	07:25:15	1410.2500	397.26	71.47	-11.51	TANDEM ELEC. MEMORY INST. @ SURFACE
05/29	07:26:30	1411.5000	393.37	69.69	-3.89	BLED OFF LUBRICATOR
05/29	07:26:45	1411.7500	212.76	69.48	-180.61	
05/29	07:27:00	1412.0000	124.97	69.28	-87.79	
05/29	07:27:15	1412.2500	.01	69.07	-124.96	
05/29	07:30:15	1415.2500	.01	66.79	.00	

COLEMAN OIL & GAS, INC.

Pressure vs dt

JUNIPER SMD NO. 1
SAN JUAN COUNTY, NM
F252529, RED

TEFTTELLER, INC.
5-28-08
STEP RATE & FALL-OFF MEASUREMENTS



COLEMAN OIL & GAS, INC.

Pressure vs dt

JUNIPER SUD NO. 1
SAN JUAN COUNTY, NM
F252529, RED

TEFTLELLER, INC.
5-28-08
STEP RATE & FALL-OFF MEASUREMENTS




COLEMAN OIL & GAS, INC.

Pressure vs dt

JUNIPER SMD NO. 1
SAN JUAN COUNTY, NM
F252529.REB

TEETELLER, INC.
5-28-08
STEP RATE & FALL-OFF MEASUREMENTS



Customer Information

Customer Name COLEMAN OIL & GAS
Phone
Witness(es) MIKE HANSEN

Lease Information

Lease Name JUNIPER SWD #1
Physical Location
County SAN JUAN
State NM

Well Information

Casing Size 5 1/2"
Casing Weight 15.5#
Casing Connection
Casing I.D.
Hole Size 7 7/8"
Calculated Annular Excess %
BHST
T.D. 4123'
Casing Length
Shoe Joint
Float Collar
Calculated T.O.C.
Previous Casing Depth
Previous Casing Size
Previous Casing Weight

Call-Out Information

Job Type STEP RATE TEST
Service Center(s) FARMINGTON
Bulk Location(s) N/A
Supervisor(s) SCOTT KENNEDY
Pumping Equipment 3148-0936
Auxillary Equipment
Time Called Out 07:00AM
Time On Location 08:30AM
Planned Time of Job 09:00AM
Weather Conditions CLEAR & HOT

{1}STEP RATE TEST - Job Log

Comment	CASING-ps	PUMP	DENSITY-p	SLRY VOL	SLRY VOL
i		RATE-bpm	pg	STG-bbls	TOT-bbls

Wednesday, May 28, 2008

2 of 8

© Superior Well Services

**BREAK THROUGH.**

	Comment	CASING-ps i	PUMP RATE-bpm	DENSITY-p pg	SLRY VOL STG-bbls	SLRY VOL TOT-bbls
09:27:27	Safety Meeting	0	-0.1	8.32	0.0	0.0
09:40:03	Start Recording	364	-0.1	8.33	0.0	0.0
09:40:08	Start Job	358	-0.1	8.32	0.0	0.0
09:40:13	Start Job	374	0.2	8.33	0.0	0.0
09:40:18	Start Job	353	-0.1	8.33	0.0	0.0
09:40:23	Start Job	363	-0.1	8.33	0.0	0.0
09:40:28	Start Job	352	-0.1	8.34	0.0	0.0
09:40:33	Start Job	362	0.2	8.34	0.0	0.0
09:40:38	Start Job	360	0.2	8.33	0.0	0.0
09:40:43	Start Job	377	0.7	8.34	0.1	0.1
09:41:23	Rate Check	419	1.0	8.33	0.7	0.7
09:43:23	Rate Check	444	1.0	8.33	2.7	2.7
09:45:23	Rate Check	458	1.0	8.32	4.6	4.6
09:47:23	Rate Check	467	1.0	8.34	6.6	6.6
09:49:28	Rate Check	477	1.0	8.33	8.7	8.7
09:51:28	Rate Check	484	1.0	8.34	10.6	10.6
09:53:28	Rate Check	492	1.0	8.33	12.6	12.6
09:55:28	Rate Check	497	1.0	8.33	14.6	14.6
09:57:28	Rate Check	503	1.0	8.33	16.6	16.6
09:59:28	Rate Check	506	1.0	8.32	18.5	18.5
10:01:28	Rate Check	512	1.0	8.33	20.5	20.5
10:03:28	Rate Check	516	1.0	8.33	22.5	22.5
10:05:28	Rate Check	520	1.0	8.33	24.4	24.4
10:07:28	Rate Check	522	1.0	8.33	26.4	26.4
10:09:28	Rate Check	526	1.0	8.33	28.4	28.4
10:11:28	Rate Check	529	1.0	8.33	30.3	30.3
10:13:28	Rate Check	532	1.0	8.33	32.3	32.3
10:15:18	Sweep Start	616	2.0	8.33	34.3	34.3
10:15:28	Rate Check	631	2.0	8.33	34.6	34.6
10:17:28	Rate Check	665	2.0	8.33	38.6	38.6
10:19:28	Rate Check	680	2.0	8.33	42.5	42.5
10:21:28	Rate Check	695	2.0	8.32	46.5	46.5
10:23:28	Rate Check	706	2.0	8.33	50.5	50.5
10:25:28	Rate Check	712	2.0	8.33	54.4	54.4
10:27:28	Rate Check	725	2.0	8.33	58.4	58.4
10:29:28	Rate Check	732	2.0	8.33	62.4	62.4
10:31:28	Rate Check	738	2.0	8.33	66.4	66.4
10:33:28	Rate Check	744	2.0	8.33	70.5	70.5
10:35:28	Rate Check	750	2.0	8.33	74.5	74.5
10:37:28	Rate Check	757	2.0	8.33	78.5	78.5
10:39:28	Rate Check	763	2.0	8.33	82.4	82.4
10:41:28	Rate Check	767	2.0	8.33	86.5	86.5
10:43:28	Rate Check	771	2.0	8.33	90.4	90.4
10:45:23	Sweep Start	894	3.1	8.34	94.4	94.4
10:45:28	Rate Check	911	3.1	8.33	94.7	94.7
10:47:28	Rate Check	934	3.1	8.33	100.9	100.9
10:49:28	Rate Check	956	3.1	8.32	107.1	107.1
10:51:28	Rate Check	974	3.1	8.33	113.3	113.3
10:53:28	Rate Check	990	3.1	8.33	119.6	119.6
10:55:28	Rate Check	999	3.1	8.33	125.8	125.8
10:57:28	Rate Check	1008	3.1	8.33	132.1	132.1
10:59:28	Rate Check	1014	3.1	8.33	138.3	138.3



	Comment	CASING-ps i	PUMP RATE-bpm	DENSITY-p pg	SLRY VOL STG-bbls	SLRY VOL TOT-bbls
11:01:28	Rate Check	1021	3.1	8.32	144.6	144.6
11:03:28	Rate Check	1026	3.1	8.33	150.8	150.8
11:05:33	Rate Check	1030	3.0	8.33	157.3	157.3
11:07:33	Rate Check	1036	3.1	8.32	163.5	163.5
11:09:34	Rate Check	1041	3.1	8.33	169.6	169.6
11:11:34	Rate Check	1042	3.1	8.33	175.8	175.8
11:13:34	Rate Check	1047	3.0	8.33	181.9	181.9
11:15:34	Rate Check	1124	3.8	8.34	188.1	188.1
11:15:54	Sweep Start	1213	4.1	8.33	189.4	189.4
11:17:34	Rate Check	1248	4.1	8.33	196.2	196.2
11:19:34	Rate Check	1253	4.1	8.33	204.3	204.3
11:21:34	Rate Check	1251	4.1	8.32	212.3	212.3
11:23:34	Rate Check	1251	3.9	8.32	220.2	220.2
11:25:34	Rate Check	1249	3.9	8.33	228.1	228.1
11:27:34	Rate Check	1246	3.8	8.33	235.9	235.9
11:29:34	Rate Check	1245	3.8	8.33	243.5	243.5
11:31:34	Rate Check	1339	4.2	8.34	252.3	252.3
11:33:34	Rate Check	1340	4.2	8.33	260.8	260.8
11:35:34	Rate Check	1333	4.2	8.34	269.2	269.2
11:37:34	Rate Check	1336	4.1	8.33	277.5	277.5
11:39:34	Rate Check	1346	4.2	8.33	285.9	285.9
11:41:34	Rate Check	1343	4.2	8.33	294.2	294.2
11:43:34	Rate Check	1350	4.1	8.33	302.5	302.5
11:45:34	Rate Check	1402	4.6	8.33	310.8	310.8
11:47:34	Rate Check	1536	5.0	8.34	320.7	320.7
11:49:34	Rate Check	1544	5.0	8.33	330.7	330.7
11:50:34	Sweep Start	1551	5.0	8.32	335.7	335.7
11:51:34	Rate Check	1552	5.0	8.34	340.7	340.7
11:53:34	Rate Check	1556	5.0	8.33	350.7	350.7
11:55:34	Rate Check	1567	5.0	8.33	360.6	360.6
11:57:34	Rate Check	1575	5.1	8.33	370.7	370.7
11:59:34	Rate Check	1577	5.0	8.34	380.8	380.8
12:01:34	Rate Check	1579	5.0	8.32	390.8	390.8
12:03:34	Rate Check	1582	5.0	8.32	400.9	400.9
12:05:34	Rate Check	1587	5.0	8.33	410.9	410.9
12:07:34	Rate Check	1584	5.0	8.33	420.9	420.9
12:09:39	Rate Check	1581	5.0	8.33	431.3	431.3
12:11:39	Rate Check	1588	5.0	8.32	441.3	441.3
12:13:39	Rate Check	1611	5.1	8.33	451.4	451.4
12:15:39	Rate Check	1830	6.0	8.32	462.2	462.2
12:15:49	Sweep Start	1830	6.0	8.33	463.2	463.2
12:17:39	Rate Check	1841	6.0	8.33	474.2	474.2
12:19:39	Rate Check	1853	6.0	8.34	486.2	486.2
12:21:39	Rate Check	1854	6.0	8.33	498.3	498.3
12:23:39	Rate Check	1857	6.0	8.33	510.3	510.3
12:25:39	Rate Check	1869	6.1	8.32	522.4	522.4
12:27:39	Rate Check	1867	6.0	8.33	534.5	534.5
12:29:39	Rate Check	1877	6.0	8.33	546.6	546.6
12:31:39	Rate Check	1874	6.0	8.34	558.6	558.6
12:33:39	Rate Check	1874	6.0	8.34	570.7	570.7
12:35:39	Rate Check	1874	6.0	8.33	582.8	582.8
12:37:39	Rate Check	1875	6.0	8.33	594.9	594.9
12:39:40	Rate Check	1875	6.0	8.32	606.9	606.9
12:41:40	Rate Check	1881	6.0	8.33	619.0	619.0



	Comment	CASING-ps i	PUMP RATE-bpm	DENSITY-p pg	SLRY VOL STG-bbls	SLRY VOL TOT-bbls
12:43:40	Rate Check	1885	6.0	8.32	631.1	631.1
12:45:40	Rate Check	2148	7.0	8.33	643.7	643.7
12:47:40	Rate Check	2145	7.1	8.33	657.7	657.7
12:49:40	Rate Check	2145	7.0	8.33	671.9	671.9
12:51:40	Rate Check	2145	7.0	8.33	685.9	685.9
12:53:40	Rate Check	2143	7.1	8.33	700.0	700.0
12:55:40	Rate Check	2145	7.0	8.33	714.0	714.0
12:57:40	Rate Check	2143	7.0	8.33	728.0	728.0
12:59:40	Rate Check	2140	7.0	8.33	742.0	742.0
13:01:40	Rate Check	2144	7.1	8.33	756.1	756.1
13:03:40	Rate Check	2177	7.2	8.33	770.2	770.2
13:05:40	Rate Check	2202	7.2	8.33	784.6	784.6
13:07:40	Rate Check	2201	7.2	8.33	799.0	799.0
13:09:40	Rate Check	2188	7.1	8.33	813.4	813.4
13:11:45	Rate Check	2198	7.2	8.34	828.3	828.3
13:13:45	Rate Check	2186	7.2	8.32	842.7	842.7
13:15:45	Rate Check	2318	7.5	8.33	857.0	857.0
13:17:45	Rate Check	2184	7.0	8.33	871.1	871.1
13:19:45	Rate Check	2049	6.3	8.33	885.6	885.6
13:21:45	Rate Check	2353	7.8	8.33	900.8	900.8
13:22:25	Sweep Start	2360	7.8	8.32	906.0	906.0
13:23:45	Rate Check	2390	7.9	8.33	916.5	916.5
13:25:45	Rate Check	2373	7.8	8.33	932.6	932.6
13:27:45	Rate Check	2395	9.2	8.34	949.7	949.7
13:29:45	Rate Check	2043	8.0	8.32	966.4	966.4
13:31:45	Rate Check	2032	8.2	8.34	982.5	982.5
13:33:45	Rate Check	1940	8.2	8.33	1001.9	1001.9
13:35:45	Rate Check	2084	9.2	8.33	1019.3	1019.3
13:37:45	Rate Check	2397	8.8	8.32	1037.6	1037.6
13:39:45	Rate Check	2470	8.6	8.34	1055.0	1055.0
13:41:45	Rate Check	2449	8.5	8.33	1072.7	1072.7
13:43:45	Rate Check	2432	8.5	8.33	1089.6	1089.6
13:45:45	Rate Check	2407	8.5	8.33	1106.9	1106.9
13:47:45	Rate Check	2437	11.3	8.34	1125.0	1125.0
13:49:45	Rate Check	840	9.7	8.33	1152.1	1152.1
13:49:50	ISIP	1206	8.9	8.33	1152.8	1152.8
13:51:05	Start Stage	1155	-0.0	8.33	1158.3	0.0
13:51:45	Rate Check	1136	0.2	8.32	1158.3	0.0
13:53:45	Rate Check	1093	-0.1	8.33	1158.4	0.1
13:54:25	Start Stage	1080	-0.1	8.33	0.0	0.0
13:55:05	ISIP 5 min	1070	0.2	8.33	0.0	0.0
13:55:45	Rate Check	1059	0.0	8.34	0.1	0.1
13:57:45	Rate Check	1028	0.0	8.33	0.1	0.1
13:59:45	Rate Check	1005	0.0	8.33	0.1	0.1
14:00:05	ISIP 10 min	1000	0.0	8.33	0.1	0.1
14:00:20	Start Stage	998	0.0	8.34	0.0	0.0
14:01:45	Rate Check	983	0.0	8.33	0.0	0.0
14:03:46	Rate Check	966	0.0	8.33	0.0	0.0
14:05:46	Rate Check	1265	0.0	8.33	0.1	0.1
14:07:46	Rate Check	1279	0.0	8.33	0.1	0.1
14:09:46	Rate Check	960	0.0	8.33	0.1	0.1
14:10:11	ISIP 15 min	945	0.0	8.32	0.1	0.1
14:11:46	Rate Check	945	0.0	8.34	0.1	0.1
14:13:46	Rate Check	925	0.0	8.33	0.1	0.1





	Comment	CASING-ps i	PUMP RATE-bpm	DENSITY-p pg	SLRY VOL STG-bbls	SLRY VOL TOT-bbls
14:15:16	ISIP 20 min 915	0.0	8.33	0.1	0.1	
14:15:46	Rate Check 915	0.0	8.33	0.1	0.1	
14:17:46	Rate Check 905	0.0	8.33	0.2	0.2	
14:19:46	Rate Check 905	0.0	8.33	0.2	0.2	
14:20:06	ISIP 25 min 895	0.0	8.33	0.2	0.2	
14:20:11	ISIP 25 min 895	0.0	8.33	0.2	0.2	
14:21:46	Rate Check 895	0.0	8.33	0.2	0.2	
14:23:51	Rate Check 880	0.0	8.33	0.2	0.2	
14:25:06	ISIP 30 min 875	0.0	8.33	0.2	0.2	
14:25:11	Start Stage 875	0.0	8.32	0.0	0.0	
14:25:41	End Job 875	0.0	8.33	0.0	0.0	
14:25:46	Rate Check 0	0.0	8.33	0.0	0.0	
14:25:51	End Job 0	0.0	8.33	0.0	0.0	
14:26:01	Job 0	0.0	8.33	0.0	0.0	
	Complete					
14:26:06	Job 0	0.0	8.33	0.0	0.0	
	Complete					
14:26:16	Thank you! 0	0.0	8.32	0.0	0.0	


{1}STEP RATE TEST - Units

Casing Pressure	CASING-psi	psi
Pump Rate	PUMP RATE-bpm	bpm
Cement Density	DENSITY-ppg	ppg
Slurry Fluid Volume Stage	SLRY VOL STG-bbls	bbl
Slurry Fluid Volume Job	SLRY VOL TOT-bbls	bbl












Juniper SWD #1 API No. 30-045-29732



Juniper SWD #1 API No. 30-045-29732



Juniper SWD Well No. 1 (API No. 30-045-29732) Sec 16, T24N, R10W
 Test Run: May 28, 2008 Coleman Oil & Gas, Inc.



Juniper SWD Well No. 1 (API No. 30-045-29732) Sec 16, T24N, R10W
 Test Run: May 28, 2008 Coleman Oil & Gas, Inc.

