

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised October 10, 2003

Submit 2 Copies to appropriate
District Office in accordance
with Rule 116 on back
side of form

Release Notification and Corrective Action

NSEB0821049		OPERATOR		<input type="checkbox"/> Initial Report	<input checked="" type="checkbox"/> Final Report
Name of Company CHI Operating, Inc.		Contact JOHN QUALLS			
Address P.O. Box 1799 Midland, TX 79702		Telephone No. 432-685-5001			
Facility Name INBOUNDS COM 1Y		Facility Type			

Surface Owner MARVIN WATTS	Mineral Owner SEE ATTACHED LIST OF RI	Lease No. NM18605
----------------------------	---------------------------------------	-------------------

30 015 31844

LOCATION OF RELEASE

Unit Letter K	Section 9	Township 22S	Range 25E	Feet from the 1650	North/South Line SOUTH	Feet from the 1780	East/West Line WEST	County EDDY
------------------	--------------	-----------------	--------------	-----------------------	---------------------------	-----------------------	------------------------	----------------

Latitude _____ Longitude _____

NATURE OF RELEASE

Type of Release WATER SPILL	Volume of Release less than 5 bbl	Volume Recovered NONE
Source of Release WATER TANK	Date and Hour of Occurrence	Date and Hour of Discovery WRITEUP
Was Immediate Notice Given? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Not Required	If YES, To Whom?	
By Whom?	Date and Hour	
Was a Watercourse Reached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, Volume Impacting the Watercourse.	

If a Watercourse was Impacted, Describe Fully.*

NA

Describe Cause of Problem and Remedial Action Taken.*

The final report was submitted to Mike Bratcher

Describe Area Affected and Cleanup Action Taken.*

As of this date all cleanup effort is complete and successful. The report attached is a copy but an original with all analytical data has been submitted to Mike Bratcher with the NMOCD in Artesia as well

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Signature: <i>Pam Corbett</i>		OIL CONSERVATION DIVISION	
Printed Name: PAM CORBETT		Approved by District Supervisor: <i>T. Gumbly</i>	
Title: ENG. TECH		Approval Date: 12-22-08	Expiration Date: N/A
E-mail Address: pamc@chienergyinc.com		Conditions of Approval: N/A	Attached <input type="checkbox"/> N/A
Date: 11/21/08	Phone: 432-685-5001		

* Attach Additional Sheets If Necessary

2RP-202

Analytical Report 314582

for

Tripp Construction Co.

Project Manager: Mark Meadows

Inbounds Com #1

08-10-1002

16-OCT-08



12600 West I-20 East Odessa, Texas 79765

Texas certification numbers:

Houston, TX T104704215

Florida certification numbers:

Houston, TX E871002 - Miami, FL E86678 - Tampa, FL E86675

Norcross(Atlanta), GA E87429

South Carolina certification numbers:

Norcross(Atlanta), GA 98015

North Carolina certification numbers:

Norcross(Atlanta), GA 483

Houston - Dallas - San Antonio - Austin - Tampa - Miami - Latin America

Midland - Corpus Christi - Atlanta

LAB OF

10-OCT-08

Project Manager: Mark Meadows
Tripp Construction Co.
P.O. Box 1711
Odessa, TX 79760

Reference: XENCO Report No: 314582
Inbounds Com #1
Project Address: Inbounds Com #1

Mark Meadows:

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number 314582. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. Estimation of data uncertainty for this report is found in the quality control section of this report unless otherwise noted. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 314582 will be filed for 60 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,



Brent Barron, II
Odessa Laboratory Manager

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - San Antonio - Austin - Tampa - Miami - Atlanta - Corpus Christi - Latin America

**Sample Cross Reference 314582****Tripp Construction Co., Odessa, TX****Inbounds Com #1**

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
CS-1	S	Oct-16-08 16:00	2-3 ft	314582-001
CS-2	S	Oct-16-08 16:00	2-3 ft	314582-002
CS-3	S	Oct-16-08 16:00	2-3 ft	314582-003
CS-4	S	Oct-16-08 16:00	2-3 ft	314582-004
Background	S	Oct-16-08 16:00	2-3 ft	314582-005



Certificate of Analysis Summary 314582

Tripp Construction Co., Odessa, TX

Project Name: Inbounds Com #1

Project ID:

Contact: Mark Meadows

Project Location:

Date Received in Lab:


Report Date:

Project Manager: Brent Barron, II

Analysis Requested	Lab Id:										
	Field Id:	CS-1	CS-2	CS-3	CS-4	Background					
	Depth:	2-3 ft	2-3 ft	2-3 ft	2-3 ft	2-3 ft					
	Matrix:	SOIL	SOIL	SOIL	SOIL	SOIL					
	Sampled:	Oct-16-08 10:53	Oct-16-08 10:53	Oct-16-08 10:53	Oct-16-08 10:53	Oct-16-08 10:53					
Anions by EPA 300.300.1	Extracted:										
	Analyzed:										
	Units/RL:	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL
Chloride		127	<10.	118	<10	98	<10	80	<10	85	<10

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty in the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Since 1990 Houston - Dallas - San Antonio - Austin - Tampa - Miami - Latin America - Atlanta - Corpus Christi


Brent Barron
Odessa Laboratory Director



Flagging Criteria

- X** In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to effect the recovery of the spike concentration. This condition could also effect the relative percent difference in the MS/MSD.
- B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E** The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F** RPD exceeded lab control limits.
- J** The target analyte was positively identified below the MQL(PQL) and above the SQL(MDL).
- U** Analyte was not detected.
- L** The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- K** Sample analyzed outside of recommended hold time.
- * Outside XENCO'S scope of NELAC Accreditation

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - San Antonio - Austin - Tampa - Miami - Atlanta - Corpus Christi - Latin America

11381 Meadowglen Lane Suite L Houston, TX 77082-2647
 9701 Harry Hines Blvd., Dallas, TX 75220
 5332 Blackberry Drive, Suite 104, San Antonio, TX 78238
 2505 N. Falkenburg Rd., Tampa, FL 33619
 5757 NW 158th St, Miami Lakes, FL 33014
 6017 Financial Dr., Norcross, GA 30071

Phone	Fax
(281) 589-0692	(281) 589-0695
(214) 902 0300	(214) 351-9139
(210) 509-3334	(210) 509-3335
(813) 620-2000	(813) 620-2033
(305) 823-8500	(305) 823-8555
(770) 449-8800	(770) 449-5477

**Blank Spike Recovery****Project Name:** Inbounds Com #1**Work Order #:** 314582**Project ID:**

08-10-1002

Lab Batch #: 716388**Sample:** 716388-1-BKS**Matrix:** Solid**Date Analyzed:** 10/16/2008**Date Prepared:** 10/16/2008**Analyst:** LATCOR**Reporting Units:** mg/kg**Batch #:** 1**BLANK/BLANK SPIKE RECOVERY STUDY**

Anions by EPA 300/300.1		Blank Result [A]	Spike Added [B]	Blank Spike Result [C]	Blank Spike %R [D]	Control Limits %R	Flags
Analytes							
Chloride		ND	10.0	9.77	98	75-125	

Blank Spike Recovery [D] = $100 \times [C] / [B]$

All results are based on MDL and validated for QC purposes

**Form 3 - MS Recoveries**

Project Name: Inbounds Com #1



Work Order #: 314582

Lab Batch #: 716388

Date Analyzed: Oct-16-08

QC- Sample ID:

Reporting Units: mg/kg

Project ID:

Analyst: LATCOR

Date Prepared:

Batch #: 1

Matrix: Soil

MATRIX / MATRIX SPIKE RECOVERY STUDY

Inorganic Anions by EPA 300 Analytes	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	%R [D]	Control Limits %R	Flag
Chloride	2880	1000	4010	113	75-125	

Matrix Spike Percent Recovery [D] = $100 \times (C-A)/B$
Relative Percent Difference [E] = $200 \times (C-A)/(C+B)$
All Results are based on MDL and Validated for QC Purposes

**Sample Duplicate Recovery**

Project Name: Inbounds Com #1



Work Order #: 314582

Lab Batch #: 716388

Date Analyzed: 10/16/2008

Date Prepared: 10-16-08

Project ID: 08-10-1002

Analyst: LATCOR

QC- Sample ID:

Batch #: 1

Matrix: Soil

Reporting Units: mg/kg

SAMPLE / SAMPLE DUPLICATE RECOVERY					
Anions by EPA 300/300.1	Parent Sample Result A	Sample Duplicate Result B	RPD	Control Limits %RPD	Flag
Analyte					
Chloride	<10	<10	0	20	

Spike Relative Difference $RPD = 200 * |(B-A)/(B+A)|$
All Results are based on MDL and validated for QC purposes

Environmental Lab of Texas
Variance/ Corrective Action Report- Sample Log-In

Client: Tripp Const.
Date/ Time: 10-16-01 7:44
Lab ID #: 314580
Initials: CL

Sample Receipt Checklist

				Client Initials
#1 Temperature of container/ cooler?	Yes	No	15	C
#2 Shipping container in good condition?	Yes	No		
#3 Custody Seals intact on shipping container/ cooler?	Yes	No	Not Present	
#4 Custody Seals intact on sample bottle/ container?	Yes	No	Not Present	
#5 Chain of Custody present?	Yes	No		
#6 Sample instructions complete of Chain of Custody?	Yes	No		
#7 Chain of Custody signed when relinquished/ received?	Yes	No		
#8 Chain of Custody agrees with sample label(s)?	Yes	No	ID written on Cont/ Lid	
#9 Container label(s) legible and intact?	Yes	No	Not Applicable	
#10 Sample matrix/ properties agree with Chain of Custody?	Yes	No		
#11 Containers supplied by ELOT?	Yes	No		
#12 Samples in proper container/ bottle?	Yes	No	See Below	
#13 Samples properly preserved?	Yes	No	See Below	
#14 Sample bottles intact?	Yes	No		
#15 Preservations documented on Chain of Custody?	Yes	No		
#16 Containers documented on Chain of Custody?	Yes	No		
#17 Sufficient sample amount for indicated test(s)?	Yes	No	See Below	
#18 All samples received within sufficient hold time?	Yes	No	See Below	
#19 Subcontract of sample(s)?	Yes	No	Not Applicable	
#20 VOC samples have zero headspace?	Yes	No	Not Applicable	

Variance Documentation

Contact: _____ Contacted by: _____ Date/ Time: _____

Regarding: _____

Corrective Action Taken: _____

Check all that Apply: ☐ See attached e-mail/ fax
☐ Client understands and would like to proceed with analysis
☐ Cooling process had begun shortly after sampling event

Bonham, Sherry, EMNRD

From: Bonham, Sherry, EMNRD
Sent: Monday, December 22, 2008 3:51 PM
To: 'Pam Corbett'
Cc: 'bradley.blevins@chk.com', Bratcher, Mike, EMNRD
Subject: In Bounds Com Unit 001Y 30-015-31844 2RP-202

Based on the data provided, the submitted final report C-141 is approved.

CHI Operating, Inc is hereby advised that NMOCD approval of this Final Report C-141 does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that may pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD approval of this Final Report C-141 does not relieve the operator of responsibility for compliance with any other federal, state, local laws and/or regulations.

Respectfully,
Sherry Bonham
NMOCD District II

NOV 13 2008
OCD-ARTESIA

**PRELIMINARY SITE
INVESTIGATION REPORT
and
REMEDIATION/CLOSURE
PLAN**

**Chi Operating, Inc.
Inbounds Com #1
Eddy County, New Mexico
COI 08-03-1001**


Prepared For:

Chi Operating, Inc.
P.O. Box 1799
Midland, Texas 79702

Prepared By:

Tripp Constuction, Inc.
P.O. Box 1711
Odessa, New Mexico 79760

October 31, 2008



Mark Meadows
Tripp Construction, Inc.

Table of Contents

1.0	Introduction and Summary	3
2.0	Field Activities	3
3.0	Environmental x Media Characterization	3
4.0	Soil Investigation	4
5.0	Conclusion and Basis for Site Closure Request	4
6.0	Limitations	4
7.0	Distribution	5
Attachment I: Site Plan		7
Attachment II: Analytical Results/Chain of Custody		9
Attachment III: Site Photographs		20

1.0 Introduction and Summary

Tripp Construction, Inc. (TCI) responded to a call from Chi Operating, Inc. (COI) concerning the Inbounds Com #1. This report details all the events pursuant to remediation of the site in such a manner that protects the population, environment, and groundwater in the area.

The site is characterized by mesquite growth and pasture utilized for livestock. The excavated areas are noted in the summary of field activities section.

TCI went to the location at the request of COI and found an area that had salt crystals on the surface. The impacted soil was excavated and hauled to disposal. The site was delineated to insure that the impacted material was removed. The excavated area was analyzed for chloride content. The results are shown in Attachment II.

The samples show that no elevated chlorides are present above background and the excavation was back filled with new material.

2.0 Field Activities

In October, 2008, TCI responded to the site located in Eddy County, New Mexico under the direction of the COI personnel. The impacted area at the well was excavated to a maximum depth of three feet (3') on the location. Vertical and horizontal extent of the impacted area has been delineated. TCI obtained samples to delineate horizontal and vertical extent of contamination. Samples were collected on twenty foot (20') intervals in both the North-South and East-West orientation in the impacted areas. Elevated chloride levels were then delineated to their origin at the base of the reserve pit wall. Two areas were found to have been the source of the chloride levels present at the site. There were a total of five (5) areas impacted with chlorides. They are labeled areas 1 through 5. Area 1 was excavated to a depth of 3' before encountering clean soil. Area 2 was excavated to a depth of 2 ½' before encountering clean soil. Area 3 was excavated to a depth of 2 ½' before encountering clean soil. Areas 4 and 5 were excavated to a depth of 10" before encountering clean soil. TCI excavated the material that had been impacted and placed new plastic at the site of the ruptures in the original containment. All samples were analyzed in the field using Hach titrators the soil was then replaced and the contour of the excavated area was returned to level.

3.0 Environmental x Media Characterization

Chemical parameters of the soil will be characterized consistent with the characterization and remediation/ abatement goals and objectives set forth in OCD and BLM guidelines.

4.0 Soil Investigation

A total of one hundred and eighty-three (183) soil samples were collected and were analyzed utilizing Hach field titrators for Chloride levels in accordance with standard environmental methods. Initial samples were taken in a twenty foot grid pattern starting at the base of the reserve pit and working both north and east. Grids are labeled starting with A-1 and moving North to A-10. The grid moving East goes from A-1 to C-1 (See site sampling map). After determining the areas with elevated chloride levels, the delineation process began. Five (5) different impacted areas were identified and delineated (See Site Map). The depth of excavation of the impacted areas ranged from six inches to three feet (6"-3'). (See Analytical Results – Attachment 2 and Site Maps – Attachment I).

6.0 Conclusion and Basis for Site Closure Request

On behalf of Chi Operating, Inc., we would like to request site closure on the basis of the analytical results associated with the October, 2008 delineation and sampling event and upon site clean-up efforts to date.

5.0 Limitations

Tripp Construction, Inc. (TCI) has prepared this Site Closure Report to the best of its ability. No other warranty, expresses or implied, is made or intended. TCI has examined and relied upon documents referenced in the report and had relied on oral statements made by certain individuals. TCI has not conducted an independent examination of the facts contained in referenced materials and statements. We have presumed the genuineness of the documents and that the information provided in documents or statements is true and accurate. TCI has prepared this report in a professional manner, using the degree of skill and care exercised by similar environmental consultants. TCI also notes that the facts and conditions referenced in this report may change over time and the conclusions and recommendations set forth herein are applicable only to the facts and conditions as described at the time of this report.

The report has been prepared for the benefit of Chi Operating, Inc. The information contained in this report including all exhibits and attachments, may not be used by any other party without the express consent of Tripp Construction, Inc., and Chi Operating, Inc.


6.0 Distribution

- Copy 1: John Qualls
Chi Operating, Inc.
212 N. Main St.
Midland, Texas 79701
- Copy 2: John Qualls – for Chesapeake
Chi Operating, Inc.
9186 West Interstate 20
Odessa, Texas 79760
- Copy 3: Oil Conservation Division
Artesia District Office
- Copy 4: Tripp Construction, Inc.
Mark Meadows
mmeadows@nwol.net

Chi Operating, Inc.
Inbounds Com #1Y
Soil Investigation Results and Site Closure Dated October 31, 2008

Attachment I

Site Plan



Inbounds Com #1

Chi Operating, Inc.

October 31, 2008

Reserve Pit

A-1

Area 3

Area 1

A-10

Area 4

Area 2

Area 5

F-1

F-10



Chi Operating, Inc.
Inbounds Com #1Y
Soil Investigation Results and Site Closure Dated October 31, 2008

Attachment II

Analytical Results

Inbounds Com #1-Y

Chi Operating, Inc.
Analytical Results

October 31, 2008

Sector	Depth	Results (ppm)	Sector	Depth	Results
A-1	Surface	18	C-1	Surface	79
A-1	Surface	52	C-1	Surface	44
A-2	Surface	376	C-2	Surface	53
A-2	Surface	1418	C-2	Surface	17
A-3	Surface	2793	C-3	Surface	82
A-3	Surface	2901	C-3	Surface	63
A-4	Surface	1653	C-4	Surface	16
A-4	Surface	834	C-4	Surface	85
A-5	Surface	136	C-5	Surface	74
A-5	Surface	128	C-5	Surface	21
A-6	Surface	195	C-6	Surface	72
A-6	Surface	184	C-6	Surface	18
A-7	Surface	1102	C-7	Surface	46
A-7	Surface	2319	C-7	Surface	83
A-8	Surface	1553	C-8	Surface	79
A-8	Surface	978	C-8	Surface	65
A-9	Surface	161	C-9	Surface	56
A-9	Surface	112	C-9	Surface	83
A-10	Surface	97	C-10	Surface	99
A-10	Surface	88	C-10	Surface	1982
B-1	Surface	77	D-1	Surface	2563
B-1	Surface	363	D-1	Surface	1471
B-2	Surface	311	D-2	Surface	834
B-2	Surface	118	D-2	Surface	97
B-3	Surface	74	D-3	Surface	56
B-3	Surface	58	D-3	Surface	64
B-4	Surface	33	D-4	Surface	83
B-4	Surface	181	D-4	Surface	99
B-5	Surface	1386	D-5	Surface	104
B-5	Surface	1552	D-5	Surface	64
B-6	Surface	1347	D-6	Surface	38
B-6	Surface	308	D-6	Surface	47
B-7	Surface	1468	D-7	Surface	72
B-7	Surface	1456	D-7	Surface	55
B-8	Surface	1692	D-8	Surface	81
B-8	Surface	813	D-8	Surface	67
B-9	Surface	169	D-9	Surface	18
B-9	Surface	97	D-9	Surface	34
B-10	Surface	82	D-10	Surface	16
B-10	Surface	53	D-10	Surface	

Analytical Results

Sector	Depth	Results	Sector	Depth	Results
E-1	Surface	543	A-2	6"	148
E-1	Surface	472	A-2	1'	153
E-2	Surface	318	A-2	1 1/2'	102
E-2	Surface	105	A-3	6"	97
E-3	Surface	97	A-3	1'	58
E-3	Surface	86	A-3	1 1/2'	76
E-4	Surface	43	A-3	2'	119
E-4	Surface	51	A-3	2 1/2'	212
E-5	Surface	34	A-3	2 1/2'	230
E-5	Surface	28	A-4	2 1/2'	183
E-6	Surface	11	A-4	2'	214
E-6	Surface	27	A-4	2'	184
E-7	Surface	111	A-4	1'	231
E-7	Surface	59	A-4	1'	165
E-8	Surface	81	A-7	1 1/2'	147
E-8	Surface	75	A-7	2'	180
E-9	Surface	64	A-7	2 1/2'	106
E-9	Surface	37	A-7	3'	51
E-10	Surface	29	A-7	3'	47
E-10	Surface	17	A-8	3'	38
F-1	Surface	43	A-8	3'	25
F-1	Surface	51	A-8	2'	57
F-2	Surface	62	A-8	1'	64
F-2	Surface	49	A-8	6"	25
F-3	Surface	67	B-1	6"	106
F-3	Surface	58	B-1	6"	124
F-4	Surface	67	B-1	10"	157
F-4	Surface	61	B-1	10"	138
F-5	Surface	60	B-2	10"	153
F-5	Surface	38	B-2	6"	85
F-6	Surface	33	B-2	6"	46
F-6	Surface	19	B-5	6"	41
F-7	Surface	16	B-5	1'	68
F-7	Surface	10	B-5	1 1/2'	59
F-8	Surface	31	B-5	1'	47
F-8	Surface	38	B-5	1'	59
F-9	Surface	37	B-6	6"	63
F-9	Surface	36	B-6	6"	28
F-10	Surface	58	B-7	6"	14
F-10	Surface	54	B-7	1'	16

Inbounds Com #1-Y

Chi Operating, Inc. Analytical Results

October 31, 2008

Sector	Depth	Results	Sector	Depth	Results
B-7	1 1/2'	158			
B-7	2'	162			
B-7	3'	183			
B-7	3'	174			
B-7	2 1/2'	135			
B-8	2 1/2'	122			
B-8	2'	98			
B-8	2'	84			
B-8	1 1/2'	76			
B-8	1'	55			
B-8	1'	31			
B-8	6"	20			
B-8	6"	18			
D-1	6"	24			
D-1	10"	159			
D-1	10"	137			
D-2	10"	122			
D-2	10"	56			
D-2	6"	54			
E-1	6"	126			
E-1	10"	138			
E-2	10"	143			
E-2	6"	28			

Chi Operating, Inc.
Inbounds Com #1Y
Soil Investigation Results and Site Closure Dated October 31, 2008

Attachment III

Photos

