

ABOVE THIS LINE FOR DIVISION USE ONLY

RECEIVED

NEW MEXICO OIL CONSERVATION DIVISION
 - Engineering Bureau -

2009 JAN 26 PM 12:40 South St. Francis Drive, Santa Fe, NM 87505



West Brushy 5
 Federal 5 SWD
 Marbob Energy
 14049

ADMINISTRATIVE APPLICATION CHECKLIST

THIS CHECKLIST IS MANDATORY FOR ALL ADMINISTRATIVE APPLICATIONS FOR EXCEPTIONS TO DIVISION RULES AND REGULATIONS WHICH REQUIRE PROCESSING AT THE DIVISION LEVEL IN SANTA FE

Application Acronyms:

- [NSL-Non-Standard Location] [NSP-Non-Standard Proration Unit] [SD-Simultaneous Dedication]
- [DHC-Downhole Commingling] [CTB-Lease Commingling] [PLC-Pool/Lease Commingling]
- [PC-Pool Commingling] [OLS - Off-Lease Storage] [OLM-Off-Lease Measurement]
- [WFX-Waterflood Expansion] [PMX-Pressure Maintenance Expansion]
- [SWD-Salt Water Disposal] [IPI-Injection Pressure Increase]
- [EOR-Qualified Enhanced Oil Recovery Certification] [PPR-Positive Production Response]

[1] **TYPE OF APPLICATION** - Check Those Which Apply for [A]

- [A] Location - Spacing Unit - Simultaneous Dedication
 NSL NSP SD

Check One Only for [B] or [C]

- [B] Commingling - Storage - Measurement
 DHC CTB PLC PC OLS OLM

- [C] Injection - Disposal - Pressure Increase - Enhanced Oil Recovery
 WFX PMX SWD IPI EOR PPR

- [D] Other: Specify _____

[2] **NOTIFICATION REQUIRED TO:** - Check Those Which Apply, or Does Not Apply

- [A] Working, Royalty or Overriding Royalty Interest Owners
- [B] Offset Operators, Leaseholders or Surface Owner
- [C] Application is One Which Requires Published Legal Notice
- [D] Notification and/or Concurrent Approval by BLM or SLO
U.S. Bureau of Land Management - Commissioner of Public Lands, State Land Office
- [E] For all of the above, Proof of Notification or Publication is Attached, and/or,
- [F] Waivers are Attached

[3] **SUBMIT ACCURATE AND COMPLETE INFORMATION REQUIRED TO PROCESS THE TYPE OF APPLICATION INDICATED ABOVE.**

[4] **CERTIFICATION:** I hereby certify that the information submitted with this application for administrative approval is **accurate** and **complete** to the best of my knowledge. I also understand that **no action** will be taken on this application until the required information and notifications are submitted to the Division.

Note: Statement must be completed by an individual with managerial and/or supervisory capacity.

BRIAN COLLINS
 Print or Type Name

Brian Collins
 Signature

PETROLEUM ENGINEER
 Title

8Jan09
 07/08/09
 Date

bcollins@marbob.com
 e-mail Address

SWD - 1168

APPLICATION FOR AUTHORIZATION TO INJECT

I. PURPOSE: _____ Secondary Recovery _____ Pressure Maintenance _____ X _____ Disposal _____ Storage
Application qualifies for administrative approval? _____ X _____ Yes _____ No

II. OPERATOR: _____ MARBOB ENERGY CORPORATION _____

ADDRESS: _____ P O BOX 227, ARTESIA, NM 88211-0227 _____

CONTACT PARTY: _____ BRIAN COLLINS _____ PHONE: _____ 575-748-3303 _____

III. WELL DATA: Complete the data required on the reverse side of this form for each well proposed for injection.
Additional sheets may be attached if necessary.

IV. Is this an expansion of an existing project? _____ Yes _____ X _____ No
If yes, give the Division order number authorizing the project: _____

V. Attach a map that identifies all wells and leases within two miles of any proposed injection well with a one-half mile radius circle drawn around each proposed injection well. This circle identifies the well's area of review.

VI. Attach a tabulation of data on all wells of public record within the area of review which penetrate the proposed injection zone. Such data shall include a description of each well's type, construction, date drilled, location, depth, record of completion, and a schematic of any plugged well illustrating all plugging detail.

VII. Attach data on the proposed operation, including:

1. Proposed average and maximum daily rate and volume of fluids to be injected;
2. Whether the system is open or closed;
3. Proposed average and maximum injection pressure;
4. Sources and an appropriate analysis of injection fluid and compatibility with the receiving formation if other than reinjected produced water; and,
5. If injection is for disposal purposes into a zone not productive of oil or gas at or within one mile of the proposed well, attach a chemical analysis of the disposal zone formation water (may be measured or inferred from existing literature, studies, nearby wells, etc.).

*VIII. Attach appropriate geologic data on the injection zone including appropriate lithologic detail, geologic name, thickness, and depth. Give the geologic name, and depth to bottom of all underground sources of drinking water (aquifers containing waters with total dissolved solids concentrations of 10,000 mg/l or less) overlying the proposed injection zone as well as any such sources known to be immediately underlying the injection interval.

IX. Describe the proposed stimulation program, if any.

*X. Attach appropriate logging and test data on the well. (If well logs have been filed with the Division, they need not be resubmitted).


*XI. Attach a chemical analysis of fresh water from two or more fresh water wells (if available and producing) within one mile of any injection or disposal well showing location of wells and dates samples were taken.

XII. Applicants for disposal wells must make an affirmative statement that they have examined available geologic and engineering data and find no evidence of open faults or any other hydrologic connection between the disposal zone and any underground sources of drinking water.

XIII. Applicants must complete the "Proof of Notice" section on the reverse side of this form.

XIV. Certification: I hereby certify that the information submitted with this application is true and correct to the best of my knowledge and belief.

NAME: _____ BRIAN COLLINS _____ TITLE: _____ PETROLEUM ENGINEER _____

SIGNATURE: _____  _____ DATE: _____ 01/07/09 _____

E-MAIL ADDRESS: _____ bcollins@marbob.com _____

* If the information required under Sections VI, VIII, X, and XI above has been previously submitted, it need not be resubmitted. Please show the date and circumstances of the earlier submittal: _____

C-108 Application for Authorization to Inject
West Brushy 5 Federal 5 SWD
800' FSL 850' FEL
P-5-26S-29E, Eddy County

Marbob Energy Corporation proposes to re-enter the captioned well, clean out to 6000', squeeze cement the Williamson Sand 4890-4910' and convert it to salt water disposal service into the Delaware Sand from 4354-4630' and 5193-5930'.

- V. Map is attached.
- VI. Wellbore schematics are attached for all the wells that penetrate the proposed injection zone within the 1/2 mile radius area of review.
- VII.
 - 1. Proposed average daily injection rate = 1000 BWPD
Proposed maximum daily injection rate = 3000 BWPD
 - 2. Closed system
 - 3. Proposed maximum injection pressure = 870 psi
(0.2 psi/ft. x 4354 ft.)
 - 4. Source of injected water will be Delaware Sand and Bone Spring Sand produced water. No compatibility problems are expected. Analyses of Delaware and Bone Spring waters from source wells are attached.
- VIII. The injection zone is the Delaware Sandstone, a fine-grained sandstone from 4354' to 5930'. Any underground water sources will be shallower than 600'.
- IX. The Delaware sand injection interval will be acidized with approximately 20 gals/ft. of 7 1/2% HCl acid. If necessary, the injection interval may be fraced with up to 300,000 lbs. of 20/40 mesh sand.
- X. Well logs have been filed with the Division. A section of the neutron-density porosity log showing the injection intervals is attached.
- XI. There are no fresh water wells within a mile of the proposed SWD well. The Pecos River is approximately 3500' to the west. A water analysis is attached.
- XII. After examining the available geologic and engineering data, no evidence was found of open faults or any other hydrologic connection between the disposal zone and any underground sources of drinking water.
- XIII. Proof of Notice is attached.

INJECTION WELL DATA SHEET

OPERATOR: Marbob Energy

WELL NAME & NUMBER: West Brushy 5 Fed 5 SWD

WELL LOCATION: 800' FSL 850' FEL UNIT LETTER: P SECTION: 5 TOWNSHIP: 26S RANGE: 29E

WELLBORE SCHEMATIC

WELL CONSTRUCTION DATA
Surface Casing

Hole Size: 11" Casing Size: 8 5/8" e 591'

Cemented with: 375 sx. or — ft³

Top of Cement: Surface Method Determined: Circulated

Intermediate Casing

Hole Size: _____ Casing Size: _____

Cemented with: _____ sx. or _____ ft³

Top of Cement: _____ Method Determined: _____

Production Casing

Hole Size: 7 7/8" Casing Size: 5 1/2" e 6049'

Cemented with: 1100 sx. or — ft³

Top of Cement: 620' Method Determined: Cmit Bond Log

Total Depth: 6050'

4354' Injection Interval feet to 5930'

See Attached
Before & After
Wellbore Schematics

Perforated or Open Hole; indicate which)

INJECTION WELL DATA SHEET

Tubing Size: 2 7/8" Lining Material: Plastic or Duoline 2D

Type of Packer: Nickel plated 10K double grip retrievable

Packer Setting Depth: ± 4300'

Other Type of Tubing/Casing Seal (if applicable): N/A

Additional Data

1. Is this a new well drilled for injection? Yes No

If no, for what purpose was the well originally drilled? Oil & Gas

2. Name of the Injection Formation: Delaware Sand

3. Name of Field or Pool (if applicable): Brushy Draw Delaware

4. Has the well ever been perforated in any other zone(s)? List all such perforated intervals and give plugging detail, i.e. sacks of cement or plug(s) used. Delaware 5166-90', 5193-5297', 4890-4910', 25'x 560-5360', 25'x 5360-5223', CIP 10'x 5140', CIP 10'x 4840', 25'x 2910-2780', 150'x 465-0'

5. Give the name and depths of any oil or gas zones underlying or overlying the proposed injection zone in this area: Williamson Sand ± 4900'. Plan to squeeze off the Williamson Sand 4890-4910' and dispose of water 4354-4630' and 5193-5930'.

Well: West Brushy 5 Fld 5

Zero: 12' AGL

KB: 2893'

GL: 2881'

Location: 800' F9L, 850' FEL


P-5-265-290

Eddy NM

30-015-31869

Casing Program:

Size	Wt.	Grade	Conn	Depth
8 5/8"	24	J55	STC	591'
5 1/2"	15.5	J55	STC	6049'



Before SWD Conversion

1926 CF/F 8 5/8 x 5 1/2
1370 CF/F 5 1/2"

Well: West Brushy 5 Fed 5 SWD

Zero: 12' AGL

Location: 800' FSL, 850' FEL

KB: 2893'

P-5-265-290

GL: 2881'

Eddy NM

30-015-31869

Casing Program:

Size	Wt.	Grade	Conn.	Depth
8 5/8"	24	J55	9TC	591'
5 1/2"	15.5	J55	9TC	6049'
2 7/8"	6.5	J55	EVE	±4300'
		IPC/Duoline 20		


13764
13765
13766
13767
13768
13769
13770
13771
13772
13773
13774
13775
13776
13777
13778
13779
13780
13781
13782
13783
13784
13785
13786
13787
13788
13789
13790
13791
13792
13793
13794
13795
13796
13797
13798
13799
13800

150' x 12"
TOC 620
CBL

7 7/8"

Delaware

Delaware



8 5/8" @ 591'
375 9 x 12" (Circ)

2 7/8" IPC/Duoline 20 Inj Tbg

Nickel Plated Inj PKR ±4300'

4890-4910' (42) Delaware Williamson Sd Sq2d

5193-5297' (30)

5466-70' (29)


5 1/2" @ 6049'
1100 SX

6050

After SWD Conversion

V.

MAP



**West Brushy 5 Fed 5 SWD
Sec. 5-T26S-R29E
Eddy County, NM**

23 Pogo Prod HBP 13413
24 Pogo Prod HBP 1343
25 Union EOG Res. 1/2 HBP 16104
26 Pogo Prod HBP 1343
27 EOG Res. 3-1-2008 100554 95.00
28 Blanco Co. 2-1-2016 115414 400.00
29 Yates Pet. et al 9-1-2007 9903 2.00
30 Marbob 2-1-2016 115416 250.00
31 Duncan Stifer 7-1-2015 2555 01A B 1 68
32 Marbob 11-1-2010 43125
33 Yates Pet. et al 3-1-2009 10233 85.00
34 Yates Pet. et al 3-1-2008 100554 95.00
35 Yates Pet. et al 12-1-2010 12101 35622
36 Yates Pet. et al 12-1-2010 12101 35622
37 Yates Pet. et al 7-1-2010 12101 35622
38 Yates Pet. et al 7-1-2010 12101 35622
39 Yates Pet. et al 7-1-2010 12101 35622
40 Yates Pet. et al 7-1-2010 12101 35622
41 Yates Pet. et al 7-1-2010 12101 35622
42 Yates Pet. et al 7-1-2010 12101 35622
43 Yates Pet. et al 7-1-2010 12101 35622
44 Yates Pet. et al 7-1-2010 12101 35622
45 Yates Pet. et al 7-1-2010 12101 35622
46 Yates Pet. et al 7-1-2010 12101 35622
47 Yates Pet. et al 7-1-2010 12101 35622
48 Yates Pet. et al 7-1-2010 12101 35622
49 Yates Pet. et al 7-1-2010 12101 35622
50 Yates Pet. et al 7-1-2010 12101 35622
51 Yates Pet. et al 7-1-2010 12101 35622
52 Yates Pet. et al 7-1-2010 12101 35622
53 Yates Pet. et al 7-1-2010 12101 35622
54 Yates Pet. et al 7-1-2010 12101 35622
55 Yates Pet. et al 7-1-2010 12101 35622
56 Yates Pet. et al 7-1-2010 12101 35622
57 Yates Pet. et al 7-1-2010 12101 35622
58 Yates Pet. et al 7-1-2010 12101 35622
59 Yates Pet. et al 7-1-2010 12101 35622
60 Yates Pet. et al 7-1-2010 12101 35622
61 Yates Pet. et al 7-1-2010 12101 35622
62 Yates Pet. et al 7-1-2010 12101 35622
63 Yates Pet. et al 7-1-2010 12101 35622
64 Yates Pet. et al 7-1-2010 12101 35622
65 Yates Pet. et al 7-1-2010 12101 35622
66 Yates Pet. et al 7-1-2010 12101 35622
67 Yates Pet. et al 7-1-2010 12101 35622
68 Yates Pet. et al 7-1-2010 12101 35622
69 Yates Pet. et al 7-1-2010 12101 35622
70 Yates Pet. et al 7-1-2010 12101 35622
71 Yates Pet. et al 7-1-2010 12101 35622
72 Yates Pet. et al 7-1-2010 12101 35622
73 Yates Pet. et al 7-1-2010 12101 35622
74 Yates Pet. et al 7-1-2010 12101 35622
75 Yates Pet. et al 7-1-2010 12101 35622
76 Yates Pet. et al 7-1-2010 12101 35622
77 Yates Pet. et al 7-1-2010 12101 35622
78 Yates Pet. et al 7-1-2010 12101 35622
79 Yates Pet. et al 7-1-2010 12101 35622
80 Yates Pet. et al 7-1-2010 12101 35622
81 Yates Pet. et al 7-1-2010 12101 35622
82 Yates Pet. et al 7-1-2010 12101 35622
83 Yates Pet. et al 7-1-2010 12101 35622
84 Yates Pet. et al 7-1-2010 12101 35622
85 Yates Pet. et al 7-1-2010 12101 35622
86 Yates Pet. et al 7-1-2010 12101 35622
87 Yates Pet. et al 7-1-2010 12101 35622
88 Yates Pet. et al 7-1-2010 12101 35622
89 Yates Pet. et al 7-1-2010 12101 35622
90 Yates Pet. et al 7-1-2010 12101 35622
91 Yates Pet. et al 7-1-2010 12101 35622
92 Yates Pet. et al 7-1-2010 12101 35622
93 Yates Pet. et al 7-1-2010 12101 35622
94 Yates Pet. et al 7-1-2010 12101 35622
95 Yates Pet. et al 7-1-2010 12101 35622
96 Yates Pet. et al 7-1-2010 12101 35622
97 Yates Pet. et al 7-1-2010 12101 35622
98 Yates Pet. et al 7-1-2010 12101 35622
99 Yates Pet. et al 7-1-2010 12101 35622
100 Yates Pet. et al 7-1-2010 12101 35622

VI.

**Wells Within 1/2
Mile Area of
Review That
Penetrate
Proposed
Disposal Zone**


Well: West Brinky 3 Fld 2

Location: 1750' FNL, 990' FEL
H-8-269-290
EDM NM
30-015-31866

Zero: 11' AGL
 KB: 2978'
 GL: 2927'

Casing Program:

Size	Wt.	Grade	Conn	Depth
8 5/8"	24	J55	STC	581'
5 1/2"	15.5	J55	LTC	5575'



Before SWO Conversion

C18P 5162

5212-5310' (30)

5456-5514' (29)

5 1/2" @ 5575' 780 x HLC + 470 x C

VII.

WATER ANALYSIS

HALLIBURTON DIVISION LABORATORY

HALLIBURTON SERVICES

ARTESIA DISTRICT

LABORATORY REPORT

No. W45-93

TO Hanagan Petroleum
P. O. Box 1737
Roswell, NM 88201

Date February 7, 1993

This report is the property of Halliburton Services and neither it nor any part thereof, nor a copy thereof, is to be published or disclosed without first securing the express written approval of laboratory management. It may however, be used in the course of regular business operations by any person or concern and employees thereof receiving such report from Halliburton Services.

Submitted by _____ Date Rec. _____

Well No. Gehrig #2 Depth 5050' Formation Delaware
Field Brushy Draw 9-26s-29e County Eddy Source Produced Water

Resistivity052
Specific Gravity .. 1.1856
pH 7.0
Calcium 24,250
Magnesium 9,000
Chlorides 170,000
Sulfates 250
Bicarbonates 350
Soluble Iron + 500

Water Analysis Representative
of Produced Delaware Water
to be Injected and of
Delaware Water in the
Proposed Injection Interval

Remarks:

Art Carrasco
Respectfully submitted

Analyst: Art Carrasco - Technical Advisor

HALLIBURTON SERVICES

NOTICE:

This report is for information only and the content is limited to the sample described. Halliburton makes no warranties, express or implied, as to the accuracy of the contents or results. Any user of this report agrees Halliburton shall not be liable for any loss or damage, regardless of cause, including any act or omission of Halliburton, resulting from the use hereof.

HALLIBURTON

PERMAIN BASIN OPERATIONS LABORATORY WATER ANALYSIS REPORT HOBBS, NEW MEXICO

COMPANY Marbob

REPORT W08-156
DATE November 25, 2008
DISTRICT Hobbs

SUBMITTED BY Bone Spring Sand
Produced Water

WELL Save DA 21 Fed. #1 DEPTH _____ FORMATION _____
COUNTY _____ FIELD _____ SOURCE _____

SAMPLE

Sample Temp.	<u>70</u> °F	_____ °F	_____ °F	_____ °F
RESISTIVITY	<u>0.068</u>	_____	_____	_____
SPECIFIC GR.	<u>1.095</u>	_____	_____	_____
pH	<u>6.53</u>	_____	_____	_____
CALCIUM	<u>7500</u> mpl	_____ mpl	_____ mpl	_____ mpl
MAGNESIUM	<u>6000</u> mpl	_____ mpl	_____ mpl	_____ mpl
CHLORIDE	<u>83125</u> mpl	_____ mpl	_____ mpl	_____ mpl
SULFATES	<u>Light</u> mpl	_____ mpl	_____ mpl	_____ mpl
BICARBONATES	<u>231</u> mpl	_____ mpl	_____ mpl	_____ mpl
SOLUBLE IRON	<u>0</u> mpl	_____ mpl	_____ mpl	_____ mpl
KCL	<u>Negative</u>	_____	_____	_____
Sodium	_____ mpl	<u>0</u> mpl	<u>0</u> mpl	<u>0</u> mpl
TDS	_____ mpl	<u>0</u> mpl	<u>0</u> mpl	<u>0</u> mpl
OIL GRAVITY	<u>@</u> °F	<u>@</u> °F	<u>@</u> °F	<u>@</u> °F

REMARKS

MPL = Milligrams per liter
Resitivity measured in: Ohm/m2/m

This report is the property of Halliburton Company and neither it nor any part thereof nor a copy thereof is to be published or disclosed without first securing the express written approval of laboratory management; it may however, be used in the course of regular business operations by any person or concern and employees thereof receiving such report from Halliburton Co.

ANALYST: MA/MB/JH

X.

**NEUTRON
DENSITY LOG**

**Across Proposed
Delaware Sand
Portion of
Injection Interval**

West Brushy Federal #5

Brushy Draw (Delaware)

COUNTY: **Eddy** STATE: **New Mexico**


Schlumberger
PLATFORM EXPRESS
Triple Detector Litho-Density
Compensated Neutron / GR

Location: 500' FSL & 850' FEL
 Well: West Brushy Federal #5
 Company: ARCO Permian



LOCATION		500' FSL & 850' FEL	Elev.: K.B. 2893 ft
Section 5, Township 26E, Range 29E			G.L. 2881 ft
			D.F. 2892 ft
Permanent Datum:	GROUND LEVEL	Elev.: 2881 ft	
Log Measured From:	KELLY BUSHING	12.0 ft above Perm. Datum	
Drilling Measured From:	KELLY BUSHING		


API Serial No.	SECTION	TOWNSHIP	RANGE
30-015-31869	5	26S	29E


Logging Date	27-AUG-2001
Run Number	ONE
Depth	6050 ft
Schlumberger Depth	6050 ft
Bottom Log Interval	6033 ft
Log Interval	200 ft
Drilling Size @ Depth	8.625 in @ 580 ft
Logging Schlumberger	586 ft
Bit Size	7.875 in
Fluid In Hole	SALT GEL/STARCH
Viscosity	10.4 lbm/gal 34 s
PH	9.5
Force Of Sample	CIRCULATION PIT
@ Measured Temperature	0.044 ohm/m @ 80 degF
@ Measured Temperature	0.044 ohm/m @ 80 degF
@ Measured Temperature	
Source RMF	CALCULATED
RMF @ MRT	0.032 @ 113 @ 113
Maximum Recorded Temperatures	113 degF 113 113
Circulation Stopped	27-AUG-2001 12:30
Logger On Bottom	27-AUG-2001 11:00
Unit Number	3125 HOBBS,NM
Recorded By	M. BOOMGAARDEN
Witnessed By	TONY MCLEIN




Logging Date				
Run Number				
Depth Driller				
Schlumberger Depth				
Bottom Log Interval				
Top Log Interval				
Casing Driller Size @ Depth				
Casing Schlumberger				
Bit Size				
Type Fluid In Hole				
Density				
Fluid Loss				
Source Of Sample				
RM @ Measured Temperature				
RMF @ Measured Temperature				
RMF @ Measured Temperature				
Source RMF				
RM @ MRT				
Maximum Recorded Temperatures				
Circulation Stopped				
Logger On Bottom				
Unit Number				
Recorded By				
Witnessed By				










Gamma Ray Backup		
0	Gamma Ray (GR) (GAPI)	100
6	Calliper (HCAL) (IN)	16
10000	Tension (TENS) (LBF)	0



-0.05	Density Correction (HDRA) (G/C3)	0.45
2	Std. Res. Formation Density (RHOZ) (G/C3)	
0.3	Env. Corr. Thermal Neutron Porosity (TNPH) (VM)	

XI.

**Fresh Water Well
Analysis**

**Pecos River 3500'
West**

Analytical Laboratory Report for:
MARBOB ENERGY CORPORATION



Chemical Services

Account Representative:
William D Polk

Production Water Analysis

Listed below please find water analysis report from: , Pecos River

Lab Test No: 2008151012 Sample Date: 12/04/2008
Specific Gravity: 1.005
TDS: 6402
pH: 7.19

Cations:	mg/L	as:
Calcium	672	(Ca ⁺⁺)
Magnesium	207	(Mg ⁺⁺)
Sodium	1340	(Na ⁺)
Iron	0.08	(Fe ⁺⁺)
Potassium	53.0	(K ⁺)
Barium	0.08	(Ba ⁺⁺)
Strontium	7.88	(Sr ⁺⁺)
Manganese	0.04	(Mn ⁺⁺)
Anions:	mg/L	as:
Bicarbonate	222	(HCO ₃ ⁻)
Sulfate	1400	(SO ₄ ⁻²)
Chloride	2500	(Cl ⁻)
Gases:		
Carbon Dioxide		(CO ₂)
Hydrogen Sulfide		(H ₂ S)

Lab Comments:

Lab measured pH
Lab measured alkalinity

New Mexico Office of the State Engineer
 POD Reports and Downloads

Township: 26S Range: 29E Sections: 4,5,6,7,8,9,15,16,17

NAD27 X: Y: Zone: Search Radius:

County: ED Basin: Number: Suffix:

Owner Name: (First) (Last) Non-Domestic Domestic All

POD / Surface Data Report Avg Depth to Water Report Water Column Report

Clear Form iWATERS Menu Help

POD / SURFACE DATA REPORT 11/26/2008

DB File Nbr	Use	Diversion	Owner	POD Number	Source	(quarters are 1=NW 2=NE 3=SW 4=SE)				X Y are in Feet						
						Tws	Rng	Sec	q	q	q	q	Zone	X	Y	
SP_03254	COM	6418	RED BLUFF WATER CONTROL DIST.	SP_03254		26S	29E	05	1	3						

Record Count: 1

(Poest River)

New Mexico Office of the State Engineer
POD Reports and Downloads

Township: 26S Range: 28E Sections: 6.7

NAD27 X: Y: Zone: Search Radius:

County: ED Basin: Number: Suffix:

Owner Name: (First) (Last) Non-Domestic Domestic All

POD / Surface Data Report Avg Depth to Water Report Water Column Report

Clear Form iWATERS Menu Help

POD / SURFACE DATA REPORT 11/26/2008

(quarters are 1=NW 2=NE 3=SW 4=SE)

DB File Nbr (acre ft per annum)
Use Diversion Owner

POD Number

(quarters are biggest to smallest X Y are in Feet
Source Tws Rng Sec q q q Zone X Y

No Records found, try again

Affidavit of Publication

NO. 20531

Copy of Publication:

STATE OF NEW MEXICO

County of Eddy:

GARY D. SCOTT being duly

sworn, says: That he is the PUBLISHER of The

Artesia Daily Press, a daily newspaper of general circulation, published in English at Artesia, said county and county and state, and that the here to attached

Legal Notice

was published in a regular and entire issue of the said Artesia Daily Press, a daily newspaper duly qualified for that purpose within the meaning of Chapter 167 of the 1937 Session Laws of the state of New Mexico for 1 Consecutive week/days on the same

day as follows:


First Publication January 13, 2009

Second Publication _____

Third Publication _____

Fourth Publication _____

Fifth Publication _____



Subscribed and sworn to before me this

13 Day January 2009



OFFICIAL SEAL
Jo Morgan
NOTARY PUBLIC-STATE OF NEW MEXICO


My commission expires: 6/30/2012

Notary Public, Eddy County, New Mexico

Marbob Energy Corporation, Post Office Box 227, Artesia, New Mexico, 88211-0227, has filed Form C-108 (Application for Authorization to Inject) with the New Mexico Oil Conservation Division seeking administrative approval for a salt water disposal well. The proposed well, the West Brushy 5 Fed 5, is located 800' FSL, 850' FEL, Sec. 5, Township 26 South, Range 29 East, Eddy County, New Mexico. Disposal water will be sourced from area wells producing from the Delaware and Bone Spring formations. The disposal water will be injected into the Delaware formation at a depth of 4354-5930' at a maximum surface pressure of 870 psi and a maximum rate of 3000 BWP/D. Any interested party who has an objection to this must give notice in writing to the Oil Conservation Division, 1220 South Saint Francis Street, Santa Fe, New Mexico 87505, within fifteen (15) days of this notice. Any interested party with questions or comments may contact Brian Collins at Marbob Energy Corporation, Post Office Box 227, Artesia, New Mexico 88211-0227, or call 575-748-3303.

Published in the Artesia Daily Press, Artesia, NM January 13, 2009.

Legal No. 20531



marbob
energy corporation

January 21, 2009

OXY USA, Inc.
5 Greenway Plaza #110
Houston, TX 77046-0521

Re: Application to Inject
West Brushy 5 Federal 5 SWD
Township 26 South, Range 29 East, NMPM
Section 5: 800 FSL 850 FEL, Unit P
Eddy County, New Mexico

Ladies and Gentlemen:

Enclosed for your review is a copy of Marbob Energy Corporation's application to convert the referenced well to salt water disposal. As a requirement of the New Mexico Oil Conservation Division, we are notifying you because you have been identified as an operator or surface owner. Any objections must be submitted in writing to NMOCD, 1220 S. St. Francis Drive, Santa Fe, New Mexico 87505. Objections must be received within fifteen (15) days of receipt of this letter.

Please do not hesitate to contact us should you have any questions.

Sincerely,

Brian Collins
Petroleum Engineer

BC/dlw
enclosure

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0137
Expires: July 31, 2010

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

5. Lease Serial No.
NM01108

6. If Indian, Allottee or Tribe Name

SUBMIT IN TRIPLICATE – Other instructions on page 2.

7. If Unit of CA/Agreement, Name and/or No.

1. Type of Well

Oil Well Gas Well Other

8. Well Name and No.
WEST BRUSHY 5 FED 5 SWD

2. Name of Operator
MARBOB ENERGY CORPORATION

9. API Well No.
30-015-31869

3a. Address
P O BOX 227
ARTESIA NM 88211-0227

3b. Phone No. (include area code)

575-748-3303

10. Field and Pool or Exploratory Area
BRUSHY DRAW DELAWARE

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
SEC. 5-T26S-R29E, UNIT P
800 FSL 850 FEL, SE/4SE/4

11. Country or Parish, State
EDDY COUNTY NM

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other _____
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input checked="" type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.)

MARBOB ENERGY CORPORATION PROPOSES TO RE-ENTER THE WELL, CLEAN OUT TO 6000', SQUEEZE THE WILLIAMSON SAND 4890-4910' AND CONVERT TO SALT WATER DISPOSAL SERVICE INTO THE DELAWARE SAND FROM 4354-4630' AND 5193-5930'.

SEE ATTACHED OCD FORM C-108 "APPLICATION FOR AUTHORIZATION TO INJECT".


APD WILL BE SUBMITTED AFTER C-108 IS APPROVED BY NMOCD.

14. I hereby certify that the foregoing is true and correct. Name (Printed/Typed)

BRIAN COLLINS

Title PETROLEUM ENGINEER

Signature



Date 01/09/2009

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)



7006 0810 0000 8979 6247
7006 0810 0000 8979 6247

U.S. Postal Service™
CERTIFIED MAIL™ RECEIPT
(Domestic Mail Only; No Insurance Coverage Provided)

For delivery information, visit our website at www.usps.com
OFFICIAL USE

Postage	\$	Postmark Here
Certified Fee		
Return Receipt Fee (Endorsement Required)		
Restricted Delivery Fee (Endorsement Required)		
Total Postage & Fees	\$	

W Brushy 5 FEDS
W Brushy 8 FED 1+2

Sent To
State or PO
City
OXY USA INC
5 GREENWAY PLAZA #110
HOUSTON TX 77046-0521

PS Form 3800, June 2002 See Reverse for Instructions



7006 0810 0000 8979 6254
7006 0810 0000 8979 6254

U.S. Postal Service™
CERTIFIED MAIL™ RECEIPT
(Domestic Mail Only; No Insurance Coverage Provided)

For delivery information, visit our website at www.usps.com
OFFICIAL USE

Postage	\$	Postmark Here
Certified Fee		
Return Receipt Fee (Endorsement Required)		
Restricted Delivery Fee (Endorsement Required)		
Total Postage & Fees	\$	

W Brushy 5 FEDS
W Brushy 8 FED 1+

State
City
BUREAU OF LAND MANAGEMENT
2909 W 2ND ST
ROSWELL NM 88201

PS Form 3800, June 2002 See Reverse for Instructions