

# New Mexico Energy, Minerals and Natural Resources Department

**Bill Richardson**  
Governor

Joanna Prukop  
Cabinet Secretary  
Reese Fullerton  
Deputy Cabinet Secretary

Mark Fesmire  
Division Director  
Oil Conservation Division



## Administrative Order SWD-1166

March 12, 2009

Brian Collins  
Petroleum Engineer  
Marbob Energy Corporation  
P.O. Box 227  
Artesia, NM 88211-0227

### ADMINISTRATIVE ORDER OF THE OIL CONSERVATION DIVISION

Under the provisions of Division Rule 26.8B., Marbob Energy Corporation seeks administrative order to utilize its West Brushy 8 Federal Well No. 2 (**API 30-015-31866**) located 1750 feet from the North line and 990 feet from the East line, Unit H of Section 8, Township 26 South, Range 29 East, NMPM, Eddy County, New Mexico, for produced water disposal purposes.

#### THE DIVISION DIRECTOR FINDS THAT:

The application has been duly filed under the provisions of Division Rule 26.8B. Satisfactory information has been provided that affected parties as defined in Rule 26.8B.(2) have been notified and no objections have been received within the prescribed waiting period. The applicant has presented satisfactory evidence that all requirements prescribed in Rule 26.8 will be met and the operator is in compliance with Division Rule 5.9.

#### IT IS THEREFORE ORDERED THAT:

The applicant Marbob Energy Corporation, is hereby authorized to utilize its West Brushy 8 Federal Well No. 2 (**API 30-015-31866**) located 1950 feet from the North line and 990 feet from the East line, Unit H of Section 8, Township 26 South, Range 29 East, NMPM, Eddy County, New Mexico, for injection of produced water for disposal purposes into the Delaware Sandstone formation from 4338 feet to 5514 feet through 2-7/8 inch plastic-lined tubing set in a packer at 4300 feet.

#### IT IS FURTHER ORDERED THAT:

Oil Conservation Division \* 1220 South St. Francis Drive  
\* Santa Fe, New Mexico 87505

\* Phone: (505) 476-3440 \* Fax (505) 476-3462\* <http://www.emnrd.state.nm.us>



The operator shall take all steps necessary to ensure that the injected water enters only the proposed injection interval and is not permitted to escape to other formations or onto the surface.

After installing injection tubing, the casing-tubing annulus shall be loaded with an inert fluid and equipped with a pressure gauge or an approved leak detection device in order to determine leakage in the casing, tubing, or packer. The casing shall be pressure tested from the surface to the packer setting depth to assure casing integrity.

The wellhead injection pressure on the well shall be limited to **no more than 867 psi**. In addition, the injection well or system shall be equipped with a pressure limiting device in workable condition which shall, at all times, limit surface injection pressure to the maximum allowable pressure for this well.

The Director of the Division may authorize an increase in injection pressure upon a proper showing by the operator of said well that such higher pressure will not result in migration of the injected fluid from the injection formation. Such proper showing shall be demonstrated by an acceptable Step-Rate-Test.


The operator shall notify the supervisor of the Division's district II office in Artesia of the date and time of the installation of disposal equipment and of any mechanical integrity test so that the same may be inspected and witnessed. The operator shall provide written notice of the date of commencement of injection to the Division's district II office. The operator shall submit monthly reports of the disposal operations on Division Form C-115, in accordance with Division Rules 26.13 and 7.24.

Without limitation on the duties of the operator as provided in Division Rules 30 and 29, or otherwise, the operator shall immediately notify the Division's district office of any failure of the tubing, casing or packer in the well, or of any leakage or release of water, oil or gas from around any produced or plugged and abandoned well in the area, and shall take such measures as may be timely and necessary to correct such failure or leakage.

In accordance with Division Rule No 26.12.C., the injection authority granted herein shall terminate one year after the effective date of this order if the operator has not commenced injection operations into the subject well, provided however, the Division, upon written request, mailed by the operator prior to the termination date, may grant an extension thereof for good cause. The injection authority shall terminate *ipso facto* one year after injection operations into the well has ceased

Compliance with this order does not relieve the operator of the obligation to comply with other applicable federal, state or local laws or rules, or to exercise due care for the protection of fresh water, public health and safety and the environment.

Jurisdiction is retained by the Division for the entry of such further orders as may be necessary for the prevention of waste and/or protection of correlative rights or upon failure of the operator to conduct operations (1) to protect fresh or protectable waters or (2) consistent with the requirements in this order, whereupon the Division may, after notice and hearing, terminate the injection authority granted herein.



MARK E. FESMIRE, P.E.  
Director

MEF/re

cc: Oil Conservation Division – Artesia  
State Land Office – Oil, Gas, and Minerals Division  
Bureau of Land Management (BLM)-Roswell