

GW-175

**ANNUAL
REPORT**

DATE:

2009



DCP Midstream
370 17th Street, Suite 2500
Denver, CO 80202
303-595-3331
303-605-2224 FAX

RECEIVED

2009 MAY 11 AM 11 41

May 8, 2009

Mr. Leonard Lowe
Environmental Engineer
New Mexico Oil Conservation Division
1220 S. St. Francis Dr.
Santa Fe, NM 87505

**RE: 1st Quarter 2009 Groundwater Monitoring Results
DCP Hobbs Gas Plant
Unit G, Section 36, Township 18 South, Range 36 East
Lea County, New Mexico**

GW-175

Dear Mr. Price:

DCP Midstream, LP (DCP) is pleased to submit for your review, one copy of the 1st Quarter 2009 Groundwater Monitoring Results for the DCP Hobbs Gas Plant located in Lea County, New Mexico (Unit G, Section 36, Township 18 South, Range 36 East).

If you have any questions regarding the report, please call at 303-605-1718 or e-mail me sweathers@dcpmidstream.com.

Sincerely

DCP Midstream, LP

Stephen Weathers, P.G.
Principal Environmental Specialist

cc: Larry Johnson, OCD Hobbs District Office (Copy on CD)
Environmental Files



RECEIVED

2009 MAY 11 AM 11 41

GW-175

**Q1 2009 GROUNDWATER
MONITORING REPORT**

Hobbs Gas Plant
Lea County, New Mexico

May 2009

**Q1 2009 Groundwater
Monitoring Report**

Hobbs Gas Plant



Adam C. Griffin
Engineer



Ken Lehman
Project Manager

Prepared for:
DCP Midstream

Prepared by:
ARCADIS U.S., Inc.
1687 Cole Blvd
Suite 200
Lakewood
Colorado 80401
Tel 303 231 9115
Fax 303 231 9571

Our Ref.:
CO001312

Date:
5 May 2009

*This document is intended only for the use
of the individual or entity for which it was
prepared and may contain information that
is privileged, confidential, and exempt from
disclosure under applicable law. Any
dissemination, distribution, or copying of
this document is strictly prohibited.*

| | | |
|-----------|-------------------------------------|----------|
| 1. | Site Location and Background | 1 |
| 2. | Groundwater Monitoring | 1 |
| 2.1 | Water Level Gauging | 1 |
| 2.2 | Groundwater Quality Monitoring | 2 |
| 3. | Closing Remarks | 2 |

Tables

- 1 Summary of Groundwater Elevations
- 2 Summary of BTEX Concentrations in Groundwater
- 3 Summary of Field Parameters in Groundwater

Figures

- 1 Site Location Map
- 2 Site Map
- 3 Groundwater Potentiometric Surface Map – February 27,2009
- 4 Groundwater Sample Results – February 27, 2009

Appendices

- A Laboratory Analytical Report

**Q1 2009 Groundwater
Monitoring Report**

Hobbs Gas Plant

1. Site Location and Background

ARCADIS U.S., Inc. (ARCADIS) is submitting to DCP Midstream (DCP) the results of groundwater monitoring activities that were performed during the first quarter of 2009 (Q1 2009) at the Hobbs Gas Plant (Site) in Lea County, New Mexico (Figures 1 and 2). The Site occupies approximately 2.6 acres of land in the northeast quadrant of Section 36, Township 18 South, and Range 36 East of the New Mexico Meridian.

Currently, the Site is configured as a cryogenic processing plant with a laboratory, an amine unit, compressors, sumps, mol sieve dehydration, and tank batteries. The plant also has an on-site water production well that is used for non-potable water. The Site is generally surrounded by undeveloped land. The Apex Compressor Station is located approximately 750 feet north of the Hobbs Gas Plant.

The ownership of the Hobbs Gas Plant was transferred from ConocoPhilips (COP) to Duke Energy Field Services (DEFS) on March 10, 2004. DEFS changed its name to DCP in January 2007.

2. Groundwater Monitoring

ARCADIS conducted quarterly groundwater monitoring activities at the Site on February 27, 2009. Monitoring consisted of the measurement of water levels at six groundwater monitoring wells. Groundwater samples were collected at these six wells for analysis of benzene, toluene, ethylbenzene, and xylenes (BTEX) by Environmental Protection Agency (EPA) Method 8260.

2.1 Water Level Gauging

Prior to disturbing the water column, ARCADIS personnel collected water level measurements at each sampling location (Table 1). Depth to water ranged from 60.18 feet below ground surface (bgs) at monitoring well MWA to 61.97 feet bgs at MWF. Groundwater elevation contours constructed using the February 27, 2009 measurements are provided on Figure 3. The groundwater gradient is 0.005 foot per foot, with groundwater flowing in a southeast direction, consistent with previous gauging events.

**Q1 2009 Groundwater
Monitoring Report**

Hobbs Gas Plant

2.2 Groundwater Quality Monitoring

To ensure the collection of representative groundwater samples, a minimum of three casing volumes was purged from each well prior to sampling. Groundwater samples were collected in laboratory-supplied containers using disposable polyethylene bailers, and packed and shipped in accordance with accepted practices to Accutest Laboratory in Houston, Texas.

Table 2 summarizes the BTEX concentrations in groundwater samples collected at the Site; the laboratory analytical report for the Q1 2009 sampling event is included as Appendix A. The groundwater sample results are also posted on Figure 4, which illustrates the distribution of petroleum hydrocarbon in groundwater. The Q1 2009 analytical results can be summarized as follows:

- Benzene was detected at concentrations above the regulatory standard of 10 micrograms per liter (ug/L) at two monitoring wells. The detected concentrations of benzene ranged from 592 ug/L at MWB to 69.9 ug/L at MWC.
- Toluene, ethylbenzene, and xylenes were not detected at concentrations above the regulatory standards of 1,000 ug/L, 700 ug/L, and 10,000 ug/L, respectively.

3. Closing Remarks

DCP will continue to monitor the site conditions and perform quarterly groundwater monitoring. Results of second quarter 2009 (Q2 2009) sampling will be reported in the Q2 2009 Groundwater Monitoring Report.

Table 1. Summary of Groundwater Elevations
 Hobbs Gas Plant
 DCP Midstream

| Well ID | Survey Data (feet) | | | | Depth to Water Data (feet) | | | | | |
|---------|--------------------|-----------|-------------------------|------------|----------------------------|----------------|--------------|---------------|---------------------------------|----------|
| | Easting | Northing | Top of Casing Elevation | Well Depth | Sample Date | Depth to Water | Depth to PSH | PSH Thickness | Corrected Groundwater Elevation | Comments |
| MWA | 856827.79 | 622187.48 | 3755.87 | 71.01 | 2/27/2009 | 60.18 | - | - | 3695.69 | |
| | | | | | 12/3/2008 | 60.41 | - | - | 3695.46 | |
| | | | | | 9/15/2008 | 60.58 | - | - | 3695.29 | |
| | | | | | 6/2/2008 | 60.19 | - | - | 3695.68 | |
| | | | | | 3/3/2008 | 60.18 | - | - | 3695.69 | |
| | | | | | 12/13/2007 | 60.32 | - | - | 3695.55 | |
| | | | | | 9/18/2007 | 60.44 | - | - | 3695.43 | |
| | | | | | 6/21/2007 | 60.28 | - | - | 3695.59 | |
| | | | | | 3/27/2007 | 60.28 | - | - | 3695.59 | |
| | | | | | 11/14/2006 | 60.81 | - | - | 3695.06 | |
| | | | | | 8/14/2006 | 60.71 | - | - | 3695.16 | |
| | | | | | 6/14/2006 | 60.71 | - | - | 3695.16 | |
| | | | | | 3/23/2006 | 60.54 | - | - | 3695.33 | |
| MWB | 857051.22 | 622018.88 | 3755.94 | 70.96 | 2/27/2009 | 61.68 | - | - | 3694.26 | |
| | | | | | 12/3/2008 | 61.93 | - | - | 3694.01 | |
| | | | | | 9/15/2008 | 62.04 | - | - | 3693.90 | |
| | | | | | 6/2/2008 | 61.69 | - | - | 3694.25 | |
| | | | | | 3/3/2008 | 61.66 | - | - | 3694.28 | |
| | | | | | 12/13/2007 | 61.85 | - | - | 3694.09 | |
| | | | | | 9/18/2007 | 61.93 | - | - | 3694.01 | |
| | | | | | 6/21/2007 | 61.84 | - | - | 3694.10 | |
| | | | | | 3/27/2007 | 61.77 | - | - | 3694.17 | |
| | | | | | 11/14/2006 | 62.16 | - | - | 3693.78 | |
| | | | | | 8/14/2006 | 62.34 | - | - | 3693.60 | |
| | | | | | 6/15/2006 | 61.58 | - | - | 3694.36 | |
| | | | | | 3/23/2006 | 62.08 | - | - | 3693.86 | |
| MWC | 857099.75 | 622104.39 | 3755.59 | 75.02 | 2/27/2009 | 61.15 | - | - | 3694.44 | |
| | | | | | 12/3/2008 | 61.48 | - | - | 3694.11 | |
| | | | | | 9/15/2008 | 61.54 | - | - | 3694.05 | |
| | | | | | 6/2/2008 | 61.22 | - | - | 3694.37 | |
| | | | | | 3/3/2008 | 61.18 | - | - | 3694.41 | |
| | | | | | 12/13/2007 | 61.34 | - | - | 3694.25 | |
| | | | | | 9/18/2007 | 61.48 | - | - | 3694.11 | |
| | | | | | 6/21/2007 | 61.57 | - | - | 3694.02 | |
| | | | | | 3/27/2007 | 61.28 | - | - | 3694.31 | |
| | | | | | 11/14/2006 | 61.70 | - | - | 3693.89 | |
| | | | | | 8/14/2006 | 61.88 | - | - | 3693.71 | |
| | | | | | 6/14/2006 | 61.86 | - | - | 3693.73 | |
| | | | | | 3/23/2006 | 61.69 | - | - | 3693.90 | |
| MWD | 856951.32 | 622011.72 | 3755.43 | 70.02 | 2/27/2009 | 60.79 | - | - | 3694.64 | |
| | | | | | 12/3/2008 | 61.08 | - | - | 3694.35 | |
| | | | | | 9/15/2008 | 61.10 | - | - | 3694.33 | |
| | | | | | 6/2/2008 | 60.77 | - | - | 3694.66 | |
| | | | | | 3/3/2008 | 60.77 | - | - | 3694.66 | |
| | | | | | 12/13/2007 | 60.91 | - | - | 3694.52 | |
| | | | | | 9/18/2007 | 61.05 | - | - | 3694.38 | |
| | | | | | 6/21/2007 | 60.97 | - | - | 3694.46 | |
| | | | | | 3/27/2007 | 60.85 | - | - | 3694.58 | |
| | | | | | 11/14/2006 | 61.22 | - | - | 3694.21 | |
| | | | | | 8/14/2006 | 61.36 | - | - | 3694.07 | |
| | | | | | 6/14/2006 | 61.32 | - | - | 3694.11 | |
| | | | | | 3/23/2006 | 61.09 | - | - | 3694.34 | |

Table 1. Summary of Groundwater Elevations
 Hobbs Gas Plant
 DCP Midstream

| Well ID | Survey Data (feet) | | | | Depth to Water Data (feet) | | | | | |
|---------|--------------------|-----------|-------------------------|------------|----------------------------|----------------|--------------|---------------|---------------------------------|----------|
| | Easting | Northing | Top of Casing Elevation | Well Depth | Sample Date | Depth to Water | Depth to PSH | PSH Thickness | Corrected Groundwater Elevation | Comments |
| MWE | 857056.07 | 621858.61 | 3754.36 | 71.55 | 2/27/2009 | 60.81 | - | - | 3693.55 | |
| | | | | | 12/3/2008 | 61.13 | - | - | 3693.23 | |
| | | | | | 9/15/2008 | 61.21 | - | - | 3693.15 | |
| | | | | | 6/2/2008 | 60.78 | - | - | 3693.58 | |
| | | | | | 3/3/2008 | 60.75 | - | - | 3693.61 | |
| | | | | | 12/13/2007 | 60.91 | - | - | 3693.45 | |
| | | | | | 9/18/2007 | 61.09 | - | - | 3693.27 | |
| | | | | | 6/21/2007 | 61.09 | - | - | 3693.27 | |
| | | | | | 3/27/2007 | 60.86 | - | - | 3693.50 | |
| | | | | | 11/14/2006 | 61.27 | - | - | 3693.09 | |
| | | | | | 8/14/2006 | 61.41 | - | - | 3692.95 | |
| | | | | | 6/15/2006 | 61.32 | - | - | 3693.04 | |
| | | | | | 3/23/2006 | 61.09 | - | - | 3693.27 | |
| MWF | 857173.90 | 622096.40 | 3756.13 | 74.65 | 2/27/2009 | 61.97 | - | - | 3694.16 | |
| | | | | | 12/3/2008 | 62.22 | - | - | 3693.91 | |
| | | | | | 9/15/2008 | 62.44 | - | - | 3693.69 | |
| | | | | | 6/2/2008 | 62.06 | - | - | 3694.07 | |
| | | | | | 3/3/2008 | 62.01 | - | - | 3694.12 | |
| | | | | | 12/13/2007 | 62.19 | - | - | 3693.94 | |
| | | | | | 9/18/2007 | 62.31 | - | - | 3693.82 | |
| | | | | | 6/21/2007 | 62.32 | - | - | 3693.81 | |
| | | | | | 3/27/2007 | 67.05 | - | - | 3689.08 | |
| | | | | | 11/14/2006 | 62.46 | - | - | 3693.67 | |
| | | | | | 8/14/2006 | 62.68 | - | - | 3693.45 | |
| | | | | | 6/14/2006 | 62.72 | - | - | 3693.41 | |
| | | | | | 3/23/2006 | 62.53 | - | - | 3693.60 | |

PSH: Phase-Separated Hydrocarbon

-: No data

Table 2. Summary of BTEX Concentrations in Groundwater
Hobbs Gas Plant
DCP Midstream

| Well ID | Sample Date | Benzene | Toluene | Ethylbenzene | Xylenes | TPH |
|---------|-------------|---------|---------|--------------|---------|-------|
| | | ug/L | ug/L | ug/L | ug/L | mg/L |
| MWA | 2/27/2009 | < 0.46 | < 0.48 | < 0.45 | < 1.4 | - |
| | 12/3/2008 | < 0.46 | < 0.48 | < 0.45 | < 1.4 | - |
| | 9/15/2008 | < 0.46 | < 0.48 | < 0.45 | < 1.4 | - |
| | 6/2/2008 | < 0.46 | < 0.48 | < 0.45 | < 1.4 | - |
| | 3/5/2008 | 11 | < 5.0 | 3.8 | 15 | - |
| | 12/13/2007 | < 1.0 | < 5.0 | < 1.0 | < 3.0 | - |
| | 9/18/2007 | < 1.0 | < 5.0 | < 1.0 | < 3.0 | - |
| | 6/21/2007 | < 1.0 | < 5.0 | < 1.0 | < 3.0 | - |
| | 3/28/2007 | < 1.0 | < 5.0 | < 1.0 | < 3.0 | - |
| | 11/14/2006 | < 1.0 | < 5.0 | < 1.0 | < 3.0 | - |
| | 8/14/2006 | < 0.5 | < 5.0 | < 0.5 | < 1.5 | - |
| | 6/14/2006 | < 1.0 | < 5.0 | < 1.0 | < 3.0 | < 0.1 |
| | 3/23/2006 | < 1.0 | < 5.0 | < 1.0 | < 3.0 | < 0.1 |
| | 3/23/2006 | < 1.0 | < 5.0 | < 1.0 | < 3.0 | < 0.1 |
| DUP | 2/27/2009 | 592 | 86.3 | 176 | 1230 | - |
| | 12/3/2008 | 25.6 | 0.56 J | 7.1 | 29.2 | - |
| | 9/15/2008 | 488 | 46.0 | 200 | 1210 | - |
| | 6/2/2008 | 444 | 86.5 | 155 | 716 | - |
| | 3/5/2008 | 550 | 64 | 130 | 730 | - |
| | 12/13/2007 | 420 | 86 | 140 | 630 | - |
| | 9/18/2007 | 410 | 87 | 160 | 1100 | - |
| | 6/21/2007 | 310 | 81 | 110 | 740 | - |
| | 3/28/2007 | 300 | 120 | 140 | 1000 | - |
| | 11/14/2006 | 200 | 74 | 82 | 440 | - |
| | 8/14/2006 | 29 | 6.2 | < 0.5 | 48 | - |
| | 6/15/2006 | 150 | 110 | 40 | 270 | 1.7 |
| | 6/15/2006 | 110 | 50 | 27 | 160 | 0.86 |
| | 3/23/2006 | 200 | 370 | 43 | 750 | 3.4 |
| MWC | 2/27/2009 | 69.9 | 0.78 J | 20.1 | 86.8 | - |
| | 12/3/2008 | 36.6 | < 0.48 | 10 | 43.3 | - |
| | 12/3/2008 | 39.0 | < 0.48 | 10.5 | 33.3 | - |
| | 12/3/2008 | 50.6 | < 0.48 | 13.6 | 44.5 | - |
| | 9/15/2008 | 130 | 5.7 | 47.3 | 222 | - |
| | 6/2/2008 | 75.4 | 4.9 | 26.3 | 121 | - |
| | 6/2/2008 | 103 | 8.1 | 36.9 | 170 | - |
| | 3/5/2008 | 61 | 5.3 | 19 | 78 | - |
| | 3/5/2008 | 160 | < 25 | 160 | 140 | - |
| | 12/13/2007 | 13 | < 5.0 | 4.5 | 22 | - |
| | 12/13/2007 | 17 | < 5.0 | 5.8 | 25 | - |
| | 9/18/2007 | 43 | 5.3 | 14 | 57 | - |
| | 9/18/2007 | 48 | 6.9 | 16 | 64 | - |
| | 6/21/2007 | 18 | 7.1 | 3.5 | 26 | - |
| MWD | 3/28/2007 | 84 | 44 | 19 | 160 | - |
| | 11/14/2006 | 30 | 19 | 11 | 83 | - |
| | 8/14/2006 | 31 | 8.7 | 2.9 | 58 | - |
| | 6/14/2006 | 80 | 37 | 22 | 180 | 2.1 |
| | 3/23/2006 | < 1.0 | < 5.0 | < 1.0 | < 3.0 | 0.72 |
| | 2/27/2009 | < 0.46 | < 0.48 | < 0.45 | < 1.4 | - |
| | 12/3/2008 | < 0.46 | < 0.48 | < 0.45 | < 1.4 | - |
| | 9/15/2008 | < 0.46 | < 0.48 | < 0.45 | < 1.4 | - |
| | 6/2/2008 | < 0.46 | < 0.48 | < 0.45 | < 1.4 | - |
| | 3/5/2008 | < 1.0 | < 5.0 | < 1.0 | < 3.0 | - |
| | 12/13/2007 | < 1.0 | < 5.0 | < 1.0 | < 3.0 | - |
| | 9/18/2007 | < 1.0 | < 5.0 | < 1.0 | < 3.0 | - |
| | 6/21/2007 | < 1.0 | < 5.0 | < 1.0 | < 3.0 | - |
| | 3/28/2007 | < 1.0 | < 5.0 | < 1.0 | < 3.0 | - |
| | 11/14/2006 | < 1.0 | < 5.0 | < 1.0 | < 3.0 | - |
| | 8/14/2006 | < 0.5 | < 5.0 | < 0.5 | < 1.5 | - |
| | 6/14/2006 | < 1.0 | < 5.0 | < 1.0 | < 3.0 | < 0.1 |
| | 3/23/2006 | < 1.0 | < 5.0 | < 1.0 | < 3.0 | < 0.1 |

Table 2. Summary of BTEX Concentrations in Groundwater
Hobbs Gas Plant
DCP Midstream

| Well ID | Sample Date | Benzene | Toluene | Ethylbenzene | Xylenes | TPH mg/L |
|---------|-------------------|------------|---------|--------------|---------|-------------|
| | | ug/L | ug/L | ug/L | ug/L | |
| MWE | 2/27/2009 | < 0.46 | < 0.48 | < 0.45 | < 1.4 | - |
| | 12/3/2008 | < 0.46 | < 0.48 | < 0.45 | < 1.4 | - |
| | 9/15/2008 | < 0.46 | < 0.48 | < 0.45 | < 1.4 | - |
| | 6/2/2008 | < 0.46 | < 0.48 | < 0.45 | < 1.4 | - |
| | 3/5/2008 | 14 | < 5.0 | 3.9 | 14 | - |
| | 12/13/2007 | < 1.0 | < 5.0 | < 1.0 | < 3.0 | - |
| | 9/18/2007 | < 1.0 | < 5.0 | < 1.0 | < 3.0 | - |
| | 6/21/2007 | < 1.0 | < 5.0 | < 1.0 | < 3.0 | - |
| | 3/28/2007 | < 1.0 | < 5.0 | < 1.0 | < 3.0 | - |
| | DUP | 3/28/2007 | < 1.0 | < 5.0 | < 1.0 | < 3.0 |
| | | 11/14/2006 | < 1.0 | < 5.0 | < 1.0 | < 3.0 |
| MWF | 8/14/2006 | < 0.5 | < 5.0 | < 0.5 | < 1.5 | - |
| | 6/15/2006 | < 1.0 | < 5.0 | < 1.0 | < 3.0 | < 0.1 |
| | 3/23/2006 | < 1.0 | < 5.0 | < 1.0 | < 3.0 | < 0.1 |
| | 2/27/2009 | < 0.46 | < 0.48 | < 0.45 | < 1.4 | - |
| | 12/3/2008 | < 0.46 | < 0.48 | < 0.45 | < 1.4 | - |
| | 9/15/2008 | < 0.46 | < 0.48 | < 0.45 | < 1.4 | - |
| | 6/2/2008 | < 0.46 | < 0.48 | < 0.45 | < 1.4 | - |
| | 3/5/2008 | 1.9 | < 5.0 | < 1.0 | 3.8 | - |
| | 12/13/2007 | < 1.0 | < 5.0 | < 1.0 | < 3.0 | - |
| | 9/18/2007 | < 1.0 | < 5.0 | < 1.0 | < 3.0 | - |
| | DUP | 6/21/2007 | < 1.0 | < 5.0 | < 1.0 | < 3.0 |
| DUP | 3/27/2007 | < 1.0 | < 5.0 | < 1.0 | < 3.0 | - |
| | 11/14/2006 | < 1.0 | < 5.0 | < 1.0 | < 3.0 | - |
| | DUP | 11/14/2006 | < 1.0 | < 5.0 | < 1.0 | < 3.0 |
| | 8/14/2006 | < 0.5 | < 5.0 | < 0.5 | < 1.5 | - |
| | DUP | 8/14/2006 | < 0.5 | < 5.0 | < 0.5 | < 1.5 |
| | 6/14/2006 | < 1.0 | < 5.0 | < 1.0 | < 3.0 | < 0.1 |
| | 3/23/2006 | < 1.0 | < 5.0 | < 1.0 | < 3.0 | < 0.1 |
| | Water Supply Well | 8/14/2006 | < 0.5 | < 5.0 | < 0.5 | < 1.5 |
| | | | | | | - |

Notes:

TPH = Total petroleum hydrocarbons

ug/L = Micrograms per liter

mg/L = Milligrams per liter

- = Not analyzed.

DUP = Duplicate sample

J = Estimated value

Table 3. Summary of Field Parameters in Groundwater
Hobbs Gas Plant
DCP Midstream

| Well ID | Sample Date | pH | Conductivity (mS/cm) | Temperature (°C) | Dissolved Oxygen (mg/L) | ORP (mV) |
|---------|-------------|------|-------------------------|---------------------|----------------------------|-------------|
| MWA | 2/27/2009 | 7.29 | 0.505 | 19.34 | 8.15 | 64.1 |
| | 12/3/2008 | 7.37 | 0.505 | 18.20 | 7.17 | 183.9 |
| | 9/15/2008 | 6.81 | 0.533 | 19.27 | 4.96 | 238.7 |
| | 6/2/2008 | 7.31 | 0.573 | 20.57 | 5.49 | 31.1 |
| | 3/5/2008 | 7.20 | 0.431 | 17.46 | 11.42 | 21.3 |
| | 12/13/2007 | 7.23 | 0.614 | 18.37 | 7.01 | -8.6 |
| | 9/18/2007 | 7.13 | 0.495 | 19.89 | 4.79 | 5.9 |
| | 6/21/2007 | 7.30 | 0.565 | 19.46 | 5.45 | 28.7 |
| | 3/28/2007 | 7.71 | 0.594 | 18.93 | 10.04 | 223.7 |
| | 11/14/2006 | 7.10 | 0.433 | 18.92 | 7.60 | 44.4 |
| | 8/14/2006 | 5.70 | 0.578 | 22.42 | 5.70 | 68.7 |
| | 6/14/2006 | 7.38 | 0.532 | 20.10 | 8.67 | - |
| | 3/23/2006 | 7.37 | 0.373 | 17.00 | 6.19 | - |
| MWB | 2/27/2009 | 6.87 | 0.921 | 18.83 | 0.96 | -115.7 |
| | 12/3/2008 | 6.93 | 0.889 | 18.39 | 1.57 | -161.4 |
| | 9/15/2008 | 6.60 | 0.902 | 19.63 | 0.56 | -151.6 |
| | 6/2/2008 | 7.08 | 0.868 | 19.99 | 1.09 | -150.1 |
| | 3/5/2008 | 6.67 | 0.836 | 16.99 | 2.49 | -214.1 |
| | 12/13/2007 | 6.85 | 0.980 | 18.18 | 7.39 | - |
| | 9/18/2007 | 6.74 | 0.822 | 20.02 | 1.18 | -140.1 |
| | 6/21/2007 | 6.92 | 0.863 | 19.12 | 3.72 | -127.9 |
| | 3/28/2007 | 6.84 | 1.009 | 19.39 | 4.34 | -150.6 |
| | 11/14/2006 | 6.69 | 0.609 | 18.95 | 7.83 | -198.5 |
| | 8/14/2006 | 6.63 | 0.753 | 19.85 | 1.41 | -140.6 |
| | 6/15/2006 | 7.02 | 0.809 | 19.20 | 3.68 | - |
| | 3/23/2006 | 6.96 | 0.440 | 19.10 | 1.71 | - |
| MWC | 2/27/2009 | 6.90 | 0.614 | 18.56 | 1.96 | -8.7 |
| | 12/3/2008 | 6.88 | 0.621 | 18.24 | 2.31 | -17.8 |
| | 9/15/2008 | 6.51 | 0.679 | 18.99 | 1.97 | 160.3 |
| | 6/2/2008 | 6.90 | 0.781 | 20.00 | 2.64 | -121.2 |
| | 3/5/2008 | 6.91 | 0.535 | 17.46 | 6.5 | -104.1 |
| | 12/13/2007 | 7.00 | 0.844 | 17.97 | 10.86 | -106.1 |
| | 9/18/2007 | 6.88 | 0.625 | 19.17 | 3.8 | -103.6 |
| | 6/21/2007 | 7.02 | 0.659 | 18.88 | 4.36 | -90.5 |
| | 3/27/2007 | 6.98 | 0.692 | 18.55 | 4.79 | -95.4 |
| | 11/14/2006 | 6.71 | 0.483 | 18.49 | 4.31 | -138.6 |
| | 8/14/2006 | 6.71 | 0.644 | 22.01 | 2.08 | -147.4 |
| | 6/14/2006 | 7.03 | 0.618 | 20.10 | 4.17 | - |
| | 3/23/2006 | 7.12 | 0.350 | 19.20 | 4.21 | - |

Table 3. Summary of Field Parameters in Groundwater
Hobbs Gas Plant
DCP Midstream

| Well ID | Sample Date | pH (s.u.) | Conductivity (mS/cm) | Temperature (°C) | Dissolved Oxygen (mg/L) | ORP (mV) |
|---------|-------------|--------------|-------------------------|---------------------|----------------------------|-------------|
| MWD | 2/27/2009 | 7.01 | 0.589 | 19.59 | 7.22 | 77.1 |
| | 12/3/2008 | 7.09 | 0.587 | 17.95 | 5.46 | 175.5 |
| | 9/15/2008 | 6.64 | 0.646 | 19.42 | 3.65 | 233.1 |
| | 6/2/2008 | 7.13 | 0.668 | 19.99 | 5.39 | 29.2 |
| | 3/5/2008 | 6.85 | 0.507 | 17.23 | 9.66 | 22.5 |
| | 12/13/2007 | 7.00 | 0.714 | 18.30 | 10.41 | 5.4 |
| | 9/18/2007 | 6.79 | 0.645 | 19.48 | 4.46 | 65.6 |
| | 6/21/2007 | 6.99 | 0.681 | 19.26 | 6.24 | 54.9 |
| | 3/28/2007 | 6.90 | 0.777 | 19.16 | 9.8 | 715.4 |
| | 11/14/2006 | 6.73 | 0.464 | 19.04 | 6.53 | 79.2 |
| | 8/14/2006 | 7.08 | 0.602 | 20.02 | 7.38 | 109.6 |
| | 6/14/2006 | 6.08 | 0.722 | 20.10 | 5.36 | - |
| | 3/23/2006 | 6.86 | 0.426 | 18.50 | 3.88 | - |
| MWE | 2/27/2009 | 7.01 | 0.590 | 19.10 | 6.29 | 91.2 |
| | 12/3/2008 | 7.03 | 0.592 | 18.58 | 5.25 | 186.2 |
| | 9/15/2008 | 6.74 | 0.601 | 19.27 | 4.02 | 228.3 |
| | 6/2/2008 | 7.07 | 0.633 | 19.91 | 3.72 | 9.4 |
| | 3/5/2008 | 6.89 | 0.487 | 17.29 | 8.99 | 38.4 |
| | 12/13/2007 | 7.02 | 0.778 | 18.02 | 7.28 | 3.5 |
| | 9/18/2007 | 6.92 | 0.585 | 21.95 | 3.28 | 7.6 |
| | 6/21/2007 | 6.90 | 0.640 | 19.14 | 3.94 | 20.3 |
| | 3/28/2007 | 7.07 | 0.667 | 18.96 | 6.44 | 46.9 |
| | 11/14/2006 | 6.83 | 0.413 | 18.99 | 6.69 | 54.1 |
| | 8/14/2006 | 6.75 | 0.541 | 20.34 | 7.24 | 101.4 |
| | 6/15/2006 | 7.13 | 0.543 | 19.42 | 6.43 | - |
| | 3/23/2006 | 7.21 | 0.347 | 19.70 | 5.04 | - |

Table 3. Summary of Field Parameters in Groundwater
Hobbs Gas Plant
DCP Midstream

| Well ID | Sample Date | pH (s.u.) | Conductivity (mS/cm) | Temperature (°C) | Dissolved Oxygen (mg/L) | ORP (mV) |
|------------|-------------|--------------|-------------------------|---------------------|----------------------------|-------------|
| MWF | 2/27/2009 | 6.77 | 0.857 | 18.61 | 3.85 | 93.4 |
| | 12/3/2008 | 6.76 | 0.917 | 17.79 | 3.79 | 188.4 |
| | 9/15/2008 | 6.43 | 0.876 | 19.17 | 2.52 | 234.3 |
| | 6/2/2008 | 6.76 | 0.879 | 19.00 | 3.08 | 21.4 |
| | 3/5/2008 | 6.76 | 0.657 | 17.01 | 9.71 | 3.6 |
| | 12/13/2007 | 6.71 | 1.062 | 17.90 | 9.52 | -5.7 |
| | 9/18/2007 | 6.63 | 0.734 | 18.95 | 3.61 | 207.9 |
| | 6/21/2007 | 6.85 | 0.849 | 18.56 | 4.64 | 84.7 |
| | 3/27/2007 | 6.84 | 0.833 | 18.44 | 4.61 | 177.0 |
| | 11/14/2006 | 6.52 | 0.544 | 18.16 | 4.50 | 178.2 |
| | 8/14/2006 | 6.65 | 0.846 | 19.95 | 2.45 | 123.7 |
| | 6/14/2006 | 6.81 | 0.855 | 21.70 | 5.52 | - |
| | 3/23/2006 | 6.82 | 0.517 | 19.40 | 2.12 | - |
| SupplyWell | 8/14/2006 | 7.47 | 0.473 | 20.91 | 4.61 | 31.7 |

Notes:

ORP = Oxidation-reduction potential

s.u. = Standard unit



uS/cm = microSiemens per centimeter

°C = Degree Celsius

mg/L = Milligrams per liter

mV = Millivolts

- = No data



Site Location Map

HOBBS GAS PLANT
Lea County, New Mexico

FIGURE

1



Site Map

HOBBS GAS PLANT
Lea County, New Mexico

FIGURE
2

Approximate Scale in Feet
0 60





DWG DATE: 4/1/09 | PRJCT NO.: C0001312.0001 | APPROVED: KL | DRAWER: MTH | CHECKED: MB | APPROVED: COGLE-O485

Approximate Scale in Feet

3

Approximate Scale in Feet

3


Groundwater Potentiometric Surface Map
February 27, 2009

HOBBS GAS PLANT
Lea County, New Mexico





DWG DATE: 4/1/09 PROJCT NO.: C001312.0001 DRAWING: C0WF-G083B CHECKED: MB APPROVED: KL DRAFTERS: MTH



IT'S ALL IN THE CHEMISTRY

03/09/09



Technical Report for

Arcadis U.S., Inc.

Hobbs GP (CO001312)

Accutest Job Number: T25853

Sampling Date: 02/27/09

Report to:

Arcadis U.S., Inc.
1687 Cole Blvd. Suite 200
Lakewood, CO 80401
Matt.Bauer@arcadis-us.com; SWWeathers@dcpmidstream.com

ATTN: Matt Bauer

Total number of pages in report: **26**



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Conference and/or state specific certification programs as applicable.

Paul K Canevaro

Paul Canevaro
Laboratory Director



Client Service contact: William Reeves 713-271-4700

Certifications: TX (T104704220-06-TX) AR (88-0756) FL (E87628) KS (E-10366) LA (85695/04004)
OK (9103) UT(7132714700)

This report shall not be reproduced, except in its entirety, without the written approval of Accutest Laboratories.
Test results relate only to samples analyzed.

Sections:

1
2
3
4

Table of Contents

-1-

| | |
|---|-----------|
| Section 1: Sample Summary | 3 |
| Section 2: Sample Results | 4 |
| 2.1: T25853-1: MWA | 5 |
| 2.2: T25853-2: MWB | 6 |
| 2.3: T25853-3: MWC | 7 |
| 2.4: T25853-4: MWD | 8 |
| 2.5: T25853-5: MWE | 9 |
| 2.6: T25853-6: MWF | 10 |
| 2.7: T25853-7: DUP1 | 11 |
| 2.8: T25853-8: TRIP BLANK | 12 |
| Section 3: Misc. Forms | 13 |
| 3.1: Chain of Custody | 14 |
| Section 4: GC/MS Volatiles - QC Data Summaries | 17 |
| 4.1: Method Blank Summary | 18 |
| 4.2: Blank Spike Summary | 21 |
| 4.3: Matrix Spike/Matrix Spike Duplicate Summary | 24 |



Sample Summary

Arcadis U.S., Inc.

Job No: T25853

Hobbs GP (CO001312)

| Sample Number | Collected Date | Time By | Received | Matrix Code Type | Client Sample ID |
|---------------|----------------|----------|----------|---------------------|------------------|
| T25853-1 | 02/27/09 | 08:00 DJ | 02/28/09 | AQ Ground Water | MWA |
| T25853-2 | 02/27/09 | 09:15 DJ | 02/28/09 | AQ Ground Water | MWB |
| T25853-3 | 02/27/09 | 08:50 DJ | 02/28/09 | AQ Ground Water | MWC |
| T25853-4 | 02/27/09 | 07:15 DJ | 02/28/09 | AQ Ground Water | MWD |
| T25853-5 | 02/27/09 | 08:25 DJ | 02/28/09 | AQ Ground Water | MWE |
| T25853-6 | 02/27/09 | 07:35 DJ | 02/28/09 | AQ Ground Water | MWF |
| T25853-7 | 02/27/09 | 00:00 DJ | 02/28/09 | AQ Ground Water | DUP1 |
| T25853-8 | 02/27/09 | 00:00 DJ | 02/28/09 | AQ Trip Blank Water | TRIP BLANK |



IT'S ALL IN THE CHEMISTRY

Sample Results

Report of Analysis

Report of Analysis

Page 1 of 1

22

Client Sample ID: MWA
Lab Sample ID: T25853-1
Matrix: AQ - Ground Water
Method: SW846 8260B
Project: Hobbs GP (CO001312)

Date Sampled: 02/27/09
Date Received: 02/28/09
Percent Solids: n/a

| | File ID | DF | Analyzed | By | Prep Date | Prep Batch | Analytical Batch |
|--------|----------------|-----------|-----------------|-----------|------------------|-------------------|-------------------------|
| Run #1 | Y0030834.D | 1 | 03/06/09 | RR | n/a | n/a | VY2074 |
| Run #2 | | | | | | | |

Purge Volume
Run #1 5.0 ml
Run #2

Purgeable Aromatics

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|----------------|-----------------|---------------|-----------|------------|--------------|----------|
| 71-43-2 | Benzene | ND | 0.0020 | 0.00046 | mg/l | |
| 108-88-3 | Toluene | ND | 0.0020 | 0.00048 | mg/l | |
| 100-41-4 | Ethylbenzene | ND | 0.0020 | 0.00045 | mg/l | |
| 1330-20-7 | Xylene (total) | ND | 0.0060 | 0.0014 | mg/l | |

| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limits |
|----------------|-----------------------------|---------------|---------------|---------------|
| 1868-53-7 | Dibromofluoromethane | 94% | | 79-122% |
| 17060-07-0 | 1,2-Dichloroethane-D4 | 79% | | 75-121% |
| 2037-26-5 | Toluene-D8 | 118% | | 87-119% |
| 460-00-4 | 4-Bromofluorobenzene | 108% | | 80-133% |

ND = Not detected MDL - Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 1

2.2
2**Client Sample ID:** MWB**Lab Sample ID:** T25853-2**Matrix:** AQ - Ground Water**Method:** SW846 8260B**Project:** Hobbs GP (CO001312)**Date Sampled:** 02/27/09**Date Received:** 02/28/09**Percent Solids:** n/a

| | File ID | DF | Analyzed | By | Prep Date | Prep Batch | Analytical Batch |
|--------|----------------|-----------|-----------------|-----------|------------------|-------------------|-------------------------|
| Run #1 | Y0030854.D | 1 | 03/06/09 | RR | n/a | n/a | VY2075 |
| Run #2 | Y0030894.D | 20 | 03/09/09 | RR | n/a | n/a | VY2077 |

Purge Volume

| | |
|--------|--------|
| Run #1 | 5.0 ml |
| Run #2 | 5.0 ml |

Purgeable Aromatics

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|----------------|-----------------|--------------------|-----------|------------|--------------|----------|
| 71-43-2 | Benzene | 0.592 ^a | 0.040 | 0.0092 | mg/l | |
| 108-88-3 | Toluene | 0.0863 | 0.0020 | 0.00048 | mg/l | |
| 100-41-4 | Ethylbenzene | 0.176 ^a | 0.040 | 0.0091 | mg/l | |
| 1330-20-7 | Xylene (total) | 1.23 ^a | 0.12 | 0.027 | mg/l | |

| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limits |
|----------------|-----------------------------|---------------|---------------|---------------|
| 1868-53-7 | Dibromofluoromethane | 99% | 88% | 79-122% |
| 17060-07-0 | 1,2-Dichloroethane-D4 | 114% | 76% | 75-121% |
| 2037-26-5 | Toluene-D8 | 115% | 114% | 87-119% |
| 460-00-4 | 4-Bromofluorobenzene | 107% | 110% | 80-133% |

(a) Result is from Run# 2

ND = Not detected

MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Accutest Laboratories

Report of Analysis

Page 1 of 1

2
2

Client Sample ID: MWC

Lab Sample ID: T25853-3

Matrix: AQ - Ground Water

Method: SW846 8260B

Project: Hobbs GP (CO001312)

Date Sampled: 02/27/09

Date Received: 02/28/09

Percent Solids: n/a

| | File ID | DF | Analyzed | By | Prep Date | Prep Batch | Analytical Batch |
|--------|----------------|-----------|-----------------|-----------|------------------|-------------------|-------------------------|
| Run #1 | Y0030855.D | 1 | 03/07/09 | RR | n/a | n/a | VY2075 |
| Run #2 | | | | | | | |

Purge Volume

Run #1 5.0 ml

Run #2

Purgeable Aromatics

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|----------------|-----------------|---------------|-----------|------------|--------------|----------|
| 71-43-2 | Benzene | 0.0699 | 0.0020 | 0.00046 | mg/l | |
| 108-88-3 | Toluene | 0.00078 | 0.0020 | 0.00048 | mg/l | J |
| 100-41-4 | Ethylbenzene | 0.0201 | 0.0020 | 0.00045 | mg/l | |
| 1330-20-7 | Xylene (total) | 0.0868 | 0.0060 | 0.0014 | mg/l | |

| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limits |
|----------------|-----------------------------|---------------|---------------|---------------|
| 1868-53-7 | Dibromofluoromethane | 93% | | 79-122% |
| 17060-07-0 | 1,2-Dichloroethane-D4 | 84% | | 75-121% |
| 2037-26-5 | Toluene-D8 | 117% | | 87-119% |
| 460-00-4 | 4-Bromofluorobenzene | 110% | | 80-133% |

ND = Not detected MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound



7 of 26

T25853

ACCUTMTEST Laboratories

Report of Analysis

Page 1 of 1

Client Sample ID: MWD**Lab Sample ID:** T25853-4**Matrix:** AQ - Ground Water**Method:** SW846 8260B**Project:** Hobbs GP (CO001312)**Date Sampled:** 02/27/09**Date Received:** 02/28/09**Percent Solids:** n/a

| | File ID | DF | Analyzed | By | Prep Date | Prep Batch | Analytical Batch |
|--------|----------------|-----------|-----------------|-----------|------------------|-------------------|-------------------------|
| Run #1 | Y0030856.D | 1 | 03/07/09 | RR | n/a | n/a | VY2075 |
| Run #2 | | | | | | | |

Purge Volume

Run #1 5.0 ml

Run #2

Purgeable Aromatics

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|----------------|-----------------|---------------|-----------|------------|--------------|----------|
| 71-43-2 | Benzene | ND | 0.0020 | 0.00046 | mg/l | |
| 108-88-3 | Toluene | ND | 0.0020 | 0.00048 | mg/l | |
| 100-41-4 | Ethylbenzene | ND | 0.0020 | 0.00045 | mg/l | |
| 1330-20-7 | Xylene (total) | ND | 0.0060 | 0.0014 | mg/l | |

| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limits |
|----------------|-----------------------------|---------------|---------------|---------------|
| 1868-53-7 | Dibromofluoromethane | 93% | | 79-122% |
| 17060-07-0 | 1,2-Dichloroethane-D4 | 79% | | 75-121% |
| 2037-26-5 | Toluene-D8 | 114% | | 87-119% |
| 460-00-4 | 4-Bromofluorobenzene | 111% | | 80-133% |

ND = Not detected MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Accutest Laboratories

Report of Analysis

Page 1 of 1

Client Sample ID: MWE**Lab Sample ID:** T25853-5**Matrix:** AQ - Ground Water**Method:** SW846 8260B**Project:** Hobbs GP (CO001312)**Date Sampled:** 02/27/09**Date Received:** 02/28/09**Percent Solids:** n/a

| | File ID | DF | Analyzed | By | Prep Date | Prep Batch | Analytical Batch |
|--------|----------------|-----------|-----------------|-----------|------------------|-------------------|-------------------------|
| Run #1 | Y0030857.D | 1 | 03/07/09 | RR | n/a | n/a | VY2075 |
| Run #2 | | | | | | | |

Purge Volume

Run #1 5.0 ml

Run #2

Purgeable Aromatics

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|----------------|-----------------|---------------|-----------|------------|--------------|----------|
| 71-43-2 | Benzene | ND | 0.0020 | 0.00046 | mg/l | |
| 108-88-3 | Toluene | ND | 0.0020 | 0.00048 | mg/l | |
| 100-41-4 | Ethylbenzene | ND | 0.0020 | 0.00045 | mg/l | |
| 1330-20-7 | Xylene (total) | ND | 0.0060 | 0.0014 | mg/l | |

CAS No. **Surrogate Recoveries** **Run# 1** **Run# 2** **Limits**

| | | | | |
|------------|-----------------------|------|--|---------|
| 1868-53-7 | Dibromofluoromethane | 93% | | 79-122% |
| 17060-07-0 | 1,2-Dichloroethane-D4 | 77% | | 75-121% |
| 2037-26-5 | Toluene-D8 | 114% | | 87-119% |
| 460-00-4 | 4-Bromofluorobenzene | 110% | | 80-133% |

ND = Not detected

MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 1

2.6
2

| | |
|-------------------------------------|--------------------------------|
| Client Sample ID: MWF | Date Sampled: 02/27/09 |
| Lab Sample ID: T25853-6 | Date Received: 02/28/09 |
| Matrix: AQ - Ground Water | Percent Solids: n/a |
| Method: SW846 8260B | |
| Project: Hobbs GP (CO001312) | |

| | File ID | DF | Analyzed | By | Prep Date | Prep Batch | Analytical Batch |
|--------|------------|----|----------|----|-----------|------------|------------------|
| Run #1 | Y0030858.D | 1 | 03/07/09 | RR | n/a | n/a | VY2075 |
| Run #2 | | | | | | | |

| | Purge Volume |
|--------|--------------|
| Run #1 | 5.0 ml |
| Run #2 | |

Purgeable Aromatics

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|-----------|----------------|--------|--------|---------|-------|---|
| 71-43-2 | Benzene | ND | 0.0020 | 0.00046 | mg/l | |
| 108-88-3 | Toluene | ND | 0.0020 | 0.00048 | mg/l | |
| 100-41-4 | Ethylbenzene | ND | 0.0020 | 0.00045 | mg/l | |
| 1330-20-7 | Xylene (total) | ND | 0.0060 | 0.0014 | mg/l | |

| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limits |
|------------|-----------------------|--------|--------|---------|
| 1868-53-7 | Dibromofluoromethane | 93% | | 79-122% |
| 17060-07-0 | 1,2-Dichloroethane-D4 | 77% | | 75-121% |
| 2037-26-5 | Toluene-D8 | 114% | | 87-119% |
| 460-00-4 | 4-Bromofluorobenzene | 108% | | 80-133% |

ND = Not detected MDL - Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Accutest Laboratories

Report of Analysis

Page 1 of 1

Client Sample ID: DUP1**Lab Sample ID:** T25853-7**Matrix:** AQ - Ground Water**Method:** SW846 8260B**Project:** Hobbs GP (CO001312)**Date Sampled:** 02/27/09**Date Received:** 02/28/09**Percent Solids:** n/a

| | File ID | DF | Analyzed | By | Prep Date | Prep Batch | Analytical Batch |
|--------|----------------|-----------|-----------------|-----------|------------------|-------------------|-------------------------|
| Run #1 | Y0030859.D | 1 | 03/07/09 | RR | n/a | n/a | VY2075 |
| Run #2 | | | | | | | |

Purge Volume

Run #1 5.0 ml

Run #2

Purgeable Aromatics

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|----------------|-----------------|---------------|-----------|------------|--------------|----------|
| 71-43-2 | Benzene | 0.0366 | 0.0020 | 0.00046 | mg/l | |
| 108-88-3 | Toluene | ND | 0.0020 | 0.00048 | mg/l | |
| 100-41-4 | Ethylbenzene | 0.0100 | 0.0020 | 0.00045 | mg/l | |
| 1330-20-7 | Xylene (total) | 0.0433 | 0.0060 | 0.0014 | mg/l | |

| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limits |
|----------------|-----------------------------|---------------|---------------|---------------|
| 1868-53-7 | Dibromofluoromethane | 96% | | 79-122% |
| 17060-07-0 | 1,2-Dichloroethane-D4 | 80% | | 75-121% |
| 2037-26-5 | Toluene-D8 | 119% | | 87-119% |
| 460-00-4 | 4-Bromofluorobenzene | 110% | | 80-133% |

ND = Not detected

MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 1

| | | | |
|--------------------------|-----------------------|------------------------|----------|
| Client Sample ID: | TRIP BLANK | Date Sampled: | 02/27/09 |
| Lab Sample ID: | T25853-8 | Date Received: | 02/28/09 |
| Matrix: | AQ - Trip Blank Water | Percent Solids: | n/a |
| Method: | SW846 8260B | | |
| Project: | Hobbs GP (CO001312) | | |

| | File ID | DF | Analyzed | By | Prep Date | Prep Batch | Analytical Batch |
|--------|----------------|-----------|-----------------|-----------|------------------|-------------------|-------------------------|
| Run #1 | Y0030832.D | 1 | 03/06/09 | RR | n/a | n/a | VY2074 |
| Run #2 | | | | | | | |

| Purge Volume | |
|---------------------|--------|
| Run #1 | 5.0 ml |
| Run #2 | |


Purgeable Aromatics

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|----------------|-----------------|---------------|-----------|------------|--------------|----------|
| 71-43-2 | Benzene | ND | 0.0020 | 0.00046 | mg/l | |
| 108-88-3 | Toluene | ND | 0.0020 | 0.00048 | mg/l | |
| 100-41-4 | Ethylbenzene | ND | 0.0020 | 0.00045 | mg/l | |
| 1330-20-7 | Xylene (total) | ND | 0.0060 | 0.0014 | mg/l | |

| CAS No. | Surrogate Recoveries | Run# 1 | Run# 2 | Limits |
|----------------|-----------------------------|---------------|---------------|---------------|
| 1868-53-7 | Dibromofluoromethane | 93% | | 79-122% |
| 17060-07-0 | 1,2-Dichloroethane-D4 | 78% | | 75-121% |
| 2037-26-5 | Toluene-D8 | 116% | | 87-119% |
| 460-00-4 | 4-Bromofluorobenzene | 112% | | 80-133% |

ND = Not detected MDL - Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound



IT'S ALL IN THE CHEMISTRY



Misc. Forms

Custody Documents and Other Forms

Includes the following where applicable:

- Chain of Custody



10165 Harwin, Suite 150 - Houston, TX 77036 - 713-271-4700 fax: 713-271-4770

CHAIN OF CUSTODY

Page 1 of 1

| Client / Reporting Information | | Project Information | | FEDERAL Tracking # 8108932819031 Accutest Order # T25853 | Bottle Order Control # Accutest Job # T25853 | Requested Analyses | | Matrix Codes | | | |
|---|--|---|-------------------------------------|---|---|--------------------|-------------|--------------|--------------|---------------------|-----|
| Company Name Arcadis | | Project Name / No. Hobbs (CO001312) | | | | | | | | DW - Drinking Water | |
| Project Contact Matt Bauer | E-mail matt.bauer@arcadis-us.com | Bill to | Invoice Attn. | | | | | | | GW - Ground Water | |
| Address 1687 Cole Blvd, Suite 200 | | Address | | | | | | | | WW - Wastewater | |
| City Lakewood | State CO | Zip 80401 | City | | | State | Zip | | | SO - Soil | |
| Phone No. 303-231-9115 | Fax No. | Phone No. | | | | Phone No. | | | | SL - Sludge | |
| Sampler's Name <i>DT RUGER</i> <i>og Mol</i> | | Client Purchase Order # | | | | | | | | OL - Oil | |
| | | | | | | | | | | LQ - Liquid | |
| | | | | | | | | | | SOL - Other Solid | |
| | | | | | | | | | | | |
| Accutest Sample # | Field ID / Point of Collection | Collection | | # of bottles | Number of preserved bottles | | STEX (S260) | | LAB USE ONLY | | |
| | | Date | Time | Matrix | HG | HOD | HODP | ENOD | HODC | HODR | WAE |
| 1 | MWA | 2/27/09 | 8:00 | GW | 3 | 3 | | | | X | |
| 2 | MWB | 2/27/09 | 9:15 | GW | 3 | 3 | | | | X | |
| 3 | MWC | 2/27/09 | 8:50 | GW | 3 | 3 | | | | X | |
| 4 | MWD | 2/27/09 | 7:15 | GW | 3 | 3 | | | | X | |
| 5 | MWE | 2/27/09 | 8:25 | GW | 3 | 3 | | | | X | |
| 6 | MWF | 2/27/09 | 7:35 | GW | 3 | 3 | | | | X | |
| 7 | DUP1 | 2/27/09 | — | GW | 3 | 3 | | | | X | |
| 8 | <i>TRIP BLANK</i> | — | — | DI | 2 | 2 | | | | X | |
| | | <i>DT RUGER</i> 2/27/09 | | | | | | | | | |
| Turnaround Time (Business days) | | Approved By/ Date: | | Date Deliverable Information | | Comments / Remarks | | | | | |
| <input type="checkbox"/> 10 Day STANDARD | <input type="checkbox"/> 7 DAY | <input type="checkbox"/> Commercial "A" | <input type="checkbox"/> TRRP-13 | | | | | | | | |
| <input checked="" type="checkbox"/> 4 DAY RUSH | <input type="checkbox"/> 3 DAY EMERGENCY | <input type="checkbox"/> Commercial "B" | <input type="checkbox"/> EDD Format | | | | | | | | |
| <input type="checkbox"/> 2 DAY EMERGENCY | <input type="checkbox"/> 1 Day EMERGENCY | <input type="checkbox"/> Reduced Tier 1 | <input type="checkbox"/> Other | | | | | | | | |
| <input type="checkbox"/> Other | | Commercial "A" = Results Only | | | | | | | | | |
| | | Commercial "B" = Results & Standard QC | | | | | | | | | |
| SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION, INCLUDING COURIER DELIVERY | | | | | | | | | | | |
| Relinquished by Sampler: <i>DT RUGER - ARCADIS</i> | Date Time: 2/27/09 15:00 | Received By: 1 FedEx | Relinquished By: 2 FedEx | Date Time: 02.28.09 | Received By: 2 <i>D. Br</i> | | | | | | |
| Relinquished to: 3 | Date Time: | Received By: 3 | Relinquished By: 4 | Date Time: | Received By: 4 | | | | | | |
| Relinquished by: 5 | Date Time: | Received By: 5 | Custody Seal # | Preserved where applicable | On Ice | Temp: <i>80.3</i> | | | | | |

T25853: Chain of Custody
Page 1 of 3

SAMPLE INSPECTION FORM

Accutest Job Number: T25853 Client: Arcadis Date/Time Received: 02.28.09 0945
 # of Coolers Received: 1 Thermometer #: 110 Temperature Adjustment Factor: -0.3
 Cooler Temps: #1: 0.3 #2: _____ #3: _____ #4: _____ #5: _____ #6: _____ #7: _____ #8: _____
 Method of Delivery: FEDEX UPS Accutest Courier Greyhound Delivery Other
 Airbill Numbers: 868932819031

3.1
65

COOLER INFORMATION

- Custody seal missing or not intact
- Temperature criteria not met
- Wet ice received in cooler

CHAIN OF CUSTODY

- Chain of Custody not received
- Sample D/T unclear or missing
- Analyses unclear or missing
- COC not properly executed

Summary of Discrepancies:

SAMPLE INFORMATION

- Sample containers received broken
- VOC vials have headspace
- Sample labels missing or illegible
- ID on COC does not match label(s)
- D/T on COC does not match label(s)
- Sample/Bottles rcvd but no analysis on COC
- Sample listed on COC, but not received
- Bottles missing for requested analysis
- Insufficient volume for analysis
- Sample received improperly preserved

TRIP BLANK INFORMATION

- Trip Blank on COC but not received
- Trip Blank received but not on COC
- Trip Blank not intact
- Received Water Trip Blank
- Received Soil TB

Number of Encores?

Number of 5035 kits?

Number of lab-filtered metals?

TECHNICIAN SIGNATURE/DATE: D. Bond 02.28.09

INFORMATION AND SAMPLE LABELING VERIFIED BY: _____

CORRECTIVE ACTIONS

Client Representative Notified: _____ Date: _____
 By Accutest Representative: _____ Via: _____ Phone: _____ Email: _____
 Client Instructions:

Rmwalker\Dom\SampleManagement

T25853: Chain of Custody
Page 2 of 3

SAMPLE RECEIPT LOG

JOB #:

T2 5853

DATE/TIME RECEIVED: 02.28.09

0245

CLIENT:

ARCONIS

INITIALS: DB

3.1

(3)

| COOLER# | SAMPLE ID | FIELD ID | DATE | MATRIX | VOL | BOTTLE # | LOCATION | PRESERV | PH |
|---------|-----------|------------|------------|--------|------|----------|----------|--------------------|--------|
| 1 | 1 | MWA | 02.27 0800 | W | 40-L | 1-3 | UR | 1 ② 3 4 5 6 7 8 | <2 >12 |
| 1 | 2 | MWB | 0915 | | | | | 1 ② 3 4 5 6 7 8 | <2 >12 |
| 3 | | MWC | 0850 | | | | | 1 ② 3 4 5 6 7 8 | <2 >12 |
| 4 | | MWD | 0715 | | | | | 1 ② 3 4 5 6 7 8 | <2 >12 |
| 5 | | MWE | 0825 | | | | | 1 ② 3 4 5 6 7 8 | <2 >12 |
| 6 | | MWF | 0735 | | | | | 1 ② 3 4 5 6 7 8 | <2 >12 |
| 7 | | DUP/1 | | | | | | 1 ② 3 4 5 6 7 8 | <2 >12 |
| 8 | | TRIP BLANK | | D1 | | 1,2 | | 1 ② 3 4 5 6 7 8 | <2 >12 |
| | | | | | | | | 1 2 3 4 5 6 7 8 | <2 >12 |
| | | | | | | | | 1 2 3 4 5 6 7 8 | <2 >12 |
| | | | | | | | | 1 2 3 4 5 6 7 8 | <2 >12 |
| | | | | | | | | 1 2 3 4 5 6 7 8 | <2 >12 |
| | | | | | | | | 1 2 3 4 5 6 7 8 | <2 >12 |
| | | | | | | | | 1 2 3 4 5 6 7 8 | <2 >12 |
| | | | | | | | | 1 2 3 4 5 6 7 8 | <2 >12 |
| | | | | | | | | 1 2 3 4 5 6 7 8 | <2 >12 |
| | | | | | | | | 1 2 3 4 5 6 7 8 | <2 >12 |
| | | | | | | | | 1 2 3 4 5 6 7 8 | <2 >12 |
| | | | | | | | | 1 2 3 4 5 6 7 8 | <2 >12 |
| | | | | | | | | 1 2 3 4 5 6 7 8 | <2 >12 |
| | | | | | | | | 1 2 3 4 5 6 7 8 | <2 >12 |
| | | | | | | | | 1 2 3 4 5 6 7 8 | <2 >12 |
| | | | | | | | | 1 2 3 4 5 6 7 8 | <2 >12 |
| | | | | | | | | 1 2 3 4 5 6 7 8 | <2 >12 |
| | | | | | | | | 1 2 3 4 5 6 7 8 | <2 >12 |

PRESERVATIVES: 1: None 2: HCl 3: HNO3 4: H2SO4 5: NaOH 6: DI 7: MeOff 8: Other

T25853: Chain of Custody

Page 3 of 3



IT'S ALL IN THE CHEMISTRY

GC/MS Volatiles

QC Data Summaries

Includes the following where applicable:

- Method Blank Summaries
- Blank Spike Summaries
- Matrix Spike and Duplicate Summaries

Method Blank Summary

Page 1 of 1

Job Number: T25853
Account: AGMCOLK Arcadis U.S., Inc.
Project: Hobbs GP (CO001312)

| Sample | File ID | DF | Analyzed | By | Prep Date | Prep Batch | Analytical Batch |
|-----------|--------------|----|----------|----|-----------|------------|------------------|
| VY2074-MB | Y0030830.D 1 | | 03/06/09 | RR | n/a | n/a | VY2074 |

The QC reported here applies to the following samples:

Method: SW846 8260B

T25853-1, T25853-8

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|-----------|----------------|--------|-----|------|-------|---|
| 71-43-2 | Benzene | ND | 2.0 | 0.46 | ug/l | |
| 100-41-4 | Ethylbenzene | ND | 2.0 | 0.45 | ug/l | |
| 108-88-3 | Toluene | ND | 2.0 | 0.48 | ug/l | |
| 1330-20-7 | Xylene (total) | ND | 6.0 | 1.4 | ug/l | |

| CAS No. | Surrogate Recoveries | Limits |
|------------|-----------------------|--------|
| 1868-53-7 | Dibromofluoromethane | 94% |
| 17060-07-0 | 1,2-Dichloroethane-D4 | 79% |
| 2037-26-5 | Toluene-D8 | 115% |
| 460-00-4 | 4-Bromofluorobenzene | 110% |

Method Blank Summary

Page 1 of 1

Job Number: T25853

Account: AGMCOLK Arcadis U.S., Inc.

Project: Hobbs GP (CO001312)

| Sample | File ID | DF | Analyzed | By | Prep Date | Prep Batch | Analytical Batch |
|-----------|--------------|----|----------|----|-----------|------------|------------------|
| VY2075-MB | Y0030853.D 1 | | 03/06/09 | RR | n/a | n/a | VY2075 |

The QC reported here applies to the following samples:

Method: SW846 8260B

T25853-2, T25853-3, T25853-4, T25853-5, T25853-6, T25853-7

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|-----------|----------------|--------|-----|------|-------|---|
| 71-43-2 | Benzene | ND | 2.0 | 0.46 | ug/l | |
| 100-41-4 | Ethylbenzene | ND | 2.0 | 0.45 | ug/l | |
| 108-88-3 | Toluene | ND | 2.0 | 0.48 | ug/l | |
| 1330-20-7 | Xylene (total) | ND | 6.0 | 1.4 | ug/l | |

| CAS No. | Surrogate Recoveries | Limits |
|------------|-----------------------|--------|
| 1868-53-7 | Dibromofluoromethane | 93% |
| 17060-07-0 | 1,2-Dichloroethane-D4 | 77% |
| 2037-26-5 | Toluene-D8 | 115% |
| 460-00-4 | 4-Bromofluorobenzene | 113% |

Method Blank Summary**Job Number:** T25853**Account:** AGMCOLK Arcadis U.S., Inc.**Project:** Hobbs GP (CO001312)

| Sample | File ID | DF | Analyzed | By | Prep Date | Prep Batch | Analytical Batch |
|---------------|----------------|-----------|-----------------|-----------|------------------|-------------------|-------------------------|
| VY2077-MB | Y0030891.D | 1 | 03/09/09 | RR | n/a | n/a | VY2077 |

The QC reported here applies to the following samples:**Method: SW846 8260B**

T25853-2

| CAS No. | Compound | Result | RL | MDL | Units | Q |
|----------------|-----------------|---------------|-----------|------------|--------------|----------|
| 71-43-2 | Benzene | ND | 2.0 | 0.46 | ug/l | |
| 100-41-4 | Ethylbenzene | ND | 2.0 | 0.45 | ug/l | |
| 1330-20-7 | Xylene (total) | ND | 6.0 | 1.4 | ug/l | |

| CAS No. | Surrogate Recoveries | Limits |
|----------------|-----------------------------|---------------|
| 1868-53-7 | Dibromofluoromethane | 89% |
| 17060-07-0 | 1,2-Dichloroethane-D4 | 79-122% |
| 2037-26-5 | Toluene-D8 | 77% |
| 460-00-4 | 4-Bromofluorobenzene | 87-119% |
| | | 112% |
| | | 80-133% |

Blank Spike Summary

Page 1 of 1

Job Number: T25853

Account: AGMCOLK Arcadis U.S., Inc.

Project: Hobbs GP (CO001312)

| Sample | File ID | DF | Analyzed | By | Prep Date | Prep Batch | Analytical Batch |
|-----------|--------------|----|----------|----|-----------|------------|------------------|
| VY2074-BS | Y0030839.D 1 | | 03/06/09 | RR | n/a | n/a | VY2074 |

The QC reported here applies to the following samples:

Method: SW846 8260B

T25853-1, T25853-8

| CAS No. | Compound | Spike ug/l | BSP ug/l | BSP % | Limits |
|-----------|----------------|---------------|-------------|----------|--------|
| 71-43-2 | Benzene | 25 | 20.4 | 82 | 76-118 |
| 100-41-4 | Ethylbenzene | 25 | 22.7 | 91 | 75-112 |
| 108-88-3 | Toluene | 25 | 24.1 | 96 | 77-114 |
| 1330-20-7 | Xylene (total) | 75 | 67.6 | 90 | 75-111 |

| CAS No. | Surrogate Recoveries | BSP | Limits |
|------------|-----------------------|------|---------|
| 1868-53-7 | Dibromofluoromethane | 94% | 79-122% |
| 17060-07-0 | 1,2-Dichloroethane-D4 | 81% | 75-121% |
| 2037-26-5 | Toluene-D8 | 116% | 87-119% |
| 460-00-4 | 4-Bromofluorobenzene | 105% | 80-133% |

Blank Spike Summary

Job Number: T25853
Account: AGMCOLK Arcadis U.S., Inc.
Project: Hobbs GP (CO001312)

| Sample | File ID | DF | Analyzed | By | Prep Date | Prep Batch | Analytical Batch |
|-----------|--------------|----|----------|----|-----------|------------|------------------|
| VY2075-BS | Y0030851.D 1 | | 03/06/09 | RR | n/a | n/a | VY2075 |

The QC reported here applies to the following samples:

Method: SW846 8260B

T25853-2, T25853-3, T25853-4, T25853-5, T25853-6, T25853-7

| CAS No. | Compound | Spike ug/l | BSP ug/l | BSP % | Limits |
|-----------|----------------|------------|----------|-------|--------|
| 71-43-2 | Benzene | 25 | 20.9 | 84 | 76-118 |
| 100-41-4 | Ethylbenzene | 25 | 23.1 | 92 | 75-112 |
| 108-88-3 | Toluene | 25 | 24.8 | 99 | 77-114 |
| 1330-20-7 | Xylene (total) | 75 | 70.2 | 94 | 75-111 |

| CAS No. | Surrogate Recoveries | BSP | Limits |
|------------|-----------------------|------|---------|
| 1868-53-7 | Dibromofluoromethane | 92% | 79-122% |
| 17060-07-0 | 1,2-Dichloroethane-D4 | 80% | 75-121% |
| 2037-26-5 | Toluene-D8 | 119% | 87-119% |
| 460-00-4 | 4-Bromofluorobenzene | 107% | 80-133% |

Blank Spike Summary

Page 1 of 1

Job Number: T25853

Account: AGMCOLK Arcadis U.S., Inc.

Project: Hobbs GP (CO001312)

42

4

| Sample | File ID | DF | Analyzed | By | Prep Date | Prep Batch | Analytical Batch |
|------------------------|------------|----|----------|----|-----------|------------|------------------|
| VY2077-BS ^a | Y0030889.D | 1 | 03/09/09 | RR | n/a | n/a | VY2077 |

The QC reported here applies to the following samples:

Method: SW846 8260B

T25853-2

| CAS No. | Compound | Spike ug/l | BSP ug/l | BSP % | Limits |
|-----------|----------------|---------------|-------------|----------|--------|
| 71-43-2 | Benzene | 25 | 23.5 | 94 | 76-118 |
| 100-41-4 | Ethylbenzene | 25 | 26.7 | 107 | 75-112 |
| 1330-20-7 | Xylene (total) | 75 | 77.5 | 103 | 75-111 |

| CAS No. | Surrogate Recoveries | BSP | Limits |
|------------|-----------------------|------|---------|
| 1868-53-7 | Dibromofluoromethane | 89% | 79-122% |
| 17060-07-0 | 1,2-Dichloroethane-D4 | 79% | 75-121% |
| 2037-26-5 | Toluene-D8 | 113% | 87-119% |
| 460-00-4 | 4-Bromofluorobenzene | 109% | 80-133% |

(a) Only ND results are acceptable for compounds outside control limits biased high.

Matrix Spike/Matrix Spike Duplicate Summary

Page 1 of 1

Job Number: T25853

Account: AGMCOLK Arcadis U.S., Inc.

Project: Hobbs GP (CO001312)

| Sample | File ID | DF | Analyzed | By | Prep Date | Prep Batch | Analytical Batch |
|-------------|------------|----|----------|----|-----------|------------|------------------|
| T25853-1MS | Y0030840.D | 1 | 03/06/09 | RR | n/a | n/a | VY2074 |
| T25853-1MSD | Y0030841.D | 1 | 03/06/09 | RR | n/a | n/a | VY2074 |
| T25853-1 | Y0030834.D | 1 | 03/06/09 | RR | n/a | n/a | VY2074 |

The QC reported here applies to the following samples:

Method: SW846 8260B

T25853-1, T25853-8

| CAS No. | Compound | T25853-1 ug/l | Spike Q ug/l | MS ug/l | MS % | MSD ug/l | MSD % | RPD | Limits Rec/RPD |
|-----------|----------------|------------------|-----------------|------------|---------|-------------|----------|-----|-------------------|
| 71-43-2 | Benzene | ND | 25 | 21.1 | 84 | 20.9 | 84 | 1 | 76-118/16 |
| 100-41-4 | Ethylbenzene | ND | 25 | 23.8 | 95 | 23.1 | 92 | 3 | 75-112/12 |
| 108-88-3 | Toluene | ND | 25 | 24.8 | 99 | 23.7 | 95 | 5 | 77-114/12 |
| 1330-20-7 | Xylene (total) | ND | 75 | 70.6 | 94 | 68.7 | 92 | 3 | 75-111/12 |

| CAS No. | Surrogate Recoveries | MS | MSD | T25853-1 | Limits |
|------------|-----------------------|------|------|----------|---------|
| 1868-53-7 | Dibromofluoromethane | 93% | 93% | 94% | 79-122% |
| 17060-07-0 | 1,2-Dichloroethane-D4 | 82% | 80% | 79% | 75-121% |
| 2037-26-5 | Toluene-D8 | 118% | 116% | 118% | 87-119% |
| 460-00-4 | 4-Bromofluorobenzene | 111% | 109% | 108% | 80-133% |

Matrix Spike/Matrix Spike Duplicate Summary

Page 1 of 1

Job Number: T25853

Account: AGMCOLK Arcadis U.S., Inc.

Project: Hobbs GP (CO001312)

| Sample | File ID | DF | Analyzed | By | Prep Date | Prep Batch | Analytical Batch |
|-------------|------------|----|----------|----|-----------|------------|------------------|
| T25853-6MS | Y0030864.D | 1 | 03/07/09 | RR | n/a | n/a | VY2075 |
| T25853-6MSD | Y0030865.D | 1 | 03/07/09 | RR | n/a | n/a | VY2075 |
| T25853-6 | Y0030858.D | 1 | 03/07/09 | RR | n/a | n/a | VY2075 |

The QC reported here applies to the following samples:

Method: SW846 8260B

T25853-2, T25853-3, T25853-4, T25853-5, T25853-6, T25853-7

| CAS No. | Compound | T25853-6 ug/l | Spike Q | MS ug/l | MS % | MSD ug/l | MSD % | RPD | Limits Rec/RPD |
|-----------|----------------|------------------|------------|------------|---------|-------------|----------|-----|-------------------|
| 71-43-2 | Benzene | ND | 25 | 20.5 | 82 | 20.2 | 81 | 1 | 76-118/16 |
| 100-41-4 | Ethylbenzene | ND | 25 | 22.7 | 91 | 21.7 | 87 | 5 | 75-112/12 |
| 108-88-3 | Toluene | ND | 25 | 23.5 | 94 | 22.8 | 91 | 3 | 77-114/12 |
| 1330-20-7 | Xylene (total) | ND | 75 | 67.4 | 90 | 65.6 | 87 | 3 | 75-111/12 |

| CAS No. | Surrogate Recoveries | MS | MSD | T25853-6 | Limits |
|------------|-----------------------|------|------|----------|---------|
| 1868-53-7 | Dibromofluoromethane | 93% | 93% | 93% | 79-122% |
| 17060-07-0 | 1,2-Dichloroethane-D4 | 80% | 79% | 77% | 75-121% |
| 2037-26-5 | Toluene-D8 | 116% | 114% | 114% | 87-119% |
| 460-00-4 | 4-Bromofluorobenzene | 106% | 105% | 108% | 80-133% |

Matrix Spike/Matrix Spike Duplicate Summary

Page 1 of 1

Job Number: T25853

Account: AGMCOLK Arcadis U.S., Inc.

Project: Hobbs GP (CO001312)

| Sample | File ID | DF | Analyzed | By | Prep Date | Prep Batch | Analytical Batch |
|-------------|------------|----|----------|----|-----------|------------|------------------|
| T25853-2MS | Y0030895.D | 20 | 03/09/09 | RR | n/a | n/a | VY2077 |
| T25853-2MSD | Y0030896.D | 20 | 03/09/09 | RR | n/a | n/a | VY2077 |
| T25853-2 | Y0030894.D | 20 | 03/09/09 | RR | n/a | n/a | VY2077 |

The QC reported here applies to the following samples:

Method: SW846 8260B

T25853-2

| CAS No. | Compound | T25853-2 ug/l | Q | Spike ug/l | MS ug/l | MS % | MSD ug/l | MSD % | RPD | Limits Rec/RPD |
|-----------|----------------|------------------|---|---------------|------------|---------|-------------|----------|-----|-------------------|
| 71-43-2 | Benzene | 592 | | 500 | 1060 | 94 | 1050 | 92 | 1 | 76-118/16 |
| 100-41-4 | Ethylbenzene | 176 | | 500 | 695 | 104 | 681 | 101 | 2 | 75-112/12 |
| 1330-20-7 | Xylene (total) | 1230 | | 1500 | 2580 | 90 | 2510 | 85 | 3 | 75-111/12 |

| CAS No. | Surrogate Recoveries | MS | MSD | T25853-2 | Limits |
|------------|-----------------------|------|------|----------|---------|
| 1868-53-7 | Dibromofluoromethane | 89% | 91% | 88% | 79-122% |
| 17060-07-0 | 1,2-Dichloroethane-D4 | 79% | 80% | 76% | 75-121% |
| 2037-26-5 | Toluene-D8 | 113% | 112% | 114% | 87-119% |
| 460-00-4 | 4-Bromofluorobenzene | 108% | 109% | 110% | 80-133% |