



STATE OF NEW MEXICO
ENERGY, MINERALS AND NATURAL RESOURCES DEPARTMENT
OIL CONSERVATION DIVISION



BRUCE KING
GOVERNOR

ANITA LOCKWOOD
CABINET SECRETARY

POST OFFICE BOX 2088
STATE LAND OFFICE BUILDING
SANTA FE, NEW MEXICO 87504
(505) 827-5800

June 16, 1993

Scurlock Permian Corporation
P.O. Box 4648
Houston, Texas 77210-4648

SWD-505-A

Attn: Owen H. Mobley

RE: Amendment of Division Order SWD-505


Dear Sir:

30-05-25722

Reference is made to your request to amend the above captioned order. My staff has reviewed your request, on the Rohmer Well No.1, to run 5 1/2 inch casing from surface to 4150 feet, perforate the Delaware interval from 3380 feet to 4030 feet, install 2 7/8 inch internally plastic coated tubing with a packer located at approximately 3800 feet and to re-establish injection at a maximum surface pressure of 776 psi.

Your request, conforming to the above description, is approved and Division Order SWD-505 is hereby amended.

Sincerely,


William J. LeMay
Director

cc: NMOCD - Hobbs
File - SWD-505

WJL/BES

Submit 3 Copies
to Appropriate
District Office

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-103
Revised 1-1-89

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION

P.O. Box 2088
Santa Fe, New Mexico, 87504-2088

WELL API NO.

5. Indicate Type of Lease

STATE ☐

FEE ☒

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement Name

Rohmer

8. Well No.

1

9. Pool name or Wildcat

Delaware

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"
(FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:

OIL
WELL ☐

GAS
WELL ☐

OTHER Disposal

2. Name of Operator

Scurlock Permian Corp.

3. Address of Operator

333 Clay, P.O. Box 4648 Houston Tx. 77210-4648

4. Well Location

Unit Letter F : 1980 Feet From The North Line and 1980 Feet From The West Line

Section 23

Township 22S

Range 27E

NMPM

Eddy

County

10. Elevation (Show whether DF, RKB, RT, GR, etc.)

DF 3109.04 GL 3093.4 RKB

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐

PLUG AND ABANDON ☐

TEMPORARILY ABANDON ☐

CHANGE PLANS ☐

PULL OR ALTER CASING ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☒

ALTERING CASING ☒

COMMENCE DRILLING OPNS. ☐

PLUG AND ABANDONMENT ☐

CASING TEST AND CEMENT JOB ☒

OTHER: Re-Enter for SWD ☒

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Re-Enter plugged well-Drill cement plugs and circulate well bore to 4300' - spot 50 sx premium plus cement - Dress cement plug to 4223 KB - Run 5 1/2" 17# J-55 casing to 4204.91' KB - Cement w/600 sx Halliburton light w/10# salt & 1/4# floreal. Tail w/185 sx premium plus neat. Plug bumped. Run CBL to 3940 - PBTD - top of cement by log 728' KB - 1426' overlap - Clean out 5 1/2 to 4159' KB.

Spot 500 gal. 7 1/2% spearhead acid across area to perforate - RIH w/4" CSG gun - Perforate internal 3880 - 3930' w/25 .52 holes & 3960 - 4030 w/35 .52' holes - 120 ft. 60 shots 1 hole/2 ft. Stimulate w/4500 gal. 7 1/2% spearhead.

TIH w/2 7/8 x 5 1/2 lockset PKR - & 2 7/8" tubing - top of - packer set at 3812' KB.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

Steward E. Rogers

TITLE Asst. Regional Manager

DATE 07-01-93

TYPE OR PRINT NAME Steward E. Rogers

(210)
TELEPHONE NO. 379-8273

(This space for State Use)

ORIGINAL SIGNED BY

NO. 1711-1-88

CONSERVATOR DISTRICT

TITLE

DATE

JUN 8 1993

ASHLAND PIPE LINE COMPANY ENGINEERING DEPARTMENT			AFE
SUBJECT <u>ROHMER WELL No. 1</u>		INJECTION STATUS	
SECTION <u>23-225-27 E</u>		EDDY Co. N.M.	
BY <u>S. ROGERS</u>	CHECKED BY	APPROVED BY	DATE <u>5/3/93</u>

0427-6 (02/91)

WELL SCHEMATIC AS PREPARED FOR INJECTION

REVISED

