

District I  
1625 N. French Dr , Hobbs, NM 88240  
District II  
1301 W. Grand Avenue, Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St Francis Dr., Santa Fe, NM 87505

**RECEIVED** State of New Mexico  
Energy Minerals and Natural Resources  
JUL 29 2009 Oil Conservation Division  
HOBBSOCD 220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-141  
Revised October 10, 2003

Submit 2 Copies to appropriate  
District Office in accordance  
with Rule 116 on back  
side of form

## Release Notification and Corrective Action

### OPERATOR

X Initial Report ☐ Final Report

Name of Company	Oxy USA WTP	Contact	Dusty Wilson
Address	1017 W. Stanolind Rd	Telephone No.	(575) 397-8247
Facility Name	GH Mattix # 8	Facility Type	Well site

Surface Owner	Bill Groby	Mineral Owner	Oxy	Lease No.	30-025-27509
---------------	------------	---------------	-----	-----------	--------------

### LOCATION OF RELEASE

Unit Letter	Section	Township	Range	Feet from the	North/South Line	Feet from the	East/West Line	County
N	3	24s	37e					Lea

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

### NATURE OF RELEASE

Type of Release	Oil and Produce Water	Volume of Release	15 bo 25 bw	Volume Recovered	none
Source of Release	Flow Line	Date and Hour of Occurrence	05/23/09 9:00 am	Date and Hour of Discovery	Same
Was Immediate Notice Given?	X Yes <input type="checkbox"/> No <input type="checkbox"/> Not Required	If YES, To Whom?	Patricia		
By Whom?	Dusty Wilson	Date and Hour	05/26/2009 1:40 pm		
Was a Watercourse Reached?	<input type="checkbox"/> Yes X No	If YES, Volume Impacting the Watercourse.	n/a		

If a Watercourse was Impacted, Describe Fully.\*

N/A

GW @ 80'



Describe Cause of Problem and Remedial Action Taken.\*

Flow line ruptured due to internal corrosion. Covered 120' X 100' area in pasture. Refer to Work Plan for further remediation efforts.

Describe Area Affected and Cleanup Action Taken.\*

Remediate to NMOCD Requirements.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Signature: 	<b>OIL CONSERVATION DIVISION</b>	
Printed Name: Dusty L. Wilson	Approved by <b>ENV ENGINEER</b> District Supervisor: 	
Title: HES Specialist	Approval Date: 08/17/09	Expiration Date: 10/16/09
E-mail Address: dusty_wilson@oxy.com	Conditions of Approval: SUBMIT FINAL C-141 BY 10/16/09	Attached <input type="checkbox"/>
Date: 07/28/09	Phone (575) 397-8210	WRP-09-8-2265

- Attach Additional Sheets If Necessary

FGRL0922938779



**OXY USA WTP LP**

4008 N. Grimes PMB#269  
Hobbs, NM 88240  
575-397-8210 Office  
575-397-8204

7/26/2009

NMOCD  
1625 N. FRENCH DRIVE  
HOBBS NM 88240

RE: WORK PLAN/ REPORTABLE SPILL 05/24/09  
G.H. Mattix # 8/API# 30-025-27509

**RECEIVED**

JUL 24 2009

**HOBBSOCD**


To Whom It May Concern:

This spill occurred on 05/24/2009 and was reported to the NMOCD via telephone 05/26/2009 at 1:40 pm to Patricia. Oxy reported a loss of 15 bbls of oil and 25 bbls of Produce Water. None of which was recovered. The affected spill area was north east of the above listed well location site, and affected a 120' X 100' area in the pasture, at the surface level. A visual inspection of the site showed that all of the surface fluids were absorbed into the underlying soils at the time the spill was located. Soil samples were obtained from the spill site area and sent for Analysis. Based on those samples and analytical data gathered from the spill site, it was determined that at sample points 1,2, and 3 an excavation of 3' would be executed, and an excavation of 5' would be executed at sample points 4 and 5. All excavated soils would be removed and hauled off site for disposal at an approved disposal facility, Sundance Services, Eunice NM. A 20 mil. Plastic liner would be installed over the excavated area to prevent any further downward migration of the remaining chlorides. The area will then be backfilled with clean soils and remediation completed. The above was approved via telephone by NMOCD, Jeff Leking, on 7/20/09 at 10:15 am.

This letter is to inform the NMOCD of remediation efforts for this spill. If any further information is needed please feel free to contact Dusty Wilson, HES Specialist, Oxy Permian, at (575) 441-7189.

The original C-141, Analytical results, and ground water data are being sent with this letter. Thank you for your attention on this matter.

Thank You,

  
Dusty L. Wilson

HES Specialist, Oxy Permian, Seminole RMT  
(575) 441-7189



# New Mexico Office of the State Engineer

## Water Column/Average Depth to Water

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest) (NAD83 UTM in meters) (In feet)

POD Number	Sub basin	Use	County	Q 64	Q 16	Q 4	Sec	Tws	Rng	X	Y	Depth Well	Depth Water	Water Column
CP 00037 SRW2	POL	LE		2	1	05	24S	37E		670782	3569793*	177	106	71
CP 00297 A	POL	LE		2	1	12	24S	37E		677245	3568291*	32	18	14
CP 00443	STK	LE		3	4	1	08	24S	37E	670718	3567680*	125	90	35
CP 00501	SAN	LE		4	1	4	28	24S	37E	673019	3562484*	110	70	40
CP 00540	STK	LE					23	24S	37E	675913	3564435*	110	94	16
CP 00652 EXPL	DOM	LE				2	25	24S	37E	677940	3563270*	180	90	90
CP 00663	DOM	LE		1	1	3	24	24S	37E	676812	3564362*	112	100	12
CP 00886	POL	LE			3	4	35	24S	37E	676172	3560628*	73		
CP 00912	STK	LE		1	1	1	11	24S	37E	675130	3568357*	95		

Average Depth to Water: **81 feet**

Minimum Depth: **18 feet**

Maximum Depth: **106 feet**

Record Count: 9

Basin/County Search:

County: Lea

PLSS Search:

Township: 24S

Range: 37E

State Map Shows well @  
89' in Sec. 3.

\*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data

C.H. Mattix #8

6-4-09

<u>ID</u>	<u>Depth</u>	<u>Date</u>	<u>CHL</u>	<u>TIME</u>	<u>ODOR</u>	<u>Appearance</u>
sp3@	14	6-4-09	200	1:19	NO	Red Coliche
	15 ✓		125	1:28	NO	Red Coliche
sp4@	3	6-3-09	5000	1:11	strong	gray soil
	4 ✓		4000	1:19	strong	gray
	5		3400	1:25	strong	Brown
	6		3600	1:33	Med	Brown
	7		3000	1:39	Med	Brown
	8 ✓		2800	1:45	Med	Brown
	9		2700	1:54	slight	Red Coliche
	10		2850	2:00	slight	Red Colich
	11		3400	2:09	slight	Red Colich
	12 ✓	6-4-09	2700	2:30	slight	Red Colich
	13		2000	2:42	NO	Red Coliche
	14		2200	2:48	NO	Red Coliche
	15		2600	2:57	NO	Red Colich
	16 ✓		2500	3:09	slight	Red Coliche
	17 ✓		975	3:15	slight	Red Colich
	18 ✓		600	3:30	slight	Red Coliche
sp5@	3	6-4-09	3950	8:15	Strong	Black soil
	4 ✓		3250	8:22	strong	Black/gray
	5		3200	8:30	Med	gray/Red
	6		2800	8:39	Strong	Red Coliche
	7		2600	8:45	Med	Red Coliche
	8 ✓		2375	8:51	Med	Red Coliche
	9		2800	8:59	strong/Med	Red Colich
	10		2650	9:04	strong/Med	Red Colich
	11		2700	9:06	slight	Red Colich
	12		2700	9:08	slight	Red Colich
	13 ✓		2375	9:11	Med/slight	Red Colich
	14		2400	9:30	slight	Red Colich
	15		2800	9:41	slight	Red Colich
	16		2650	9:51	slight	Red Colich
	17		3000	10:00	slight	Red Colich
	18 ✓		2750	10:10	slight	Red Colich

Eco / Enviro Drilling, Roy Taylor  
Amy Ruth

Drilling 2 soil borings in continuation of previous soil sampling using backhoe. Will begin at 18' below ground surface. SB1 located near SP4. SB2 will be located near SP5. <sup>soil boring</sup>

Beginning at depth backhoe left off. See Diagram next page.

Sample	Depth	Time	ppm Cl <sup>-</sup>	odor
SB1	18'	1017	4800	slight
	19'	1018	4000	slight
	20'	1019	5000	none
	22'	1215	4800	none
	23'	1216	4500	none
	24'	1217	5,500	none
SB2	25'	1218	6,000	none
	15'	1258	5,000	none
	18'	1310	5,000	none
	20'	1309	4,800	none
	25'	1324	5,200	none
	30'	1403	3,800	none
SB3	35'	1442	2,600	none
	15'	1538	3,000	moderate
	20'	1553	2,500	none
	25'	1650	2,400	none


G.H. Mattix #8

6-3-09

ID	Depth	Date	CHL	TIME	ODOR	Appearance
sp 1 @	3	6-3-09	1200	8:59	Med	Brown/gray
	4 ✓		700	9:14	Slight	tan
	5		1000	9:30	Slight	tan
	6		1000	9:46	Slight/NO	tan Sand
	7		975	10:00	NO	Caliche
	8 ✓		675	10:07	NO	Caliche
	9		700	10:14	NO	Calich
	10	6-4-09	500	10:21	NO	Calich
	11		400	10:28	NO	Calich
	12		250	10:28	NO	Calich
	13 ✓		250	10:35	NO	Caliche
sp 2 @	3	6-3-09	1000	10:33	Med	tan Sand
	4 ✓		875	10:45	Slight	tan Sand
	5		1080	10:50	Slight	tan Caliche
	6		1500	10:57	NO	Red Sand
	7		1200	11:02	NO	Red Caliche
	8 ✓		725	11:09	NO	Red Caliche
	9		425	11:15	NO	Red Caliche
	10	6-4-09	800	11:19	NO	Red/Brown/Calich
	11		1000	11:25	NO	Red Calich
	12		1050	10:42	NO	Red Caliche
	13 ✓		890	10:58	NO	Red Caliche
	14		285	11:21	NO	Red Calich
	15 ✓		190	11:52	NO	Red Caliche
sp 3 @	3	6-3-09	2100	11:30	Med	Brown Sand
	4 ✓		1950	11:38	Slight	Brown Sand
	5		1600	11:44	NO	Calich
	6		1475	11:51	NO	Calich
	7		1200	11:57	NO	Red Calich
	8 ✓		1225	12:05	NO	Red Calich
	9		900	12:11	NO	Calich
	10	6-4-09	600	12:22	NO	Caliche
	11		650	12:30	NO	Calich
	12		975	12:45	NO	Calich
	13 ✓		700	12:55	NO	Caliche/Rock

Oxy / GH Mattix #8

6-11-09



\* Note: SP1 - SP5 are where soil samples were pulled by hand or with Back Hoe  
Hand-Surface - 2' (These are the only ones sent to Lab)  
Back Hoe - 2' - 18'

SB1 - SB3 are where soil samples were pulled by Auger Machine  
18' & beyond.



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

ANALYTICAL RESULTS FOR  
BBC INTERNATIONAL, INC.  
ATTN: CLIFF BRUNSON  
P.O. BOX 805  
HOBBS, NM 88241  
FAX TO (575) 397-0397

Receiving Date: 05/29/09  
Reporting Date: 06/03/09  
Project Owner: OXY  
Project Name: G.H. MATTIX #8  
Project Location: EUNICE/JAL HWY.

Sampling Date: 05/29/09  
Sample Type: SOIL  
Sample Condition: INTACT @ 9.5°C  
Sample Received By: ML  
Analyzed By: AB/ZL

LAB NO.	SAMPLE ID	GRO (C <sub>6</sub> -C <sub>10</sub> ) (mg/kg)	DRO (>C <sub>10</sub> -C <sub>28</sub> ) (mg/kg)	BENZENE (mg/kg)	TOLUENE (mg/kg)	ETHYL BENZENE (mg/kg)	TOTAL XYLENES (mg/kg)	CI* (mg/kg)
ANALYSIS DATE:		06/03/09	06/03/09	06/01/09	06/01/09	06/01/09	06/01/09	06/01/09
H17516-1	SP1 @ SURFACE	<50.0	17,800	<0.050	<0.050	<0.050	0.401	5,440
H17516-2	SP1 @ 2FT	178	3,000	<0.050	0.054	<0.050	1.84	2,220
H17516-3	SP2 @ SURFACE	<50.0	16,300	<0.050	<0.050	<0.050	0.300	9,600
H17516-4	SP2 @ 2FT	82.1	1,160	<0.050	0.134	<0.050	1.70	3,920
H17516-5	SP3 @ SURFACE	<50.0	14,800	<0.050	0.143	<0.050	0.869	6,400
H17516-6	SP3 @ 2FT	537	3,860	0.086	0.537	0.916	6.86	3,280
H17516-7	SP4 @ SURFACE	1,720	13,000	0.692	5.93	14.5	62.8	4,160
H17516-8	SP4 @ 2FT	505	2,940	0.052	0.468	0.389	3.49	5,840
H17516-9	SP5 @ SURFACE	1,290	15,500	5.89	11.6	7.21	29.6	3,120
H17516-10	SP5 @ 2FT	638	3,800	0.271	0.436	1.07	9.13	6,000
Quality Control		503	448	0.059	0.047	0.045	0.136	490
True Value QC		500	500	0.050	0.050	0.050	0.150	500
% Recovery		101	89.6	118.0	94.0	90.0	90.7	98.0
Relative Percent Difference		10.0	3.9	3.0	<1.0	<1.0	<1.0	2.0

METHODS: TPH GRO & DRO - EPA SW-846 8015 M; BTEX - SW-846 8021B; CI: Std. Methods 4500-CI-B

\*Analyses performed on 1:4 w:v aqueous extracts. Reported on wet weight.

TEXAS NELAP ACCREDITATION T104704398-08-TX FOR BENZENE, TOLUENE, ETHYL BENZENE,  
AND TOTAL XYLENES.

Lab Director

H17516 TBCL BBC

Date

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above-stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



# **CARDINAL LABORATORIES**

101 East Marland, Hobbs, NM 88240

(505) 393-2326 FAX (505) 393-2476

## **CHAIN-OF-CUSTODY AND ANALYSIS REQUEST**

Company Name: BBC International, Inc.				<b>BILL TO</b>				<b>ANALYSIS REQUEST</b>																				
Project Manager: Cliff Brunson				P.O. #:				<div style="display: flex; flex-direction: column; align-items: center;"> <div style="writing-mode: vertical-rl; transform: rotate(180deg);">BTF 8021</div> <div style="writing-mode: vertical-rl; transform: rotate(180deg);">TPH 8015</div> <div style="writing-mode: vertical-rl; transform: rotate(180deg);">CL-</div> </div>																				
Address: P.O. Box 805				Company:																								
City: Hobbs		State: NM		Zip: 88241		Attn:																						
Phone #: 575-397-6388		Fax #: 575-397-0397		Address:																								
Project #:		Project Owner: OXY		City:																								
Project Name: G.H. Mattix #8				State: Zip:																								
Project Location: Ennis Vol Highway				Phone #:																								
Sampler Name: Vilt Drape 1-2				Fax #:																								
Lab I.D.	Sample I.D.	GRAB OR (COMP # CONTAINERS)	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER	ACID/BASE	ICE / COOL	OTHER	DATE	TIME															
H17516-1	SP1 @ Surface	G 1			X					X		5-29-09	9:22	X	X	X												
-2	SP1 @ 2 Ft	G 1			Y					X			9:40	X	X	X												
-3	SP2 @ Surface	G 1			Y					X			10:00	X	X	X												
-4	SP2 @ 2 Ft	G 1			X					X			10:11	X	X	X												
-5	SP3 @ Surface	G 1			X					X			10:30	X	X	X												
-6	SP3 @ 2 Ft	G 1			X					Y			10:46	X	Y	X												
-7	SP4 @ Surface	G 1			X					X			10:58	X	X	X												
-8	SP4 @ 2 Ft	G 1			X					X			11:13	X	X	X												
-9	SP5 @ Surface	G 1			X					X			11:20	X	X	X												
-10	SP5 @ 2 Ft	G 1			X					Y			11:36	X	X	X												

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analysis. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether a such claim is based upon any of the above stated reasons or otherwise.

Relinquished By:	Date: 5-29-09 Time: 2:38	Received By: <i>[Signature]</i>	Phone Result: <input type="checkbox"/> Yes <input type="checkbox"/> No	Add'l Phone #:
Relinquished By:	Date:	Received By:	Fax Result: <input type="checkbox"/> Yes <input type="checkbox"/> No	Add'l Fax #:
Delivered By: (Circle One) Sampler - UPS - Bus - Other:			REMARKS:	
Sample Condition Cool <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Intact <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		CHECKED BY: (Initials) <i>[Signature]</i>		

† Cardinal cannot accept verbal changes. Please fax written changes to 505-393-2476

9.50C #26

\*Non ice & cooling



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

ANALYTICAL RESULTS FOR  
BBC INTERNATIONAL, INC.  
ATTN: CLIFF BRUNSON  
P.O. BOX 805  
HOBBS, NM 88241  
FAX TO: (575) 397-0397

Receiving Date: 07/01/09  
Reporting Date: 07/06/09  
Project Owner: OXY  
Project Name: G.H. MATTIX #8  
Project Location: JAL, NM

Analysis Date: 07/02/09  
Sampling Date: 07/01/09  
Sample Type: SOIL  
Sample Condition: INTACT @ 21°C  
Sample Received By: ML  
Analyzed By: AB

LAB NUMBER   SAMPLE ID		Cl <sup>-</sup> (mg/kg)
H17735-1	SP4 @ 25	1,480
H17735-2	SP4 @ 30	832
H17735-3	SP4 @ 35	2,080
H17735-4	SP4 @ 40	112
H17735-5	SP5 @ 25	656
H17735-6	SP5 @ 35	96
H17735-7	SP5 @ 40	368
H17735-8	SP5 @ 45	320
H17735-9	SP5 @ 50	32
Quality Control		500
True Value QC		500
% Recovery		100
Relative Percent Difference		< 0.1

METHOD: Standard Methods 4500-ClB

Note: Analyses performed on 1:4 w.v aqueous extracts.

*Cliff Brunson*  
Chemist

*07/06/09*  
Date

H17735 BBC

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analysis. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services rendered by Cardinal, regardless of whether such claim is based upon any of the above-stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



# ARDINAL LABORATORIES

101 East Marland, Hobbs, NM 88240  
 (505) 393-2326 FAX (505) 393-2476

## CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name: BBC International, Inc.				BILL TO				ANALYSIS REQUEST																			
Project Manager: Cliff Brunson				P.O. #:																							
Address: P.O. Box 805				Company:																							
City: Hobbs State: NM Zip: 88241				Attn:																							
Phone #: 575-397-6388 Fax #: 575-397-0397				Address:																							
Project #: Project Owner: Dxy				City:																							
Project Name: G.H. Matt: x #8				State: Zip:																							
Project Location: Hobbs, NM				Phone #:																							
Sampler Name: V.H. Ouellet				Fax #:																							
FOR LAB USE ONLY						MATRIX		PRESERV.		SAMPLING																	
Lab I.D.	Sample I.D.	(GRAB OR COMPOUND)	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER	ACID/BASE	ICE / COOL	OTHER	DATE	TIME													
1417735-1	SB4025	G	1			X				X			7-1-09	11:28	X												
-2	SB4030	G	1			X				X				11:34	X												
-3	SB4035	G	1			X				X				11:37	X												
-4	SB4040	G	1			X				X				11:40	X												
-5	SB5025	G	1			X				X				12:30	X												
-6	SB5035	G	1			X				X				12:37	X												
-7	SB5040	G	1			X				X				12:44	X												
-8	SB5045	G	1			X				X				12:52	X												
-9	SB5050	G	1			X				X				1:07	X												
<p>PLEASE NOTE: Liability and Damages. Cardinal liability and client's exposure, remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits, incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.</p>																											
Relinquished By: [Signature]				Date: 7-1-09		Received By: [Signature]				Phone Result: <input type="checkbox"/> Yes <input type="checkbox"/> No				Add'l Phone #:													
				Time: 3:58						Fax Result: <input type="checkbox"/> Yes <input type="checkbox"/> No				Add'l Fax #:													
Relinquished By:				Date:		Received By:				REMARKS:																	
				Time:																							
Delivered By: (Circle One)						Sample Condition		CHECKED BY:																			
Sampler - UPS - Bus - Other: 2100						Cool Intact		(Initials)																			
						<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		MCA/B																			

† Cardinal cannot accept verbal changes. Please fax written changes to 505-393-2476

#26