

DATE IN 8/31	SUSPENSE	ENGINEER Brooks	LOGGED IN 8/31	TYPE NSI	PTGW APP NO. 09243558.30
--------------	----------	-----------------	----------------	----------	-----------------------------

ABOVE THIS LINE FOR DIVISION USE ONLY

NEW MEXICO OIL CONSERVATION DIVISION

- Engineering Bureau -

1220 South St. Francis Drive, Santa Fe, NM 87505



6086

Devon

ADMINISTRATIVE APPLICATION CHECKLIST

15025

THIS CHECKLIST IS MANDATORY FOR ALL ADMINISTRATIVE APPLICATIONS FOR EXCEPTIONS TO DIVISION RULES AND REGULATIONS WHICH REQUIRE PROCESSING AT THE DIVISION LEVEL IN SANTA FE

Application Acronyms:

[NSL-Non-Standard Location] **[NSP-Non-Standard Proration Unit]** **[SD-Simultaneous Dedication]**
[DHC-Downhole Commingling] **[CTB-Lease Commingling]** **[PLC-Pool/Lease Commingling]**
[PC-Pool Commingling] **[OLS - Off-Lease Storage]** **[OLM-Off-Lease Measurement]**
[WFX-Waterflood Expansion] **[PMX-Pressure Maintenance Expansion]**
[SWD-Salt Water Disposal] **[IPI-Injection Pressure Increase]**
[EOR-Qualified Enhanced Oil Recovery Certification] **[PPR-Positive Production Response]**

Dickens 29 Feb. #1-H

Eddy Co

- [1] **TYPE OF APPLICATION** - Check Those Which Apply for [A]
- [A] Location - Spacing Unit - Simultaneous Dedication
☒ NSL ☐ NSP ☐ SD
- Check One Only for [B] or [C]
- [B] Commingling - Storage - Measurement
☐ DHC ☐ CTB ☐ PLC ☐ PC ☐ OLS ☐ OLM
- [C] Injection - Disposal - Pressure Increase - Enhanced Oil Recovery
☐ WFX ☐ PMX ☐ SWD ☐ IPI ☐ EOR ☐ PPR
- [D] Other: Specify _____
- [2] **NOTIFICATION REQUIRED TO:** - Check Those Which Apply, or Does Not Apply
- [A] ☐ Working, Royalty or Overriding Royalty Interest Owners
- [B] ☐ Offset Operators, Leaseholders or Surface Owner
- [C] ☐ Application is One Which Requires Published Legal Notice
- [D] ☐ Notification and/or Concurrent Approval by BLM or SLO
U.S. Bureau of Land Management - Commissioner of Public Lands, State Land Office
- [E] ☐ For all of the above, Proof of Notification or Publication is Attached, and/or,
- [F] ☐ Waivers are Attached
- [3] **SUBMIT ACCURATE AND COMPLETE INFORMATION REQUIRED TO PROCESS THE TYPE OF APPLICATION INDICATED ABOVE.**

[4] **CERTIFICATION:** I hereby certify that the information submitted with this application for administrative approval is **accurate** and **complete** to the best of my knowledge. I also understand that **no action** will be taken on this application until the required information and notifications are submitted to the Division.

Note: Statement must be completed by an individual with managerial and/or supervisory capacity.

Print or Type Name

Signature

Title

Date

Ken Gray

405-552-4633

e-mail Address

devon

Devon Energy Corporation
20 North Broadway
Oklahoma City, Oklahoma 73102-8260

FAX

To: DAVID BROOKS

From: KEN GRAY

Fax: 505-476-3462

Date: 9/1/09

Phone:

Pages: 12 (including cover page)

Re: DICKENS 29 FEB #1 H

CC:

☐ Urgent☒ For Review☐ Please Comment☐ Please Reply☐ Please Recycle

• Comments:



Ken Gray
Senior Advisor, Land

Devon Energy Corporation
20 North Broadway
Oklahoma City, Oklahoma 73102-8260
Office: (405) 552-4633
Fax: (405) 552-8113

September 1, 2009

New Mexico Oil Conservation Division
1220 South St. Francis Drive
Santa Fe, New Mexico 87505
Attn: David Brooks

Re: Dickens 29 Federal #111
Section 29-T16S-R28E
Eddy County, New Mexico

Gentlemen:

Devon Energy Production Company, L.P. (Devon), as Operator, intends to drill the referenced horizontal Wolfcamp/Abo oil well to a TVD of approximately 6,570' with a TMD of approximately 10,475'. Devon initially attempted to stake and permit this well at an orthodox location. However, due to the proximity of the location to an archeological site and unsuitable topographics, the Bureau of Land Management (BLM) has required Devon to move the location. The closest drillable location as approved by the BLM is located at a SHL 70' FSL & 790' PEL with a BHL of 330' FSL & 330' FWL which is an unorthodox surface location pursuant to the statewide pool rules.

Inasmuch as this well will be producing from an unorthodox surface location from that permitted by the statewide pool rules, Devon respectfully requests that the Commission administratively approve this application for an unorthodox location in accordance with Division Rule 104(F)(3). Devon's records reflect that Yates Petroleum Corporation as the Division-designated operator in Section 32 to the South is the only party affected by this application and has been given notice of this application. Additionally, Devon requests Commission approval to designate a 160 acre project area consisting of four (4) standard oil spacing units comprised of the S/2 S/2 (unit letters M,N,O&P) of said section 29.

Attached you will find a Wolfcamp structure map, a State of New Mexico form C-102, a land plat reflecting the affected party and a CUDD Drilling & Measurement Services Drilling Plan.

If there are any questions or if additional information is required feel free to call me at (405) 552-4633.


Yours very truly,

DEVON ENERGY PRODUCTION COMPANY, L.P.

A handwritten signature in black ink, appearing to read 'Ken Gray', written over a horizontal line.

Ken Gray
Senior Advisor, Land

Kg/
Enclosure



DISTRICT I

1625 N. French Dr., Hobbs, NM 88240

DISTRICT II

1301 W. Grand Avenue, Artesia, NM 88210

DISTRICT III

1000 Rio Brazos Rd., Aztec, NM 87410

DISTRICT IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources Department

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.
Santa Fe, New Mexico 87505

Form C-102

Revised October 12, 2005

Submit to Appropriate District Office

State Lease - 4 Copies

Fee Lease - 3 Copies

WELL LOCATION AND ACREAGE DEDICATION PLAT

☐ AMENDED REPORT

API Number	Pool Code 17920	Pool Name Log Canyon, Wolfcamp/A50
Property Code 37787	Property Name DICKENS "29" FEDERAL	Well Number 1H
OGRIID No. 15025	Operator Name DEVON ENERGY PRODUCTION COMPANY LP	Elevation 3578'

Surface Location


UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
P	29	16 S	28 E		170	SOUTH	790	EAST	EDDY

Bottom Hole Location If Different From Surface

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
M	29	16 S	28 E		330	SOUTH	330	WEST	EDDY
Dedicated Acres	Joint or Infill	Consolidation Code	Order No.						

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

GRID N: 691505.787 GRID E: 580273.947 LATITUDE: 32°54'01.279" LONGITUDE: -104°12'23.288"	GRID N: 691330.583 GRID E: 585485.393 LATITUDE: 32°54'01.448" LONGITUDE: -104°11'22.054"	OPERATOR CERTIFICATION I hereby certify that the information contained herewith is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. Signature _____ Date _____ Printed Name _____
GRID N: 686593.945 GRID E: 580261.420 LATITUDE: 32°53'34.435" LONGITUDE: -104°12'23.484"	GRID N: 688119.702 GRID E: 585485.260 LATITUDE: 32°53'34.824" LONGITUDE: -104°11'22.216"	
GRID N: 685882.117 GRID E: 580249.547 LATITUDE: 32°53'07.802" LONGITUDE: -104°12'23.881"	GRID N: 6881909.381 GRID E: 586475.877 LATITUDE: 32°53'07.805" LONGITUDE: -104°11'22.369"	SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision and that the same is true and correct to the best of my belief. NOVEMBER 25, 2008 Date Signed _____ Signature _____ Professional Surveyor _____ Certificate No. Gary L. Jones 7977 BASIN SURVEYS





Devon Energy

Eddy Co., New Mexico (Nad 83)

Dickens 29 Fed #1H

Dickens 29 Fed #1H

Lateral #1

Plan: Design #1

Standard Planning Report

17 August, 2009





CUDD Drilling & Measurement Services Planning Report



Database:	EDM 2003.21 Single User Db	Local Co-ordinate Extension:	Well Dickens 29 Fed #1H
Company:	Devon Energy	TVIS Extension:	WELL @ 3593.00ft (Original Well Elev)
Project:	Eddy Co., New Mexico (Nad 83)	NO Extension:	WELL @ 3593.00ft (Original Well Elev)
Well:	Dickens 29 Fed #1H	Survey Extension:	Grid
Wellbore:	Dickens 29 Fed #1H	Survey Extension:	Minimum Curvature
Design:	Lateral #1		
	Design #1		

Wellbore	Depth (ft)	Vertical Depth (ft)	Horizontal Depth (ft)	True Vertical Depth (ft)	True Horizontal Depth (ft)	True Curvature (ft)	True Curvature (ft)	True Curvature (ft)	True Curvature (ft)
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	1,090.00	0.00	0.00	1,090.00	0.00	0.00	0.00	0.00	0.00
Queen	1,866.00	0.00	0.00	1,866.00	0.00	0.00	0.00	0.00	0.00
San Andres	3,300.00	0.00	0.00	3,300.00	0.00	0.00	0.00	0.00	0.00
Glorieta	5,354.00	0.00	0.00	5,354.00	0.00	0.00	0.00	0.00	0.00
Abo	6,047.00	0.00	0.00	6,047.00	0.00	0.00	0.00	0.00	0.00
KOP - Build 10°/100'	6,320.24	27.32	271.94	6,310.00	2.16	-63.66	63.92	10.00	10.00
Wolfcamp Mkr.	6,682.45	63.53	271.94	6,560.00	10.73	-317.49	317.67	10.00	10.00
Wolfcamp Pay	6,955.29	90.81	271.94	6,620.00	19.64	-580.86	581.18	10.00	10.00
EOC - Hold 1:90.81° @ A:271.94°	10,475.81	90.81	271.94	6,570.00	138.59	-4,099.01	4,101.36	0.00	0.00
FBHL - TD (D29F#1H)									

Wellbore	Depth (ft)	Vertical Depth (ft)	Horizontal Depth (ft)	True Vertical Depth (ft)	True Horizontal Depth (ft)	True Curvature (ft)	True Curvature (ft)	True Curvature (ft)	True Curvature (ft)
	1,090.00	1,090.00	Queen			0.00			
	1,866.00	1,866.00	San Andres			0.00			
	3,300.00	3,300.00	Glorieta			0.00			
	5,354.00	5,354.00	Abo			0.00			
	6,320.24	6,310.00	Wolfcamp Mkr.			0.00			
	6,682.45	6,560.00	Wolfcamp Pay			0.00			

Wellbore	Depth (ft)	Vertical Depth (ft)	Horizontal Depth (ft)	True Vertical Depth (ft)	True Horizontal Depth (ft)	True Curvature (ft)	True Curvature (ft)	True Curvature (ft)	True Curvature (ft)
	6,047.00	6,047.00	0.00	0.00	0.00	KOP - Build 10°/100'			
	6,955.29	6,620.00	19.64	-580.86		EOC - Hold 1:90.81° @ A:271.94°			

CUBO
DOLLAR & BUCKLE
SERIES

Database:	EDM 2003.21 Single User Db	Local Co. Software Path:	Well Dickens 29 Fed #1H
Company:	Devon Energy	TYU Reference:	WELL @ 3593.00ft (Original Well Elev)
Project:	Eddy Co., New Mexico (Nad 83)	HO Reference:	WELL @ 3593.00ft (Original Well Elev)
Site:	Dickens 29 Fed #1H	North Reference:	Grid
Well:	Dickens 29 Fed #1H	Survey Coordinates:	Minimum Curvature
Lateral:	Lateral #1		
Design:	Design #1		

Project:	Eddy Co., New Mexico (Nad 83)		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Eastern Zone		

Dickens 29 Feb #1H, Sec 29, T-16S, R-28E			
Site Position:		Northing:	688,075.31 R
From:	Map	Easting:	584,888.57 R
Position Uncertainty:	0.00 ft	Slot Radius:	"
		Latitude:	32° 53' 9.458
		Longitude:	104° 11' 31.623
		Grid Convergence:	0.00 °

Dickens 29 Feb #1H					
Well Position	+N/-S	0.00 ft	Northing:	686,075.31 ft	Latitude: 32° 53' 9.458"
	+E/-W	0.00 ft	Easting:	584,686.57 ft	Longitude: 104° 11' 31.623"
Position Uncertainty		0.00 ft	Wellhead Elevation:	3,593.00 ft	Ground Level: 3,578.00 ft

Lateral #1					
Parameter	Parameter	Parameter	Parameter	Parameter	Parameter
IGRF200510	8/17/2009	8.13	60.75	49,156	

Design #1				
Audit Notes:				
Version:	Phase:	PLAN	Time On Depth:	0.00
0.00	0.00	0.00	0.00	0.00
0.00	0.00	0.00	0.00	271.94

Revenue	Revenue	Revenue	Revenue	Revenue	Revenue	Revenue	Revenue	Revenue	Revenue
000	00	00	00	00	00	00	00	00	00
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
6,047.00	0.00	0.00	6,047.00	0.00	0.00	0.00	0.00	0.00	0.00
6,955.29	90.81	271.94	6,620.00	19.64	-560.86	10.00	10.00	0.00	271.94
10,476.81	90.81	271.94	6,570.00	138.59	-4,099.01	0.00	0.00	0.00	0.00 PBHL - TD (D29F#1

Dickens 29 Fed #1H_Plan #1_Report_08-17-09.txt

Devon Energy

Dickens 29 Fed #1H - Design #1

Eddy Co., New Mexico (Nad 83)

Dickens 29 Fed #1H

Measured Dogleg Depth Rate (ft) (°/100ft)	Incl.	Azim.	vertical Depth (ft)	Northings (ft)	Eastings (ft)	vertical Section (ft)
0.00	0.00	0.00	0.00	0.00 N	0.00 E	0.00
0.00						
6047.00	0.00	0.00	6047.00	0.00 N	0.00 E	0.00
0.00						
6100.00	5.30	271.94	6099.92	0.08 N	2.45 W	2.45
10.00						
6200.00	15.30	271.94	6198.19	0.69 N	20.29 W	20.30
10.00						
6300.00	25.30	271.94	6291.86	1.86 N	54.92 W	54.95
10.00						
6400.00	35.29	271.94	6378.10	3.56 N	105.27 W	105.33
10.00						
6500.00	45.29	271.94	6454.27	5.74 N	169.82 W	169.92
10.00						
6600.00	55.29	271.94	6518.08	8.34 N	246.61 W	246.75
10.00						
6700.00	65.29	271.94	6567.58	11.27 N	333.30 W	333.49
10.00						
6800.00	75.29	271.94	6601.26	14.45 N	427.27 W	427.51
10.00						
6900.00	85.29	271.94	6618.12	17.77 N	525.66 W	525.96
10.00						
6955.29	90.81	271.94	6620.00	19.64 N	580.86 W	581.19
10.00						
7000.00	90.81	271.94	6619.36	21.15 N	625.54 W	625.90
0.00						
7100.00	90.81	271.94	6617.94	24.53 N	725.47 W	725.89
0.00						
7200.00	90.81	271.94	6616.52	27.91 N	825.41 W	825.88
0.00						
7300.00	90.81	271.94	6615.10	31.29 N	925.34 W	925.87
0.00						
7400.00	90.81	271.94	6613.68	34.67 N	1025.27 W	1025.86
0.00						
7500.00	90.81	271.94	6612.26	38.04 N	1125.20 W	1125.85
0.00						
7600.00	90.81	271.94	6610.84	41.42 N	1225.14 W	1225.84
0.00						
7700.00	90.81	271.94	6609.42	44.80 N	1325.07 W	1325.83
0.00						
7800.00	90.81	271.94	6608.00	48.18 N	1425.00 W	1425.82
0.00						
7900.00	90.81	271.94	6606.58	51.56 N	1524.94 W	1525.81
0.00						
8000.00	90.81	271.94	6605.16	54.94 N	1624.87 W	1625.80
0.00						
8100.00	90.81	271.94	6603.74	58.32 N	1724.80 W	1725.79
0.00						
8200.00	90.81	271.94	6602.32	61.70 N	1824.73 W	1825.78
0.00						

Dickens 29 Fed #1H_Plan #1_Report_08-17-09.txt

8300.00	90.81	271.94	6600.90	65.08 N	1924.67 W	1925.77
0.00						
8400.00	90.81	271.94	6599.48	68.45 N	2024.60 W	2025.76
0.00						
8500.00	90.81	271.94	6598.06	71.83 N	2124.53 W	2125.75
0.00						
8600.00	90.81	271.94	6596.64	75.21 N	2224.47 W	2225.74
0.00						
8700.00	90.81	271.94	6595.22	78.59 N	2324.40 W	2325.73
0.00						
8800.00	90.81	271.94	6593.80	81.97 N	2424.33 W	2425.72
0.00						
8900.00	90.81	271.94	6592.38	85.35 N	2524.26 W	2525.71
0.00						
9000.00	90.81	271.94	6590.96	88.73 N	2624.20 W	2625.70
0.00						
9100.00	90.81	271.94	6589.54	92.11 N	2724.13 W	2725.69
0.00						
9200.00	90.81	271.94	6588.12	95.48 N	2824.06 W	2825.68
0.00						
9300.00	90.81	271.94	6586.70	98.86 N	2923.99 W	2925.67
0.00						
9400.00	90.81	271.94	6585.28	102.24 N	3023.93 W	3025.66
0.00						
9500.00	90.81	271.94	6583.86	105.62 N	3123.86 W	3125.65
0.00						
9600.00	90.81	271.94	6582.44	109.00 N	3223.79 W	3225.64
0.00						
9700.00	90.81	271.94	6581.02	112.38 N	3323.73 W	3325.63
0.00						
9800.00	90.81	271.94	6579.60	115.76 N	3423.66 W	3425.62
0.00						
9900.00	90.81	271.94	6578.18	119.14 N	3523.59 W	3525.61
0.00						
10000.00	90.81	271.94	6576.76	122.52 N	3623.52 W	3625.60
0.00						
10100.00	90.81	271.94	6575.34	125.89 N	3723.46 W	3725.59
0.00						
10200.00	90.81	271.94	6573.92	129.27 N	3823.39 W	3825.58
0.00						
10300.00	90.81	271.94	6572.50	132.65 N	3923.32 W	3925.56
0.00						
10400.00	90.81	271.94	6571.08	136.03 N	4023.26 W	4025.55
0.00						
10475.81	90.81	271.94	6570.00	138.59 N	4099.01 W	4101.36
0.00						

All data are in feet unless otherwise stated. Directions and coordinates are relative to Grid North.
Vertical depths are relative to WELL. Northings and Eastings are relative to well.

The Dogleg Severity is in Degrees per 100 feet.
Vertical Section is from Slot and calculated along an Azimuth of 271.936° (Grid).

Coordinate System is North American Datum 1983 US State Plane 1983, New Mexico Eastern Zone.
Central meridian is -104.333°.
Grid Convergence at Surface is 0.077°.

Based upon Minimum Curvature type calculations, at a Measured Depth of 10475.81ft., the Bottom Hole Displacement is 4101.36ft., in the Direction of 271.936° (Grid).



Ken Gray
Senior Advisor, Land

Devon Energy Corporation
20 North Broadway
Oklahoma City, Oklahoma 73102-8260
Office: (405) 552-4633
Fax: (405) 552-8113

September 1, 2009

Yates Petroleum Corporation
105 South Fourth Street
Artesia, New Mexico 88210
Attn: Janet Richardson

Re: Dickens 29 Federal #1H
Section 29-T16S-R28E
Eddy County, New Mexico

Gentlemen:

Attached you will find Devon Energy Production Company, L.P.'s ("Devon") administrative application for approval of an unorthodox well location covering the referenced Delaware test well. Devon's records indicate that your company is the owner of operating rights in an offset spacing unit and are entitled to notice of this application in accordance with Division Rule 104 (f). Objections to this application should be submitted to the NMOCD. If you have no objection to this application, please so indicate by signing and returning one copy of this letter to the undersigned.

If there are any questions or if additional information is required, feel to call me at (405) 552-4633.

Yours very truly,

DEVON ENERGY PRODUCTION COMPANY, L.P.

A handwritten signature in black ink, appearing to read "Ken Gray", written over the printed name.

Ken Gray
Senior Advisor, Land

KG:
Enclosures

Yates Petroleum Corporation has no objection to this administrative application for unorthodox location.

By: _____

Title: _____

Date: _____

Brooks, David K., EMNRD

From: Gray, Ken (OKC) [Ken.Gray@dvn.com]
Sent: Wednesday, September 23, 2009 2:44 PM
To: Brooks, David K., EMNRD
Cc: Chuck Moran
Subject: Dickens 29 Fed #1H NSL
Attachments: DICKENS 29 FEDERAL #1H.PDF; Dickens 29 Fed #1H_Plan #1_Plot_09-23-09.pdf; Dickens 29 Fed #1H_Plan #1_Report_09-23-09.pdf; Dickens 29 Fed #1H_Plan #1_Report_09-23-09.txt

David, in accordance with our telephone conversation a few days ago, attached are revised C-102 and revised CUDD Drilling & Measurement Services drilling plan and reports for our administrative NSL that was filed on September 1. As you know, Yates has objected to our NSL and rightfully so as we did a poor job of depicting our actual plan with the original CUDD reports. The revised plan projects penetrating the top of Wolfcamp formation at a NSL 1080' FEL & 288' FSL of Section 29, with the projected top perforation in the lateral portion of the well 1393' FEL & 330' FSL of Section 29. Based on conversations with Yates, I believe the amended filings will satisfy their objection. If you need additional information or if I need to re-file altogether, please let me know.

Chuck, if these new reports and updated information meet with your approval I presume you will have Bill Carr withdraw your objection. Also please email me your well requirements so we can provide Yates with well information.

Ken Gray

<<DICKENS 29 FEDERAL #1H.PDF>> <<Dickens 29 Fed #1H_Plan #1_Plot_09-23-09.pdf>> <<Dickens 29 Fed #1H_Plan #1_Report_09-23-09.pdf>> <<Dickens 29 Fed #1H_Plan #1_Report_09-23-09.txt>>

Confidentiality Warning: This message and any attachments are intended only for the use of the intended recipient(s), are confidential, and may be privileged. If you are not the intended recipient, you are hereby notified that any review, retransmission, conversion to hard copy, copying, circulation or other use of all or any portion of this message and any attachments is strictly prohibited. If you are not the intended recipient, please notify the sender immediately by return e-mail, and delete this message and any attachments from your system.

This inbound email has been scanned for malicious software and transmitted safely to you using Webroot Email Security.

DISTRICT I
1625 N. French Dr., Hobbs, NM 88240
DISTRICT II
1301 W. Grand Avenue, Artesia, NM 88210
DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410
DISTRICT IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-102
Revised October 12, 2005

Submit to Appropriate District Office
State Lease - 4 Copies
Fee Lease - 3 Copies

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, New Mexico 87505

WELL LOCATION AND ACREAGE DEDICATION PLAT

☐ AMENDED REPORT

API Number	Pool Code	Pool Name <i>Under Dog Canyon WC</i>
Property Code	Property Name DICKENS "29" FEDERAL	Well Number 1H
OGRID No.	Operator Name DEVON ENERGY PRODUCTION COMPANY LP	Elevation 3578'

Surface Location

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
P	29	16 S	28 E		170	SOUTH	790	EAST	EDDY



Bottom Hole Location If Different From Surface

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
M	29	16 S	28 E		360	SOUTH	330	WEST	EDDY
Dedicated Acres	Joint or Infill	Consolidation Code	Order No.						

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

GRID N: 691306.797 GRID E: 580273.947 LATITUDE: 32°54'01.279" LONGITUDE: -104°12'23.298"		GRID N: 691330.583 GRID E: 585495.393 LATITUDE: 32°54'01.448" LONGITUDE: -104°11'22.054"	OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. Signature _____ Date _____ Printed Name _____	
GRID N: 688593.945 GRID E: 580261.420 LATITUDE: 32°53'34.435" LONGITUDE: -104°12'23.484"		GRID N: 688619.702 GRID E: 585485.260 LATITUDE: 32°53'34.624" LONGITUDE: -104°11'22.216"		SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. NOVEMBER 25, 2008 Date Signature _____ Professional Surveyor 7977 20840 Certificate No. Gary L. Jones 7977 BASIN SURVEYS
GRID N: 685882.117 GRID E: 580249.547 LATITUDE: 32°53'07.602" LONGITUDE: -104°12'23.661"		GRID N: 685909.381 GRID E: 585475.877 LATITUDE: 32°53'07.905" LONGITUDE: -104°11'22.369"		
			WOLFCAMP PEN. PT. Lat - N32°53'10.61" Long - W104°11'35.02" SPC- N.: 686191.293 E.: 584396.547 (NAD-83)	SURFACE LOCATION Lat - N32°53'09.45" Long - W104°11'31.62" SPC- N.: 686075.313 E.: 584686.567 (NAD-83)
BOTTOM HOLE LOCATION Lat - N32°53'11.18" Long - W104°12'19.70" SPC- N.: 686243.883 E.: 580587.088 (NAD-83)			TOP PERFORATION Lat - N32°53'11.02" Long - W104°11'38.69" SPC- N.: 686232.124 E.: 584083.986 (NAD-83)	

SECTION 29, TOWNSHIP 16 SOUTH, RANGE 28 EAST, N.M.P.M.,
EDDY COUNTY, NEW MEXICO.



Directions to Location:

FROM MILE MARKER 117 OF STATE HWY 82, GO WEST 0.4 MILES TO CO. RD. SOUTHERN UNION (202), GO NORTH 4.2 MILE JUST PAST BOOSTER SITE THENCE 1.0 MILES NORTHEAST; THENCE 1.0 MILES EAST; THENCE NORTHEAST 1.9 MILES TO PROPOSED LEASE ROAD.

BASIN SURVEYS P.O. BOX 1786-HOBBS, NEW MEXICO

W.O. Number: 20840 Drawn By: J. M. SMALL


Date: 12-01-2008 Disk: 20840 JMS

DEVON ENERGY PROD. CO., L.P.


REF: DICKENS "29" FEDERAL #1H / WELL PAD TOPO

THE DICKENS "29" FEDERAL #1H LOCATED 170' FROM THE SOUTH LINE AND 790' FROM THE EAST LINE OF SECTION 29, TOWNSHIP 16 SOUTH, RANGE 28 EAST, N.M.P.M., EDDY COUNTY, NEW MEXICO.

Survey Date: 11-25-2008 Sheet 1 of 1 Sheets



DICKENS "29" FEDERAL #1H
 Located at 170' FSL AND 790' FEL
 Section 29, Township 16 South, Range 28 East,
 N.M.P.M., Eddy County, New Mexico.



P.O. Box 1786
 1120 N. West County Rd.
 Hobbs, New Mexico 88241
 (575) 393-7316 - Office
 (575) 392-2206 - Fax
 basinsurveys.com


W.O. Number: JMS 20840

Survey Date: 11-25-2008

Scale: 1" = 2000'

Date: 12-01-2008

DEVON ENERGY
 PROD. CO., L.P.



DICKENS "29" FEDERAL #1H
 Located at 170' FSL AND 790' FEL
 Section 29, Township 16 South, Range 28 East,
 N.M.P.M., Eddy County, New Mexico.

basin
surveys
 focused on excellence
 in the oilfield

P.O. Box 1786
 1120 N. West County Rd.
 Hobbs, New Mexico 88241
 (575) 393-7316 -- Office
 (575) 392-2206 -- Fax
 basinsurveys.com


W.O. Number: JMS 20840

Survey Date: 11-25-2008

Scale: 1" = 2000'

Date: 12-01-2008

DEVON ENERGY
 PROD. CO., L.P.



WELLBORE TARGET DETAILS (MAP COORDINATES AND LAT/LONG)									
Name	TVD	+N-S	+E-W	Northing	Eastng	Latitude	Longitude	Shape	
FP (D28F#1H)	6308.85	26.45	48.11	69104.76	594918.46	32° 53' 9.750" N	104° 11' 32.422" W	Point	
PBH-L TD (D28F#1H)	6570.00	198.57	-4098.49	69243.88	595537.05	32° 53' 11.177" N	104° 12' 19.697" W	Point	
Top Per (D28F#1H)	6650.00	151.07	-4052.36	69232.34	594063.56	32° 53' 11.020" N	104° 11' 39.658" W	Point	



SECTION DETAILS									
Sec	MD	Inc	Asl	TVD	+N-S	+E-W	DIL-9	TFace	VSec
1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	6028.00	0.00	0.00	6028.00	0.00	0.00	0.00	0.00	0.00
3	6531.50	50.39	283.38	6469.41	82.41	-195.62	10.00	293.38	163.84
4	6532.38	50.39	283.38	6468.71	82.50	-195.95	0.00	0.00	184.18
5	6532.38	50.39	283.38	6468.71	82.50	-195.95	0.00	0.00	184.18
6	10688.14	90.82	270.19	9570.00	155.57	-4099.49	0.00	0.00	4102.95

PROJECT DETAILS: Dickens 28 Fed #1H									
Geodetic System: US State Plane 1983									
Datum: North American Datum 1983									
Ellipsoid: GRS 1980									
Zone: New Mexico Eastern Zone									
System Datum: Mean Sea Level									

WELL DETAILS: Dickens 28 Fed #1H									
Ground Level: 3576.00									
WELL @ 3593.00ft (Original Well Elev)									
+N-S	0.00	+E-W	0.00	Northing	594918.46	Latitude	32° 53' 9.455" N	Longitude	104° 11' 31.023" W
Slit									

ANNOTATIONS									
TVD	MD	Inc	Asl	TVD	+N-S	+E-W	DIL-9	TFace	VSec
6028.00	6028.00	0.00	0.00	6028.00	0.00	0.00	0.00	0.00	0.00
6520.00	6520.00	50.39	283.38	6468.71	82.50	-195.95	0.00	0.00	184.18
EOC - Hold 150.81' @ A 270.15'									

Plan Design #1 (Dickens 28 Fed #1H Lateral #1)									
Created By:	Mike Stanley	Date:	9-40-September-23-2009	Checked:		Date:		Reviewed:	
Approved:		Date:							





Devon Energy

Eddy Co., New Mexico (Nad 83)

Dickens 29 Fed #1H


Dickens 29 Fed #1H

Lateral #1

Plan: Design #1

Standard Planning Report

23 September, 2009



Database:	EDM 2003.21 Single User Db	Local Co-ordinate Reference:	Site Dickens 29 Fed #1H
Company:	Devon Energy	TVD Reference:	WELL @ 3593.00ft (Original Well Elev)
Project:	Eddy Co., New Mexico (Nad 83)	MD Reference:	WELL @ 3593.00ft (Original Well Elev)
Site:	Dickens 29 Fed #1H	North Reference:	Grid
Well:	Dickens 29 Fed #1H	Survey Calculation Method:	Minimum Curvature
Wellbore:	Lateral #1		
Design:	Design #1		

Project	Eddy Co., New Mexico (Nad 83)		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Eastern Zone		

Site	Dickens 29 Fed #1H, Sec 29, T-16S, R-28E		
Site Position:		Northing:	686,075.31 ft
From:	Map	Easting:	584,686.57 ft
Position Uncertainty:	0.00 ft	Slot Radius:	"
		Latitude:	32° 53' 9.458 N
		Longitude:	104° 11' 31.623 W
		Grid Convergence:	0.08 °

Well	Dickens 29 Fed #1H		
Well Position	+N/-S	0.00 ft	Northing: 686,075.31 ft
	+E/-W	0.00 ft	Easting: 584,686.57 ft
Position Uncertainty	0.00 ft	Wellhead Elevation:	3,593.00 ft
		Latitude:	32° 53' 9.458 N
		Longitude:	104° 11' 31.623 W
		Ground Level:	3,578.00 ft

Wellbore	Lateral #1		
Magnetics	Model Name	Sample Date	Declination
	IGRF200510	8/17/2009	(°)
			Dip Angle
			(°)
			Field Strength
			(nT)
			60.75
			49,156

Design	Design #1		
Audit Notes:			
Version:	Phase:	PLAN	Tie On Depth: 0.00
Vertical Section:	Depth From (TVD)	+N/-S	+E/-W
	(ft)	(ft)	(ft)
	0.00	0.00	0.00
			Direction
			(°)
			272.35

Plan Sections										
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)	TFO (°)	Target
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
6,028.00	0.00	0.00	6,028.00	0.00	0.00	0.00	0.00	0.00	0.00	
6,531.90	50.39	293.38	6,469.41	82.41	-190.62	10.00	10.00	0.00	293.38	
6,532.38	50.39	293.38	6,469.71	82.56	-190.95	0.00	0.00	0.00	0.00	
6,988.86	90.82	270.19	6,620.00	157.07	-602.58	10.00	8.86	-5.08	-33.41	Top Perf (D29F#1H)
10,486.14	90.82	270.19	6,570.00	168.57	-4,099.49	0.00	0.00	0.00	0.00	PBHL - TD (D29F#1H)

Database: EDM 2003.21 Single User Db
Company: Devon Energy
Project: Eddy Co., New Mexico (Nad 83)
Site: Dickens 29 Fed #1H
Well: Dickens 29 Fed #1H
Wellbore: Lateral #1
Design: Design #1

Local Co-ordinate Reference:
TVD Reference: WELL @ 3593.00ft (Original Well Elev)
MD Reference: WELL @ 3593.00ft (Original Well Elev)
North Reference: Grid
Survey Calculation Method: Minimum Curvature

Planned Survey

Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N-S (ft)	+E-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1,090.00	0.00	0.00	1,090.00	0.00	0.00	0.00	0.00	0.00	0.00
Queen									
1,866.00	0.00	0.00	1,866.00	0.00	0.00	0.00	0.00	0.00	0.00
San Andres									
3,300.00	0.00	0.00	3,300.00	0.00	0.00	0.00	0.00	0.00	0.00
Glorieta									
5,354.00	0.00	0.00	5,354.00	0.00	0.00	0.00	0.00	0.00	0.00
Abo									
6,028.00	0.00	0.00	6,028.00	0.00	0.00	0.00	0.00	0.00	0.00
KOP - Build 10°/100'									
6,321.73	29.37	293.38	6,309.03	29.23	-67.61	68.75	10.00	10.00	0.00
Wolfcamp Mkr.									
6,322.02	29.40	293.38	6,309.28	29.29	-67.74	68.89	10.00	10.00	0.00
PP (D29F#1H)									
6,531.90	50.39	293.38	6,469.41	82.41	-190.62	193.84	10.00	10.00	0.00
6,532.38	50.39	293.38	6,469.71	82.56	-190.95	194.18	0.00	0.00	0.00
6,988.86	90.82	270.19	6,620.00	157.07	-602.58	608.53	10.00	8.86	-5.08
EOC - Hold 1:90.81° @ A:270.19° - Top Perf (D29F#1H)									
10,486.14	90.82	270.19	6,570.00	168.57	-4,099.49	4,102.95	0.00	0.00	0.00
PBHL - TD (D29F#1H)									

Formations

Measured Depth (ft)	Vertical Depth (ft)	Name	Lithology	Dip (°)	Dip Direction (°)
1,090.00	1,090.00	Queen		-0.81	315.00
1,866.00	1,866.00	San Andres		-0.81	315.00
3,300.00	3,300.00	Glorieta		-0.81	315.00
5,354.00	5,354.00	Abo		-0.81	315.00
6,321.73	6,310.00	Wolfcamp Mkr.		-0.81	315.00

Plan Annotations

Measured Depth (ft)	Vertical Depth (ft)	+N-S (ft)	+E-W (ft)	Comment
6,028.00	6,028.00	0.00	0.00	KOP - Build 10°/100'
6,988.86	6,620.00	157.07	-602.58	EOC - Hold 1:90.81° @ A:270.19°

Dickens 29 Fed #1H_Plan #1_Report_09-23-09.txt

Devon Energy

Dickens 29 Fed #1H - Design #1

Eddy Co., New Mexico (Nad 83)

Dickens 29 Fed #1H

Measured Dogleg Depth Rate (ft) (°/100ft)	Incl.	Azim.	Vertical Depth (ft)	Northings (ft)	Eastings (ft)	Vertical Section (ft)
0.00	0.00	0.00	0.00	0.00 N	0.00 E	0.00
0.00						
6028.00	0.00	0.00	6028.00	0.00 N	0.00 E	0.00
0.00						
6100.00	7.20	293.38	6099.81	1.79 N	4.15 W	4.22
10.00						
6200.00	17.20	293.38	6197.43	10.17 N	23.52 W	23.92
10.00						
6300.00	27.20	293.38	6289.90	25.14 N	58.16 W	59.14
10.00						
6400.00	37.20	293.38	6374.41	46.26 N	107.01 W	108.82
10.00						
6500.00	47.20	293.38	6448.40	72.89 N	168.58 W	171.44
10.00						
6531.90	50.39	293.38	6469.41	82.41 N	190.62 W	193.84
10.00						
6532.38	50.39	293.38	6469.71	82.56 N	190.95 W	194.18
0.00						
6600.00	56.13	288.90	6510.16	102.01 N	241.48 W	245.46
10.00						
6700.00	64.85	283.28	6559.40	125.91 N	325.02 W	329.91
10.00						
6800.00	73.76	278.41	6594.72	143.37 N	416.79 W	422.33
10.00						
6900.00	82.78	273.98	6615.04	153.86 N	514.01 W	519.90
10.00						
6988.86	90.82	270.19	6620.00	157.07 N	602.58 W	608.53
10.00						
7000.00	90.82	270.19	6619.84	157.11 N	613.72 W	619.66
0.00						
7100.00	90.82	270.19	6618.41	157.44 N	713.71 W	719.58
0.00						
7200.00	90.82	270.19	6616.98	157.77 N	813.70 W	819.50
0.00						
7300.00	90.82	270.19	6615.55	158.10 N	913.69 W	919.41
0.00						
7400.00	90.82	270.19	6614.12	158.42 N	1013.68 W	1019.33
0.00						
7500.00	90.82	270.19	6612.69	158.75 N	1113.67 W	1119.25
0.00						
7600.00	90.82	270.19	6611.26	159.08 N	1213.66 W	1219.17
0.00						
7700.00	90.82	270.19	6609.83	159.41 N	1313.65 W	1319.09
0.00						
7800.00	90.82	270.19	6608.40	159.74 N	1413.64 W	1419.01
0.00						
7900.00	90.82	270.19	6606.97	160.07 N	1513.63 W	1518.92
0.00						
8000.00	90.82	270.19	6605.54	160.40 N	1613.61 W	1618.84
0.00						

Dickens 29 Fed #1H_Plan #1_Report_09-23-09.txt						
8100.00	90.82	270.19	6604.11	160.73 N	1713.60 W	1718.76
0.00						
8200.00	90.82	270.19	6602.68	161.05 N	1813.59 W	1818.68
0.00						
8300.00	90.82	270.19	6601.25	161.38 N	1913.58 W	1918.60
0.00						
8400.00	90.82	270.19	6599.83	161.71 N	2013.57 W	2018.52
0.00						
8500.00	90.82	270.19	6598.40	162.04 N	2113.56 W	2118.43
0.00						
8600.00	90.82	270.19	6596.97	162.37 N	2213.55 W	2218.35
0.00						
8700.00	90.82	270.19	6595.54	162.70 N	2313.54 W	2318.27
0.00						
8800.00	90.82	270.19	6594.11	163.03 N	2413.53 W	2418.19
0.00						
8900.00	90.82	270.19	6592.68	163.36 N	2513.52 W	2518.11
0.00						
9000.00	90.82	270.19	6591.25	163.68 N	2613.51 W	2618.03
0.00						
9100.00	90.82	270.19	6589.82	164.01 N	2713.50 W	2717.94
0.00						
9200.00	90.82	270.19	6588.39	164.34 N	2813.49 W	2817.86
0.00						
9300.00	90.82	270.19	6586.96	164.67 N	2913.48 W	2917.78
0.00						
9400.00	90.82	270.19	6585.53	165.00 N	3013.46 W	3017.70
0.00						
9500.00	90.82	270.19	6584.10	165.33 N	3113.45 W	3117.62
0.00						
9600.00	90.82	270.19	6582.67	165.66 N	3213.44 W	3217.54
0.00						
9700.00	90.82	270.19	6581.24	165.99 N	3313.43 W	3317.45
0.00						
9800.00	90.82	270.19	6579.81	166.31 N	3413.42 W	3417.37
0.00						
9900.00	90.82	270.19	6578.38	166.64 N	3513.41 W	3517.29
0.00						
10000.00	90.82	270.19	6576.95	166.97 N	3613.40 W	3617.21
0.00						
10100.00	90.82	270.19	6575.52	167.30 N	3713.39 W	3717.13
0.00						
10200.00	90.82	270.19	6574.09	167.63 N	3813.38 W	3817.05
0.00						
10300.00	90.82	270.19	6572.66	167.96 N	3913.37 W	3916.96
0.00						
10400.00	90.82	270.19	6571.23	168.29 N	4013.36 W	4016.88
0.00						
10486.14	90.82	270.19	6570.00	168.57 N	4099.49 W	4102.95
0.00						

All data are in feet unless otherwise stated. Directions and coordinates are relative to Grid North.
Vertical depths are relative to WELL. Northings and Eastings are relative to Site.

The Dogleg Severity is in Degrees per 100 feet.
Vertical Section is from slot and calculated along an Azimuth of 272.355° (Grid).

Coordinate system is North American Datum 1983 US State Plane 1983, New Mexico Eastern Zone.

Central meridian is -104.333°.

Grid Convergence at Surface is 0.077°.

Dickens 29 Fed #1H_Plan #1_Report_09-23-09.txt

Based upon Minimum Curvature type calculations, at a Measured Depth of 10486.14ft., the Bottom Hole Displacement is 4102.95ft., in the Direction of 272.355° (Grid).



September 9, 2009

VIA HAND DELIVERY

Mark E. Fesmire, P.E.
Director
Oil Conservation Division
New Mexico Department of Energy,
Minerals and Natural Resources
1220 South Saint Francis Drive
Santa Fe, New Mexico 87505

RECEIVED OCD
2009 SEP 10 P 3:44

Re: Administrative Application of Devon Energy Production Company for
Unorthodox location for its Dickens 29 Federal #1H, Section 29,
Township 16 South, Range 28 East, NMPM, Eddy County, New
Mexico.

Dear Mr. Fesmire,

Yates Petroleum Corporation hereby objects to the above-referenced application
of Devon Energy Production Company for an unorthodox location for its Dickens 29
Federal #1H, located in Section 29, Township 16 South, Range 28 East, NMPM, Eddy
County, New Mexico.

Yates Petroleum Corporation requests that this application be set for hearing
before a Division Examiner.

Very truly yours,

William F. Carr
Attorney for Armstrong Energy Corp.

cc: Mr. Chuck Moran
Yates Petroleum Corporation

Mr. Ken Gray
Devon Energy Production Company



September 9, 2009

VIA HAND DELIVERY

Mark E. Fesmire, P.E.
Director
Oil Conservation Division
New Mexico Department of Energy,
Minerals and Natural Resources
1220 South Saint Francis Drive
Santa Fe, New Mexico 87505

RECEIVED OGD
2009 SEP 10 P 3:44

Re: Administrative Application of Devon Energy Production Company for
Unorthodox location for its Dickens 29 Federal #1H, Section 29,
Township 16 South, Range 28 East, NMPM, Eddy County, New
Mexico.

Dear Mr. Fesmire,

Yates Petroleum Corporation hereby objects to the above-referenced application
of Devon Energy Production Company for an unorthodox location for its Dickens 29
Federal #1H, located in Section 29, Township 16 South, Range 28 East, NMPM, Eddy
County, New Mexico.

Yates Petroleum Corporation requests that this application be set for hearing
before a Division Examiner.

Very truly yours,

William F. Carr
Attorney for Armstrong Energy Corp.

cc: Mr. Chuck Moran
Yates Petroleum Corporation

Mr. Ken Gray
Devon Energy Production Company



September 9, 2009

VIA HAND DELIVERY

Mark E. Fesmire, P.E.
Director
Oil Conservation Division
New Mexico Department of Energy,
Minerals and Natural Resources
1220 South Saint Francis Drive
Santa Fe, New Mexico 87505

RECEIVED OGD
2009 SEP 10 P 3:44

Re: Administrative Application of Devon Energy Production Company for
Unorthodox location for its Dickens 29 Federal #1H, Section 29,
Township 16 South, Range 28 East, NMPM, Eddy County, New
Mexico.

Dear Mr. Fesmire,

Yates Petroleum Corporation hereby objects to the above-referenced application
of Devon Energy Production Company for an unorthodox location for its Dickens 29
Federal #1H, located in Section 29, Township 16 South, Range 28 East, NMPM, Eddy
County, New Mexico.

Yates Petroleum Corporation requests that this application be set for hearing
before a Division Examiner.

Very truly yours,

William F. Carr
Attorney for Armstrong Energy Corp.

cc: Mr. Chuck Moran
Yates Petroleum Corporation

Mr. Ken Gray
Devon Energy Production Company

Brooks, David K., EMNRD

From: Brooks, David K., EMNRD
Sent: Wednesday, September 23, 2009 3:44 PM
To: 'William Carr'
Cc: 'Ken.Gray@devon.com'
Subject: Devon Energy Production Co - Dickens 29 Federal #1H; NSL Application

Dear Bill

This administrative NSL application was filed on 8/31/09. On 9/10/09, we received your protest on behalf of Yates Petroleum Corporation.

We did not immediately set this application for hearing, however, because Devon advised that they intended to amend their application. We received their amended application today, which was sent to us by email, with copy indicated to Chuck Moran at Yates.

OCD Rules do not say anything about amended applications, but assuming the email copy of the amendment was received by Mr. Moran, I would assume that Yates has actual notice. However, since Yates protested the original application, we will not issue an administrative approval unless we receive written notification that Yates is withdrawing its protest. If we receive such a notification on or prior to September 30, 2009, we will approve the amended application administratively. Otherwise, we will set the amended application for hearing on the next available examiner docket.

Sincerely

David K. Brooks
Legal Examiner
505-476-3450



September 28, 2009

VIA HAND DELIVERY

Mark E. Fesmire, P.E.
Director
Oil Conservation Division
New Mexico Department of Energy,
Minerals and Natural Resources
1220 South Saint Francis Drive
Santa Fe, New Mexico 87505

RECEIVED OGD
2009 SEP 28 4:10 PM

Re: Administrative Application of Devon Energy Production Company for
Unorthodox location for its Dickens 29 Federal #1H, Section 29,
Township 16 South, Range 28 East, NMPM, Eddy County, New
Mexico.

Dear Mr. Fesmire,

Yates Petroleum Corporation hereby withdraws its objection to the above-
referenced application of Devon Energy Production Company for an unorthodox
location for its Dickens 29 Federal #1H, located in Section 29, Township 16 South,
Range 28 East, NMPM, Eddy County, New Mexico.

Yates Petroleum Corporation has no objection to this application being
approved pursuant to the Division's administrative procedures.

Very truly yours,

William F. Carr
Attorney for Yates Petroleum Corporation

cc: Mr. Chuck Moran
Yates Petroleum Corporation

Mr. Ken Gray
Devon Energy Production Company



September 28, 2009

VIA HAND DELIVERY

Mark E. Fesmire, P.E.
Director
Oil Conservation Division
New Mexico Department of Energy,
Minerals and Natural Resources
1220 South Saint Francis Drive
Santa Fe, New Mexico 87505

Re: Administrative Application of Devon Energy Production Company for
Unorthodox location for its Dickens 29 Federal #1H, Section 29,
Township 16 South, Range 28 East, NMPM, Eddy County, New
Mexico.

RECEIVED OGD
2009 SEP 28 AM 11:44

Dear Mr. Fesmire,

Yates Petroleum Corporation hereby withdraws its objection to the above-referenced application of Devon Energy Production Company for an unorthodox location for its Dickens 29 Federal #1H, located in Section 29, Township 16 South, Range 28 East, NMPM, Eddy County, New Mexico.

Yates Petroleum Corporation has no objection to this application being approved pursuant to the Division's administrative procedures.

Very truly yours,

William F. Carr
Attorney for Yates Petroleum Corporation

cc: Mr. Chuck Moran
Yates Petroleum Corporation

Mr. Ken Gray
Devon Energy Production Company



September 28, 2009

VIA HAND DELIVERY

Mark E. Fesmire, P.E.
Director
Oil Conservation Division
New Mexico Department of Energy,
Minerals and Natural Resources
1220 South Saint Francis Drive
Santa Fe, New Mexico 87505

Re: Administrative Application of Devon Energy Production Company for
Unorthodox location for its Dickens 29 Federal #1H, Section 29,
Township 16 South, Range 28 East, NMPM, Eddy County, New
Mexico.

RECEIVED OCD
2009 SEP 28 A 10:44

Dear Mr. Fesmire,

Yates Petroleum Corporation hereby withdraws its objection to the above-referenced application of Devon Energy Production Company for an unorthodox location for its Dickens 29 Federal #1H, located in Section 29, Township 16 South, Range 28 East, NMPM, Eddy County, New Mexico.

Yates Petroleum Corporation has no objection to this application being approved pursuant to the Division's administrative procedures.

Very truly yours,

William F. Carr
Attorney for Yates Petroleum Corporation

cc: Mr. Chuck Moran
Yates Petroleum Corporation

Mr. Ken Gray
Devon Energy Production Company