

HIP - ___115___

**GENERAL
CORRESPONDENCE**

**YEAR(S):
Jan. 2010 to Present**



February 12, 2010
File No. 109637.1-ALB10RP001

Mr. Brad Jones
New Mexico Energy, Minerals, and Natural Resources Department
Oil Conservation Division
1220 St. Francis Drive
Santa Fe, NM 87505

**Subject: Submittal of a Notice of Intent to Perform a Hydrostatic Test
 Pipeline Number 3201 – West of City of Farmington
 San Juan County, New Mexico**

Dear Mr. Jones:

On behalf of the El Paso Natural Gas Company (EPNG), Kleinfelder West, Inc. (Kleinfelder) is pleased to submit this Notice of Intent (NOI) for a hydrostatic test of the 3201 Pipeline. The scope of this NOI is different from an earlier NOI submitted on January 28, 2010. While it involves the same pipeline number, it is located on the west side of Farmington, NM and is about 1/8th the size of the project conducted on the east side of Farmington. Like the other project, EPNG is intending to dispose of the used hydrostatic test water into a Class 1 injection well therefore; no surface discharge of hydrostatic test water is planned.

As required by the United States Department of Transportation Pipeline and Hazardous Materials Safety Administration regulations, EPNG is planning to conduct pipeline reconditioning work on its 20-inch 3201 pipeline immediately west of the city of Farmington, New Mexico in mid to late March 2010. EPNG will be hydrostatically testing approximately 1,083 feet of used and new pipe on this pipeline.

Kleinfelder has included the required information for the NOI as stated in the "Guidelines for Hydrostatic Test Dewatering" dated January 11, 2007. Attached to this NOI are the following:

- Background Information;
- Notice of Intent Plan;
- Figure 1, EPNG 3201 Pipeline Undergoing Hydrostatic Test;
- Figure 2, Temporary Frac-Tank Staging for Hydrostatic Test Water;
- Figure 3, Temporary Frac-Tank Storage Location;
- Appendix A, Material Safety Data Sheets for N-Spec 120 Cleaner;
- Appendix B, Certification of Siting Criteria;
- Appendix C, Copy of Email from the New Mexico Abandoned Mine Lands Program and figures showing no active mines in the vicinity;
- Appendix D, Federal Emergency Management Administration Flood Insurance Rate Map;
- Appendix E, List of Landowners within 1/3 mile of the Boundary of the Temporary Frac-tank Storage Area near Mile Post 6,

- Appendix F, Map of Landowners within 1/3 mile of the Pipeline Easement; and
- Appendix G, Public Notice text in English and Spanish.

Checks in the amount of \$700.00 to cover the \$100 filing fee and the \$600 permit fee are included herein and made out to the New Mexico Water Quality Control Commission. As deemed necessary by the NMOCD, EPNG is prepared to post a public notice regarding this event in accordance with Subsection A, and B, D and F of NMAC 20.6.2.3108 at the frac-tank staging areas (Figures 2 and 3), the Farmington, New Mexico Post Office, and published in the Farmington Daily Times newspaper.

Kleinfelder prepared this NOI in a manner consistent with the level of care and skill ordinarily exercised by other members of Kleinfelder's profession practicing in the same locality, under similar conditions and at the date the services are provided. The information provided in this document is based on our understanding of the information provided by EPNG. The work performed was based on project information provided by EPNG.


Should you have any questions, please feel free to contact David Janney or Jill Hernandez (Kleinfelder) at (505) 344-7373, or Richard Duarte (EPNG) at (505) 831-7763.

Respectfully submitted,
KLEINFELDER WEST, INC.



Jill Hernandez, E.I.T.
Staff Engineer

Reviewed by:



Kerry L. Ruebelmann, P.G.
Regional Manager

BACKGROUND INFORMATION

- The EPNG Pipeline number 3201 is an existing 20-inch (outside diameter) natural gas pipeline that has been in service since 1953.
- This transportation pipeline is part of a network that transports natural gas (sweet and dry) that is suitable for immediate consumer use.
- Based upon recent experience with the NMOCD, EPNG understands that the water used for cleaning and testing this pipeline system is generally classified as non-exempt RCRA waste and is subject to the Water Quality Control Commission (WQCC) Regulations.

NOTICE OF INTENT PLAN

On behalf of EPNG, Kleinfelder is submitting this NOI plan as outlined in NMOCD Guidance document, "Guidelines for Hydrostatic Test Dewatering," (revised January 11, 2007). The NOI plan includes the following items:

Item a. Name and address of the proposed discharger;

Legally Responsible Party Sam A. Armenta, Director
El Paso Natural Gas Company
Albuquerque Division
8725 Alameda Park Dr. NE
Albuquerque, NM 87120

Local Representative Richard Duarte (505) 831-7763
El Paso Natural Gas Company
8725 Alameda Park Dr. NE
Albuquerque, NM 87120

Operator
Physical Address El Paso Natural Gas Company
San Juan Area Office
#81 County Road 4900
Bloomfield, NM 87413

Mailing Address El Paso Natural Gas Company
San Juan Area Office
P.O. 127
Bloomfield, NM 87413

Item b. Location of the discharge, including a street address, if available, and sufficient information to locate the facility with respect to surrounding landmarks;

The location of the portions of the 3201 pipeline to be hydrostatically tested is shown on Figure 1. The segment of 3201 pipeline that will be hydrostatically tested is immediately west of the City of Farmington, near the intersection of 30th Street and La Plata Highway (State Road 170). The western edge of pipeline segment starts at Mile Post ("MP") 6-43+78 and goes east under SR 170 and 30th Street to MP 7-01+81. It is approximately 1,083 feet in total length. One or two frac-tanks will be located 50 feet east of SR 170 and about 90 feet southeast of the intersection of SR 170 and 30th Street. EPNG is securing this additional land (north of its right

of way) from the land owner. Coordinates for this tank staging location are Latitude 36° 45' 27.06" North, Longitude 108° 14' 31.08" West.

Prior to the hydrostatic test, the pipeline will be cleaned to remove oil residue and other trace contaminants. There will be a small volume of water mixed with pipe cleaning liquid (N-Spec 120, see Appendix A for material safety data sheet). The segment cleaning will generate water (RCRA non-exempt), which is subject to regulation by the WQCC. The volume of cleaning solution is estimated to be 1,000 gallons. The source of water mixed with the pipe cleaning liquid will be public utility drinking water from the City of Farmington.

The pipe cleaning solution will be used to clean the entire 3201 pipeline, from mile post (MP) 0 to MP 22 and will be stored at EPNG's Blanco Compressor Station (GW-49-0, Figure 3). After cleaning the pipeline, the cleaning solution will be moved from the pipeline directly into a frac-tank (stored within secondary containment), then transferred into tank trucks for transportation to a recycling facility.

The temporary frac-tank storage location for the cleaning solution will be located at Mile post 0 + 0000', at the discharge side of Blanco Compressor Station (south side of the station), County Road 4900, #81, Bloomfield, NM 87413. This is locally known as "gasoline alley" road. Coordinates for this location are Latitude 36° 43' 44.55" North, Longitude 107° 57' 40.12" West. The temporary storage area is within the compressor station boundary. The frac-tank will be located within 50 feet of the point of connection on the 3201 pipeline. There will be one 21,000-gallon temporary tank with the water/N-SPEC mixture at this location and the liquid may be stored for up to two weeks. In the event that laboratory analysis or removal transportation is delayed, EPNG will request an additional two weeks of storage time. Every effort will be made to remove the liquid within two weeks. The 21,000-gallon tank is required to contain the high pressure discharge (above 850 pounds per square inch) and high flow rates utilized to drain the 3201 pipeline. The temporary frac-tank storage area at the Blanco Compressor Station is shown on Figure 3.

The permitted recycling facilities that will be used for the cleaning solution are:

Mesa Environmental, a Division of Mesa Oil, Inc.
Corporate - 17300 Hwy 72, Arvada, CO 80007
Regional Processing Facility - 20 Lucero Road, Belen, NM 87002

Or,

Thermo Fluids Inc.
Corporate - 8925 E. Pima Center Pkwy, Suite 105, Scottsdale, AZ 85258
Local Office - 9010 Bates Road, SW, Albuquerque, NM 87105

After the pipeline has been cleaned, public utility drinking water from the City of Farmington, NM will be used to perform hydrostatic testing of the segment of the 3201 pipeline. The segment is as follows: MP 6-43+78 to MP 7-01+81 in Section 6, Township 29 North, Range 13 West to MP 13-47+80 in Section 6, Township 29 North, Range 13 West (Figure 2). Approximately 10,000 gallons of water will be used for the hydrostatic test. The segment will be tested in two sections. The mid-point at MP 6-47+26 will be the staging area for two frac-tanks.

Upon completion of the hydrostatic test, EPNG will generate a second volume of water (RCRA non-exempt) that may be subject to regulation: the hydrostatic test water. The test water will be initially transferred into clean portable frac-tanks (stored within secondary containment), located

in the staging area at the midpoint of the segment (Figure 2). Due to an enhanced pipeline cleaning protocol, EPNG believes that the hydrostatic test water may meet the WQCC standards for ground water with contaminant concentrations not exceeding levels listed in Subsections A, B, and C of NMAC 20.6.2.3103.

Item c. Legal description of the discharge location;

Introduction, removal, and storage of hydrostatic test water will occur in the staging area at the following location:

SE/4 of the NE/4 of Section 6, Township 29 North, Range 13 West in San Juan County, New Mexico (See Figure 2).

Introduction, removal, and storage of cleaning solution will occur at the following location:

SE/4 of the NW/4 Section 14, Township 29 North, Range 11 West in San Juan County, New Mexico (See Figure 3).

Item d. Maps (site-specific and regional) indicating the location of the pipelines to be tested;

Figure 1 is a site-specific map showing topography, the pipeline sections undergoing testing, and the hydrostatic test water staging area. Figure 2 is a larger scaled, site-specific map showing the hydrostatic test water storage location. Figure 3 is a larger scaled, site-specific map showing the pipeline cleaning solution storage location.

Item e. A demonstration of compliance to the following siting criteria or justification for any exceptions:

- i. Within 200 feet of a watercourse, lakebed, sinkhole, or playa lake;**
- ii. Within 1,000 feet of an existing wellhead protection area or 100-year floodplain;**
- iii. Within, or within 500 feet of, a wetland;**
- iv. Within the area overlying a subsurface mine; or**
- v. Within 500 feet from the nearest permanent residence, school, hospital, institution or church.**

According to Mr. Arnold V. Madrid, EPNG's Technician, evidence of the above listed features was present within the required radius limits of the proposed hydrostatic test water staging area. Mr. Madrid performed a site visit to look for the presence of watercourses, lakebeds, sinkholes, playa lakes, wells, wetlands, residences, schools, hospitals, institutions, mines and churches. According to Mr. Madrid, the La Plata River's green-belt is located approximately 756 feet east of the temporary frac-tank staging area near MP 6. The La Plata River is located approximately 926 feet to the east. The nearest residence, an apartment complex, is located approximately 203 feet to the west of the temporary frac-tank staging area near MP 6. Mr. Madrid did not observe any watercourses, lakebeds, sinkholes, playa lakes, wetlands, water wells, mines, schools, hospitals, or churches near this location. A Certification of Siting Criteria from Mr. Madrid is attached in Appendix B.

A search for surrounding water wells was completed to satisfy a portion of this requirement. The NMOCD Pit Rule Mapping Portal Database and the NMOSE Waters Database were used for this search, which was conducted on February 10, 2010. According to the search, one

domestic/stock well appears to be located within 1,000 feet of the proposed cleaning solution storage area. Well number SJ 01426 is located approximately 800 feet to the southwest. It is unknown if this well is active, inactive, or abandoned. Based on the database search, two water wells are located within 1,000 feet of the temporary frac-tank staging area (MP 6-47+26). Well numbers SJ 00993 and SJ 02025 are located approximately 266 and 492 feet from the temporary frac-tank staging area, respectively. Well number SJ 00993 was installed as a public works construction well in 1979 and is most likely not active. Well number SJ 02025 is a livestock watering well. It is not known if this well is active, inactive, or abandoned.

Mr. Andy Edmondson of the New Mexico Environment Department, Drinking Water Bureau was contacted to obtain information regarding wellhead protection areas located within 1,000 feet of the temporary staging areas for the water and cleaning solution. Mr. Edmondson has not provided confirmation concerning the locations of any wellhead protection areas, as of the time this report was prepared.

Mr. Mike Tompson with the New Mexico Abandoned Mine Lands Program (505-476-3427) was contacted to assess the presence of abandoned subsurface mines in the vicinity of the temporary frac-tank staging area. According to Mr. Tompson, there is no record of abandoned subsurface mines in that area. A copy of the email from Mr. Tompson is attached in Appendix C. According to the NM Tech "Pit Rule Mapping Portal" data base, there are no active or inactive mines in the vicinity of the temporary frac-tank staging areas. A figure generated from this portal is included in Appendix C.

Federal Emergency Management Administration (FEMA) flood insurance rate maps were generated from the FEMA website to search for 100-year floodplains in the proposed hydrostatic test water storage area. According to the FEMA website, the temporary frac-tank staging area is not located within a floodplain. A 100-year floodplain is located approximately 200 feet to the east. The FEMA flood insurance rate map for this area is attached under Appendix D.

Although a residence and a 100-year floodplain zone are located within 500 feet and 1,000 feet, respectively, of the temporary staging area, the hydrostatic test is not anticipated to adversely affect the surrounding populations. The pipeline will be cleaned prior to testing. Potable public utility water will be used to conduct the hydrostatic testing. Secondary containment will be located surrounding the frac-tanks used for the temporary storage of the cleaning solution and test water, as described in subsequent items. In addition, hydrostatic testing analytical results from similar project conducted in November 2009 on the 1202 pipeline revealed that most constituents were below regulatory limits.

Item f. A brief description of the activities that produce the discharge;

Pressure testing with water, known as hydrostatic testing, is one of the tools pipeline operators use to verify pipeline integrity. The test involves purging the natural gas from the pipeline, cleaning the pipeline with an aqueous, non-hazardous cleaning fluid, filling the pipeline with water, then pressurizing the pipeline to a pressure higher than the standard operating pressure for approximately nine hours. The purpose of hydrostatic testing in a pipeline is to determine the extent to which potential defects might threaten the pipeline's ability to sustain maximum allowable operation pressure. If leaks or breaks occur, the pipeline is repaired or the affected areas is replaced, and then re-tested. The U.S. Department of Transportation Pipeline and Hazardous Materials Safety Administration (PHMSA) requires periodic pressurized tests on all DOT-regulated pipelines and all newly installed pipelines to verify the integrity and safety of pipeline systems. Approximately 10,000 gallons of public utility water from the City of Farmington will be used for the hydrostatic testing and pipeline cleaning.

Item g. The method and location for collection and retention of fluids and solids;

Cleaning Solution

Approximately 1,000 gallons of N-Spec 120 cleaning solution will be used to clean the pipeline. The cleaning solution will be moved from the 21,000-gallon frac-tank via hoses and/or flexible pipe and routed directly into the 3201 pipeline at the Blanco compressor station. The frac-tank will be located within 50 feet of the point of connection on the 3201 pipeline. The secondary containment around the frac-tank will consist of 80 mil plastic sheeting placed over a berm constructed of straw bales and secured with metal "T" posts. The location of the frac-tank and the pipeline discharge point are presented on Figure 3

After cleaning the pipeline, the entire volume of N-Spec 120 cleaning solution and water will be transferred back into the frac-tank. A pre-disposal composite sample will be collected and submitted to an EPA-approved analytical laboratory for waste characterization. The waste characterization will include analysis for corrosivity, ignitability, reactivity, toxicity, and/or other waste characterization as required by Mesa Environmental or Thermo-Fluids (see contact information under Item b).

Hydrostatic Test Water

Approximately 10,000 gallons of water will be used for hydrostatic testing of the 3201 pipeline. The hydrostatic test water will be removed from the pipeline via hoses and/or flexible pipe using drip pans under the connection points and stored in one or two frac-tanks with secondary containment at the hydrostatic test water staging area (Figure 2). The frac-tanks will be located within 50 feet of the point of connection on the 3201 pipeline. The secondary containment around the frac-tanks will consist of 80 mil plastic sheeting placed over a berm constructed of straw bales and secured with metal "T" posts. All individual tank valves will be closed and locked when not in use. Solids are not anticipated to be produced from the hydrostatic testing. EPNG also plans to have the frac-tank staging area under 24-hour security surveillance.

Item h. A brief description of best management practices to be implemented to contain the discharge onsite and to control erosion;

EPNG intends to discharge the hydrostatic test water in a Class I injection well. The water will be transported off the project site using DOT approved tanker trucks. No upland discharges are planned or intended.

Item i. A request for approval of an alternative treatment, use, and/or discharge location (other than the original discharge site), if necessary;

In the event that the hydrostatic test water is found to be unsuitable for down-hole injection, EPNG will acquire a temporary identification number from the US Environmental Protection Agency for the waste, and it will be properly transported and disposed of at a RCRA permitted Treatment, Storage, and Disposal facility. EPNG will provide the name and address of the facility and the appropriate disposal documentation to the NMOCD.

Item j. A proposed hydrostatic test wastewater sampling plan;

EPNG will not collect nor analyze a pre-test sample of the water obtained from the City of Farmington. Water quality analytical data supplied by the City of Farmington will be used as a baseline to determine if the water is suitable for use.

Prior to hydrostatic testing of the 3201 pipeline, approximately 10,000 gallons of public utility water will be transferred from the City of Farmington into frac-tanks located within EPNG's 3201 pipeline easement (See location information under Item c., and Figures 2 and 3).

After the hydrostatic testing of the 3201 pipeline, approximately 10,000 gallons of water will be transferred from the pipeline back into the same frac-tanks that were previously used to store the water. A single pre-disposal composite sample (one sample from each frac-tank) will be collected from the frac-tanks and submitted to an EPA-approved analytical laboratory.

The post-hydrostatic test water samples will be analyzed for corrosivity, ignitability, reactivity, toxicity, and/or other characterization as required by Key Energy. Analytical results of the post-hydrostatic test water analysis will be submitted to the NMOCD with a recommendation for disposal of the hydrostatic test water into a Class 1 injection well.

Item k. A proposed method of disposal of fluids and solids after test completion, including closure of any pits, in case the water generated from test exceeds the standards as set forth in Subsections A, B, and C of the 20.6.2.3103 NMAC (the New Mexico Water Quality Control Commission Regulations);

All fluids will be containerized, tested, and transported for disposal as described under item i and f. No solid waste is anticipated. In the event that the hydrostatic test water is found to be unsuitable for down-hole injection well disposal, a temporary identification number will be acquired from the US Environmental Protection Agency for the waste, and it will be properly transported and disposed of at a RCRA-permitted Treatment, Storage, and Disposal facility. EPNG will provide the name and address of the facility and the appropriate disposal documentation to the NMOCD.

Following the disposal characterization analysis, the 1,000 gallons of cleaning solution (used to clean the 3201 pipeline prior to hydrostatic testing) will be transported off-site via DOT-approved tanker trucks for treatment and disposal by Mesa Environmental or Thermo-Fluids (see contact information under Item b).

Item l. A brief description of the expected quality and volume of the discharge;

The hydrostatic test water will be analyzed to assess if the constituent concentrations meet Key Energy's disposal requirements for their Class 1 injection well. Based on historical data collected from previous hydrostatic test events using similar methods and solutions, the water quality is expected to be in compliance with regulatory limits. The volume of the hydrostatic test water is expected to be approximately 10,000 gallons.

Item m. Geological characteristics of the subsurface at the proposed discharge site;

Regional Features

The water storage location is within the north-central part of the San Juan Basin, a large asymmetric structural depression that contains Paleozoic and Mesozoic sediments up to 15,000 feet thick. The area is characterized by bedrock hillsides and mesas and Pleistocene gravel terraces of the La Plata River.

Site Geology

The water storage areas are located on alluvium overlying the Kirtland Shale and Fruitland Formations. The alluvium in the water storage area consists mainly of gravel and coarse sand over 8 feet in thickness, with some silt and clay. The alluvium was deposited by fluvial action.

The Kirtland Shale and Fruitland Formations consist of interbedded sandy shale, carbonaceous shale, clayey sandstone and sandstone (Stone, et. al., 1983).

Item n. The depth to and total dissolved solids concentration of the ground water most likely to be affected by the discharge;

Regional Hydrogeology

Three ground-water systems are present in the Tertiary and younger sedimentary deposits in this portion of the San Juan Basin.

- Confined aquifers in Tertiary sandstone units.
- Unconfined (water table) aquifers in Tertiary sandstone units near outcrop areas.
- Unconfined (water table) aquifers in the Quaternary alluvium in or near river valleys and tributaries.

Local Groundwater Hydrology

Two groundwater regimes exist near the discharge sites:

1. Unconfined aquifers in the alluvium beneath the water storage areas; and
2. Unconfined sandstone aquifers in the Cretaceous Kirtland Shale or Fruitland Formations below the alluvium (Stone, et. al., 1983).

Groundwater in the vicinity of the discharge location may be as shallow as six feet below ground surface in the alluvium (Stone, et. al., 1983).

Total dissolved solids concentrations of 12,000 milligrams per liter or greater have been observed in the groundwater (Geology Section, New Mexico State Highway Department, Materials and Testing Laboratory).

Item o. Identification of landowners at and adjacent to the discharge collection/retention site.

Landowners of the collection/retention sites:

At Blanco Plant (for the cleaning solution retention) and at MP 12-15+00 (hydrostatic test water staging area):

El Paso Natural Gas Company
2 North Nevada Ave.
Colorado Springs, CO 80903

Landowners along the EPNG right-of-way affected by the hydrostatic testing:

George E. Hutchison
R. D. Golding
Joe O. Campbell
George A. Greenwood
George A. McColm
D. & R. G. W. Railroad
B. E. Dustin
Elbie S. Evans
United States of America (Bureau of Land Management)

Landowners within 1/3-mile of the boundary of the temporary frac-tank storage area on EPNG property within the pipeline easement:

This landowners list is provided in Appendix E and a map showing the locations of these landowners is provided in Appendix F. EPNG it will provide all affected landowners with a brief description of the work involved.

As deemed necessary by NMOCD, a public notice will be posted in accordance with Subsections A, B, D and F of NMAC 20.6.2.3108 at the frac-tank staging areas (Figures 2 and 3), the Farmington, New Mexico Post Office, and published in the Farmington Daily Times newspaper. Copies of the English and Spanish versions of the public notices are presented in Appendix G. EPNG it will provide all affected landowners with a brief description of the work involved.

References

Geological, hydrological, hydrogeological, and depth/quality of groundwater information obtained from the EPNG, July 1999, Blanco Discharge permit application.

New Mexico Energy Minerals and Natural Resources Department, "New Mexico Mines, Mills and Quarries", database search, accessed February 2010.

New Mexico Office of the State Engineer, iWaters database, accessed February 2010.



New Mexico State Highway Department, Materials and Testing Laboratory, Design Division, "Geology and Aggregate Resources, District V"

NMOCD Pit Rule Mapping Portal database search, accessed February 2010 from http://216.93.164.45/prrc_MF/.

Stone, W., Lyford, F., Frenzel, P., Mizell, N., and Padgett, E. 1983, Hydrology and Water Resources of the San Juan Basin, New Mexico, New Mexico Bureau of Mines and Mineral Resources, Hydrologic Report 6.

FIGURES

ATTACHED IMAGES Images: A:\\$6F62182C.dwg Images: New Mexico State Map bmp
 ATTACHED XREFS ALBUQUERQUE, NM
 CAD FILE C:\DOCUME~1\PDant\LOCALS~1\Temp\AcPublish_30761_LAYOUT Layout




LEGEND

- APPROXIMATE EPNG 3201 WEST PIPELINE
- APPROXIMATE HYDROSTATIC TEST LOCATION
- APPROXIMATE HYDROSTATIC TEST WATER FRAC-TANKS LOCATION
- ▲ APPROXIMATE MILE POST MARKERS
- ★ APPROXIMATE SITE LOCATION



NOTE

EPNG 3201 West Pipeline recreated from 03201 00-002 20 Expanded Job Markup .dwf from EPNG.

The information included on this graphic representation has been compiled from a variety of sources and is subject to change without notice. Kleinfielder makes no representations or warranties, written or implied, as to accuracy, completeness, or reliability of the use of such information. This document is not intended for use as a land survey product nor as a design or record as a construction design document. The use or reuse of the information contained on this graphic representation is at the sole risk of the party using or reusing the information.



PROJECT NO	109637	EPNG 3201 WEST PIPELINE UNDERGOING HYDROSTATIC TEST		FIGURE
DRAWN	FEB 2010	EPNG - 3201 WEST PIPELINE HYDROSTATIC TEST		1
DRAWN BY	PD	SAN JUAN COUNTY		
CHECKED BY	JH	FARMINGTON, NEW MEXICO		
FILE NAME	109637_01_0.dwg	ORIGINATOR	C COREY	DRAWING CATEGORY
		APPROVED BY		1



LEGEND

-  APPROXIMATE LOCATION OF EPNG 3201 & 3222 PIPELINE
-  APPROXIMATE HYDROSTATIC TEST SEGMENT LOCATION
-  APPROXIMATE LOCATION OF HYDROSTATIC TEST WATER FRAC-TANKS
-  PIPELINE CONNECTION POINT

SOURCE: Aerial map created from <http://sjcounty.net>.

NOTE.

EPNG 3201 Pipeline recreated from 03201 00-002 20 Expanded Job Markup dwf from EPNG.


The information included on this graphic representation has been compiled from a variety of sources and is subject to change without notice. Kleinfelder makes no representations or warranties, express or implied, as to accuracy, completeness, timeliness, or rights to the use of such information. This document is not intended for use as a land survey product nor is it designed or intended as a construction design document. The use or misuse of the information contained on this graphic representation is at the sole risk of the party using or misusing the information.

PROJECT NO.	109637	TEMPORARY FRAC-TANK STAGING FOR HYDROSTATIC TEST WATER	FIGURE
DRAWN:	FEB 2010		
DRAWN BY:	PD	EPNG 3201 WEST HYDROSTATIC TEST SAN JUAN COUNTY FARMINGTON, NEW MEXICO	2
CHECKED BY:	JH		
FILE NAME:	109637_01_0.dwg	ORIGINATOR: C. COREY	DRAWING CATEGORY: 1
		APPROVED BY:	



LEGEND

- ★ TEMPORARY CLEANING SOLUTION/WATER FRAC-TANK LOCATION
- APPROXIMATE PROPERTY BOUNDARY
- PIPELINE CONNECTION POINT



SOURCE: Aerial map created from <http://ispcounty.net>

The information included on this graphic representation has been compiled from a variety of sources and is subject to change without notice. Kleinfield makes no representations or warranties, express or implied, as to accuracy, completeness, timeliness, or rights to the use of such information. This document is not intended for use as a land survey product nor as a design or material as a construction design document. The user or reader of the information contained on this graphic representation is at the sole risk of the party using or receiving the information.



PROJECT NO	109637
DRAWN	FEB 2010
DRAWN BY	PD
CHECKED BY	MW
FILE NAME	109637_03_0.dwg

TEMPORARY FRAC-TANK STORAGE LOCATION	
EPNG 3201 WEST HYDROSTATIC TEST	
SAN JUAN COUNTY	
BLOOMFIELD, NEW MEXICO	
ORIGINATOR	M WIKSTROM
APPROVED BY	
DRAWING CATEGORY	1

FIGURE
3

ATTACHED IMAGES
ATTACHED XREFS
ALBUQUERQUE, NM
CAD FILE C:\DDC\DMIE-11P\Bant\LOCALS-11Temp\Ac\Publish 30761_LAYOUT Layout1

APPENDIX A
Material Safety Data Sheets for N-Spec 120 Cleaner

Material Safety Data Sheet

Section 1. Chemical Product and Company Identification

Common Name	N-SPEC 120 Cleaner	Code	
Supplier	Coastal Chemical Co., L.L.C. 3520 Veterans Memorial Drive Abbeville, LA 70510 337-893-3862	MSDS#	Not available.
Synonym	Not available.	Validation Date	9/2/2004
Trade name	Not available.	Print Date	9/2/2004
Material Uses	Not available.	Responsible Name	Charles Toups
Manufacturer	Coastal Chemical Co., L.L.C. 3520 Veterans Memorial Drive Abbeville, LA 70510 337-893-3862	In Case of Emergency	Transportation Emergency Call CHEMTREC 800-424-9300 Other Information Call Charles Toups 337-261-0796

Section 2. Composition and Information on Ingredients

Name	CAS #	% by Weight	Exposure Limits
Confidential information			

Section 3. Hazards Identification

Physical State and Appearance	Liquid.
Emergency Overview	<p>CAUTION!</p> <p>MAY CAUSE EYE IRRITATION. MAY CAUSE SKIN IRRITATION. MAY BE HARMFUL IF SWALLOWED.</p> <p>Keep away from heat, sparks and flame. Avoid contact with eyes. Do not ingest. Avoid prolonged or repeated contact with skin. Keep container closed. Use only with adequate ventilation. Wash thoroughly after handling.</p>
Routes of Entry	Eye contact. Inhalation. Ingestion.
Potential Acute Health Effects	<p><i>Eyes</i> Hazardous in case of eye contact (irritant). Inflammation of the eye is characterized by redness, watering, and itching.</p> <p><i>Skin</i> Irritation of the product in case of skin contact: Not available. Hazardous in case of skin contact</p> <p><i>Inhalation</i> Hazardous in case of inhalation.</p> <p><i>Ingestion</i> Hazardous in case of ingestion.</p>
Potential Chronic Health Effects	<p>CARCINOGENIC EFFECTS: Not available. MUTAGENIC EFFECTS: Not available. TERATOGENIC EFFECTS: Not available.</p>
Medical Conditions Aggravated by Overexposure:	Repeated or prolonged exposure is not known to aggravate medical condition.
Overexposure /Signs/Symptoms	Not available.
See Toxicological Information (section 11)	

Continued on Next Page

Section 4. First Aid Measures

Eye Contact	Check for and remove any contact lenses. Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Cold water may be used. Get medical attention immediately.
Skin Contact	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Cold water may be used. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention.
Inhalation	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.
Ingestion	Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. If large quantities of this material are swallowed, call a physician immediately. Loosen tight clothing such as a collar, tie, belt or waistband.
Notes to Physician	Not available.

Section 5. Fire Fighting Measures

Flammability of the Product	Not available
Auto-ignition Temperature	Not available.
Flash Points	Tested - No Flash present
Flammable Limits	Not available.
Products of Combustion	These products are carbon oxides (CO, CO ₂), sulfur oxides (SO ₂ , SO ₃ ...).
Fire Hazards in Presence of Various Substances	Not available.
Explosion Hazards in Presence of Various Substances	Risks of explosion of the product in presence of mechanical impact: Not available. Risks of explosion of the product in presence of static discharge: Not available.
Fire Fighting Media and Instructions	SMALL FIRE: Use DRY chemical powder. LARGE FIRE: Use alcohol foam, water spray or fog. Cool containing vessels with water jet in order to prevent pressure build-up, autoignition or explosion.
Protective Clothing (Fire)	Be sure to use an approved/certified respirator or equivalent.
Special Remarks on Fire Hazards	No additional remark.
Special Remarks on Explosion Hazards	Not available.

Section 6. Accidental Release Measures

Small Spill and Leak	The concentrated form of this material is a cleaner. During application, hazardous material on the apparatus or structure being cleaned may become part of the cleaning solution. Check with all applicable regulations before disposing of the material created during application.
Large Spill and Leak	The concentrated form of this material is a cleaner. During application, hazardous material on the apparatus or structure being cleaned may become part of the cleaning solution. Check with all applicable regulations before disposing of the material created during application.

Section 7. Handling and Storage

Handling Keep away from heat, sparks and flame. Keep container closed. Use only with adequate ventilation. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment before transferring material. Use explosion-proof electrical (ventilating, lighting and material handling) equipment.

Storage Keep container tightly closed and in a well-ventilated place.

Section 8. Exposure Controls/Personal Protection

Engineering Controls Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value. Ensure that eyewash stations and safety showers are proximal to the work-station location.

Personal Protection

Eyes Safety glasses.

Body Lab coat.

Respiratory Wear appropriate respirator when ventilation is inadequate.

Hands Impervious gloves.

Feet Not applicable.

Personal Protection in Case of a Large Spill Splash goggles. Full suit. Boots. Gloves. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

Product Name Exposure Limits

Confidential information

Consult local authorities for acceptable exposure limits.

Section 9. Physical and Chemical Properties

Physical State and Appearance	Liquid.	Odor	Not available.
Molecular Weight	Not applicable.	Taste	Not available.
Molecular Formula	Not applicable.	Color	Blue. (Dark.)
pH (1% Soln/Water)	6 to 8 [Neutral.]		
Boiling/Condensation Point	The lowest known value is 100°C (212°F) (Water). Weighted average: 140.43°C (284.8°F)		
Melting/Freezing Point	May start to solidify at 0°C (32°F) based on data for: Water. Weighted average: -46.19°C (-51.1°F)		
Critical Temperature	Not available.		
Specific Gravity	0.9 to 0.98 (Water = 1)		
Vapor Pressure	The highest known value is 2.3 kPa (17.2 mm Hg) (at 20°C) (Water). Weighted average: 1.17 kPa (8.78 mm Hg) (at 20°C).		
Vapor Density	The highest known value is 5.11 (Air = 1). Weighted average: 2.93 (Air = 1)		
Volatility	Not available.		
Odor Threshold	The highest known value is 34.6 ppm		
Evaporation Rate	0.02 compared to Butyl acetate		
VOC	Not available.		

Continued on Next Page

Viscosity	Not available.
LogK _{ow}	The product is much more soluble in water.
Ionicity (in Water)	Anionic.
Dispersion Properties	See solubility in water, methanol, diethyl ether.
Solubility	Easily soluble in cold water, hot water, methanol, diethyl ether. Insoluble in n-octanol.
Physical Chemical Comments	Not available.

Section 10. Stability and Reactivity

Stability and Reactivity	The product is stable.
Conditions of Instability	Not available.
Incompatibility with Various Substances	Reactive with oxidizing agents, acids. Slightly reactive to reactive with reducing agents.
Hazardous Decomposition Products	Not available.
Hazardous Polymerization	Will not occur.

Section 11. Toxicological Information

Toxicity to Animals	Acute oral toxicity (LD50): 1900 mg/kg [Rat]. Acute dermal toxicity (LD50): 9510 mg/kg [Rabbit].
Chronic Effects on Humans	No additional remark.
Other Toxic Effects on Humans	Hazardous in case of eye contact (irritant), of ingestion, of inhalation. Hazardous in case of skin contact (irritant). Slightly hazardous in case of skin contact (sensitizer).
Special Remarks on Toxicity to Animals	Not available.
Special Remarks on Chronic Effects on Humans	Not available.
Special Remarks on Other Toxic Effects on Humans	Material is irritating to mucous membranes and upper respiratory tract.

Section 12. Ecological Information

Ecotoxicity	Not available.
BOD5 and COD	Not available.
Biodegradable/OECD	Not available.
Mobility	Not available.
	These products are carbon oxides (CO, CO ₂) and water, nitrogen oxides (NO, NO ₂ ...), sulfur oxides (SO ₂ , SO ₃ ...), phosphates. Some metallic oxides.
Toxicity of the Products of Biodegradation	The products of degradation are less toxic than the product itself.

Continued on Next Page

Special Remarks on the Products of Biodegradation Not available.

Section 13. Disposal Considerations

Waste Information Waste must be disposed of in accordance with federal, state and local environmental control regulations.

Waste Stream Not available.

Consult your local or regional authorities.

Section 14. Transport Information

Shipping Description Not a DOT controlled material (United States).

Not regulated.

Reportable Quantity 11061.8 lbs. (5016.7 kg)

Marine Pollutant Not regulated - Alkylaryl sulfonate amine salt - less than 10 % .

Special Provisions for Transport Contains alkylbenzenesulfonate

Section 15. Regulatory Information

HCS Classification CLASS: Target organ effects.

U.S. Federal Regulations TSCA 8(a) PAIR: contains Alkylbenzenesulfonate
 SARA 302/304/311/312 extremely hazardous substances: No products were found.
 SARA 302/304 emergency planning and notification: No products were found.
 SARA 302/304/311/312 hazardous chemicals: No products were found.
 SARA 311/312 MSDS distribution - chemical inventory - hazard identification: No products were found.
 SARA 313 toxic chemical notification and release reporting: No products were found.
 Clean Water Act (CWA) 307: No products were found.
 Clean Water Act (CWA) 311: No products were found.
 Clean air act (CAA) 112 accidental release prevention: No products were found.
 Clean air act (CAA) 112 regulated flammable substances: No products were found.
 Clean air act (CAA) 112 regulated toxic substances: No products were found.

International Regulations

EINECS Not available.

DSCL (EEC) Risk to eyes.
 May cause irritation by skin contact.
 R322- May be harmful if swallowed. R36/38- Irritating to eyes and skin.

International Lists No products were found.

State Regulations Pennsylvania RTK: Dipropylene glycol monomethyl ether; Trade Secret; Glycol Ether PNB
 Florida: Dipropylene glycol monomethyl ether; Ethanol
 Minnesota: Dipropylene glycol monomethyl ether
 Massachusetts RTK: Dipropylene glycol monomethyl ether; Ethanol
 New Jersey: Ethanol; Glycol Ether PNB
WARNING: This product contains the following ingredients for which the State of California has found to cause birth defects which would require a warning under the statute: Ethanol

Continued on Next Page

Section 16. Other Information

Label Requirements MAY CAUSE EYE IRRITATION.
MAY CAUSE SKIN IRRITATION.
MAY BE HARMFUL IF SWALLOWED.

Hazardous Material Information System (U.S.A.)

	*	1
Fire Hazard		0
Reactivity		0
Personal Protection		B

National Fire Protection Association (U.S.A.)



References Not available.

Other Special Considerations Not available.

Validated by Charles Toups on 9/2/2004.

Verified by Charles Toups.

Printed 9/2/2004.

Emergency Phone
Transportation Emergency Call
1-800-424-9300
Other Information Call
Charles Toups
117 281 0786

Notice to Reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

APPENDIX B
Certification of Siting Criteria


1 Certification of Siting Criteria

Hydrostatic Testing of Line 3201 West of Farmington

On February 10, I, Arnold V. Madrid, performed review to look for the presence of the items listed below. Some were observed within the specified distance for each item listed below from the edge of the pipeline right of way to site where the one water storage tank will be located at mile post 6 + 4726 on Line 3201 in San Juan County, NM. The hydro-test water will also be introduced to the pipeline at this site. A note beside each item below describes my review.

- i. Within 200 feet of a watercourse, lakebed, sinkhole, or playa lake; *NOTE: The actual La Plata River is further than this distance at 926 feet.*
- ii. Within 1,000 feet of an existing wellhead protection area or 100-year floodplain; *NOTE: I will defer to the statement and research from our consultant, Kleinfelder. This information is included as part of the NOI.*
- iii. Within, or within 500 feet of, a wetland; *NOTE: No, the La Plata River's green belt (the bosque) is a distance of 756 feet.*
- iv. Within the area overlying a subsurface mine; *NOTE: I will defer to the statement and research from our consultant, Kleinfelder. This information is included as part of the NOI.*
- v. Within 500 feet from the nearest permanent residence, school, hospital, institution or church. *NOTE: Yes. The nearest home (apartment complex immediately Westside of SR 170) is 203 feet from where the tank is planned to be staged.*

On behalf of El Paso Natural Gas, I state that the above information is complete and true to the best of my knowledge.


Arnold V. Madrid
Cross Functional Technician

02/10/2010
Date

APPENDIX C
Copy of Email from the New Mexico Abandoned Mine Lands Program

Jill Hernandez - RE: Abandoned Mines in Farmington, NM

From: "Tompson, Mike, EMNRD" <Mike.Tompson@state.nm.us>
To: "Jill Hernandez" <JHernandez@kleinfelder.com>
Date: 2/10/2010 8:27 AM
Subject: RE: Abandoned Mines in Farmington, NM

Jill,

We have no record of abandoned mines in those four sections. But again, not every abandoned mine is known to us so there could always be a chance of finding one in that area.

Hope that helps.

Mike Tompson

From: Jill Hernandez [mailto:JHernandez@kleinfelder.com]
Sent: Tuesday, February 09, 2010 3:29 PM
To: Tompson, Mike, EMNRD
Subject: Abandoned Mines in Farmington, NM

Mike,

I am preparing a notice of intent to complete a hydrostatic test in the Farmington area. Could you please let me know if there are any known, abandoned mines in the following areas:

- Section 6, Township 29N, Range 13W
- Section 5, Township 29N, Range 13W
- Section 32, Township 30N, Range 13W
- Section 31, Township 30N, Range 13W

Thanks, Jill

Jill Hernandez
Staff Engineer
8300 Jefferson NE, Suite B
Albuquerque, New Mexico 87114
o 505.344.7373
f 505.344.1711



Warning: Information provided via electronic media is not guaranteed against defects including translation and transmission errors.

If the reader is not the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited. If you have received this information in error, please notify the sender immediately.

This inbound email has been scanned for malicious software and transmitted safely to you using Webroot Email Security.


This email and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed. If you have received this email in error please notify the system manager. This message contains confidential information and is intended only for the individual named. If you are not the named addressee you should not disseminate, distribute or copy this e-mail.

Confidentiality Notice: This e-mail, including all attachments is for the sole use of the intended recipient(s) and may contain confidential and privileged information. Any unauthorized review, use, disclosure or distribution is prohibited unless specifically provided under the New Mexico Inspection of Public Records Act. If you are not the intended recipient, please contact the sender and destroy all copies of this message.

This email has been scanned using Webroot Email Security.



0 200 400ft



Petroleum Recovery
Research Center

Mines in the Vicinity of MP 6-47+26


Figure: C-1

EPNG 3201 West Pipeline Hydrostatic Test

Feb 10, 2010



0 200 400ft



Petroleum Recovery
Research Center

Mines in the Vicinity of the Blanco Compressor Station

Figure: C-2

EPNG 3201 West Pipeline Hydrostatic Test

Feb 10, 2010

APPENDIX D
Federal Emergency Management Administration Flood Insurance Rate Map

Images: A:\C6F62182C dib Images: New Mexico State Map.bmp
 ATTACHED IMAGES
 ATTACHED XREFS.
 ALBUQUERQUE, NM
 CAD FILE: G:\Environ\CURRENT WORK FOLDER PROJECTS\109637 - EPNG 3201 W Pipeline Hydro Test\2.0 Technical Information\2.8 Figures\ LAYOUT Layout2 (2)

LEGEND

 SPECIAL FLOOD HAZARD AREAS INUNDATED BY 100-YEAR FLOOD


ZONE A No base flood elevations determined

ZONE AE Base flood elevations determined

ZONE AH Flood depths of 1 to 3 feet (usually areas of ponding); base flood elevations determined

OTHER FLOOD AREAS

ZONE X Areas of 500-year flood; areas of 100-year flood with average depths of less than 1 foot or with drainage areas less than 1 square mile, and areas protected by levees from 100-year flood



SOURCE Fema map created from [http //msc.fema.gov](http://msc.fema.gov)

NOTE
 EPNG 3201 Pipeline recreated from 03201 00-002 20 Expanded Job Markup dwf from EPNG

The information included on this graphic representation has been compiled from a variety of sources and is subject to change without notice. Kleinfelder makes no representations or warranties express or implied as to accuracy, completeness, timeliness, or rights to the use of such information. This document is not intended for use as a land survey product nor is it designed or intended as a construction design document. The use or misuse of the information contained on this graphic representation is at the sole risk of the party using or misusing the information.



KLEINFELDER
 Bright People. Right Solutions.
 www.kleinfelder.com

PROJECT NO.	109637	FEMA FLOOD INSURANCE MAP		APPENDIX D
DRAWN:	FEB 2010	EPNG 3201 WEST HYDROSTATIC TEST SAN JUAN COUNTY FARMINGTON, NEW MEXICO		
DRAWN BY:	PD	ORIGINATOR:	C. COREY	DRAWING CATEGORY: 1
CHECKED BY:	JH	APPROVED BY:		
FILE NAME	109637_01_0.dwg			

APPENDIX E
**List of Landowners within 1/3 Mile of the Boundary of the Temporary Frac-tank
Storage Area near Mile Post 6**

**Landowners within 1/3 mile of the 3201 West Pipeline undergoing
hydrostatic testing**

<u>Owner Name</u>	<u>Address</u>	<u>City, State, Zip</u>
FARMINGTON CITY OF	800 MUNICIPAL DR.	FARMINGTON, NM 87401-2663
THREE AMIGOS WELDING	P O BOX 1304	AZTEC, NM 87410-1304
GRISOLANO JEFF W AND AMANDA B	2825 FIGUEROA AVE	FARMINGTON, NM 87401-0000
MARTIN ZACK B OR MARY	PO BOX 3564	FARMINGTON, NM 87499-3564
L&M VENTURES INC	P O BOX 2611	FARMINGTON, NM 87499-2611
PINE HARVEY ET UX	2700 LA PLATA HWY	FARMINGTON, NM 87401-1877
PEARSON DONALD E AND VENEDA F TRUST	4200 SKYLINE DR	FARMINGTON, NM 87401-9224
LEE MYRTLE	2750 LA PLATA HWY	FARMINGTON, NM 87401
CHRISTENSEN HOPE I C/O 1	5511 ARROYO DR	FARMINGTON, NM 87402-5001
HUTCHINSON CLYDE	2850 FIGUEROA AVE	FARMINGTON, NM 87401-1844
TSOSIE HARRY D	PO BOX 2562	KIRTLAND, NM 87417

<u>Owner Name</u>	<u>Address</u>	<u>City, State, Zip</u>
SPRINKLE SHERRY	601 KERNEY DR	FARMINGTON, NM 87401-3643
LINKER OLEN G	PO BOX 2309	PAGE, AZ 86040
GRANT TOM B AND NORMA M	300 W 26TH ST	FARMINGTON, NM 87401
WILCOX ROBERT LOUIS AND AUDREY N	PO BOX 2597	PAYSON, AZ 85547
CHAMBLEE CHARLES E AND NINA V	2570 LA RUE AVE	FARMINGTON, NM 87401-0000
CARANTA JOHN T AND JANA L	20 CR 3785	FARMINGTON, NM 87401
SANDOVAL DEBRA J	2890 FIGUEROA	FARMINGTON, NM 87401
DAVIS HORACE E	2900 LA PLATA HWY	FARMINGTON, NM 87401-1819
HARRISON KENNETH F	2955 LA PLATA HWY	FARMINGTON, NM 87401
ARID ACRE CLUB INC	P O BOX 534	FARMINGTON, NM 87499-0534
L AND M VENTURES INC	2625 LA PLATA HWY	FARMINGTON, NM 87401
PINE HARVEY ET UX	2700 LA PLATA HWY	FARMINGTON, NM 87401-1877

<u>Owner Name</u>	<u>Address</u>	<u>City, State, Zip</u>
L&M VENTURES INC	P O BOX 2611	FARMINGTON, NM 87499-2611
BEGAY GRACE	2661 NO A LA PLATA HWY	FARMINGTON, NM 87401-1818
MURRAY GLEN AND LESLIE CHARITABLE	PO BOX 2611	FARMINGTON, NM 87499-2611
EDWARDS DUWAYNE F ET UX	2840 LA PLATA HWY	FARMINGTON, NM 87401-1879
TRUJILLO PRAX	2830 FIGUEROA AVE	FARMINGTON, NM 87401
LINKER OLEN G	PO BOX 2309	PAGE, AZ 87040
DESERT PROPERTIES OF SOUTHWEST	1004 S LAKE ST	FARMINGTON, NM 87401
PAYNE ETHAN C ET UX	2850 LA PLATA HWY	FARMINGTON, NM 87401-1879
SANDOVAL DEBRA J	2890 FIGUEROH	FARMINGTON, NM 87401
MEYERS RICHARD L AND KATHLEEN S STANTON	1278 SENDA DEL VALLE	SANTA FE, NM 87507
APACHE PARK LLC	1113 W APACHE NO 14	FARMINGTON, NM 87401

<u>Owner Name</u>	<u>Address</u>	<u>City, State, Zip</u>
DIMMICK DARROL ET UX	12915 LAFAYETTE NO F	THORTON, CO 80241
DESERT INVESTMENTS LLC	2620 LA RUE AVE	FARMINGTON, NM 87401
ARVIZO ROCIO M	PO BOX 2461	KIRTLAND, NM 87417
BAYLESS ROBERT L JR ET AL	P O BOX 168	FARMINGTON, NM 87499-0168
FARMINGTON CITY OF	800 MUNICIPAL DR	FARMINGTON, NM 87401-2663
BAYLESS ROBERT L JR ET AL	P O BOX 168	FARMINGTON, NM 87499-0168
INDUSTRIAL MECHANICAL INC	P O BOX 2408	FARMINGTON, NM 87499-2408
KYSAR RAYMOND L JR AND PATSY SUE TRUST	300 W ARRINGTON SUITE 100	FARMINGTON, NM 87401
HOUSE DAVID M	515 W 24TH ST	FARMINGTON, NM 87401
LINSCOTT RANDALL M AND NANCY J	12195 CR 120	HESPERUS, CO 81326
FARMINGTON CITY OF	800 MUNICIPAL DR	FARMINGTON, NM 87401-2663

Owner Name	Address	City, State, Zip
PETE JOHNNIE JR ET UX	2955 TWIN PEAKS BLVD	FARMINGTON, NM 87401
ENSOR ROGER ETAL	5417 SANTA THERESA CT	FARMINGTON, NM 87402-5006
STRUNK BERNARD N TRUSTEES	P O BOX 821	FARMINGTON, NM 87499-0821
STRUNK BERNARD N AND DAGMAR TRUST	PO BOX 821	FARMINGTON, NM 87499
CAIN CHRIS E	3250 LA PLATA HWY	FARMINGTON, NM 87401-1821
RICHARDSON DAVID B JR QSST TRUST ETAL	5600 S QUEBEC ST, SUITE 130B	GREENWOOD VILLAGE, CO 80111
HAWKINS SABRINA L	3270 LA PLATA HWY	FARMINGTON, NM 87401-1821
HARRELSON JOHN F TRUSTEES	3310 LA PLATA HWY	FARMINGTON, NM 87401-1885
HARRELSON JOHN F TRUST	3310 LA PLATA HWY	FARMINGTON, NM 87401-1885
HARRELSON JOHN F TRUSTEES	3310 LA PLATA HWY	FARMINGTON, NM 87401-1885
LIMBERGER NATALIE	173 RD 3100	AZTEC, NM 87410

<u>Owner Name</u>	<u>Address</u>	<u>City, State, Zip</u>
HARRELSON JOHN F TRUSTEES	3310 LA PLATA HWY	FARMINGTON, NM 87401
TROY KING 90 LLC	PO BOX 4269	ARIZONA CITY, AZ 85223
HOUSE STEPHEN	2520 LA RUE NO 3	FARMINGTON, NM 87401
DUNCAN GARY W AND EVA	3810 GOLDEN AVE	FARMINGTON, NM 87402
PINO JOE S	2951 LA PLATA	FARMINGTON, NM 87401
ABNEY KEVIN L AND DALLENE G	2101 E 13TH ST	FARMINGTON, NM 87401
HOUSE STEPHEN	2520 LA RUE NO 3	FARMINGTON, NM 87401
ABNEY KEVIN L AND DALLENE G	2101 E 13TH ST	FARMINGTON, NM 87401
PARTS BOX INC	177 COTTONWOOD LN STE 14	CASA GRANDE, AZ 85222
CREATIVE DESIGN BUILDERS INC	PO BOX 2041	ARIZONA, AZ 85223-2041
STANDIFER DAVID AND PAMELA	3400B LA PLATA HWY	FARMINGTON, NM 87401

<u>Owner Name</u>	<u>Address</u>	<u>City, State, Zip</u>
COOMBS TAMARA J	3450 LA PLATA HWY.	FARMINGTON, NM 87401-1887
BLEDSON PAULINE TRUST	PO BOX 4269	ARIZONA CITY, AZ 85223
TIERRA LA PLATA LLC	PO BOX 2367	FARMINGTON, NM 87499-2367
REED LEJOHN B AND BONNIE S	P O BOX 2226	FARMINGTON, NM 87499-0226

APPENDIX F
Map of Landowners within 1/3 Mile of the Pipeline Easement

APPENDIX G
Public Notice Text in Spanish and English

PUBLIC NOTICE

The United States Department of Transportation (USDOT) requires periodic pressurized tests on all USDOT-regulated pipelines. El Paso Natural Gas Company (EPNG) hereby gives notice that the following discharge permit application has been submitted to the NM Oil Conservation Division (NMOCD) in accordance with Subsection A, B, D and F of 20.6.2.3108 of New Mexico Administrative Code (NMAC). The local EPNG mailing address is: El Paso Natural Gas, San Juan Area Office, P.O. Box 127, Bloomfield, NM 87413.

EPNG has submitted an application to perform a hydrostatic test of the 3201 Pipeline on the EPNG pipeline easement in Section 6, Township 29 North, Range 13 West in San Juan County, New Mexico. The purpose of hydrostatic (testing with water) is to determine the extent to which potential defects might threaten the pipeline's ability to sustain maximum allowable operation pressure. The test involves purging the natural gas from the pipeline, cleaning the pipeline with an aqueous, non-hazardous cleaning fluid, filling the pipeline with water, then pressurizing the pipeline to a pressure higher than the standard operating pressure for a duration of time.

A portion *How long is the section of pipe?* of the pipeline will be hydrostatically tested. Prior to hydrostatic testing, the pipeline will be cleaned using an aqueous and non-hazardous cleaning fluid, N-Spec 120. The cleaning solution will be stored in two 21,000-gallon frac-tanks at EPNG's Blanco compressor station located in the SE/4 of the NW/4, Section 14, Township 29 North, Range 11 West. A composite sample of the cleaning solution will be analyzed for corrosivity, ignitability, reactivity, and toxicity for disposal characterization, as required by Mesa Environmental or Thermo Fluids, Inc. The water/cleaning solution mixture may be stored in frac-tanks for two weeks with the option to store it for an additional two weeks. This water will be transported for proper disposal to the Mesa Environmental regional processing facility in Belen, NM or Thermo Fluids, Inc. in Albuquerque, NM.

Up to 10,000 gallons of fresh, unused water, from the City of Farmington, will be initially stored in one or two 21,000-gallon frac-tanks located in the SE/4 of the NE/4 of Section 6, Township 29 North, Range 13 West, approximately 50 feet east of State Road 170 and 90 feet southeast of the intersection of State Road 170 and 30th Street, within the City of Farmington. Following hydrostatic testing, hoses and/or flexible pipes will be used to transfer the used test water into the frac-tanks. A composite sample of this water will be analyzed by an EPA-approved analytical laboratory for waste characterization analysis of corrosivity, ignitability, reactivity, toxicity, and/or other characterization as required by Key Energy. Used test water may be stored in the frac-tanks for two weeks with the option to store it for an additional two weeks. The hydrostatic test water will not be discharged. After receipt of NMOCD approval, it will be properly transported and injected into a permitted Class 1 injection well operated by Key Energy of Farmington, NM.

The shallowest groundwater likely to be affected by a leak, accidental discharge, or spill exists at a depth of approximately six feet below the ground surface. This aquifer system has a total dissolved solids concentration of approximately 12,000 milligrams per liter or greater.

The notice of intent outlines how produced water and *hydrostatic waste water - not produced* is managed, including handling, storage, and final disposition. The plan also includes procedures for the waters of the State of New Mexico.

For additional information, to be placed on a facility-specific mailing list for future notices, or to submit comments please contact:

Brad Jones, Environmental Engineer
New Mexico Energy, Minerals and Natural Resources Department
Oil Conservation Division
1220 South St. Francis Drive
Santa Fe, NM 87505
Phone: (505) 476-3487

The NM Energy, Minerals and Natural Resources Department will accept comments and statements of interest regarding this hydrostatic test and will provide future notices for this pipeline upon request.

AVISO PÚBLICO

El Ministerio de Transporte de los Estados Unidos (USDOT) requiere pruebas periódicas de presión en todas las tuberías reguladas por el USDOT. Por medio de la presente, la compañía El Paso Natural Gas (EPNG) da por notificado que el permiso de la siguiente descarga ha sido sometido a la división de la conservación de Aceite (Petroleo) de Nuevo México (NMOCD) de acuerdo con la subdivisión A, B, D, y F del código administrativo # 20.6.2.3108 de Nuevo México. La dirección local de correo de EPNG es: El Paso Natural Gas, San Juan Area Office, P.O. Box 127, Bloomfield, NM 87413.

El Paso Natural Gas ha introducido una solicitud para conducir una prueba hidrostática en la tubería 3201 ubicada en la servidumbre (o área de servicio) de EPNG localizada en la sección seis (6) del Township 29 Norte con el Range 13 Oeste en el condado de San Juan, Nuevo México. El propósito de la prueba hidrostática (utilizando agua) es determinar el grado de los posibles defectos que pudiesen amenazar (disminuir) la capacidad de la tubería de mantener la presión máxima de operación permitida. La prueba hidrostática implica la purga del gas natural de la tubería, limpieza de la tubería con un líquido de limpieza acuoso y no-peligroso, llenado de la tubería con agua, y finalmente la presurización de la tubería a una presión más alta que la presión estándar de funcionamiento por un determinado tiempo.

Una porción de la tubería 3201 de EPNG será probada hidrostáticamente. Antes de la prueba hidrostática, la tubería será limpiada usando aproximadamente 1.000 galones de un líquido de limpieza (N-Spec 120) acuoso y no-peligroso. El líquido de limpieza será almacenado en uno o dos tanques de 21.000 galones de capacidad en la estación de compresión Blanco de EPNG ubicada en el SE/4 del NW/4, sección 14, Township 29 Norte, Range 11 Oeste. Una muestra compuesta de la solución empleada para la limpieza será analizada para determinar la corrosividad, capacidad de ignición, reactividad y toxicidad para efectos de ser caracterizado como material de desecho, según lo requerido/estipulado por Mesa Ambiental o Thermo Fluids, Inc. La mezcla de agua/líquido de limpieza puede ser almacenada en los tanques (frac-tanks) por dos semanas, con una opción de ser almacenados por dos semanas adicionales. Esta agua será transportada para la disposición apropiada en las instalaciones de procesamiento regional de Mesa Environmental en Belen, Nuevo México o Thermo Fluids, Inc. en Albuquerque, Nuevo México.

Hasta 10.000 galones de agua, sin utilizar, de la ciudad de Farmington, serán almacenados inicialmente en uno o dos tanques de 21.000 galones (frac-tanks) situados en el SE/4 del NE/4 del sección 6, Township 29 Norte, Range 13 Oeste, aproximadamente 50 pies al este de la Calle Estatal 170 y 90 pies sureste de la intersección de la Calle Estatal 170 y la Calle 30 en la ciudad de Farmington. Después de la prueba hidrostática, mangueras y/o las tuberías flexibles serán utilizadas para transferir el agua utilizada durante la prueba a los tanques (frac-tanks). Una muestra de esta agua será analizada por un laboratorio (de pruebas analíticas) aprobado por la Agencia de Protección Ambiental (EPA) para realizar un análisis de disposición de desechos por corrosividad, capacidad de ignición, reactividad, toxicidad y cualquier otro tipo de caracterización requerido por Key Energy. La mezcla agua/líquido de limpieza utilizada durante la prueba se puede almacenar en los tanques (frac-tanks) por dos semanas con una opción de ser almacenados por dos semanas adicionales. El agua hidrostática utilizada durante la prueba no será descargada al ambiente. Después de haber recibido la aprobación por parte de NMOCD, el agua utilizada será transportada e inyectada en un pozo de inyección permitido con la Clase 1 y operado por Key Energy en Farmington, Nuevo México.

El agua subterránea superficial probablemente será afectada por una fuga (goteo), una descarga accidental, o un derrame que exista a una profundidad aproximada de 6 pies por debajo de la superficie de tierra. El sistema del acuífero tiene una concentración total de sólidos en suspensión entre aproximadamente 12.000 miligramos por litro o mas.

La notificación de cómo se va a proceder, ejecutar y/o manejar el agua y la basura producida serán dirigidas correctamente, incluyendo su manejo, almacenaje, y disposición final de las mismas. El plan también incluye los procedimientos para el manejo apropiado de fugas, descargas accidentales, y de derrames en las aguas del Estado de Nuevo México.

Para información adicional, para ser colocado en la lista de personas a quienes se les envía propagandas específicas relacionadas con instalaciones/facilidades, o enviar para comentarios, favor contactar a:

Brad Jones, ingeniero ambiental
New Mexico Energy, Minerals and Natural Resources Department
Oil Conservation Division
1220 South St. Francis Drive
Santa Fe, NM 87505
Teléfono: (505) 476-3487

El Departamento de Energía, Recursos Naturales y Minerales aceptará comentarios y declaraciones de interés correspondientes a esta prueba hidrostática y proporcionará futuras notificaciones bajo petición.

ACKNOWLEDGEMENT OF RECEIPT
OF CHECK/CASH

I hereby acknowledge receipt of check No. _____ dated 1/11/10

or cash received on _____ in the amount of \$ 600⁰⁰

from Kluepfelder West Inc

for HIP-115

Submitted by: Lawrence Romero Date: 2/23/10

Submitted to ASD by: Younan Roman Date: 2/23/10

Received in ASD by: _____ Date: _____

Filing Fee _____ New Facility _____ Renewal _____

Modification _____ Other General Permit Fee

Organization Code 521.07 Applicable FY 2004

To be deposited in the Water Quality Management Fund.

Full Payment _____ or Annual Increment _____



January 20, 2010
File No. 83107.4-ALB09RP001

Mr. Brad Jones
New Mexico Energy, Minerals, and Natural Resources Department
Oil Conservation Division
1220 St. Francis Drive
Santa Fe, NM 87505

**Subject: Submittal of a Notice of Intent to Perform a Hydrostatic Test
 Pipeline Number 3201
 San Juan County, New Mexico**

Dear Mr. Jones:

On behalf of the El Paso Natural Gas Company (EPNG), Kleinfelder West, Inc. (Kleinfelder) is pleased to submit this Notice of Intent (NOI) for a hydrostatic test of the 3201 Pipeline. EPNG is intending to dispose of the used hydrostatic test water into a Class 1 injection well therefore; no surface discharge of hydrostatic test water is planned.

As required by US DOT Pipeline and Hazardous Materials Safety Administration regulations, EPNG is planning to conduct pipeline reconditioning work on its 20-inch 3201 pipeline near Farmington, New Mexico in mid to late February 2010. EPNG will be hydrostatically testing approximately 8,560 feet of used and new pipe on this pipeline.

Kleinfelder has included the required information for the NOI as stated in the "Guidelines for Hydrostatic Test Dewatering" dated January 11, 2007. Attached to this NOI are the following:

- Background Information;
- Notice of Intent;
- Figure 1, EPNG 3201 Pipeline Undergoing Hydrostatic Test;
- Figure 2, Temporary Frac-Tank Staging Location, Hydrostatic Test Water;
- Figure 3, Temporary Frac-Tank Staging Location, Cleaning Solution;
- Appendix A, Material Safety Data Sheets for N-Spec 120 Cleaner;
- Appendix B, Certification of Siting Criteria;
- Appendix C, Copy of Email from the New Mexico Abandoned Mine Lands Program;
- Appendix D, Federal Emergency Management Administration Flood Insurance Rate Maps;
- Appendix E, List of Landowners within 1/3 mile of the Pipeline Segments undergoing hydrostatic testing;
- Appendix F, Map of Landowners within 1/3 mile of the Pipeline Easement; and
- Appendix G, Public Notice text in Spanish and English

A check in the amount of \$100.00 to cover the filing fee is included with this filing. As deemed necessary by the NMOCD, public notice will be posted in accordance with Subsection A, and B,

D and F of NMAC 20.6.2.3108 at the frac-tank staging areas (Figures 2 and 3), the Farmington, New Mexico Post Office, and published in the Farmington Daily Times newspaper.

Kleinfelder prepared this NOI in a manner consistent with the level of care and skill ordinarily exercised by other members of Kleinfelder's profession practicing in the same locality, under similar conditions and at the date the services are provided. The information provided in this document is based on our understanding of the information provided by EPNG. The work performed was based on project information provided by EPNG.


Should you have any questions, please feel free to contact David Janney or Marco Wikstrom (Kleinfelder) at (505) 344-7373, or Richard Duarte (EPNG) at (505) 831-7763.

Respectfully submitted,
KLEINFELDER WEST, INC.

Reviewed by:



David Janney, PG
Project Manager



Kerry Ruebelmann, PG
Regional Manager

Background Information

- The EPNG Pipeline number 3201 is an existing 20-inch (outside diameter) natural gas pipeline that has been in service since 1953.
- This transportation pipeline is part of a network that transports natural gas (sweet and dry) that is suitable for immediate consumer use.
- Based upon recent experience with the NMOCD, EPNG understands that the water used for cleaning and testing this pipeline system is generally classified as non-exempt RCRA waste and is subject to the Water Quality Control Commission (WQCC) Regulations.

Notice of Intent Plan

On behalf of EPNG, Kleinfelder is submitting this NOI plan as outlined in NMOCD Guidance document, "Guidelines for Hydrostatic Test Dewatering," (revised January 11, 2007). The NOI plan includes the following items:

Item a. Name and address of the proposed discharger;

Legally Responsible Party

Sam A. Armenta, Director
El Paso Natural Gas Company
Albuquerque Division
8725 Alameda Park Dr. NE
Albuquerque, NM 87120

Local Representative

Richard Duarte (505) 831-7763
El Paso Natural Gas Company
8725 Alameda Park Dr. NE
Albuquerque, NM 87120

Operator

Physical Address

El Paso Natural Gas Company
San Juan Area Office
#81 County Road 4900
Bloomfield, NM 87413

Mailing Address

El Paso Natural Gas Company
San Juan Area Office
P.O. 127
Bloomfield, NM 87413

Item b. Location of the discharge, including a street address, if available, and sufficient information to locate the facility with respect to surrounding landmarks;

The location of the portions of the 3201 pipeline to be hydrostatically tested is shown on figure 1. The segment of 3201 pipeline that will be hydrostatically tested is immediately west of the Animas River and within the City of Farmington and goes east of County Road 3000 by approximately 1-1/4 –mile. Approximately 7 frac-tanks will be located 700 feet southwest of the intersection of Gila Street and English Road within EPNG owned property along the 3201 Pipeline. Coordinates for this location are Latitude 36° 45' 25.64" North, Longitude 108° 08' 58.29" West.

Prior to the hydrostatic test, the pipeline will be cleaned to remove oil residue and other trace contaminants. The segment will generate water (RCRA non-exempt) subject to regulation by the WQCC. There will be a small volume of water mixed with pipe cleaning liquid (N-Spec 120, see Appendix A for material safety data sheet). The volume of cleaning solution is estimated to be 1,000 gallons. The source of water mixed with the pipe cleaning liquid will be public utility drinking water from the City of Farmington.

The pipe cleaning solution will be used to clean the entire 3201 pipeline, mile post (MP) 0 to MP 22 and will be stored at EPNG's Blanco Compressor Station (GW-49-0, Figure 3). After cleaning the pipeline, the cleaning solution will be moved from the pipeline directly into a frac-tank (stored within secondary containment), then transferred into tank trucks for transportation to a recycling facility.

The temporary frac-tank storage location for the cleaning solution will be:

Mile post 0 + 0000' is located at the discharge side of Blanco Compressor Station (south side of the station), County Road 4900, #81, Bloomfield, NM 87413. This is locally known as "gasoline alley" road. Coordinates for this location are Latitude 36° 43' 44.55" North, Longitude 107° 57' 40.12" West. The temporary storage area is within the compressor station boundary. The frac-tank will be located within 50 feet of the point of connection on the 3201 pipeline. There will be one 21,000-gallon temporary tank with the water/N-SPEC mixture at this location and the liquid may be stored for up to two weeks. In the event that laboratory analysis or removal transportation is delayed, EPNG will request an additional two weeks of storage time. Every effort will be made to remove the liquid within two weeks. A 21,000-gallon tank is required to contain the high pressure discharge (above 850 pounds per square inch) and high flow rates utilized to drain the 3201 pipeline. The temporary frac-tank storage area at Blanco is shown on Figure 3.

The permitted recycling facilities that will be used for the cleaning solution are:

Mesa Environmental, a Division of Mesa Oil, Inc.
Corporate - 17300 Hwy 72, Arvada, CO 80007
Regional Processing Facility – 20 Lucero Road, Belen, NM 87002

Or,

Thermo Fluids Inc.
Corporate – 8925 E. Pima Center Pkwy, Suite 105, Scottsdale, AZ 85258
Local Office – 9010 Bates Road, SW, Albuquerque, NM 87105

After the pipeline has been cleaned, public utility drinking water from the City of Farmington, NM will be used to perform hydrostatic testing of the segment of the 3201 pipeline. The segment is as follows; from MP 12 + 1500 in Section 6, Township 29N, Range 12W, to MP 13 +4780 in Section 7, Township 29N, Range 12W (Figure 2). Approximately 140,500 gallons of water will be used for the hydrostatic test.

Upon completion of the hydrostatic test, EPNG will generate a second volume of water (RCRA non exempt) that may be subject to regulation: the hydrostatic test water. The test water will be initially transferred into clean portable frac-tanks (stored within secondary containment) and held at one location (Figure 2). Due to an enhanced pipeline cleaning protocol EPNG believes that the hydrostatic test water may meet the WQCC standards for ground water with contaminant concentrations not exceeding levels listed in Subsections A, B, and C of NMAC 20.6.2.3103.

Item c. Legal description of the discharge location;

Introduction, removal, and storage of hydrostatic test water will occur in the staging area at the following location:

SE/4 of the NE/4 of Section 1, Township 29 North, Range 13 West, in San Juan County, New Mexico (See Figure 2).

Introduction, removal, and storage of cleaning solution will occur at the following location:

N/2 of the N/2 Section 14, Township 29 North, Range 11 West in San Juan County, New Mexico (See Figure 3).

Item d. Maps (site-specific and regional) indicating the location of the pipelines to be tested;

Figure 1 is a site-specific map showing topography, the pipeline sections undergoing test, and the hydrostatic test water staging area. Figure 2 is a larger scale site-specific map showing the hydrostatic test water storage location. Figure 3 is a larger scale site-specific map showing the pipeline cleaning solution storage location.

Item e. A demonstration of compliance to the following siting criteria or justification for any exceptions:

- i. Within 200 feet of a watercourse, lakebed, sinkhole, or playa lake;**
- ii. Within 1,000 feet of an existing wellhead protection area or 100-year floodplain;**
- iii. Within, or within 500 feet of, a wetland;**
- iv. Within the area overlying a subsurface mine; or**
- v. Within 500 feet from the nearest permanent residence, school, hospital, institution or church.**

According to Mr. Nestor Vigil, EPNG's Cross-Functional Technician, evidence of the above listed features is present within the required radius limits of the proposed staging area of hydrostatic test water. Mr. Vigil performed a site visit to look for the presence of watercourses, lakebeds, sinkholes, playa lakes, wells, wetlands, residences, schools, hospitals, institutions, mines and churches. According to Mr. Vigil, the Animas River green-belt is located approximately 435 feet southeast of the temporary frac-tank staging area near MP 12 and the nearest residence to this location approximately 90 feet. Mr. Vigil did not observe any of the items under "i." above, water wells, mines, schools, hospitals or churches near this location. A Certification of Siting Criteria from Mr. Vigil is attached in Appendix B.

A search for surrounding water wells was completed to satisfy a portion of this requirement. The New Mexico Water Rights Reporting System (NMWRRS, [iWaters]) database at the New Mexico Office of the State Engineer was used for this search, which was conducted on December 30, 2009. According to the search, a single water well may be located within 1,000 feet of the proposed cleaning solution storage area and another well is located approximately 1,000 feet east of the temporary frac-tank staging area near MP 12. These well, points of diversion numbers are 1426, located in the SE/4, NW4, Section 14, Township 29N, Range 11W and SJ01894, located in the SW/4, NW4, Section 6, Township 29N, Range 12W, respectively. It

is unknown if this well is active, inactive, or abandoned. No water storage area will be located within 1,000 feet of a well head protection area.

Mr. Mike Tompson with the New Mexico Abandoned Mine Lands Program (505-476-3427) was contacted to assess the presence of abandoned subsurface mines in the vicinity of the temporary frac-tank staging areas. According to Mr. Tompson, there is no record of abandoned subsurface mines in these areas. A copy of an email from Mr. Tompson is attached in Appendix C. According to "New Mexico Mines, Mills and Quarries" data base maintained by the the New Mexico Energy Minerals and Natural Resources Department, there are no active mines in the vicinity of the temporary frac-tank staging areas. According to the NMOCD "Pit Rule mapping Portal" data base, there are no active or inactive mines in the vicinity of the temporary frac-tank staging areas.

Federal Emergency Management Administration (FEMA) flood insurance rate maps were generated from the FEMA website to search for 100-year floodplains in the proposed hydrostatic test water storage area. According to the FEMA website, the temporary frac-tank storage location is not within a floodplain. The FEMA flood insurance rate map for this area is attached under Appendix D.

Item f. A brief description of the activities that produce the discharge;

Pressure testing with water, known as hydrostatic testing, is one of the tools pipeline operators use to verify pipeline integrity. The test involves purging the natural gas from the pipeline, cleaning the pipeline with an aqueous, non-hazardous cleaning fluid, filling the pipeline with water, then pressurizing the pipeline to a pressure higher than the standard operating pressure for approximately nine hours. The purpose of hydrostatic testing in a pipeline is to determine the extent to which potential defects might threaten the pipeline's ability to sustain maximum allowable operation pressure. If leaks or breaks occur, the pipeline is repaired or the affected areas is replaced and then re-tested. The U.S. Department of Transportation Pipeline and Hazardous Materials Safety Administration (PHMSA) requires periodic pressurized tests on all DOT-regulated pipelines and all newly installed pipelines to verify the integrity and safety of pipeline systems. Approximately 140,500 gallons of public utility water from the City of Farmington will be used for the hydrostatic test and pipeline cleaning.

Item g. The method and location for collection and retention of fluids and solids;

The approximately 1,000 gallons of N-Spec 120 cleaning solution used to clean the pipeline will be moved from the 21,000-gallon frac-tank via hoses and/or flexible pipe and routed directly to the pipeline at the Blanco compressor station. The frac-tank will be located within 50 feet of the point of connection on the 3201 pipeline. The secondary containment around the frac-tank will consist of 80 mil plastic sheeting placed over a berm constructed of straw bales and secured with metal "T" posts. The location of the frac-tank and the pipeline discharge point are presented in (Figure 3).

After cleaning the pipeline, the entire volume of N-Spec 120 cleaning solution and water will be transferred back into the frac-tank and a pre-disposal composite sample will be collected and submitted to an EPA-approved analytical laboratory for waste characterization, including analysis for corrosivity, ignitability, reactivity, and toxicity, and/or other characterization as required by Mesa Environmental or Thermo-Fluids (see contact information under Item b.).

The approximately 140,500 gallons of water used for hydrostatic testing of the 3201 pipeline will be removed from the pipeline via hoses and/or flexible pipe using drip pans under the connection points and stored in 7 frac-tanks with secondary containment at the hydrostatic test water storage area (Figure 2). The frac-tanks will be located within 60 feet of the point of

connection on the 3201 pipeline. The secondary containment around the frac-tanks will consist of 80 mil plastic sheeting placed over a berm constructed of straw bales and secured with metal "T" posts. When not in use, all individual tank valves will be closed and locked. Solids are not anticipated to be produced from the hydrostatic testing. EPNG also plans to have the frac-tank staging area under 24-hour security surveillance.

Item h. A brief description of best management practices to be implemented to contain the discharge onsite and to control erosion;

EPNG intends to discharge the hydrostatic test water in Class I disposal well. The water will be transported off the project site using DOT approved tanker trucks. No upland discharges are planned or intended.

Item i. A request for approval of an alternative treatment, use, and/or discharge location (other than the original discharge site), if necessary;

In the event that the hydrostatic test water is found to be unsuitable for down-hole injection, it will be treated by filtration through activated charcoal and/or other applicable media until it meets the NMOCD standards for down-hole injection and then discharged down-hole.

Item j. A proposed hydrostatic test wastewater sampling plan;

Analytical sampling for the hydrostatic test water will consist of the acquisition of the water quality analysis from the City of Farmington. EPNG will not collect and analyze a pre-test sample of the water obtained from the City of Farmington. Analytical data from the City of Farmington will be used as a baseline to determine if the water is suitable for use.

Prior to hydrostatic testing of the 3201 pipeline, the approximately 140,500 gallons of utility water will be transferred from the City of Farmington into frac-tanks located within EPNG's 3201 pipeline easement (See location information under Item c., and Figures 2 and 3).

After the hydrostatic testing of the 3201 pipeline, the approximately 140,500 gallons of water will be transferred from the pipeline back into the same frac-tanks that were used to store the water. A single pre-disposal 7-point composite sample (one point from each tank) will be collected from these tanks and submitted to an EPA-approved analytical laboratory.

The pre- and post hydrostatic test water samples will be analyzed for corrosivity, ignitability, reactivity, and toxicity, and/or other characterization as required by Key Energy. Analytical results of the post hydrostatic test water will be submitted to the NMOCD with a recommendation for disposal of the hydrostatic test water into a Class 1 injection well.

Item k. A proposed method of disposal of fluids and solids after test completion, including closure of any pits, in case the water generated from test exceeds the standards as set forth in Subsections A, B, and C of the 20.6.2.3103 NMAC (the New Mexico Water Quality Control Commission Regulations);

All fluids will be containerized, tested, and then transported for disposal as described under items i. and f. No solid waste is anticipated. In the event that the hydrostatic test water is found to be unsuitable for down-hole disposal, it will be treated by filtration through activated charcoal and/or other media as appropriate until it meets the NMOCD standards for injection into a Class 1 injection well. The injection well is operated by the Farmington office of Key Energy, their contact information is presented below.

Key Energy
5651 U. S. Highway 64
Farmington, NM 87401
Phone: (505) 327-4935

Following disposal characterization, the 1,000 gallons of cleaning solution used to clean the 3201 pipeline before hydrostatic testing will be transported off-site via DOT-approved tanker trucks for treatment and disposal by Mesa Environmental or Thermo-Fluids (see contact information under Item b.).

Item l. A brief description of the expected quality and volume of the discharge;

The hydrostatic test water will be analyzed to assess if the constituent concentrations in the water meet the disposal requirements of Key Energy for their Class 1 injection well. Based on historical data collected from previous hydrostatic test events using similar cleaning techniques before introducing the test water, the quality of the water is expected to meet regulatory limits. The volume of the hydrostatic test water is expected to be approximately 140,500 gallons.

Item m. Geological characteristics of the subsurface at the proposed discharge site;

Regional Features

The water storage location is within the north-central part of the San Juan Basin, a large asymmetric structural depression that contains Paleozoic and Mesozoic sediments up to 15,000 feet thick. The area is characterized by bedrock hillsides and mesas and Pleistocene gravel terraces of the San Juan and Animas Rivers.

Site Geology

The water storage areas are located on alluvium or the Nacimiento, Kirtland or Fruitland Formations. The alluvium in the water storage areas consists of fine to coarse sands, clays and varying combinations of the two. This alluvium was deposited by both fluvial and eolian action. The soils tend to be weak, compressible and moderately permeable. The thickness of alluvium ranges from less than 3 to more than 75 feet, and drapes the Nacimiento, Kirtland or Fruitland Formations (Stone, et. al., 1983).

Item n. The depth to and total dissolved solids concentration of the ground water most likely to be affected by the discharge;

Regional Hydrogeology

Three ground-water systems are present in the Tertiary and younger sedimentary deposits in this portion of the San Juan Basin.

- Confined aquifers in Tertiary sandstone units.
- Unconfined (water table) aquifers in Tertiary sandstone units near outcrop areas.
- Unconfined (water table) aquifers in the Quaternary alluvium in or near river valleys and tributaries.

Local Groundwater Hydrology. Two groundwater regimes exist near the discharge sites:

1. Unconfined aquifers in the alluvium beneath the water storage areas; and
2. Unconfined sandstone aquifers in the Paleocene Nacimiento Formation or Cretaceous Kirtland or Fruitland Formations below the alluvium (Stone, et. al., 1983).

Groundwater in the vicinity of the discharge may be as shallow as six feet below ground surface in the alluvium or as deep as deep as 235 feet in the Nacimiento Formation (Stone, et. al., 1983).

Total dissolved solids concentration (derived from specific conductance) in the shallowest water affected by the discharge is between 960 and 3,840 milligrams per liter (iWaters, 2009).

Item o. Identification of landowners at and adjacent to the discharge collection/retention site.

Landowners of the collection/retention sites:

At Blanco Plant (for the cleaning solution retention) and at MP 12 + 1500 (hydrostatic test water staging area):

El Paso Natural Gas Company
2 North Nevada Ave.
Colorado Springs, CO 80903

Landowners along the EPNG right-of-way affected by the hydrostatic testing:

George E. Hutchison
R. D. Golding
Joe O. Campbell
George A. Greenwood
George A. McColm
D. & R. G. W. Railroad
B. E. Dustin
Elbie S. Evans
United States of America (Bureau of Land Management)

Landowners within 1/3-mile of the boundary of the temporary frac-tank storage area on EPNG property within the pipeline easement:

This landowners list is provided in Appendix E and a map showing the locations of these landowners is provided in Appendix F. EPNG it will provide all affected landowners with a brief description of the work involved.

As deemed necessary by NMOCD, a public notice will be posted in accordance with Subsections A, B, D and F of NMAC 20.6.2.3108 at the frac-tank staging areas (Figures 2 and 3), the Farmington, New Mexico Post Office, and published in the Farmington Daily Times newspaper. Copies of the English and Spanish versions of the public notices are presented in Appendix G. EPNG it will provide all affected landowners with a brief description of the work involved.

References

Geological, hydrological, hydrogeological, and depth/quality of groundwater information obtained from the EPNG, July 1999, Blanco Discharge permit application.


iWaters Database search, December 2009, New Mexico Office of the State Engineer

"New Mexico Mines, Mills and Quarries", Database search, January 2010, New Mexico Energy Minerals and Natural Resources Department.

NMOCD Pit Rule Mapping Portal Database search, January 2010,
http://216.93.164.45/prrc_MF/


Stone, W., Lyford, F., Frenzel, P., Mizell, N., and Padgett, E. 1983, Hydrology and Water Resources of the San Juan Basin, New Mexico, New Mexico Bureau of Mines and Mineral Resources, Hydrologic Report 6.

FIGURES




- LEGEND**
- APPROXIMATE EPNG 3201 Pipeline
 - APPROXIMATE HYDROSTATIC TEST LOCATION
 - APPROXIMATE HYDROSTATIC TEST WATER FRAC TANKS LOCATION
 - ★ APPROXIMATE MILE POST MARKERS
 - ★ APPROXIMATE SITE LOCATION

NOTE:
 EPNG 3201 Pipelines recreated from 03201.00-003.20.dwg from EPNG.




SOURCE: Topo map scanned from mapscad.com



PROJECT NO.	83107	FIGURE	1
DRAWN:	DEC 2009	EPNG 3201 PIPELINE HYDROSTATIC TEST	
DRAWN BY:	PD	EPNG 3201 PIPELINE HYDROSTATIC TEST	
CHECKED BY:	MW	SAN JUAN COUNTY	
FILE NAME:	83107_3201_01.dwg	FARMINGTON, NEW MEXICO	
		ORIGINATOR	M. WASTROM
		DRAWING CATEGORY:	1
		APPROVED BY:	

ATTACHED IMAGES: 3201 pipeline parcel map-SJCo.jpg Images: 41006.jpg Images: New Mexico State Map.bmp Images: page 2 sta 46+99.JPG Images: Sta 46+99 matchline.JPG Images: Topo.jpg
 ATTACHED XREFS: ALBUQUERQUE, NM
 CAD FILE: G:\Environ\CURRENT WORK FOLDER PROJECTS\83107 - EPNG NM Pipeline Hydrostatic Discharge Plans\4.0 Technical Information\Task 4-3201 LAYOUT: Layout



SOURCE: Aerial map created from <http://sjcounty.net>.
 NOTE:
 EPNG 3201 Pipeline recreated from 03201.00-003.20.dwf from EPNG.

The information included on this graphic representation has been compiled from a variety of sources and is subject to change without notice. Kleinfelder makes no representations or warranties, express or implied, as to accuracy, completeness, timeliness, or rights to the use of such information. This document is not intended for use as a land survey product nor is it designed or intended as a construction design document. The use or misuse of the information contained on this graphic representation is at the sole risk of the party using or misusing the information.

LEGEND

- APPROXIMATE EPNG 3201 & 3222 PIPELINE
- APPROXIMATE HYDROSTATIC TEST SEGMENT
- APPROXIMATE HYDROSTATIC TEST WATER FRAC TANKS
- PIPELINE CONNECTION POINT



PROJECT NO.	83107
DRAWN:	DEC 2009
DRAWN BY:	PD
CHECKED BY:	MW
FILE NAME:	83107_3201_01.dwg

TEMPORARY FRAC TANK STAGING HYDROSTATIC TEST WATER LOCATION	
EPNG 3201 HYDROSTATIC TEST SAN JUAN COUNTY FARMINGTON, NEW MEXICO	
ORIGINATOR:	M. WIKSTORM
APPROVED BY:	
DRAWING CATEGORY:	1

FIGURE
2



PROJECT NO. 83107		FIGURE 3	
DRAWN: DEC 2009		TEMPORARY FRAC TANK STORAGE LOCATIONS	
DRAWN BY: PD		EPNG 3201 HYDROSTATIC TEST	
CHECKED BY: MW		SAN JUAN COUNTY	
FILE NAME: 83107_3201_CO.dwg		BLOOMFIELD, NEW MEXICO	
		ORIGINATOR: M. WIMSTROM	
		DRAWING CATEGORY: 1	
		APPROVED BY:	



SOURCE: Aerial image created from mapcarta.com.

This drawing is subject to the terms, conditions, and limitations of the contract under which it was prepared. It is not to be used for any other purpose without the written consent of Kleinfelder. The user of this drawing is responsible for obtaining all necessary permits and approvals. Kleinfelder is not responsible for any errors or omissions in this drawing. The user of this drawing is responsible for obtaining all necessary permits and approvals. Kleinfelder is not responsible for any errors or omissions in this drawing.

APPENDIX A
Material Safety Data Sheets for N-Spec 120 Cleaner

Material Safety Data Sheet

Section 1. Chemical Product and Company Identification	
Common Name	N-SPEC 120 Cleaner
Supplier	Coastal Chemical Co., L.L.C. 3520 Veterans Memorial Drive Abbeville, LA 70510 337-893-3862
Synonym	Not available.
Trade name	Not available.
Material Uses	Not available.
Manufacturer	Coastal Chemical Co., L.L.C. 3520 Veterans Memorial Drive Abbeville, LA 70510 337-893-3862
Code	
MSDS#	Not available.
Validation Date	9/2/2004
Print Date	9/2/2004
Responsible Name	Charles Toups
In Case of Emergency	Transportation Emergency Call CHEMTREC 800-424-9300 Other Information Call Charles Toups 337-261-0796

Section 2. Composition and Information on Ingredients			
Name	CAS #	% by Weight	Exposure Limits
Confidential information			

Section 3. Hazards Identification	
Physical State and Appearance	Liquid.
Emergency Overview	CAUTION! MAY CAUSE EYE IRRITATION. MAY CAUSE SKIN IRRITATION. MAY BE HARMFUL IF SWALLOWED. Keep away from heat, sparks and flame. Avoid contact with eyes. Do not ingest. Avoid prolonged or repeated contact with skin. Keep container closed. Use only with adequate ventilation. Wash thoroughly after handling.
Routes of Entry	Eye contact. Inhalation. Ingestion.
Potential Acute Health Effects	<i>Eyes</i> Hazardous in case of eye contact (irritant). Inflammation of the eye is characterized by redness, watering, and itching. <i>Skin</i> Irritation of the product in case of skin contact: Not available. Hazardous in case of skin contact <i>Inhalation</i> Hazardous in case of inhalation. <i>Ingestion</i> Hazardous in case of ingestion.
Potential Chronic Health Effects	CARCINOGENIC EFFECTS: Not available. MUTAGENIC EFFECTS: Not available. TERATOGENIC EFFECTS: Not available.
Medical Conditions Aggravated by Overexposure:	Repeated or prolonged exposure is not known to aggravate medical condition.
Overexposure /Signs/Symptoms	Not available.
See Toxicological Information (section 11)	

Continued on Next Page

Section 4. First Aid Measures

Eye Contact	Check for and remove any contact lenses. Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Cold water may be used. Get medical attention immediately.
Skin Contact	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Cold water may be used. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention.
Inhalation	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.
Ingestion	Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. If large quantities of this material are swallowed, call a physician immediately. Loosen tight clothing such as a collar, tie, belt or waistband.
Notes to Physician	Not available.

Section 5. Fire Fighting Measures

Flammability of the Product	Not available
Auto-ignition Temperature	Not available.
Flash Points	Tested - No Flash present
Flammable Limits	Not available.
Products of Combustion	These products are carbon oxides (CO, CO ₂), sulfur oxides (SO ₂ , SO ₃ ...).
Fire Hazards in Presence of Various Substances	Not available.
Explosion Hazards in Presence of Various Substances	Risks of explosion of the product in presence of mechanical impact: Not available. Risks of explosion of the product in presence of static discharge: Not available.
Fire Fighting Media and Instructions	SMALL FIRE: Use DRY chemical powder. LARGE FIRE: Use alcohol foam, water spray or fog. Cool containing vessels with water jet in order to prevent pressure build-up, autoignition or explosion.
Protective Clothing (Fire)	Be sure to use an approved/certified respirator or equivalent.
Special Remarks on Fire Hazards	No additional remark.
Special Remarks on Explosion Hazards	Not available.

Section 6. Accidental Release Measures

Small Spill and Leak	The concentrated form of this material is a cleaner. During application, hazardous material on the apparatus or structure being cleaned may become part of the cleaning solution. Check with all applicable regulations before disposing of the material created during application.
Large Spill and Leak	The concentrated form of this material is a cleaner. During application, hazardous material on the apparatus or structure being cleaned may become part of the cleaning solution. Check with all applicable regulations before disposing of the material created during application.

Section 7. Handling and Storage

Handling	Keep away from heat, sparks and flame. Keep container closed. Use only with adequate ventilation. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment before transferring material. Use explosion-proof electrical (ventilating, lighting and material handling) equipment.
Storage	Keep container tightly closed and in a well-ventilated place.

Section 8. Exposure Controls/Personal Protection

Engineering Controls	Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value. Ensure that eyewash stations and safety showers are proximal to the work-station location.
Personal Protection	<p><i>Eyes</i> Safety glasses.</p> <p><i>Body</i> Lab coat.</p> <p><i>Respiratory</i> Wear appropriate respirator when ventilation is inadequate.</p> <p><i>Hands</i> Impervious gloves.</p> <p><i>Feet</i> Not applicable.</p>
Personal Protection in Case of a Large Spill	Splash goggles. Full suit. Boots. Gloves. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.
Product Name	Exposure Limits
Confidential information	
Consult local authorities for acceptable exposure limits.	

Section 9. Physical and Chemical Properties

Physical State and Appearance	Liquid.	Odor	Not available.
Molecular Weight	Not applicable.	Taste	Not available.
Molecular Formula	Not applicable.	Color	Blue. (Dark.)
pH (1% Soln/Water)	6 to 8 [Neutral.]		
Boiling/Condensation Point	The lowest known value is 100°C (212°F) (Water). Weighted average: 140.43°C (284.8°F)		
Melting/Freezing Point	May start to solidify at 0°C (32°F) based on data for: Water. Weighted average: -46.19°C (-51.1°F)		
Critical Temperature	Not available.		
Specific Gravity	0.9 to 0.98 (Water = 1)		
Vapor Pressure	The highest known value is 2.3 kPa (17.2 mm Hg) (at 20°C) (Water). Weighted average: 1.17 kPa (8.78 mm Hg) (at 20°C)		
Vapor Density	The highest known value is 5.11 (Air = 1). Weighted average: 2.93 (Air = 1)		
Volatility	Not available.		
Odor Threshold	The highest known value is 34.6 ppm		
Evaporation Rate	0.02 compared to Butyl acetate		
VOC	Not available.		

Continued on Next Page

Viscosity	Not available.
LogK _{ow}	The product is much more soluble in water.
Ionicity (in Water)	Anionic.
Dispersion Properties	See solubility in water, methanol, diethyl ether.
Solubility	Easily soluble in cold water, hot water, methanol, diethyl ether. Insoluble in n-octanol.
Physical Chemical Comments	Not available.

Section 10. Stability and Reactivity

Stability and Reactivity	The product is stable.
Conditions of Instability	Not available.
Incompatibility with Various Substances	Reactive with oxidizing agents, acids. Slightly reactive to reactive with reducing agents.
Hazardous Decomposition Products	Not available.
Hazardous Polymerization	Will not occur.

Section 11. Toxicological Information

Toxicity to Animals	Acute oral toxicity (LD50): 1900 mg/kg [Rat]. Acute dermal toxicity (LD50): 9510 mg/kg [Rabbit].
Chronic Effects on Humans	No additional remark.
Other Toxic Effects on Humans	Hazardous in case of eye contact (irritant), of ingestion, of inhalation. Hazardous in case of skin contact (irritant). Slightly hazardous in case of skin contact (sensitizer).
Special Remarks on Toxicity to Animals	Not available.
Special Remarks on Chronic Effects on Humans	Not available.
Special Remarks on Other Toxic Effects on Humans	Material is irritating to mucous membranes and upper respiratory tract.

Section 12. Ecological Information

Ecotoxicity	Not available.
BOD5 and COD	Not available.
Biodegradable/OECD	Not available.
Mobility	Not available.
	These products are carbon oxides (CO, CO ₂) and water, nitrogen oxides (NO, NO ₂ ...), sulfur oxides (SO ₂ , SO ₃ ...), phosphates. Some metallic oxides.
Toxicity of the Products of Biodegradation	The products of degradation are less toxic than the product itself.

Continued on Next Page

Special Remarks on the Products of Biodegradation Not available.

Section 13. Disposal Considerations

Waste Information Waste must be disposed of in accordance with federal, state and local environmental control regulations.
 Waste Stream Not available.
 Consult your local or regional authorities.

Section 14. Transport Information

Shipping Description Not a DOT controlled material (United States).
 Not regulated.
 Reportable Quantity 11061.8 lbs. (5016.7 kg)
 Marine Pollutant Not regulated - Alkylaryl sulfonate amine salt - less than 10 % .
 Special Provisions for Transport Contains alkylbenzenesulfonate

Section 15. Regulatory Information

HCS Classification CLASS: Target organ effects.
 U.S. Federal Regulations TSCA 8(a) PAIR: contains Alkylbenzenesulfonate
 SARA 302/304/311/312 extremely hazardous substances: No products were found.
 SARA 302/304 emergency planning and notification: No products were found.
 SARA 302/304/311/312 hazardous chemicals: No products were found.
 SARA 311/312 MSDS distribution - chemical inventory - hazard identification: No products were found.
 SARA 313 toxic chemical notification and release reporting: No products were found.
 Clean Water Act (CWA) 307: No products were found.
 Clean Water Act (CWA) 311: No products were found.
 Clean air act (CAA) 112 accidental release prevention: No products were found.
 Clean air act (CAA) 112 regulated flammable substances: No products were found.
 Clean air act (CAA) 112 regulated toxic substances: No products were found.
 International Regulations
 EINECS Not available.
 DSCL (EEC) Risk to eyes.
 May cause irritation by skin contact.
 R322- May be harmful if swallowed. R36/38- Irritating to eyes and skin.
 International Lists No products were found.
 State Regulations Pennsylvania RTK: Dipropylene glycol monomethyl ether; Trade Secret; Glycol Ether PNB
 Florida: Dipropylene glycol monomethyl ether; Ethanol
 Minnesota: Dipropylene glycol monomethyl ether
 Massachusetts RTK: Dipropylene glycol monomethyl ether; Ethanol
 New Jersey: Ethanol; Glycol Ether PNB
WARNING: This product contains the following ingredients for which the State of California has found to cause birth defects which would require a warning under the statute: Ethanol


Section 16. Other Information

Label Requirements MAY CAUSE EYE IRRITATION.
 MAY CAUSE SKIN IRRITATION.
 MAY BE HARMFUL IF SWALLOWED.

Hazardous Material
 Information System
 (U.S.A.)

Health	*	1
Fire Hazard		0
Reactivity		0
Personal Protection		B

National Fire
 Protection
 Association
 (U.S.A.)



References Not available.

Other Special
 Considerations Not available.

Validated by Charles Toups on 9/2/2004.

Verified by Charles Toups.

Printed 9/2/2004.

Energy Plus
 2400 E. 17th Ave
 Denver, CO 80202
 303.733.1100
 www.epi.com

Notice to Reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

APPENDIX B
Certification of Siting Criteria


1 Certification of Siting Criteria

Hydrostatic Testing of Line 3201

On January 13, I, Nestor C. Vigil, performed a site visit to look for the presence of the items listed below. Some were observed within the specified distance for each item listed below from the edge of the pipeline right of way to site where the water storage tanks will be located at mile post 12 + 1500 on Line 3201 in San Juan County, NM. The hydro-test water will also be introduced to the pipeline at this site. A note beside each item below describes my observations.

- i. Within 200 feet of a watercourse, lakebed, sinkhole, or playa lake; *NOTE: The actual Animas River is further than this distance.*
- ii. Within 1,000 feet of an existing wellhead protection area or 100-year floodplain; *NOTE: I will defer to the statement and research from our consultant, Kleinfelder. This information is included as part of the NOI.*
- iii. Within, or within 500 feet of, a wetland; *NOTE: Yes, the Animas River's green belt (the bosque) is a distance of 435 feet.*
- iv. Within the area overlying a subsurface mine; *NOTE: No.*
- v. Within 500 feet from the nearest permanent residence, school, hospital, institution or church. *NOTE: Yes. The nearest home (mobile home) is north of the site and is 90 feet from where the tanks are planned to be staged.*

On behalf of El Paso Natural Gas, I state that the above information is complete and true to the best of my knowledge.


Nestor C. Vigil, Jr.
Senior Technician

1-15-10
Date

APPENDIX C
Copy of Email from the New Mexico Abandoned Mine Lands Program

From: "Tompson, Mike. EMNRD" <Mike.Tompson@state.nm.us>
To: "Marco Wikstrom" <MWikstrom@kleinfelder.com>
Date: 12/30/2009 10:13 AM
Subject: RE: Abandoned Mines in Farmington

Marco,

I have no record on any abandoned mines in the three sections you mentioned. But just a reminder that there are many abandoned mines out there that we don't know about.

Hope this helps.

Mike Tompson
New Mexico Abandoned Mine Land Program
(505) 476-3427

From: Marco Wikstrom [mailto:MWikstrom@kleinfelder.com]
Sent: Wednesday, December 30, 2009 10:03 AM
To: Tompson, Mike. EMNRD
Subject: Abandoned Mines in Farmington

Mike,

We're doing another hydrostatic test in the Farmington area and need to know if there are any known abandoned mines in the following areas:

S-1, T-29N, R-13W

S-6, T-29N, R-12W

S-14, T-29N, R-11W

Thanks.

Marco

Marco Wikstrom

Staff Geologist

KLEINFELDER

mwikstrom@kleinfelder.com
(505) 344-7373 Office
(505) 344-1711 Fax

8300 Jefferson NE Suite B
Albuquerque, NM 87113

P

APPENDIX D
Federal Emergency Management Administration Flood Insurance Rate Maps



APPROXIMATE SCALE IN FEET:
 500 0 200

NATIONAL FLOOD INSURANCE PROGRAM

FIRM
FLOOD INSURANCE RATE MAP

CITY OF
 FARMINGTON,
 NEW MEXICO
 SAN JUAN COUNTY

PANEL 44 OF 150

SEE 1997 INDEX FOR PANELS NOT PRINTED


COMMUNITY—PANEL NUMBER
 3500670044 E

MAP REVISED:
 MAY 15, 2002



Federal Emergency Management Agency

THIS IS AN OFFICIAL COPY OF A PORTION OF THE 48000 REVISIONED FIRM MAP. IT WAS DERIVED USING FIRM CHANGES. THIS MAP DOES NOT REFLECT CHANGES IN THE FIRM MAP SINCE THE DATE OF THE ORIGINAL FIRM MAP. FOR THE MOST CURRENT INFORMATION ON FIRM MAP CHANGES, PLEASE CONTACT THE FEDERAL EMERGENCY MANAGEMENT AGENCY'S FIRM MAP PROGRAM. FIRM MAPS ARE AVAILABLE AT WWW.FEMA.GOV.



NOTE TO USER: THE BENCHMARK FOR FLOODING SOLUTIONS IN NEW MEXICO ARE REFERRED TO AS THE NATIONAL GEODETIC VERTICAL DATUM OF 1988 IN SAN JUAN COUNTY. IN TWO DIFFERENT LOCATIONS BETWEEN THE TIE-IN LOCATIONS BETWEEN...

APPENDIX E
List of Landowners within 1/3 Mile of the Boundary of the Temporary Frac-tank
Storage Area near MP 12 15 + 00

**Landowners within 1/3 mile of the Boundary of the Temporary
Frac-tank Storage area near MP 12 15+00**

Parcel No.	Owner Name	Owner Addr	City St Zip
2072173429 276	KERBY CONST CO INC	1025 NM 516	AZTEC, NM 874102821
2072173436 255	KERBY CONST CO INC	1025 NM 516	AZTEC, NM 874102821
2073173105 236	WIMSATT REVOCABLE TRUST	4400 HANNON DR	FARMINGTO N, NM 874028718
2073173117 236	BAIRD STEPHEN J	4350 HANNON DR	FARMINGTO N, NM 874028716
2073173142 209	WU ALEXANDER JH AND MARTHA M ET AL	4307 HANNON DR	FARMINGTO N, NM 87402
2073173138 200	MILLER RALPH W TRUSTEES	P O BOX 2156	FARMINGTO N, NM 874992156
2073173118 206	CARMAN BOBBY V AND BETTY J TRUST	4306 HANNON DR	FARMINGTO N, NM 874028716
2073173101 206	WIMSATT REVOCABLE TRUST	4400 HANNON DR	FARMINGTO N, NM 874028718
2073173088 215	VARENHORST DONALD W TRUST	4501 HANNON DR	FARMINGTO N, NM 87402
2073173042 184	BURLINGTON RESOURCES OIL AND GAS	801 CHERRY	FORT WORTH, TX 76102
2073173042 184	BURLINGTON RESOURCES OIL AND GAS	801 CHERRY	FORT WORTH, TX 76102
2073173067 247	HUFFMEYER JOHN AND JOYCE TRUST	4600 HANNON DR	FARMINGTO N, NM 874028722
2073173110 247	CLARK DARREL M ET UX	4500 HANNON DR	FARMINGTO N, NM 874018720
2073173132 247	OLGUIN PAUL S ET UX	4308 HANNON DR	FARMINGTO N, NM 874028716
2073173143 233	CARMAN BOBBY V AND BETTY J TRUST	4306 HANNON DR	FARMINGTO N, NM 874028716
2073173163 246	FERRARI REED J SR	1512 DIAMOND CIR	GALLUP, NM 23963

ParcelNo	OwnerName	OwnerAddr	OwnCityStZp
2073173178 300	WEBB MARLO L TRUSTEES	P O BOX 127	FARMINGTO N, NM 874990127
2073173096 302	KAIME FAMILY LLC	5007 MEAD LN	FARMINGTO N, NM 87402
2073173176 314	PENNINGTON PARTNERSHIP LTD	401 W BROADWAY	BLOOMFIEL D, NM 87413
2073173019 367	HOLT JAMES J ET UX	395 SHOOTER LN	IGNACIO, CO 81137
2073173046 367	URIBE ALBERTO O ET UXX	3701 MAJESTA ST	FARMINGTO N, NM 874024688
2073173057 367	KAIME FAMILY LLC	5007 MEAD LN	FARMINGTO N, NM 87402
2073173078 367	HOLLEY EDWIN AND HEIDI	2179 CR 526	BAYFIELD, CO 811229608
2073173114 359	GOLDING R D AND ROBERT D TRUST	1813 ZICKERT PL NW	ALBUQUERQ UE, NM 87104
2073173126 378	GOLDING JAMES M	4601 GILA ST	FARMINGTO N, NM 87402
2073173173 375	HALLIBURTON OIL WELL	P O DRAWER 1431	DUNCAN, OK 735360222
2073173175 403	CORDELL CARL A ET UX	703 N VINE	FARMINGTO N, NM 87401
2073173157 406	XL CONCRETE COMPANY	3300 ILES ST	FARMINGTO N, NM 874028614
2073173141 406	LOPEZ JEFFERY J AND RENEE J	PO BOX 1891	BLOOMFIEL D, NM 87413
2073173157 420	MONTANO PASQUAL B ET UX	3312 WASHINGT ON AVE	FARMINGTO N, NM 874018626
2073173141 420	MONTANO PASQUAL B ET UX	3312 WASHINGT ON AVE	FARMINGTO N, NM 874018626
2073173157 436	HAMILTON W G INTER VIVOS TRUST ETAL	1199 MAIN AVE STE 226	DURANGO, CO 81301
2073173141 436	SANCHEZ ABRAN ET UX	3401 WASHINGT ON	FARMINGTO N, NM 874018627
2073173141 451	HAMILTON W G INTER VIVOS TRUST ETAL	1199 MAIN AVE STE 226	DURANGO, CO 81301
2073173066 429	ENGLISH LAND CO	15648 COUNTY RD 250	DURANGO, CO 813018695
2073173066 468	ENGLISH LAND CO	15648 CR 250	DURANGO, CO 813018695

ParcelNo	OwnerName	OwnerAddr	OwnCtyStZp
2073173115 468	ENGLISH LAND CO	15648 CR 250	DURANGO, CO 813018695
2073173016 481	ENGLISH LAND CO	15648 CR 250	DURANGO, CO 813018695
2072173506 232	LAUGHTER DEWEY W TRUSTEES	715 N WALL	FARMINGTO N, NM 874016089
2072173462 198	FARMINGTON CITY OF	800 MUNICIPAL DR	FARMINGTO N, NM 874012663
2072173462 198	FARMINGTON CITY OF	800 MUNICIPAL DR	FARMINGTO N, NM 874012663
2072173379 239	LOS NINOS LIMITED PARTNERSHIP	P O BOX 2766	FARMINGTO N, NM 874992766
2072173518 288	CHAVEZ MANUEL L	3002 ENGLISH LNS	FARMINGTO N, NM 87401
2072173516 299	CHAVEZ JOE F AND HELEN J	3004 1/2 ENGLISH RD	FARMINGTO N, NM 87401
2072173514 310	BEESON CURTIS L	3012 ENGLISH RD	FARMINGTO N, NM 874018304
2072173394 298	KEATON MICHAEL ET UX	5210 RAILROAD	FARMINGTO N, NM 874015282
2072173514 319	CHRISTIANA BANK AND TRUST CO	3100 ENGLISH RD	FARMINGTO N, NM 874028306
2072173383 298	CHANDLER LARRY N ET UX	5301 RAILROAD AVE	FARMINGTO N, NM 87401
2072173372 298	CHANDLER LARRY N ET UX	5301 RAILROAD AVE	FARMINGTO N, NM 874015230
2072173419 321	TEDROW ROBERT	3101 MC COLM DR	FARMINGTO N, NM 87402
2072173520 344	MC DANIEL WILLIE H AND JOAN M	3200 ENGLISH LN	FARMINGTO N, NM 87401
2072173505 336	MC DANIEL WILLIE H AND JOAN M	3200 ENGLISH RD	FARMINGTO N, NM 87401
2072173423 349	STEWART ROY DON ET UX	3105 MCCOLM	FARMINGTO N, NM 874015261
2072173511 372	HUFFMAN M J AND WILMA J	PO BOX 1283	FARMINGTO N, NM 87499

ParcelNo	OwnerName	OwnerAddr	OwnCityStZp
2072173423 366	MILLER ARNOLD D TRUSTEES	5109 CRITERION DR	FARMINGTO N, NM 874025257
2072173417 366	COLE WJ ET UX	3115 MC COLM DR	FARMINGTO N, NM 874025261
2072173478 369	PATE ROBERT O ET UX	3220 ENGLISH RD	FARMINGTO N, NM 87402
2072173436 369	VANCE JOHN EDWARD JR	5100 CRITERION DR	FARMINGTO N, NM 87402
2072173419 386	KREIDLER CECIL AND SHARI	5190 CRITERION	FARMINGTO N, NM 87402
2072173435 382	VANCE JOHN EDWARD JR	5100 CRITERION DR	FARMINGTO N, NM 87402
2072173478 384	FROST HAROLD D	P O BOX 5993	FARMINGTO N, NM 874995993
2072173511 384	HOLLETT VERNON O ET UX	3380 ENGLISH RD	FARMINGTO N, NM 874018310
2072173445 394	PAUL ERVIN AND JIM CHERYL	3330 BURSON LN	FARMINGTO N, NM 87402
2072173404 399	SHEPARD OSCAR S ET UX	5200 RAILROAD DR	FARMINGTO N, NM 874025256
2072173483 401	BLACKWELL C T AND JENNIFER L	4945 LESLIE PL	FARMINGTO N, NM 87402
2072173447 402	MARSHALL STEVEN R AND JANIE S	3340 BURSON LN	FARMINGTO N, NM 87402
2072173466 401	HEPNER JEREMY DOUGLAS AND JILL A	PO BOX 5666	FARMINGTO N, NM 87499
2072173475 401	DRAKE MOREEN	4965 LESLIE PL	FARMINGTO N, NM 874025360
2072173387 421	SHEPARD OSCAR S ET UX	5200 RAILROAD	FARMINGTO N, NM 874025256
2072173490 403	DRAKE KYLE A	4925 LESLIE PL	FARMINGTO N, NM 874020000
2072173447 409	SORRELHORSE JASON AND SANDRA S	3350 BURSON LN	FARMINGTO N, NM 87402
2072173349 390	J AND S OF AZTEC INC	912 HALLETT CIR	FARMINGTO N, NM 87401

ParcelNo	OwnerName	OwnerAddr	OwnCityStZp
2072173512 407	GRAVLEE HARMON C	3400 ENGLISH RD	FARMINGTO N, NM 874028312
2072173447 416	EDWARDS JAMES F III ET UX	3360 BURSON LN	FARMINGTO N, NM 87401
2072173466 416	DAVIS HERBERT LEE	4990 LESLIE PL	FARMINGTO N, NM 87402
2072173475 416	GURULE JOSEPH A AND MONICA	4970 LESLIE PL	FARMINGTO N, NM 87401
2072173483 416	FROST FREDERICK J AND VELDA MARIE	4950 LESLIE PL	FARMINGTO N, NM 874020000
2072173490 414	SIMPSON JASON A AND LAUREN	4930 LESLIE PL	FARMINGTO N, NM 87402
2072173384 364	SHEPARD OSCAR S ET UX	5200 RAILROAD	FARMINGTO N, NM 874025256
2072173447 423	HOOVER SANDRA C	3370 BURSON LN	FARMINGTO N, NM 87401
2072173394 422	THORNTON EDNA F	5207 KAYENTA DR	FARMINGTO N, NM 874025277
2072173386 423	MARTINEZ RAY H AND NIEVES	5209 KAYENTA DR	FARMINGTO N, NM 874025277
2072173399 421	PEEPLES JAMES D	PO BOX 176	FLORA VISTA, NM 87415
2072173412 420	MASON STEPHEN M ET UX	5203 KAYENTA DR	FARMINGTO N, NM 874025277
2072173490 426	LAMBSON BURL L AND SYLVIA R	4915 JANICE PL	FARMINGTO N, NM 874028380
2072173515 423	3406 ENGLISH ROAD LLC	386 INGRASSIA RD	MIDDLETOW N, NY 109407244
2072173466 426	MILLER JOHN E AND LISA M	4975 JANICE PL	FARMINGTO N, NM 87402
2072173475 426	HUGES JASON N AND DAWN A	4955 JANICE PL	FARMINGTO N, NM 874028380
2072173482 426	RASCON EDWARD L ET UX	4935 JANICE PL	FARMINGTO N, NM 874108380
2072173447 430	CLEMENSEN KEITH V AND KIM	3390 BURSON LN	FARMINGTO N, NM 874028382
2072173494 429	PETERSON BRENT ETAL	4905 JANICE PL	FARMINGTO N, NM 87402

ParcelNo	OwnerName	OwnerAddr	OwnCityStZp
2072173419 426	CHRISMAN KURT H ET UX	5201 KAYENTA DR	FARMINGTO N, NM 874025277
2072173427 405	FARMINGTON CITY OF	800 MUNICIPAL DR	FARMINGTO N, NM 87401
2072173312 330	LOS NINOS LIMITED PARTNERSHIP	P O BOX 2766	FARMINGTO N, NM 874992766
2072173515 434	LOVATO EMMA	3414 ENGLISH RD	FARMINGTO N, NM 87402
2072173424 433	BUMBY GEORGE ERNEST ET UX	P O BOX 2441	FARMINGTO N, NM 874992441
2072173398 438	LOVETT JACK ET UX	3500 SIERRA VISTA	FARMINGTO N, NM 874028353
2072173386 438	HOUK KIMBERLAE AND ALAN TRUST	5202 KAYENTA DR	FARMINGTO N, NM 87402
2072173429 439	TELLER TRUDI	5105 KAYENTA DR	FARMINGTO N, NM 87401
2072173466 441	COX BRITTANY ETAL	4980 JANICE PL	FARMINGTO N, NM 87402
2072173475 441	SCOTT TAMI DIANE	4960 JANICE PLACE	FARMINGTO N, NM 874028379
2072173481 441	JAMES DAVID A AND CINDY S	4940 JANICE PL	FARMINGTO N, NM 87402
2072173454 440	EVERETT BRIAN K ET UX	3415 HIGHTLAND VIEW DR	FARMINGTO N, NM 87402
2072173490 442	SANCHEZ LONNIE AND ALICIA	4920 JANICE PL	FARMINGTO N, NM 87402
2072173494 439	FUSON ED AND RETA	P O BOX 5332	FARMINGTO N, NM 87499
2072173515 442	LOVATO EMILIA	3414 ENGLISH RD	FARMINGTO N, NM 87402
2072173392 444	JONES KURT DEAN	3502 SIERRA VISTA	FARMINGTO N, NM 874028353
2072173445 441	LEWIS ROGER W ET UX	3475 HIGHLAND VIEW DR	FARMINGTO N, NM 874028322
2072173432 444	PHELPS PERRY G AND ANN J TRUST	5103 KAYENTA DR	FARMINGTO N, NM 87402
2072173412 449	SAMPSON HARL ET UX	5104 KAYENTA DR	FARMINGTO N, NM 874028367


ParcelNo	OwnerName	OwnerAddr	OwnCtyStZp
2072173436 450	STUBBS STEVEN L ET UX	5101 KAYENTA DR	FARMINGTO N, NM 874028366
2072173417 454	SHUPLA MONA G	5102 KAYENTA DR	FARMINGTO N, NM 87402
2072173451 458	TOLEDO DUANE ET UX	3402 HIGHLAND VIEW DR	FARMINGTO N, NM 874018323
2072173406 456	CHAVEZ LEONARD J	3503 SIERRA VISTA	FARMINGTO N, NM 874018352
2072173506 453	RUMORE JOSHUA AND SANDY A	3504 ENGLISH RD	FARMINGTO N, NM 87402
2072173422 461	SCHEIDEGGER CECELIA	3500 HIGHLAND VIEW DR	FARMINGTO N, NM 874018325
2072173445 462	HENSLEY SALLY	5007 KAYENTA DR	FARMINGTO N, NM 874028364
2072173451 466	BINGHAM LORRI	5005 KAYENTA DR	FARMINGTO N, NM 87402
2072173415 467	BEALL RUBY ET AL	3502 HIGHLAND VIEW DR	FARMINGTO N, NM 874018325
2072173471 468	MARTINEZ BARBARA L	1316 BRYAN AVE	WOLFFORTH, TX 79382
2072173478 468	CUNNINGHAM ROBERT J ET UX	4915 KAYENTA DR	FARMINGTO N, NM 874028335
2072173484 468	ENGLAND LARRY D ET UX	20 RD 2892	AZTEC, NM 874109742
2072173490 468	BARNEY MATTHEW J AND GURNEY PAMELA J	4911 KAYENTA DR	FARMINGTO N, NM 874028335
2072173495 468	MORRIS SAMUEL E TRUSTEES	4909 KAYENTA DR	FARMINGTO N, NM 874028335
2072173501 468	WERNER TAMARA D	4907 KAYENTA DR	FARMINGTO N, NM 874028335
2072173507 468	STONE KELLY B	4905 KAYENTA DR	FARMINGTO N, NM 87402
2072173513 468	BOUGEANT PAUL L	4903 KAYENTA DR	FARMINGTO N, NM 874028335
2072173519 468	WARREN MARTHA J	4901 KAYENTA DR	FARMINGTO N, NM 874028335
2072173431 474	TRANDY PROPERTIES LTD PARTNERSHIP	48 CR 5295	FARMINGTO N, NM 874021531

ParcelNo	OwnerName	OwnerAddr	OwnCtyStZp
2072173436 478	DUGGAN MARK	5008 KAYENTA DR	FARMINGTO N, NM 87402
2072173478 484	PILLING DOUG AND ISABEL	P O BOX 1099	FLORA VISTA, NM 87415
2072173462 485	TRANDY PROPERTIES LTD PARTNERSHIP	48 CR 5295	FARMINGTO N, NM 874011531
2072173485 444	MARTINEZ PEDRO D ET UX	4910 KAYENTA DR	FARMINGTO N, NM 87402
2072173491 484	ADAMS STEVEN E AND PENNY C TRUST	7685 FOOTHILLS DR	FARMINGTO N, NM 874020986
2072173497 484	HALL LINDA	4906 KAYENTA DR	FARMINGTO N, NM 874028336
2072173503 484	SMITH KURT A AND VISNICH JULIE A	223 BLUE RIDGE	DURANGO, CO 81303
2072173509 484	MONTANO MICHAEL DON ET UX	4902 KAYENTA DR	FARMINGTO N, NM 87402
2072173519 484	EDWARDS JASON C ET UX	5009 SANDALWO OD DR	FARMINGTO N, NM 87402
2072173441 482	TUCKER ARNOLD P ET UX	5006 KAYENTA DR	FARMINGTO N, NM 87402
2072173454 487	HOWELL SONJA K	5002 KAYENTA DR	FARMINGTO N, NM 87401
2072173459 493	SHEPHERD MICHAEL D AND JEANNE C	4926 KAYENTA CIR	FARMINGTO N, NM 874028334
2072173478 493	BRADLEY BILLY JO	4914 KAYENTA CIR	FARMINGTO N, NM 874028334
2072173447 488	MOSS MICHAEL D	5004 KAYENTA DR	FARMINGTO N, NM 87402
2072173496 494	ADAMS STEVEN E AND PENNY C TRUST	7685 FOOTHILLS DR	FARMINGTO N, NM 87402
2072173504 494	RODRIGUEZ VERONICA A	4905 POQUITA ST	FARMINGTO N, NM 874028351

ParcelNo	OwnerName	OwnerAddr	OwnCityStZp
2072173510 494	STAGEN KELLY LYNN	4878 ARENA	LAS CRUCES, NM 88012
2072173519 494	COBERLY JOEY ET UX	4901 POQUITA	FARMINGTO N, NM 874018351
2072173488 496	DEUEL HILDA ET AL	3805 N DUSTIN	FARMINGTO N, NM 87401
2072173478 501	VANA WILLIAM E	3129 W 4TH AVE	DURANGO, CO 81301
2072173488 511	TAFOYA GUS F AND ELIZABETH M	5610 ESCALANTE TRL	FARMINGTO N, NM 874020908
2072173496 511	GREENWOOD STEVE L	4906 POQUITA	FARMINGTO N, NM 874018351
2072173504 511	FOUTCH JOHN ET UX	4904 POQUITA ST	FARMINGTO N, NM 874018351
2072173510 511	RICHEY JOHN W ET UX	4902 POQUITA ST	FARMINGTO N, NM 87402
2072173519 511	DURAN RAYMOND E	4900 POQUITA CR	FARMINGTO N, NM 87401
2073173066 503	PRICE ASG LLC	P O BOX 617905	CHICAGO, IL 606617905
2073174033 066	PRICE ASG LLC	P O BOX 617905	CHICAGO, IL 606617905
2073173132 088	EL PASO NATURAL GAS CO	P O BOX 1087	COLORADO SPRINGS, CO 80944
2072173466 320	MC COLM CAROL ANN	P O BOX 1052	APACHE JUNCTION, AZ 85217
2072173410 282	SPELLBRING LEONARD E ET UX	3009 MCCOLM DR	FARMINGTO N, NM 874015259
2072173459 458	STOLWORTHY JUSTIN MUREL	3400 HIGHLAND VIEW DR	FARMINGTO N, NM 874028323
2072173471 453	CLARK EDDIE MARK ET UX	3300 HIGHLAND VIEW DR	FARMINGTO N, NM 874028346
2072173458 468	SCHOEN ANNE	5003 KAYENTA DR	FARMINGTO N, NM 87402
2072173465 468	LIAPIS PHYLLIS R	5001 KAYENTA DR	FARMINGTO N, NM 874028364
2072173503 352	TRIBBLE DUANE L AND MARY L TRUST	P O BOX 2075	FARMINGTO N, NM 87499


APPENDIX F
Map of Landowners within 1/3 Mile of the Boundary of the Temporary Frac-tank Storage
Area near MP 12 15 + 00

**El Paso Natural Gas Company
3201 Hydrostatic Test
Landowners
Within 1/3 mile Of Water Tank Storage**



Legend

- 3201 Pipeline
- One third mile buffer
- Township lines
- Sections
- Parcels within 1/3 mile



APPENDIX G
Public Notice Text in Spanish and English

AVISO PÚBLICO

El Ministerio de Transporte de Estados Unidos (USDOT) requiere pruebas de presión periódicas en todas las tuberías reguladas por el USDOT-reguladas. La compañía de El Paso Natural Gas (EPNG) da por este medio el aviso que el uso siguiente del permiso de la descarga se ha sometido a la división de la conservación de aceite del Nuevo México (NMOCD) de acuerdo con la subdivisión A, B, D, y F del código administrativo de 20.6.2.3108 Nuevo México. La dirección local del correo de EPNG es: El Paso Natural Gas, San Juan Area Office, P.O. Box 127, Bloomfield, NM 87413.

El Paso Natural Gas ha presentado una solicitud para conductor una hidrostática del agua de la tubería 3201 de la prueba que ocurrirá en la servidumbre de EPNG en sección 1 del municipio 29 del norte, se extiende 13 del oeste, y las secciones 6, 7, 8 del municipio 29 del norte, se extiende 12 del oeste, en el condado de San Juan, Nuevo México. El propósito de hidrostático (prueba con agua) es para determinar el grado a los defectos potenciales pudieran amenazar a la capacidad de la tubería de sostener la presión máxima permitida de la operación. La prueba implica el purgar del gas natural de la tubería, limpiando la tubería con un quitamanchas acuoso, no-peligroso, rellenar la tubería con agua, después presurizando la tubería a una presión más alta que la presión de funcionamiento estándar para una duración especificada del tiempo.

Una porción de la tubería de EPNG 3201 hidrostático será probada. Antes de la prueba hidrostática, la tubería será limpiada usando aproximadamente 1.000 galones de un quitamanchas acuoso y no-peligroso, N-Spec. 120. El volumen de solución de la limpieza se estima para ser 1.000 galones y será almacenado en un o dos frac-tanques en las estaciones del compresor de EPNG; Estación del compresor de Blanco. La estación del compresor de Blanco está situada en el N/2 del N/2, sección 14, el municipio 29 del norte, se extiende 13. Una muestra compuesta de la solución de la limpieza será analizada para la corrosividad, el enciende, la reactividad, y la toxicidad además de los estándares de Mesa Ambiental o Thermo Fluids, Inc la Comisión del control de calidad del agua del nanómetro (WQCC) descritos más abajo. La solución de la limpieza puede almacenar en el frac-tanque por dos semanas con una opción por dos semanas adicionales de almacenaje. Esta agua será transportada para la disposición apropiada al Mesa Ambiental en Belen, Nuevo México o Thermo Fluids, Inc. en Albuquerque, Nuevo México.

Hasta 140.500 galones de agua inusitada fresca, de la ciudad de las utilidades de Farmington, serán almacenados inicialmente en los tanques de 21.000 galones (los frac-tanques) situados en el SE/4 del NE/4 del sección 1, el municipio 29 del norte, se extiende 13 del oeste en la propiedad de EPNG, aproximadamente 700 pies suroeste de la intersección de Gila Calle y Camino de Engles. Después de la prueba hidrostática, las mangueras y/o las pipas flexibles serán utilizadas para transferir la agua usada de la prueba en los tanques del frac situados en las estaciones del compresor de Río Vista. Tanto como los 7 tanques del frac pueden ser necesarios para contener temporalmente hasta 140.500 galones de agua usada de la prueba. Esta agua será analizada para asegurarse que cumpla los estándares de Key Energy. De la prueba se puede almacenar en los tanques del frac por dos semanas con una opción por dos semanas adicionales de almacenaje, hasta que finalicen resultados analíticos. El agua hidrostática de la prueba no será descargada. Después del recibo de la aprobación de NMOCD, será transportada e inyectada correctamente en un pozo de inyección permitido de la clase 1 funcionado por Key Energy de Farmington, Nuevo México.

La agua subterránea más baja probablemente que se afectará por un escape, una descarga accidental, o un derramamiento existe en una profundidad de 6 pies debajo de la superficie de tierra. Esta sistema del acuífero tiene una concentración total de los sólidos en suspensión entre de aproximadamente 960 y 3.840 miligramos por litro o mayor (calculado de conductancia específica divulgada entre de 1.500 y 6.000 $\mu\text{S}/\text{cm}$).

El aviso del intento esquemas cómo el agua y la basura producidas serán manejadas correctamente, incluyendo la dirección, almacenaje, y la disposición final. El aviso del intento también incluye los procedimientos para la gerencia apropiada de escapes, de descargas accidentales, y de derramamientos para proteger las aguas del estado de Nuevo México.

Para la información adicional, para ser colocado en una lista de personas a quienes se mandan propaganda facilidad-especifica para los avisos futuros, o someter los comentarios satisfacen entran en contacto con:

Brad Jones, ingeniero ambiental
New Mexico Energy, Minerals and Natural Resources Department
Oil Conservation Division
1220 South St. Francis Drive
Santa Fe, NM 87505
Teléfono: (505) 476-3487

La energía del nanómetro y el Departamento de los Recursos Naturales y Minerales aceptarán comentarios y declaraciones del interés con respecto a esta prueba hidrostática y proporcionarán los avisos futuros para esta tubería a petición.

PUBLIC NOTICE

The United States Department of Transportation (USDOT) requires periodic pressurized tests on all USDOT-regulated pipelines. El Paso Natural Gas Company (EPNG) hereby gives notice that the following discharge permit application has been submitted to the NM Oil Conservation Division (NMOCD) in accordance with Subsection A, B, D and F of 20.6.2.3108 of New Mexico Administrative Code (NMAC). The local EPNG mailing address is: El Paso Natural Gas, San Juan Area Office, P.O. Box 127, Bloomfield, NM 87413.

EPNG has submitted an application to perform a hydrostatic test of the 3201 Pipeline on the EPNG pipeline easement in Section 1, Township 29 North, Range 13 West, and Sections 6, 7, and 8 of Township 29 North, Range 12 West, in San Juan County, New Mexico. The purpose of hydrostatic (testing with water) is to determine the extent to which potential defects might threaten the pipeline's ability to sustain maximum allowable operation pressure. The test involves purging the natural gas from the pipeline, cleaning the pipeline with an aqueous, non-hazardous cleaning fluid, filling the pipeline with water, then pressurizing the pipeline to a pressure higher than the standard operating pressure for a specified duration of time.

A portion of the EPNG 3201 pipeline will be hydrostatically tested. Prior to hydrostatic testing, the pipeline will be cleaned using approximately 1,000 gallons of an aqueous and non-hazardous cleaning fluid, N-Spec 120. The volume of cleaning solution is estimated to be 1,000 gallons and it will be stored in one or two 21,000 gallon frac-tanks at EPNG's Blanco compressor station located in the N/2 of the N/2, Section 14, Township 29 North, Range 11 West. A composite sample of the cleaning solution will be analyzed for corrosivity, ignitability, reactivity, and toxicity for disposal characterization as required by Mesa Environmental or Thermo Fluids, Inc. The water/cleaning solution mixture may be stored in the frac-tanks for two weeks with the option to store it for an additional two weeks. This water will be transported for proper disposal to the Mesa Environmental regional processing facility in Belen, NM or Thermo Fluids, Inc. in Albuquerque, NM.

Up to 140,500 gallons of fresh unused water, from City of Farmington, will be initially stored in as many as seven 21,000-gallon tanks (frac-tanks) located in the SE/4 of the NE/4 of Section 1, Township 29 North, Range 13 West within EPNG's property approximately 700 feet southwest of the intersection of Gila Street and English Road within the City of Farmington. Following hydrostatic testing, hoses and/or flexible pipes will be used to transfer the used test water into the frac-tanks. A composite sample of this water will be analyzed by an EPA-approved analytical laboratory for waste characterization analysis for corrosivity, ignitability, reactivity, and toxicity, and/or other characterization as required by Key Energy. Used test water may be stored in the frac-tanks for two weeks with the option to store it for an additional two weeks. The hydrostatic test water will not be discharged. After receipt of NMOCD approval, it will be properly transported and injected into a permitted Class 1 injection well operated by Key Energy of Farmington, NM.

The shallowest groundwater likely to be affected by a leak, accidental discharge, or spill exists at a depth of 6 feet below the ground surface. This aquifer system has a total dissolved solids concentration of between approximately 960 and 3,840 milligrams per liter or greater (calculated from reported specific conductance of between 1,500 and 6,000 $\mu\text{S}/\text{cm}$).

The notice of intent outlines how produced water and waste will be properly managed, including handling, storage, and final disposition. The plan also includes procedures for the proper management of leaks, accidental discharges, and spills to protect the waters of the State of New Mexico.

For additional information, to be placed on a facility-specific mailing list for future notices, or to submit comments please contact:

Brad Jones, Environmental Engineer
New Mexico Energy, Minerals and Natural Resources Department
Oil Conservation Division
1220 South St. Francis Drive
Santa Fe, NM 87505
Phone: (505) 476-3487

The NM Energy, Minerals and Natural Resources Department will accept comments and statements of interest regarding this hydrostatic test and will provide future notices for this pipeline upon request.

Karen Aicher - RE: WP for EPNG

From: Patricia Dan
To: David Janney; Debbie Gonzales
Date: 1/20/2010 1:48 PM
Subject: RE: WP for EPNG

Dave,

Final figures 1, 2, and 3 are located at G:\Environ\CURRENT WORK FOLDER PROJECTS\83107 - EPNG NM Pipeline Hydrostatic Discharge Plans\4.0 Technical Information\Task 4-3201 Pipeline Discharge Permit\Figures\Finals and the FEMA map is at G:\Environ\CURRENT WORK FOLDER PROJECTS\83107 - EPNG NM Pipeline Hydrostatic Discharge Plans\4.0 Technical Information\Task 4-3201 Pipeline Discharge Permit\Final\Final NOI\Appendix D.

Any questions, please let me know.

thanks, Patricia

>>> On 1/20/2010 at 11:26 AM, in message <4B574ACF.2F7 : 8 : 62283>, David Janney <DJanney@kleinfelder.com> wrote:

The link to the documents is below, only these versions should be used.

G:\Environ\CURRENT WORK FOLDER PROJECTS\83107 - EPNG NM Pipeline Hydrostatic Discharge Plans\4.0 Technical Information\Task 4-3201 Pipeline Discharge Permit\Final\Final NOI

Pat is still working on minor revisions to 3 figures, figures 1 and 2 for the report and the FEMA figure for appendix D.

She will send you an email when they are completed.

Figures 1 and 2 will be located in

G:\Environ\CURRENT WORK FOLDER PROJECTS\83107 - EPNG NM Pipeline Hydrostatic Discharge Plans\4.0 Technical Information\Task 4-3201 Pipeline Discharge Permit\Figures\Finals

The appendix D figure will be located in

G:\Environ\CURRENT WORK FOLDER PROJECTS\83107 - EPNG NM Pipeline Hydrostatic Discharge Plans\4.0 Technical Information\Task 4-3201 Pipeline Discharge Permit\Final\Final NOI\Appen D

David Janney, PG
Senior Geologist

Kleinfelder
8300 Jefferson NE, Suite B
Albuquerque, NM 87113
505.344.7373 Phone
505.344.1711 Fax
505.702.4620 Cell

Karen Aicher - RE: WP for EPNG

From: David Janney
To: Debbie Gonzales
Date: 1/20/2010 11:26 AM
Subject: RE: WP for EPNG
CC: Patricia Dan

The link to the documents is below, only these versions should be used.

G:\Environ\CURRENT WORK FOLDER PROJECTS\83107 - EPNG NM Pipeline Hydrostatic Discharge Plans\4.0 Technical Information\Task 4-3201 Pipeline Discharge Permit\Final\Final NOI

Pat is still working on minor revisions to 3 figures, figures 1 and 2 for the report and the FEMA figure for appendix D.

She will send you an email when they are completed.

Figures 1 and 2 will be located in

G:\Environ\CURRENT WORK FOLDER PROJECTS\83107 - EPNG NM Pipeline Hydrostatic Discharge Plans\4.0 Technical Information\Task 4-3201 Pipeline Discharge Permit\Figures\Finals

The appendix D figure will be located in

G:\Environ\CURRENT WORK FOLDER PROJECTS\83107 - EPNG NM Pipeline Hydrostatic Discharge Plans\4.0 Technical Information\Task 4-3201 Pipeline Discharge Permit\Final\Final NOI\Appen D

David Janney, PG
Senior Geologist

Kleinfelder
8300 Jefferson NE, Suite B
Albuquerque, NM 87113
505.344.7373 Phone
505.344.1711 Fax
505.702.4620 Cell

83107.4 - AUB

AFFIDAVIT OF PUBLICATION

Ad No. 64040

STATE OF NEW MEXICO
County of San Juan:

TIA AVILES, being duly sworn says: That she is the CLASSIFIED MANAGER of THE DAILY TIMES, a daily newspaper of general circulation published in English at Farmington, said county and state, and that the hereto attached Legal Notice was published in a regular and entire issue of the said DAILY TIMES, a daily newspaper duly qualified for the purpose within the meaning of Chapter 167 of the 1937 Session Laws of the State of New Mexico for publication and appeared in the Internet at The Daily Times web site on the following day(s):

Friday, January 22, 2010

And the cost of the publication is \$209.86

Tia Aviles

ON 2/04/10 TIA AVILES appeared before me, whom I know personally to be the person who signed the above document.

Christine Sellers
My Commission Expires - 11/05/11

COPY OF PUBLICATION

NOTICE OF PUBLICATION

STATE OF NEW MEXICO
ENERGY, MINERALS AND NATURAL RESOURCES DEPARTMENT
OIL CONSERVATION DIVISION

Notice is hereby given that pursuant to New Mexico Water Quality Control Commission Regulations (20.6.2.3108 NMAC), the following discharge permit application(s) has been submitted to the Director of the Oil Conservation Division ("OCD"), 1220 S. Saint Francis Drive, Santa Fe, New Mexico 87505, Telephone (505) 476-3440.

(HIP-115) Mr. Richard Duran of El Paso Natural Gas Company (EPNG), 8725 Alameda Park Dr. NE, Albuquerque, New Mexico 87120, has submitted an application for an Individual Hydrostatic Test Discharge Permit to the New Mexico Energy, Minerals and Natural Resources Department, Oil Conservation Division (OCD) for hydrostatically testing approximately 8,560 feet of an existing 20-inch natural gas transmission pipeline (EPNG 3201), within municipal limits of the City of Farmington, New Mexico. EPNG will obtain water for the hydrostatic test from the City of Farmington. Prior to the hydrostatic test, EPNG will clean the pipeline using approximately 1,000 gallons of an aqueous and non-hazardous cleaning fluid, N-Spec 120. The cleaning solution will be removed from the pipeline and temporarily stored in a frac-tank at EPNG's Blanco compressor station located in the N/2 of the N/2, Section 14, Township 29 North, Range 11 West. The cleaning solution will be analyzed for corrosivity, ignitability, reactivity, and toxicity for disposal characterization. The cleaning solution will be transported for recycling and proper disposal to Mesa Environmental in Belen, NM or Thermo Fluids, Inc. in Albuquerque, NM. EPNG will remove the hydrostatic test wastewater from the pipeline and temporarily store in seven 21,000-gallon frac-tanks within EPNG's pipeline easement right-of-way at MP-12 of the SE/4 of the NE/4 of Section 1, Township 29 North, Range 11 West. The location of the discharge for collection and retention is approximately 700 feet southwest of the intersection of Gila Street and English Road within the City of Farmington. EPNG proposes to dispose of the hydrostatic test wastewater into a Class I injection well. No surface discharge is proposed. Approximately 140,500 gallons of wastewater will be generated from the hydrostatic test, and analyzed for corrosivity, ignitability, reactivity, and toxicity for disposal characterization. After receipt of OCD's approval, the wastewater will be properly transported and injected into a permitted Class I injection well operated by Key Energy of Farmington, NM. The shallowest groundwater most likely to be affected by an accidental discharge is at a depth of approximately 6 feet below ground surface with a total dissolved solids concentration of approximately 960 to 3,840 mg/l. The plan consists of a description of the method and location for retention, and testing of water and solids, including how spills, leaks, and other accidental discharges to the surface will be managed in order to protect fresh water.

The OCD has determined that the application is administratively complete and has prepared a draft permit. The OCD will accept comments and statements of interest regarding this application and will create a facility-specific mailing list for persons who wish to receive future notices. Persons interested in obtaining further information, submitting comments or requesting to be on a facility-specific mailing list for future notices may contact the Environmental Bureau Chief of the Oil Conservation Division at the address given above. The administrative completeness determination and draft permit may be viewed at the above address between 8:00 a.m. and 4:00 p.m., Monday through Friday, or may also be viewed at the OCD web site <http://www.emnrd.state.nm.us/ocd/>. Persons interested in obtaining a copy of the application and draft permit may contact the OCD at the address given above. Prior to ruling on any proposed discharge permit or major modification, the Director shall allow a period of at least thirty (30) days after the date of publication of this notice, during which interested persons may submit comments or request that OCD hold a public hearing. Requests for a public hearing shall set forth the reasons why a hearing should be held. A hearing will be held if the Director determines that there is significant public interest.

If no public hearing is held, the Director will approve or disapprove the proposed permit based on information available, including all comments received. If a public hearing is held, the director will approve or disapprove the proposed permit based on information in the permit application and information submitted at the hearing.

Para obtener más información sobre esta solicitud en español, sírvase comunicarse por favor: New Mexico Energy, Minerals and Natural Resources Department (Depto. Del Energía, Minería y Recursos Naturales de Nuevo México), Oil Conservation Division (Depto. Conservación Del Petróleo), 1220 South St. Francis Drive, Santa Fe, New México (Contacto: Dorothy Phillips, 505-476-3461)

GIVEN under the Seal of New Mexico Oil Conservation Commission at Santa Fe, New Mexico, on this 19th day of January 2010.

STATE OF NEW MEXICO
OIL CONSERVATION DIVISION

S E A L Mark Fesmire, Director

Legal No. 64040 published in The Daily Times on January 22, 2010.

Proposed permit based on information in the permit application and information submitted at the hearing.

Para obtener más información sobre esta solicitud, en español, sírvase comunicarse por favor: New Mexico Energy, Minerals and Natural Resources Department (Depto. Del Energía, Minerías y Recursos Naturales de Nuevo México), Oil Conservation Division (Depto. Conservación Del Petróleo), 1220 South St. Francis Drive, Santa Fe, New Mexico (Contacto: Dorothy Phillips, 505-476-3461)

GIVEN under the Seal of New Mexico Oil Conservation Commission at Santa Fe, New Mexico, on this 19th day of January 2010.

THE SANTA FE
NEW MEXICO
Founded 1849

RECEIVED
2010 JAN 26 PM 1 29

NM EMNRD OIL CONSERV
1220 S ST FRANCIS DR
SANTA FE NM 87505

ALTERNATE ACCOI
AD NUMBER: 00307
LEGAL NO:
261 LINES 1 TIME(S)
AFFIDAVIT:
TAX:
TOTAL:

STATE OF NEW MEXICO
OIL CONSERVATION DIVISION
S E A L Mark Fesmire, Director
Legal No. 64040 published in The Daily Times on January 22, 2010.
262.78
0.00
21.19
283.97

AFFIDAVIT OF PUBLICATION


STATE OF NEW MEXICO
COUNTY OF SANTA FE

I, V. Wright, being first duly sworn declare and say that I am Legal Advertising Representative of THE SANTA FE NEW MEXICAN, a daily newspaper published in the English language, and having a general circulation in the Counties of Santa Fe and Los Alamos, State of New Mexico and being a newspaper duly qualified to publish legal notices and advertisements under the provisions of Chapter 167 on Session Laws of 1937; that the publication # a copy of which is hereto attached was published in said newspaper 1 day(s) between 01/25/2010 and 01/25/2010 and that the notice was published in the newspaper proper and not in any supplement; the first date of publication being on the 25th day of January, 2010 and that the undersigned has personal knowledge of the matter and things set forth in this affidavit.

/s/ [Signature]
LEGAL ADVERTISEMENT REPRESENTATIVE

Subscribed and sworn to before me on this 25th day of January, 2010

Notary Mary Margaret Vigil-Weideman
Commission Expires: 11-13-2012



NOTICE OF PUBLICATION

STATE OF NEW MEXICO ENERGY, MINERALS AND NATURAL RESOURCES DEPARTMENT OIL CONSERVATION DIVISION

Notice is hereby given that pursuant to New Mexico Water Quality Control Commission Regulations

(20.6.2.3108 NMAC), the following discharge permit application(s) has been submitted to the Director of the Oil Conservation Division ("OCD"), 1220 S. Saint Francis Drive, Santa Fe, New Mexico 87505, Telephone (505) 476-3440.

(HIP:115) Mr. Richard Durante of El Paso Natural Gas Company (EPNG), 8725 Alameda Park Dr. NE, Albuquerque, New Mexico 87120, has submitted an application for an individual Hydrostatic Test Discharge Permit to the New Mexico Energy, Minerals and Natural Resources Department, Oil Conservation Division (OCD) for hydrostatically testing approximately 8,560 feet of an existing 20-inch natural gas transmission pipeline (EPNG 3201), within municipal limits of the City of Farmington, New Mexico. EPNG will obtain water for the hydrostatic test from the City of Farmington. Prior to the hydrostatic test, EPNG will clean the pipeline using approximately 1,000 gallons of an aqueous and non-hazardous cleaning fluid, N-Spec 120. The cleaning solution will be removed from the pipeline and

temporarily stored in a frac-tank at EPNG's Blanco compressor station located in the N/2 of the N/2, Section 14, Township 29 North, Range 11 West. The cleaning solution will be analyzed for corrosivity, ignitability, reactivity, and toxicity for disposal characterization. The cleaning solution will be transported for recycling and proper disposal to Mesa Environmental in Belen, NM or Thermo Fluids, Inc. in Albuquerque, NM. EPNG will remove the hydrostatic test wastewater from the pipeline and temporarily store in seven 21,000-gallon frac-tanks within EPNG's pipeline easement-right-of-way at MP-12 of the SE/4 of the NE/4, of Section 1, Township 29 North, Range 13 West. The

charge for collection and retention is approximately 700 feet southwest of the intersection of Gila Street and English Road within the City of Farmington. EPNG proposes to dispose of the hydrostatic test wastewater into a Class I injection well. No surface discharge is proposed. Approximately 140,500 gallons of wastewater will be generated from the hydrostatic test, and analyzed for corrosivity, ignitability, reactivity, and toxicity for disposal characterization. After receipt of OCD's approval, the wastewater will be properly transported and injected into a permitted Class I injection well operated by Key Energy of Farmington, NM. The shallowest groundwater most

likely to be affected by an accidental discharge is at a depth of approximately 6 feet below ground surface with a total dissolved solids concentration of approximately 960 to 3,840 mg/l. The plan consists of a description of the method and location for retention, and testing of water and solids, including how spills, leaks, and other accidental discharges to the surface will be managed in order to protect fresh water.

The OCD has determined that the application is administratively complete and has prepared a draft permit. The OCD will accept comments and statements of interest regarding this application and will create a facility-specific mailing list for persons who wish to receive future notices. Persons interested in obtaining further information, submitting comments or requesting to be on a facility-specific mailing list for future notices may contact the Environmental Bureau Chief of the Oil Conservation Division at the address given above. The administrative completeness determination and draft permit may be viewed at the above address between 8:00 a.m. and 4:00 p.m., Monday through Friday, or may also be viewed at the OCD web site <http://www.emnrd.state.nm.us/ocd/>. Persons interested in obtaining a copy of the application and draft permit may contact the OCD at the address given above. Prior to ruling on any

proposed discharge permit or major modification, the Director shall allow a period of at least thirty (30) days after the date of publication of this notice, during which interested persons may submit comments or request that OCD hold a public hearing. Requests for a public hearing shall set forth the reasons why a hearing should be held. A hearing will be held if the Director determines that there is significant public interest.

If no public hearing is held, the Director will approve or disapprove the proposed permit based on information available, including all comments received. If a public hearing is held, the director will approve or disapprove the proposed permit based on information in the permit application and information submitted at the hearing.

Para obtener más información sobre esta solicitud en español, sírvase comunicarse por favor: New Mexico Energy, Minerals and Natural Resources Department (Depto. Del Energia, Minerals y Recursos Naturales de Nuevo México), Oil Conservation Division (Depto. Conservación Del Petróleo), 1220 South St. Francis Drive, Santa Fe, New Mexico. (Contacto: Dorothy Phillips, 505-476-3461) GIVEN under the Seal of New Mexico Oil Conservation Commission at Santa Fe, New Mexico, on this 19th day of January 2010.

STATE OF

NEW MEXICO
OIL CONSERVATION
DIVISION

Mark Fesmire,
Director,
Legal.#
Pub. Jan. 25, 2010



New Mexico Energy, Minerals and Natural Resources Department

Bill Richardson
Governor

Jon Goldstein
Cabinet Secretary

Jim Noel
Deputy Cabinet Secretary

Mark Fesmire
Division Director
Oil Conservation Division



January 19, 2010

Mr. Richard Duarte
El Paso Natural Gas Company
8725 Alameda Park Drive NE
Albuquerque, New Mexico 87120

Re: Hydrostatic Test Discharge Permit HIP-115
El Paso Natural Gas Company
Pipeline Number 3201
Locations: N/2 of the N/2, Section 14, Township 29 North, Range 11 West and the
SE/4 of the NE/4 of Section 1, Township 29 North, Range 13 West, NMPM
San Juan County, New Mexico

Dear Mr. Duarte:

The New Mexico Oil Conservation Division (OCD) has received El Paso Natural Gas Company's (EPNG) revised notice of intent, dated January 7, 2010, for authorization to temporarily store approximately 140,500 gallons of wastewater generated from a hydrostatic test of approximately 8,560 feet of an existing 20-inch natural gas transmission pipeline (EPNG 3201), within municipal limits of the City of Farmington, New Mexico and to temporarily store approximately 1,000 gallons of cleaning solution wastewater generated from pre-cleaning the pipeline prior to the hydrostatic test of the 20-inch natural gas transmission pipeline (EPNG 3201), east and southeast of Bloomfield, New Mexico. The proposed collection locations are at EPNG's Blanco "A" compressor station located in the N/2 of the N/2, Section 14, Township 29 North, Range 11 West for the cleaning solution and within EPNG's pipeline easement right-of-way at MP-12 in the SE/4 of the NE/4 of Section 1, Township 29 North, Range 13 West for the hydrostatic test wastewater. EPNG proposes to dispose of the hydrostatic test wastewater into a Class I injection well and transport the cleaning solution wastewater to a recycling facility. No surface discharge is proposed. The submittal provided the required information in order to deem the application "administratively" complete. The OCD approves the Farmington Daily Times as the newspaper of general circulation for the published notice and the collection/retention locations (Blanco "A" compressor station and approximately 700 feet southwest of the intersection of Gila Street and English Road within EPNG's easement right-of-way) and the post office in Bloomfield, New Mexico as proposed posting locations.




Richard Duarte
El Paso Natural Gas Company
Permit HIP-115
January 19, 2010
Page 2 of 2

Therefore, the July 2006 New Mexico Water Quality Control Commission (WQCC) regulations notice requirements (20.6.2.3108 NMAC) must be satisfied and demonstrated to the OCD. The hydrostatic test event shall not be initiated until EPNG's and OCDs notice periods pass, the permit is issued, and the additional permit fee is paid.

If there are any questions regarding this matter, please do not hesitate to contact me at (505) 476-3487 or brad.a.jones@state.nm.us.

Sincerely,

A handwritten signature in black ink, appearing to read "Brad A. Jones", with a large, sweeping flourish extending to the right.

Brad A. Jones
Environmental Engineer

BAJ/baj

cc: OCD District III Office, Aztec

THE DAILY TIMES
201 NORTH ALLEN
FARMINGTON NM 87401
P - (505) 564-4566 F - (505) 564-4567

FACSIMILE TRANSMITTAL SHEET

TO: Brad Jones	FROM: Sarah Emmert
COMPANY: NM Oil Conservation Division	DATE: 1/19/10
FAX NUMBER: 505-476-3462	TOTAL NO. OF PAGES INCLUDING COVER: 3 with cover
PHONE NUMBER:	SENDER'S REFERENCE NUMBER:
RE: Ad: Notice of Publication Acct #: 49617 Ad #: 312188	YOUR REFERENCE NUMBER:

URGENT FOR REVIEW PLEASE COMMENT PLEASE REPLY PLEASE RECYCLE

NOTES/COMMENTS:

Attached is a copy of your legal notice as it will appear in The Daily Times on January 22nd, 2010. Also attached is an Order Confirmation with the total cost.

Please review and contact me as soon as possible.

Approval Required before publication.

Thanks,

Sarah Emmert
Legal Clerk
505.564.4566

NOTICE OF PUBLICATION**STATE OF NEW MEXICO
ENERGY, MINERALS AND NATURAL RESOURCES DEPARTMENT
OIL CONSERVATION DIVISION**

Notice is hereby given that pursuant to New Mexico Water Quality Control Commission Regulations (20.6.2.3108 NMAC), the following discharge permit application(s) has been submitted to the Director of the Oil Conservation Division ("OCD"), 1220 S. Saint Francis Drive, Santa Fe, New Mexico 87505, Telephone (505) 476-3440:

(HIP-115) Mr. Richard Durante of El Paso Natural Gas Company (EPNG), 8723 Alameda Park Dr. NE, Albuquerque, New Mexico 87120, has submitted an application for an Individual Hydrostatic Test Discharge Permit to the New Mexico Energy, Minerals and Natural Resources Department, Oil Conservation Division (OCD) for hydrostatically testing approximately 8,560 feet of an existing 20-inch natural gas transmission pipeline (EPNG 2201), within municipal limits of the City of Farmington, New Mexico. EPNG will obtain water for the hydrostatic test from the City of Farmington. Prior to the hydrostatic test, EPNG will clean the pipeline using approximately 1,000 gallons of an aqueous and non-hazardous cleaning fluid, N-Spec 120. The cleaning solution will be removed from the pipeline and temporarily stored in a frac-tank at EPNG's Blanca compressor station located in the N/2 of the N/2, Section 14, Township 29 North, Range 11 West. The cleaning solution will be analyzed for corrosivity, ignitability, reactivity, and toxicity for disposal characterization. The cleaning solution will be transported for recycling and proper disposal to Mesa Environmental in Belen, NM or Thermo Fluids, Inc. in Albuquerque, NM. EPNG will remove the hydrostatic test wastewater from the pipeline and temporarily store in seven 21,000-gallon frac-tanks within EPNG's pipeline easement right-of-way at MP-12 of the SE/4 of the NE/4 of Section 1, Township 29 North, Range 13 West. The location of the discharge for collection and retention is approximately 700 feet southwest of the intersection of Gila Street and English Road within the City of Farmington. EPNG proposes to dispose of the hydrostatic test wastewater into a Class I Injection well. No surface discharge is proposed. Approximately 140,500 gallons of wastewater will be generated from the hydrostatic test, and analyzed for corrosivity, ignitability, reactivity, and toxicity for disposal characterization. After receipt of OCD's approval, the wastewater will be properly transported and injected into a permitted Class I Injection well operated by Key Energy of Farmington, NM. The shallowest groundwater most likely to be affected by an accidental discharge is at a depth of approximately 6 feet below ground surface with a total dissolved solids concentration of approximately 960 to 3,840 mg/l. The plan consists of a description of the method and location for retention, and testing of water and solids, including how spills, leaks, and other accidental discharges to the surface will be managed in

order to protect fresh water.

The OCD has determined that the application is administratively complete and has prepared a draft permit. The OCD will accept comments and statements of interest regarding this application and will create a facility-specific mailing list for persons who wish to receive future notices. Persons interested in obtaining further information, submitting comments or requesting to be on a facility-specific mailing list for future notices may contact the Environmental Bureau Chief of the Oil Conservation Division at the address given above. The administrative completeness determination and draft permit may be viewed at the above address between 8:00 a.m. and 4:00 p.m., Monday through Friday, or may also be viewed at the OCD web site <http://www.emnrd.state.nm.us/oed/>. Persons interested in obtaining a copy of the application and draft permit may contact the OCD at the address given above. Prior to ruling on any proposed discharge permit or major modification, the Director shall allow a period of at least thirty (30) days after the date of publication of this notice, during which interested persons may submit comments or request that OCD hold a public hearing. Requests for a public hearing shall set forth the reasons why a hearing should be held. A hearing will be held if the Director determines that there is significant public interest.

If no public hearing is held, the Director will approve or disapprove the proposed permit based on information available, including all comments received. If a public hearing is held, the director will approve or disapprove the proposed permit based on information in the permit application and information submitted at the hearing.

Para obtener más información sobre esta solicitud en español, sírvase comunicarse por favor: New Mexico Energy, Minerals and Natural Resources Department (Depto. Del Energía, Minerales y Recursos Naturales de Nuevo México), Oil Conservation Division (Depto. Conservación Del Petróleo), 1220 South St. Francis Drive, Santa Fe, New México (Contacto: Dorothy Phillips, 505-476-3461)

GIVEN under the Seal of New Mexico Oil Conservation Commission at Santa Fe, New Mexico, on this 19th day of January 2010.

STATE OF NEW MEXICO
OIL CONSERVATION DIVISION

S E A L Mark Fesmire, Director

Legal No. 64040 published in The Daily Times on January 22, 2010.

Order Confirmation

Ad Order Number 0000312188
Customer OIL CONSERVATION DIVISION
Customer Account 49617
Ordered By Brad Jones
PO Number
Sales Rep. semmert
Customer Address 1220 S SAINT FRANCIS DR
Customer Phone #1 505-476-3440
Customer Phone #2
Order Taker semmert
Customer EMail SANTA FE, NM, USA 87505
Customer Fax
Order Source OIL CONSERVATION DIVISION
Payor Customer OIL CONSERVATION DIVISION
Payor Account 49617
Special Pricing None

Tear Sheets 0
Proofs 1
Affidavits Official
Promo Type Ad Order Notes
Materials
Invoice Text Notice Of Publication, 1/22
Net Amount \$209.86
Tax Amount \$0.00
Total Amount \$209.86
Payment Method
Payment Amount \$0.00
Amount Due \$209.86

Ad Number 0000312188-01
Ad Type CLS Legal liner
Ad Size 2.0 X 204 LI
Color <NONE>
Production AdBooker
Production Notes
Ad Attributes No
Ad Released
Pick Up

Product Information FM Daily-Times-Farmington Daily-Times:: Legal
Run Schedule Invoice Text NOTICE OF PUBLICATION STATE OF NEWMEXICOENER
Placement/Classification Legal
Sort Text NOTICE OF PUBLICATION STATE OF NEWMEXICOENER
Run Dates 1/22/2010
Inserts 1
Cost \$202.86

Product Information FM Online-Farmington Online:: Legal
Run Schedule Invoice Text NOTICE OF PUBLICATION STATE OF NEWMEXICOENER
Placement/Classification Legal
Sort Text NOTICE OF PUBLICATION STATE OF NEWMEXICOENER
Run Dates 1/22/2010
Inserts 1
Cost \$0.00



RECEIVED OGD

2010 JAN -8 A 11:35

January 7, 2010
File No. 83107.4-ALB09RP001

Mr. Brad Jones
New Mexico Energy, Minerals, and Natural Resources Department
Oil Conservation Division
1220 St. Francis Drive
Santa Fe, NM 87505

**Subject: Submittal of a Notice of Intent to Perform a Hydrostatic Test
Pipeline Number 3201
San Juan County, New Mexico**

Dear Mr. Jones:

On behalf of the El Paso Natural Gas Company (EPNG), Kleinfelder West, Inc. (Kleinfelder) is pleased to submit this Notice of Intent (NOI) for a hydrostatic test of the 3201 Pipeline. EPNG is intending to dispose of the used hydrostatic test water into a Class 1 injection well therefore; no surface discharge of hydrostatic test water is planned.

As required by US DOT Pipeline and Hazardous Materials Safety Administration regulations, EPNG is planning to conduct pipeline reconditioning work on its 20-inch 3201 pipeline near Farmington, New Mexico in mid to late February 2010. EPNG will be hydrostatically testing approximately 8,560 feet of used and new pipe on this pipeline.

Kleinfelder has included the required information for the NOI as stated in the "Guidelines for Hydrostatic Test Dewatering" Dated January 11, 2007. Attached to this NOI are the following:

- Background Information;
- Notice of Intent Plan;
- Figure 1, EPNG 3201 Pipeline Undergoing Hydrostatic Test;
- Figure 2, Temporary Frac-Tank Staging Location, Hydrostatic Test Water;
- Figure 3, Temporary Frac-Tank Staging Location, Cleaning Solution;
- Appendix A, Material Safety Data Sheets for N-Spec 120 Cleaner;
- Appendix B, Certification of Siting Criteria;
- Appendix C, Copy of Email from the New Mexico Abandoned Mine Lands Program;
- Appendix D, Federal Emergency Management Administration Flood Insurance Rate Maps;
- Appendix E, List of Landowners within 1/3 mile of the Pipeline Segments undergoing hydrostatic testing;
- Appendix F, Map of Landowners within 1/3 mile of the Pipeline Easement; and
- Appendix G, Public Notice text in Spanish and English

A check in the amount of \$100.00 to cover the filing fee is included with this filing. As deemed necessary by the NMOCD, public notice will be posted in accordance with Subsections A, B,

and C of NMAC 20.6.2.3108 at the frac-tank staging areas (Figures 2 and 3), the Farmington, New Mexico Post Office, and published in the Farmington Daily Times newspaper.

Kleinfelder prepared this NOI in a manner consistent with the level of care and skill ordinarily exercised by other members of Kleinfelder's profession practicing in the same locality, under similar conditions and at the date the services are provided. The information provided in this document is based on our understanding of the information provided by EPNG. The work performed was based on project information provided by EPNG.

Should you have any questions, please feel free to contact David Janney or Marco Wikstrom (Kleinfelder) at (505) 344-7373, or Richard Duarte (EPNG) at (505) 831-7763.

Respectfully submitted,
KLEINFELDER WEST, INC.

Reviewed by:



David Janney, PG
Project Manager



Kerry Ruebelmann, MS
Regional Manager

Background Information

- The EPNG Pipeline number 3201 is an existing 20-inch (outside diameter) natural gas pipeline that has been in service since 1953.
- This transportation pipeline is part of a network that transports natural gas (sweet and dry) that is suitable for immediate consumer use.
- Based upon recent experience with the NMOCD, EPNG understands that the water used for cleaning and testing this pipeline system is generally classified as non-exempt RCRA waste and is subject to the Water Quality Control Commission (WQCC) Regulations.

Notice of Intent Plan

On behalf of EPNG, Kleinfelder is submitting this NOI plan as outlined in NMOCD Guidance document, "Guidelines for Hydrostatic Test Dewatering," (revised January 11, 2007). The NOI plan includes the following items:

Item a. Name and address of the proposed discharger;

Legally Responsible Party

Sam A. Armenta, Director
El Paso Natural Gas Company
Albuquerque Division
8725 Alameda Park Dr. NE
Albuquerque, NM 87120

Local Representative

Richard Duarte (505) 831-7763
El Paso Natural Gas Company
8725 Alameda Park Dr. NE
Albuquerque, NM 87120

Operator

Physical Address

El Paso Natural Gas Company
San Juan Area Office
#81 County Road 4900
Bloomfield, NM 87413

Mailing Address

El Paso Natural Gas Company
San Juan Area Office
P.O. 127
Bloomfield, NM 87413

Item b. Location of the discharge, including a street address, if available, and sufficient information to locate the facility with respect to surrounding landmarks;

The location of the portions of the 3201 pipeline to be hydrostatically tested is shown on figure 1. The segment of 3201 pipeline that will be hydrostatically tested is immediately west of the Animas River and within the City of Farmington and goes east of County Road 3000 by

approximately 1-1/4 –mile. Approximately 7 frac-tanks will be located 700 feet southwest of the intersection of Gila Street and English Road within EPNG owned property along the 3201 Pipeline. Coordinates for this location are Latitude 36° 45' 25.64" North, Longitude 108° 08' 58.29" West.

Prior to the hydrostatic test, the pipeline will be cleaned to remove oil residue and other trace contaminants. The segment will generate water (RCRA non-exempt) subject to regulation by the WQCC. There will be a small volume of water mixed with pipe cleaning liquid (N-Spec 120, see Appendix A for material safety data sheet). The volume of cleaning solution is estimated to be 1,000 gallons. The source of water mixed with the pipe cleaning liquid will be public utility drinking water from the City of Farmington.

The pipe cleaning solution will be used to clean the entire 3201 pipeline, mile post (MP) 0 to MP 22 and will be stored at EPNG's Blanco Compressor Station (GW-49-0, Figure 3). After cleaning the pipeline, the cleaning solution will be moved from the pipeline directly into a frac-tank (stored within secondary containment), then transferred into tank trucks for transportation to a recycling facility.

The temporary frac-tank storage location for the cleaning solution will be:

Mile post 0 + 0000' is located at the discharge side of Blanco Compressor Station (south side of the station), County Road 4900, #81, Bloomfield, NM 87413. This is locally known as "gasoline alley" road. Coordinates for this location are Latitude 36° 43' 44.55" North, Longitude 107° 57' 40.12" West. The temporary storage area is within the compressor station boundary. There will be one 21,000-gallon temporary tank with the water/N-SPEC mixture at this location and the liquid may be stored for up to two weeks. In the event that laboratory analysis or removal transportation is delayed, EPNG will request an additional two weeks of storage time. Every effort will be made to remove the liquid within two weeks. A 21,000-gallon tank is required to contain the high pressure discharge (above 850 pounds per square inch) and high flow rates utilized to drain the 3201 pipeline. The temporary frac-tank storage area at Blanco is shown on Figure 3.

The permitted recycling facilities that will be used for the cleaning solution are:

Mesa Environmental, a Division of Mesa Oil, Inc.
Corporate - 17300 Hwy 72, Arvada, CO 80007
Regional Processing Facility – 20 Lucero Road, Belen, NM 87002

Or,

Thermo Fluids Inc.
Corporate – 8925 E. Pima Center Pkwy, Suite 105, Scottsdale, AZ 85258
Local Office – 9010 Bates Road, SW, Albuquerque, NM 87105

After the pipeline has been cleaned, public utility drinking water from the City of Farmington, NM will be used to perform hydrostatic testing of the segment of the 3201 pipeline. The segment is as follows; from MP 12 + 1500 in Section 6, Township 29N, Range 12W, to MP 13 +4780 in Section 7, Township 29N, Range 12W (Figure 2). Approximately 140,500 gallons of water will be used for the hydrostatic test.

Upon completion of the hydrostatic test, EPNG will generate a second volume of water (RCRA non exempt) that may be subject to regulation: the hydrostatic test water. The test water will be initially transferred into clean portable frac-tanks (stored within secondary containment) and held

at one location (Figure 2). Due to an enhanced pipeline cleaning protocol EPNG believes that the hydrostatic test water may meet the WQCC standards for ground water with contaminant concentrations not exceeding levels listed in Subsections A, B, and C of NMAC 20.6.2.3103.

Item c. Legal description of the discharge location;

Introduction, removal, and storage of hydrostatic test water will occur in the staging area at the following location:

S/2 of Section 1, Township 29 North, Range 13 West, in San Juan County, New Mexico (See Figure 2)

Introduction, removal, and storage of cleaning solution will occur at the following location:

N/2 of the N/2 Section 14, Township 29 North, Range 11 West in San Juan County, New Mexico (See Figure 3).

Item d. Maps (site-specific and regional) indicating the location of the pipelines to be tested;

Figure 1 is a site-specific map showing topography, the pipeline sections undergoing test, and the hydrostatic test water staging area. Figure 2 is a larger scale site-specific map showing the hydrostatic test water storage location. Figure 3 is a larger scale site-specific map showing the pipeline cleaning solution storage location.

Item e. A demonstration of compliance to the following siting criteria or justification for any exceptions:

- i. Within 200 feet of a watercourse, lakebed, sinkhole, or playa lake;**
- ii. Within 1,000 feet of an existing wellhead protection area or 100-year floodplain;**
- iii. Within, or within 500 feet of, a wetland;**
- iv. Within the area overlying a subsurface mine; or**
- v. Within 500 feet from the nearest permanent residence, school, hospital, institution or church.**

According to Mr. Mike McCown, EPNG's Cross-Functional Technician, evidence of the above listed features is present within the required radius limits of the proposed staging area of hydrostatic test water. Mr. McCown performed a site visit to look for the presence of watercourses, lakebeds, sinkholes, playa lakes, wells, wetlands, residences, schools, hospitals, institutions, mines and churches. According to Mr. McCown, some these items were observed within the specified distances listed under Item e. A Certification of Siting Criteria from Mr. McCown is attached in Appendix B.

A search for surrounding water wells was completed to satisfy a portion of this requirement. The New Mexico Water Rights Reporting System (NMWRRS, [iWaters]) database at the New Mexico Office of the State Engineer was used for this search, which was conducted on December 30, 2009. According to the search, a single water well may be located within 1,000 feet of the proposed cleaning solution storage area. This well, point of diversion number 1426,

is located in the SE/4, NW4, Section 14, Township 29N, Range 11W. It is unknown if this well is active, inactive, or abandoned. No water storage area will be located within 1,000 feet of a well head protection area.

Mr. Mike Tompson with the New Mexico Abandoned Mine Lands Program (505-476-3427) was contacted to assess the presence of abandoned subsurface mines in the vicinity of the water storage tank staging areas. According to Mr. Tompson, there is no record of abandoned subsurface mines in these areas. A copy of an email from Mr. Tompson is attached in Appendix C.

Federal Emergency Management Administration (FEMA) flood insurance rate maps were generated from the FEMA website to search for 100-year floodplains in the proposed hydrostatic test water and cleaning solution storage areas. According to the FEMA website no storage tank locations are within a floodplain. The FEMA flood insurance rate maps are attached under Appendix D.

Item f. A brief description of the activities that produce the discharge;

Pressure testing with water, known as hydrostatic testing, is one of the tools pipeline operators use to verify pipeline integrity. The test involves purging the natural gas from the pipeline, cleaning the pipeline with an aqueous, non-hazardous cleaning fluid, filling the pipeline with water, then pressurizing the pipeline to a pressure higher than the standard operating pressure for approximately nine hours. The purpose of hydrostatic testing in a pipeline is to determine the extent to which potential defects might threaten the pipeline's ability to sustain maximum allowable operation pressure. If leaks or breaks occur, the pipeline is repaired or the affected areas is replaced and then re-tested. The U.S. Department of Transportation Pipeline and Hazardous Materials Safety Administration (PHMSA) requires periodic pressurized tests on all DOT-regulated pipelines and all newly installed pipelines to verify the integrity and safety of pipeline systems. Approximately 140,500 gallons of public utility water from the City of Farmington will be used for the hydrostatic test and pipeline cleaning.

Item g. The method and location for collection and retention of fluids and solids;

The approximately 1,000 gallons of N-Spec 120 cleaning solution used to clean the pipeline will be moved from the frac tank via hoses and/or flexible pipe and routed directly to the pipeline at the Blanco compressor station (Figure 3).

After cleaning the pipeline, the entire volume of N-Spec 120 cleaning solution will be transferred back into the frac tank and a pre-disposal composite sample will be collected and submitted to an EPA-approved analytical laboratory for waste characterization, including analysis for corrosivity, ignitability, reactivity, and toxicity, and/or other characterization as required by Mesa Environmental or Thermo-Fluids (see contact information under Item b.).

The approximately 140,500 gallons of water used for hydrostatic testing of the 3201 pipeline will be removed from the pipeline via hoses and/or flexible pipe using drip pans under the connection points and stored in 7 frac-tanks with secondary containment at the hydrostatic test water storage area (Figure 2). When not in use, all individual tank valves will be closed and locked. Solids are not anticipated to be produced from the hydrostatic testing. EPNG also plans to have the frac-tank staging area under 24-hour security surveillance.

Item h. A brief description of best management practices to be implemented to contain the discharge onsite and to control erosion;

EPNG intends to discharge the hydrostatic test water in Class I disposal well. The water will be transported off the project site using DOT approved tanker trucks. No upland discharges are planned or intended.

Item i. A request for approval of an alternative treatment, use, and/or discharge location (other than the original discharge site), if necessary;

In the event that the hydrostatic test water is found to be unsuitable for down-hole injection, it will be treated by filtration through activated charcoal and/or other applicable media until it meets the NMOCD standards for down-hole injection and then discharged down-hole.

Item j. A proposed hydrostatic test wastewater sampling plan;

Analytical sampling for the hydrostatic test water will consist of one 6 or 7-point composite pre-test (depending on the number of frac-tanks used) sample collected from the municipal water stored in the frac-tanks and one 6 or 7 -point composite pre-disposal sample.

Analytical data from the pre-hydrostatic test water will be used as a baseline to determine if the water is suitable for use. Analytical data from the post-hydrostatic test water will be used to determine if the water is suitable for injection well disposal.

Prior to hydrostatic testing of the 3201 pipeline, the approximately 140,500 gallons of utility water will be transferred from the City of Farmington into frac-tanks located within EPNG's 3201 pipeline easement (See location information under Item c., and Figures 2 and 3). A single pre-test composite sample will be collected from these tanks and submitted to an EPA-approved analytical laboratory.

After the hydrostatic testing of the 3201 pipeline, the approximately 140,500 gallons of water will be transferred from the pipeline back into the same frac-tanks that were used to store the water. A single pre-disposal 7-point composite sample (one point from each tank) will be collected from these tanks and submitted to an EPA-approved analytical laboratory.

The pre- and post hydrostatic test water samples will be analyzed for the constituents outlined in Subsections A, B, and C of NMAC 20.6.2.3103. Analytical results of the pre-discharge sample will be submitted to the NMOCD with a recommendation for disposal of the hydrostatic test water into a Class 1 injection well.

Item k. A proposed method of disposal of fluids and solids after test completion, including closure of any pits, in case the water generated from test exceeds the standards as set forth in Subsections A, B, and C of the 20.6.2.3103 NMAC (the New Mexico Water Quality Control Commission Regulations);

All fluids will be containerized, tested, and then transported for disposal as described under items i. and f. No solid waste is anticipated. In the event that the hydrostatic test water is found to be unsuitable for down-hole disposal, it will be treated by filtration through activated charcoal and/or other media as appropriate until it meets the NMOCD standards for injection into a Class 1 injection well. The injection well is operated by the Farmington office of Key Energy, their contact information is presented below.

Key Energy
5651 U. S. Highway 64
Farmington, NM 87401
Phone: (505) 327-4935

Following disposal characterization, the 1,000 gallons of cleaning solution used to clean the 3201 pipeline before hydrostatic testing will be transported off-site via DOT-approved tanker trucks for treatment and disposal by Mesa Environmental or Thermo-Fluids (see contact information under Item b.).

Item l. A brief description of the expected quality and volume of the discharge;

The hydrostatic test water will be tested in accordance with the guidelines noted in Item j. to assess if the constituent concentrations in the water meet, Subsections A, B, and C of NMAC 20.6.2.3103. Based on historical data collected from previous hydrostatic test events using similar cleaning techniques before introducing the test water, the quality of the water is expected to meet regulatory limits. The volume of the hydrostatic test water is expected to be approximately 140,500 gallons. It is intended for disposal in a Class 1 injection well.

Item m. Geological characteristics of the subsurface at the proposed discharge site;

Regional Features

The water storage location is within the north-central part of the San Juan Basin, a large asymmetric structural depression that contains Paleozoic and Mesozoic sediments up to 15,000 feet thick. The area is characterized by bedrock hillsides and mesas and Pleistocene gravel terraces of the San Juan and Animas Rivers.

Site Geology

The water storage areas are located on alluvium or the Nacimiento, Kirtland or Fruitland Formations. The alluvium in the water storage areas consists of fine to coarse sands, clays and varying combinations of the two. This alluvium was deposited by both fluvial and eolian action. The soils tend to be weak, compressible and moderately permeable. The thickness of alluvium ranges from less than 3 to more than 75 feet, and drapes the Nacimiento, Kirtland or Fruitland Formations (Stone, et. al., 1983).

Item n. The depth to and total dissolved solids concentration of the ground water most likely to be affected by the discharge;

Regional Hydrogeology

Three ground-water systems are present in the Tertiary and younger sedimentary deposits in this portion of the San Juan Basin.

- Confined aquifers in Tertiary sandstone units.
- Unconfined (water table) aquifers in Tertiary sandstone units near outcrop areas.
- Unconfined (water table) aquifers in the Quaternary alluvium in or near river valleys and tributaries.

Local Groundwater Hydrology. Two groundwater regimes exist near the discharge sites:

1. Unconfined aquifers in the alluvium beneath the water storage areas; and
2. Unconfined sandstone aquifers in the Paleocene Nacimiento Formation or Cretaceous Kirtland or Fruitland Formations below the alluvium (Stone, et. al., 1983).

Groundwater in the vicinity of the discharge may be as shallow as six feet below ground surface in the alluvium or as deep as deep as 235 feet in the Nacimiento Formation (Stone, et. al., 1983).

Total dissolved solids concentration (derived from specific conductance) in the shallowest water affected by the discharge is between 960 and 3,840 milligrams per liter (iWaters, 2009).

Item o. Identification of landowners at and adjacent to the discharge collection/retention site.

Landowners of the collection/retention sites:

At Blanco Plant (for the cleaning solution retention) and at MP 12 + 1500 (hydrostatic test water staging area):

El Paso Natural Gas Company
2 North Nevada Ave.
Colorado Springs, CO 80903

Landowners along the EPNG right-of-way affected by the hydrostatic testing:

George E. Hutchison
R. D. Golding
Joe O. Campbell
George A. Greenwood
George A. McColm
D. & R. G. W. Railroad
B. E. Dustin
Elbie S. Evans
United States of America (Bureau of Land Management)

Landowners within 1/3-mile of the pipeline easement:

This landowners list is provided in Appendix E and a map showing the locations of these landowners is provided in Appendix F. EPNG it will provide all affected landowners with a brief description of the work involved.

As deemed necessary by NMOCD, a public notice will be posted in accordance with Subsections A, B, and C of NMAC 20.6.2.3108 at the frac-tank staging areas (Figures 2 and 3), the Farmington, New Mexico Post Office, and published in the Farmington Daily Times newspaper. Copies of the English and Spanish versions of the public notices are presented in Appendix G. EPNG it will provide all affected landowners with a brief description of the work involved.


References

Geological, hydrological, hydrogeological, and depth/quality of groundwater information obtained from the EPNG, July 1999, Blanco Discharge permit application.

iWaters Database search, December 2009, New Mexico Office of the State Engineer

Stone, W., Lyford, F., Frenzel, P., Mizell, N., and Padgett, E. 1983, Hydrology and Water Resources of the San Juan Basin, New Mexico, New Mexico Bureau of Mines and Mineral Resources, Hydrologic Report 6.

FIGURES




SOURCE: Base map provided by nationalatlas.gov.

LEGEND

- APPROXIMATE EPNG 3201 Pipeline
- APPROXIMATE HYDROSTATIC TEST LOCATION
- APPROXIMATE HYDROSTATIC TEST WATER FRAC TANKS LOCATION
- ▲ APPROXIMATE MILE POST MARKERS
- ☆ APPROXIMATE SITE LOCATION

NOTE:

EPNG 3201 Pipeline recreated from 03201.00-003.20.dwf from EPNG.




SOURCE: Topo map created from mapcard.com.



PROJECT NO.	83107
DRAWN:	DEC 2009
DRAWN BY:	PD
CHECKED BY:	MW
FILE NAME:	83107_3201_01.dwg

EPNG 3201 PIPELINE UNDERGOING HYDROSTATIC TEST	
EPNG - 3201 PIPELINE HYDROSTATIC TEST SAN JUAN COUNTY FARMINGTON, NEW MEXICO	
ORIGINATOR:	M. WIKSTROM
APPROVED BY:	1

FIGURE **1**



SOURCE: Aerial map created from mapcard.com, 1997.

LEGEND

NOTE:
EPNG 3201 Pipeline recreated from 03201.00-003.20.dwg from EPNG.

-  APPROXIMATE EPNG 3201 Pipeline
-  APPROXIMATE HYDROSTATIC TEST LOCATION
-  APPROXIMATE HYDROSTATIC TEST WATER FRAC TANKS

The information included on this graphic representation has been compiled from a variety of sources and is subject to change without notice. Kleinfelder makes no representations or warranties, express or implied, as to accuracy, completeness, timeliness, or rights to the use of such information. This document is not intended for use as a land survey product nor is it designed or intended as a construction design document. The use or misuse of the information contained on this graphic representation is at the sole risk of the party using or misusing the information.



PROJECT NO.	83107
DRAWN:	DEC 2009
DRAWN BY:	PD
CHECKED BY:	MW
FILE NAME:	83107_3201_01.dwg

TEMPORARY FRAC TANK STAGING HYDROSTATIC TEST WATER LOCATION	
EPNG 3201 HYDROSTATIC TEST SAN JUAN COUNTY FARMINGTON, NEW MEXICO	
ORIGINATOR: M. WIKSTORM	DRAWING CATEGORY: 1
APPROVED BY:	

FIGURE
2



LEGEND

- ★ TEMPORARY FRAC TANK, CLEANING SOLUTION WATER LOCATION
- APPROXIMATE PROPERTY BOUNDARY



SOURCE: Aerial image created from mapcard.com.

The information included on this graphic representation has been compiled from a variety of sources and is not intended to be used as a substitute for a professional survey or engineering drawing. The use of this information for any purpose other than that intended by the provider of the information is at the user's risk. The use of this information for any purpose other than that intended by the provider of the information is at the user's risk.

PROJECT NO.	83107
DRAWN:	DEC 2009
DRAWN BY:	PD
CHECKED BY:	MW
FILE NAME:	83107_3201_03.dwg

TEMPORARY FRAC TANK STORAGE LOCATIONS		FIGURE
EPNG 3201 HYDROSTATIC TEST SAN JUAN COUNTY BLOOMFIELD, NEW MEXICO		3
ORIGINATOR:	M. WIKSTROM	DRAWING CATEGORY:
APPROVED BY:		1

APPENDIX A
Material Safety Data Sheets for N-Spec 120 Cleaner

Material Safety Data Sheet

Section 1. Chemical Product and Company Identification	
Common Name N-SPEC 120 Cleaner	Code
Supplier Coastal Chemical Co., L.L.C. 3520 Veterans Memorial Drive Abbeville, LA 70510 337-893-3862	MSDS# Not available.
Synonym Not available.	Validation Date 9/2/2004
Trade name Not available.	Print Date 9/2/2004
Material Uses Not available.	Responsible Name Charles Toups
Manufacturer Coastal Chemical Co., L.L.C. 3520 Veterans Memorial Drive Abbeville, LA 70510 337-893-3862	In Case of Emergency Transportation Emergency Call CHEMTREC 800-424-9300 Other Information Call Charles Toups 337-261-0796

Section 2. Composition and Information on Ingredients			
Name	CAS #	% by Weight	Exposure Limits
Confidential information			

Section 3. Hazards Identification	
Physical State and Appearance	Liquid.
Emergency Overview	CAUTION! MAY CAUSE EYE IRRITATION. MAY CAUSE SKIN IRRITATION. MAY BE HARMFUL IF SWALLOWED. Keep away from heat, sparks and flame. Avoid contact with eyes. Do not ingest. Avoid prolonged or repeated contact with skin. Keep container closed. Use only with adequate ventilation. Wash thoroughly after handling.
Routes of Entry	Eye contact. Inhalation. Ingestion.
Potential Acute Health Effects	<i>Eyes</i> Hazardous in case of eye contact (irritant). Inflammation of the eye is characterized by redness, watering, and itching. <i>Skin</i> Irritation of the product in case of skin contact: Not available. Hazardous in case of skin contact <i>Inhalation</i> Hazardous in case of inhalation. <i>Ingestion</i> Hazardous in case of ingestion.
Potential Chronic Health Effects	CARCINOGENIC EFFECTS: Not available. MUTAGENIC EFFECTS: Not available. TERATOGENIC EFFECTS: Not available.
Medical Conditions Aggravated by Overexposure:	Repeated or prolonged exposure is not known to aggravate medical condition.
Overexposure /Signs/Symptoms	Not available.
See Toxicological Information (section 11)	

Continued on Next Page

Section 4. First Aid Measures

Eye Contact	Check for and remove any contact lenses. Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Cold water may be used. Get medical attention immediately.
Skin Contact	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Cold water may be used. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention.
Inhalation	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.
Ingestion	Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. If large quantities of this material are swallowed, call a physician immediately. Loosen tight clothing such as a collar, tie, belt or waistband.
Notes to Physician	Not available.

Section 5. Fire Fighting Measures

Flammability of the Product	Not available
Auto-ignition Temperature	Not available.
Flash Points	Tested - No Flash present
Flammable Limits	Not available.
Products of Combustion	These products are carbon oxides (CO, CO ₂), sulfur oxides (SO ₂ , SO ₃ ...).
Fire Hazards in Presence of Various Substances	Not available.
Explosion Hazards in Presence of Various Substances	Risks of explosion of the product in presence of mechanical impact: Not available. Risks of explosion of the product in presence of static discharge: Not available.
Fire Fighting Media and Instructions	SMALL FIRE: Use DRY chemical powder. LARGE FIRE: Use alcohol foam, water spray or fog. Cool containing vessels with water jet in order to prevent pressure build-up, autoignition or explosion.
Protective Clothing (Fire)	Be sure to use an approved/certified respirator or equivalent.
Special Remarks on Fire Hazards	No additional remark.
Special Remarks on Explosion Hazards	Not available.

Section 6. Accidental Release Measures

Small Spill and Leak	The concentrated form of this material is a cleaner. During application, hazardous material on the apparatus or structure being cleaned may become part of the cleaning solution. Check with all applicable regulations before disposing of the material created during application.
Large Spill and Leak	The concentrated form of this material is a cleaner. During application, hazardous material on the apparatus or structure being cleaned may become part of the cleaning solution. Check with all applicable regulations before disposing of the material created during application.

Section 7. Handling and Storage

Handling	Keep away from heat, sparks and flame. Keep container closed. Use only with adequate ventilation. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment before transferring material. Use explosion-proof electrical (ventilating, lighting and material handling) equipment.
Storage	Keep container tightly closed and in a well-ventilated place.

Section 8. Exposure Controls/Personal Protection

Engineering Controls	Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value. Ensure that eyewash stations and safety showers are proximal to the work-station location.
-----------------------------	--

Personal Protection	<p><i>Eyes</i> Safety glasses.</p> <p><i>Body</i> Lab coat.</p> <p><i>Respiratory</i> Wear appropriate respirator when ventilation is inadequate.</p> <p><i>Hands</i> Impervious gloves.</p> <p><i>Feet</i> Not applicable.</p>
----------------------------	---

Personal Protection in Case of a Large Spill	Splash goggles. Full suit. Boots. Gloves. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.
---	---

Product Name	Exposure Limits
Confidential information	
Consult local authorities for acceptable exposure limits.	

Section 9. Physical and Chemical Properties

Physical State and Appearance	Liquid.	Odor	Not available.
Molecular Weight	Not applicable.	Taste	Not available.
Molecular Formula	Not applicable.	Color	Blue. (Dark.)
pH (1% Soln/Water)	6 to 8 [Neutral.]		
Boiling/Condensation Point	The lowest known value is 100°C (212°F) (Water). Weighted average: 140.43°C (284.8°F)		
Melting/Freezing Point	May start to solidify at 0°C (32°F) based on data for: Water. Weighted average: -46.19°C (-51.1°F)		
Critical Temperature	Not available.		
Specific Gravity	0.9 to 0.98 (Water = 1)		
Vapor Pressure	The highest known value is 2.3 kPa (17.2 mm Hg) (at 20°C) (Water). Weighted average: 1.17 kPa (8.78 mm Hg) (at 20°C)		
Vapor Density	The highest known value is 5.11 (Air = 1). Weighted average: 2.93 (Air = 1)		
Volatility	Not available.		
Odor Threshold	The highest known value is 34.6 ppm		
Evaporation Rate	0.02 compared to Butyl acetate		
VOC	Not available.		

Continued on Next Page

Viscosity	Not available.
LogK _{ow}	The product is much more soluble in water.
Ionicity (in Water)	Anionic.
Dispersion Properties	See solubility in water, methanol, diethyl ether.
Solubility	Easily soluble in cold water, hot water, methanol, diethyl ether. Insoluble in n-octanol.
Physical Chemical Comments	Not available.

Section 10. Stability and Reactivity

Stability and Reactivity	The product is stable.
Conditions of Instability	Not available.
Incompatibility with Various Substances	Reactive with oxidizing agents, acids. Slightly reactive to reactive with reducing agents.
Hazardous Decomposition Products	Not available.
Hazardous Polymerization	Will not occur.

Section 11. Toxicological Information

Toxicity to Animals	Acute oral toxicity (LD50): 1900 mg/kg [Rat]. Acute dermal toxicity (LD50): 9510 mg/kg [Rabbit].
Chronic Effects on Humans	No additional remark.
Other Toxic Effects on Humans	Hazardous in case of eye contact (irritant), of ingestion, of inhalation. Hazardous in case of skin contact (irritant). Slightly hazardous in case of skin contact (sensitizer).
Special Remarks on Toxicity to Animals	Not available.
Special Remarks on Chronic Effects on Humans	Not available.
Special Remarks on Other Toxic Effects on Humans	Material is irritating to mucous membranes and upper respiratory tract.

Section 12. Ecological Information

Ecotoxicity	Not available.
BOD5 and COD	Not available.
Biodegradable/OECD	Not available.
Mobility	Not available. These products are carbon oxides (CO, CO ₂) and water, nitrogen oxides (NO, NO ₂ ...), sulfur oxides (SO ₂ , SO ₃ ...), phosphates. Some metallic oxides.
Toxicity of the Products of Biodegradation	The products of degradation are less toxic than the product itself.

Continued on Next Page

Special Remarks on the Products of Biodegradation Not available.

Section 13. Disposal Considerations

Waste Information Waste must be disposed of in accordance with federal, state and local environmental control regulations.

Waste Stream Not available.

Consult your local or regional authorities.

Section 14. Transport Information

Shipping Description Not a DOT controlled material (United States).

Not regulated.

Reportable Quantity 11061.8 lbs. (5016.7 kg)

Marine Pollutant Not regulated - Alkylaryl sulfonate amine salt - less then 10 % .

Special Provisions for Transport Contains alkylbenzenesulfonate

Section 15. Regulatory Information

HCS Classification CLASS: Target organ effects.

U.S. Federal Regulations TSCA 8(a) PAIR: contains Alkylbenzenesulfonate
 SARA 302/304/311/312 extremely hazardous substances: No products were found.
 SARA 302/304 emergency planning and notification: No products were found.
 SARA 302/304/311/312 hazardous chemicals: No products were found.
 SARA 311/312 MSDS distribution - chemical inventory - hazard identification: No products were found.
 SARA 313 toxic chemical notification and release reporting: No products were found.
 Clean Water Act (CWA) 307: No products were found.
 Clean Water Act (CWA) 311: No products were found.
 Clean air act (CAA) 112 accidental release prevention: No products were found.
 Clean air act (CAA) 112 regulated flammable substances: No products were found.
 Clean air act (CAA) 112 regulated toxic substances: No products were found.

International Regulations

EINECS Not available.

DSCL (EEC) Risk to eyes.
 May cause irriationby skin contact.
 R322- May be harmful if swallowed. R36/38- Irritating to eyes and skin.

International Lists No products were found.

State Regulations Pennsylvania RTK: Dipropylene glycol monomethyl ether; Trade Secret; Gylcol Ether PNB
 Florida: Dipropylene glycol monomethyl ether; Ethanol
 Minnesota: Dipropylene glycol monomethyl ether
 Massachusetts RTK: Dipropylene glycol monomethyl ether; Ethanol
 New Jersey: Ethanol; Gylcol Ether PNB
WARNING: This product contains the following ingredients for which the State of California has found to cause birth defects which would require a warning under the statute: Ethanol

Section 16. Other Information

Label Requirements MAY CAUSE EYE IRRITATION.
MAY CAUSE SKIN IRRITATION.
MAY BE HARMFUL IF SWALLOWED.

Hazardous Material Information System (U.S.A.)

Health	*	1
Fire Hazard		0
Reactivity		0
Personal Protection		B

National Fire Protection Association (U.S.A.)



References Not available.

Other Special Considerations Not available.

Validated by Charles Toups on 9/2/2004.

Verified by Charles Toups.

Printed 9/2/2004.

Emergency Phone:
Transportation Emergency Call
Center (TREC) 800-424-9300
Chemical Emergency Call
Center (CHEM) 800-424-9300
311-281-0199

Notice to Reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

APPENDIX B
Certification of Siting Criteria


1 Certification of Siting Criteria


Hydrostatic Testing of Line 3201

I, Michael Lee McCown, have performed a site visit to look for the presence of the items listed below. Some were observed within the specified distance for each item listed below from the edge of the pipeline right of way to site where the water storage tanks will be located at mile post 12 + 1500 on Line 3201 in San Juan County, NM. The hydro-test water will also be introduced to the pipeline at this site. A note beside each item below describes my observations.

- i. Within 200 feet of a watercourse, lakebed, sinkhole, or playa lake; *NOTE: The actual Animas River is further than this distance.*
- ii. Within 1,000 feet of an existing wellhead protection area or 100-year floodplain; *NOTE: I will defer to the statement and research from our consultant, Kleinfelder. This information is included as part of the NOI.*
- iii. Within, or within 500 feet of, a wetland; *NOTE: Yes, the Animas River's green belt will be within this distance.*
- iv. Within the area overlying a subsurface mine; *NOTE: No.*
- v. Within 500 feet from the nearest permanent residence, school, hospital, institution or church. *NOTE: Yes within approximately 150 feet.*

On behalf of El Paso Natural Gas, I state that the above information is complete and true to the best of my knowledge.


Michael Lee McCown
Senior Technician


Date

APPENDIX C

Copy of Email from the New Mexico Abandoned Mine Lands Program

Marco Wikstrom - RE: Abandoned Mines in Farmington

From: "Tompson, Mike, EMNRD" <Mike.Tompson@state.nm.us>
To: "Marco Wikstrom" <MWikstrom@kleinfelder.com>
Date: 12/30/2009 10:13 AM
Subject: RE: Abandoned Mines in Farmington

Marco,

I have no record on any abandoned mines in the three sections you mentioned. But just a reminder that there are many abandoned mines out there that we don't know about.

Hope this helps.

Mike Tompson
New Mexico Abandoned Mine Land Program
(505) 476-3427

From: Marco Wikstrom [mailto:MWikstrom@kleinfelder.com]
Sent: Wednesday, December 30, 2009 10:03 AM
To: Tompson, Mike, EMNRD
Subject: Abandoned Mines in Farmington

Mike,

We're doing another hydrostatic test in the Farmington area and need to know if there are any known abandoned mines in the following areas:

S-1, T-29N, R-13W

S-6, T-29N, R-12W

S-14, T-29N, R-11W

Thanks,
Marco

Marco Wikstrom
Staff Geologist
KLEINFELDER
mwikstrom@kleinfelder.com
(505) 344-7373 Office
(505) 344-1711 Fax

8300 Jefferson NE Suite B
Albuquerque, NM 87113



Do you really have to print this email?
Think environment!

This inbound email has been scanned for malicious software and transmitted safely to you using Webroot Email Security.

Warning: Information provided via electronic media is not guaranteed against defects including translation and transmission errors.


If the reader is not the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited. If you have received this information in error, please notify the sender immediately.

Confidentiality Notice: This e-mail, including all attachments is for the sole use of the intended recipient(s) and may contain confidential and privileged information. Any unauthorized review, use, disclosure or distribution is prohibited unless specifically provided under the New Mexico Inspection of Public Records Act. If you are not the intended recipient, please contact the sender and destroy all copies of this message. -- This email has been scanned by the Sybari - Antigen Email System.

Confidentiality Notice: This e-mail, including all attachments is for the sole use of the intended recipient(s) and may contain confidential and privileged information. Any unauthorized review, use, disclosure or distribution is prohibited unless specifically provided under the New Mexico Inspection of Public Records Act. If you are not the intended recipient, please contact the sender and destroy all copies of this message.

This email has been scanned using Webroot Email Security.


APPENDIX D
Federal Emergency Management Administration Flood Insurance Rate Maps



NATIONAL FLOOD INSURANCE PROGRAM

**FIRM
FLOOD INSURANCE RATE MAP**
**SAN JUAN COUNTY,
NEW MEXICO**
UNINCORPORATED AREAS

PANEL 550 OF 1450
(SEE MAP INDEX FOR PANELS NOT PRINTED)




PANEL LOCATION

COMMUNITY-PANEL NUMBER
350064 0550 B
EFFECTIVE DATE:
AUGUST 4, 1988



Federal Emergency Management Agency

This is an official copy of a portion of the above referenced flood map. It is not to be used for any purpose other than that for which it was prepared or amendments which may have been made subsequent to the date on the title block. For the latest product information about National Flood Insurance Program flood maps, check the FEMA Flood Map Store at www.fema.gov





APPROXIMATE SCALE IN FEET
0 1000

NATIONAL FLOOD INSURANCE PROGRAM

FIRM
FLOOD INSURANCE RATE MAP

SAN JUAN COUNTY,
NEW MEXICO
(UNINCORPORATED AREAS)

PANEL 510 OF 1450
(SEE MAP INDEX FOR PANELS NOT PRINTED)


COMMUNITY-PANEL NUMBER
3500640510 C

MAP REVISED:
MAY 15, 2002



Federal Emergency Management Agency

This is an official copy of a portion of the above referenced flood map. It is not to be used for any purpose other than that for which it was prepared or amendments which may have been made subsequent to the date on the title block. For the latest product information about National Flood Insurance Program flood maps check the FEMA Flood Map Store at www.msc.fema.gov



APPENDIX E
List of Landowners within 1/3 Mile of the Pipeline Segments Undergoing
Hydrostatic Testing

**Landowners within 1/3 mile of the 3201 Pipeline undergoing
hydrostatic testing**

ParcelNo	OwnerName	OwnerAddr	OwnCtyStZp
2071172132 330	DUGAN THOMAS A AND MARY E TRUST B	PO BOX 234	FARMINGTO N, NM 874990234
2071172411 415	TSUKII JUN AND KYOKO	5604 VILLA VIEW DR	FARMINGTO N, NM 87402
2071172393 416	LUPTON BEELER C TRUSTEES	131 RD 3950	FARMINGTO N, NM 874011000
2071172349 416	COMER FANNESSA R AND ROBERT A	PO BOX 791	FARMINGTO N, NM 87499
2071172324 416	MITCHELL JEFFREY ET UX	P O BOX 4569	HOUSTON, TX 77210
2071172299 416	KEITH DONALD H AND SHIRLEY S TRUST	147 CR 3950	FARMINGTO N, NM 87401
2071172223 416	CHILDERS GERALD AND FARRAR CYDNEY	15334 TORTUGA CT	CORPUS CHRISTI, TX 784186947
2071172257 470	DE FIELD ROBERTA I	156 CR 3950	FARMINGTO N, NM 874011000
2071172306 471	MILLS HARRY J AND KENNEDY PHILLIS A	146 RD 3950	FARMINGTO N, NM 874011000
2071172334 471	HAAN DANIEL E AND NANCY A	PO BOX 3135	FARMINGTO N, NM 87499
2071172360 471	BEELER GARY N AND TAMRA L TRUST	132 CR 3950	FARMINGTO N, NM 87401
2071172387 471	HARVICK ALBERT S ET UX	130 CR 3950	FARMINGTO N, NM 87401
2072172034 483	THOMAS GW TRUSTEES	9405 LAS CALABAZIL LA RD NE	ALBUQUERQ UE, NM 871112539

ParcelNo	OwnerName	OwnerAddr	OwnCtyStZp
2072173429 276	KERBY CONST CO INC	1025 NM 516	AZTEC, NM 874102821
2072173436 255	KERBY CONST CO INC	1025 NM 516	AZTEC, NM 874102821
2072172291 409	CHOHAMIN RONALD J	12550 CREEK CREST DR	RENO, NV 895117783
2073173105 236	WIMSATT REVOCABLE TRUST	4400 HANNON DR	FARMINGTO N, NM 874028718
2073173117 236	BAIRD STEPHEN J	4350 HANNON DR	FARMINGTO N, NM 874028716
2073173142 209	WU ALEXANDER JH AND MARTHA M ET AL	4307 HANNON DR	FARMINGTO N, NM 87402
2073173138 200	MILLER RALPH W TRUSTEES	P O BOX 2156	FARMINGTO N, NM 874992156
2073173118 206	CARMAN BOBBY V AND BETTY J TRUST	4306 HANNON DR	FARMINGTO N, NM 874028716
2073173101 206	WIMSATT REVOCABLE TRUST	4400 HANNON DR	FARMINGTO N, NM 874028718
2073173088 215	VARENHORST DONALD W TRUST	4501 HANNON DR	FARMINGTO N, NM 87402
2073173042 184	BURLINGTON RESOURCES OIL AND GAS	801 CHERRY	FORT WORTH, TX 76102
2073173042 184	BURLINGTON RESOURCES OIL AND GAS	801 CHERRY	FORT WORTH, TX 76102

ParcelNo	OwnerName	OwnerAddr	OwnCtyStZp
2073173067 247	HUFFMEYER JOHN AND JOYCE TRUST	4600 HANNON DR	FARMINGTO N, NM 874028722
2073173110 247	CLARK DARREL M ET UX	4500 HANNON DR	FARMINGTO N, NM 874018720
2073173132 247	OLGUIN PAUL S ET UX	4308 HANNON DR	FARMINGTO N, NM 874028716
2073173143 233	CARMAN BOBBY V AND BETTY J TRUST	4306 HANNON DR	FARMINGTO N, NM 874028716
2073173163 246	FERRARI REED J SR	1512 DIAMOND CIR	GALLUP, NM 23963
2073173191 247	WEBB MARLO L TRUSTEES	P O BOX 127	FARMINGTO N, NM 874990127
2073173178 300	WEBB MARLO L TRUSTEES	P O BOX 127	FARMINGTO N, NM 874990127
2073173096 302	KAIME FAMILY LLC	5007 MEAD LN	FARMINGTO N, NM 87402
2073173176 314	PENNINGTON PARTNERSHIP LTD	401 W BROADWAY	BLOOMFIEL D, NM 87413
2073173019 367	HOLT JAMES J ET UX	395 SHOOTER LN	IGNACIO, CO 81137
2073173046 367	URIBE ALBERTO O ET UXX	3701 MAJESTA ST	FARMINGTO N, NM 874024688
2073173057 367	KAIME FAMILY LLC	5007 MEAD LN	FARMINGTO N, NM 87402
2073173078 367	HOLLEY EDWIN AND HEIDI	2179 CR 526	BAYFIELD, CO 811229608

ParcelNo	OwnerName	OwnerAddr	OwnCtyStZp
2073173114 359	GOLDING R D AND ROBERT D TRUST	1813 ZICKERT PL NW	ALBUQUERQ UE, NM 87104
2073173126 378	GOLDING JAMES M	4601 GILA ST	FARMINGTO N, NM 87402
2073173173 375	HALLIBURTON OIL WELL	P O DRAWER 1431	DUNCAN, OK 735360222
2073173175 403	CORDELL CARL A ET UX	703 N VINE	FARMINGTO N, NM 87401
2073173157 406	XL CONCRETE COMPANY	3300 ILES ST	FARMINGTO N, NM 874028614
2073173141 406	LOPEZ JEFFERY J AND RENEE J	PO BOX 1891	BLOOMFIEL D, NM 87413
2073173179 412	CORDELL PAUL A	3313 N ILES AVE	FARMINGTO N, NM 874018613
2073173157 420	MONTANO PASQUAL B ET UX	3312 WASHINGT ON AVE	FARMINGTO N, NM 874018626
2073173141 420	MONTANO PASQUAL B ET UX	3312 WASHINGT ON AVE	FARMINGTO N, NM 874018626
2073173157 436	HAMILTON W G INTER VIVOS TRUST ETAL	1199 MAIN AVE STE 226	DURANGO, CO 81301
2073173141 436	SANCHEZ ABRAN ET UX	3401 WASHINGT ON	FARMINGTO N, NM 874018627
2073173141 451	HAMILTON W G INTER VIVOS TRUST ETAL	1199 MAIN AVE STE 226	DURANGO, CO 81301
2073173141 451	HAMILTON W G INTER VIVOS TRUST ETAL	1199 MAIN AVE STE 226	DURANGO, CO 81301

ParcelNo	OwnerName	OwnerAddr	OwnCtyStZp
2073173066 429	ENGLISH LAND CO	15648 COUNTY RD 250	DURANGO, CO 813018695
2073173141 464	CHACON HARRY L	P O BOX 2120	FARMINGTO N, NM 874992120
2073173066 468	ENGLISH LAND CO	15648 CR 250	DURANGO, CO 813018695
2073173115 468	ENGLISH LAND CO	15648 CR 250	DURANGO, CO 813018695
2073173016 481	ENGLISH LAND CO	15648 CR 250	DURANGO, CO 813018695
2071172506 158	CONSTAR CO	P O DRAWER 9	FARMINGTO N, NM 874990009
2072172010 158	CONSTAR CO	P O DRAWER 9	FARMINGTO N, NM 874990009
2071172506 171	CONSTAR CO	P O DRAWER 9	FARMINGTO N, NM 874990009
2072172010 179	HAVEN CHERYL M	29 CR 3934	FARMINGTO N, NM 87401
2072172034 180	CONSTAR CO	P O DRAWER 9	FARMINGTO N, NM 874990009
2071172506 184	CONSTAR CO	P O DRAWER 9	FARMINGTO N, NM 874990009
2072172010 194	CONSTAR CO	P O DRAWER 9	FARMINGTO N, NM 874990009
2072172034 195	CONSTAR CO	P O DRAWER 9	FARMINGTO N, NM 874990009

ParcelNo	OwnerName	OwnerAddr	OwnCtyStZp
2072172064 197	CALL FAMILY LIVING TRUST	533 WEST 3000 SOUTH	BOUNTIFUL, UT 84010
2071172506 197	CONSTAR CO	P O DRAWER 9	FARMINGTO N, NM 874990009
2072172010 208	CONSTAR CO	P O DRAWER 9	FARMINGTO N, NM 874990009
2072172034 209	LOCKWOOD JULIETTE	32 RD 3935	FARMINGTO N, NM 87401
2072172064 210	CONSTAR CO	P O DRAWER 9	FARMINGTO N, NM 874990009
2071172506 210	CONSTAR CO	P O DRAWER 9	FARMINGTO N, NM 874990009
2072172010 222	CONSTAR CO	P O DRAWER 9	FARMINGTO N, NM 874990009
2072172034 223	SMITH VERNON L ET UX	34 CR 3935	FARMINGTO N, NM 87401
2072172064 224	CONSTAR CO	P O DRAWER 9	FARMINGTO N, NM 874990009
2072172088 224	CONSTAR CO	P O DRAWER 9	FARMINGTO N, NM 874990009
2071172506 223	CONSTAR CO	P O DRAWER 9	FARMINGTO N, NM 874990009
2071172506 236	CONSTAR CO	P O DRAWER 9	FARMINGTO N, NM 874990009
2072172010 235	CONSTAR CO	P O DRAWER 9	FARMINGTO N, NM 874990009

ParcelNo	OwnerName	OwnerAddr	OwnCtyStZp
2072172034 236	CONSTAR CO	P O DRAWER 9	FARMINGTO N, NM 874990009
2072172064 238	CONSTAR CO	P O DRAWER 9	FARMINGTO N, NM 874990009
2072172088 238	CONSTAR CO	P O DRAWER 9	FARMINGTO N, NM 874990009
2071172506 249	CONSTAR CO	42 CR 3934	FARMINGTO N, NM 87401
2072172010 249	CONSTAR CO	P O DRAWER 9	FARMINGTO N, NM 874990009
2072172034 250	CONSTAR CO	P O DRAWER 9	FARMINGTO N, NM 874990009
2072172064 252	JOHNSON ELIAS AND JEANNIE	39 CR 3935	FARMINGTO N, NM 87401
2072172088 252	CONSTAR CO	P O DRAWER 9	FARMINGTO N, NM 874990009
2072173330 132	DUSTIN ALMAN ET AL	1329 N ALICE LN	FARMINGTO N, UT 840253710
2072172118 260	HOWELL DIANA	47 CR 3937	FARMINGTO N, NM 87401
2071172506 262	CONSTAR CO	P O DRAWER 9	FARMINGTO N, NM 874990009
2072172010 263	CONSTAR CO	P O DRAWER 9	FARMINGTO N, NM 874990009
2072172034 264	CONSTAR CO	P O DRAWER 9	FARMINGTO N, NM 874990009

ParcelNo	OwnerName	OwnerAddr	OwnCtyStZp
2072172064 265	CONSTAR CO	P O DRAWER 9	FARMINGTO N, NM 874990009
2072172088 265	CONSTAR CO	P O DRAWER 9	FARMINGTO N, NM 874990009
2072172118 269	CONSTAR CO	P O DRAWER 9	FARMINGTO N, NM 874990009
2071172506 268	CONSTAR CO	P O DRAWER 9	FARMINGTO N, NM 874990009
2072172010 270	CONSTAR CO	P O DRAWER 9	FARMINGTO N, NM 874990009
2072172034 271	CONSTAR CO	P O DRAWER 9	FARMINGTO N, NM 874990009
2072172064 273	VALDEZ BECKY M	43 CR 3935	FARMINGTO N, NM 874011056
2072172088 274	CONSTAR CO	P O DRAWER 9	FARMINGTO N, NM 874990009
2072172118 283	CONSTAR CO	P O DRAWER 9	FARMINGTO N, NM 874990009
2072172136 277	CONSTAR CO	P O DRAWER 9	FARMINGTO N, NM 874990009
2071172506 281	CONSTAR CO	P O DRAWER 9	FARMINGTO N, NM 874990009
2072172010 284	CONSTAR CO	P O DRAWER 9	FARMINGTO N, NM 874990009

ParcelNo	OwnerName	OwnerAddr	OwnCtyStZp
2072172034 285	CONSTAR CO	P O DRAWER 9	FARMINGTO N, NM 874990009
2072172064 286	GOSNELL DEANNA	PO BOX 1618	FARMINGTO N, NM 874991618
2072172088 287	CONSTAR CO	P O DRAWER 9	FARMINGTO N, NM 874990009
2071172506 294	CONSTAR CO	P O DRAWER 9	FARMINGTO N, NM 874990009
2072172010 298	CONSTAR CO	P O DRAWER 9	FARMINGTO N, NM 874990009
2072172033 299	ATWELL KEITH R	46 CR 3935	FARMINGTO N, NM 87401
2072172064 300	CONSTAR CO	P O DRAWER 9	FARMINGTO N, NM 874990009
2072172088 267	CONSTAR CO	P O DRAWER 9	FARMINGTO N, NM 874990009
2072172118 307	CONSTAR CO	P O DRAWER 9	FARMINGTO N, NM 874990009
2072172134 308	CONSTAR CO	P O DRAWER 9	FARMINGTO N, NM 874990009
2072172151 309	CONSTAR CO	P O DRAWER 9	FARMINGTO N, NM 874990009
2072172030 311	CONSTAR CO	P O DRAWER 9	FARMINGTO N, NM 874990009

ParcelNo	OwnerName	OwnerAddr	OwnCtyStZp
2072172064 314	CONSTAR CO	P O DRAWER 9	FARMINGTO N, NM 874990009
2071172504 312	CONSTAR CO	P O DRAWER 9	FARMINGTO N, NM 874990009
2072172006 316	CONSTAR CO	P O DRAWER 9	FARMINGTO N, NM 874990009
2072172129 327	CONSTAR CO	P O DRAWER 9	FARMINGTO N, NM 874990009
2072172160 328	TRAYER PHILLIP S	77 CR 3950	FARMINGTO N, NM 87401
2072172029 323	CONSTAR CO	P O DRAWER 9	FARMINGTO N, NM 874990009
2072172091 326	CONSTAR CO	P O DRAWER 9	FARMINGTO N, NM 874990009
2072172064 330	CONSTAR CO	P O DRAWER 9	FARMINGTO N, NM 874990009
2072172191 338	SAN JUAN COUNTY	100 S OLIVER DR	AZTEC, NM 874102400
2072172094 339	CONSTAR CO	P O DRAWER 9	FARMINGTO N, NM 874990009
2071172507 337	TRUITT DONALD N	BOX 1073	FARMINGTO N, NM 87499
2072172128 341	CONSTAR CO	P O DRAWER 9	FARMINGTO N, NM 874990009
2072172010 243	BENALLY CLIFFORD D	P O BOX 6205	FARMINGTO N, NM 87499

ParcelNo	OwnerName	OwnerAddr	OwnCtyStZp
2072172150 344	CONSTAR CO	P O DRAWER 9	FARMINGTO N, NM 874990009
2072172033 346	CONSTAR CO	P O DRAWER 9	FARMINGTO N, NM 874990009
2072172070 351	CONSTAR CO	P O DRAWER 9	FARMINGTO N, NM 874990009
2072172205 348	CONSTAR CO	P O DRAWER 9	FARMINGTO N, NM 874990009
2072172191 352	CONSTAR CO	P O DRAWER 9	FARMINGTO N, NM 874990009
2072172172 358	CONSTAR CO	P O DRAWER 9	FARMINGTO N, NM 874990009
2071172508 351	CONSTAR CO	P O DRAWER 9	FARMINGTO N, NM 874990009
2072172010 355	CONSTAR CO	P O DRAWER 9	FARMINGTO N, NM 874990009
2072172096 358	TERAN RAMIRO	9 CR 3940	FARMINGTO N, NM 87401
2072172126 364	CONSTAR CO	P O DRAWER 9	FARMINGTO N, NM 874990009
2072172069 363	CONSTAR CO	P O DRAWER 9	FARMINGTO N, NM 874990009
2072172033 362	CONSTAR CO	P O DRAWER 9	FARMINGTO N, NM 874990009

ParcelNo	OwnerName	OwnerAddr	OwnCtyStZp
2071172505 366	CONSTAR CO	P O DRAWER 9	FARMINGTO N, NM 874990009
2072172010 369	CONSTAR CO	P O DRAWER 9	FARMINGTO N, NM 874990009
2072172242 384	CONSTAR CO	P O DRAWER 9	FARMINGTO N, NM 874990009
2072172229 385	CONSTAR CO	P O DRAWER 9	FARMINGTO N, NM 874990009
2072172216 385	CONSTAR CO	P O DRAWER 9	FARMINGTO N, NM 874990009
2072172204 385	VILLALOBOS DAMIAN	12 CR 3939	FARMINGTO N, NM 87401
2072172192 385	CONSTAR CO	P O DRAWER 9	FARMINGTO N, NM 874990009
2072172180 385	CONSTAR CO	P O DRAWER 9	FARMINGTO N, NM 874990009
2072172168 385	CONSTAR CO	P O DRAWER 9	FARMINGTO N, NM 874990009
2072172156 385	CONSTAR CO	P O DRAWER 9	FARMINGTO N, NM 874990009
2072172142 384	CONSTAR CO	P O DRAWER 9	FARMINGTO N, NM 874990009
2072172111 390	BENALLY JOANNE AND SMITH JAMES	91 CR 3950	FARMINGTO N, NM 87401

ParcelNo	OwnerName	OwnerAddr	OwnCtyStZp
2072172093 384	CONSTAR CO	P O DRAWER 9	FARMINGTO N, NM 874990009
2072172064 375	CONSTAR CO	P O DRAWER 9	FARMINGTO N, NM 874990009
2072172051 382	CONSTAR CO	P O DRAWER 9	FARMINGTO N, NM 874990009
2072172038 375	CONSTAR CO	P O DRAWER 9	FARMINGTO N, NM 874990009
2071172514 378	CONSTAR CO	P O DRAWER 9	FARMINGTO N, NM 874990009
2072172010 389	CONSTAR CO	P O DRAWER 9	FARMINGTO N, NM 874990009
2072172058 410	KEMP PETER A	P O BOX 216	FARMINGTO N, NM 874990216
2072172024 411	JOHNSTON CAROLYN TRUST ESTATE	P O BOX 1432	FARMINGTO N, NM 87499
2071172525 407	AVERETT MICHAEL F	111 CR 3950	FARMINGTO N, NM 87401
2071172374 416	LUPTON FAMILY TRUST	131 CR 3950	FARMINGTO N, NM 87401
2072172061 435	FISKE VIRGIL L AND JACKI	102 ROAD 3950	FARMINGTO N, NM 874021000
2071172248 416	DINNING THOMAS M TRUSTEES	159 RD 3950	FARMINGTO N, NM 874011000
2071172274 416	CONSTAR CO	P O DRAWER 9	FARMINGTO N, NM 874990009

ParcelNo	OwnerName	OwnerAddr	OwnCtyStZp
2071712436 452	BAXSTROM PATRICK J AND ELEANOR FAYE	114 CR 3950	FARMINGTO N, NM 87401
2072172338 477	FREEMAN JAMES R AND SALLY ANN	1011 CR 3000	FARMINGTO N, NM 874017936
2071172281 464	WOODS DENNIS J	150 CR 3950	FARMINGTO N, NM 87401
2071172414 471	WELLS FARGO BK NEW MEXICO NA	PO BOX 13519	ARLINGTON, TX 76094
2071172436 476	BAXSTROM PATRICK J AND ELEANOR FAYE	114 CR 3950	FARMINGTO N, NM 87401
2071172031 417	CONSTAR CO	P O DRAWER 9	FARMINGTO N, NM 874990009
2072172307 497	EWING PATRICIA L	1621 ROMA NE	ALBUQUERQ UE, NM 871064514
2072172277 508	SIEDLECKI JOSEPH E	1009 CR 3000	FARMINGTO N, NM 874017936
2072173401 025	CLARK CARRIE B	PO BOX 2125	FARMINGTO N, NM 87499
2072173330 132	DUSTIN ALMAN ET AL	1329 N ALICE LN	FARMINGTO N, UT 840253710
2072173440 046	PENOR ALBERT R ET AL	1036 CR 3000	FARMINGTO N, NM 874017942
2072173403 087	SCHRITTER RAYMOND C	1024 CR 3000	FARMINGTO N, NM 874017936
2072173508 104	ALLISON FAMILY TRUST	4803 HERRERA RD	FARMINGTO N, NM 874018752

ParcelNo	OwnerName	OwnerAddr	OwnCityStZp
2072173471 110	ALLISON FAMILY TRUST	4803 HERRERA RD	FARMINGTO N, NM 874018752
2072173421 066	HEAD BILL W JR	1034 RD 3000 SP #E	FARMINGTO N, NM 874017960
2072173506 232	LAUGHTER DEWEY W TRUSTEES	715 N WALL	FARMINGTO N, NM 874016089
2072173330 132	DUSTIN ALMAN ET AL	1329 N ALICE LN	FARMINGTO N, UT 840253710
2072173462 198	FARMINGTON CITY OF	800 MUNICIPAL DR	FARMINGTO N, NM 874012663
2072173462 198	FARMINGTON CITY OF	800 MUNICIPAL DR	FARMINGTO N, NM 874012663
2072173379 239	LOS NINOS LIMITED PARTNERSHIP	P O BOX 2766	FARMINGTO N, NM 874992766
2072173242 249	FARMINGTON CITY OF	800 MUNICIPAL DR	FARMINGTO N, NM 874012663
2072173518 288	CHAVEZ MANUEL L	3002 ENGLISH LNS	FARMINGTO N, NM 87401
2072173516 299	CHAVEZ JOE F AND HELEN J	3004 1/2 ENGLISH RD	FARMINGTO N, NM 87401
2072173514 310	BEESON CURTIS L	3012 ENGLISH RD	FARMINGTO N, NM 874018304
2072173394 298	KEATON MICHAEL ET UX	5210 RAILROAD	FARMINGTO N, NM 874015282

ParcelNo	OwnerName	OwnerAddr	OwnCtyStZp
2072173514 319	CHRISTIANA BANK AND TRUST CO	3100 ENGLISH RD	FARMINGTO N, NM 874028306
2072173383 298	CHANDLER LARRY N ET UX	5301 RAILROAD AVE	FARMINGTO N, NM 87401
2072173066 462	FARMINGTON CITY OF	800 MUNICIPAL DR	FARMINGTO N, NM 874012663
2072173108 213	SIMMONS DAVE TRUSTEES	5416 VILLA VIEW DR	FARMINGTO N, NM 87402
2072173372 298	CHANDLER LARRY N ET UX	5301 RAILROAD AVE	FARMINGTO N, NM 874015230
2072173046 222	GARCIA MARTIN R ET UX	1103 CANYON PL	FARMINGTO N, NM 874027038
2072173419 321	TEDROW ROBERT	3101 MC COLM DR	FARMINGTO N, NM 87402
2072173520 344	MC DANIEL WILLIE H AND JOAN M	3200 ENGLISH LN	FARMINGTO N, NM 87401
2072173505 336	MC DANIEL WILLIE H AND JOAN M	3200 ENGLISH RD	FARMINGTO N, NM 87401
2072173423 349	STEWART ROY DON ET UX	3105 MCCOLM	FARMINGTO N, NM 874015261
2072173372 445	SANCHEZ ABRIANA L AND CHARLIE VALENTINO	3501 PIEDRA VISTA DR	FARMINGTO N, NM 87402
2072173511 372	HUFFMAN M J AND WILMA J	PO BOX 1283	FARMINGTO N, NM 87499
2072173423 366	MILLER ARNOLD D TRUSTEES	5109 CRITERION DR	FARMINGTO N, NM 874025257

ParcelNo	OwnerName	OwnerAddr	OwnCtyStZp
2072173417 366	COLE WJ ET UX	3115 MC COLM DR	FARMINGTO N, NM 874025261
2072173478 369	PATE ROBERT O ET UX	3220 ENGLISH RD	FARMINGTO N, NM 87402
2072173436 369	VANCE JOHN EDWARD JR	5100 CRITERION DR	FARMINGTO N, NM 87402
2072173419 386	KREIDLER CECIL AND SHARI	5190 CRITERION	FARMINGTO N, NM 87402
2072173435 382	VANCE JOHN EDWARD JR	5100 CRITERION DR	FARMINGTO N, NM 87402
2072173478 384	FROST HAROLD D	P O BOX 5993	FARMINGTO N, NM 874995993
2072173511 384	HOLLETT VERNON O ET UX	3380 ENGLISH RD	FARMINGTO N, NM 874018310
2072173445 394	PAUL ERVIN AND JIM CHERYL	3330 BURSON LN	FARMINGTO N, NM 87402
2072173404 399	SHEPARD OSCAR S ET UX	5200 RAILROAD DR	FARMINGTO N, NM 874025256
2072173483 401	BLACKWELL C T AND JENNIFER L	4945 LESLIE PL	FARMINGTO N, NM 87402
2072173447 402	MARSHALL STEVEN R AND JANIE S	3340 BURSON LN	FARMINGTO N, NM 87402
2072173466 401	HEPNER JEREMY DOUGLAS AND JILL A	PO BOX 5666	FARMINGTO N, NM 87499
2072173475 401	DRAKE MOREEN	4965 LESLIE PL	FARMINGTO N, NM 874025360

ParcelNo	OwnerName	OwnerAddr	OwnCtyStZp
2072173387 421	SHEPARD OSCAR S ET UX	5200 RAILROAD	FARMINGTO N, NM 874025256
2072173490 403	DRAKE KYLE A	4925 LESLIE PL	FARMINGTO N, NM 874020000
2072173447 409	SORRELHORSE JASON AND SANDRA S	3350 BURSON LN	FARMINGTO N, NM 87402
2072173349 390	J AND S OF AZTEC INC	912 HALLETT CIR	FARMINGTO N, NM 87401
2072173512 407	GRAVLEE HARMON C	3400 ENGLISH RD	FARMINGTO N, NM 874028312
2072173447 416	EDWARDS JAMES F III ET UX	3360 BURSON LN	FARMINGTO N, NM 87401
2072173466 416	DAVIS HERBERT LEE	4990 LESLIE PL	FARMINGTO N, NM 87402
2072173475 416	GURULE JOSEPH A AND MONICA	4970 LESLIE PL	FARMINGTO N, NM 87401
2072173483 416	FROST FREDERICK J AND VELDA MARIE	4950 LESLIE PL	FARMINGTO N, NM 874020000
2072173490 414	SIMPSON JASON A AND LAUREN	4930 LESLIE PL	FARMINGTO N, NM 87402
2072173384 364	SHEPARD OSCAR S ET UX	5200 RAILROAD	FARMINGTO N, NM 874025256
2072173360 416	J AND S OF AZTEC INC	912 HALLETT CIR	FARMINGTO N, NM 87401
2072173447 423	HOOVER SANDRA C	3370 BURSON LN	FARMINGTO N, NM 87401

ParcelNo	OwnerName	OwnerAddr	OwnCtyStZp
2072173394 422	THORNTON EDNA F	5207 KAYENTA DR	FARMINGTO N, NM 874025277
2072173386 423	MARTINEZ RAY H AND NIEVES	5209 KAYENTA DR	FARMINGTO N, NM 874025277
2072173399 421	PEEPLES JAMES D	PO BOX 176	FLORA VISTA, NM 87415
2072173377 424	NATONI DONALD R	5211 KAYENTA DR	FARMINGTO N, NM 874025277
2072173412 420	MASON STEPHEN M ET UX	5203 KAYENTA DR	FARMINGTO N, NM 874025277
2072173490 426	LAMBSON BURL L AND SYLVIA R	4915 JANICE PL	FARMINGTO N, NM 874028380
2072173369 426	SUGNET S LEELA TRUST	2259 CR 220	DURANGO, CO 81303
2072173515 423	3406 ENGLISH ROAD LLC	386 INGRASSIA RD	MIDDLETOW N, NY 109407244
2072173466 426	MILLER JOHN E AND LISA M	4975 JANICE PL	FARMINGTO N, NM 87402
2072173475 426	HUGES JASON N AND DAWN A	4955 JANICE PL	FARMINGTO N, NM 874028380
2072173482 426	RASCON EDWARD L ET UX	4935 JANICE PL	FARMINGTO N, NM 874108380
2072173447 430	CLEMENSEN KEITH V AND KIM	3390 BURSON LN	FARMINGTO N, NM 874028382
2072173494 429	PETERSON BRENT ETAL	4905 JANICE PL	FARMINGTO N, NM 87402

ParcelNo	OwnerName	OwnerAddr	OwnCtyStZp
2072173419 426	CHRISMAN KURT H ET UX	5201 KAYENTA DR	FARMINGTO N, NM 874025277
2072173364 430	DOUGHERTY WALTER R	3500 KAYENTA DR	FARMINGTO N, NM 87401
2072173427 405	FARMINGTON CITY OF	800 MUNICIPAL DR	FARMINGTO N, NM 87401
2072173312 330	LOS NINOS LIMITED PARTNERSHIP	P O BOX 2766	FARMINGTO N, NM 874992766
2072173327 412	GROEN JASON AND SHANNON	P O BOX 5910	FARMINGTO N, NM 87499
2072173359 434	LEVIN SUSAN C	3502 KAYENTA DR	FARMINGTO N, NM 874025232
2072173515 434	LOVATO EMMA	3414 ENGLISH RD	FARMINGTO N, NM 87402
2072173424 433	BUMBY GEORGE ERNEST ET UX	P O BOX 2441	FARMINGTO N, NM 874992441
2072173355 439	WICHMAN CHRISTOPHER D AND JENNIFER C	8901 LAS CAMAS	ALBUQUERQ UE, NM 87111
2072173398 438	LOVETT JACK ET UX	3500 SIERRA VISTA	FARMINGTO N, NM 874028353
2072173386 438	HOUK KIMBERLAE AND ALAN TRUST	5202 KAYENTA DR	FARMINGTO N, NM 87402
2072173377 438	MARTINEZ GILBERT M ET UX	5204 KAYENTA DR	FARMINGTO N, NM 874025278

ParcelNo	OwnerName	OwnerAddr	OwnCtyStZp
2072173429 439	TELLER TRUDI	5105 KAYENTA DR	FARMINGTO N, NM 87401
2072173466 441	COX BRITTANY ETAL	4980 JANICE PL	FARMINGTO N, NM 87402
2072173475 441	SCOTT TAMI DIANE	4960 JANICE PLACE	FARMINGTO N, NM 874028379
2072173481 441	JAMES DAVID A AND CINDY S	4940 JANICE PL	FARMINGTO N, NM 87402
2072173454 440	EVERETT BRIAN K ET UX	3415 HIGHTLAND VIEW DR	FARMINGTO N, NM 87402
2072173490 442	SANCHEZ LONNIE AND ALICIA	4920 JANICE PL	FARMINGTO N, NM 87402
2072173494 439	FUSON ED AND RETA	P O BOX 5332	FARMINGTO N, NM 87499
2072173345 429	GROEN JASON AND SHANNON	P O BOX 5910	FARMINGTO N, NM 87499
2072173515 442	LOVATO EMILIA	3414 ENGLISH RD	FARMINGTO N, NM 87402
2072173351 444	MILLER ROY E ET UX	3506 KAYENTA DR	FARMINGTO N, NM 874025232
2072173392 444	JONES KURT DEAN	3502 SIERRA VISTA	FARMINGTO N, NM 874028353
2072173445 441	LEWIS ROGER W ET UX	3475 HIGHLAND VIEW DR	FARMINGTO N, NM 874028322
2072173432 444	PHELPS PERRY G AND ANN J TRUST	5103 KAYENTA DR	FARMINGTO N, NM 87402
2072173346 449	ALLISON JOHN V AND REYES MARITZA ALLISON	3508 KAYENTA DR	FARMINGTO N, NM 87402

ParcelNo	OwnerName	OwnerAddr	OwnCtyStZp
2072173387 449	JONES PAUL E	3504 SIERRA VISTA	FARMINGTO N, NM 874028353
2072173412 449	SAMPSON HARL ET UX	5104 KAYENTA DR	FARMINGTO N, NM 874028367
2072173436 450	STUBBS STEVEN L ET UX	5101 KAYENTA DR	FARMINGTO N, NM 874028366
2072173377 455	NORMAN ROY A ET UX	3503 PIEDRA VISTA	FARMINGTO N, NM 874015247
2072173310 431	VALDEZ LARRY AND LAURA	5600 RAILROAD	FARMINGTO N, NM 87402
2072173386 457	WILKES JAMES	P O BOX 4093	DURANGO, CO 81302
2072173343 455	NORVELLE NORMAN R	3510 KAYENTA DR	FARMINGTO N, NM 874025232
2072173417 454	SHUPLA MONA G	5102 KAYENTA DR	FARMINGTO N, NM 87402
2072173360 457	HUTCHENS RYAN S AND JENNIFER	808 E 24TH ST	FARMINGTO N, NM 87401
2072173451 458	TOLEDO DUANE ET UX	3402 HIGHLAND VIEW DR	FARMINGTO N, NM 874018323
2072173406 456	CHAVEZ LEONARD J	3503 SIERRA VISTA	FARMINGTO N, NM 874018352
2072173506 453	RUMORE JOSHUA AND SANDY A	3504 ENGLISH RD	FARMINGTO N, NM 87402
2072173377 462	BUNNELL CYNTHIA	3505 PIEDRA VISTA DR	FARMINGTO N, NM 87402

ParcelNo	OwnerName	OwnerAddr	OwnCtyStZp
2072173403 462	RAMIREZ MELISSA DAWN COOPER	3505 SIERRA VISTA	FARMINGTO N, NM 874028352
2072173386 463	NAJERA GEORGINA C	3508 SIERRA VISTA DR	FARMINGTO N, NM 874028353
2072173340 463	LOPEZ CYNTHIA A	3512 KAYENTA DR	FARMINGTO N, NM 87401
2072173422 461	SCHEIDEGGER CECELIA	3500 HIGHLAND VIEW DR	FARMINGTO N, NM 874018325
2072173445 462	HENSLEY SALLY	5007 KAYENTA DR	FARMINGTO N, NM 874028364
2072173329 451	VALDEZ LARRY AND LAURA	5600 RAILROAD	FARMINGTO N, NM 87402
2072173353 467	BAYS LUCILLE MAY	3503 KAYENTA DR	FARMINGTO N, NM 874025231
2072173362 467	STOCK F LEROY ET UX	3502 PIEDRA VISTA	FARMINGTO N, NM 87402
2072173377 469	ARCHULETA RICHARD R	506 CLOVIS DR	DURANGO, CO 81301
2072173403 468	BOLTON JULIAN E	912 N ALLEN AVE	FARMINGTO N, NM 87401
2072173386 469	GOLDBERG BARRY	3280 SPENCER DR	FARMINGTO N, NM 87401
2072173451 466	BINGHAM LORRI	5005 KAYENTA DR	FARMINGTO N, NM 87402
2072173415 467	BEALL RUBY ET AL	3502 HIGHLAND VIEW DR	FARMINGTO N, NM 874018325

ParcelNo	OwnerName	OwnerAddr	OwnCtyStZp
2072173471 468	MARTINEZ BARBARA L	1316 BRYAN AVE	WOLFFORTH, TX 79382
2072173478 468	CUNNINGHAM ROBERT J ET UX	4915 KAYENTA DR	FARMINGTO N, NM 874028335
2072173484 468	ENGLAND LARRY D ET UX	20 RD 2892	AZTEC, NM 874109742
2072173490 468	BARNEY MATTHEW J AND GURNEY PAMELA J	4911 KAYENTA DR	FARMINGTO N, NM 874028335
2072173495 468	MORRIS SAMUEL E TRUSTEES	4909 KAYENTA DR	FARMINGTO N, NM 874028335
2072173501 468	WERNER TAMARA D	4907 KAYENTA DR	FARMINGTO N, NM 874028335
2072173507 468	STONE KELLY B	4905 KAYENTA DR	FARMINGTO N, NM 87402
2072173513 468	BOUGEANT PAUL L	4903 KAYENTA DR	FARMINGTO N, NM 874028335
2072173519 468	WARREN MARTHA J	4901 KAYENTA DR	FARMINGTO N, NM 874028335
2072173403 485	CHAVEZ DOMINIC AND D'LAINA	3509 SIERRA VISTA DR	FARMINGTO N, NM 874020000
2072173362 474	GRAHAM SHEILA ETAL	3504 PIEDRA VISTA DR	FARMINGTO N, NM 87402
2072173377 475	VALENCIA EUGENE D AND KATHRYN M TRUST	2201 CAMINO RIO	FARMINGTO N, NM 874018149

ParcelNo	OwnerName	OwnerAddr	OwnCtyStZp
2072173386 476	LOYA ARTHUR A	3512 SIERRA VISTA DR	FARMINGTO N, NM 87402
2072173413 475	JOHNSTON LINDA LEIGH ET AL	P O BOX 1432	FARMINGTO N, NM 87499
2072173431 474	TRANDY PROPERTIES LTD PARTNERSHIP	48 CR 5295	FARMINGTO N, NM 874021531
2072173403 480	BRAND SCOTT	2632 W 2ND AVE	DURANGO, CO 81301
2072173386 481	ESQUIBEL RICHARD W	3514 SIERRA VISTA	FARMINGTO N, NM 874018353
2072173377 481	GOATS MARTHA	3511 PIEDRA VISTA DR	FARMINGTO N, NM 87401
2072173436 478	DUGGAN MARK	5008 KAYENTA DR	FARMINGTO N, NM 87402
2072173413 483	CHRISTENSEN GLEN AND BERNARDA	3506 HIGHLAND VIEW DR	FARMINGTO N, NM 87402
2072173427 484	AGUIRRE RENE ET UX	3503 HIGHLAND AVE	FARMINGTO N, NM 87401
2072173478 484	PILLING DOUG AND ISABEL	P O BOX 1099	FLORA VISTA, NM 87415
2072173462 485	TRANDY PROPERTIES LTD PARTNERSHIP	48 CR 5295	FARMINGTO N, NM 874011531
2072173403 487	OVERRIGHT EDWARD I AND MARY E TRUST	3513 SIERRA VISTA DR	FARMINGTO N, NM 87402
2072173386 487	PRIDDY BARBARA L	3516 SIERRA VISTA	FARMINGTO N, NM 874018353

ParcelNo	OwnerName	OwnerAddr	OwnCityStZp
2072173485 444	MARTINEZ PEDRO D ET UX	4910 KAYENTA DR	FARMINGTO N, NM 87402
2072173491 484	ADAMS STEVEN E AND PENNY C TRUST	7685 FOOTHILLS DR	FARMINGTO N, NM 874020986
2072173497 484	HALL LINDA	4906 KAYENTA DR	FARMINGTO N, NM 874028336
2072173503 484	SMITH KURT A AND VISNICH JULIE A	223 BLUE RIDGE	DURANGO, CO 81303
2072173509 484	MONTANO MICHAEL DON ET UX	4902 KAYENTA DR	FARMINGTO N, NM 87402
2072173519 484	EDWARDS JASON C ET UX	5009 SANDALWO OD DR	FARMINGTO N, NM 87402
2072173441 482	TUCKER ARNOLD P ET UX	5006 KAYENTA DR	FARMINGTO N, NM 87402
2072173413 490	MASTERSON KURT	415 W 28TH ST	DURANGO, CO 81301
2072173430 490	CHAVEZ MARY E TRUST	3601 HIGHLAND VIEW DR	FARMINGTO N, NM 874018326
2072173454 487	HOWELL SONJA K	5002 KAYENTA DR	FARMINGTO N, NM 87401
2072173459 493	SHEPHERD MICHAEL D AND JEANNE C	4926 KAYENTA CIR	FARMINGTO N, NM 874028334
2072173478 493	BRADLEY BILLY JO	4914 KAYENTA CIR	FARMINGTO N, NM 874028334

ParcelNo	OwnerName	OwnerAddr	OwnCtyStZp
2072173447 488	MOSS MICHAEL D	5004 KAYENTA DR	FARMINGTO N, NM 87402
2072173403 493	SCALES JOSEPH T TRUSTEES	2616 E 22ND ST	FARMINGTO N, NM 874014457
2072173496 494	ADAMS STEVEN E AND PENNY C TRUST	7685 FOOTHILLS DR	FARMINGTO N, NM 87402
2072173504 494	RODRIGUEZ VERONICA A	4905 POQUITA ST	FARMINGTO N, NM 874028351
2072173510 494	STAGEN KELLY LYNN	4878 ARENA	LAS CRUCES, NM 88012
2072173519 494	COBERLY JOEY ET UX	4901 POQUITA	FARMINGTO N, NM 874018351
2072173435 495	LUDWIG SANDRA SUE TRUST	3603 HIGHLAND VIEW DR	FARMINGTO N, NM 874018326
2072173416 502	ARNOLD ALMA	3600 HIGHLAND VIEW DR	FARMINGTO N, NM 874018327
2072173488 496	DEUEL HILDA ET AL	3805 N DUSTIN	FARMINGTO N, NM 87401
2072173406 500	THOMAS CHARLES WILLIAM II	11206 CR 213	DURANGO, CO 31301
2072173454 500	MC GAHA ALISHA	4924 KAYENTA CIR	FARMINGTO N, NM 87402
2072173440 500	CALDERON ARTURO D ET UX	3605 HIGHLAND VIEW DR	FARMINGTO N, NM 874018326
2072173420 502	MARKHAM GALEN AND REBECCA	3602 HIGHLAND VIEW DR	FARMINGTO N, NM 87402

ParcelNo	OwnerName	OwnerAddr	OwnCtyStZp
2072173478 501	VANA WILLIAM E	3129 W 4TH AVE	DURANGO, CO 81301
2072173444 505	RUCHENSKY ROBERT WILLIAM	3607 HIGHLAND VIEW DR	FARMINGTO N, NM 874018326
2072173424 507	COLLARD JAMES P	901 N AUBURN	FARMINGTO N, NM 87401
2072173460 507	WOOD DONALD K JR	4922 KAYENTA CIR	FARMINGTO N, NM 874028334
2072173467 509	RAY PHILLIP M ET UX	4920 KAYENTA CR	FARMINGTO N, NM 874028334
2072173475 509	SLEDGE MARSHA ANN	4918 KAYENTA CIRCLE	FARMINGTO N, NM 874028334
2072173448 512	FLORES LEONOR	3609 HIGHLAND VIEW DR	FARMINGTO N, NM 874028326
2072173488 511	TAFOYA GUS F AND ELIZABETH M	5610 ESCALANTE TRL	FARMINGTO N, NM 874020908
2072173496 511	GREENWOOD STEVE L	4906 POQUITA	FARMINGTO N, NM 874018351
2072173504 511	FOUTCH JOHN ET UX	4904 POQUITA ST	FARMINGTO N, NM 874018351
2072173510 511	RICHEY JOHN W ET UX	4902 POQUITA ST	FARMINGTO N, NM 87402
2072173519 511	DURAN RAYMOND E	4900 POQUITA CR	FARMINGTO N, NM 87401
2072173456 520	MONTOYA JEFFREY E	5009 LARGO	FARMINGTO N, NM 874028338

ParcelNo	OwnerName	OwnerAddr	OwnCtyStZp
2072173468 520	GALLEGOS JOHN A	5005 LARGO ST	FARMINGTO N, NM 874028338
2072173473 520	DELUZIO PATRICIA YVONNE	503 CLOVIS DR	DURANGO, CO 81301
2072173481 520	RUNNELS JAMES H AND GLORIA K	1510 E 20TH ST	FARMINGTO N, NM 87401
2072172177 469	KEMP CATHERINE R	P O BOX 216	FARMINGTO N, NM 874990216
2072172122 433	LARE SARAH M AND KELSEY B	PO BOX 216	FARMINGTO N, NM 874990216
2073173066 503	PRICE ASG LLC	P O BOX 617905	CHICAGO, IL 606617905
2073174033 066	PRICE ASG LLC	P O BOX 617905	CHICAGO, IL 606617905
2073173132 088	EL PASO NATURAL GAS CO	P O BOX 1087	COLORADO SPRINGS, CO 80944
2072173066 462	FARMINGTON CITY OF	800 MUNICIPAL DR	FARMINGTO N, NM 874012663
2071172330 132	CONSTAR CO	P O DRAWER 9	FARMINGTO N, NM 874990009
2071172436 414	CONSTAR CO	P O BOX 9	FARMINGTO N, NM 874990009
2071172463 411	BURSON DARYL G AND EVA J	PO BOX 1687	FARMINGTO N, NM 87499
2071172493 406	BURSON DARYL G ET UX	P O BOX 1687	FARMINGTO N, NM 874991687

ParcelNo	OwnerName	OwnerAddr	OwnCtyStZp
2072173466 320	MC COLM CAROL ANN	P O BOX 1052	APACHE JUNCTION, AZ 85217
2072173410 282	SPELLBRING LEONARD E ET UX	3009 MCCOLM DR	FARMINGTO N, NM 874015259
2072172088 314	BIZZELL JIMMIE D	58 CR 3937	FARMINGTO N, NM 87401
2072173459 458	STOLWORTHY JUSTIN MUREL	3400 HIGHLAND VIEW DR	FARMINGTO N, NM 874028323
2072173471 453	CLARK EDDIE MARK ET UX	3300 HIGHLAND VIEW DR	FARMINGTO N, NM 874028346
2072173458 468	SCHOEN ANNE	5003 KAYENTA DR	FARMINGTO N, NM 87402
2072173465 468	LIAPIS PHYLLIS R	5001 KAYENTA DR	FARMINGTO N, NM 874028364
2072173503 352 2099199900 900	TRIBBLE DUANE L AND MARY L TRUST	P O BOX 2075	FARMINGTO N, NM 87499

APPENDIX F
Map of Landowners within 1/3 Mile of the Pipeline Easement

APPENDIX G
Public Notice Text in Spanish and English

AVISO PÚBLICO

El Ministerio de Transporte de Estados Unidos (USDOT) requiere pruebas de presión periódicas en todas las tuberías reguladas por el USDOT-reguladas. La compañía de El Paso Natural Gas (EPNG) da por este medio el aviso que el uso siguiente del permiso de la descarga se ha sometido a la división de la conservación de aceite del Nuevo México (NMOCD) de acuerdo con la subdivisión B, C, E, y F del código administrativo de 20.6.2.31 08 Nuevo México. La dirección local del correo de EPNG es: El Paso Natural Gas, San Juan Area Office, P.O. Box 127, Bloomfield, NM 87413.

El Paso Natural Gas ha presentado una solicitud para conductor una hidrostática del agua de la tubería 3201 de la prueba que ocurrirá en la servidumbre de EPNG en sección 1 del municipio 29 del norte, se extiende 13 del oeste, y las secciones 6, 7, 8 del municipio 29 del norte, se extiende 12 del oeste, en el condado de San Juan, Nuevo México. El propósito de hidrostático (prueba con agua) es para determinar el grado a los defectos potenciales pudieron amenazar a la capacidad de la tubería de sostener la presión máxima permitida de la operación. La prueba implica el purgar del gas natural de la tubería, limpiando la tubería con un quitamanchas acuoso, no-peligroso, rellenar la tubería con agua, después presurizando la tubería a una presión más alta que la presión de funcionamiento estándar para una duración especificada del tiempo.

Una porción de la tubería de EPNG 3201 hidrostático será probada. Antes de la prueba hidrostática, la tubería será limpiada usando aproximadamente 1.000 galones de un quitamanchas acuoso y no-peligroso, N-Spec. 120. El volumen de solución de la limpieza se estima para ser 1.000 galones y será almacenado en dos estaciones del compresor de EPNG; Estación del compresor de Blanco. La estación del compresor de Blanco está situada en el N/2 del N/2, sección 14, el municipio 29 del norte, se extiende 13. Una muestra compuesta de la solución de la limpieza será analizada para la corrosividad, el enciende, la reactividad, y la toxicidad además de los estándares de la Comisión del control de calidad del agua del nanómetro (WQCC) descritos más abajo. La solución de la limpieza puede almacenar en el frac-tanque por dos semanas con una opción por dos semanas adicionales de almacenaje. Esta agua será transportada para la disposición apropiada al Mesa ambiental en Belen, Nuevo México o Thermo Fluids, Inc. en Albuquerque, Nuevo México.

Hasta 140.500 galones de agua inusitada fresca, de la ciudad de las utilidades de Farmington, serán almacenados inicialmente en los tanques de 21.000 galones (los frac-tanques) situados en el SW/4 del sección 1, el municipio 29 del norte, se extiende 13 del oeste en la propiedad de EPNG, aproximadamente 700 pies suroeste de la intersección de Gila Calle y Camino de Engles. Después de la prueba hidrostática, las mangueras y/o las pipas flexibles serán utilizadas para transferir la agua usada de la prueba en los tanques del frac situados en las estaciones del compresor de Río Vista. Tanto como los 7 tanques del frac pueden ser necesarios para contener temporalmente hasta 140.500 galones de agua usada de la prueba. Esta agua será analizada para asegurarse que cumplió los estándares de secciones A, B, y C de WQCC según 20.6.2.31 03. De la prueba se puede almacenar en los tanques del frac por dos semanas con una opción por dos semanas adicionales de almacenaje, hasta que finalicen resultados analíticos. El agua hidrostática de la prueba no será descargada. Después del recibo de la aprobación de NMOCD, será transportada e inyectada correctamente en un pozo de inyección permitido de la clase 1 funcionado por Key Energy de Farmington, Nuevo México.

La agua subterránea más baja probablemente que se afectará por un escape, una descarga accidental, o un derramamiento existe en una profundidad de 6 pies debajo de la superficie de tierra. Esta sistema del acuífero tiene una concentración total de los sólidos en suspensión entre de aproximadamente 960 y 3.840 miligramos por litro o mayor (calculado de conductancia específica divulgada entre de 1.500 y 6.000 $\mu\text{S}/\text{cm}$).

El aviso del intento esquemas cómo el agua y la basura producidas serán manejadas correctamente, incluyendo la dirección, almacenaje, y la disposición final. El aviso del intento también incluye los procedimientos para la gerencia apropiada de escapes, de descargas accidentales, y de derramamientos para proteger las aguas del estado de Nuevo México.

Para la información adicional, para ser colocado en una lista de personas a quienes se mandan propaganda facilidad-especifica para los avisos futuros, o someter los comentarios satisfacen entran en contacto con:

Brad Jones, ingeniero ambiental
New Mexico Energy, Minerals and Natural Resources Department
Oil Conservation Division
1220 South St. Francis Drive
Santa Fe, NM 87505
Teléfono: (505) 476-3487

La energía del nanómetro y el Departamento de los Recursos Naturales y Minerales aceptarán comentarios y declaraciones del interés con respecto a esta prueba hidrostática y proporcionarán los avisos futuros para esta tubería a petición.

PUBLIC NOTICE

The United States Department of Transportation (USDOT) requires periodic pressurized tests on all USDOT-regulated pipelines. El Paso Natural Gas Company (EPNG) hereby gives notice that the following discharge permit application has been submitted to the NM Oil Conservation Division (NMOCD) in accordance with Subsection A, B, D and F of 20.6.2.3108 of New Mexico Administrative Code (NMAC). The local EPNG mailing address is: El Paso Natural Gas, San Juan Area Office, P.O. Box 127, Bloomfield, NM 87413.

EPNG has submitted an application to perform a hydrostatic test of the 3201 Pipeline on the EPNG pipeline easement in Section 1, Township 29 North, Range 13 West, and Sections 6, 7, and 8 of Township 29 North, Range 12 West, in San Juan County, New Mexico. The purpose of hydrostatic (testing with water) is to determine the extent to which potential defects might threaten the pipeline's ability to sustain maximum allowable operation pressure. The test involves purging the natural gas from the pipeline, cleaning the pipeline with an aqueous, non-hazardous cleaning fluid, filling the pipeline with water, then pressurizing the pipeline to a pressure higher than the standard operating pressure for a specified duration of time.

A portion of the EPNG 3201 pipeline will be hydrostatically tested. Prior to hydrostatic testing, the pipeline will be cleaned using approximately 1,000 gallons of an aqueous and non-hazardous cleaning fluid, N-Spec 120. The volume of cleaning solution is estimated to be 1,000 gallons and it will be stored at EPNG's Blanco compressor station located in the N/2 of the N/2, Section 14, Township 29 North, Range 11 West. A composite sample of the cleaning solution will be analyzed for corrosivity, ignitability, reactivity, and toxicity for disposal characterization. The water/cleaning solution mixture may be stored in the frac-tanks for two weeks with the option to store it for an additional two weeks. This water will be transported for proper disposal to the Mesa Environmental regional processing facility in Belen, NM or Thermo Fluids, Inc. in Albuquerque, NM.

Up to 140,500 gallons of fresh unused water, from City of Farmington, will be initially stored in as many as seven 21,000-gallon tanks (frac-tanks) located in the SW/4 of Section 1, Township 29 North, Range 13 West within EPNG's property approximately 700 feet southwest of the intersection of Gila Street and English Road within the City of Farmington. Following hydrostatic testing, hoses and/or flexible pipes will be used to transfer the used test water into the frac-tanks. A composite sample of this water will be analyzed to ensure it meets the WQCC standards as per Subsections A, B, and C of NMAC 20.6.2.3103. Used test water may be stored in the frac-tanks for two weeks with the option to store it for an additional two weeks. The hydrostatic test water will not be discharged. After receipt of NMOCD approval, it will be properly transported and injected into a permitted Class 1 injection well operated by Key Energy of Farmington, NM.

The shallowest groundwater likely to be affected by a leak, accidental discharge, or spill exists at a depth of 6 feet below the ground surface. This aquifer system has a total dissolved solids concentration of between approximately 960 and 3,840 milligrams per liter or greater (calculated from reported specific conductance of between 1,500 and 6,000 $\mu\text{S}/\text{cm}$).

The notice of intent outlines how produced water and waste will be properly managed, including handling, storage, and final disposition. The plan also includes procedures for the proper management of leaks, accidental discharges, and spills to protect the waters of the State of New Mexico.

For additional information, to be placed on a facility-specific mailing list for future notices, or to submit comments please contact:

Brad Jones, Environmental Engineer
New Mexico Energy, Minerals and Natural Resources Department
Oil Conservation Division
1220 South St. Francis Drive
Santa Fe, NM 87505
Phone: (505) 476-3487

The NM Energy, Minerals and Natural Resources Department will accept comments and statements of interest regarding this hydrostatic test and will provide future notices for this pipeline upon request.

ACKNOWLEDGEMENT OF RECEIPT
OF CHECK/CASH

I hereby acknowledge receipt of check No. _____ dated 1/14/10

or cash received on _____ in the amount of \$ _____

from EL PASO NATURAL GAS

for HIP-115

Submitted by: Lawrence Romero Date: 1/14/10

Submitted to ASD by: Lawrence Romero Date: 1/14/10

Received in ASD by: _____ Date: _____

Filing Fee New Facility _____ Renewal _____

Modification _____ Other _____

Organization Code 521.07 Applicable FY 2004

To be deposited in the Water Quality Management Fund.

Full Payment _____ or Annual Increment _____

KLEINFELDER WEST, INC

638535

Date	Invoice	Description	Balance	Payment
30-DEC-09	123009/ALB	TO PAY THE FILING FEE FOR PIPE	0.00	100.00

0.00 100.00

Kleinfelder now offers Electronic Payment via ACH Direct Deposit
If interested, please e-mail: autopay@kleinfelder.com