PNRM0512959112

C-103 Received 5-5-2005 DHC No. Assigned 5-9-2005

Order Number	API Number	Operator			County	
HOB-0115	30-025-36777 A	Amerada Hess Cô	orp,		Lea	
Order Date	Well Name M. J. Raley		Number	N 8	Location 205	38E
	Tho, nately			UL Sec	T (+Dir)	R (+Dir)
47400	Nadine Paddock Bl		0il % 8170	Gas % 7 <i>81</i> a		
47530	Nadine Tubb, We	st	1120	82.		
57000	Skaggs Drinka	rd	7370	14%		
				nia		
Comments:	Jork Completede Jork Cancelled	effective				
	Supplement			-		

Postel to RBBM & 5-9-2005

	DOWNHOLE COMMINGLE CALCULATIONS:		25-36777	
	OPERATOR: Amerada Hess Corp.	H	OB-0115	
	PROPERTY NAME: M. J. Raley			
	WNULSTR: 3-N, 6-20-38			
47400	SECTION I: POOL NO. 1 Nadine Paddock Blinebry, West	ALLOWAI	BLE AMOUNT 994 MCF 700	20
47530	POOL NO. 2 Nadine Tubb, West	142	284 MCF20	00
57000	POOL NO. 3 Skaggs; Drinkard	142	1 <u>420</u> MCF 100	000
	POOL NO. 4 POOL TOTAL	s <u>426</u>	2 <u>698</u> MCF	
	SECTION II: POOL NO. 1 Nadine Paddock Blinebry West	0il 812 X	426=345,06	Gas 78%
	POOL NO. 2 Madine Tubb, West	1120		8%
	POOL NO. 3 Skagas Drinkord	8%		142
	POOL NO. 4			
	OIL SECTION III: 142 + 81% = 175,30 (176)	GAS		
	SECTION IV: 176 X 81% = 142.56 (143) 176 X 11% = 19.36 (19) 176 X 890 = 14.08 (14)			

Submit 3 Copies To Appropriate District Office	State of New Mo			Form C-103
District I 1625 N. French Dr., Hobbs, NM 88240	Energy, Minerals and Natu	ural Resources	WELL API NO.	
<u>District II</u> 301 W. Grand Ave., Artesia, NM 88210	OIL CONSERVATION	NDIVISION	30-025-367 5. Indicate Type	· W
istrict III	1220 South St. Fra	ncis Dr.	STATE	
1000 Rio Brazos Rd., Aztec, NM 87410 District IV	Santa Fe, NM 8	7505	6. State Oil & G	
1220 S. St. Francis Dr., Santa Fe, NM				
87505 SUNDRY NOTI	CES AND REPORTS ON WELLS	S	7. Lease Name	or Unit Agreement Name
(DO NOT USE THIS FORM FOR PROPOS	SALS TO DRILL OR TO DEEPEN OR PL	UG BACK TO A		9.00
DIFFERENT RESERVOIR. USE "APPLIC PROPOSALS.)	CATION FOR PERMIT" (FORM C-101) FO	OR SUCH	MJ Raley	
1. Type of Well:			8. Well Number	,
Oil Well 🛛 Gas Well 🗌	Other		003	
2. Name of Operator			9. OGRID Num	ber
	Hess Corporation		000495	
3. Address of Operator P.O. Box	(r Wildcat Skaggs Drinkard
	, TX 79360		Paddock Blinebry	Tubb West (47530), Nadine
4. Well Location			Faddock billebry	7, West (47400)
Unit Letter N :	980 feet from the South	line and	1980 feet fro	om the West line
Section 8	Township 20S Ra	ange 38E	NMPM	County Lea
	11. Elevation (Show whether DR			
Pit or Below-grade Tank Application (For	3563' GL pit or below-grade tank closures, a form	C-144 must be attached		
Pit Location: ULSectTwp_			_	earest fresh water well
	Below-grade Tank Location UL_			
Distance it on hearest surface water	Delow-grade ratia Location OL	TWP_	;	
feet from the line and	fact from the line			
feet from theline and	feet from theline			
<u> </u>				
12. Check A	appropriate Box to Indicate N		-	
12. Check A	Appropriate Box to Indicate N	SUBS	EQUENT RE	PORT OF:
12. Check A	Appropriate Box to Indicate N		EQUENT RE	
12. Check A NOTICE OF IN	Appropriate Box to Indicate NTENTION TO: PLUG AND ABANDON	SUBS REMEDIAL WORK	EQUENT RE	PORT OF: ALTERING CASING ☐
12. Check A NOTICE OF IN PERFORM REMEDIAL WORK TEMPORARILY ABANDON	Appropriate Box to Indicate NTENTION TO: PLUG AND ABANDON CHANGE PLANS	SUBS REMEDIAL WORK COMMENCE DRILL	EQUENT RE	PORT OF: ALTERING CASING ☐
12. Check A NOTICE OF IN	Appropriate Box to Indicate NTENTION TO: PLUG AND ABANDON CHANGE PLANS MULTIPLE	SUBS REMEDIAL WORK COMMENCE DRILL CASING TEST AND	EQUENT RE	PORT OF: ALTERING CASING PLUG AND
12. Check A NOTICE OF IN PERFORM REMEDIAL WORK TEMPORARILY ABANDON	Appropriate Box to Indicate NTENTION TO: PLUG AND ABANDON CHANGE PLANS	SUBS REMEDIAL WORK COMMENCE DRILL	EQUENT RE	PORT OF: ALTERING CASING PLUG AND
12. Check A NOTICE OF IN PERFORM REMEDIAL WORK TEMPORARILY ABANDON DULL OR ALTER CASING OTHER: Complete and downhole of	Appropriate Box to Indicate NTENTION TO: PLUG AND ABANDON CHANGE PLANS MULTIPLE COMPLETION commingle well	SUBS REMEDIAL WORK COMMENCE DRILL CASING TEST AND CEMENT JOB OTHER:	EQUENT RE	EPORT OF: ALTERING CASING PLUG AND ABANDONMENT
12. Check A NOTICE OF IN PERFORM REMEDIAL WORK TEMPORARILY ABANDON DULL OR ALTER CASING OTHER: Complete and downhole of 13. Describe proposed or complete.	Appropriate Box to Indicate NTENTION TO: PLUG AND ABANDON CHANGE PLANS MULTIPLE COMPLETION commingle well	SUBS REMEDIAL WORK COMMENCE DRILL CASING TEST AND CEMENT JOB OTHER: pertinent details, and	LING OPNS.	PORT OF: ALTERING CASING PLUG AND ABANDONMENT ces, including estimated date
12. Check A NOTICE OF IN PERFORM REMEDIAL WORK TEMPORARILY ABANDON DULL OR ALTER CASING THER: Complete and downhole of starting any proposed working and pro	Appropriate Box to Indicate NTENTION TO: PLUG AND ABANDON CHANGE PLANS MULTIPLE COMPLETION commingle well Eted operations. (Clearly state all prk). SEE RULE 1103. For Multiple	SUBS REMEDIAL WORK COMMENCE DRILL CASING TEST AND CEMENT JOB OTHER: pertinent details, and	LING OPNS.	PORT OF: ALTERING CASING PLUG AND ABANDONMENT ces, including estimated date
12. Check A NOTICE OF IN PERFORM REMEDIAL WORK TEMPORARILY ABANDON DULL OR ALTER CASING THER: Complete and downhole of starting any proposed woor recompletion.	Appropriate Box to Indicate NTENTION TO: PLUG AND ABANDON CHANGE PLANS MULTIPLE COMPLETION commingle well Eted operations. (Clearly state all prk). SEE RULE 1103. For Multip. Please refer to Order R-11363	SUBS REMEDIAL WORK COMMENCE DRILL CASING TEST AND CEMENT JOB OTHER: pertinent details, and le Completions: Atta	LING OPNS.	PORT OF: ALTERING CASING PLUG AND ABANDONMENT Es, including estimated date am of proposed completion
12. Check A NOTICE OF IN PERFORM REMEDIAL WORK TEMPORARILY ABANDON TEMPORARILY ABANDON TO THER: Complete and downhole of starting any proposed woor recompletion. Plan to MIRU Key Energy, install 6"	Appropriate Box to Indicate NTENTION TO: PLUG AND ABANDON CHANGE PLANS MULTIPLE COMPLETION commingle well eted operations. (Clearly state all prk). SEE RULE 1103. For Multip. Please refer to Order R-11363 900 BOP. TIH w/bit & drill out cem	SUBS REMEDIAL WORK COMMENCE DRILL CASING TEST AND CEMENT JOB OTHER: pertinent details, and le Completions: Atta	LING OPNS. D give pertinent date the wellbore diagram CBL. TIH w/g	PORT OF: ALTERING CASING PLUG AND ABANDONMENT es, including estimated date ram of proposed completion runs & perf 5 1/2" csg in
12. Check A NOTICE OF IN PERFORM REMEDIAL WORK TEMPORARILY ABANDON	Appropriate Box to Indicate NTENTION TO: PLUG AND ABANDON CHANGE PLANS MULTIPLE COMPLETION commingle well eted operations. (Clearly state all prk). SEE RULE 1103. For Multip. Please refer to Order R-11363 900 BOP. TIH w/bit & drill out cemtone fr/6772'-6975', Tubb fr/6556'-6	SUBS REMEDIAL WORK COMMENCE DRILL CASING TEST AND CEMENT JOB OTHER: pertinent details, and ple Completions: Attainent to TD of 7200'. Report 1743', & Blinebry fr/594	LING OPNS. D give pertinent dat ich wellbore diagi	PLUG AND ABANDONMENT es, including estimated date am of proposed completion cans & perf 5 1/2" csg in experfs. Set RBP to isolate
12. Check A NOTICE OF IN PERFORM REMEDIAL WORK TEMPORARILY ABANDON TEMPORARILY ABANDON TO THER: Complete and downhole of the starting any proposed woor recompletion. Plan to MIRU Key Energy, install 6"	Appropriate Box to Indicate NTENTION TO: PLUG AND ABANDON CHANGE PLANS MULTIPLE COMPLETION commingle well eted operations. (Clearly state all prk). SEE RULE 1103. For Multip. Please refer to Order R-11363 900 BOP. TIH w/bit & drill out cemtone fr/6772'-6975', Tubb fr/6556'-6 135'. Install production equip and price of the state of the	SUBS REMEDIAL WORK COMMENCE DRILL CASING TEST AND CEMENT JOB OTHER: pertinent details, and ple Completions: Attainent to TD of 7200'. Report to TD of 7200'. Rep	LING OPNS. D give pertinent dat sch wellbore diags Run CBL. TiH w/g 40'-6398'. Acidize d, Blinebry & Tub	PLUG AND ABANDONMENT es, including estimated date ram of proposed completion runs & perf 5 1/2" csg in e perfs. Set RBP to isolate b zones. Allocation based
12. Check A NOTICE OF IN PERFORM REMEDIAL WORK TEMPORARILY ABANDON TEMPORARILY ABANDON TEMPORARILY ABANDON TEMPORARILY ABANDON TEMPORARILY ABANDON TEMPORARILY ABO ZONE fr/7182'-7184', Drinkard zones, swab & test. Set CIBP @ 71	Appropriate Box to Indicate NTENTION TO: PLUG AND ABANDON CHANGE PLANS MULTIPLE COMPLETION commingle well eted operations. (Clearly state all properties of the complete o	SUBS REMEDIAL WORK COMMENCE DRILL CASING TEST AND CEMENT JOB OTHER: pertinent details, and the Completions: Attainent to TD of 7200'. Reserved. Transport of the Properties of	LING OPNS. D give pertinent dat sch wellbore diagi Run CBL. TIH w/g 40'-6398'. Acidize d, Blinebry & Tub n all commingled a	PLUG AND ABANDONMENT PLUG AND ABANDONMENT Es, including estimated date ram of proposed completion cans & perf 5 1/2" csg in e perfs. Set RBP to isolate b zones. Allocation based zones. Commingling will not
12. Check A NOTICE OF IN PERFORM REMEDIAL WORK TEMPORARILY ABANDON PULL OR ALTER CASING OTHER: Complete and downhole of starting any proposed or complete of starting any proposed work or recompletion. Plan to MIRU Key Energy, install 6" ABO zone fr/7182'-7184', Drinkard zones, swab & test. Set CIBP @ 71 on reserves by zone and tests. Worreduce the value of production. Weight	Appropriate Box to Indicate Note TENTION TO: PLUG AND ABANDON CHANGE PLANS MULTIPLE COMPLETION Commingle well Leted operations. (Clearly state all property) Leted operat	SUBS REMEDIAL WORK COMMENCE DRILL CASING TEST AND CEMENT JOB OTHER: pertinent details, and ple Completions: Attainent to TD of 7200'. Report to TD of 7200'. Rep	give pertinent dat ch wellbore diagram CBL. TIH w/g 40'-6398'. Acidized, Blinebry & Tub an all commingled at the commingle at the commin	PLUG AND ABANDONMENT Tes, including estimated date ram of proposed completion runs & perf 5 1/2" csg in experis. Set RBP to isolate becomes. Allocation based comes. Commingling will not 2-16-05
12. Check A NOTICE OF IN PERFORM REMEDIAL WORK TEMPORARILY ABANDON TEMPORARILY ABANDON TEMPORARILY ABANDON TEMPORARILY ABANDON TEMPORARILY ABANDON TEMPORARILY ABANDON TEMPORARILY ABO ZONE fr/7182'-7184', Drinkard Zones, swab & test. Set CIBP @ 71 on reserves by zone and tests. Worreduce the value of production. We hereby certify that the information at	Appropriate Box to Indicate NTENTION TO: PLUG AND ABANDON CHANGE PLANS MULTIPLE COMPLETION Commingle well Leted operations. (Clearly state all prk). SEE RULE 1103. For Multip. Please refer to Order R-11363 900 BOP. TIH w/bit & drill out cemtone fr/6772'-6975', Tubb fr/6556'-6 135'. Install production equip and prking, royalty & overriding royalty interest in the second provers on the production of the second provers on the production of the production	SUBS REMEDIAL WORK COMMENCE DRILL CASING TEST AND CEMENT JOB OTHER: pertinent details, and ple Completions: Attainent to TD of 7200'. Reproduce well fr/Drinkanterests are identical in the see attached.	give pertinent dat sich wellbore diagram CBL. TIH w/g 40'-6398'. Acidized, Blinebry & Tub and belief. I furth	PLUG AND ABANDONMENT PLUG AND ABANDONMENT The set including estimated date from of proposed completion runs & perf 5 1/2" csg in the perfs. Set RBP to isolate the zones. Allocation based cones. Commingling will not 2-16-05 The certify that any pit or belower
12. Check A NOTICE OF IN PERFORM REMEDIAL WORK TEMPORARILY ABANDON TEMPORARILY ABANDON TEMPORARILY ABANDON TEMPORARILY ABANDON TEMPORARILY ABANDON TEMPORARILY ABOUT TO MIRU Key Energy, install 6" ABO zone fr/7182'-7184', Drinkard zones, swab & test. Set CIBP @ 71 on reserves by zone and tests. Worreduce the value of production. We hereby certify that the information a grade tank has been will be constructed or the state of the sta	Appropriate Box to Indicate NTENTION TO: PLUG AND ABANDON CHANGE PLANS MULTIPLE COMPLETION Commingle well Leted operations. (Clearly state all prk). SEE RULE 1103. For Multip. Please refer to Order R-11363 900 BOP. TIH w/bit & drill out cemtone fr/6772'-6975', Tubb fr/6556'-6 135'. Install production equip and prking, royalty & overriding royalty interest in the latest above is true and complete to the become from the latest according to NMOCD guidelines [SUBS REMEDIAL WORK COMMENCE DRILL CASING TEST AND CEMENT JOB OTHER: pertinent details, and ple Completions: Attainent to TD of 7200'. Restricted to TD of 72	give pertinent date wellbore diagram CBL. TiH w/g 40'-6398'. Acidized, Blinebry & Tub and lacommingled at the point of the	PLUG AND ABANDONMENT PLUG AND ABANDONMENT The set including estimated date from of proposed completion runs & perf 5 1/2" csg in the perfs. Set RBP to isolate the zones. Allocation based cones. Commingling will not 2-16-05 The certify that any pit or belower
12. Check A NOTICE OF IN PERFORM REMEDIAL WORK TEMPORARILY ABANDON TEMPORARILY ABANDON TEMPORARILY ABANDON TEMPORARILY ABANDON TEMPORARILY ABANDON TEMPORARILY ABOUT TO MIRU Key Energy, install 6" ABO zone fr/7182'-7184', Drinkard zones, swab & test. Set CIBP @ 71 on reserves by zone and tests. Worreduce the value of production. We hereby certify that the information a grade tank has been will be constructed or the state of the sta	Appropriate Box to Indicate NTENTION TO: PLUG AND ABANDON CHANGE PLANS MULTIPLE COMPLETION Commingle well Leted operations. (Clearly state all prk). SEE RULE 1103. For Multip. Please refer to Order R-11363 900 BOP. TIH w/bit & drill out cemtone fr/6772'-6975', Tubb fr/6556'-6 135'. Install production equip and prking, royalty & overriding royalty interest in the latest above is true and complete to the become from the latest according to NMOCD guidelines [SUBS REMEDIAL WORK COMMENCE DRILL CASING TEST AND CEMENT JOB OTHER: pertinent details, and ple Completions: Attainent to TD of 7200'. Reproduce well fr/Drinkanterests are identical in the see attached.	give pertinent date wellbore diagram CBL. TiH w/g 40'-6398'. Acidized, Blinebry & Tub and lacommingled at the point of the	PLUG AND ABANDONMENT PLUG AND ABANDONMENT The set including estimated date from of proposed completion runs & perf 5 1/2" csg in the perfs. Set RBP to isolate the zones. Allocation based cones. Commingling will not 2-16-05 The certify that any pit or belower
12. Check A NOTICE OF IN PERFORM REMEDIAL WORK TEMPORARILY ABANDON DULL OR ALTER CASING THE Complete and downhole of starting any proposed or completion. Plan to MIRU Key Energy, install 6" ABO zone fr/7182'-7184', Drinkard zones, swab & test. Set CIBP @ 71 on reserves by zone and tests. Worreduce the value of production. We hereby certify that the information a grade tank has been will be constructed or constructed or constructed.	Appropriate Box to Indicate NTENTION TO: PLUG AND ABANDON CHANGE PLANS MULTIPLE COMPLETION Commingle well Leted operations. (Clearly state all property state all property) Please refer to Order R-11363 900 BOP. TIH w/bit & drill out cemple to the fr/6772'-6975', Tubb fr/6556'-6 135'. Install production equip and property in the property of the t	SUBS REMEDIAL WORK COMMENCE DRILL CASING TEST AND CEMENT JOB OTHER: pertinent details, and ple Completions: Attainent to TD of 7200'. Report to TD of 7200'. Rep	give pertinent datach wellbore diagram CBL. TIH w/g 40'-6398'. Acidized, Blinebry & Tub and belief. I further an (attached) alternatory	PLUG AND ABANDONMENT es, including estimated date ram of proposed completion runs & perf 5 1/2" csg in experfs. Set RBP to isolate becomes. Commingling will not 2-16-05 er certify that any pit or belowative OCD-approved plan
12. Check A NOTICE OF IN PERFORM REMEDIAL WORK DEPARTMENT ABANDON DEPULL OR ALTER CASING DEPULL OR ALTER CASING DESCRIBED TO STARTING ABO ZONE 13. Describe proposed or completion. Plan to MIRU Key Energy, install 6" ABO ZONE fr/7182'-7184', Drinkard 2 ZONES, SWAD & test. Set CIBP @ 71 on reserves by zone and tests. Worreduce the value of production. We hereby certify that the information a grade tank has been will be constructed or a SIGNATURE Described Type or print name Carol J. Moore	Appropriate Box to Indicate NTENTION TO: PLUG AND ABANDON CHANGE PLANS MULTIPLE COMPLETION Commingle well Leted operations. (Clearly state all property state all property) Please refer to Order R-11363 900 BOP. TIH w/bit & drill out cemple fr/6772'-6975', Tubb fr/6556'-6 135'. Install production equip and property in the property of the the prop	SUBS REMEDIAL WORK COMMENCE DRILL CASING TEST AND CEMENT JOB OTHER: pertinent details, and ple Completions: Attainent to TD of 7200'. Restart to TD of	give pertinent data wellbore diagram CBL. TIH w/g 40'-6398'. Acidized, Blinebry & Tub and belief. I further an (attached) alternatory	PLUG AND ABANDONMENT es, including estimated date ram of proposed completion runs & perf 5 1/2" csg in experis. Set RBP to isolate be zones. Allocation based zones. Commingling will not 2-16-05 er certify that any pit or belownative OCD-approved plan DATE 3/31/2005
12. Check A NOTICE OF IN PERFORM REMEDIAL WORK DEPENDENT OF TEMPORARILY ABANDON DEPULL OR ALTER CASING DEPULL OR A	Appropriate Box to Indicate NTENTION TO: PLUG AND ABANDON CHANGE PLANS MULTIPLE COMPLETION Commingle well Leted operations. (Clearly state all property state all property) Please refer to Order R-11363 900 BOP. TIH w/bit & drill out cemple fr/6772'-6975', Tubb fr/6556'-6 135'. Install production equip and property in the property of the the prop	SUBS REMEDIAL WORK COMMENCE DRILL CASING TEST AND CEMENT JOB OTHER: pertinent details, and ple Completions: Attainent to TD of 7200'. Restart to TD of	give pertinent datach wellbore diagram CBL. TIH w/g 40'-6398'. Acidized, Blinebry & Tub and belief. I further an (attached) alternatory	PLUG AND ABANDONMENT es, including estimated date ram of proposed completion runs & perf 5 1/2" csg in experis. Set RBP to isolate be zones. Allocation based zones. Commingling will not 2-16-05 er certify that any pit or belownative OCD-approved plan DATE 3/31/2005
12. Check A NOTICE OF IN PERFORM REMEDIAL WORK TEMPORARILY ABANDON DULL OR ALTER CASING THE Complete and downhole of starting any proposed or completion. Plan to MIRU Key Energy, install 6" ABO zone fr/7182'-7184', Drinkard zones, swab & test. Set CIBP @ 71 on reserves by zone and tests. Worreduce the value of production. We hereby certify that the information a grade tank has been will be constructed or constructed or constructed.	Appropriate Box to Indicate NTENTION TO: PLUG AND ABANDON CHANGE PLANS MULTIPLE COMPLETION Commingle well Leted operations. (Clearly state all property state all property) Please refer to Order R-11363 900 BOP. TIH w/bit & drill out cemple fr/6772'-6975', Tubb fr/6556'-6 135'. Install production equip and property in the property of the the prop	SUBS REMEDIAL WORK COMMENCE DRILL CASING TEST AND CEMENT JOB OTHER: pertinent details, and ple Completions: Attainent to TD of 7200'. Restart to TD of	give pertinent dat ch wellbore diagram CBL. TIH w/g 40'-6398'. Acidized, Blinebry & Tub and belief. I further an (attached) alternatory	PLUG AND ABANDONMENT es, including estimated date ram of proposed completion runs & perf 5 1/2" csg in experis. Set RBP to isolate be zones. Allocation based zones. Commingling will not 2-16-05 er certify that any pit or belownative OCD-approved plan DATE 3/31/2005

ALLOCATION OF PRODUCTION FOR MJ RALEY 3 WELL (Allocation by zone for Tubb and Blinebry zones based on offset reserves)

SKAGGS DRINKARD (57000)	7	
WELL NAME	RESE	RVES
	MBO	MMCF
B.M. MARCUS #2	9	138
F. TURNER JR B #2	2	60
M.J. RALEY #2	9	58
F. TURNER A #7	2	36
TOTAL FOR ZONE	22	292
AVERAGE	6	73
ALLOCATION PERCENTAGE	8%	14%

WEST NADINE TUBB (47530)		
WELL NAME	RESE	RVES
	MBO	MMCF
F. TURNER A #13	4	12
F. TURNER B #1	9	105
F. TURNER B #2	9	6
TOTAL FOR ZONE	22	123
AVERAGE	7	41
ALLOCATION PERCENTAGE	11%	8%

WEST NADINE PADDOCK BLINEBRY (47400)		
WELL NAME	RESE	RVES
	MBO	MMCF
M.J. RALEY #1	96	793
M.J. RALEY #2	72	430
M.J. RALEY A #1	28	280
F. TURNER B #1	36	461
F. TURNER B #2	47	34
TOTAL FOR ZONE	279	1998
AVERAGE	56	400
ALLOCATION PERCENTAGE	81%	78%

TOTAL FOR ALL ZONES	323	2413
AVERAGE FOR ALL ZONES	69	514

<u>District I</u> 1625 N French Dr., Hobbs, NM 88240 <u>District II</u>

1301 W Grand Ave , Artesia, NM 88210

net III 2000 Rio Brazos Rd , Aztec, NM 87410

District IV 1220 S St Francis Dr., Santa Fe, NIM 97505 State of New Mexico
Energy, Minerals and Natural Resources

Oil Conservation Division 1220 S St Francis Dr. Santa Fe, NM 87505 Form C-102 Permit 1221

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number 30-025-36777	Pool Name NADINE,PADDOCK-BLINEBRY, WEST	Pool Code 47400
Property Code	Property Name M J RALEY	Well No.
OGRID No	Operator Name AMERADA HESS CORP	Elevation 3563

Surface And Bottom Hole Location

L or Lot Section N 8	Township 20S	Range 38E	Lot Idn N	Feet From 980	N/S Line S	Feet Fram	E/W Line	County Lea
Deducated Acres	Jonet or b	की।	Consoli	dstion Code	1	Orde	: No.	
40	1	****		mr	ann.	- NO 2000	11 1 00 1	
The state of the s	Annual Annu	Proposition of the second		and comp. Electronic Title Ser	ertify that t lete to the l ally Signed		n contained he wledge and be	
x ,, e \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	o yananin in tanah aya aya aya aya aya aya aya aya aya a		SURVEYOR CERTIFICATION					
The state of the s				plotted fro under my	m field not	es of actual su n, and that the	on shown on th vrveys made by same 1s true ar	me or
		,	,		By. Gary J	-		
Signal -		í		1	rvey: 03/3			
1		*	į	Certificate	Number:	4162		

District I

 $1625~\mathrm{N}$ French Dr., Hobbs, NM 88240

<u>District II</u>

1301 W Grand Ave , Artesia, NM 88210

rict III

1000 Rio Brazos Rd , Aztec, NM 87410

District IV

1220 S St Francis Dr , Santa Fe, MM 87505

State of New Mexico

Energy, Minerals and Natural Resources

Oil Conservation Division

1220 S. St Francis Dr.

Santa Fe, NM 87505

Form C-102 Permit 1221

WELL LOCATION AND ACREAGE DEDICATION PLAT

£	~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	VV VV0 AVV0 AVV0 AVV0 AVV0 AVV0 AVV0 AV	, , , , , , , , , , , , , , , , , , , ,
	API Number	Pool Name	Pool Code
	30-025-36777	NADINE;TUBB, WEST	47.530
	Property Code	Property Name	Well No
	123	M J RALEY	003
1 2 2 2		· · · · · · · · · · · · · · · · · · ·	,
	OGRID No	Operator Name	Elevation
	495	AMERADA HESS CORP	3563
*			·

Surface And Bottom Hole Location

			î	***************************************						~
UL or L	ot. 🙏	Section :	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
N	5 t	8	208	38E	N	980	S	1980	W	Lea
ś	,		L	÷					· !	/ / ****
Ded	licated	Acres	Jonnat α	infill	Consolid	lation Code	,	Order	No.	1
3	40		,		•		*			or and a second
> £					*					

OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief.

Electronically Signed By. Carol Moore

Title Senior Advisor, Regulatory

Date: 07/20/2004

SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Surveyed By. Gary Jones

Date of Survey: 03/31/2004

Certificate Number. 4162

1625 N French Dr., Hobbs, NM 88240 District II

1301 W Grand Ave., Artesia, NM 88210

ou O Rio Brazos Rd , Aztec, NM 97410

District IV
1220 S. St Francis Dr., Santa Fe, NM
87505

State of New Mexico

Energy, Minerals and Natural Resources

Oil Conservation Division 1220 S St Francis Dr.

Santa Fe, NM 87505

Form C-102 Permit 1221

WELL LOCATION AND ACREAGE DEDICATION PLAT

2 2000 × 2 2.0000000	API Number 30-025-36777	Pool Name SKAGGS,DRINKARD	Pool Code 57000	4000 1 1001
well v	Property Code 123	Property Name M J RALEY	Well No	***************************************
The Same S. And Standards	0GRID No 495	Operator Name AMERADA HESS CORP	Elevation 3563	; ;

Surface And Bottom Hole Location

	or Lot N	Section 8	Township 20S	Range 38E	Lot Idn N	Feet From 980	N/S Line S	Feet From 1980	E/W Line W	County Lea
Dedicated Acres		Joint or Infill		Consolidation Code		Order No.				
	4	0		;	***************************************	<i>***</i>		man manas	, w	* ,

OPERATOR CERTIFICATION this that the information contained he

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief

Electronically Signed By Carol Moore

Title: Senior Advisor, Regulatory

Date. 07/20/2004

SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief

Surveyed By: Gary Jones
Date of Survey: 03/31/2004
Certificate Number 4162