

1R - 425-76

REPORTS

DATE:

11-13-09

Vacuum Jet C-6
2009

1R425-76

RECEIVED

APR - 6 2010
Environmental Bureau
Oil Conservation Division

CLOSURE

RECEIVED

RICE OPERATING COMPANY
JUNCTION BOX FINAL REPORTAPR - 6 2010
Environmental Bureau
Oil Conservation Division

BOX LOCATION

SWD SYSTEM	JUNCTION	UNIT	SECTION	TOWNSHIP	RANGE	COUNTY	BOX DIMENSIONS - FEET		
Vacuum	Jct. C-6	C	6	18S	35E	Lea	Length	Width	Depth
							eliminated		

LAND TYPE: BLM _____ STATE X FEE LANDOWNER _____ OTHER _____Depth to Groundwater 100 feet NMOC SITE ASSESSMENT RANKING SCORE: 10Date Started 6/18/2009 Date Completed 6/18/2009 OCD Witness noSoil Excavated n/a cubic yards Excavation Length n/a Width n/a Depth n/a feetSoil Disposed 0 cubic yards Offsite Facility n/a Location n/aFINAL ANALYTICAL RESULTS: Sample Date 6/18/2009 Sample Depth 6 ft

TPH and Chloride laboratory test results completed by using an approved lab and testing procedures pursuant to NMOC guidelines.

CHLORIDE FIELD TESTS

Sample Location	PID (field) ppm	GRO mg/kg	DRO mg/kg	Chloride mg/kg
SB #1 6' GRAB	0.1	<10.0	<10.0	64

LOCATION	DEPTH	mg/kg
background	6'	153
vertical delineation at the junction (source)	2'	306
	3'	197
	4'	141
	5'	151
	6'	144

General Description of Remedial Action: This junction was addressed during the

Vacuum SWD System abandonment. An investigation was conducted at the former junction box site using an air-rotary drilling rig to collect soil samples at regular intervals.

Chloride field tests were performed on each sample which yielded low concentrations.

Organic vapors were measured using a PID which also yielded low concentrations. The

deepest sample, 6 ft BGS, was sent to a commercial laboratory for analysis of chloride and TPH. Lab analysis confirmed low concentrations of each. The entire bore hole was plugged with bentonite to the ground surface. Clean, imported soil was used to backfill the former junction box site and to contour the site to the surrounding area. On 6/25/2009, the site was seeded with a blend of native vegetation and is expected to return to a productive capacity at a normal rate.

enclosures: photos, lab results, PID (field) screenings, chloride curve

I HEREBY CERTIFY THAT THE INFORMATION ABOVE IS TRUE AND COMPLETE TO THE BEST OF MY
KNOWLEDGE AND BELIEF.SITE SUPERVISOR Jordan Woodfin SIGNATURE [Signature] COMPANY RICE OPERATING COMPANYREPORT ASSEMBLED BY Katie Jones INITIAL KJPROJECT LEADER Larry Bruce Baker Jr. SIGNATURE [Signature] DATE 11-13-09

Vacuum Jct. C-6

Unit C, Section 6, T18S, R35E



drilling SB #1 at the former junction box site

6/18/2009



collecting a soil sample

6/18/2009



plugged SB #1 with bentonite

6/18/2009



seeding backfilled site

6/25/2009



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

ANALYTICAL RESULTS FOR
RICE OPERATING COMPANY
ATTN: JORDAN WOODFIN
122 W. TAYLOR
HOBBS, NM 88240

Receiving Date: 06/19/09
Reporting Date: 06/22/09
Project Number: NOT GIVEN
Project Name: VACUUM JCT C-6
Project Location: VACUUM JCT C-6

Sampling Date: 06/18/09
Sample Type: SOIL
Sample Condition: COOL & INTACT
Sample Received By: ML
Analyzed By: AB/HM

COPY

LAB NUMBER	SAMPLE ID	GRO (C ₆ -C ₁₀) (mg/kg)	DRO (C ₁₀ -C ₂₈) (mg/kg)	Cl* (mg/kg)
------------	-----------	--	---	----------------

ANALYSIS DATE	06/20/09	06/20/09	06/19/09
H17667-1 SB #1 @ 6FT	<10.0	<10.0	64
Quality Control	514	551	500
True Value QC	500	500	500
% Recovery	103	110	100
Relative Percent Difference	4.0	5.7	<0.1

METHODS: TPH GRO & DRO: EPA SW-846 8015 M; Cl*: Std. Methods 4500-ClB

*Analysis performed on a 1:4 w:v aqueous extract. Reported on wet weight.

Chemist

Date

H17667 TCL RICE

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above-stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

ARDINAL LABORATORIES

Rice Operations

PLEASE NOTE: Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the services. All claims, including those for negligence and any other cause whatsoever shall be limited to the amount paid by the client for the services. All claims for consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries or affiliates in connection with the services provided by Cardinal, regardless of whether such claim is based upon any of the above stated causes or otherwise, shall be limited to the amount paid by the client for the services. In no event shall Cardinal be held liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries or affiliates in connection with the services provided by Cardinal. The limitation on damages shall apply to Cardinal and its successors, agents and affiliates in connection with the services provided by Cardinal.

RICE OPERATING COMPANY

122 West Taylor Hobbs, NM 88240

PHONE: (575) 393-9174 FAX: (575) 397-1471

PID METER CALIBRATION & FIELD REPORT FORM

<input checked="checked" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Model: PGM 7300	Serial No: 590-000183	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Model: PGM 7600	Serial No: 110-023920
	Model: PGM 7300	Serial No: 590-000508		Model: PGM 7600	Serial No: 110-013744
	Model: PGM 7300	Serial No: 590-000504		Model: PGM 7600	Serial No: 110-013676

GAS COMPOSITION: ISOBUTYLENE 100PPM / AIR: BALANCE

LOT NO: 36004	EXPIRATION DATE: 10-9-10
FILL DATE: 4-9-09	METER READING ACCURACY: 100

ACCURACY: +/- 2%

SYSTEM	JUNCTION	UNIT	SECTION	TOWN SHIP	RANGE
Vacuum	C-6	C	6	T185	R35E

SAMPLE ID	PID	SAMPLE ID	PID
2'	0.1	Background	
3'	0	6"	0
4'	0.1		
5'	0		
6'	0.1		

I verify that I have calibrated the above instrument in accordance to the manufacture operation manual.

SIGNATURE

John Woolf

DATE


6-18-09

Vacuum Jct. C-6

Unit 'C', Sec. 6, T18S, R35E

Soil Boring samples at the junction (source)

Depth bgs (ft)	Cl ⁻ ppm
2	306
3	197
4	141
5	151
6	144



Groundwater = 100 ft