

District I  
1625 N French Dr, Hobbs, NM 88240  
District II  
1301 W. Grand Avenue, Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources

Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-141  
Revised October 10, 2003

Submit 2 Copies to appropriate  
District Office in accordance  
with Rule 116 on back  
side of form

**Release Notification and Corrective Action**

**OPERATOR**

☒ Initial Report ☒ Final Report

Name of Company: Targa Midstream Services L P	Contact: Gary Maricle 575.394.2534, Chuck Tolsma 575.631.6026
Address: PO Box 1909 Eunice, NM 88231	Telephone No. (575) 394-2534
Facility Name: Eunice Gas Plant	Facility Type Natural Gas Processing

Surface Owner: TARGA RESOURCES	Mineral Owner:	Lease No.
--------------------------------	----------------	-----------

**LOCATION OF RELEASE** AP# 30-025-22583-00-00

Unit Letter H	Section 3	Township 22S	Range 37E	Feet from the	North/South Line	Feet from the	East/West Line	County Lea
------------------	--------------	-----------------	--------------	---------------	------------------	---------------	----------------	---------------

Latitude 32.25.16.9N Longitude 103.08.47.8W

**NATURE OF RELEASE**

Type of Release: Brine Flush Water and Treated Soft Water	Volume of Release: Approximately 20 barrels of Brine and 170 barrels of Soft Water	Volume Recovered 40 to 50 Barrels
Source of Release: Blowdown line to Disposal Well cut clearing land. Line was empty and temporarily sealed with end in bell hole. When water blowdown started bell hole caught water. Pump truck recovered 40 to 50 barrels of water	Date and Hour of Occurrence: N/A	Date and Hour of Discovery May 27, 2010 6:30AM
Was Immediate Notice Given? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Not Required	If YES, To Whom? Geoff Leking was called on August 30, 2010	
By Whom? Don Embrey	Date and Hour August 30, 2010 11AM	
Was a Watercourse Reached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, Volume Impacting the Watercourse.	

If a Watercourse was Impacted, Describe Fully.\*



Describe Cause of Problem and Remedial Action Taken. \*

4 inch dump line ruptured. Pump truck picked up 40 to 50 barrels of water and area was excavated to bed rock ( 4 feet) and contaminated soil hauled to OCD approved landfarm. Dump line has been repaired with poly pipe.

Describe Area Affected and Cleanup Action Taken.\*

Contaminated soil was hauled to OCD approved landfarm and area sampling completed to insure compliance with OCD guidelines.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.


Signature: 	<b>OIL CONSERVATION DIVISION</b>	
Printed Name: Don Embrey	Approved by <u>ENV. ENGINEER:</u>  District Supervisor	
Title: Training Specialist	Approval Date: 09/22/10	Expiration Date: _____
E-mail Address dembrey@targaresources.com	Conditions of Approval:	
Date: September 21, 2010 Phone: (432) 688-0546	Attached <input type="checkbox"/> IRP-10-9-2614	

\* Attach Additional Sheets If Necessary

## EUNICE WATER TREATER DUMP LINE

SAMPLE DATE	SAMPLE I.D.	SOIL STATUS	TPH GRO	TPH DRO	CHLORIDE
9/8/2010	#1 NORTH WALL	In Situ	N/A	N/A	192
9/8/2010	#2 SOUTH WALL	In Situ	N/A	N/A	32

# EUNICE WATER TREATER DUMP LINE



9/15/2010

PHONE (575) 393-2326 \* 101 E. MARLAND \* HOBBS, NM 88240

---

September 15, 2010

Don Embrey  
Targa Midstream- Eunice  
PO Box 1929  
Eunice, NM 88231

RE: WATER TREATER DUMP

Enclosed are the results of analyses for samples received by the laboratory on 09/09/10 12:05.

Cardinal Laboratories is accredited through Texas NELAP for:

Method SW-846 8021	Benzene, Toluene, Ethyl Benzene, and Total Xylenes
Method SW-846 8260	Benzene, Toluene, Ethyl Benzene, and Total Xylenes
Method TX 1005	Total Petroleum Hydrocarbons

Certificate number T104704398-08-TX. Accreditation applies to solid and chemical materials and non-potable water matrices.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene  
Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

**Analytical Results For:**

Targa Midstream- Eunice  
 Don Embrey  
 PO Box 1929  
 Eunice NM, 88231  
 Fax To: (575) 394-1514

Received: 09/09/2010  
 Reported: 09/15/2010  
 Project Name: WATER TREATER DUMP  
 Project Number: NONE GIVEN  
 Project Location: TARGA EUNICE MIDDLE PLANT

Sampling Date: 09/08/2010  
 Sampling Type: Soil  
 Sampling Condition: \*\* (See Notes)  
 Sample Received By: Jodi Henson

**Sample ID: NORTH WALL (H020821-01)**

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	192	16.0	09/10/2010	ND	432	108	400	0.00	

**Sample ID: SOUTH WALL (H020821-02)**

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	09/10/2010	ND	432	108	400	0.00	

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and states exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analysis. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the analytical service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the analytical services rendered by Cardinal, regardless of whether such claim is based upon any of the above stated grounds or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

**Notes and Definitions**

ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

\* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable analysis. In no event shall Cardinal be liable for indirect or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the analysis hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated remedies or otherwise. Results relate only to the sample identified herein. This report shall not be reproduced or used in full without approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



# **CARDINAL LABORATORIES**

101 East Marland, Hobbs, NM 88240  
(575) 393-2326 FAX (575) 393-2476

## CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name: <u>Targa Resources</u>				<b>BILL TO</b>		<b>ANALYSIS REQUEST</b>													
Project Manager: <u>Don Embrey</u>				P.O. #:															
Address: <u>PO Box 1409</u>				Company: <u>Targa Resources</u>															
City: <u>Eunice</u>		State: <u>NM</u> Zip: <u>88231</u>		Attn: <u>Rebecca Woodell</u>															
Phone #: <u>575-394-2534</u>		Fax #: <u>575-394-2714</u>		Address: <u>PO Box 1409</u>															
Project #:		Project Owner:		City: <u>Eunice</u>															
Project Name: <u>Water Treater Dump</u>				State: <u>NM</u> Zip: <u>88231</u>															
Project Location: <u>Targa Eunice Middle Plant</u>				Phone #: <u>575-631-7085</u>															
Sampler Name: <u>Don Embrey</u>				Fax #: <u>575-394-2714</u>															
Lab I.D.	Sample I.D.	(G)RAB OR (C)UMP	# CONTAINERS	MATRIX	PRESERV	SAMPLING													
				GROUNDWATER WASTEWATER SOIL OIL SLUDGE OTHER	ACID/BASE ICE / COOL OTHER	DATE	TIME												
<u>H20624</u>	<u>North Wall</u>					<u>9/8/00</u>	<u>3:30</u>												
<u>2</u>	<u>South Wall</u>																		

PLEASE NOTE: Liability and Damages. Cardinal's liability and service is limited to the actual cost of the analysis. It is the responsibility of the client to ensure that the sample is properly collected, stored, and transported. Cardinal Laboratories is not responsible for any damage to or loss of the sample or any other property of the client. Cardinal Laboratories is not responsible for any damage to or loss of the sample or any other property of the client. Cardinal Laboratories is not responsible for any damage to or loss of the sample or any other property of the client.

Relinquished By:	Date:	Received By:	Phone Result: <input type="checkbox"/> Yes <input type="checkbox"/> No	Add'l Phone #:
	Time:		Fax Result: <input type="checkbox"/> Yes <input type="checkbox"/> No	Add'l Fax #:
Relinquished By: <u>Rebecca Woodell</u> Date: <u>9-9-10</u> Time: <u>12:05</u>			Received By: <u>Jodi Henderson</u> Date: <u>9-9-10</u> Time: <u>12:05</u>	
Delivered By: (Circle One) Sampler: <input type="checkbox"/> UPS <input type="checkbox"/> Bus <input type="checkbox"/> Other			REMARKS: <u>Call Don Embrey (432-6880546 office)</u> <u>(432-557-8831 cell)</u> <u>with results</u>	
Sample Condition Cool <input type="checkbox"/> Intact <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/>			CHECKED BY: <u>JWH</u>	

FORM 358  
Revision 1.0

† Cardinal cannot accept verbal changes. Please fax written changes to 575-393-2476

#216