

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised October 10, 2003

Submit 2 Copies to appropriate
District Office in accordance
with Rule 116 on back
side of form

Release Notification and Corrective Action

OPERATOR

☒ Initial Report ☐ Final Report

Name of Company: Targa Midstream Services L P	Contact: Gary Maricle 575.394.2534, Chuck Tolsma 575.631.6026
Address: PO Box 1909 Eunice, NM 88231	Telephone No. (575) 394-2534
Facility Name: Eunice Gas Plant	Facility Type: Natural Gas Gathering System

Surface Owner: Bob McCasland	Mineral Owner:	Lease No.
------------------------------	----------------	-----------

LOCATION OF RELEASE

NEARBY SWD / REF WELL
API # 30-025-21497-00-00

Unit Letter	Section 3	Township 21	Range 37	Feet from the	North/South Line	Feet from the	East/West Line	County Lea
-------------	--------------	----------------	-------------	---------------	------------------	---------------	----------------	---------------

Latitude 32.50466 Longitude 103.15187

NATURE OF RELEASE

Type of Release: Natural Gas with 1000ppm H2S and liquid from a 6 inch gathering line with 12 psi flowing 50MCFD.	Volume of Release: Approximately 3 Barrels of liquid and small quantity of natural gas	Volume Recovered: NONE
Source of Release: Natural gas 6 inch gathering line with 6 small 1/4 inch holes from external corrosion.	Date and Hour of Occurrence: 8 AM August 9, 2010	Date and Hour of Discovery 8:45 AM August 9, 2010
Was Immediate Notice Given? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Required	If YES, To Whom? Geoffrey Leking with OCD in Hobbs by phone	
By Whom? Don Embrey	Date and Hour 9AM August 9, 2010	
Was a Watercourse Reached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, Volume Impacting the Watercourse.	

If a Watercourse was Impacted, Describe Fully.*



Describe Cause of Problem and Remedial Action Taken. *

6 inch natural gas gathering line developed 6 small 1/4 inch holes from corrosion. Line has been excavated and leaks repaired. Targa is preparing AFE to replace this section of pipe. Contaminated soil will be excavated and disposed of in an OCD approved landfarm.

Describe Area Affected and Cleanup Action Taken.*

The area affected will be excavated and soil contamination disposed of. Area will be cleaned and sampled to insure compliance with OCD guidelines.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Signature: 	OIL CONSERVATION DIVISION	
Printed Name: Don Embrey	Approved by ENV. ENGINEER:  District Supervisor:	
Title: Training Specialist	Approval Date: 08/10/10	Expiration Date: 10/11/10
E-mail Address: dembrey@targaresources.com	Conditions of Approval: SUBMIT FINAL C-141 BY 10/11/10	Attached <input type="checkbox"/>
Date: August 10, 2010 Phone: (432) 688-0546	IRP-10-8-2598	

* Attach Additional Sheets If Necessary



September 27, 2010

Roger Holland

Targa Midstream- Eunice

PO Box 1929

Eunice, NM 88231

RE: MC CASLAND 6"

Enclosed are the results of analyses for samples received by the laboratory on 09/20/10 10:40.

Cardinal Laboratories is accredited through Texas NELAP for:

Method SW-846 8021	Benzene, Toluene, Ethyl Benzene, and Total Xylenes
Method SW-846 8260	Benzene, Toluene, Ethyl Benzene, and Total Xylenes
Method TX 1005	Total Petroleum Hydrocarbons

Certificate number T104704398-08-TX. Accreditation applies to solid and chemical materials and non-potable water matrices.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene
Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Analytical Results For:

Targa Midstream- Eunice
Roger Holland
PO Box 1929
Eunice NM, 88231
Fax To: (575) 394-1514

Received: 09/20/2010
Reported: 09/27/2010
Project Name: MC CASLAND 6"
Project Number: NONE GIVEN
Project Location: EUNICE FIELD

Sampling Date: 09/20/2010
Sampling Type: Soil
Sampling Condition: ** (See Notes)
Sample Received By: Jodi Henson

Sample ID: NORTH WALL - RESAMPLE (H020885-01)

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	09/21/2010	ND	448	112	400	3.64	.
TPH 8015M		mg/kg		Analyzed By: AB					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	09/25/2010	ND	175	87.7	200	4.09	
DRO >C10-C28	<10.0	10.0	09/25/2010	ND	154	77.2	200	7.54	
Surrogate: 1-Chlorooctane	92.3 %	70-130							
Surrogate: 1-Chlorooctadecane	95.3 %	70-130							

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

Notes and Definitions

ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C
	Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager



CARDINAL LABORATORIES

101 East Marland, Hobbs, NM 88240

(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name: <u>Targa</u>		BILL TO		ANALYSIS REQUEST																						
Project Manager: <u>Regent Hillard</u>		P.O. #:		<div style="display: flex; justify-content: space-around; align-items: center;"> <div style="writing-mode: vertical-rl; transform: rotate(180deg); font-size: 2em;">TPH</div> <div style="writing-mode: vertical-rl; transform: rotate(180deg); font-size: 2em;">Chlorides</div> </div>																						
Address: <u>Box 1353</u>		Company:																								
City: <u>Eunice</u> State: <u>NM</u> Zip: <u>88231</u>		Attn:																								
Phone #: <u>575-394-2516</u> Fax #: <u>575-394-1514</u>		Address:																								
Project #:		City:																								
Project Name: <u>McCasland 6" Re-sample</u>		State: Zip:																								
Project Location: <u>Eunice Field</u>		Phone #:																								
Sampler Name: <u>Regent Hillard</u>		Fax #:																								
FOR LAB USE ONLY																										
Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	MATRIX					PRESERV.			SAMPLING														
				GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER	ACID/BASE	ICE / COOL	OTHER	DATE	TIME												
H20885-1	North Well - resample												9/20/10	9:24 AM												

PLEASE NOTE: Liability and Damages: Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages including without limitation business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By: <u>[Signature]</u>	Date: <u>9/20/10</u>	Received By: <u>[Signature]</u>	Phone Result: <input type="checkbox"/> Yes <input type="checkbox"/> No	Add'l Phone #:
	Time: <u>10:40 AM</u>		Fax Result: <input type="checkbox"/> Yes <input type="checkbox"/> No	Add'l Fax #:
Relinquished By:	Date:	Received By:	REMARKS:	
	Time:	<u>Jodi Benson</u>		
Delivered By: (Circle One)	Sample Condition	CHECKED BY: <u>[Signature]</u>		
Sampler - UPS - Bus - Other:	Cool Intact	(Initials)		
	<u>15.5°C</u> <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No			

FORM-006
Revision 1.0

† Cardinal cannot accept verbal changes. Please fax written changes to 575-393-2476

#26



September 10, 2010

Roger Holland

Targa Midstream- Eunice

PO Box 1929

Eunice, NM 88231

RE: MC CASLAND 6"

Enclosed are the results of analyses for samples received by the laboratory on 09/01/10 15:40.

Cardinal Laboratories is accredited through Texas NELAP for:

Method SW-846 8021	Benzene, Toluene, Ethyl Benzene, and Total Xylenes
Method SW-846 8260	Benzene, Toluene, Ethyl Benzene, and Total Xylenes
Method TX 1005	Total Petroleum Hydrocarbons

Certificate number T104704398-08-TX. Accreditation applies to solid and chemical materials and non-potable water matrices.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene
Lab Director/Quality Manager

Analytical Results For:

Targa Midstream- Eunice
Roger Holland
PO Box 1929
Eunice NM, 88231
Fax To: (575) 394-1514

Received: 09/01/2010
Reported: 09/10/2010
Project Name: MC CASLAND 6"
Project Number: NONE GIVEN
Project Location: EUNICE FIELD

Sampling Date: 09/01/2010
Sampling Type: Soil
Sampling Condition: ** (See Notes)
Sample Received By: Jodi Henson

Sample ID: BOTTOM (H020783-01)

Chloride, SM4500Cl-B			mg/kg		Analyzed By: HM				
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	09/03/2010	ND	432	108	400	0.00	
TPH 8015M			mg/kg		Analyzed By: AB				
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	09/07/2010	ND	182	90.9	200	5.24	
DRO >C10-C28	<10.0	10.0	09/07/2010	ND	184	92.0	200	6.75	
Surrogate: 1-Chlorooctane	90.1 %	70-130							
Surrogate: 1-Chlorooctadecane	69.1 %	70-130							

Sample ID: WEST WALL (H020783-02)

Chloride, SM4500Cl-B			mg/kg		Analyzed By: HM				
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	09/03/2010	ND	432	108	400	0.00	
TPH 8015M			mg/kg		Analyzed By: AB				
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	09/09/2010	ND	161	80.5	200	0.619	
DRO >C10-C28	<10.0	10.0	09/09/2010	159	162	81.0	200	0.615	
Surrogate: 1-Chlorooctane	90.4 %	70-130							
Surrogate: 1-Chlorooctadecane	93.0 %	70-130							

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 Targa Midstream- Eunice
 Roger Holland
 PO Box 1929
 Eunice NM, 88231
 Fax To: (575) 394-1514

 Received: 09/01/2010
 Reported: 09/10/2010
 Project Name: MC CASLAND 6"
 Project Number: NONE GIVEN
 Project Location: EUNICE FIELD

 Sampling Date: 09/01/2010
 Sampling Type: Soil
 Sampling Condition: ** (See Notes)
 Sample Received By: Jodi Henson

Sample ID: EAST WALL (H020783-03)

Chloride, SM4500Cl-B			mg/kg		Analyzed By: HM				
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	09/03/2010	ND	432	108	400	0.00	
TPH 8015M			mg/kg		Analyzed By: AB				
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	09/09/2010	ND	161	80.5	200	0.619	
DRO >C10-C28	<10.0	10.0	09/09/2010	159	162	81.0	200	0.615	
Surrogate: 1-Chlorooctane	93.3 %	70-130							
Surrogate: 1-Chlorooctadecane	97.0 %	70-130							

Sample ID: NORTH WALL (H020783-04)

Chloride, SM4500Cl-B			mg/kg		Analyzed By: HM				
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	720	16.0	09/03/2010	ND	432	108	400	0.00	
TPH 8015M			mg/kg		Analyzed By: AB				
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	09/09/2010	ND	161	80.5	200	0.619	
DRO >C10-C28	<10.0	10.0	09/09/2010	159	162	81.0	200	0.615	
Surrogate: 1-Chlorooctane	106 %	70-130							
Surrogate: 1-Chlorooctadecane	112 %	70-130							

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Analytical Results For:

Targa Midstream- Eunice
Roger Holland
PO Box 1929
Eunice NM, 88231
Fax To: (575) 394-1514

Received: 09/01/2010
Reported: 09/10/2010
Project Name: MC CASLAND 6"
Project Number: NONE GIVEN
Project Location: EUNICE FIELD

Sampling Date: 09/01/2010
Sampling Type: Soil
Sampling Condition: ** (See Notes)
Sample Received By: Jodi Henson

Sample ID: SOUTH WALL (H020783-05)

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	09/03/2010	ND	432	108	400	0.00	
TPH 8015M		mg/kg		Analyzed By: AB					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	09/09/2010	ND	161	80.5	200	0.619	
DRO >C10-C28	<10.0	10.0	09/09/2010	159	162	81.0	200	0.615	
Surrogate: 1-Chlorooctane									
	106 %	70-130							
Surrogate: 1-Chlorooctadecane									
	112 %	70-130							

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

Notes and Definitions

- S-04 The surrogate recovery for this sample is outside of established control limits due to a sample matrix effect.
- ND Analyte NOT DETECTED at or above the reporting limit
- RPD Relative Percent Difference
- ** Samples not received at proper temperature of 6°C or below.
- *** Insufficient time to reach temperature.
- Chloride by SM4500Cl-B does not require samples be received at or below 6°C
Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager






(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

1
2
3
4
5

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the malpractice. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received by Cardinal within 90 days after completion of the applicable service. Cardinal and its advisors shall be liable for negligent or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by clients, its subsidiaries, affiliates or associates arising out of or related to the performance of services rendered by Cardinal, regardless of whether such claims are based upon any of the above stated remedies, or otherwise.

Relinquished By: 	Date: 4/14/02 Time: 3:45 PM	Received By: 	Phone Result: <input type="checkbox"/> Yes <input type="checkbox"/> No Add'l Phone #: _____	REMARKS: _____ _____ _____
Relinquished By: _____	Date: _____ Time: _____	Received By: 	Fax Result: <input type="checkbox"/> Yes <input type="checkbox"/> No Add'l Fax #: _____	_____ _____ _____

Delivered By: Circle One

Sampler - UPS - Bus - Other:


FORM-005

Revision 1.0

U
1200
† Cardinal cannot accept verbal changes. Please fax written changes to 575-393-2476

MCCASLAND 6 INCH

SAMPLE DATE	SAMPLE I.D.	SOIL STATUS	TPH GRO	TPH DRO	CHLORIDE BENZENE TOLUENE	ETHYL BENZENE	TOTAL XYLENES
9/1/2010	BOTTOM #1	In Situ	<10	<10	<16		
9/1/2010	West Wall #2	In Situ	<10	<10	32		
9/1/2010	East Wall #3	In Situ	<10	<10	32		
9/1/2010	North Wall #4	Excavated	<10	<10	720		
9/1/2010	South Wall #5	In Situ	<10	<10	<16		
9/20/2010	North Wall Resample	In Situ	<10	<10	32		







SOUTH COMPRESSOR TARGA

Johnson, Larry, EMNRD

From: Katie Jones [kjones@riceswd.com]
Sent: Tuesday, June 08, 2010 8:07 AM
To: Johnson, Larry, EMNRD; Hill, Larry, EMNRD
Cc: Hack Conder
Subject: API Numbers

Mr. Johnson,

These are the wells we are going to use for leaks in each system. If you have any questions, please give me a call.

Well	Permit #	Legal Location	API #
EME SWD Well H-20	R1348	SE/4 NE/4 SEC 20-T20S-R37E	30-025-12800
BD SWD Well E-32	SWD-239	SEC 32-T21S-R37E	30-025-38528
Justis SWD Well B-12	SWD-179	NW/4 NE/4 SEC 12-T25S-R37E	30-025-24761

Thank you.

Katie Jones

PIPELINE API #S 4-7-10

HOLLEY - NAVAJO - NO WELLS
CENTURION - NO WELLS
DAVIS - 11 ✓
PLAINS - 12803
SUG SERVICES LTD - 38822
DCP - 38576
JAY MGT - 31381
TARGIA - 21497
RICE - JUSTISS SYST - 24761