


AP - 54

**QUARTERLY
MONITORING
REPORTS**

3rd – 4th 2010



PLAINS
PIPELINE, L.P.

January 26, 2011

RECEIVED

Mr. Edward Hansen
New Mexico Oil Conservation Division
Environmental Bureau
1220 South St. Francis Drive
Santa Fe, New Mexico 87505

FFR - 2 2011

Oil Conservation Division
1220 S. St. Francis Drive
Santa Fe, NM 87505

RE: Plains Pipeline, L.P. Hobbs Junction Mainline Release Site
NMOCD Reference # AP-054
Unit Letter M of Section 26, Township 18 South, Range 37 East
Lea County, New Mexico

Dear Mr. Hansen:

Plains Pipeline, L.P. is pleased to submit the attached Quarterly Report, dated January 25, 2011 for the Hobbs Junction Mainline release site located in Section 26 of Township 18 South, and Range 37 East of Lea County, New Mexico. This document summarizes the status of recent activities performed during the fourth quarter of 2010.

Should you have any questions or comments, please contact me at (575) 441-1099.

Sincerely,

Jason Henry
Remediation Coordinator
Plains Pipeline, L.P.

CC: Geoffrey R. Leking, NMOCD, Hobbs Office

Enclosure



January 25, 2010

RECEIVED

FEB - 2 2011

AMARILLO
921 North Bivins
Amarillo, Texas 79107
Phone 806.467.0607
Fax 806.467.0622

AUSTIN
911 West Anderson Lane
Suite 202
Austin, Texas 78757
Phone 512.989.3428
Fax 512.989.3487

MIDLAND
2901 State Highway 349
Midland, Texas 79706
Phone 432.522.2133
Fax 432.522.2180

SAN ANTONIO
11 Commercial Place
Schertz, Texas 78154
Phone 210.265.8025
Fax 210.568.2191

TULSA
525 South Main Street
Suite 535
Tulsa, Oklahoma 74103
Phone 918.742.0871
Fax 918.382.0232

HOBBS
318 East Taylor Street
Hobbs, New Mexico 88241
Phone 505.393.4261
Fax 505.393.4658

ARTESIA
408 W. Texas Ave.
Artesia, New Mexico 88210
Phone 575.746.8768
Fax 505.746.8905

ENVIRONMENTAL CONSULTING
ENGINEERING
DRILLING
CONSTRUCTION
EMERGENCY RESPONSE

Toll Free: 866.742.0742
www.talonlpe.com

Mr. Edward Hansen
New Mexico Oil Conservation Division
1220 South St. Francis Drive
Santa Fe, New Mexico 87505

Oil Conservation Division
1220 S. St. Francis Drive
Santa Fe, NM 87505

Re: Plains Pipeline, L.P. Hobbs Junction Mainline (Plains SRS#2003-00017)
Fourth Quarter 2010 Summary
NMOCD Reference # AP-054
UL-M (SW $\frac{1}{4}$ of the SW $\frac{1}{4}$) of Section 26, T18S, R37E
Latitude: 32° 42' 40.85"N and Longitude: 103° 13' 42.01"W
Landowners: State of New Mexico and Ms. Faye Klein
Lea County, New Mexico

Dear Mr. Hansen:

Talon/LPE (Talon) is submitting this letter report on behalf of Plains Pipeline, L.P. (Plains) that summarizes the activities for the fourth quarter of 2010.

Remediation Activities

During the fourth quarter of 2010, two (2) specific gravity skimmers with bladder pumps were operating in monitoring wells MW-11 and MW-14, and nine (9) total fluids pumps were operating in monitoring wells MW-1, MW-2, MW-3, MW-4, MW-5, MW-6, MW-12, MW-15, and MW-17. The pumps are utilized to recover phase separated hydrocarbons (PSH) and to inhibit the migration of the PSH and dissolved-phase plumes. The PSH recovery system is inspected and maintained a minimum of biweekly to optimize recovery rates.

During the fourth quarter, approximately 11,858 barrels of water was recovered by the system and 11,909 barrels of water was transferred to Occidental Permian's North Hobbs Satellite facility for disposal. In addition, approximately 71 barrels of crude oil was recovered by the system and at the end of the quarter, approximately 50 barrels of crude oil was contained in the recovery tank. During the fourth quarter, approximately 72 barrels of crude oil was removed from the recovery tank, transferred, and reintroduced to the Plains pipeline system at 34 Junction South.

Quarterly Sampling Event

On December 27, 2010, the fourth quarter groundwater sampling event was conducted at the site. Prior to sample collection, the depths to static water levels and to PSH, if present, were measured in all monitor wells using an interface probe. Following a sufficient purge, groundwater samples from monitor wells

MW-7, MW-9, MW-13, MW-18, MW-19, MW-21, MW-22, and MW-23 were collected and submitted to the laboratory for quantification of benzene, toluene, ethylbenzene, and xylene (BTEX) using EPA SW-846 Method 8021B. Groundwater samples were not collected from fifteen (15) monitor wells that were impacted with PSH (MW-1 through, MW-6, MW-8, MW-10, MW-11, MW-12, MW-14, MW-15, MW-16, MW-17 and MW-20). In addition, a groundwater sample was not collected from MW-24 because the well was not found.

Groundwater Monitoring Event Results


Data collected from the groundwater monitoring event exhibited the following results:

- Benzene concentrations ranged from <0.00100 mg/L to 11.7 mg/L. Benzene concentrations exceeded the New Mexico Water Quality Control Commission (NMWQCC) remediation threshold of 0.010 mg/L in groundwater samples collected from monitor wells MW-21, and MW-22.
- Toluene concentrations ranged from <0.00100 mg/L to <0.0200 mg/L. Toluene concentrations did not exceed the NMWQCC remediation threshold of 0.750 mg/L in any of the groundwater samples collected.
- Ethylbenzene concentrations ranged from <0.00100 mg/L to 0.998 mg/L. Ethylbenzene concentrations exceeded the NMWQCC remediation threshold of 0.750 mg/L in the groundwater sample collected from monitor wells MW-21.
- Total Xylene concentrations ranged from <0.00100 mg/L to 0.343 mg/L. Total Xylene concentrations did not exceed the NMWQCC remediation threshold of 0.620 mg/L in any groundwater sample collected.
- Compared to the third quarter analytical results, dissolved-phase concentrations remained relatively stable except in down-gradient monitor wells MW-21 and MW-22, which exhibited significant increases in total BTEX, indicating that the dissolved-phase plume may be expanding down-gradient.
- Compared to the third quarter data, groundwater levels exhibited an increase with an average rise of 0.455 feet during the fourth quarter
- Compared to the third quarter, PSH thicknesses exhibited both declines and increases during the fourth quarter. The largest increase in PSH thickness occurred in monitor well MW-20 of 1.60-ft. Moderate increases in PSH thicknesses occurred in monitor wells MW-1, MW-3, MW-4, MW-10, MW-12, MW-13, MW-16 and MW-17. Monitor well MW-8 exhibited a first occurrence of PSH suggesting that the plume may be expanding cross gradient to the north. The largest decline in PSH thickness occurred in monitor well MW-2 of 1.87 feet.
- Based on the data collected during the fourth quarter groundwater monitoring event, both the PSH and dissolved-phase plumes are delineated.

Groundwater elevations and PSH thicknesses are summarized in Table 1, Appendix B, and groundwater analytical results are summarized in Table 2, Appendix B. The fourth quarter laboratory analytical report and chain of custody documentation are provided in Appendix C. The fourth quarter site map, gradient map, and PSH thickness and groundwater dissolved-phase concentration map are located in Appendix A.


If you have any questions or require further information, please contact me at (432) 522-2133 or Mr. Jeff Dann at (713) 646-4657.

Sincerely,



Steven R. Killingsworth, P.G.
Senior Project Manager

Cc: Mr. Jeffery P. Dann, Plains Pipeline, L.P.



Appendices:

Appendix A.....	Figures
Appendix B.....	Tables
Appendix C.....	Laboratory Analytical Data Reports and Chain of Custody Documentation


Appendix A

Figures

Figure 1 - Site Layout and Monitor Well Location Map

Figure 2 - Groundwater Gradient Map - 12/27/2010


Figure 3 - Groundwater Concentration and PSH Plume Map - 12/27/2010




0 60 120
Scale in Feet

Legend

- Monitor Well
- MW w/Total Fluids Pump
- MW w/Skimmer Pump
- Fence Line
- Overhead Powerline
- Railroad Tracks
- Power Pole W/Transformer
- Compressor Shed
- Controls
- Recovery System Tank and Containment



Project # 700376.052.01




Date: 12/07/2009

Scale: 1" = 120'


Drawn By: TJS

Hobbs Junction Mainline
SRS # 2003-00017, NMOCD REF. # AP-054
SW 1/4, SW 1/4, of Sec. 26, T18S, R37E, Lea County, New Mexico
Figure 1 - Site Plan




0 55 110

Scale in Feet



Project = 700376.052.01



Date: 01/04/2011

Scale: 1" = 110'


Drawn By: TJS

Hobbs Junction Mainline

SRS # 2003-00017, NMOCDF REF. # AP-054

SW 1/4, SW 1/4, of Sec. 26, T18S, R37E, Lea County, New Mexico


Figure 2d - Groundwater Gradient Map, - 12/27/2010



Legend

- Monitor Well
- MW w/Total Fluids Pump
- MW w/Skimmer Pump
- Fence Line
- Overhead Powerline
- Railroad Tracks
- Power Pole W/Transformer
- Compressor Shed
- Controls
- Recovery System Tank and Containment
- PSH Thickness Contour Line
- 2.0' PSH Plume Thickness

Project # 700376.052.01



Date: 01/04/2011

Scale: 1" = 110'

Drawn By: TJS

Hobbs Junction Mainline

SRS # 2003-00017, NMOCD REF. # AP-054

SW 1/4, SW 1/4, of Sec. 26, T18S, R37E, Lea County, New Mexico

Figure 3d - PSH Thickness & Groundwater Concentration Map, - 12/27/2010

Appendix B

Tables

Table 1 - Summary of Historical Fluid Level Measurements

Table 2 - Summary of BTEX Groundwater Analytical Data




TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-1	06/23/03	3,678.50	38.49	45.43	6.94	3,639.32
MW-1	06/25/03		38.48	45.43	6.95	3,639.33
MW-1	07/01/03		36.64	48.25	11.61	3,640.70
MW-1	07/07/03		38.73	45.55	6.82	3,639.09
MW-1	07/22/03		37.32	48.05	10.73	3,640.11
MW-1	07/23/03		37.33	48.06	10.73	3,640.10
MW-1	07/24/03		37.40	47.90	10.50	3,640.05
MW-1	07/30/03		37.41	47.90	10.49	3,640.04
MW-1	10/13/03		36.81	47.34	10.53	3,640.64
MW-1	12/11/03		37.79	46.85	9.06	3,639.80
MW-1	12/15/03		37.75	46.77	9.02	3,639.85
MW-1	02/18/04		38.42	47.64	9.22	3,639.16
MW-1	03/29/04		37.45	45.35	7.90	3,640.26
MW-1	04/29/04		38.26	42.18	3.92	3,639.85
MW-1	05/03/04		37.44	46.11	8.67	3,640.19
MW-1	07/12/04		38.34	45.66	7.32	3,639.43
MW-1	12/09/04		35.90	43.54	7.64	3,641.84
MW-1	02/16/05		35.15	42.54	7.39	3,642.61
MW-1	03/31/05		35.27	42.81	7.54	3,642.48
MW-1	05/13/05		35.31	42.60	7.29	3,642.46
MW-1	05/26/05		35.41	42.61	7.20	3,642.37
MW-1	06/28/05		35.48	42.65	7.17	3,642.30
MW-1	08/15/05		35.72	42.16	6.44	3,642.14



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-1	11/14/05		36.26	41.80	5.54	3,641.69
MW-1	01/23/06		36.71	42.14	5.43	3,641.25
MW-1	03/02/06		36.36	41.41	5.05	3,641.64
MW-1	06/01/06		37.58	42.01	4.43	3,640.48
MW-1	08/14/06		37.63	43.68	6.05	3,640.27
MW-1	11/28/06		37.27	42.50	5.23	3,640.71
MW-1	12/12/06		37.25	41.49	4.24	3,640.83
MW-1	01/09/07		37.31	42.71	5.40	3,640.65
MW-1	02/08/07		37.25	42.78	5.53	3,640.70
MW-1	02/27/07		37.34	42.88	5.54	3,640.61
MW-1	03/09/07		37.30	42.74	5.44	3,640.66
MW-1	03/13/07		37.28	42.78	5.50	3,640.67
MW-1	03/15/07		37.31	42.79	5.48	3,640.64
MW-1	03/23/07		37.32	42.80	5.48	3,640.63
MW-1	03/28/07		37.30	42.78	5.48	3,640.65
MW-1	04/12/07		38.03	42.40	4.37	3,640.03
MW-1	04/18/07		37.47	42.61	5.14	3,640.52
MW-1	05/23/07		38.28	42.24	3.96	3,639.82
MW-1	06/20/07		37.90	41.74	3.84	3,640.22
MW-1	06/28/07		37.87	41.69	3.82	3,640.25
MW-1	07/18/07		37.95	41.63	3.68	3,640.18
MW-1	08/15/07		37.74	42.62	4.88	3,640.27
MW-1	08/22/07		38.41	39.20	0.79	3,640.01



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-1	08/28/07		38.76	39.08	0.32	3,639.71
MW-1	09/19/07		37.99	40.99	3.00	3,640.21
MW-1	09/25/07		39.30	39.93	0.63	3,639.14
MW-1	10/09/07		38.52	38.90	0.38	3,639.94
MW-1	10/17/07		38.51	38.88	0.37	3,639.95
MW-1	10/26/07		38.49	38.91	0.42	3,639.97
MW-1	11/05/07		38.16	42.11	3.95	3,639.95
MW-1	11/12/07		38.51	38.96	0.45	3,639.95
MW-1	12/05/07		38.12	40.88	2.76	3,640.10
MW-1	01/03/08		38.12	41.04	2.92	3,640.09
MW-1	01/30/08		38.03	41.94	3.91	3,640.08
MW-1	02/04/08		38.02	41.97	3.95	3,640.09
MW-1	02/12/08		38.04	41.96	3.92	3,640.07
MW-1	03/11/08		38.26	41.29	3.03	3,639.94
MW-1	03/26/08		38.82	39.06	0.24	3,639.66
MW-1	04/02/08		39.21	39.42	0.21	3,639.27
MW-1	04/16/08		38.87	39.24	0.37	3,639.59
MW-1	04/29/08		38.87	39.66	0.86	3,639.61
MW-1	05/07/08		38.94	42.34	3.40	3,639.22
MW-1	06/11/08		38.57	42.36	3.79	3,639.55
MW-1	06/20/08		38.59	42.58	3.99	3,639.51
MW-1	07/22/08		38.54	42.37	3.83	3,639.58
MW-1	07/24/08		39.94	40.41	0.47	3,638.51




TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-1	08/19/08		38.76	39.88	1.12	3,639.63
MW-1	08/20/08		38.74	43.89	5.15	3,639.25
MW-1	11/18/08		38.17	43.12	4.95	3,639.84
MW-1	12/18/08		38.21	43.15	4.94	3,639.80
MW-1	01/13/09		38.30	42.81	4.51	3,639.75
MW-1	03/03/09		38.33	43.25	4.92	3,639.68
MW-1	06/24/09		38.49	43.51	5.02	3,639.51
MW-1	08/11/09		38.60	43.79	5.19	3,639.38
MW-1	11/18/09		39.04	43.84	4.80	3,638.67
MW-1	02/16/10		39.17	43.77	4.60	3,638.57
MW-1	06/03/10		40.07	43.74	3.67	3,637.89
MW-1	09/20/10		40.52	44.29	3.77	3,637.43
MW-1	12/27/10		39.41	43.80	4.39	3,638.44
MW-2	06/26/03	3,679.47	38.72	44.93	6.21	3,640.13
MW-2	07/01/03		38.65	45.42	6.77	3,640.14
MW-2	07/22/03		38.63	45.63	7.00	3,640.14
MW-2	07/23/03		38.64	45.63	6.99	3,640.13
MW-2	07/24/03		39.20	43.57	4.37	3,639.83
MW-2	07/30/03		39.21	43.58	4.37	3,639.82
MW-2	12/11/03		38.88	45.51	6.63	3,639.93
MW-2	12/15/03		38.84	45.41	6.57	3,639.97
MW-2	03/23/04		38.36	44.52	6.16	3,640.49



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-2	03/29/04		38.47	44.04	5.57	3,640.44
MW-2	04/29/04		38.16	48.06	9.90	3,640.32
MW-2	05/03/04		38.39	44.27	5.88	3,640.49
MW-2	07/12/04		39.42	44.67	5.25	3,639.53
MW-2	12/09/04		37.00	42.52	5.52	3,641.92
MW-2	02/16/05		36.87	44.03	7.16	3,641.88
MW-2	03/31/05		36.17	41.85	5.68	3,642.73
MW-2	05/13/05		36.27	42.10	5.83	3,642.62
MW-2	05/26/05		36.84	39.29	2.45	3,642.39
MW-2	06/28/05		36.39	41.57	5.18	3,642.56
MW-2	08/15/05		37.15	38.92	1.77	3,642.14
MW-2	11/14/05		37.56	39.16	1.60	3,641.75
MW-2	01/23/06		38.01	39.54	1.53	3,641.31
MW-2	03/02/06		37.60	38.93	1.33	3,641.74
MW-2	06/01/06		38.48	41.05	2.57	3,640.73
MW-2	08/14/06		39.23	41.24	2.01	3,640.04
MW-2	11/28/06		38.33	40.73	2.40	3,640.90
MW-2	12/12/06		37.80	44.10	6.30	3,641.04
MW-2	01/09/07		38.20	42.21	4.01	3,640.87
MW-2	02/08/07		37.94	42.60	4.66	3,641.06
MW-2	02/27/07		38.15	43.34	5.19	3,640.80
MW-2	03/09/07		38.07	42.24	4.17	3,640.98
MW-2	03/13/07		38.07	42.32	4.25	3,640.98



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-2	03/15/07		38.09	42.39	4.30	3,640.95
MW-2	03/23/07		38.16	42.00	3.84	3,640.93
MW-2	03/28/07		38.13	42.22	4.09	3,640.93
MW-2	04/12/07		38.51	41.93	3.42	3,640.62
MW-2	04/18/07		38.97	39.73	0.76	3,640.42
MW-2	05/23/07		38.98	39.50	0.52	3,640.44
MW-2	06/20/07		38.94	39.90	0.96	3,640.43
MW-2	06/28/07		38.66	40.88	2.22	3,640.59
MW-2	07/18/07		38.53	41.85	3.32	3,640.61
MW-2	08/15/07		38.50	42.11	3.61	3,640.61
MW-2	08/28/07		38.40	42.21	3.81	3,640.69
MW-2	09/19/07		38.41	42.18	3.77	3,640.68
MW-2	09/25/07		38.41	42.20	3.79	3,640.68
MW-2	10/09/07		38.86	40.37	1.51	3,640.46
MW-2	10/17/07		38.93	40.07	1.14	3,640.43
MW-2	10/26/07		38.68	41.27	2.59	3,640.53
MW-2	11/05/07		38.80	40.64	1.84	3,640.49
MW-2	11/12/07		38.91	40.23	1.32	3,640.43
MW-2	12/05/07		38.72	41.51	2.79	3,640.47
MW-2	01/03/08		39.87	41.11	1.24	3,639.48
MW-2	01/30/08		38.76	41.78	3.02	3,640.41
MW-2	02/04/08		38.81	41.82	3.01	3,640.36
MW-2	02/12/08		38.78	41.80	3.02	3,640.39



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-2	03/11/08		39.28	39.79	0.51	3,640.14
MW-2	03/26/08		39.38	39.65	0.27	3,640.06
MW-2	04/02/08		39.44	39.67	0.23	3,640.01
MW-2	04/29/08		39.11	41.58	2.47	3,640.11
MW-2	04/16/08		39.28	40.63	1.35	3,640.06
MW-2	05/07/08		39.08	42.88	3.80	3,640.01
MW-2	06/11/08		39.74	39.91	0.17	3,639.71
MW-2	06/20/08		39.78	40.21	0.43	3,639.65
MW-2	07/24/08		40.33	41.46	1.13	3,639.03
MW-2	08/19/08		40.05	41.19	1.14	3,639.31
MW-2	09/02/08		39.25	40.76	1.51	3,640.07
MW-2	11/18/08		39.19	41.72	2.53	3,640.03
MW-2	12/18/08		39.11	42.19	3.08	3,640.05
MW-2	01/13/09		39.14	42.24	3.10	3,640.02
MW-2	03/03/09		39.22	42.45	3.23	3,639.93
MW-2	06/24/09		39.36	42.76	3.40	3,639.77
MW-2	08/11/09		39.43	43.15	3.72	3,639.67
MW-2	11/18/09		39.77	44.18	4.41	3,638.97
MW-2	02/16/10		39.70	43.63	3.93	3,639.12
MW-2	06/03/10		41.21	41.57	0.36	3,638.21
MW-2	09/20/10		41.00	44.04	3.04	3,638.02
MW-2	12/27/10		40.55	41.72	1.17	3,638.75




TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-3	10/13/03	3,679.81	39.21	48.75	9.54	3,639.65
MW-3	12/11/03		39.15	48.95	9.80	3,639.68
MW-3	12/15/03		39.08	50.91	11.83	3,639.55
MW-3	02/18/04		38.72	48.26	9.54	3,640.14
MW-3	03/12/04		39.82	48.49	8.67	3,639.12
MW-3	03/29/04		38.81	46.32	7.51	3,640.25
MW-3	04/29/04		39.49	44.11	4.62	3,639.86
MW-3	05/03/04		38.77	46.51	7.74	3,640.27
MW-3	07/12/04		39.68	46.81	7.13	3,639.42
MW-3	12/09/04		37.21	45.06	7.85	3,641.82
MW-3	02/16/05		36.70	42.67	5.97	3,642.51
MW-3	03/31/05		38.17	38.20	0.03	3,641.64
MW-3	05/13/05		36.67	44.45	7.78	3,642.36
MW-3	05/26/05		36.92	42.88	5.96	3,642.29
MW-3	06/28/05		36.72	44.05	7.33	3,642.36
MW-3	08/15/05		37.12	43.17	6.05	3,642.09
MW-3	11/14/05		37.69	42.67	4.98	3,641.62
MW-3	01/23/06		38.08	43.31	5.23	3,641.21
MW-3	03/02/06		37.80	42.37	4.57	3,641.55
MW-3	06/01/06		38.50	42.53	4.03	3,640.91
MW-3	08/14/06		39.27	44.64	5.37	3,640.00
MW-3	11/28/06		38.61	43.75	5.14	3,640.69
MW-3	12/12/06		38.56	43.91	5.35	3,640.72



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-3	01/09/07		38.36	43.21	4.85	3,640.97
MW-3	02/08/07		38.50	44.15	5.65	3,640.75
MW-3	02/27/07		38.67	44.25	5.58	3,640.58
MW-3	03/09/07		38.89	44.13	5.24	3,640.40
MW-3	03/13/07		38.58	44.19	5.61	3,640.67
MW-3	03/15/07		38.62	44.23	5.61	3,640.63
MW-3	03/23/07		38.61	44.12	5.51	3,640.65
MW-3	03/28/07		38.61	44.23	5.62	3,640.64
MW-3	04/12/07		39.88	39.93	0.05	3,639.93
MW-3	04/18/07		39.64	41.30	1.66	3,640.00
MW-3	05/23/07		39.96	40.32	0.36	3,639.81
MW-3	06/20/07		39.86	40.20	0.34	3,639.92
MW-3	06/28/07		39.86	40.12	0.26	3,639.92
MW-3	07/18/07		39.89	40.19	0.30	3,639.89
MW-3	08/15/07		39.12	43.68	4.56	3,640.23
MW-3	08/22/07		39.11	43.56	4.45	3,640.26
MW-3	08/28/07		39.30	43.09	3.79	3,640.13
MW-3	09/19/07		39.12	43.20	4.08	3,640.28
MW-3	09/25/07		39.17	42.94	3.77	3,640.26
MW-3	10/09/07		39.07	41.74	2.67	3,640.47
MW-3	10/17/07		39.12	43.44	4.32	3,640.26
MW-3	10/26/07		39.24	42.99	3.75	3,640.20
MW-3	11/05/07		39.19	43.10	3.91	3,640.23



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-3	11/12/07		39.90	40.21	0.31	3,639.88
MW-3	12/05/07		39.64	41.52	1.88	3,639.98
MW-3	01/03/08		39.68	41.72	2.04	3,639.93
MW-3	01/30/08		39.65	41.53	1.88	3,639.97
MW-3	02/04/08		39.70	41.59	1.89	3,639.92
MW-3	02/12/08		39.65	41.59	1.94	3,639.97
MW-3	03/11/08		39.46	41.82	2.36	3,640.11
MW-3	03/26/08		40.15	40.41	0.26	3,639.63
MW-3	04/02/08		41.21	41.47	0.26	3,638.57
MW-3	04/16/08		40.21	40.55	0.34	3,639.57
MW-3	04/29/08		40.22	40.69	0.47	3,639.54
MW-3	05/07/08		40.29	43.96	3.67	3,639.15
MW-3	06/11/08		39.89	44.65	4.76	3,639.44
MW-3	06/20/08		39.90	43.91	4.01	3,639.51
MW-3	07/22/08		40.41	41.58	1.17	3,639.28
MW-3	07/24/08		40.51	45.03	4.52	3,638.85
MW-3	08/19/08		40.08	46.33	6.25	3,639.11
MW-3	08/20/08		40.08	45.33	5.25	3,639.21
MW-3	11/18/08		39.46	44.64	5.18	3,639.83
MW-3	12/18/08		39.51	44.63	5.12	3,639.79
MW-3	01/13/09		39.64	44.17	4.53	3,639.72
MW-3	03/03/09		39.65	44.62	4.97	3,639.66
MW-3	06/24/09		39.94	44.25	4.31	3,639.44



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-3	08/11/09		39.91	45.05	5.14	3,639.39
MW-3	11/18/09		40.51	44.79	4.28	3,638.59
MW-3	02/16/10		40.51	45.04	4.53	3,638.55
MW-3	06/03/10		41.82	43.31	1.49	3,637.77
MW-3	09/20/10		41.76	45.70	3.94	3,637.47
MW-3	12/27/10		40.82	44.80	3.98	3,638.40
MW-4	10/13/03	3,679.64	39.01	48.75	9.74	3,639.66
MW-4	12/11/03		38.92	47.32	8.40	3,639.88
MW-4	12/15/03		38.84	47.16	8.32	3,639.97
MW-4	02/18/04		38.48	46.62	8.14	3,640.35
MW-4	03/12/04		39.09	47.51	8.42	3,639.71
MW-4	03/29/04		38.59	45.62	7.03	3,640.35
MW-4	04/29/04		39.94	44.23	4.29	3,639.27
MW-4	05/03/04		38.55	46.33	7.78	3,640.31
MW-4	07/12/04		39.49	46.24	6.75	3,639.48
MW-4	12/09/04		37.03	44.15	7.12	3,641.90
MW-4	02/16/05		36.28	43.01	6.73	3,642.69
MW-4	03/31/05		36.45	42.62	6.17	3,642.57
MW-4	05/13/05		36.37	43.25	6.88	3,642.58
MW-4	05/26/05		36.51	42.79	6.28	3,642.50
MW-4	06/28/05		36.47	43.26	6.79	3,642.49
MW-4	08/15/05		36.79	42.80	6.01	3,642.25



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-4	11/14/05		37.35	42.24	4.89	3,641.80
MW-4	01/23/06		37.80	42.66	4.86	3,641.35
MW-4	03/02/06		37.43	41.97	4.54	3,641.76
MW-4	06/01/06		38.16	43.90	5.74	3,640.91
MW-4	08/14/06		39.01	44.12	5.11	3,640.12
MW-4	11/28/06		38.37	43.91	5.54	3,640.72
MW-4	12/12/06		38.35	43.06	4.71	3,640.82
MW-4	01/09/07		37.86	44.18	6.32	3,641.15
MW-4	02/08/07		38.28	44.93	6.65	3,640.70
MW-4	02/27/07		38.40	44.38	5.98	3,640.64
MW-4	03/09/04		38.34	43.32	4.98	3,640.80
MW-4	03/13/07		38.34	43.35	5.01	3,640.80
MW-4	03/15/07		38.30	43.38	5.08	3,640.83
MW-4	03/23/07		38.38	43.37	4.99	3,640.76
MW-4	03/28/07		38.37	43.42	5.05	3,640.77
MW-4	04/12/07		38.71	42.96	4.25	3,640.51
MW-4	04/18/07		38.00	43.14	5.14	3,641.13
MW-4	05/23/07		39.87	42.73	2.86	3,639.48
MW-4	06/20/07		38.90	42.52	3.62	3,640.38
MW-4	06/28/07		38.92	42.34	3.42	3,640.38
MW-4	07/18/07		38.99	42.36	3.37	3,640.31
MW-4	08/15/07		39.00	42.33	3.33	3,640.31
MW-4	08/22/07		38.97	42.27	3.30	3,640.34



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-4	08/28/07		39.12	41.89	2.77	3,640.24
MW-4	09/19/07		38.89	42.32	3.43	3,640.41
MW-4	09/25/07		39.07	41.64	2.57	3,640.31
MW-4	10/09/07		39.12	41.74	2.62	3,640.26
MW-4	10/17/07		39.12	41.66	2.54	3,640.27
MW-4	10/26/07		39.10	41.42	2.32	3,640.31
MW-4	11/05/07		38.94	42.60	3.66	3,640.33
MW-4	11/12/07		39.27	41.09	1.82	3,640.19
MW-4	12/05/07		39.04	41.98	2.94	3,640.31
MW-4	01/03/08		39.26	41.74	2.48	3,640.13
MW-4	01/30/08		39.08	41.55	2.47	3,640.31
MW-4	02/04/08		39.15	41.61	2.46	3,640.24
MW-4	02/12/08		39.10	41.62	2.52	3,640.29
MW-4	03/11/08		39.36	41.86	2.50	3,640.03
MW-4	03/26/08		39.18	42.99	3.81	3,640.08
MW-4	04/02/08		39.24	43.07	3.83	3,640.02
MW-4	04/16/08		39.69	41.09	1.40	3,639.81
MW-4	04/29/08		39.77	41.04	1.27	3,639.74
MW-4	05/07/08		40.07	43.59	3.52	3,639.22
MW-4	06/11/08		39.69	42.97	3.28	3,639.62
MW-4	06/20/08		39.65	43.07	3.42	3,639.65
MW-4	07/22/08		39.51	43.35	3.84	3,639.75
MW-4	07/24/08		40.98	41.16	0.18	3,638.64



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-4	08/19/08		39.88	44.41	4.53	3,639.31
MW-4	08/20/08		39.97	44.42	4.45	3,639.23
MW-4	11/18/08		39.27	43.72	4.45	3,639.93
MW-4	12/18/08		39.29	43.75	4.46	3,639.90
MW-4	01/13/09		39.42	43.25	3.83	3,639.84
MW-4	03/03/09		39.45	43.71	4.26	3,639.76
MW-4	06/24/09		39.71	43.35	3.64	3,639.57
MW-4	08/11/09		39.68	44.24	4.56	3,639.50
MW-4	11/18/09		40.20	44.29	4.09	3,638.77
MW-4	02/16/10		40.23	44.39	4.16	3,638.72
MW-4	06/03/10		40.99	45.55	4.56	3,637.98
MW-4	09/20/10		41.36	44.92	3.56	3,637.76
MW-4	12/27/10		40.42	44.74	4.32	3,638.58
MW-5	10/13/03	3,679.26	40.35	43.02	2.67	3,638.64
MW-5	12/11/03		38.95	47.81	8.86	3,639.42
MW-5	12/15/03		38.91	47.72	8.81	3,639.47
MW-5	02/18/04		38.61	47.44	8.83	3,639.77
MW-5	03/29/04		38.76	46.15	7.39	3,639.76
MW-5	04/29/04		38.55	47.41	8.86	3,639.82
MW-5	05/03/04		38.52	47.46	8.94	3,639.85
MW-5	07/12/04		39.24	47.72	8.48	3,639.17
MW-5	12/09/04		36.99	45.01	8.02	3,641.47



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-5	02/16/05		36.24	44.48	8.24	3,642.20
MW-5	02/22/05		36.20	44.50	8.30	3,642.23
MW-5	03/31/05		36.38	44.38	8.00	3,642.08
MW-5	05/13/05		36.43	44.29	7.86	3,642.04
MW-5	05/26/05		36.66	43.50	6.84	3,641.92
MW-5	06/28/05		36.58	44.45	7.87	3,641.89
MW-5	08/15/05		36.93	43.52	6.59	3,641.67
MW-5	11/14/05		37.45	43.27	5.82	3,641.23
MW-5	01/23/06		37.85	43.90	6.05	3,640.81
MW-5	03/02/06		37.46	43.41	5.95	3,641.21
MW-5	06/01/06		38.74	43.32	4.58	3,640.06
MW-5	08/14/06		38.92	45.05	6.13	3,639.73
MW-5	11/28/06		38.39	44.35	5.96	3,640.27
MW-5	12/12/06		38.32	44.91	6.59	3,640.28
MW-5	01/09/07		38.47	43.56	5.09	3,640.28
MW-5	02/08/07		38.28	44.42	6.14	3,640.37
MW-5	02/27/07		38.36	45.29	6.93	3,640.21
MW-5	03/09/07		38.44	45.22	6.78	3,640.14
MW-5	03/13/07		38.36	45.08	6.72	3,640.23
MW-5	03/15/07		38.37	45.09	6.72	3,640.22
MW-5	03/23/07		38.33	45.15	6.82	3,640.25
MW-5	03/28/07		38.35	45.17	6.82	3,640.23
MW-5	04/12/07		39.69	41.87	2.18	3,639.35



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-5	04/18/07		40.31	42.84	2.53	3,638.70
MW-5	05/23/07		39.96	40.60	0.64	3,639.24
MW-5	06/20/07		39.38	42.16	2.78	3,639.60
MW-5	06/28/07		39.87	40.41	0.54	3,639.34
MW-5	07/18/07		39.95	40.35	0.40	3,639.27
MW-5	08/22/07		39.85	40.20	0.35	3,639.38
MW-5	08/28/07		39.20	42.98	3.78	3,639.68
MW-5	09/19/07		38.97	43.67	4.70	3,639.82
MW-5	09/25/07		39.14	42.87	3.73	3,639.75
MW-5	10/09/07		40.07	40.29	0.22	3,639.17
MW-5	10/17/07		39.01	43.06	4.05	3,639.85
MW-5	11/05/07		39.07	43.02	3.95	3,639.80
MW-5	12/05/07		39.13	42.26	3.13	3,639.82
MW-5	01/30/08		38.94	44.87	5.93	3,639.73
MW-5	02/04/08		39.05	44.96	5.91	3,639.62
MW-5	02/12/08		38.97	44.90	5.93	3,639.70
MW-5	03/11/08		39.54	42.71	3.17	3,639.40
MW-5	03/26/08		40.10	40.31	0.21	3,639.14
MW-5	04/02/08		40.19	40.39	0.20	3,639.05
MW-5	04/16/08		40.03	40.65	0.62	3,639.17
MW-5	04/29/08		39.14	42.99	3.85	3,639.74
MW-5	06/11/08		40.49	40.67	0.18	3,638.75
MW-5	06/20/08		40.53	40.76	0.23	3,638.71



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-5	07/22/08		40.31	40.85	0.54	3,638.90
MW-5	07/24/08		41.25	41.39	0.14	3,638.00
MW-5	08/19/08		39.82	40.25	0.43	3,639.40
MW-5	08/20/08		39.82	40.29	0.47	3,639.39
MW-5	11/18/08		39.20	45.62	6.42	3,639.42
MW-5	12/18/08		39.24	45.71	6.47	3,639.37
MW-5	01/13/09		39.36	45.23	5.87	3,639.31
MW-5	03/03/09		39.36	45.66	6.30	3,639.27
MW-5	06/24/09		39.55	45.65	6.10	3,639.10
MW-5	08/11/09		39.69	45.79	6.10	3,638.96
MW-5	12/18/09		40.28	45.51	5.23	3,638.12
MW-5	02/16/10		40.29	45.91	5.62	3,638.04
MW-5	06/03/10		41.55	44.03	2.48	3,637.35
MW-5	09/20/10		41.52	46.43	4.91	3,637.02
MW-5	12/27/10		40.69	45.31	4.62	3,637.89
MW-6	10/13/03	3,680.63	40.04	50.12	10.08	3,639.58
MW-6	12/11/03		40.01	48.43	8.42	3,639.78
MW-6	12/15/03		39.92	48.33	8.41	3,639.87
MW-6	02/18/04		39.63	47.81	8.18	3,640.18
MW-6	03/12/04		39.68	47.51	7.83	3,640.17
MW-6	03/29/04		39.67	46.50	6.83	3,640.28
MW-6	04/29/04		40.18	44.76	4.58	3,639.99




TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-6	05/03/04		39.66	46.63	6.97	3,640.27
MW-6	07/12/04		40.52	47.68	7.16	3,639.39
MW-6	12/09/04		38.11	45.06	6.95	3,641.83
MW-6	02/16/05		36.25	44.44	8.19	3,643.56
MW-6	02/22/05		37.25	44.44	7.19	3,642.66
MW-6	03/31/05		37.52	44.15	6.63	3,642.45
MW-6	05/13/05		37.46	44.75	7.29	3,642.44
MW-6	05/26/05		37.71	43.31	5.60	3,642.36
MW-6	06/28/05		37.62	44.18	6.56	3,642.35
MW-6	08/15/05		38.09	42.77	4.68	3,642.07
MW-6	11/14/05		38.64	43.31	4.67	3,641.52
MW-6	01/23/06		39.08	42.67	3.59	3,641.19
MW-6	03/02/06		38.85	41.45	2.60	3,641.52
MW-6	06/01/06		40.06	41.84	1.78	3,640.39
MW-6	08/14/06		40.19	44.64	4.45	3,640.00
MW-6	11/28/06		39.36	44.31	4.95	3,640.78
MW-6	12/12/06		39.32	43.81	4.49	3,640.86
MW-6	01/09/07		39.71	42.41	2.70	3,640.65
MW-6	02/08/07		39.30	44.49	5.19	3,640.81
MW-6	02/27/07		39.41	44.54	5.13	3,640.71
MW-6	03/09/07		39.40	44.47	5.07	3,640.72
MW-6	03/13/07		39.40	44.47	5.07	3,640.72
MW-6	03/15/07		39.40	44.50	5.10	3,640.72



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-6	03/23/07		39.41	44.42	5.01	3,640.72
MW-6	03/28/07		39.45	44.80	5.35	3,640.65
MW-6	04/12/07		40.33	41.37	1.04	3,640.20
MW-6	04/18/07		40.61	40.83	0.22	3,640.00
MW-6	05/23/07		40.50	40.90	0.40	3,640.09
MW-6	06/20/07		40.58	41.25	0.67	3,639.98
MW-6	06/28/07		40.24	42.01	1.77	3,640.21
MW-6	07/18/07		39.94	43.74	3.80	3,640.31
MW-6	08/15/07		40.51	41.06	0.55	3,640.07
MW-6	08/22/07		40.56	40.81	0.25	3,640.05
MW-6	08/28/07		40.30	42.31	2.01	3,640.13
MW-6	09/19/07		39.78	44.04	4.26	3,640.42
MW-6	09/25/07		39.84	44.15	4.31	3,640.36
MW-6	10/09/07		39.82	44.15	4.33	3,640.38
MW-6	10/17/07		40.55	40.83	0.28	3,640.05
MW-6	10/26/07		39.98	43.54	3.56	3,640.29
MW-6	11/05/07		39.88	43.98	4.10	3,640.34
MW-6	11/12/07		39.91	43.99	4.08	3,640.31
MW-6	12/05/07		39.98	43.97	3.99	3,640.25
MW-6	01/03/08		39.66	40.44	0.78	3,640.89
MW-6	01/30/08		40.11	43.81	3.70	3,640.15
MW-6	02/04/08		40.23	43.96	3.73	3,640.03
MW-6	02/12/08		40.15	43.90	3.75	3,640.11



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-6	03/11/08		39.64	41.79	2.15	3,640.78
MW-6	03/26/08		40.38	43.19	2.81	3,639.97
MW-6	04/02/08		40.90	41.15	0.25	3,639.71
MW-6	04/16/08		40.91	41.23	0.32	3,639.69
MW-6	04/29/08		39.96	41.28	1.32	3,640.54
MW-6	05/07/08		40.60	43.17	2.57	3,639.77
MW-6	06/11/08		41.22	41.47	0.25	3,639.39
MW-6	06/20/08		41.27	41.54	0.27	3,639.33
MW-6	07/24/08		41.98	42.18	0.20	3,638.63
MW-6	08/19/08		41.19	44.28	3.09	3,639.13
MW-6	08/20/08		41.17	44.44	3.27	3,639.13
MW-6	09/02/08		40.95	41.17	0.22	3,639.66
MW-6	11/18/08		40.33	44.63	4.30	3,639.87
MW-6	12/18/08		40.35	44.80	4.45	3,639.84
MW-6	01/13/09		40.45	44.37	3.92	3,639.79
MW-6	03/03/09		40.51	44.65	4.14	3,639.71
MW-6	06/24/09		40.90	43.77	2.87	3,639.44
MW-6	08/11/09		40.86	46.41	5.55	3,639.22
MW-6	11/18/09		40.28	45.51	5.23	3,639.49
MW-6	02/16/10		41.21	45.86	4.65	3,638.65
MW-6	06/03/10		42.49	44.10	1.61	3,637.90
MW-6	09/20/10		42.32	46.75	4.43	3,637.66
MW-6	12/27/10		41.62	45.09	3.47	3,638.50



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-7	01/23/04	3,679.85	TD=53.34	39.64		3,640.21
MW-7	04/29/04			39.29		3,640.56
MW-7	05/12/04			39.29		3,640.56
MW-7	06/03/04			39.27		3,640.58
MW-7	07/12/04			40.42		3,639.43
MW-7	07/19/04			40.68		3,639.17
MW-7	11/08/04			38.66		3,641.19
MW-7	03/31/05			37.07		3,642.78
MW-7	05/13/05			37.10		3,642.75
MW-7	05/23/05			37.09		3,642.76
MW-7	05/26/05			37.13		3,642.69
MW-7	06/28/05			37.16		3,642.69
MW-7	08/15/05			37.32		3,642.45
MW-7	08/17/05			37.26		3,642.59
MW-7	11/14/05			37.40		3,642.45
MW-7	01/23/06			38.12		3,641.73
MW-7	03/02/06			37.49		3,642.36
MW-7	06/01/06			38.40		3,641.45
MW-7	08/14/06			39.50		3,640.35
MW-7	11/28/06			38.61		3,641.24
MW-7	12/12/06			38.62		3,641.23
MW-7	01/09/07			38.22		3,641.63



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-7	02/08/07			38.43		3,641.42
MW-7	02/27/07			38.67		3,641.18
MW-7	03/09/07			38.67		3,641.18
MW-7	03/13/07			38.65		3,641.20
MW-7	03/15/07			38.64		3,641.21
MW-7	03/23/07			38.51		3,641.34
MW-7	03/28/07			38.60		3,641.25
MW-7	04/12/07			38.75		3,641.10
MW-7	04/18/07			38.73		3,641.12
MW-7	05/23/07			38.70		3,641.15
MW-7	06/20/07			38.81		3,641.04
MW-7	07/18/07			38.90		3,640.95
MW-7	09/19/07			38.87		3,640.98
MW-7	11/02/07			38.96		3,640.89
MW-7	11/16/07			38.90		3,640.95
MW-7	12/05/07			38.99		3,640.86
MW-7	01/30/08			39.03		3,640.82
MW-7	03/11/08			39.13		3,640.72
MW-7	04/29/08			39.13		3,640.72
MW-7	05/09/08			39.16		3,640.69
MW-7	06/11/08			39.19		3,640.66
MW-7	06/20/08			39.29		3,640.56
MW-7	08/19/08			39.31		3,640.54



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-7	08/20/08			39.30		3,640.55
MW-7	12/18/08			39.48		3,640.37
MW-7	01/13/09			39.47		3,640.38
MW-7	03/03/09			39.58		3,640.27
MW-7	06/24/09			39.77		3,640.08
MW-7	08/11/09			39.90		3,639.95
MW-7	11/18/09			40.20		3,639.65
MW-7	02/16/10			40.06		3,639.79
MW-7	06/03/10			40.52		3,639.33
MW-7	09/20/10			40.79		3,639.06
MW-7	12/27/10			40.78		3,639.07
MW-8	01/23/04	3,679.07	TD=53.29	39.56		3,639.51
MW-8	04/29/04			39.33		3,639.74
MW-8	05/12/04			39.34		3,639.73
MW-8	06/03/04			39.32		3,639.75
MW-8	07/12/04			40.13		3,638.94
MW-8	07/19/04			40.32		3,638.75
MW-8	11/08/04			39.60		3,639.47
MW-8	03/31/05			37.11		3,641.96
MW-8	05/13/05			37.16		3,641.91
MW-8	05/23/05			37.16		3,641.91
MW-8	05/26/05			37.19		3,641.88



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-8	06/28/05			37.23		3,641.84
MW-8	08/15/05			37.40		3,641.67
MW-8	08/17/05			37.34		3,641.73
MW-8	11/14/05			37.52		3,641.55
MW-8	01/23/06			38.23		3,640.84
MW-8	03/02/06			37.63		3,641.44
MW-8	06/01/06			38.90		3,640.17
MW-8	08/14/06			39.34		3,639.73
MW-8	11/28/06			38.71		3,640.36
MW-8	12/12/06			38.73		3,640.34
MW-8	01/09/07			38.71		3,640.36
MW-8	02/08/07			38.55		3,640.52
MW-8	02/21/07			38.78		3,640.29
MW-8	02/27/07			38.79		3,640.28
MW-8	03/09/07			38.78		3,640.29
MW-8	03/13/07			38.78		3,640.29
MW-8	03/15/07			38.76		3,640.31
MW-8	03/23/07			38.62		3,640.45
MW-8	03/28/07			38.74		3,640.33
MW-8	04/12/07			38.90		3,640.17
MW-8	04/18/07			38.88		3,640.19
MW-8	05/23/07			38.86		3,640.21
MW-8	06/20/07			38.96		3,640.11



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-8	07/18/07			39.05		3,640.02
MW-8	09/19/07			38.99		3,640.08
MW-8	11/02/07			39.06		3,640.01
MW-8	11/16/07			39.06		3,640.01
MW-8	12/05/07			39.09		3,639.98
MW-8	01/30/08			39.11		3,639.96
MW-8	03/11/08			39.24		3,639.83
MW-8	04/29/08			39.27		3,639.80
MW-8	05/09/08			39.26		3,639.81
MW-8	06/11/08			39.30		3,639.77
MW-8	06/20/08			39.40		3,639.67
MW-8	08/19/08			39.41		3,639.66
MW-8	08/20/08			39.41		3,639.66
MW-8	12/18/08			39.57		3,639.50
MW-8	01/13/09			39.58		3,639.49
MW-8	03/03/09			39.68		3,639.39
MW-8	06/24/09			39.85		3,639.22
MW-8	08/11/09			39.99		3,639.08
MW-8	11/18/09			40.25		3,638.82
MW-8	02/16/10			40.17		3,638.90
MW-8	06/03/10			40.68		3,638.39
MW-8	09/20/10			40.90		3,638.17
MW-8	12/27/10		40.88	41.02	0.14	3,638.17



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-9	01/23/04	3,678.76	TD=53.28	39.91		3,638.85
MW-9	04/29/04			39.68		3,639.08
MW-9	05/12/04			39.69		3,639.07
MW-9	06/03/04			39.67		3,639.09
MW-9	07/12/04			40.34		3,638.42
MW-9	07/19/04			40.44		3,638.32
MW-9	11/08/04			38.84		3,639.92
MW-9	03/31/05			37.48		3,641.28
MW-9	05/13/05			37.54		3,641.22
MW-9	05/23/05			37.55		3,641.21
MW-9	05/26/05			37.59		3,641.17
MW-9	06/28/05			37.64		3,641.12
MW-9	08/15/05			37.82		3,640.94
MW-9	08/17/05			37.77		3,640.99
MW-9	11/14/05			37.95		3,640.81
MW-9	01/23/06			38.65		3,640.11
MW-9	03/02/06			38.05		3,640.71
MW-9	06/01/06			38.73		3,640.03
MW-9	08/14/06			39.57		3,639.19
MW-9	11/28/06			39.12		3,639.64
MW-9	12/12/06			53.10		3,625.66
MW-9	01/09/07			39.14		3,639.62




TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-9	02/08/07			38.97		3,639.79
MW-9	02/21/07			39.22		3,639.54
MW-9	02/27/07			39.21		3,639.55
MW-9	03/09/07			39.21		3,639.55
MW-9	03/13/07			39.20		3,639.56
MW-9	03/15/07			39.20		3,639.56
MW-9	03/23/07			39.04		3,639.72
MW-9	03/28/07			39.16		3,639.60
MW-9	04/12/07			39.36		3,639.40
MW-9	04/18/07			39.30		3,639.46
MW-9	05/22/07			39.31		3,639.45
MW-9	06/20/07			39.40		3,639.36
MW-9	07/18/07			39.49		3,639.27
MW-9	09/19/07			39.45		3,639.31
MW-9	11/02/07			39.51		3,639.25
MW-9	11/16/07			39.48		3,639.28
MW-9	12/05/07			39.51		3,639.25
MW-9	01/30/08			39.54		3,639.22
MW-9	03/11/08			39.66		3,639.10
MW-9	04/29/08			39.58		3,639.18
MW-9	05/09/08			39.68		3,639.08
MW-9	06/11/08			39.73		3,639.03
MW-9	06/20/08			39.81		3,638.95



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-9	08/19/08			39.95		3,638.81
MW-9	08/20/08			39.84		3,638.92
MW-9	12/18/08			40.02		3,638.74
MW-9	01/13/09			40.02		3,638.74
MW-9	03/03/09			40.10		3,638.66
MW-9	06/24/09			40.28		3,638.48
MW-9	08/11/09			40.38		3,638.38
MW-9	11/18/09			40.65		3,638.11
MW-9	02/16/10			40.63		3,638.13
MW-9	06/03/10			41.08		3,637.68
MW-9	09/20/10			41.31		3,637.45
MW-9	12/27/10			41.33		3,637.43
MW-10	01/23/04	3,678.36		39.89		3,638.47
MW-10	04/29/04			39.74		3,638.62
MW-10	05/12/04			39.74		3,638.62
MW-10	06/03/04			39.74		3,638.62
MW-10	07/12/04			40.24		3,638.12
MW-10	07/19/04			40.33		3,638.03
MW-10	11/08/04			38.76		3,639.60
MW-10	03/31/05			37.46		3,640.90
MW-10	05/13/05			37.58		3,640.78
MW-10	05/23/05			37.58		3,640.78



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-10	05/26/05			37.62		3,640.74
MW-10	06/28/05			37.70		3,640.66
MW-10	08/15/05			37.87		3,640.49
MW-10	08/17/05			37.02		3,641.34
MW-10	11/14/05			38.02		3,640.34
MW-10	01/23/06			38.73		3,639.63
MW-10	03/02/06			38.16		3,640.20
MW-10	06/01/06			38.81		3,639.55
MW-10	08/14/06			39.51		3,638.85
MW-10	11/28/06			39.19		3,639.17
MW-10	12/12/06			39.21		3,639.15
MW-10	01/09/07			39.21		3,639.15
MW-10	02/08/07			39.10		3,639.26
MW-10	02/21/07			39.33		3,639.03
MW-10	02/27/07			39.29		3,639.07
MW-10	03/09/07			39.24		3,639.12
MW-10	03/13/07			39.29		3,639.07
MW-10	03/15/07			39.30		3,639.06
MW-10	03/23/07			39.11		3,639.25
MW-10	03/28/07			39.24		3,639.12
MW-10	04/12/07			39.46		3,638.90
MW-10	04/18/07			39.41		3,638.95
MW-10	04/18/07			39.31		3,639.05



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-10	06/20/07			39.48		3,638.88
MW-10	07/18/07			39.59		3,638.77
MW-10	09/19/07			39.51		3,638.85
MW-10	11/02/07			39.50		3,638.86
MW-10	11/16/07			39.91		3,638.45
MW-10	12/05/07			39.52		3,638.84
MW-10	01/30/08			39.57		3,638.79
MW-10	03/11/08			39.78		3,638.58
MW-10	04/29/08			39.81		3,638.55
MW-10	05/09/08			39.80		3,638.56
MW-10	06/11/08			39.89		3,638.47
MW-10	06/20/08			39.93		3,638.43
MW-10	08/19/08			39.96		3,638.40
MW-10	08/20/08			39.96		3,638.40
MW-10	11/18/08			40.08		3,638.28
MW-10	12/18/08			40.10		3,638.26
MW-10	01/13/09			40.13		3,638.23
MW-10	03/03/09			40.21		3,638.15
MW-10	06/24/09			40.39		3,637.97
MW-10	08/11/09			40.49		3,637.87
MW-10	11/18/09			40.72		3,637.64
MW-10	02/16/10			40.72		3,637.64
MW-10	06/03/10			41.13		3,637.23




TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-10	09/20/10		41.19	42.55	1.36	3,636.97
MW-10	12/27/10		40.81	43.23	2.42	3,637.19
MW-11	01/23/04	3,678.03		41.40		3,636.63
MW-11	04/29/04			41.07		3,636.96
MW-11	05/12/04			39.57		3,638.46
MW-11	06/03/04			39.61		3,638.42
MW-11	07/12/04			40.04		3,637.99
MW-11	07/19/04			40.10		3,637.93
MW-11	11/08/04			38.66		3,639.37
MW-11	03/31/05			37.25		3,640.78
MW-11	05/13/05			37.40		3,640.63
MW-11	05/23/05			37.34		3,640.69
MW-11	05/26/05			31.45		3,646.58
MW-11	06/28/05			37.54		3,640.49
MW-11	08/15/05			37.60		3,640.43
MW-11	08/17/05			37.61		3,640.42
MW-11	11/14/05			37.80		3,640.23
MW-11	01/23/06			38.58		3,639.45
MW-11	03/02/06			37.97		3,640.06
MW-11	06/01/06			39.15		3,638.88
MW-11	08/14/06			39.33		3,638.70
MW-11	11/28/06			39.00		3,639.03



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-11	12/12/06			39.06		3,638.97
MW-11	01/09/07			39.06		3,638.97
MW-11	02/08/07			38.91		3,639.12
MW-11	02/21/07			39.11		3,638.92
MW-11	02/27/07			44.87		3,633.16
MW-11	03/09/07			39.17		3,638.86
MW-11	03/13/07			39.13		3,638.90
MW-11	03/15/07			39.16		3,638.87
MW-11	03/23/07			39.01		3,639.02
MW-11	03/28/07			39.05		3,638.98
MW-11	04/12/07			39.34		3,638.69
MW-11	04/18/07			39.25		3,638.78
MW-11	05/22/07			39.24		3,638.79
MW-11	06/20/07			39.30		3,638.73
MW-11	07/18/07			39.42		3,638.61
MW-11	09/19/07			39.55		3,638.48
MW-11	11/02/07			39.37		3,638.66
MW-11	11/16/07			39.46		3,638.57
MW-11	12/05/07			39.47		3,638.56
MW-11	01/30/08			39.51		3,638.52
MW-11	03/11/08			39.56		3,638.47
MW-11	04/29/08			39.63		3,638.40
MW-11	05/09/08			39.66		3,638.37



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-11	06/11/08		40.01	40.49	0.48	3,637.97
MW-11	06/20/08		40.04	40.64	0.60	3,637.93
MW-11	07/22/08		39.61	40.88	1.27	3,638.29
MW-11	08/19/08		40.42	41.04	0.62	3,637.55
MW-11	08/20/08		40.42	41.09	0.67	3,637.54
MW-11	09/02/08		39.78	39.96	0.18	3,638.23
MW-11	11/18/08		39.35	42.46	3.11	3,638.37
MW-11	12/18/08		39.25	43.07	3.82	3,638.40
MW-11	01/13/09		39.45	42.41	2.96	3,638.28
MW-11	03/03/09		39.50	42.67	3.17	3,638.21
MW-11	06/24/09		39.44	43.74	4.30	3,638.16
MW-11	08/11/09		39.65	43.61	3.96	3,637.98
MW-11	11/18/09		40.21	42.95	2.74	3,637.37
MW-11	02/16/10		40.14	44.05	3.91	3,637.24
MW-11	06/03/10		40.70	44.77	4.07	3,636.73
MW-11	09/20/10		40.64	44.48	3.84	3,636.83
MW-11	12/27/10		40.53	43.35	2.82	3,637.09
MW-12	01/23/04	3,679.63	39.49	45.30	5.81	3,639.56
MW-12	03/23/04		38.89	47.39	8.50	3,639.89
MW-12	03/29/04		38.86	47.33	8.47	3,639.92
MW-12	04/29/04		38.86	48.57	9.71	3,639.80
MW-12	05/03/04		38.83	46.63	7.80	3,640.02



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-12	07/12/04		39.58	47.53	7.95	3,639.26
MW-12	12/09/04		37.50	44.28	6.78	3,641.45
MW-12	02/16/05		36.68	43.87	7.19	3,642.23
MW-12	03/31/05		36.95	42.97	6.02	3,642.08
MW-12	05/13/05		36.83	43.97	7.14	3,642.09
MW-12	05/26/05		36.95	43.71	6.76	3,642.00
MW-12	06/28/05		36.97	44.14	7.17	3,641.94
MW-12	08/15/05		37.25	43.60	6.35	3,641.75
MW-12	11/14/05		37.73	43.51	5.78	3,641.32
MW-12	01/23/06		38.08	44.34	6.26	3,640.92
MW-12	03/02/06		37.71	43.82	6.11	3,641.31
MW-12	06/01/06		38.87	44.25	5.38	3,640.22
MW-12	08/14/06		39.11	45.85	6.74	3,639.85
MW-12	11/28/06		38.64	44.91	6.27	3,640.36
MW-12	12/12/06		38.63	44.92	6.29	3,640.37
MW-12	01/09/07		38.41	44.87	6.46	3,640.57
MW-12	02/08/07		nd	42.02	na	3,636.01
MW-12	03/09/07		38.67	45.13	6.46	3,640.31
MW-12	03/13/07		38.64	45.14	6.50	3,640.34
MW-12	03/15/07		38.64	45.16	6.52	3,640.34
MW-12	03/23/07		38.68	45.14	6.46	3,640.30
MW-12	03/28/07		38.68	45.19	6.51	3,640.30
MW-12	04/12/07		39.22	44.25	5.03	3,639.91



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-12	04/18/07		39.96	44.68	4.72	3,639.20
MW-12	05/22/07		39.51	43.75	4.24	3,639.70
MW-12	06/20/07		39.42	43.40	3.98	3,639.81
MW-12	06/28/07		39.47	43.06	3.59	3,639.80
MW-12	07/18/07		39.65	42.80	3.15	3,639.67
MW-12	08/15/07		39.27	43.96	4.69	3,639.89
MW-12	08/22/07		39.50	42.90	3.40	3,639.79
MW-12	08/28/07		39.78	42.04	2.26	3,639.62
MW-12	09/19/07		39.39	43.31	3.92	3,639.85
MW-12	09/25/07		39.29	43.67	4.38	3,639.90
MW-12	10/09/07		39.14	44.79	5.65	3,639.93
MW-12	10/17/07		39.57	42.72	3.15	3,639.75
MW-12	10/26/07		39.21	41.22	2.01	3,640.22
MW-12	11/05/07		39.13	44.61	5.48	3,639.95
MW-12	11/12/07		39.33	44.70	5.37	3,639.76
MW-12	12/05/07		39.34	44.87	5.53	3,639.74
MW-12	01/03/08		39.37	44.14	4.77	3,639.78
MW-12	01/30/08		38.29	44.71	6.42	3,640.70
MW-12	02/04/08		38.35	44.81	6.46	3,640.63
MW-12	02/12/08		38.30	44.75	6.45	3,640.69
MW-12	03/11/08		39.29	45.08	5.79	3,639.76
MW-12	03/26/08		39.44	44.43	4.99	3,639.69
MW-12	04/02/08		39.46	44.87	5.41	3,639.63



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-12	04/16/08		39.51	44.94	5.43	3,639.58
MW-12	04/29/08		39.76	44.26	4.50	3,639.42
MW-12	05/07/08		39.71	44.76	5.05	3,639.42
MW-12	06/11/08		39.86	45.02	5.16	3,639.25
MW-12	06/20/08		39.88	45.19	5.31	3,639.22
MW-12	07/22/08		39.69	45.50	5.81	3,639.36
MW-12	07/24/08		40.61	46.15	5.54	3,638.47
MW-12	08/19/08		40.08	46.95	6.87	3,638.86
MW-12	08/20/08		40.09	46.98	6.89	3,638.85
MW-12	11/18/08		39.50	45.95	6.45	3,639.49
MW-12	12/18/08		39.52	45.96	6.44	3,639.47
MW-12	01/13/09		39.68	45.44	5.76	3,639.37
MW-12	03/03/09		39.63	46.05	6.42	3,639.36
MW-12	06/24/09		39.79	46.24	6.45	3,639.20
MW-12	08/11/09		39.95	46.28	6.33	3,639.05
MW-12	11/18/09		40.44	46.21	5.77	3,638.24
MW-12	02/16/10		40.56	46.04	5.48	3,638.17
MW-12	06/03/10		41.26	46.76	5.50	3,637.56
MW-12	09/20/10		41.77	46.69	4.92	3,637.14
MW-12	12/27/10		40.70	46.72	6.02	3,638.05
MW-13	01/23/04	3,681.42	TD=51.43	39.67		3,641.75
MW-13	04/29/04			39.58		3,641.84



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCDF REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-13	05/12/04			41.05		3,640.37
MW-13	06/03/04			41.05		3,640.37
MW-13	07/12/04			42.18		3,639.24
MW-13	07/19/04			42.44		3,638.98
MW-13	11/08/04			40.24		3,641.18
MW-13	03/31/05			38.79		3,642.63
MW-13	05/13/05			38.83		3,642.59
MW-13	05/23/05			38.82		3,642.60
MW-13	05/26/05			38.87		3,642.55
MW-13	06/28/05			38.63		3,642.79
MW-13	08/15/05			39.07		3,642.35
MW-13	08/17/05			39.02		3,642.40
MW-13	11/14/05			39.15		3,642.27
MW-13	01/23/06			39.84		3,641.58
MW-13	03/02/06			39.28		3,642.14
MW-13	06/01/06			40.73		3,640.69
MW-13	08/14/06			41.22		3,640.20
MW-13	11/28/06			40.38		3,641.04
MW-13	12/12/06			40.37		3,641.05
MW-13	01/09/07			40.36		3,641.06
MW-13	02/08/07			42.02		3,639.40
MW-13	02/27/07			40.41		3,641.01
MW-13	03/09/07			40.42		3,641.00



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-13	03/13/07			40.42		3,641.00
MW-13	03/15/07			40.44		3,640.98
MW-13	03/23/07			40.25		3,641.17
MW-13	03/28/07			40.35		3,641.07
MW-13	04/12/07			40.55		3,640.87
MW-13	04/18/07			40.48		3,640.94
MW-13	05/23/07			40.48		3,640.94
MW-13	06/20/07			40.60		3,640.82
MW-13	07/18/07			40.68		3,640.74
MW-13	09/19/07			39.55		3,641.87
MW-13	11/02/07			40.58		3,640.84
MW-13	11/16/07			40.43		3,640.99
MW-13	12/05/07			40.75		3,640.67
MW-13	01/30/08			40.78		3,640.64
MW-13	03/11/08			36.14		3,645.28
MW-13	04/29/08			40.92		3,640.50
MW-13	05/09/08			40.94		3,640.48
MW-13	06/11/08			40.98		3,640.44
MW-13	06/20/08			41.08		3,640.34
MW-13	08/19/08			41.10		3,640.32
MW-13	08/20/08			41.09		3,640.33
MW-13	12/18/08			41.26		3,640.16
MW-13	01/13/09			41.26		3,640.16



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-13	03/03/09			41.37		3,640.05
MW-13	06/24/09			41.55		3,639.87
MW-13	08/11/09			41.69		3,639.73
MW-13	11/18/09			41.99		3,639.43
MW-13	02/16/10			41.85		3,639.57
MW-13	06/03/10			42.37		3,639.05
MW-13	09/20/10			42.57		3,638.85
MW-13	12/27/10			42.57		3,638.85
MW-14	06/03/04	3,679.00	39.16	42.87	3.71	3,639.47
MW-14	07/12/04		39.29	46.46	7.17	3,638.99
MW-14	07/19/04		39.45	46.59	7.14	3,638.84
MW-14	08/26/04		38.92	45.94	7.02	3,639.38
MW-14	12/09/04		37.11	43.08	5.97	3,641.29
MW-14	02/16/05		36.62	42.53	5.91	3,641.79
MW-14	03/31/05		36.34	43.32	6.98	3,641.96
MW-14	05/13/05		36.45	43.34	6.89	3,641.86
MW-14	05/26/05		36.48	45.27	8.79	3,641.64
MW-14	06/28/05		36.54	44.83	8.29	3,641.63
MW-14	08/15/05		37.14	41.59	4.45	3,641.42
MW-14	11/14/05		37.55	41.70	4.15	3,641.04
MW-14	01/23/06		37.85	42.74	4.89	3,640.66
MW-14	03/02/06		37.58	41.71	4.13	3,641.01



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-14	06/01/06		38.84	41.75	2.91	3,639.87
MW-14	08/14/06		0.00	39.00	39.00	3,675.10
MW-14	11/28/06		38.30	43.55	5.25	3,640.18
MW-14	12/12/06		38.24	44.02	5.78	3,640.18
MW-14	01/09/07		38.21	42.26	4.05	3,640.39
MW-14	02/08/07		38.18	44.27	6.09	3,640.21
MW-14	02/27/07		38.26	44.32	6.06	3,640.13
MW-14	03/09/07		38.27	44.41	6.14	3,640.12
MW-14	03/13/07		38.20	44.21	6.01	3,640.20
MW-14	03/15/07		38.22	44.20	5.98	3,640.18
MW-14	03/23/07		38.28	44.22	5.94	3,640.13
MW-14	03/28/07		38.25	44.27	6.02	3,640.15
MW-14	04/12/07		39.41	40.64	1.23	3,639.47
MW-14	04/18/07		39.69	40.01	0.32	3,639.28
MW-14	05/23/07		39.71	40.02	0.31	3,639.26
MW-14	06/20/07		38.96	41.88	2.92	3,639.75
MW-14	06/28/07		39.05	41.85	2.80	3,639.67
MW-14	07/18/07		39.58	39.91	0.33	3,639.39
MW-14	08/15/07		39.63	39.87	0.24	3,639.35
MW-14	08/22/07		39.54	40.15	0.61	3,639.40
MW-14	08/28/07		39.39	41.62	2.23	3,639.39
MW-14	09/19/07		39.07	41.79	2.72	3,639.66
MW-14	09/25/07		39.34	40.94	1.60	3,639.50



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-14	10/09/07		39.44	41.15	1.71	3,639.39
MW-14	10/17/07		39.61	39.80	0.19	3,639.37
MW-14	10/26/07		39.56	39.88	0.32	3,639.41
MW-14	11/05/07		39.08	42.21	3.13	3,639.61
MW-14	11/12/07		38.95	43.05	4.10	3,639.64
MW-14	12/05/07		38.99	43.75	4.76	3,639.53
MW-14	01/03/08		38.94	43.60	4.66	3,639.59
MW-14	01/30/08		39.03	43.88	4.85	3,639.49
MW-14	02/04/08		39.19	44.12	4.93	3,639.32
MW-14	02/12/08		39.06	43.91	4.85	3,639.46
MW-14	03/11/08		39.56	41.27	1.71	3,639.27
MW-14	03/26/08		39.94	40.14	0.20	3,639.04
MW-14	04/02/08		40.13	40.26	0.13	3,638.86
MW-14	04/16/08		39.94	40.25	0.31	3,639.03
MW-14	04/29/08		39.97	40.32	0.35	3,639.00
MW-14	05/07/08		39.39	43.18	3.79	3,639.23
MW-14	06/11/08		40.23	40.49	0.26	3,638.74
MW-14	06/20/08		40.29	40.52	0.23	3,638.69
MW-14	07/24/08		41.00	41.22	0.22	3,637.98
MW-14	08/19/08		39.86	44.75	4.89	3,638.65
MW-14	09/02/08		39.99	40.22	0.23	3,638.99
MW-14	11/18/08		39.15	44.54	5.39	3,639.31
MW-14	12/18/08		39.18	44.61	5.43	3,639.28




TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-14	01/13/09		39.25	44.33	5.08	3,639.24
MW-14	03/03/09		40.02	44.32	4.30	3,638.55
MW-14	06/24/09		39.45	44.90	5.45	3,639.01
MW-14	08/11/09		39.60	44.80	5.20	3,638.88
MW-14	11/18/09		40.57	42.70	2.13	3,638.08
MW-14	02/16/10		40.15	45.50	5.35	3,637.97
MW-14	06/03/10		40.92	46.47	5.55	3,637.26
MW-14	09/20/10		40.85	46.08	5.23	3,637.38
MW-14	12/27/10		40.50	44.44	3.94	3,637.92
MW-15	06/03/04	3,674.92		36.22		3,638.70
MW-15	07/12/04			36.77		3,638.15
MW-15	07/19/04			36.90		3,638.02
MW-15	11/08/04			35.10		3,639.82
MW-15	03/31/05			33.92		3,641.00
MW-15	05/13/05			34.00		3,640.92
MW-15	05/23/05			35.34		3,639.58
MW-15	05/26/05			35.38		3,639.54
MW-15	06/28/05			35.46		3,639.46
MW-15	08/15/05			34.32		3,640.60
MW-15	08/17/05			34.29		3,640.63
MW-15	11/14/05			34.47		3,640.45
MW-15	01/23/06			35.17		3,639.75



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-15	03/02/06			34.60		3,640.32
MW-15	06/01/06			37.18		3,637.74
MW-15	08/10/06			35.62		3,639.30
MW-15	11/28/06			35.63		3,639.29
MW-15	12/12/06			36.92		3,638.00
MW-15	01/09/07			36.93		3,637.99
MW-15	02/27/07		35.16	35.67	0.51	3,639.71
MW-15	03/09/07		35.16	35.92	0.76	3,639.68
MW-15	03/13/07		35.65	36.01	0.36	3,639.23
MW-15	03/15/07		35.64	36.20	0.56	3,639.22
MW-15	03/23/07		35.68	36.14	0.46	3,639.19
MW-15	03/28/07		35.70	36.21	0.51	3,639.17
MW-15	04/12/07		35.75	36.51	0.76	3,639.09
MW-15	04/18/07		35.70	36.46	0.76	3,639.14
MW-15	05/22/07		35.70	37.04	1.34	3,639.09
MW-15	06/20/07		35.90	37.52	1.62	3,638.86
MW-15	07/18/07		35.60	38.10	2.50	3,639.07
MW-15	08/15/07		35.47	38.56	3.09	3,639.14
MW-15	08/22/07		35.48	38.58	3.10	3,639.13
MW-15	08/28/07		35.59	38.15	2.56	3,639.07
MW-15	09/19/07		35.78	36.98	1.20	3,639.02
MW-15	09/25/07		36.43	37.27	0.84	3,638.41
MW-15	10/09/07		35.61	37.99	2.38	3,639.07



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-15	10/17/07		35.49	38.36	2.87	3,639.14
MW-15	10/26/07		35.47	38.71	3.24	3,639.13
MW-15	11/05/07		35.46	39.89	4.43	3,639.02
MW-15	11/12/07		35.37	39.18	3.81	3,639.17
MW-15	12/05/07		35.31	39.75	4.44	3,639.17
MW-15	01/03/08		35.31	40.26	4.95	3,639.12
MW-15	01/30/08		35.27	40.47	5.20	3,639.13
MW-15	02/04/08		35.33	40.60	5.27	3,639.06
MW-15	02/12/08		35.28	40.48	5.20	3,639.12
MW-15	03/11/08		35.35	40.65	5.30	3,639.04
MW-15	03/26/08		35.40	40.71	5.31	3,638.99
MW-15	04/02/08		35.44	40.74	5.30	3,638.95
MW-15	04/16/08		36.34	36.61	0.27	3,638.55
MW-15	04/29/08		36.43	36.64	0.21	3,638.47
MW-15	05/07/08		36.07	39.29	3.22	3,638.53
MW-15	06/11/08		36.64	36.89	0.25	3,638.26
MW-15	06/20/08		36.69	36.91	0.22	3,638.21
MW-15	07/24/08		36.51	41.53	5.02	3,637.91
MW-15	08/19/08		36.19	41.46	5.27	3,638.20
MW-15	08/20/08		36.19	41.48	5.29	3,638.20
MW-15	09/02/08		36.02	38.35	2.33	3,638.67
MW-15	11/18/08		35.61	40.73	5.12	3,638.80
MW-15	12/18/08		35.64	40.88	5.24	3,638.76



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-15	01/13/09		35.70	40.67	4.97	3,638.72
MW-15	03/03/09		35.75	40.90	5.15	3,638.66
MW-15	06/24/09		36.02	40.90	4.88	3,638.41
MW-15	08/11/09		36.09	41.00	4.91	3,638.34
MW-15	11/18/09		36.15	41.38	5.23	3,637.91
MW-15	02/16/10		36.72	40.97	4.25	3,637.50
MW-15	06/03/10		37.96	38.73	0.77	3,636.85
MW-15	09/20/10		37.60	41.13	3.53	3,636.80
MW-15	12/27/10		37.29	39.25	1.96	3,637.34
MW-16	06/03/04	3,676.86		37.66		3,639.20
MW-16	07/12/04			38.35		3,638.51
MW-16	07/19/04			38.57		3,638.29
MW-16	11/08/04			36.38		3,640.48
MW-16	03/31/05			35.29		3,641.57
MW-16	05/13/05			35.31		3,641.55
MW-16	05/23/05			35.18		3,641.68
MW-16	05/26/05			34.04		3,642.82
MW-16	06/28/05			34.11		3,642.75
MW-16	08/15/05			35.61		3,641.25
MW-16	08/17/05			35.56		3,641.30
MW-16	11/14/05			35.73		3,641.13
MW-16	01/23/06			36.45		3,640.41



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-16	03/02/06			35.85		3,641.01
MW-16	06/01/06			35.82		3,641.04
MW-16	08/14/06			37.50		3,639.36
MW-16	11/28/06			37.94		3,638.92
MW-16	12/12/06			35.65		3,641.21
MW-16	01/09/07			35.67		3,641.19
MW-16	03/09/07			36.00		3,640.86
MW-16	03/13/07			36.98		3,639.88
MW-16	03/15/07			36.96		3,639.90
MW-16	03/23/07			36.84		3,640.02
MW-16	03/28/07			36.96		3,639.90
MW-16	04/12/07			37.14		3,639.72
MW-16	04/18/07			37.03		3,639.83
MW-16	05/23/07			37.08		3,639.78
MW-16	06/20/07			37.16		3,639.70
MW-16	07/18/07			37.28		3,639.58
MW-16	09/19/07			37.27		3,639.59
MW-16	11/02/07			37.30		3,639.56
MW-16	11/16/07			37.32		3,639.54
MW-16	12/05/07			37.36		3,639.50
MW-16	01/30/08			37.38		3,639.48
MW-16	03/11/08			37.46		3,639.40
MW-16	04/29/08			37.51		3,639.35



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-16	05/09/08			37.54		3,639.32
MW-16	06/11/08			37.56		3,639.30
MW-16	06/20/08			37.64		3,639.22
MW-16	08/19/08			37.68		3,639.18
MW-16	08/20/08			37.69		3,639.17
MW-16	11/18/08			37.81		3,639.05
MW-16	12/18/08			37.85		3,639.01
MW-16	01/13/09			37.86		3,639.00
MW-16	03/03/09			37.95		3,638.91
MW-16	06/24/09			38.13		3,638.73
MW-16	08/11/09			38.25		3,638.61
MW-16	11/18/09			38.55		3,638.31
MW-16	02/16/10			38.47		3,638.39
MW-16	06/03/10		39.26	39.85	0.59	3,637.51
MW-16	09/20/10		38.88	40.52	1.64	3,637.74
MW-16	12/27/10		38.51	40.87	2.36	3,638.00
MW-17	06/03/04	3,679.01	39.66	42.05	2.39	3,639.11
MW-17	07/12/04		39.39	46.94	7.55	3,638.87
MW-17	07/19/04		39.50	46.97	7.47	3,638.76
MW-17	08/26/04		39.04	46.59	7.55	3,639.22
MW-17	12/09/04		37.11	44.60	7.49	3,641.15
MW-17	02/16/05		37.00	41.07	4.07	3,641.60



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-17	03/31/05		36.49	44.13	7.64	3,641.76
MW-17	05/13/05		36.52	44.24	7.72	3,641.72
MW-17	05/26/05		36.72	44.28	7.56	3,641.53
MW-17	06/28/05		36.95	44.76	7.81	3,641.28
MW-17	08/15/05		37.25	42.35	5.10	3,641.25
MW-17	11/14/05		37.69	42.33	4.64	3,640.86
MW-17	01/23/06		38.15	43.41	5.26	3,640.33
MW-17	03/02/06		37.59	43.25	5.66	3,640.85
MW-17	06/01/06		38.95	42.48	3.53	3,639.71
MW-17	08/14/06		39.10	44.41	5.31	3,639.38
MW-17	11/28/06		38.49	44.04	5.55	3,639.97
MW-17	12/12/06		38.42	44.33	5.91	3,640.00
MW-17	01/09/07		38.42	43.07	4.65	3,640.13
MW-17	02/08/07		38.38	44.95	6.57	3,639.97
MW-17	02/27/07		38.51	45.22	6.71	3,639.83
MW-17	03/09/07		38.41	45.11	6.70	3,639.93
MW-17	03/13/07		38.39	45.02	6.63	3,639.96
MW-17	03/15/07		38.41	45.01	6.60	3,639.94
MW-17	03/23/07		38.43	45.11	6.68	3,639.91
MW-17	03/28/07		38.43	45.26	6.83	3,639.90
MW-17	04/12/07		39.06	43.82	4.76	3,639.47
MW-17	04/18/07		39.13	44.32	5.19	3,639.36
MW-17	05/23/07		39.41	43.65	4.24	3,639.18




TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-17	06/20/07		39.52	41.72	2.20	3,639.27
MW-17	06/28/07		39.79	40.75	0.96	3,639.12
MW-17	07/18/07		39.82	40.81	0.99	3,639.09
MW-17	08/15/07		39.92	40.18	0.26	3,639.06
MW-17	08/22/07		39.87	40.17	0.30	3,639.11
MW-17	08/28/07		39.90	40.39	0.49	3,639.06
MW-17	09/25/07		39.78	40.17	0.39	3,639.19
MW-17	10/09/07		39.92	40.38	0.46	3,639.04
MW-17	10/17/07		39.83	40.17	0.34	3,639.15
MW-17	10/26/07		39.91	40.03	0.12	3,639.09
MW-17	11/05/07		39.17	43.19	4.02	3,639.44
MW-17	11/12/07		39.89	40.04	0.15	3,639.11
MW-17	12/05/07		39.75	41.97	2.22	3,639.04
MW-17	01/03/08		39.50	42.39	2.89	3,639.22
MW-17	01/30/08		39.10	44.36	5.26	3,639.38
MW-17	02/04/08		39.21	44.44	5.23	3,639.28
MW-17	02/12/08		39.14	44.38	5.24	3,639.35
MW-17	03/11/08		39.66	42.27	2.61	3,639.09
MW-17	03/26/08		40.22	40.39	0.17	3,638.77
MW-17	04/16/08		40.19	40.60	0.41	3,638.78
MW-17	04/29/08		40.21	40.74	0.51	3,638.73
MW-17	05/07/08		39.49	43.18	3.69	3,639.15
MW-17	06/11/08		40.48	40.90	0.42	3,638.49



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-17	06/20/08		40.54	40.88	0.34	3,638.44
MW-17	07/24/08		41.05	42.26	1.21	3,637.84
MW-17	08/19/08		39.99	45.73	5.74	3,638.45
MW-17	09/02/08		40.27	40.37	0.10	3,638.73
MW-17	11/18/08		39.31	45.25	5.94	3,639.11
MW-17	12/18/08		39.39	45.40	6.01	3,639.02
MW-17	01/13/09		39.40	45.25	5.85	3,639.03
MW-17	03/03/09		39.44	45.50	6.06	3,638.96
MW-17	06/24/09		39.69	45.24	5.55	3,638.77
MW-17	08/11/09		39.80	45.50	5.70	3,638.64
MW-17	11/18/09		40.49	44.56	4.07	3,637.85
MW-17	02/16/10		40.42	45.55	5.13	3,637.74
MW-17	06/03/10		41.75	43.25	1.50	3,637.04
MW-17	09/20/10		41.65	46.70	5.05	3,636.62
MW-17	12/27/10		40.84	44.75	3.91	3,637.60
MW-18	11/28/06		TD=45.84	35.64		
MW-18	12/12/06			35.65		
MW-18	01/09/07			35.62		
MW-18	02/08/07			35.50		
MW-18	03/09/07			35.70		
MW-18	03/13/07			35.71		
MW-18	03/15/07			35.70		



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-18	03/23/07			35.57		
MW-18	03/28/07			36.65		
MW-18	04/12/07			35.83		
MW-18	04/18/07			35.84		
MW-18	05/22/07			35.86		
MW-18	06/20/07			35.86		
MW-18	07/18/07			35.98		
MW-18	09/19/07	3,675.68		35.94		3,639.74
MW-18	11/02/07			35.97		3,639.71
MW-18	12/05/07			36.04		3,639.64
MW-18	01/30/08			36.08		3,639.60
MW-18	03/11/08			36.14		3,639.54
MW-18	04/29/08			38.22		3,637.46
MW-18	05/09/08			36.22		3,639.46
MW-18	06/11/08			36.27		3,639.41
MW-18	06/20/08			36.37		3,639.31
MW-18	08/19/08			36.37		3,639.31
MW-18	08/20/08			36.38		3,639.30
MW-18	11/18/08			36.51		3,639.17
MW-18	12/18/08			36.55		3,639.13
MW-18	01/13/09			36.56		3,639.12
MW-18	03/03/09			36.64		3,639.04
MW-18	06/24/09			36.84		3,638.84



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-18	08/11/09			36.94		3,638.74
MW-18	11/18/09			37.20		3,638.48
MW-18	02/16/10			37.15		3,638.53
MW-18	06/03/10			37.57		3,638.11
MW-18	09/20/10			37.87		3,637.81
MW-18	12/27/10			37.76		3,637.92
MW-19	11/28/06		TD=46.12	35.55		
MW-19	12/12/06			35.55		
MW-19	01/09/07			35.57		
MW-19	02/08/07			35.43		
MW-19	03/09/07			35.65		
MW-19	03/13/07			35.65		
MW-19	03/15/07			35.66		
MW-19	03/23/07			35.48		
MW-19	03/28/07			35.54		
MW-19	04/12/07			35.77		
MW-19	04/18/07			35.72		
MW-19	05/23/07			35.71		
MW-19	06/20/07			35.81		
MW-19	07/18/07			35.90		
MW-19	09/19/07	3,674.96		35.87		3,639.09
MW-19	11/02/07			35.90		3,639.06



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-19	11/16/07			35.96		3,639.00
MW-19	12/05/07			36.56		3,638.40
MW-19	01/30/08			36.59		3,638.37
MW-19	03/11/08			36.06		3,638.90
MW-19	04/29/08			38.14		3,636.82
MW-19	05/09/08			36.15		3,638.81
MW-19	06/11/08			36.20		3,638.76
MW-19	06/20/08			36.28		3,638.68
MW-19	08/19/08			36.33		3,638.63
MW-19	08/20/08			36.32		3,638.64
MW-19	11/18/08			36.44		3,638.52
MW-19	12/18/08			36.48		3,638.48
MW-19	01/13/09			36.50		3,638.46
MW-19	03/03/09			36.57		3,638.39
MW-19	06/24/09			36.76		3,638.20
MW-19	08/11/09			36.85		3,638.11
MW-19	11/18/09			37.09		3,637.87
MW-19	02/16/10			37.10		3,637.86
MW-19	06/03/10			37.51		3,637.45
MW-19	09/20/10			37.76		3,637.20
MW-19	12/27/10			37.68		3,637.28
MW-20	11/28/06			35.61		



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-20	12/12/06			35.63		
MW-20	01/09/07			35.67		
MW-20	02/08/07			35.53		
MW-20	03/09/07			35.75		
MW-20	03/13/07			35.73		
MW-20	03/15/07			35.70		
MW-20	03/23/07			35.60		
MW-20	03/28/07			35.67		
MW-20	04/12/07			35.87		
MW-20	04/18/07			35.81		
MW-20	05/23/07			35.80		
MW-20	06/20/07			35.90		
MW-20	07/18/07			36.01		
MW-20	09/19/07	3,674.38		35.99		3,638.39
MW-20	11/02/07			36.01		3,638.37
MW-20	12/05/07			35.97		3,638.41
MW-20	01/30/08			36.01		3,638.37
MW-20	03/11/08			36.14		3,638.24
MW-20	03/11/08			36.14		3,638.24
MW-20	04/29/08			36.23		3,638.15
MW-20	05/09/08			36.22		3,638.16
MW-20	06/11/08			36.28		3,638.10
MW-20	06/20/08			36.35		3,638.03
MW-20	08/19/08			36.39		3,637.99



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-20	08/20/08			36.38		3,638.00
MW-20	11/18/08			36.51		3,637.87
MW-20	12/18/08			36.55		3,637.83
MW-20	01/13/09			36.56		3,637.82
MW-20	03/03/09			36.64		3,637.74
MW-20	06/24/09			36.81		3,637.57
MW-20	08/11/09			36.92		3,637.46
MW-20	11/18/09			37.15		3,637.23
MW-20	02/16/10			37.18		3,637.20
MW-20	06/03/10			37.54		3,636.84
MW-20	09/20/10		37.67	39.05	1.38	3,636.51
MW-20	12/20/10		37.14	40.12	2.98	3,636.80
MW-21	12/05/07	3,674.38	TD=53.24	36.34		3,638.04
MW-21	01/30/08			36.41		3,637.97
MW-21	03/11/08			36.48		3,637.90
MW-21	05/09/08			36.54		3,637.84
MW-21	06/11/08			36.59		3,637.79
MW-21	06/20/08			36.67		3,637.71
MW-21	08/19/08			36.70		3,637.68
MW-21	08/20/08			36.71		3,637.67
MW-21	11/18/08			36.82		3,637.56
MW-21	12/18/08			36.87		3,637.51
MW-21	01/13/09			36.88		3,637.50




TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-21	03/03/09			36.95		3,637.43
MW-21	06/24/09			37.11		3,637.27
MW-21	08/11/09			37.22		3,637.16
MW-21	11/18/09			37.42		3,636.96
MW-21	02/16/10			37.50		3,636.88
MW-21	06/03/10			37.75		3,636.63
MW-21	09/20/10			38.20		3,636.18
MW-21	12/27/10			37.92		3,636.46
MW-22	12/05/07	3,674.07	TD=50.53	36.08		3,637.99
MW-22	01/30/08			36.19		3,637.88
MW-22	03/11/08			36.26		3,637.81
MW-22	04/29/08			36.31		3,637.76
MW-22	05/09/08			36.31		3,637.76
MW-22	06/11/08			36.70		3,637.37
MW-22	06/20/08			36.45		3,637.62
MW-22	08/19/08			36.48		3,637.59
MW-22	08/20/08			36.49		3,637.58
MW-22	11/18/08			36.61		3,637.46
MW-22	12/18/08			36.66		3,637.41
MW-22	01/13/09			36.67		3,637.40
MW-22	03/03/09			36.75		3,637.32
MW-22	06/24/09			36.90		3,637.17
MW-22	08/11/09			37.01		3,637.06



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-22	11/18/09			37.23		3,636.84
MW-22	02/16/10			37.29		3,636.78
MW-22	06/03/10			37.57		3,636.50
MW-22	09/20/10			38.00		3,636.07
MW-22	12/27/10			37.75		3,636.32
MW-23	03/17/08	WELL INSTALLATION				
MW-23	03/25/08	TD=49.5				
MW-23	03/29/08			36.08		
MW-23	04/29/08			36.15		
MW-23	05/09/08	3,672.39		36.15		3,636.24
MW-23	06/11/08			36.20		3,636.19
MW-23	06/20/08			36.31		3,636.08
MW-23	08/19/08			36.33		3,636.06
MW-23	08/20/08			36.31		3,636.08
MW-23	11/18/08			36.33		3,636.06
MW-23	12/18/08			36.51		3,635.88
MW-23	01/13/09			36.51		3,635.88
MW-23	03/03/09			36.60		3,635.79
MW-23	06/24/09			36.74		3,635.65
MW-23	08/11/09			36.82		3,635.57
MW-23	11/18/09			37.03		3,635.36
MW-23	02/16/10			37.12		3,635.27
MW-23	06/03/10			37.29		3,635.10



TABLE 2
SUMMARY OF BTEX GROUNDWATER ANALYTICAL DATA
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE - SRS# 2003-00017
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO
TALON/LPE PROJECT NUMBER 700376.052.01

All concentrations are in mg/L

Sample Location	Sample Date	Benzene	Toluene	Ethyl benzene	Xylene	Total BTEX
MW-1	01/23/04	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-1	05/12/04	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-1	07/19/04	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-1	11/08/04	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-1	03/31/05	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-1	05/23/05	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-1	08/17/05	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-1	11/14/05	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-1	03/02/06	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-1	06/01/06	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-1	08/14/06	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-1	11/28/06	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-1	03/28/07	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-1	06/20/07	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-1	09/19/07	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-1	12/05/07	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-1	03/11/08	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-1	06/20/08	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-1	08/22/08	14.7	7.36	1.32	1.65	25.0
MW-1	11/18/08	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-1	03/03/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-1	06/24/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-1	08/12/09	34.8	14.4	4.57	7.47	61.2
MW-1	11/18/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-1	02/16/10	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-1	06/03/10	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-1	09/21/10	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-1	12/27/11	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-2	01/23/04	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-2	05/12/04	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-2	07/19/04	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-2	11/08/04	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-2	03/31/05	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-2	05/23/05	Not Sampled Due to Presence of Phase Separated Hydrocarbons				



TABLE 2
SUMMARY OF BTEX GROUNDWATER ANALYTICAL DATA
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE - SRS# 2003-00017
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO
TALON/LPE PROJECT NUMBER 700376.052.01

All concentrations are in mg/L

Sample Location	Sample Date	Benzene	Toluene	Ethyl benzene	Xylene	Total BTEX
MW-2	08/17/05	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-2	11/14/05	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-2	03/02/06	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-2	06/01/06	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-2	08/14/06	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-2	11/28/06	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-2	03/28/07	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-2	06/20/07	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-2	09/19/07	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-2	12/05/07	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-2	03/11/08	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-2	06/20/08	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-2	08/20/08	24.8	11.2	2.58	3.84	42.4
MW-2	11/18/08	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-2	03/03/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-2	06/24/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-2	08/11/09	31.7	23.6	8.75	13.9	78.0
MW-2	11/18/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-2	02/16/10	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-2	06/03/10	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-2	09/21/10	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-2	12/27/11	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-3	01/23/04	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-3	05/12/04	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-3	07/19/04	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-3	11/08/04	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-3	03/31/05	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-3	05/23/05	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-3	08/17/05	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-3	11/14/05	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-3	03/02/06	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-3	06/01/06	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-3	08/14/06	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-3	11/28/06	Not Sampled Due to Presence of Phase Separated Hydrocarbons				



TABLE 2
SUMMARY OF BTEX GROUNDWATER ANALYTICAL DATA
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE - SRS# 2003-00017
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO
TALON/LPE PROJECT NUMBER 700376.052.01

All concentrations are in mg/L

Sample Location	Sample Date	Benzene	Toluene	Ethyl benzene	Xylene	Total BTEX
MW-3	03/28/07	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-3	06/20/07	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-3	09/19/07	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-3	12/05/07	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-3	03/11/08	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-3	06/20/08	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-3	08/21/08	19.6	10.9	2.16	3.09	35.8
MW-3	11/18/08	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-3	03/03/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-3	06/24/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-3	08/11/09	34.5	15.6	3.48	5.56	59.1
MW-3	11/18/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-3	02/16/10	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-3	06/03/10	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-3	09/21/10	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-3	12/27/11	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-4	01/23/04	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-4	05/12/04	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-4	07/19/04	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-4	11/08/04	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-4	03/31/05	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-4	05/23/05	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-4	08/17/05	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-4	11/14/05	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-4	03/02/06	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-4	06/01/06	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-4	08/14/06	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-4	11/28/06	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-4	03/28/07	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-4	06/20/07	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-4	09/19/07	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-4	12/05/07	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-4	03/11/08	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-4	06/20/08	Not Sampled Due to Presence of Phase Separated Hydrocarbons				



TABLE 2
SUMMARY OF BTEX GROUNDWATER ANALYTICAL DATA
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE - SRS# 2003-00017
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO
TALON/LPE PROJECT NUMBER 700376.052.01

All concentrations are in mg/L

Sample Location	Sample Date	Benzene	Toluene	Ethyl benzene	Xylene	Total BTEX
MW-4	08/21/08	44.0	9.98	2.72	4.10	60.8
MW-4	11/18/08	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-4	03/03/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-4	06/24/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-4	08/11/09	45.1	19.8	6.40	12.1	83.4
MW-4	11/18/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-4	02/16/10	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-4	06/03/10	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-4	09/21/10	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-4	12/27/10	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-5	01/23/04	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-5	05/12/04	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-5	07/19/04	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-5	11/08/04	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-5	03/31/05	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-5	05/23/05	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-5	08/17/05	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-5	11/14/05	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-5	03/02/06	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-5	06/01/06	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-5	08/14/06	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-5	11/28/06	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-5	03/28/07	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-5	06/20/07	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-5	09/19/07	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-5	12/05/07	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-5	03/11/08	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-5	06/20/08	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-5	08/21/08	12.0	10.8	1.78	6.02	30.6
MW-5	11/18/08	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-5	03/03/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-5	06/24/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-5	08/12/09	15.0	6.31	0.856	1.47	23.6
MW-5	11/18/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons				



TABLE 2
SUMMARY OF BTEX GROUNDWATER ANALYTICAL DATA
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE - SRS# 2003-00017
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO
TALON/LPE PROJECT NUMBER 700376.052.01

All concentrations are in mg/L

Sample Location	Sample Date	Benzene	Toluene	Ethyl benzene	Xylene	Total BTEX
MW-5	02/16/10	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-5	06/03/10	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-5	09/21/10	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-5	12/27/10	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-6	01/23/04	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-6	05/12/04	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-6	07/19/04	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-6	11/08/04	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-6	03/31/05	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-6	05/23/05	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-6	08/17/05	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-6	11/14/05	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-6	03/02/06	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-6	06/01/06	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-6	08/14/06	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-6	11/28/06	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-6	03/28/07	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-6	06/20/07	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-6	09/19/07	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-6	12/05/07	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-6	03/11/08	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-6	06/20/08	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-6	08/21/08	12.0	10.8	1.78	6.02	30.6
MW-6	11/18/08	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-6	03/03/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-6	06/24/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-6	08/12/09	39.8	21.8	4.60	7.09	73.3
MW-6	11/18/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-6	02/16/10	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-6	06/03/10	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-6	09/21/10	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-6	12/27/10	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-7	01/23/04	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200



TABLE 2
SUMMARY OF BTEX GROUNDWATER ANALYTICAL DATA
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE - SRS# 2003-00017
NMOCDF REF. # AP-054
LEA COUNTY, NEW MEXICO
TALON/LPE PROJECT NUMBER 700376.052.01

All concentrations are in mg/L

Sample Location	Sample Date	Benzene	Toluene	Ethyl benzene	Xylene	Total BTEX
MW-7	05/12/04	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-7	07/19/04	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-7	11/08/04	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-7	03/31/05	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-7	05/23/05	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-7	08/17/05	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-7	11/14/05	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-7	03/02/06	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-7	06/01/06	Not scheduled for sampling				
MW-7	08/14/06	Not scheduled for sampling				
MW-7	11/28/06	Not scheduled for sampling				
MW-7	03/28/07	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-7	06/20/07	Not scheduled for sampling				
MW-7	09/19/07	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-7	12/05/07	Not scheduled for sampling				
MW-7	03/11/08	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100
MW-7	06/20/08	Not scheduled to sample 2nd quarter				
MW-7	08/21/08	Not scheduled to sample 3rd quarter				
MW-7	11/18/08	Not scheduled to sample 4th quarter				
MW-7	03/03/09	Not scheduled to sample 1st quarter				
MW-7	06/24/09	Not scheduled to sample 2nd quarter				
MW-7	08/12/09	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100
MW-7	11/18/09	Not scheduled to sample 4th quarter				
MW-7	02/16/10	Not scheduled to sample 1st quarter				
MW-7	06/03/10	Not scheduled to sample 2nd quarter				
MW-7	09/21/10	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-7	12/27/10	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-8	01/23/04	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-8	05/12/04	0.0011	<0.00100	<0.00100	<0.00200	0.0011
MW-8	07/19/04	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-8	11/08/04	0.00471	<0.00100	<0.00100	<0.00200	0.00471
MW-8	03/31/05	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-8	05/23/05	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-8	08/17/05	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200



TABLE 2
SUMMARY OF BTEX GROUNDWATER ANALYTICAL DATA
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE - SRS# 2003-00017
NMOCDF REF. # AP-054
LEA COUNTY, NEW MEXICO
TALON/LPE PROJECT NUMBER 700376.052.01

All concentrations are in mg/L

Sample Location	Sample Date	Benzene	Toluene	Ethyl benzene	Xylene	Total BTEX
MW-8	11/14/05	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-8	03/02/06	0.0674	0.0348	0.0303	0.0289	0.1614
MW-8	06/01/06	Not scheduled for sampling				
MW-8	08/14/06	Not scheduled for sampling				
MW-8	11/28/06	Not scheduled for sampling				
MW-8	03/28/07	0.0113	<0.00100	<0.00100	<0.00200	0.0113
MW-8	06/20/07	Not scheduled for sampling				
MW-8	09/19/07	0.0052	<0.00100	<0.00100	<0.00200	0.0052
MW-8	12/05/07	Not scheduled for sampling				
MW-8	03/11/08	0.00540	<0.00100	<0.00100	<0.00100	0.0054
MW-8	06/20/08	Not scheduled to sample 2nd quarter				
MW-8	08/21/08	Not scheduled to sample 3rd quarter				
MW-8	11/18/08	Not scheduled to sample 4th quarter				
MW-8	03/03/09	Not scheduled to sample 1st quarter				
MW-8	06/24/09	Not scheduled to sample 2nd quarter				
MW-8	08/12/09	0.00880	<0.00100	<0.00100	<0.00100	0.0088
MW-8	11/18/09	Not scheduled to sample 4th quarter				
MW-8	02/16/10	Not scheduled to sample 1st quarter				
MW-8	06/03/10	Not scheduled to sample 2nd quarter				
MW-8	09/21/10	0.00660	<0.00100	<0.00100	<0.00100	0.0066
MW-8	12/27/10	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-9	01/23/04	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-9	05/12/04	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-9	07/19/04	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-9	11/08/04	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-9	03/31/05	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-9	05/23/05	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-9	08/17/05	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-9	11/14/05	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-9	03/02/06	0.0538	0.0281	0.0232	0.0213	0.1264
MW-9	06/01/06	Not scheduled for sampling				
MW-9	08/14/06	Not scheduled for sampling				
MW-9	11/28/06	Not scheduled for sampling				
MW-9	03/28/07	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200



TABLE 2
SUMMARY OF BTEX GROUNDWATER ANALYTICAL DATA
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE - SRS# 2003-00017
NMOCDF REF. # AP-054
LEA COUNTY, NEW MEXICO
TALON/LPE PROJECT NUMBER 700376.052.01

All concentrations are in mg/L

Sample Location	Sample Date	Benzene	Toluene	Ethyl benzene	Xylene	Total BTEX
MW-9	06/20/07	Not scheduled for sampling				
MW-9	09/19/07	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-9	12/05/07	Not scheduled for sampling				
MW-9	03/11/08	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100
MW-9	06/20/08	Not scheduled to sample 2nd quarter				
MW-9	08/21/08	Not scheduled to sample 3rd quarter				
MW-9	11/18/08	Not scheduled to sample 4th quarter				
MW-9	03/03/09	Not scheduled to sample 1st quarter				
MW-9	06/24/09	Not scheduled to sample 2nd quarter				
MW-9	08/12/09	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100
MW-9	11/18/09	Not scheduled to sample 4th quarter				
MW-9	02/16/10	Not scheduled to sample 1st quarter				
MW-9	06/03/10	Not scheduled to sample 2nd quarter				
MW-9	09/21/10	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-9	12/27/10	<0.00100	<0.00100	<0.00100	<0.00200	<0.00100
MW-10	01/23/04	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-10	05/12/04	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-10	07/19/04	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-10	11/08/04	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-10	03/31/05	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-10	05/23/05	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-10	08/17/05	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-10	11/14/05	0.0119	<0.00100	<0.00100	<0.00200	<0.00200
MW-10	03/02/06	3.31	0.0232	0.0615	0.08	3.47
MW-10	06/01/06	1.11	<0.00100	0.114	0.135	0.249
MW-10	08/14/06	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-10	11/28/06	0.294	0.0215	0.0179	0.0134	0.347
MW-10	03/28/07	6.22	0.552	0.453	0.526	7.751
MW-10	06/20/07	4.648	<0.0500	0.3300	<0.100	4.978
MW-10	09/19/07	<0.001	<0.001	<0.001	<0.00200	<0.001
MW-10	12/05/07	7.375	<0.0400	0.5106	<0.0400	7.886
MW-10	03/11/08	1.69	<0.00500	0.105	0.0122	1.81
MW-10	06/20/08	3.25	<0.200	0.272	<0.200	3.52
MW-10	08/21/08	3.90	<0.0200	0.356	<0.0200	4.26



TABLE 2
SUMMARY OF BTEX GROUNDWATER ANALYTICAL DATA
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE - SRS# 2003-00017
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO
TALON/LPE PROJECT NUMBER 700376.052.01

All concentrations are in mg/L

Sample Location	Sample Date	Benzene	Toluene	Ethyl benzene	Xylene	Total BTEX
MW-10	11/18/08	3.35	<0.0200	0.255	<0.0200	3.61
MW-10	03/03/09	8.59	<0.100	0.771	<0.100	9.36
MW-10	06/24/09	5.62	0.489	0.874	<0.100	6.98
MW-10	08/12/09	3.60	0.534	0.491	<0.100	4.63
MW-10	11/18/09	11.40	1.840	0.818	0.158	14.22
MW-10	02/16/10	7.11	1.71	0.608	0.641	10.07
MW-10	06/03/10	6.34	1.82	0.534	0.394	9.09
MW-10	09/21/10	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-10	12/27/10	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-11	01/23/04	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-11	05/12/04	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-11	07/19/04	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-11	11/08/04	0.00225	<0.00100	<0.00100	<0.00200	<0.00200
MW-11	03/31/05	1.010	0.0138	0.233	0.075	1.332
MW-11	05/23/05	3.030	0.831	0.661	1.20	5.722
MW-11	08/17/05	16.0	5.30	1.40	1.20	23.9
MW-11	11/14/05	24.00	7.45	2.24	1.95	35.64
MW-11	03/02/06	43.4	6.33	2.55	2.090	54.37
MW-11	06/01/06	24.1	1.86	0.811	0.894	27.665
MW-11	08/14/06	16.3	0.880	1.700	1.568	20.448
MW-11	11/28/06	22.0	1.200	1.82	1.353	26.4
MW-11	03/28/07	17.5	0.728	1.88	1.450	21.6
MW-11	06/20/07	17.86	1.420	1.836	1.487	22.60
MW-11	09/19/07	18.35	0.5280	1.3990	0.822	21.10
MW-11	12/05/07	17.89	1.365	1.290	1.011	21.56
MW-11	03/11/08	24.7	1.19	1.66	1.33	28.9
MW-11	06/20/08	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-11	08/21/08	24.7	2.86	1.68	1.13	30.4
MW-11	11/18/08	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-11	03/03/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-11	06/24/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-11	08/12/09	21.8	20.5	5.13	7.68	55.1
MW-11	11/18/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-11	02/16/10	Not Sampled Due to Presence of Phase Separated Hydrocarbons				



TABLE 2
SUMMARY OF BTEX GROUNDWATER ANALYTICAL DATA
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE - SRS# 2003-00017
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO
TALON/LPE PROJECT NUMBER 700376.052.01

All concentrations are in mg/L

Sample Location	Sample Date	Benzene	Toluene	Ethyl benzene	Xylene	Total BTEX
MW-11	06/03/10	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-11	09/21/10	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-11	12/27/10	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-12	01/23/04	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-12	05/12/04	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-12	07/19/04	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-12	11/08/04	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-12	03/31/05	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-12	05/23/05	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-12	08/17/05	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-12	11/14/05	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-12	03/02/06	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-12	06/01/06	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-12	08/14/06	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-12	11/28/06	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-12	03/11/08	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-12	06/20/08	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-12	08/21/08	24.9	14.8	3.19	4.79	47.7
MW-12	11/18/08	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-12	03/03/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-12	06/24/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-12	08/12/09	26.8	9.12	2.40	3.53	41.9
MW-12	11/18/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-12	02/16/10	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-12	06/03/10	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-12	09/21/10	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-12	12/27/10	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-13	01/23/04	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-13	05/12/04	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-13	07/19/04	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-13	11/08/04	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-13	03/31/05	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-13	05/23/05	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200



TABLE 2
SUMMARY OF BTEX GROUNDWATER ANALYTICAL DATA
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE - SRS# 2003-00017
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO
TALON/LPE PROJECT NUMBER 700376.052.01

All concentrations are in mg/L

Sample Location	Sample Date	Benzene	Toluene	Ethyl benzene	Xylene	Total BTEX
MW-13	08/17/05	0.00150	<0.00100	<0.00100	<0.00200	0.0015
MW-13	11/14/05	0.00104	<0.00100	<0.00100	<0.00200	0.00104
MW-13	03/02/06	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-13	06/01/06	Not scheduled for sampling				
MW-13	08/14/06	Not scheduled for sampling				
MW-13	11/28/06	Not scheduled for sampling				
MW-13	03/28/07	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100
MW-13	06/20/07	Not scheduled for sampling				
MW-13	09/19/07	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100
MW-13	12/05/07	Not scheduled for sampling				
MW-13	03/11/08	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100
MW-13	06/20/08	Not scheduled to sample 2nd quarter				
MW-13	08/20/08	Not scheduled to sample 3rd quarter				
MW-13	11/18/08	Not scheduled to sample 4th quarter				
MW-13	03/03/09	Not scheduled to sample 1st quarter				
MW-13	06/24/09	Not scheduled to sample 2nd quarter				
MW-13	08/12/09	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100
MW-13	11/18/09	Not scheduled to sample 4th quarter				
MW-13	02/16/10	Not scheduled to sample 1st quarter				
MW-13	06/03/10	Not scheduled to sample 2nd quarter				
MW-13	09/21/10	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100
MW-13	12/27/10	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100
MW-14	07/19/04	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-14	11/08/04	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-14	03/31/05	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-14	05/23/05	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-14	08/17/05	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-14	11/14/05	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-14	03/02/06	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-14	06/01/06	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-14	08/14/06	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-14	11/28/06	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-14	03/28/07	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-14	06/20/07	Not Sampled Due to Presence of Phase Separated Hydrocarbons				



TABLE 2
SUMMARY OF BTEX GROUNDWATER ANALYTICAL DATA
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE - SRS# 2003-00017
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO
TALON/LPE PROJECT NUMBER 700376.052.01

All concentrations are in mg/L

Sample Location	Sample Date	Benzene	Toluene	Ethyl benzene	Xylene	Total BTEX
MW-14	09/19/07	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-14	12/05/07	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-14	03/11/08	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-14	06/20/08	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-14	08/20/08	34.7	10.8	2.68	3.89	52.1
MW-14	11/18/08	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-14	03/03/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-14	06/24/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-14	08/11/09	31.2	16.9	3.25	4.94	56.3
MW-14	11/18/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-14	02/16/10	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-14	06/03/10	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-14	09/21/10	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-14	12/27/10	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-15	07/19/04	<0.00100	0.00101	<0.00100	<0.00200	<0.00200
MW-15	11/08/04	0.00482	<0.00100	<0.00100	<0.00200	0.00482
MW-15	03/31/05	0.00104	<0.00100	<0.00100	<0.00200	0.00104
MW-15	05/23/05	0.00263	<0.00100	<0.00100	<0.00200	0.00263
MW-15	08/17/05	2.15	<0.00100	<0.00100	0.0239	2.17
MW-15	11/14/05	8.96	0.0149	0.0341	0.2650	9.27
MW-15	03/02/06	7.57	0.406	0.295	0.0010	8.272
MW-15	06/01/06	23.2	2.25	1.04	3.18	29.67
MW-15	08/14/06	0.00132	<0.00100	<0.00100	<0.00200	0.00132
MW-15	11/28/06	18.6	0.0912	0.955	<0.150	19.6462
MW-15	03/28/07	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-15	06/20/07	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-15	09/19/07	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-15	12/05/07	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-15	03/11/08	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-15	06/20/08	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-15	08/20/08	5.04	2.71	0.593	0.644	8.99
MW-15	11/18/08	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-15	03/03/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-15	06/24/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons				



TABLE 2
SUMMARY OF BTEX GROUNDWATER ANALYTICAL DATA
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE - SRS# 2003-00017
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO
TALON/LPE PROJECT NUMBER 700376.052.01

All concentrations are in mg/L

Sample Location	Sample Date	Benzene	Toluene	Ethyl benzene	Xylene	Total BTEX
MW-15	08/12/09	29.5	30.1	9.27	15.0	83.9
MW-15	11/18/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-15	02/16/10	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-15	06/03/10	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-15	09/21/10	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-15	12/27/10	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-16	07/19/04	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-16	11/08/04	0.0255	<0.00100	<0.00100	<0.00200	0.0255
MW-16	03/31/05	0.0071	<0.00100	<0.00100	<0.00200	0.0071
MW-16	05/23/05	0.0036	<0.00100	<0.00100	<0.00200	0.0036
MW-16	08/17/05	0.0024	<0.00100	<0.00100	<0.00200	0.0024
MW-16	11/14/05	0.0051	<0.00100	<0.00100	<0.00200	0.0051
MW-16	03/02/06	0.167	0.0654	0.0476	0.046	0.326
MW-16	06/01/06	0.0279	0.00155	<0.001	<0.00200	0.02945
MW-16	08/14/06	0.0106	<0.001	<0.001	<0.00200	0.0106
MW-16	11/28/06	0.0284	<0.001	<0.001	<0.00200	0.0284
MW-16	03/28/07	0.0120	<0.001	<0.001	<0.00200	0.012
MW-16	06/20/07	0.0013	<0.0010	<0.0010	<0.00200	0.0013
MW-16	09/19/07	<0.0010	<0.001	<0.0010	<0.00200	<0.00200
MW-16	12/05/07	0.0034	<0.0020	<0.0010	<0.00200	0.0034
MW-16	03/11/08	0.0124	<0.00100	<0.00100	<0.00100	0.0124
MW-16	06/20/08	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100
MW-16	08/20/08	0.00140	<0.00100	<0.00100	<0.00100	0.0014
MW-16	11/18/08	0.00200	<0.00100	<0.00100	<0.00100	0.002
MW-16	03/03/09	0.00150	<0.00100	<0.00100	<0.00100	0.0015
MW-16	06/24/09	0.00570	<0.00100	<0.00100	<0.00100	0.0057
MW-16	08/12/09	<0.00100	0.00530	<0.00100	0.0108	0.01610
MW-16	11/18/09	0.00760	0.00230	0.00140	0.00670	0.01130
MW-16	02/16/10	0.00820	0.02260	0.03880	0.0863	0.06960
MW-16	06/03/10	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-16	09/21/10	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-16	12/27/10	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-17	07/19/04	Not Sampled Due to Presence of Phase Separated Hydrocarbons				



TABLE 2
SUMMARY OF BTEX GROUNDWATER ANALYTICAL DATA
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE - SRS# 2003-00017
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO
TALON/LPE PROJECT NUMBER 700376.052.01

All concentrations are in mg/L

Sample Location	Sample Date	Benzene	Toluene	Ethyl benzene	Xylene	Total BTEX
MW-17	11/08/04	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-17	03/31/05	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-17	05/23/05	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-17	08/17/05	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-17	11/14/05	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-17	03/02/06	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-17	06/01/06	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-17	08/14/06	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-17	11/28/06	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-17	03/28/07	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-17	06/20/07	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-17	09/19/07	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-17	12/05/07	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-17	03/11/08	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-17	06/20/08	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-17	08/20/08	39.4	22.0	3.00	4.18	68.6
MW-17	11/18/08	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-17	03/03/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-17	06/24/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-17	08/11/09	32.9	12.9	2.92	4.86	53.6
MW-17	11/18/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-17	02/16/10	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-17	06/03/10	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-17	09/21/10	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-17	12/27/10	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-18	Well Installed 11/22/2006					
MW-18	11/28/06	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-18	03/28/07	0.00210	<0.00100	<0.00100	<0.00200	0.0021
MW-18	06/20/07	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-18	09/19/07	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-18	12/05/07	0.0039	<0.0020	<0.00100	<0.00200	0.0039
MW-18	03/11/08	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-18	06/20/08	0.00290	<0.00100	<0.00100	<0.00100	0.0029
MW-18	08/21/08	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100



TABLE 2
SUMMARY OF BTEX GROUNDWATER ANALYTICAL DATA
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE - SRS# 2003-00017
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO
TALON/LPE PROJECT NUMBER 700376.052.01

All concentrations are in mg/L

Sample Location	Sample Date	Benzene	Toluene	Ethyl benzene	Xylene	Total BTEX
MW-18	11/18/08	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100
MW-18	03/04/09	0.0162	0.00160	0.00320	0.00220	0.0232
MW-18	06/24/09	0.00660	<0.00100	<0.00100	<0.00100	0.0066
MW-18	08/12/09	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100
MW-18	11/18/09	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100
MW-18	02/16/10	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100
MW-18	06/03/10	0.0124	0.00390	0.00210	0.00290	0.0213
MW-18	09/21/10	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100
MW-18	12/27/10	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100
MW-19	Well Installed 11/22/2006					
MW-19	11/28/06	<0.002	<0.001	<0.001	<0.002	<0.002
MW-19	03/28/07	<0.001	<0.001	<0.001	<0.001	<0.001
MW-19	06/20/07	<0.0020	<0.0010	<0.0010	<0.0020	<0.0020
MW-19	09/19/07	<0.0020	<0.0010	<0.0010	<0.0020	<0.0020
MW-19	12/05/07	<0.0020	<0.0020	<0.0010	<0.0020	<0.0020
MW-19	03/11/08	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500
MW-19	06/20/08	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100
MW-19	08/21/08	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100
MW-19	11/18/08	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100
MW-19	03/03/09	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100
MW-19	06/24/09	0.0107	0.00580	<0.00100	<0.00100	0.0165
MW-19	08/12/09	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100
MW-19	11/18/09	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100
MW-19	02/16/10	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100
MW-19	06/03/10	0.0107	0.00400	0.00220	0.00290	0.0198
MW-19	09/21/10	0.0156	0.00690	0.00490	0.00150	0.0289
MW-19	12/27/10	<0.00100	<0.00100	0.00330	0.00840	0.0117
MW-20	Well Installed 11/22/2006					
MW-20	11/28/06	15.7	0.104	0.875	0.665	17.344
MW-20	03/28/07	20.7	1.39	1.61	1.272	25.0
MW-20	06/20/07	20.17	<0.0500	1.624	0.409	22.20
MW-20	09/19/07	31.67	<0.1000	1.850	1.850	35.37
MW-20	12/05/07	31.41	<0.2000	1.749	1.749	34.91



TABLE 2
SUMMARY OF BTEX GROUNDWATER ANALYTICAL DATA
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE - SRS# 2003-00017
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO
TALON/LPE PROJECT NUMBER 700376.052.01

All concentrations are in mg/L

Sample Location	Sample Date	Benzene	Toluene	Ethyl benzene	Xylene	Total BTEX
MW-20	03/11/08	38.9	<0.200	2.17	1.24	42.3
MW-20	06/20/08	30.7	<0.200	1.61	0.278	32.6
MW-20	08/21/08	31.0	<0.100	1.74	0.325	33.1
MW-20	11/18/08	27.3	<0.100	1.72	0.276	29.3
MW-20	03/03/09	18.2	<0.0500	1.610	0.671	20.5
MW-20	06/24/09	15.5	0.516	1.27	1.09	18.4
MW-20	08/12/09	21.1	1.14	1.65	1.46	25.4
MW-20	11/18/09	23.9	2.22	1.48	1.14	28.7
MW-20	02/16/10	24.0	4.20	1.68	1.95	31.8
MW-20	06/03/10	18.4	2.26	1.36	1.16	23.2
MW-20	09/21/10	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-20	12/27/10	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-21	Well Installed 12/05/2007					
MW-21	12/05/07	0.0590	0.0033	0.0040	<0.00200	0.0663
MW-21	03/11/08	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500
MW-21	06/20/08	0.0511	<0.00100	<0.00100	<0.00100	0.0511
MW-21	08/21/08	0.849	<0.0200	<0.0200	0.0238	0.873
MW-21	11/18/08	1.22	0.0253	0.222	0.0469	1.51
MW-21	03/03/09	1.42	<0.0200	0.724	0.0372	2.18
MW-21	06/24/09	0.834	<0.0200	0.486	<0.0200	1.320
MW-21	08/12/09	0.454	<0.0200	0.282	0.190	0.926
MW-21	11/18/09	0.862	<0.0200	0.360	<0.0200	1.222
MW-21	02/16/10	2.10	<0.00200	0.510	<0.0200	2.61
MW-21	06/03/10	3.47	<0.00200	0.471	<0.0200	3.94
MW-21	09/21/10	6.64	<0.00200	0.892	0.058	7.59
MW-21	12/27/10	11.70	<0.0200	0.998	0.343	13.04
MW-22	Well Installed 12/05/2007					
MW-22	12/05/07	0.1621	0.0028	<0.0010	0.0040	0.1689
MW-22	03/11/08	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100
MW-22	06/20/08	0.00450	<0.00100	<0.00100	0.00100	0.00550
MW-22	08/21/08	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100
MW-22	11/18/08	0.0148	<0.00100	<0.00100	<0.00100	0.0148
MW-22	03/03/09	0.00160	<0.00100	<0.00100	0.00100	0.0016



TABLE 2
SUMMARY OF BTEX GROUNDWATER ANALYTICAL DATA
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE - SRS# 2003-00017
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO
TALON/LPE PROJECT NUMBER 700376.052.01

All concentrations are in mg/L

Sample Location	Sample Date	Benzene	Toluene	Ethyl benzene	Xylene	Total BTEX
MW-22	06/24/09	0.00660	<0.00100	0.00570	0.0294	0.04170
MW-22	08/12/09	<0.00100	<0.00100	<0.00100	0.0163	0.0163
MW-22	11/18/09	0.00210	<0.00100	0.00500	0.00130	0.00840
MW-22	02/16/10	0.03300	<0.00100	0.05430	<0.00100	0.08730
MW-22	06/03/10	0.869	<0.00100	0.228	<0.00100	1.097
MW-22	09/21/10	2.41	<0.0100	0.363	0.02750	2.801
MW-22	12/27/10	3.98	<0.0100	0.298	0.110	4.388
MW-23	Well Installed 03/17/2008					
MW-23	03/25/08	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100
MW-23	06/20/08	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100
MW-23	08/21/08	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100
MW-23	11/18/08	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100
MW-23	03/04/09	0.00560	<0.00100	<0.00100	<0.00100	0.0056
MW-23	06/24/09	0.00510	<0.00100	<0.00100	<0.00100	0.0051
MW-23	08/12/09	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100
MW-23	11/18/09	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100
MW-23	02/16/10	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100
MW-23	06/03/10	0.00360	0.00230	<0.00100	<0.00100	0.00590
MW-23	09/21/10	<0.00100	0.0018	<0.00100	<0.00100	0.0018
MW-23	12/27/10	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100
MW-24	Well Installed 03/17/2008					
MW-24	03/25/08	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100
MW-24	06/20/08	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100
MW-24	08/21/08	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500
MW-24	11/18/08	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100
MW-24	03/04/09	0.00570	<0.00100	0.00250	0.00140	0.00960
MW-24	06/24/09	0.00590	<0.00100	<0.00100	<0.00100	0.0059
MW-24	08/12/09	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100
MW-24	11/18/09	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100
MW-24	02/16/10	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100
MW-24	06/03/10	0.00290	0.00180	<0.00100	<0.00100	0.00470
MW-24	09/20/10	Not sampled - well not found				
MW-24	12/27/11	Not sampled - well not found				



TABLE 2
SUMMARY OF BTEX GROUNDWATER ANALYTICAL DATA
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE - SRS# 2003-00017
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO
TALON/LPE PROJECT NUMBER 700376.052.01

All concentrations are in mg/L

Sample Location	Sample Date	Benzene	Toluene	Ethyl benzene	Xylene	Total BTEX
Klein Irrigation Well	10/31/03	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
	11/08/04	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
	03/31/05	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
	06/09/06	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
NMWQCC Remedial Limits		0.010	0.750	0.750	0.620	NA

¹ **Bolded** values are in excess of the NMWQCC Remediation Thresholds
BTEX analyzed by EPA Method 8021B

Appendix C

Laboratory Analytical Data Reports and Chain of Custody Documentation

Summary Report

Steve Killingsworth
Talon LPE-Midland
2901 State Highway 349
Midland, TX 79706

Report Date: December 31, 2010

Work Order: 10122803



Project Location: Hobbs, NM
Project Name: Hobbs Junction Mainline
Project Number: 700376.052.01

Sample	Description	Matrix	Date Taken	Time Taken	Date Received
254303	MW 7	water	2010-12-27	12:30	2010-12-28
254304	MW 9	water	2010-12-27	12:50	2010-12-28
254305	MW 13	water	2010-12-27	12:15	2010-12-28
254306	MW 18	water	2010-12-27	13:50	2010-12-28
254307	MW 19	water	2010-12-27	14:05	2010-12-28
254308	MW 21	water	2010-12-27	14:40	2010-12-28
254309	MW 22	water	2010-12-27	14:25	2010-12-28
254310	MW 23	water	2010-12-27	13:25	2010-12-28

Sample - Field Code	BTEX			
	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Xylene (mg/L)
254303 - MW 7	<0.00100	<0.00100	<0.00100	<0.00100
254304 - MW 9	<0.00100	<0.00100	<0.00100	<0.00100
254305 - MW 13	<0.00100	<0.00100	<0.00100	<0.00100
254306 - MW 18	<0.00100	<0.00100	<0.00100	<0.00100
254307 - MW 19	<0.00100	<0.00100	0.00330	0.00840
254308 - MW 21	11.7	<0.0200	0.998	0.343
254309 - MW 22	3.98	<0.0100	0.298	0.110
254310 - MW 23	<0.00100	<0.00100	<0.00100	<0.00100



6701 Aberdeen Avenue, Suite 9 Lubbock, Texas 79424 800•378•1296 806•794•1296 FAX 806•794•1296
200 East Sunset Road, Suite E El Paso, Texas 79922 888•588•3443 915•585•3443 FAX 915•585•4944
5002 Basin Street, Suite A1 Midland, Texas 79703 432•689•6301 FAX 432•689•6313
6015 Harris Parkway, Suite 110 Ft. Worth, Texas 76132 817•201•5260
E-Mail: lab@traceanalysis.com

Certifications

WBENC: 237019

HUB: 1752439743100-86536

DBE: VN 20657

NCTRCA WFWB38444Y0909

NELAP Certifications

Lubbock: T104704219-08-TX
LELAP-02003
Kansas E-10317

El Paso: T104704221-08-TX
LELAP-02002

Midland: T104704392-08-TX

Analytical and Quality Control Report

Steve Killingsworth
Talon LPE-Midland
2901 State Highway 349
Midland, TX, 79706

Report Date: December 31, 2010

Work Order: 10122803



Project Location: Hobbs, NM
Project Name: Hobbs Junction Mainline
Project Number: 700376.052.01


Enclosed are the Analytical Report and Quality Control Report for the following sample(s) submitted to TraceAnalysis, Inc.

Sample	Description	Matrix	Date Taken	Time Taken	Date Received
254303	MW 7	water	2010-12-27	12:30	2010-12-28
254304	MW 9	water	2010-12-27	12:50	2010-12-28
254305	MW 13	water	2010-12-27	12:15	2010-12-28
254306	MW 18	water	2010-12-27	13:50	2010-12-28
254307	MW 19	water	2010-12-27	14:05	2010-12-28
254308	MW 21	water	2010-12-27	14:40	2010-12-28
254309	MW 22	water	2010-12-27	14:25	2010-12-28
254310	MW 23	water	2010-12-27	13:25	2010-12-28

These results represent only the samples received in the laboratory. The Quality Control Report is generated on a batch

basis. All information contained in this report is for the analytical batch(es) in which your sample(s) were analyzed.

This report consists of a total of 11 pages and shall not be reproduced except in its entirety, without written approval of TraceAnalysis, Inc.



Dr. Blair Leftwich, Director
Dr. Michael Abel, Project Manager

Standard Flags

B - The sample contains less than ten times the concentration found in the method blank.

Case Narrative

Samples for project Hobbs Junction Mainline were received by TraceAnalysis, Inc. on 2010-12-28 and assigned to work order 10122803. Samples for work order 10122803 were received intact without headspace and at a temperature of 4.0 C.

Samples were analyzed for the following tests using their respective methods.

Test	Method	Prep Batch	Prep Date	QC Batch	Analysis Date
BTEX	S 8021B	65631	2010-12-28 at 11:49	76536	2010-12-28 at 11:49
BTEX	S 8021B	65673	2010-12-30 at 09:28	76609	2010-12-30 at 14:50

Results for these samples are reported on a wet weight basis unless data package indicates otherwise.

A matrix spike (MS) and matrix spike duplicate (MSD) sample is chosen at random from each preparation batch. The MS and MSD will indicate if a site specific matrix problem is occurring, however, it may not pertain to the samples for work order 10122803 since the sample was chosen at random. Therefore, the validity of the analytical data reported has been determined by the laboratory control sample (LCS) and the method blank (MB). These quality control measures are performed with each preparation batch to ensure data integrity.

All other exceptions associated with this report have been footnoted on the appropriate analytical page to assist in general data comprehension. Please contact the laboratory directly if there are any questions regarding this project.

Report Date: December 31, 2010
700376.052.01

Work Order: 10122803
Hobbs Junction Mainline

Page Number: 4 of 11
Hobbs, NM

Analytical Report

Sample: 254303 - MW 7

Laboratory: Midland
Analysis: BTEX
QC Batch: 76536
Prep Batch: 65631

Analytical Method: S 8021B
Date Analyzed: 2010-12-28
Sample Preparation: 2010-12-28

Prep Method: S 5030B
Analyzed By: ME
Prepared By: ME

Parameter	Flag	RL Result	Units	Dilution	RL
Benzene		<0.00100	mg/L	1	0.00100
Toluene		<0.00100	mg/L	1	0.00100
Ethylbenzene		<0.00100	mg/L	1	0.00100
Xylene		<0.00100	mg/L	1	0.00100

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)		0.0906	mg/L	1	0.100	91	67.8 - 126
4-Bromofluorobenzene (4-BFB)		0.0985	mg/L	1	0.100	98	51.1 - 128

Sample: 254304 - MW 9

Laboratory: Midland
Analysis: BTEX
QC Batch: 76536
Prep Batch: 65631

Analytical Method: S 8021B
Date Analyzed: 2010-12-28
Sample Preparation: 2010-12-28

Prep Method: S 5030B
Analyzed By: ME
Prepared By: ME

Parameter	Flag	RL Result	Units	Dilution	RL
Benzene		<0.00100	mg/L	1	0.00100
Toluene		<0.00100	mg/L	1	0.00100
Ethylbenzene		<0.00100	mg/L	1	0.00100
Xylene		<0.00100	mg/L	1	0.00100

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)		0.0909	mg/L	1	0.100	91	67.8 - 126
4-Bromofluorobenzene (4-BFB)		0.0980	mg/L	1	0.100	98	51.1 - 128

Sample: 254305 - MW 13

Laboratory: Midland
Analysis: BTEX
QC Batch: 76536
Prep Batch: 65631

Analytical Method: S 8021B
Date Analyzed: 2010-12-28
Sample Preparation: 2010-12-28

Prep Method: S 5030B
Analyzed By: ME
Prepared By: ME

Report Date: December 31, 2010
700376.052.01

Work Order: 10122803
Hobbs Junction Mainline

Page Number: 5 of 11
Hobbs, NM

Parameter	Flag	RL Result	Units	Dilution	RL
Benzene		<0.00100	mg/L	1	0.00100
Toluene		<0.00100	mg/L	1	0.00100
Ethylbenzene		<0.00100	mg/L	1	0.00100
Xylene		<0.00100	mg/L	1	0.00100

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)		0.0883	mg/L	1	0.100	88	67.8 - 126
4-Bromofluorobenzene (4-BFB)		0.0963	mg/L	1	0.100	96	51.1 - 128

Sample: 254306 - MW 18

Laboratory: Midland

Analysis: BTEX

QC Batch: 76536

Prep Batch: 65631

Analytical Method: S 8021B

Date Analyzed: 2010-12-28

Sample Preparation: 2010-12-28

Prep Method: S 5030B

Analyzed By: ME

Prepared By: ME

Parameter	Flag	RL Result	Units	Dilution	RL
Benzene		<0.00100	mg/L	1	0.00100
Toluene		<0.00100	mg/L	1	0.00100
Ethylbenzene		<0.00100	mg/L	1	0.00100
Xylene		<0.00100	mg/L	1	0.00100

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)		0.0903	mg/L	1	0.100	90	67.8 - 126
4-Bromofluorobenzene (4-BFB)		0.0973	mg/L	1	0.100	97	51.1 - 128

Sample: 254307 - MW 19

Laboratory: Midland

Analysis: BTEX

QC Batch: 76609

Prep Batch: 65673

Analytical Method: S 8021B

Date Analyzed: 2010-12-30

Sample Preparation: 2010-12-30

Prep Method: S 5030B

Analyzed By: ME

Prepared By: ME

Parameter	Flag	RL Result	Units	Dilution	RL
Benzene		<0.00100	mg/L	1	0.00100
Toluene		<0.00100	mg/L	1	0.00100
Ethylbenzene		0.00330	mg/L	1	0.00100
Xylene		0.00840	mg/L	1	0.00100

Report Date: December 31, 2010
700376.052.01

Work Order: 10122803
Hobbs Junction Mainline

Page Number: 6 of 11
Hobbs, NM

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)		0.0940	mg/L	1	0.100	94	67.8 - 126
4-Bromofluorobenzene (4-BFB)		0.101	mg/L	1	0.100	101	51.1 - 128

Sample: 254308 - MW 21

Laboratory: Midland
Analysis: BTEX
QC Batch: 76609
Prep Batch: 65673

Analytical Method: S 8021B
Date Analyzed: 2010-12-30
Sample Preparation: 2010-12-30

Prep Method: S 5030B
Analyzed By: ME
Prepared By: ME

Parameter	Flag	RL Result	Units	Dilution	RL
Benzene		11.7	mg/L	20	0.00100
Toluene		<0.0200	mg/L	20	0.00100
Ethylbenzene		0.998	mg/L	20	0.00100
Xylene		0.343	mg/L	20	0.00100

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)		1.56	mg/L	20	2.00	78	67.8 - 126
4-Bromofluorobenzene (4-BFB)		1.90	mg/L	20	2.00	95	51.1 - 128

Sample: 254309 - MW 22

Laboratory: Midland
Analysis: BTEX
QC Batch: 76609
Prep Batch: 65673

Analytical Method: S 8021B
Date Analyzed: 2010-12-30
Sample Preparation: 2010-12-30

Prep Method: S 5030B
Analyzed By: ME
Prepared By: ME

Parameter	Flag	RL Result	Units	Dilution	RL
Benzene		3.98	mg/L	10	0.00100
Toluene		<0.0100	mg/L	10	0.00100
Ethylbenzene		0.298	mg/L	10	0.00100
Xylene		0.110	mg/L	10	0.00100

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)		0.781	mg/L	10	1.00	78	67.8 - 126
4-Bromofluorobenzene (4-BFB)		0.953	mg/L	10	1.00	95	51.1 - 128

Report Date: December 31, 2010
700376.052.01

Work Order: 10122803
Hobbs Junction Mainline

Page Number: 7 of 11
Hobbs, NM

Sample: 254310 - MW 23

Laboratory: Midland
Analysis: BTEX
QC Batch: 76609
Prep Batch: 65673

Analytical Method: S 8021B
Date Analyzed: 2010-12-30
Sample Preparation: 2010-12-30

Prep Method: S 5030B
Analyzed By: ME
Prepared By: ME

Parameter	Flag	RL		Dilution	RL
		Result	Units		
Benzene		<0.00100	mg/L	1	0.00100
Toluene		<0.00100	mg/L	1	0.00100
Ethylbenzene		<0.00100	mg/L	1	0.00100
Xylene		<0.00100	mg/L	1	0.00100

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)		0.0879	mg/L	1	0.100	88	67.8 - 126
4-Bromofluorobenzene (4-BFB)		0.100	mg/L	1	0.100	100	51.1 - 128

Method Blank (1) QC Batch: 76536

QC Batch: 76536
Prep Batch: 65631

Date Analyzed: 2010-12-28
QC Preparation: 2010-12-28

Analyzed By: ME
Prepared By: ME

Parameter	Flag	MDL		Units	RL
		Result			
Benzene		<0.000600		mg/L	0.001
Toluene		<0.000600		mg/L	0.001
Ethylbenzene		<0.000800		mg/L	0.001
Xylene		<0.000767		mg/L	0.001

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)		0.0876	mg/L	1	0.100	88	70.2 - 118
4-Bromofluorobenzene (4-BFB)		0.0936	mg/L	1	0.100	94	47.3 - 116

Method Blank (1) QC Batch: 76609

QC Batch: 76609
Prep Batch: 65673

Date Analyzed: 2010-12-30
QC Preparation: 2010-12-30

Analyzed By: ME
Prepared By: ME

Parameter	Flag	MDL		Units	RL
		Result			
Benzene		<0.000600		mg/L	0.001
Toluene		<0.000600		mg/L	0.001

continued ...

Report Date: December 31, 2010
700376.052.01

Work Order: 10122803
Hobbs Junction Mainline

Page Number: 8 of 11
Hobbs, NM

method blank continued ...

Parameter	Flag	MDL Result	Units	RL
Ethylbenzene		<0.000800	mg/L	0.001
Xylene		<0.000767	mg/L	0.001

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)		0.0831	mg/L	1	0.100	83	70.2 - 118
4-Bromofluorobenzene (4-BFB)		0.0963	mg/L	1	0.100	96	47.3 - 116

Laboratory Control Spike (LCS-1)

QC Batch: 76536
Prep Batch: 65631

Date Analyzed: 2010-12-28
QC Preparation: 2010-12-28

Analyzed By: ME
Prepared By: ME

Param	LCS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
Benzene	0.0946	mg/L	1	0.100	<0.000600	95	82.9 - 118
Toluene	0.0957	mg/L	1	0.100	<0.000600	96	82.7 - 117
Ethylbenzene	0.0939	mg/L	1	0.100	<0.000800	94	78.8 - 116
Xylene	0.284	mg/L	1	0.300	<0.000767	95	79.3 - 116

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	LCSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
Benzene	0.0971	mg/L	1	0.100	<0.000600	97	82.9 - 118	3	20
Toluene	0.0980	mg/L	1	0.100	<0.000600	98	82.7 - 117	2	20
Ethylbenzene	0.0971	mg/L	1	0.100	<0.000800	97	78.8 - 116	3	20
Xylene	0.294	mg/L	1	0.300	<0.000767	98	79.3 - 116	4	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Surrogate	LCS Result	LCSD Result	Units	Dil.	Spike Amount	LCS Rec.	LCSD Rec.	Rec. Limit
Trifluorotoluene (TFT)	0.0814	0.0887	mg/L	1	0.100	81	89	67.3 - 113
4-Bromofluorobenzene (4-BFB)	0.0905	0.0984	mg/L	1	0.100	90	98	68.2 - 134

Laboratory Control Spike (LCS-1)

QC Batch: 76609
Prep Batch: 65673

Date Analyzed: 2010-12-30
QC Preparation: 2010-12-30

Analyzed By: ME
Prepared By: ME

Report Date: December 31, 2010
700376.052.01

Work Order: 10122803
Hobbs Junction Mainline

Page Number: 9 of 11
Hobbs, NM

Param	LCS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
Benzene	0.0949	mg/L	1	0.100	<0.000600	95	82.9 - 118
Toluene	0.0932	mg/L	1	0.100	<0.000600	93	82.7 - 117
Ethylbenzene	0.0907	mg/L	1	0.100	<0.000800	91	78.8 - 116
Xylene	0.276	mg/L	1	0.300	<0.000767	92	79.3 - 116

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	LCSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
Benzene	0.0961	mg/L	1	0.100	<0.000600	96	82.9 - 118	1	20
Toluene	0.0941	mg/L	1	0.100	<0.000600	94	82.7 - 117	1	20
Ethylbenzene	0.0916	mg/L	1	0.100	<0.000800	92	78.8 - 116	1	20
Xylene	0.278	mg/L	1	0.300	<0.000767	93	79.3 - 116	1	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Surrogate	LCS Result	LCSD Result	Units	Dil.	Spike Amount	LCS Rec.	LCSD Rec.	Rec. Limit
Trifluorotoluene (TFT)	0.0770	0.0782	mg/L	1	0.100	77	78	67.3 - 113
4-Bromofluorobenzene (4-BFB)	0.0919	0.0921	mg/L	1	0.100	92	92	68.2 - 134

Matrix Spike (MS-1) Spiked Sample: 254261

QC Batch: 76536
Prep Batch: 65631

Date Analyzed: 2010-12-28
QC Preparation: 2010-12-28

Analyzed By: ME
Prepared By: ME

Param	MS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
Benzene	15.1	mg/L	100	10.0	6.1451	90	77.9 - 114
Toluene	9.19	mg/L	100	10.0	<0.0600	92	78.3 - 111
Ethylbenzene	9.30	mg/L	100	10.0	<0.0800	93	75.3 - 110
Xylene	28.2	mg/L	100	30.0	0.8576	91	75.7 - 109

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	MSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
Benzene	15.7	mg/L	100	10.0	6.1451	96	77.9 - 114	4	20
Toluene	9.45	mg/L	100	10.0	<0.0600	94	78.3 - 111	3	20
Ethylbenzene	9.56	mg/L	100	10.0	<0.0800	96	75.3 - 110	3	20
Xylene	29.0	mg/L	100	30.0	0.8576	94	75.7 - 109	3	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Surrogate	MS Result	MSD Result	Units	Dil.	Spike Amount	MS Rec.	MSD Rec.	Rec. Limit
Trifluorotoluene (TFT)	8.44	8.43	mg/L	100	10	84	84	68.3 - 107

continued . . .

Report Date: December 31, 2010
700376.052.01

Work Order: 10122803
Hobbs Junction Mainline

Page Number: 10 of 11
Hobbs, NM

matrix spikes continued ...

Surrogate	MS Result	MSD Result	Units	Dil.	Spike Amount	MS Rec.	MSD Rec.	Rec. Limit
4-Bromofluorobenzene (4-BFB)	9.52	9.53	mg/L	100	10	95	95	60.1 - 135

Matrix Spike (MS-1) Spiked Sample: 254308

QC Batch: 76609
Prep Batch: 65673

Date Analyzed: 2010-12-30
QC Preparation: 2010-12-30

Analyzed By: ME
Prepared By: ME

Param	MS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
Benzene	14.0	mg/L	20	2.00	11.7057	115	77.9 - 114
Toluene	1.71	mg/L	20	2.00	<0.0120	86	78.3 - 111
Ethylbenzene	2.70	mg/L	20	2.00	0.9984	85	75.3 - 110
Xylene	5.28	mg/L	20	6.00	0.343	82	75.7 - 109

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	MSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
Benzene	14.2	mg/L	20	2.00	11.7057	125	77.9 - 114	1	20
Toluene	1.76	mg/L	20	2.00	<0.0120	88	78.3 - 111	3	20
Ethylbenzene	2.76	mg/L	20	2.00	0.9984	88	75.3 - 110	2	20
Xylene	5.43	mg/L	20	6.00	0.343	85	75.7 - 109	3	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Surrogate	MS Result	MSD Result	Units	Dil.	Spike Amount	MS Rec.	MSD Rec.	Rec. Limit
Trifluorotoluene (TFT)	1.61	1.50	mg/L	20	2	80	75	68.3 - 107
4-Bromofluorobenzene (4-BFB)	1.96	1.87	mg/L	20	2	98	94	60.1 - 135

Standard (CCV-2)

QC Batch: 76536

Date Analyzed: 2010-12-28

Analyzed By: ME

Param	Flag	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Benzene		mg/L	0.100	0.0952	95	80 - 120	2010-12-28
Toluene		mg/L	0.100	0.0958	96	80 - 120	2010-12-28
Ethylbenzene		mg/L	0.100	0.0943	94	80 - 120	2010-12-28
Xylene		mg/L	0.300	0.286	95	80 - 120	2010-12-28

¹Matrix spike recovery out of control limits due to peak interference. Use LCS/LCSD to demonstrate analysis is under control.

²Matrix spike recovery out of control limits due to peak interference. Use LCS/LCSD to demonstrate analysis is under control.

Report Date: December 31, 2010
700376.052.01

Work Order: 10122803
Hobbs Junction Mainline

Page Number: 11 of 11
Hobbs, NM

Standard (CCV-3)

QC Batch: 76536

Date Analyzed: 2010-12-28

Analyzed By: ME

Param	Flag	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Benzene		mg/L	0.100	0.0908	91	80 - 120	2010-12-28
Toluene		mg/L	0.100	0.0930	93	80 - 120	2010-12-28
Ethylbenzene		mg/L	0.100	0.0912	91	80 - 120	2010-12-28
Xylene		mg/L	0.300	0.277	92	80 - 120	2010-12-28

Standard (CCV-1)

QC Batch: 76609

Date Analyzed: 2010-12-30

Analyzed By: ME

Param	Flag	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Benzene		mg/L	0.100	0.0973	97	80 - 120	2010-12-30
Toluene		mg/L	0.100	0.0962	96	80 - 120	2010-12-30
Ethylbenzene		mg/L	0.100	0.0936	94	80 - 120	2010-12-30
Xylene		mg/L	0.300	0.285	95	80 - 120	2010-12-30

Standard (CCV-2)

QC Batch: 76609

Date Analyzed: 2010-12-30

Analyzed By: ME

Param	Flag	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Benzene		mg/L	0.100	0.0904	90	80 - 120	2010-12-30
Toluene		mg/L	0.100	0.0884	88	80 - 120	2010-12-30
Ethylbenzene		mg/L	0.100	0.0859	86	80 - 120	2010-12-30
Xylene		mg/L	0.300	0.261	87	80 - 120	2010-12-30

LAB Order ID # 10122803


Page 1 of 1

TraceAnalysis, Inc.

email: lab@traceanalysis.com

6701 Aberdeen Avenue, Suite 9
Lubbock, Texas 79424
Tel (806) 794-1296
Fax (806) 794-1298
1 (800) 378-12985002 Basin Street, Suite A1
Midland, Texas 79703
Tel (432) 689-6301
Fax (432) 689-6313BioAquatic Testing
2501 Mayes Rd., Ste 100
Carrollton, Texas 75006
Tel (972) 242-7750
1 (888) 588-3443

Company Name: Talon LPE		Phone #:															
Address: (Street, City, Zip)		Fax #:															
Contact Person: Steve Killingsworth		E-mail:															
Invoice to: (If different from above)																	
Project #: 2003-00017 Plains		Project Name: Hobbs Junction W. 146 th															
Project Location (including state): Hobbs NM		Sampler Signature: Brad Day															
LAB # (LAB USE ONLY)	FIELD CODE	# CONTAINERS	Volume / Amount	MATRIX			PRESERVATIVE METHOD				SAMPLING						
				WATER	SOIL	AIR	SLUDGE	HCl	HNO ₃	H ₂ SO ₄	NaOH	ICE	NONE	DATE	TIME		
201303	B MW 7	3		X				X			X	12-27	1230				
304	MW 8																
304	MW 9																
305	MW 13																
306	MW 14																
307	MW 19																
308	MW 21																
309	MW 22																
310	MW 23																
ANALYSIS REQUEST (Circle or Specify Method No.)																	
TPH 418.1 / TX1005 / TX1005 Ext(C35)	TPH 8015 GRO / DRO / TVHC	PAH 8270 / 625	Total Metals Ag As Ba Cd Cr Pb Se Hg 6010/200.7	TCLP Metals Ag As Ba Cd Cr Pb Se Hg	TCLP Volatiles	TCLP Semi Volatiles	TCLP Pesticides	RCI	GC/MS Vol. 8260 / 624	GC/MS Semi. Vol. 8270 / 625	PCBs 8082 / 608	Pesticides 8081 / 608	BOD, TSS, pH	Moisture Content	Cl, F, S, SO ₄ , NO ₃ , NO ₂ , Alkalinity	Na, Ca, Mg, K, TDS, EC	Turn Around Time if different from standard
LAB USE ONLY		REMARKS:															
Relinquished by: Brad Day Talon LPE	Company: Talon LPE	Date: 12-24-10	Time: 0900														
Relinquished by:	Company:	Date:	Time:														
Relinquished by:	Company:	Date:	Time:														
INST		OBS		COR													
INST	OBS	INST	OBS	INST	OBS												
INST		OBS		COR													
INST	OBS	INST	OBS	INST	OBS												
INST		OBS		COR													
INST	OBS	INST	OBS	INST	OBS												
INST		OBS		COR													
INST	OBS	INST	OBS	INST	OBS												
INST		OBS		COR													
INST	OBS	INST	OBS	INST	OBS												
INST		OBS		COR													
INST	OBS	INST	OBS	INST	OBS												
INST		OBS		COR													
INST	OBS	INST	OBS	INST	OBS												
INST		OBS		COR													
INST	OBS	INST	OBS	INST	OBS												
INST		OBS		COR													
INST	OBS	INST	OBS	INST	OBS												
INST		OBS		COR													
INST	OBS	INST	OBS	INST	OBS												
INST		OBS		COR													
INST	OBS	INST	OBS	INST	OBS												
INST		OBS		COR													
INST	OBS	INST	OBS	INST	OBS												
INST		OBS		COR													
INST	OBS	INST	OBS	INST	OBS												
INST		OBS		COR													
INST	OBS	INST	OBS	INST	OBS												
INST		OBS		COR													
INST	OBS	INST	OBS	INST	OBS												
INST		OBS		COR													
INST	OBS	INST	OBS	INST	OBS												
INST		OBS		COR													
INST	OBS	INST	OBS	INST	OBS												
INST		OBS		COR													
INST	OBS	INST	OBS	INST	OBS												
INST		OBS		COR													
INST	OBS	INST	OBS	INST	OBS												
INST		OBS		COR													
INST	OBS	INST	OBS	INST	OBS												
INST		OBS		COR													
INST	OBS	INST	OBS	INST	OBS												
INST		OBS		COR													
INST	OBS	INST	OBS	INST	OBS												
INST		OBS		COR													
INST	OBS	INST	OBS	INST	OBS												
INST		OBS		COR													
INST	OBS	INST	OBS	INST	OBS												
INST		OBS		COR													
INST	OBS	INST	OBS	INST	OBS												
INST		OBS		COR													
INST	OBS	INST	OBS	INST	OBS												
INST		OBS		COR													
INST	OBS	INST	OBS	INST	OBS												
INST		OBS		COR													
INST	OBS	INST	OBS	INST	OBS												
INST		OBS		COR													
INST	OBS	INST	OBS	INST	OBS												
INST		OBS		COR													
INST	OBS	INST	OBS	INST	OBS												
INST		OBS		COR													
INST	OBS	INST	OBS	INST	OBS												
INST		OBS		COR													
INST	OBS	INST	OBS	INST	OBS												
INST		OBS		COR													
INST	OBS	INST	OBS	INST	OBS												
INST		OBS		COR													
INST	OBS	INST	OBS	INST	OBS												
INST		OBS		COR													
INST	OBS	INST	OBS	INST	OBS												
INST		OBS		COR													
INST	OBS	INST	OBS	INST	OBS												
INST		OBS		COR													
INST	OBS	INST	OBS	INST	OBS												
INST		OBS		COR													
INST	OBS	INST	OBS	INST	OBS												
INST		OBS		COR													
INST	OBS	INST	OBS	INST	OBS												
INST		OBS		COR													
INST	OBS	INST	OBS	INST	OBS												
INST		OBS		COR													
INST	OBS	INST	OBS	INST	OBS												
INST		OBS		COR													
INST	OBS	INST	OBS	INST	OBS												
INST		OBS		COR													
INST	OBS	INST	OBS	INST	OBS												
INST		OBS		COR													
INST	OBS	INST	OBS	INST	OBS												
INST		OBS		COR													
INST	OBS	INST	OBS	INST	OBS												
INST		OBS		COR													
INST	OBS	INST	OBS	INST	OBS												
INST		OBS		COR													
INST	OBS	INST	OBS	INST	OBS												
INST		OBS		COR													
INST	OBS	INST	OBS	INST	OBS												
INST		OBS		COR													
INST	OBS	INST	OBS	INST	OBS												
INST		OBS		COR													
INST	OBS	INST	OBS	INST	OBS												
INST		OBS		COR													
INST	OBS	INST	OBS	INST	OBS												
INST		OBS		COR													
INST	OBS	INST	OBS	INST	OBS												
INST		OBS		COR													
INST	OBS	INST	OBS	INST	OBS												
INST		OBS		COR													
INST	OBS	INST	OBS	INST	OBS												
INST		OBS		COR													
INST	OBS	INST	OBS	INST	OBS												
INST		OBS		COR													
INST	OBS	INST	OBS	INST	OBS												
INST		OBS		COR													
INST	OBS	INST	OBS	INST	OBS												
INST		OBS		COR													
INST	OBS	INST	OBS	INST	OBS												
INST		OBS		COR													
INST	OBS	INST	OBS	INST	OBS												
INST		OBS		COR													
INST	OBS	INST	OBS	INST	OBS												
INST		OBS		COR													
INST	OBS	INST	OBS	INST	OBS												
INST		OBS		COR													
INST	OBS	INST	OBS	INST	OBS												
INST		OBS		COR													
INST	OBS	INST	OBS	INST	OBS												
INST		OBS		COR													
INST	OBS	INST	OBS	INST	OBS												
INST		OBS		COR													
INST	OBS	INST	OBS	INST	OBS												
INST		OBS		COR													
INST	OBS	INST	OBS	INST	OBS												
INST		OBS		COR													
INST	OBS	INST	OBS	INST	OBS												
INST		OBS		COR													
INST	OBS	INST	OBS	INST	OBS												
INST		OBS		COR													
INST	OBS	INST	OBS	INST	OBS												
INST		OBS		COR													
INST	OBS	INST	OBS	INST	OBS												
INST		OBS		COR													
INST	OBS	INST	OBS	INST	OBS												
INST		OBS		COR													
INST	OBS	INST	OBS	INST	OBS												
INST		OBS		COR													
INST	OBS	INST	OBS	INST	OBS												
INST		OBS		COR													
INST	OBS	INST	OBS	INST	OBS												
INST		OBS		COR													
INST	OBS	INST	OBS	INST	OBS												
INST		OBS		COR													
INST	OBS	INST	OBS	INST	OBS												
INST		OBS		COR													
INST	OBS	INST	OBS	INST	OBS												
INST		OBS		COR													
INST	OBS	INST	OBS	INST	OBS												
INST		OBS		COR													
INST	OBS	INST	OBS	INST	OBS												
INST		OBS		COR													
INST	OBS	INST	OBS	INST	OBS												
INST		OBS		COR													
INST	OBS	INST	OBS	INST	OBS												
INST		OBS		COR													
INST	OBS	INST	OBS	INST	OBS												
INST		OBS		COR													
INST	OBS	INST	OBS	INST	OBS												
INST		OBS		COR													
INST	OBS	INST	OBS	INST	OBS												
INST		OBS		COR													
INST	OBS	INST	OBS	INST	OBS												
INST		OBS		COR													
INST	OBS	INST	OBS	INST	OBS												
INST		OBS		COR													
INST	OBS	INST	OBS	INST	OBS												
INST		OBS		COR													
INST	OBS	INST	OBS	INST	OBS												
INST		OBS		COR													
INST	OBS	INST	OBS	INST	OBS												
INST		OBS		COR													
INST	OBS	INST	OBS	INST	OBS												
INST																	



PLAINS
PIPELINE, L.P.

October 27, 2010

Mr. Edward Hansen
New Mexico Oil Conservation Division
Environmental Bureau
1220 South St. Francis Drive
Santa Fe, New Mexico 87505

RE: Plains Pipeline, L.P. Hobbs Junction Mainline Release Site
NMOCD Reference # AP-054
Unit Letter M of Section 26, Township 18 South, Range 37 East
Lea County, New Mexico

Dear Mr. Hansen:

Plains Pipeline, L.P. is pleased to submit the attached Quarterly Report, dated October 26, 2010, for the Hobbs Junction Mainline release site located in Section 26 of Township 18 South, and Range 37 East of Lea County, New Mexico. This document summarizes the status of recent activities performed during the third quarter of 2010.

Should you have any questions or comments, please contact me at (575) 441-1099.

Sincerely,

Jason Henry
Remediation Coordinator
Plains Pipeline, L.P.

CC: Larry Johnson, NMOCD, Hobbs Office

Enclosure

RECEIVED OGD
2010 NOV 18 P 12:53



October 26, 2010

RECEIVED

NOV 13 2010

AMARILLO
921 North Bivins
Amarillo, Texas 79107
Phone 806.467.0607
Fax 806.467.0622

Mr. Edward Hansen
New Mexico Oil Conservation Division
1220 South St. Francis Drive
Santa Fe, New Mexico 87505

Oil Conservation Division
1220 S. St. Francis Drive
Santa Fe, NM 87505

AUSTIN
911 West Anderson Lane
Suite 202
Austin, Texas 78757
Phone 512.989.3428
Fax 512.989.3487

Re: Plains Pipeline, L.P. Hobbs Junction Mainline (Plains SRS#2003-00017)
Third Quarter 2010 Summary
NMOCD Reference # AP-054
UL-M (SW¼ of the SW¼) of Section 26, T18S, R37E
Latitude: 32° 42' 40.85"N and Longitude: 103° 13' 42.01"W
Landowners: State of New Mexico and Ms. Faye Klein
Lea County, New Mexico

MIDLAND
2901 State Highway 349
Midland, Texas 79706
Phone 432.522.2133
Fax 432.522.2180

SAN ANTONIO
11 Commercial Place
Schertz, Texas 78154
Phone 210.265.8025
Fax 210.568.2191

Dear Mr. Hansen:

Talon/LPE (Talon) is submitting this letter report on behalf of Plains Pipeline, L.P. (Plains) that summarizes the activities for the third quarter of 2010.

TULSA
525 South Main Street
Suite 535
Tulsa, Oklahoma 74103
Phone 918.742.0871
Fax 918.382.0232

Remediation Activities

During the third quarter of 2010, two (2) specific gravity skimmers with bladder pumps were operating in monitoring wells MW-11 and MW-14, and nine (9) total fluids pumps were operating in monitoring wells MW-1, MW-2, MW-3, MW-4, MW-5, MW-6, MW-12, MW-15, and MW-17. The pumps are utilized to recover phase separated hydrocarbons (PSH) and to inhibit the migration of the PSH and dissolved-phase plumes. The PSH recovery system is inspected and maintained a minimum of biweekly to optimize recovery rates.

HOBBS
318 East Taylor Street
Hobbs, New Mexico 88241
Phone 505.393.4261
Fax 505.393.4658

During the third quarter, approximately 10,365 barrels of water was recovered by the system and 10,357 barrels of water was transferred to Occidental Permian's North Hobbs Satellite facility for disposal. In addition, approximately 31 barrels of crude oil was recovered by the system and at the end of the quarter, approximately 70 barrels of crude oil was contained in the recovery tank.

ARTESIA
408 W. Texas Ave.
Artesia, New Mexico 88210
Phone 575.746.8768
Fax 505.746.8905

Quarterly Sampling Event

On September 20-21, 2010, the third quarter groundwater sampling event was conducted at the site. Prior to sample collection, the depths to static water levels and to PSH, if present, were measured in all monitor wells using an interface probe. Following a sufficient purge, groundwater samples from monitor wells MW-7, MW-8, MW-9, MW-13, MW-18, MW-19, MW-21, MW-22, and MW-23 were collected and submitted to the laboratory for quantification of benzene, toluene, ethylbenzene, and xylene (BTEX) using EPA SW-846 Method

ENVIRONMENTAL CONSULTING
ENGINEERING
DRILLING
CONSTRUCTION
EMERGENCY RESPONSE

Toll Free: 866.742.0742
www.talonlpe.com

8021B. Groundwater samples were not collected from fourteen (14) monitor wells that were impacted with PSH (MW-1 through, MW-6, MW-10, MW-11, MW-12, MW-14, MW-15, MW-16, MW-17 and MW-20). In addition, a groundwater sample was not collected from MW-24 because the well was not found.

Groundwater Monitoring Event Results

Data collected from the groundwater monitoring event exhibited the following results:

- Benzene concentrations ranged from <0.00100 mg/L to 6.64 mg/L. Benzene concentrations exceeded the New Mexico Water Quality Control Commission (NMWQCC) remediation threshold of 0.010 mg/L in groundwater samples collected from monitor wells MW-8, MW-19, MW-21, and MW-22.
- Toluene concentrations ranged from <0.00100 mg/L to 0.00690 mg/L. Toluene concentrations did not exceed the NMWQCC remediation threshold of 0.750 mg/L in any of the groundwater samples collected.
- Ethylbenzene concentrations ranged from <0.00100 mg/L to 0.892 mg/L. Ethylbenzene concentrations exceeded the NMWQCC remediation threshold of 0.750 mg/L in the groundwater samples collected from monitor wells MW-21 and MW-22.
- Total Xylene concentrations ranged from <0.00100 mg/L to 0.0583 mg/L. Total Xylene concentrations did not exceed the NMWQCC remediation threshold of 0.620 mg/L in any groundwater sample collected.
- Compared to the second quarter analytical results, Dissolved-phase concentrations remained relatively stable except in down-gradient monitor well MW-21, which exhibited a significant increase in total BTEX of 3.65 mg/L, indicating that the dissolved-phase plume may be expanding down-gradient.
- Compared to the second quarter data, groundwater levels exhibited a continued declining trend with an average drop of 0.29 feet during the third quarter.
- Compared to the second quarter, PSH thicknesses exhibited both declines and increases during the third quarter. The largest increase in PSH thickness occurred in monitor well MW-17 of 3.55-ft. Moderate increases in PSH thicknesses occurred in monitor wells MW-2, MW-3, MW-5, MW-6, and MW-16. Slight declines in PSH thicknesses occurred in monitor wells MW-4, MW-11, MW-12, and MW-14. Monitor wells MW-10 and MW-20 exhibited a first occurrence of PSH suggesting that the plume may be migrating down gradient.

Groundwater elevations and PSH thicknesses are summarized in Table 1, Appendix B, and groundwater analytical results are summarized in Table 2, Appendix B. The laboratory analytical report and chain of custody documentation are provided in Appendix C. The third quarter site map, gradient map, and PSH thickness and groundwater dissolved-phase concentration map are located in Appendix A.

If you have any questions or require further information, please contact me at (432) 522-2133 or Mr. Jeff Dann at (713) 646-4657.

Sincerely,

Steven R. Killingsworth, P.G.
Senior Project Manager

Cc: Mr. Jeffery P. Dann, Plains Pipeline, L.P.

Appendices:

Appendix A.....	Figures
Appendix B.....	Tables
Appendix C.....	Laboratory Analytical Data Reports and Chain of Custody Documentation


Appendix A

Figures

Figure 1 - Site Layout and Monitor Well Location Map

Figure 2 - Groundwater Gradient Map - 09/20/2010

Figure 3 - Groundwater Concentration and PSH Plume Map - 09/21/2010



Project # 700376.052.01




Date: 12/07/2009
 Scale: 1" = 120'
 Drawn By: TJS

Hobbs Junction Mainline
 SRS # 2003-00017, NMOCDF. # AP-054
 SW 1/4, SW 1/4, of Sec. 26, T18S, R37E, Lea County, New Mexico
 Figure 1 - Site Plan



0 55 110
Scale in Feet




Project = 700376.052.01



Date: 10/06/2010
Scale: 1" = 110'
Drawn By: TJS

Hobbs Junction Mainline
SRS # 2003-00017, NMOCD REF. # AP-054
SW 1/4, SW 1/4, of Sec. 26, T18S, R37E, Lea County, New Mexico
Figure 2c - Groundwater Gradient Map, - 09/20/2010



Project # 700376.052.01



Date: 10/06/2010
 Scale: 1" = 110'
 Drawn By: TJS

Hobbs Junction Mainline
 SRS # 2003-00017, NMOCD REF. # AP-054
 SW 1/4, SW 1/4, of Sec. 26, T18S, R37E, Lea County, New Mexico
 Figure 3c - PSH Thickness & Groundwater Concentration Map, - 09/21/2010

Appendix B

Tables

Table 1 - Summary of Historical Fluid Level Measurements

Table 2 - Summary of BTEX Groundwater Analytical Data



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-1	06/23/03	3,678.50	38.49	45.43	6.94	3,639.32
MW-1	06/25/03		38.48	45.43	6.95	3,639.33
MW-1	07/01/03		36.64	48.25	11.61	3,640.70
MW-1	07/07/03		38.73	45.55	6.82	3,639.09
MW-1	07/22/03		37.32	48.05	10.73	3,640.11
MW-1	07/23/03		37.33	48.06	10.73	3,640.10
MW-1	07/24/03		37.40	47.90	10.50	3,640.05
MW-1	07/30/03		37.41	47.90	10.49	3,640.04
MW-1	10/13/03		36.81	47.34	10.53	3,640.64
MW-1	12/11/03		37.79	46.85	9.06	3,639.80
MW-1	12/15/03		37.75	46.77	9.02	3,639.85
MW-1	02/18/04		38.42	47.64	9.22	3,639.16
MW-1	03/29/04		37.45	45.35	7.90	3,640.26
MW-1	04/29/04		38.26	42.18	3.92	3,639.85
MW-1	05/03/04		37.44	46.11	8.67	3,640.19
MW-1	07/12/04		38.34	45.66	7.32	3,639.43
MW-1	12/09/04		35.90	43.54	7.64	3,641.84
MW-1	02/16/05		35.15	42.54	7.39	3,642.61
MW-1	03/31/05		35.27	42.81	7.54	3,642.48
MW-1	05/13/05		35.31	42.60	7.29	3,642.46
MW-1	05/26/05		35.41	42.61	7.20	3,642.37
MW-1	06/28/05		35.48	42.65	7.17	3,642.30
MW-1	08/15/05		35.72	42.16	6.44	3,642.14



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-1	11/14/05		36.26	41.80	5.54	3,641.69
MW-1	01/23/06		36.71	42.14	5.43	3,641.25
MW-1	03/02/06		36.36	41.41	5.05	3,641.64
MW-1	06/01/06		37.58	42.01	4.43	3,640.48
MW-1	08/14/06		37.63	43.68	6.05	3,640.27
MW-1	11/28/06		37.27	42.50	5.23	3,640.71
MW-1	12/12/06		37.25	41.49	4.24	3,640.83
MW-1	01/09/07		37.31	42.71	5.40	3,640.65
MW-1	02/08/07		37.25	42.78	5.53	3,640.70
MW-1	02/27/07		37.34	42.88	5.54	3,640.61
MW-1	03/09/07		37.30	42.74	5.44	3,640.66
MW-1	03/13/07		37.28	42.78	5.50	3,640.67
MW-1	03/15/07		37.31	42.79	5.48	3,640.64
MW-1	03/23/07		37.32	42.80	5.48	3,640.63
MW-1	03/28/07		37.30	42.78	5.48	3,640.65
MW-1	04/12/07		38.03	42.40	4.37	3,640.03
MW-1	04/18/07		37.47	42.61	5.14	3,640.52
MW-1	05/23/07		38.28	42.24	3.96	3,639.82
MW-1	06/20/07		37.90	41.74	3.84	3,640.22
MW-1	06/28/07		37.87	41.69	3.82	3,640.25
MW-1	07/18/07		37.95	41.63	3.68	3,640.18
MW-1	08/15/07		37.74	42.62	4.88	3,640.27
MW-1	08/22/07		38.41	39.20	0.79	3,640.01



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-1	08/28/07		38.76	39.08	0.32	3,639.71
MW-1	09/19/07		37.99	40.99	3.00	3,640.21
MW-1	09/25/07		39.30	39.93	0.63	3,639.14
MW-1	10/09/07		38.52	38.90	0.38	3,639.94
MW-1	10/17/07		38.51	38.88	0.37	3,639.95
MW-1	10/26/07		38.49	38.91	0.42	3,639.97
MW-1	11/05/07		38.16	42.11	3.95	3,639.95
MW-1	11/12/07		38.51	38.96	0.45	3,639.95
MW-1	12/05/07		38.12	40.88	2.76	3,640.10
MW-1	01/03/08		38.12	41.04	2.92	3,640.09
MW-1	01/30/08		38.03	41.94	3.91	3,640.08
MW-1	02/04/08		38.02	41.97	3.95	3,640.09
MW-1	02/12/08		38.04	41.96	3.92	3,640.07
MW-1	03/11/08		38.26	41.29	3.03	3,639.94
MW-1	03/26/08		38.82	39.06	0.24	3,639.66
MW-1	04/02/08		39.21	39.42	0.21	3,639.27
MW-1	04/16/08		38.87	39.24	0.37	3,639.59
MW-1	04/29/08		38.87	39.66	0.86	3,639.61
MW-1	05/07/08		38.94	42.34	3.40	3,639.22
MW-1	06/11/08		38.57	42.36	3.79	3,639.55
MW-1	06/20/08		38.59	42.58	3.99	3,639.51
MW-1	07/22/08		38.54	42.37	3.83	3,639.58
MW-1	07/24/08		39.94	40.41	0.47	3,638.51




TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-1	08/19/08		38.76	39.88	1.12	3,639.63
MW-1	08/20/08		38.74	43.89	5.15	3,639.25
MW-1	11/18/08		38.17	43.12	4.95	3,639.84
MW-1	12/18/08		38.21	43.15	4.94	3,639.80
MW-1	01/13/09		38.30	42.81	4.51	3,639.75
MW-1	03/03/09		38.33	43.25	4.92	3,639.68
MW-1	06/24/09		38.49	43.51	5.02	3,639.51
MW-1	08/11/09		38.60	43.79	5.19	3,639.38
MW-1	11/18/09		39.04	43.84	4.80	3,638.67
MW-1	02/16/10		39.17	43.77	4.60	3,638.57
MW-1	06/03/10		40.07	43.74	3.67	3,637.89
MW-1	09/20/10		40.52	44.29	3.77	3,637.43
MW-2	06/26/03	3,679.47	38.72	44.93	6.21	3,640.13
MW-2	07/01/03		38.65	45.42	6.77	3,640.14
MW-2	07/22/03		38.63	45.63	7.00	3,640.14
MW-2	07/23/03		38.64	45.63	6.99	3,640.13
MW-2	07/24/03		39.20	43.57	4.37	3,639.83
MW-2	07/30/03		39.21	43.58	4.37	3,639.82
MW-2	12/11/03		38.88	45.51	6.63	3,639.93
MW-2	12/15/03		38.84	45.41	6.57	3,639.97
MW-2	03/23/04		38.36	44.52	6.16	3,640.49
MW-2	03/29/04		38.47	44.04	5.57	3,640.44



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-2	04/29/04		38.16	48.06	9.90	3,640.32
MW-2	05/03/04		38.39	44.27	5.88	3,640.49
MW-2	07/12/04		39.42	44.67	5.25	3,639.53
MW-2	12/09/04		37.00	42.52	5.52	3,641.92
MW-2	02/16/05		36.87	44.03	7.16	3,641.88
MW-2	03/31/05		36.17	41.85	5.68	3,642.73
MW-2	05/13/05		36.27	42.10	5.83	3,642.62
MW-2	05/26/05		36.84	39.29	2.45	3,642.39
MW-2	06/28/05		36.39	41.57	5.18	3,642.56
MW-2	08/15/05		37.15	38.92	1.77	3,642.14
MW-2	11/14/05		37.56	39.16	1.60	3,641.75
MW-2	01/23/06		38.01	39.54	1.53	3,641.31
MW-2	03/02/06		37.60	38.93	1.33	3,641.74
MW-2	06/01/06		38.48	41.05	2.57	3,640.73
MW-2	08/14/06		39.23	41.24	2.01	3,640.04
MW-2	11/28/06		38.33	40.73	2.40	3,640.90
MW-2	12/12/06		37.80	44.10	6.30	3,641.04
MW-2	01/09/07		38.20	42.21	4.01	3,640.87
MW-2	02/08/07		37.94	42.60	4.66	3,641.06
MW-2	02/27/07		38.15	43.34	5.19	3,640.80
MW-2	03/09/07		38.07	42.24	4.17	3,640.98
MW-2	03/13/07		38.07	42.32	4.25	3,640.98
MW-2	03/15/07		38.09	42.39	4.30	3,640.95



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-2	03/23/07		38.16	42.00	3.84	3,640.93
MW-2	03/28/07		38.13	42.22	4.09	3,640.93
MW-2	04/12/07		38.51	41.93	3.42	3,640.62
MW-2	04/18/07		38.97	39.73	0.76	3,640.42
MW-2	05/23/07		38.98	39.50	0.52	3,640.44
MW-2	06/20/07		38.94	39.90	0.96	3,640.43
MW-2	06/28/07		38.66	40.88	2.22	3,640.59
MW-2	07/18/07		38.53	41.85	3.32	3,640.61
MW-2	08/15/07		38.50	42.11	3.61	3,640.61
MW-2	08/28/07		38.40	42.21	3.81	3,640.69
MW-2	09/19/07		38.41	42.18	3.77	3,640.68
MW-2	09/25/07		38.41	42.20	3.79	3,640.68
MW-2	10/09/07		38.86	40.37	1.51	3,640.46
MW-2	10/17/07		38.93	40.07	1.14	3,640.43
MW-2	10/26/07		38.68	41.27	2.59	3,640.53
MW-2	11/05/07		38.80	40.64	1.84	3,640.49
MW-2	11/12/07		38.91	40.23	1.32	3,640.43
MW-2	12/05/07		38.72	41.51	2.79	3,640.47
MW-2	01/03/08		39.87	41.11	1.24	3,639.48
MW-2	01/30/08		38.76	41.78	3.02	3,640.41
MW-2	02/04/08		38.81	41.82	3.01	3,640.36
MW-2	02/12/08		38.78	41.80	3.02	3,640.39
MW-2	03/11/08		39.28	39.79	0.51	3,640.14




TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-2	03/26/08		39.38	39.65	0.27	3,640.06
MW-2	04/02/08		39.44	39.67	0.23	3,640.01
MW-2	04/29/08		39.11	41.58	2.47	3,640.11
MW-2	04/16/08		39.28	40.63	1.35	3,640.06
MW-2	05/07/08		39.08	42.88	3.80	3,640.01
MW-2	06/11/08		39.74	39.91	0.17	3,639.71
MW-2	06/20/08		39.78	40.21	0.43	3,639.65
MW-2	07/24/08		40.33	41.46	1.13	3,639.03
MW-2	08/19/08		40.05	41.19	1.14	3,639.31
MW-2	09/02/08		39.25	40.76	1.51	3,640.07
MW-2	11/18/08		39.19	41.72	2.53	3,640.03
MW-2	12/18/08		39.11	42.19	3.08	3,640.05
MW-2	01/13/09		39.14	42.24	3.10	3,640.02
MW-2	03/03/09		39.22	42.45	3.23	3,639.93
MW-2	06/24/09		39.36	42.76	3.40	3,639.77
MW-2	08/11/09		39.43	43.15	3.72	3,639.67
MW-2	11/18/09		39.77	44.18	4.41	3,638.97
MW-2	02/16/10		39.70	43.63	3.93	3,639.12
MW-2	06/03/10		41.21	41.57	0.36	3,638.21
MW-2	09/20/10		41.00	44.04	3.04	3,638.02
MW-3	10/13/03	3,679.81	39.21	48.75	9.54	3,639.65
MW-3	12/11/03		39.15	48.95	9.80	3,639.68



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-3	12/15/03		39.08	50.91	11.83	3,639.55
MW-3	02/18/04		38.72	48.26	9.54	3,640.14
MW-3	03/12/04		39.82	48.49	8.67	3,639.12
MW-3	03/29/04		38.81	46.32	7.51	3,640.25
MW-3	04/29/04		39.49	44.11	4.62	3,639.86
MW-3	05/03/04		38.77	46.51	7.74	3,640.27
MW-3	07/12/04		39.68	46.81	7.13	3,639.42
MW-3	12/09/04		37.21	45.06	7.85	3,641.82
MW-3	02/16/05		36.70	42.67	5.97	3,642.51
MW-3	03/31/05		38.17	38.20	0.03	3,641.64
MW-3	05/13/05		36.67	44.45	7.78	3,642.36
MW-3	05/26/05		36.92	42.88	5.96	3,642.29
MW-3	06/28/05		36.72	44.05	7.33	3,642.36
MW-3	08/15/05		37.12	43.17	6.05	3,642.09
MW-3	11/14/05		37.69	42.67	4.98	3,641.62
MW-3	01/23/06		38.08	43.31	5.23	3,641.21
MW-3	03/02/06		37.80	42.37	4.57	3,641.55
MW-3	06/01/06		38.50	42.53	4.03	3,640.91
MW-3	08/14/06		39.27	44.64	5.37	3,640.00
MW-3	11/28/06		38.61	43.75	5.14	3,640.69
MW-3	12/12/06		38.56	43.91	5.35	3,640.72
MW-3	01/09/07		38.36	43.21	4.85	3,640.97
MW-3	02/08/07		38.50	44.15	5.65	3,640.75




TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-3	02/27/07		38.67	44.25	5.58	3,640.58
MW-3	03/09/07		38.89	44.13	5.24	3,640.40
MW-3	03/13/07		38.58	44.19	5.61	3,640.67
MW-3	03/15/07		38.62	44.23	5.61	3,640.63
MW-3	03/23/07		38.61	44.12	5.51	3,640.65
MW-3	03/28/07		38.61	44.23	5.62	3,640.64
MW-3	04/12/07		39.88	39.93	0.05	3,639.93
MW-3	04/18/07		39.64	41.30	1.66	3,640.00
MW-3	05/23/07		39.96	40.32	0.36	3,639.81
MW-3	06/20/07		39.86	40.20	0.34	3,639.92
MW-3	06/28/07		39.86	40.12	0.26	3,639.92
MW-3	07/18/07		39.89	40.19	0.30	3,639.89
MW-3	08/15/07		39.12	43.68	4.56	3,640.23
MW-3	08/22/07		39.11	43.56	4.45	3,640.26
MW-3	08/28/07		39.30	43.09	3.79	3,640.13
MW-3	09/19/07		39.12	43.20	4.08	3,640.28
MW-3	09/25/07		39.17	42.94	3.77	3,640.26
MW-3	10/09/07		39.07	41.74	2.67	3,640.47
MW-3	10/17/07		39.12	43.44	4.32	3,640.26
MW-3	10/26/07		39.24	42.99	3.75	3,640.20
MW-3	11/05/07		39.19	43.10	3.91	3,640.23
MW-3	11/12/07		39.90	40.21	0.31	3,639.88
MW-3	12/05/07		39.64	41.52	1.88	3,639.98




TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-3	01/03/08		39.68	41.72	2.04	3,639.93
MW-3	01/30/08		39.65	41.53	1.88	3,639.97
MW-3	02/04/08		39.70	41.59	1.89	3,639.92
MW-3	02/12/08		39.65	41.59	1.94	3,639.97
MW-3	03/11/08		39.46	41.82	2.36	3,640.11
MW-3	03/26/08		40.15	40.41	0.26	3,639.63
MW-3	04/02/08		41.21	41.47	0.26	3,638.57
MW-3	04/16/08		40.21	40.55	0.34	3,639.57
MW-3	04/29/08		40.22	40.69	0.47	3,639.54
MW-3	05/07/08		40.29	43.96	3.67	3,639.15
MW-3	06/11/08		39.89	44.65	4.76	3,639.44
MW-3	06/20/08		39.90	43.91	4.01	3,639.51
MW-3	07/22/08		40.41	41.58	1.17	3,639.28
MW-3	07/24/08		40.51	45.03	4.52	3,638.85
MW-3	08/19/08		40.08	46.33	6.25	3,639.11
MW-3	08/20/08		40.08	45.33	5.25	3,639.21
MW-3	11/18/08		39.46	44.64	5.18	3,639.83
MW-3	12/18/08		39.51	44.63	5.12	3,639.79
MW-3	01/13/09		39.64	44.17	4.53	3,639.72
MW-3	03/03/09		39.65	44.62	4.97	3,639.66
MW-3	06/24/09		39.94	44.25	4.31	3,639.44
MW-3	08/11/09		39.91	45.05	5.14	3,639.39
MW-3	11/18/09		40.51	44.79	4.28	3,638.59




TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-3	02/16/10		40.51	45.04	4.53	3,638.55
MW-3	06/03/10		41.82	43.31	1.49	3,637.77
MW-3	09/20/10		41.76	45.70	3.94	3,637.47
MW-4	10/13/03	3,679.64	39.01	48.75	9.74	3,639.66
MW-4	12/11/03		38.92	47.32	8.40	3,639.88
MW-4	12/15/03		38.84	47.16	8.32	3,639.97
MW-4	02/18/04		38.48	46.62	8.14	3,640.35
MW-4	03/12/04		39.09	47.51	8.42	3,639.71
MW-4	03/29/04		38.59	45.62	7.03	3,640.35
MW-4	04/29/04		39.94	44.23	4.29	3,639.27
MW-4	05/03/04		38.55	46.33	7.78	3,640.31
MW-4	07/12/04		39.49	46.24	6.75	3,639.48
MW-4	12/09/04		37.03	44.15	7.12	3,641.90
MW-4	02/16/05		36.28	43.01	6.73	3,642.69
MW-4	03/31/05		36.45	42.62	6.17	3,642.57
MW-4	05/13/05		36.37	43.25	6.88	3,642.58
MW-4	05/26/05		36.51	42.79	6.28	3,642.50
MW-4	06/28/05		36.47	43.26	6.79	3,642.49
MW-4	08/15/05		36.79	42.80	6.01	3,642.25
MW-4	11/14/05		37.35	42.24	4.89	3,641.80
MW-4	01/23/06		37.80	42.66	4.86	3,641.35
MW-4	03/02/06		37.43	41.97	4.54	3,641.76



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-4	06/01/06		38.16	43.90	5.74	3,640.91
MW-4	08/14/06		39.01	44.12	5.11	3,640.12
MW-4	11/28/06		38.37	43.91	5.54	3,640.72
MW-4	12/12/06		38.35	43.06	4.71	3,640.82
MW-4	01/09/07		37.86	44.18	6.32	3,641.15
MW-4	02/08/07		38.28	44.93	6.65	3,640.70
MW-4	02/27/07		38.40	44.38	5.98	3,640.64
MW-4	03/09/04		38.34	43.32	4.98	3,640.80
MW-4	03/13/07		38.34	43.35	5.01	3,640.80
MW-4	03/15/07		38.30	43.38	5.08	3,640.83
MW-4	03/23/07		38.38	43.37	4.99	3,640.76
MW-4	03/28/07		38.37	43.42	5.05	3,640.77
MW-4	04/12/07		38.71	42.96	4.25	3,640.51
MW-4	04/18/07		38.00	43.14	5.14	3,641.13
MW-4	05/23/07		39.87	42.73	2.86	3,639.48
MW-4	06/20/07		38.90	42.52	3.62	3,640.38
MW-4	06/28/07		38.92	42.34	3.42	3,640.38
MW-4	07/18/07		38.99	42.36	3.37	3,640.31
MW-4	08/15/07		39.00	42.33	3.33	3,640.31
MW-4	08/22/07		38.97	42.27	3.30	3,640.34
MW-4	08/28/07		39.12	41.89	2.77	3,640.24
MW-4	09/19/07		38.89	42.32	3.43	3,640.41
MW-4	09/25/07		39.07	41.64	2.57	3,640.31



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-4	10/09/07		39.12	41.74	2.62	3,640.26
MW-4	10/17/07		39.12	41.66	2.54	3,640.27
MW-4	10/26/07		39.10	41.42	2.32	3,640.31
MW-4	11/05/07		38.94	42.60	3.66	3,640.33
MW-4	11/12/07		39.27	41.09	1.82	3,640.19
MW-4	12/05/07		39.04	41.98	2.94	3,640.31
MW-4	01/03/08		39.26	41.74	2.48	3,640.13
MW-4	01/30/08		39.08	41.55	2.47	3,640.31
MW-4	02/04/08		39.15	41.61	2.46	3,640.24
MW-4	02/12/08		39.10	41.62	2.52	3,640.29
MW-4	03/11/08		39.36	41.86	2.50	3,640.03
MW-4	03/26/08		39.18	42.99	3.81	3,640.08
MW-4	04/02/08		39.24	43.07	3.83	3,640.02
MW-4	04/16/08		39.69	41.09	1.40	3,639.81
MW-4	04/29/08		39.77	41.04	1.27	3,639.74
MW-4	05/07/08		40.07	43.59	3.52	3,639.22
MW-4	06/11/08		39.69	42.97	3.28	3,639.62
MW-4	06/20/08		39.65	43.07	3.42	3,639.65
MW-4	07/22/08		39.51	43.35	3.84	3,639.75
MW-4	07/24/08		40.98	41.16	0.18	3,638.64
MW-4	08/19/08		39.88	44.41	4.53	3,639.31
MW-4	08/20/08		39.97	44.42	4.45	3,639.23
MW-4	11/18/08		39.27	43.72	4.45	3,639.93



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-4	12/18/08		39.29	43.75	4.46	3,639.90
MW-4	01/13/09		39.42	43.25	3.83	3,639.84
MW-4	03/03/09		39.45	43.71	4.26	3,639.76
MW-4	06/24/09		39.71	43.35	3.64	3,639.57
MW-4	08/11/09		39.68	44.24	4.56	3,639.50
MW-4	11/18/09		40.20	44.29	4.09	3,638.77
MW-4	02/16/10		40.23	44.39	4.16	3,638.72
MW-4	06/03/10		40.99	45.55	4.56	3,637.98
MW-4	09/20/10		41.36	44.92	3.56	3,637.76
MW-5	10/13/03	3,679.26	40.35	43.02	2.67	3,638.64
MW-5	12/11/03		38.95	47.81	8.86	3,639.42
MW-5	12/15/03		38.91	47.72	8.81	3,639.47
MW-5	02/18/04		38.61	47.44	8.83	3,639.77
MW-5	03/29/04		38.76	46.15	7.39	3,639.76
MW-5	04/29/04		38.55	47.41	8.86	3,639.82
MW-5	05/03/04		38.52	47.46	8.94	3,639.85
MW-5	07/12/04		39.24	47.72	8.48	3,639.17
MW-5	12/09/04		36.99	45.01	8.02	3,641.47
MW-5	02/16/05		36.24	44.48	8.24	3,642.20
MW-5	02/22/05		36.20	44.50	8.30	3,642.23
MW-5	03/31/05		36.38	44.38	8.00	3,642.08
MW-5	05/13/05		36.43	44.29	7.86	3,642.04




TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-5	05/26/05		36.66	43.50	6.84	3,641.92
MW-5	06/28/05		36.58	44.45	7.87	3,641.89
MW-5	08/15/05		36.93	43.52	6.59	3,641.67
MW-5	11/14/05		37.45	43.27	5.82	3,641.23
MW-5	01/23/06		37.85	43.90	6.05	3,640.81
MW-5	03/02/06		37.46	43.41	5.95	3,641.21
MW-5	06/01/06		38.74	43.32	4.58	3,640.06
MW-5	08/14/06		38.92	45.05	6.13	3,639.73
MW-5	11/28/06		38.39	44.35	5.96	3,640.27
MW-5	12/12/06		38.32	44.91	6.59	3,640.28
MW-5	01/09/07		38.47	43.56	5.09	3,640.28
MW-5	02/08/07		38.28	44.42	6.14	3,640.37
MW-5	02/27/07		38.36	45.29	6.93	3,640.21
MW-5	03/09/07		38.44	45.22	6.78	3,640.14
MW-5	03/13/07		38.36	45.08	6.72	3,640.23
MW-5	03/15/07		38.37	45.09	6.72	3,640.22
MW-5	03/23/07		38.33	45.15	6.82	3,640.25
MW-5	03/28/07		38.35	45.17	6.82	3,640.23
MW-5	04/12/07		39.69	41.87	2.18	3,639.35
MW-5	04/18/07		40.31	42.84	2.53	3,638.70
MW-5	05/23/07		39.96	40.60	0.64	3,639.24
MW-5	06/20/07		39.38	42.16	2.78	3,639.60
MW-5	06/28/07		39.87	40.41	0.54	3,639.34




TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-5	07/18/07		39.95	40.35	0.40	3,639.27
MW-5	08/22/07		39.85	40.20	0.35	3,639.38
MW-5	08/28/07		39.20	42.98	3.78	3,639.68
MW-5	09/19/07		38.97	43.67	4.70	3,639.82
MW-5	09/25/07		39.14	42.87	3.73	3,639.75
MW-5	10/09/07		40.07	40.29	0.22	3,639.17
MW-5	10/17/07		39.01	43.06	4.05	3,639.85
MW-5	11/05/07		39.07	43.02	3.95	3,639.80
MW-5	12/05/07		39.13	42.26	3.13	3,639.82
MW-5	01/30/08		38.94	44.87	5.93	3,639.73
MW-5	02/04/08		39.05	44.96	5.91	3,639.62
MW-5	02/12/08		38.97	44.90	5.93	3,639.70
MW-5	03/11/08		39.54	42.71	3.17	3,639.40
MW-5	03/26/08		40.10	40.31	0.21	3,639.14
MW-5	04/02/08		40.19	40.39	0.20	3,639.05
MW-5	04/16/08		40.03	40.65	0.62	3,639.17
MW-5	04/29/08		39.14	42.99	3.85	3,639.74
MW-5	06/11/08		40.49	40.67	0.18	3,638.75
MW-5	06/20/08		40.53	40.76	0.23	3,638.71
MW-5	07/22/08		40.31	40.85	0.54	3,638.90
MW-5	07/24/08		41.25	41.39	0.14	3,638.00
MW-5	08/19/08		39.82	40.25	0.43	3,639.40
MW-5	08/20/08		39.82	40.29	0.47	3,639.39




TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-5	11/18/08		39.20	45.62	6.42	3,639.42
MW-5	12/18/08		39.24	45.71	6.47	3,639.37
MW-5	01/13/09		39.36	45.23	5.87	3,639.31
MW-5	03/03/09		39.36	45.66	6.30	3,639.27
MW-5	06/24/09		39.55	45.65	6.10	3,639.10
MW-5	08/11/09		39.69	45.79	6.10	3,638.96
MW-5	12/18/09		40.28	45.51	5.23	3,638.12
MW-5	02/16/10		40.29	45.91	5.62	3,638.04
MW-5	06/03/10		41.55	44.03	2.48	3,637.35
MW-5	09/20/10		41.52	46.43	4.91	3,637.02
MW-6	10/13/03	3,680.63	40.04	50.12	10.08	3,639.58
MW-6	12/11/03		40.01	48.43	8.42	3,639.78
MW-6	12/15/03		39.92	48.33	8.41	3,639.87
MW-6	02/18/04		39.63	47.81	8.18	3,640.18
MW-6	03/12/04		39.68	47.51	7.83	3,640.17
MW-6	03/29/04		39.67	46.50	6.83	3,640.28
MW-6	04/29/04		40.18	44.76	4.58	3,639.99
MW-6	05/03/04		39.66	46.63	6.97	3,640.27
MW-6	07/12/04		40.52	47.68	7.16	3,639.39
MW-6	12/09/04		38.11	45.06	6.95	3,641.83
MW-6	02/16/05		36.25	44.44	8.19	3,643.56
MW-6	02/22/05		37.25	44.44	7.19	3,642.66




TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-6	03/31/05		37.52	44.15	6.63	3,642.45
MW-6	05/13/05		37.46	44.75	7.29	3,642.44
MW-6	05/26/05		37.71	43.31	5.60	3,642.36
MW-6	06/28/05		37.62	44.18	6.56	3,642.35
MW-6	08/15/05		38.09	42.77	4.68	3,642.07
MW-6	11/14/05		38.64	43.31	4.67	3,641.52
MW-6	01/23/06		39.08	42.67	3.59	3,641.19
MW-6	03/02/06		38.85	41.45	2.60	3,641.52
MW-6	06/01/06		40.06	41.84	1.78	3,640.39
MW-6	08/14/06		40.19	44.64	4.45	3,640.00
MW-6	11/28/06		39.36	44.31	4.95	3,640.78
MW-6	12/12/06		39.32	43.81	4.49	3,640.86
MW-6	01/09/07		39.71	42.41	2.70	3,640.65
MW-6	02/08/07		39.30	44.49	5.19	3,640.81
MW-6	02/27/07		39.41	44.54	5.13	3,640.71
MW-6	03/09/07		39.40	44.47	5.07	3,640.72
MW-6	03/13/07		39.40	44.47	5.07	3,640.72
MW-6	03/15/07		39.40	44.50	5.10	3,640.72
MW-6	03/23/07		39.41	44.42	5.01	3,640.72
MW-6	03/28/07		39.45	44.80	5.35	3,640.65
MW-6	04/12/07		40.33	41.37	1.04	3,640.20
MW-6	04/18/07		40.61	40.83	0.22	3,640.00
MW-6	05/23/07		40.50	40.90	0.40	3,640.09



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-6	06/20/07		40.58	41.25	0.67	3,639.98
MW-6	06/28/07		40.24	42.01	1.77	3,640.21
MW-6	07/18/07		39.94	43.74	3.80	3,640.31
MW-6	08/15/07		40.51	41.06	0.55	3,640.07
MW-6	08/22/07		40.56	40.81	0.25	3,640.05
MW-6	08/28/07		40.30	42.31	2.01	3,640.13
MW-6	09/19/07		39.78	44.04	4.26	3,640.42
MW-6	09/25/07		39.84	44.15	4.31	3,640.36
MW-6	10/09/07		39.82	44.15	4.33	3,640.38
MW-6	10/17/07		40.55	40.83	0.28	3,640.05
MW-6	10/26/07		39.98	43.54	3.56	3,640.29
MW-6	11/05/07		39.88	43.98	4.10	3,640.34
MW-6	11/12/07		39.91	43.99	4.08	3,640.31
MW-6	12/05/07		39.98	43.97	3.99	3,640.25
MW-6	01/03/08		39.66	40.44	0.78	3,640.89
MW-6	01/30/08		40.11	43.81	3.70	3,640.15
MW-6	02/04/08		40.23	43.96	3.73	3,640.03
MW-6	02/12/08		40.15	43.90	3.75	3,640.11
MW-6	03/11/08		39.64	41.79	2.15	3,640.78
MW-6	03/26/08		40.38	43.19	2.81	3,639.97
MW-6	04/02/08		40.90	41.15	0.25	3,639.71
MW-6	04/16/08		40.91	41.23	0.32	3,639.69
MW-6	04/29/08		39.96	41.28	1.32	3,640.54




TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-6	05/07/08		40.60	43.17	2.57	3,639.77
MW-6	06/11/08		41.22	41.47	0.25	3,639.39
MW-6	06/20/08		41.27	41.54	0.27	3,639.33
MW-6	07/24/08		41.98	42.18	0.20	3,638.63
MW-6	08/19/08		41.19	44.28	3.09	3,639.13
MW-6	08/20/08		41.17	44.44	3.27	3,639.13
MW-6	09/02/08		40.95	41.17	0.22	3,639.66
MW-6	11/18/08		40.33	44.63	4.30	3,639.87
MW-6	12/18/08		40.35	44.80	4.45	3,639.84
MW-6	01/13/09		40.45	44.37	3.92	3,639.79
MW-6	03/03/09		40.51	44.65	4.14	3,639.71
MW-6	06/24/09		40.90	43.77	2.87	3,639.44
MW-6	08/11/09		40.86	46.41	5.55	3,639.22
MW-6	11/18/09		40.28	45.51	5.23	3,639.49
MW-6	02/16/10		41.21	45.86	4.65	3,638.65
MW-6	06/03/10		42.49	44.10	1.61	3,637.90
MW-6	09/20/10		42.32	46.75	4.43	3,637.66
MW-7	01/23/04	3,679.85		39.64		3,640.21
MW-7	04/29/04			39.29		3,640.56
MW-7	05/12/04			39.29		3,640.56
MW-7	06/03/04			39.27		3,640.58
MW-7	07/12/04			40.42		3,639.43




TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-7	07/19/04			40.68		3,639.17
MW-7	11/08/04			38.66		3,641.19
MW-7	03/31/05			37.07		3,642.78
MW-7	05/13/05			37.10		3,642.75
MW-7	05/23/05			37.09		3,642.76
MW-7	05/26/05			37.13		3,642.69
MW-7	06/28/05			37.16		3,642.69
MW-7	08/15/05			37.32		3,642.45
MW-7	08/17/05			37.26		3,642.59
MW-7	11/14/05			37.40		3,642.45
MW-7	01/23/06			38.12		3,641.73
MW-7	03/02/06			37.49		3,642.36
MW-7	06/01/06			38.40		3,641.45
MW-7	08/14/06			39.50		3,640.35
MW-7	11/28/06			38.61		3,641.24
MW-7	12/12/06			38.62		3,641.23
MW-7	01/09/07			38.22		3,641.63
MW-7	02/08/07			38.43		3,641.42
MW-7	02/27/07			38.67		3,641.18
MW-7	03/09/07			38.67		3,641.18
MW-7	03/13/07			38.65		3,641.20
MW-7	03/15/07			38.64		3,641.21
MW-7	03/23/07			38.51		3,641.34



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-7	03/28/07			38.60		3,641.25
MW-7	04/12/07			38.75		3,641.10
MW-7	04/18/07			38.73		3,641.12
MW-7	05/23/07			38.70		3,641.15
MW-7	06/20/07			38.81		3,641.04
MW-7	07/18/07			38.90		3,640.95
MW-7	09/19/07			38.87		3,640.98
MW-7	11/02/07			38.96		3,640.89
MW-7	11/16/07			38.90		3,640.95
MW-7	12/05/07			38.99		3,640.86
MW-7	01/30/08			39.03		3,640.82
MW-7	03/11/08			39.13		3,640.72
MW-7	04/29/08			39.13		3,640.72
MW-7	05/09/08			39.16		3,640.69
MW-7	06/11/08			39.19		3,640.66
MW-7	06/20/08			39.29		3,640.56
MW-7	08/19/08			39.31		3,640.54
MW-7	08/20/08			39.30		3,640.55
MW-7	12/18/08			39.48		3,640.37
MW-7	01/13/09			39.47		3,640.38
MW-7	03/03/09			39.58		3,640.27
MW-7	06/24/09			39.77		3,640.08
MW-7	08/11/09			39.90		3,639.95



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-7	11/18/09			40.20		3,639.65
MW-7	02/16/10			40.06		3,639.79
MW-7	06/03/10			40.52		3,639.33
MW-7	09/20/10			40.79		3,639.06
MW-8	01/23/04	3,679.07		39.56		3,639.51
MW-8	04/29/04			39.33		3,639.74
MW-8	05/12/04			39.34		3,639.73
MW-8	06/03/04			39.32		3,639.75
MW-8	07/12/04			40.13		3,638.94
MW-8	07/19/04			40.32		3,638.75
MW-8	11/08/04			39.60		3,639.47
MW-8	03/31/05			37.11		3,641.96
MW-8	05/13/05			37.16		3,641.91
MW-8	05/23/05			37.16		3,641.91
MW-8	05/26/05			37.19		3,641.88
MW-8	06/28/05			37.23		3,641.84
MW-8	08/15/05			37.40		3,641.67
MW-8	08/17/05			37.34		3,641.73
MW-8	11/14/05			37.52		3,641.55
MW-8	01/23/06			38.23		3,640.84
MW-8	03/02/06			37.63		3,641.44
MW-8	06/01/06			38.90		3,640.17



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-8	08/14/06			39.34		3,639.73
MW-8	11/28/06			38.71		3,640.36
MW-8	12/12/06			38.73		3,640.34
MW-8	01/09/07			38.71		3,640.36
MW-8	02/08/07			38.55		3,640.52
MW-8	02/21/07			38.78		3,640.29
MW-8	02/27/07			38.79		3,640.28
MW-8	03/09/07			38.78		3,640.29
MW-8	03/13/07			38.78		3,640.29
MW-8	03/15/07			38.76		3,640.31
MW-8	03/23/07			38.62		3,640.45
MW-8	03/28/07			38.74		3,640.33
MW-8	04/12/07			38.90		3,640.17
MW-8	04/18/07			38.88		3,640.19
MW-8	05/23/07			38.86		3,640.21
MW-8	06/20/07			38.96		3,640.11
MW-8	07/18/07			39.05		3,640.02
MW-8	09/19/07			38.99		3,640.08
MW-8	11/02/07			39.06		3,640.01
MW-8	11/16/07			39.06		3,640.01
MW-8	12/05/07			39.09		3,639.98
MW-8	01/30/08			39.11		3,639.96
MW-8	03/11/08			39.24		3,639.83




TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-8	04/29/08			39.27		3,639.80
MW-8	05/09/08			39.26		3,639.81
MW-8	06/11/08			39.30		3,639.77
MW-8	06/20/08			39.40		3,639.67
MW-8	08/19/08			39.41		3,639.66
MW-8	08/20/08			39.41		3,639.66
MW-8	12/18/08			39.57		3,639.50
MW-8	01/13/09			39.58		3,639.49
MW-8	03/03/09			39.68		3,639.39
MW-8	06/24/09			39.85		3,639.22
MW-8	08/11/09			39.99		3,639.08
MW-8	11/18/09			40.25		3,638.82
MW-8	02/16/10			40.17		3,638.90
MW-8	06/03/10			40.68		3,638.39
MW-8	09/20/10			40.90		3,638.17
MW-9	01/23/04	3,678.76		39.91		3,638.85
MW-9	04/29/04			39.68		3,639.08
MW-9	05/12/04			39.69		3,639.07
MW-9	06/03/04			39.67		3,639.09
MW-9	07/12/04			40.34		3,638.42
MW-9	07/19/04			40.44		3,638.32
MW-9	11/08/04			38.84		3,639.92




TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-9	03/31/05			37.48		3,641.28
MW-9	05/13/05			37.54		3,641.22
MW-9	05/23/05			37.55		3,641.21
MW-9	05/26/05			37.59		3,641.17
MW-9	06/28/05			37.64		3,641.12
MW-9	08/15/05			37.82		3,640.94
MW-9	08/17/05			37.77		3,640.99
MW-9	11/14/05			37.95		3,640.81
MW-9	01/23/06			38.65		3,640.11
MW-9	03/02/06			38.05		3,640.71
MW-9	06/01/06			38.73		3,640.03
MW-9	08/14/06			39.57		3,639.19
MW-9	11/28/06			39.12		3,639.64
MW-9	12/12/06			53.10		3,625.66
MW-9	01/09/07			39.14		3,639.62
MW-9	02/08/07			38.97		3,639.79
MW-9	02/21/07			39.22		3,639.54
MW-9	02/27/07			39.21		3,639.55
MW-9	03/09/07			39.21		3,639.55
MW-9	03/13/07			39.20		3,639.56
MW-9	03/15/07			39.20		3,639.56
MW-9	03/23/07			39.04		3,639.72
MW-9	03/28/07			39.16		3,639.60



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-9	04/12/07			39.36		3,639.40
MW-9	04/18/07			39.30		3,639.46
MW-9	05/22/07			39.31		3,639.45
MW-9	06/20/07			39.40		3,639.36
MW-9	07/18/07			39.49		3,639.27
MW-9	09/19/07			39.45		3,639.31
MW-9	11/02/07			39.51		3,639.25
MW-9	11/16/07			39.48		3,639.28
MW-9	12/05/07			39.51		3,639.25
MW-9	01/30/08			39.54		3,639.22
MW-9	03/11/08			39.66		3,639.10
MW-9	04/29/08			39.58		3,639.18
MW-9	05/09/08			39.68		3,639.08
MW-9	06/11/08			39.73		3,639.03
MW-9	06/20/08			39.81		3,638.95
MW-9	08/19/08			39.95		3,638.81
MW-9	08/20/08			39.84		3,638.92
MW-9	12/18/08			40.02		3,638.74
MW-9	01/13/09			40.02		3,638.74
MW-9	03/03/09			40.10		3,638.66
MW-9	06/24/09			40.28		3,638.48
MW-9	08/11/09			40.38		3,638.38
MW-9	11/18/09			40.65		3,638.11




TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-9	02/16/10			40.63		3,638.13
MW-9	06/03/10			41.08		3,637.68
MW-9	09/20/10			41.31		3,637.45
MW-10	01/23/04	3,678.36		39.89		3,638.47
MW-10	04/29/04			39.74		3,638.62
MW-10	05/12/04			39.74		3,638.62
MW-10	06/03/04			39.74		3,638.62
MW-10	07/12/04			40.24		3,638.12
MW-10	07/19/04			40.33		3,638.03
MW-10	11/08/04			38.76		3,639.60
MW-10	03/31/05			37.46		3,640.90
MW-10	05/13/05			37.58		3,640.78
MW-10	05/23/05			37.58		3,640.78
MW-10	05/26/05			37.62		3,640.74
MW-10	06/28/05			37.70		3,640.66
MW-10	08/15/05			37.87		3,640.49
MW-10	08/17/05			37.02		3,641.34
MW-10	11/14/05			38.02		3,640.34
MW-10	01/23/06			38.73		3,639.63
MW-10	03/02/06			38.16		3,640.20
MW-10	06/01/06			38.81		3,639.55
MW-10	08/14/06			39.51		3,638.85




TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-10	11/28/06			39.19		3,639.17
MW-10	12/12/06			39.21		3,639.15
MW-10	01/09/07			39.21		3,639.15
MW-10	02/08/07			39.10		3,639.26
MW-10	02/21/07			39.33		3,639.03
MW-10	02/27/07			39.29		3,639.07
MW-10	03/09/07			39.24		3,639.12
MW-10	03/13/07			39.29		3,639.07
MW-10	03/15/07			39.30		3,639.06
MW-10	03/23/07			39.11		3,639.25
MW-10	03/28/07			39.24		3,639.12
MW-10	04/12/07			39.46		3,638.90
MW-10	04/18/07			39.41		3,638.95
MW-10	04/18/07			39.31		3,639.05
MW-10	06/20/07			39.48		3,638.88
MW-10	07/18/07			39.59		3,638.77
MW-10	09/19/07			39.51		3,638.85
MW-10	11/02/07			39.50		3,638.86
MW-10	11/16/07			39.91		3,638.45
MW-10	12/05/07			39.52		3,638.84
MW-10	01/30/08			39.57		3,638.79
MW-10	03/11/08			39.78		3,638.58
MW-10	04/29/08			39.81		3,638.55




TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-10	05/09/08			39.80		3,638.56
MW-10	06/11/08			39.89		3,638.47
MW-10	06/20/08			39.93		3,638.43
MW-10	08/19/08			39.96		3,638.40
MW-10	08/20/08			39.96		3,638.40
MW-10	11/18/08			40.08		3,638.28
MW-10	12/18/08			40.10		3,638.26
MW-10	01/13/09			40.13		3,638.23
MW-10	03/03/09			40.21		3,638.15
MW-10	06/24/09			40.39		3,637.97
MW-10	08/11/09			40.49		3,637.87
MW-10	11/18/09			40.72		3,637.64
MW-10	02/16/10			40.72		3,637.64
MW-10	06/03/10			41.13		3,637.23
MW-10	09/20/10		41.19	42.55	1.36	3,636.95
MW-11	01/23/04	3,678.03		41.40		3,636.63
MW-11	04/29/04			41.07		3,636.96
MW-11	05/12/04			39.57		3,638.46
MW-11	06/03/04			39.61		3,638.42
MW-11	07/12/04			40.04		3,637.99
MW-11	07/19/04			40.10		3,637.93
MW-11	11/08/04			38.66		3,639.37




TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-11	03/31/05			37.25		3,640.78
MW-11	05/13/05			37.40		3,640.63
MW-11	05/23/05			37.34		3,640.69
MW-11	05/26/05			31.45		3,646.58
MW-11	06/28/05			37.54		3,640.49
MW-11	08/15/05			37.60		3,640.43
MW-11	08/17/05			37.61		3,640.42
MW-11	11/14/05			37.80		3,640.23
MW-11	01/23/06			38.58		3,639.45
MW-11	03/02/06			37.97		3,640.06
MW-11	06/01/06			39.15		3,638.88
MW-11	08/14/06			39.33		3,638.70
MW-11	11/28/06			39.00		3,639.03
MW-11	12/12/06			39.06		3,638.97
MW-11	01/09/07			39.06		3,638.97
MW-11	02/08/07			38.91		3,639.12
MW-11	02/21/07			39.11		3,638.92
MW-11	02/27/07			44.87		3,633.16
MW-11	03/09/07			39.17		3,638.86
MW-11	03/13/07			39.13		3,638.90
MW-11	03/15/07			39.16		3,638.87
MW-11	03/23/07			39.01		3,639.02
MW-11	03/28/07			39.05		3,638.98



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-11	04/12/07			39.34		3,638.69
MW-11	04/18/07			39.25		3,638.78
MW-11	05/22/07			39.24		3,638.79
MW-11	06/20/07			39.30		3,638.73
MW-11	07/18/07			39.42		3,638.61
MW-11	09/19/07			39.55		3,638.48
MW-11	11/02/07			39.37		3,638.66
MW-11	11/16/07			39.46		3,638.57
MW-11	12/05/07			39.47		3,638.56
MW-11	01/30/08			39.51		3,638.52
MW-11	03/11/08			39.56		3,638.47
MW-11	04/29/08			39.63		3,638.40
MW-11	05/09/08			39.66		3,638.37
MW-11	06/11/08		40.01	40.49	0.48	3,637.97
MW-11	06/20/08		40.04	40.64	0.60	3,637.93
MW-11	07/22/08		39.61	40.88	1.27	3,638.29
MW-11	08/19/08		40.42	41.04	0.62	3,637.55
MW-11	08/20/08		40.42	41.09	0.67	3,637.54
MW-11	09/02/08		39.78	39.96	0.18	3,638.23
MW-11	11/18/08		39.35	42.46	3.11	3,638.37
MW-11	12/18/08		39.25	43.07	3.82	3,638.40
MW-11	01/13/09		39.45	42.41	2.96	3,638.28
MW-11	03/03/09		39.50	42.67	3.17	3,638.21



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-11	06/24/09		39.44	43.74	4.30	3,638.16
MW-11	08/11/09		39.65	43.61	3.96	3,637.98
MW-11	11/18/09		40.21	42.95	2.74	3,637.37
MW-11	02/16/10		40.14	44.05	3.91	3,637.24
MW-11	06/03/10		40.70	44.77	4.07	3,636.73
MW-11	09/20/10		40.64	44.48	3.84	3,636.83
MW-12	01/23/04	3,679.63	39.49	45.30	5.81	3,639.56
MW-12	03/23/04		38.89	47.39	8.50	3,639.89
MW-12	03/29/04		38.86	47.33	8.47	3,639.92
MW-12	04/29/04		38.86	48.57	9.71	3,639.80
MW-12	05/03/04		38.83	46.63	7.80	3,640.02
MW-12	07/12/04		39.58	47.53	7.95	3,639.26
MW-12	12/09/04		37.50	44.28	6.78	3,641.45
MW-12	02/16/05		36.68	43.87	7.19	3,642.23
MW-12	03/31/05		36.95	42.97	6.02	3,642.08
MW-12	05/13/05		36.83	43.97	7.14	3,642.09
MW-12	05/26/05		36.95	43.71	6.76	3,642.00
MW-12	06/28/05		36.97	44.14	7.17	3,641.94
MW-12	08/15/05		37.25	43.60	6.35	3,641.75
MW-12	11/14/05		37.73	43.51	5.78	3,641.32
MW-12	01/23/06		38.08	44.34	6.26	3,640.92
MW-12	03/02/06		37.71	43.82	6.11	3,641.31



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-12	06/01/06		38.87	44.25	5.38	3,640.22
MW-12	08/14/06		39.11	45.85	6.74	3,639.85
MW-12	11/28/06		38.64	44.91	6.27	3,640.36
MW-12	12/12/06		38.63	44.92	6.29	3,640.37
MW-12	01/09/07		38.41	44.87	6.46	3,640.57
MW-12	02/08/07		nd	42.02	na	3,636.01
MW-12	03/09/07		38.67	45.13	6.46	3,640.31
MW-12	03/13/07		38.64	45.14	6.50	3,640.34
MW-12	03/15/07		38.64	45.16	6.52	3,640.34
MW-12	03/23/07		38.68	45.14	6.46	3,640.30
MW-12	03/28/07		38.68	45.19	6.51	3,640.30
MW-12	04/12/07		39.22	44.25	5.03	3,639.91
MW-12	04/18/07		39.96	44.68	4.72	3,639.20
MW-12	05/22/07		39.51	43.75	4.24	3,639.70
MW-12	06/20/07		39.42	43.40	3.98	3,639.81
MW-12	06/28/07		39.47	43.06	3.59	3,639.80
MW-12	07/18/07		39.65	42.80	3.15	3,639.67
MW-12	08/15/07		39.27	43.96	4.69	3,639.89
MW-12	08/22/07		39.50	42.90	3.40	3,639.79
MW-12	08/28/07		39.78	42.04	2.26	3,639.62
MW-12	09/19/07		39.39	43.31	3.92	3,639.85
MW-12	09/25/07		39.29	43.67	4.38	3,639.90
MW-12	10/09/07		39.14	44.79	5.65	3,639.93



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-12	10/17/07		39.57	42.72	3.15	3,639.75
MW-12	10/26/07		39.21	41.22	2.01	3,640.22
MW-12	11/05/07		39.13	44.61	5.48	3,639.95
MW-12	11/12/07		39.33	44.70	5.37	3,639.76
MW-12	12/05/07		39.34	44.87	5.53	3,639.74
MW-12	01/03/08		39.37	44.14	4.77	3,639.78
MW-12	01/30/08		38.29	44.71	6.42	3,640.70
MW-12	02/04/08		38.35	44.81	6.46	3,640.63
MW-12	02/12/08		38.30	44.75	6.45	3,640.69
MW-12	03/11/08		39.29	45.08	5.79	3,639.76
MW-12	03/26/08		39.44	44.43	4.99	3,639.69
MW-12	04/02/08		39.46	44.87	5.41	3,639.63
MW-12	04/16/08		39.51	44.94	5.43	3,639.58
MW-12	04/29/08		39.76	44.26	4.50	3,639.42
MW-12	05/07/08		39.71	44.76	5.05	3,639.42
MW-12	06/11/08		39.86	45.02	5.16	3,639.25
MW-12	06/20/08		39.88	45.19	5.31	3,639.22
MW-12	07/22/08		39.69	45.50	5.81	3,639.36
MW-12	07/24/08		40.61	46.15	5.54	3,638.47
MW-12	08/19/08		40.08	46.95	6.87	3,638.86
MW-12	08/20/08		40.09	46.98	6.89	3,638.85
MW-12	11/18/08		39.50	45.95	6.45	3,639.49
MW-12	12/18/08		39.52	45.96	6.44	3,639.47




TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-12	01/13/09		39.68	45.44	5.76	3,639.37
MW-12	03/03/09		39.63	46.05	6.42	3,639.36
MW-12	06/24/09		39.79	46.24	6.45	3,639.20
MW-12	08/11/09		39.95	46.28	6.33	3,639.05
MW-12	11/18/09		40.44	46.21	5.77	3,638.24
MW-12	02/16/10		40.56	46.04	5.48	3,638.17
MW-12	06/03/10		41.26	46.76	5.50	3,637.56
MW-12	09/20/10		41.77	46.69	4.92	3,637.14
MW-13	01/23/04	3,681.42		39.67		3,641.75
MW-13	04/29/04			39.58		3,641.84
MW-13	05/12/04			41.05		3,640.37
MW-13	06/03/04			41.05		3,640.37
MW-13	07/12/04			42.18		3,639.24
MW-13	07/19/04			42.44		3,638.98
MW-13	11/08/04			40.24		3,641.18
MW-13	03/31/05			38.79		3,642.63
MW-13	05/13/05			38.83		3,642.59
MW-13	05/23/05			38.82		3,642.60
MW-13	05/26/05			38.87		3,642.55
MW-13	06/28/05			38.63		3,642.79
MW-13	08/15/05			39.07		3,642.35
MW-13	08/17/05			39.02		3,642.40



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-13	11/14/05			39.15		3,642.27
MW-13	01/23/06			39.84		3,641.58
MW-13	03/02/06			39.28		3,642.14
MW-13	06/01/06			40.73		3,640.69
MW-13	08/14/06			41.22		3,640.20
MW-13	11/28/06			40.38		3,641.04
MW-13	12/12/06			40.37		3,641.05
MW-13	01/09/07			40.36		3,641.06
MW-13	02/08/07			42.02		3,639.40
MW-13	02/27/07			40.41		3,641.01
MW-13	03/09/07			40.42		3,641.00
MW-13	03/13/07			40.42		3,641.00
MW-13	03/15/07			40.44		3,640.98
MW-13	03/23/07			40.25		3,641.17
MW-13	03/28/07			40.35		3,641.07
MW-13	04/12/07			40.55		3,640.87
MW-13	04/18/07			40.48		3,640.94
MW-13	05/23/07			40.48		3,640.94
MW-13	06/20/07			40.60		3,640.82
MW-13	07/18/07			40.68		3,640.74
MW-13	09/19/07			39.55		3,641.87
MW-13	11/02/07			40.58		3,640.84
MW-13	11/16/07			40.43		3,640.99




TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-13	12/05/07			40.75		3,640.67
MW-13	01/30/08			40.78		3,640.64
MW-13	03/11/08			36.14		3,645.28
MW-13	04/29/08			40.92		3,640.50
MW-13	05/09/08			40.94		3,640.48
MW-13	06/11/08			40.98		3,640.44
MW-13	06/20/08			41.08		3,640.34
MW-13	08/19/08			41.10		3,640.32
MW-13	08/20/08			41.09		3,640.33
MW-13	12/18/08			41.26		3,640.16
MW-13	01/13/09			41.26		3,640.16
MW-13	03/03/09			41.37		3,640.05
MW-13	06/24/09			41.55		3,639.87
MW-13	08/11/09			41.69		3,639.73
MW-13	11/18/09			41.99		3,639.43
MW-13	02/16/10			41.85		3,639.57
MW-13	06/03/10			42.37		3,639.05
MW-13	09/20/10			42.57		3,638.85
MW-14	06/03/04	3,679.00	39.16	42.87	3.71	3,639.47
MW-14	07/12/04		39.29	46.46	7.17	3,638.99
MW-14	07/19/04		39.45	46.59	7.14	3,638.84
MW-14	08/26/04		38.92	45.94	7.02	3,639.38




TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-14	12/09/04		37.11	43.08	5.97	3,641.29
MW-14	02/16/05		36.62	42.53	5.91	3,641.79
MW-14	03/31/05		36.34	43.32	6.98	3,641.96
MW-14	05/13/05		36.45	43.34	6.89	3,641.86
MW-14	05/26/05		36.48	45.27	8.79	3,641.64
MW-14	06/28/05		36.54	44.83	8.29	3,641.63
MW-14	08/15/05		37.14	41.59	4.45	3,641.42
MW-14	11/14/05		37.55	41.70	4.15	3,641.04
MW-14	01/23/06		37.85	42.74	4.89	3,640.66
MW-14	03/02/06		37.58	41.71	4.13	3,641.01
MW-14	06/01/06		38.84	41.75	2.91	3,639.87
MW-14	08/14/06		0.00	39.00	39.00	3,675.10
MW-14	11/28/06		38.30	43.55	5.25	3,640.18
MW-14	12/12/06		38.24	44.02	5.78	3,640.18
MW-14	01/09/07		38.21	42.26	4.05	3,640.39
MW-14	02/08/07		38.18	44.27	6.09	3,640.21
MW-14	02/27/07		38.26	44.32	6.06	3,640.13
MW-14	03/09/07		38.27	44.41	6.14	3,640.12
MW-14	03/13/07		38.20	44.21	6.01	3,640.20
MW-14	03/15/07		38.22	44.20	5.98	3,640.18
MW-14	03/23/07		38.28	44.22	5.94	3,640.13
MW-14	03/28/07		38.25	44.27	6.02	3,640.15
MW-14	04/12/07		39.41	40.64	1.23	3,639.47



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-14	04/18/07		39.69	40.01	0.32	3,639.28
MW-14	05/23/07		39.71	40.02	0.31	3,639.26
MW-14	06/20/07		38.96	41.88	2.92	3,639.75
MW-14	06/28/07		39.05	41.85	2.80	3,639.67
MW-14	07/18/07		39.58	39.91	0.33	3,639.39
MW-14	08/15/07		39.63	39.87	0.24	3,639.35
MW-14	08/22/07		39.54	40.15	0.61	3,639.40
MW-14	08/28/07		39.39	41.62	2.23	3,639.39
MW-14	09/19/07		39.07	41.79	2.72	3,639.66
MW-14	09/25/07		39.34	40.94	1.60	3,639.50
MW-14	10/09/07		39.44	41.15	1.71	3,639.39
MW-14	10/17/07		39.61	39.80	0.19	3,639.37
MW-14	10/26/07		39.56	39.88	0.32	3,639.41
MW-14	11/05/07		39.08	42.21	3.13	3,639.61
MW-14	11/12/07		38.95	43.05	4.10	3,639.64
MW-14	12/05/07		38.99	43.75	4.76	3,639.53
MW-14	01/03/08		38.94	43.60	4.66	3,639.59
MW-14	01/30/08		39.03	43.88	4.85	3,639.49
MW-14	02/04/08		39.19	44.12	4.93	3,639.32
MW-14	02/12/08		39.06	43.91	4.85	3,639.46
MW-14	03/11/08		39.56	41.27	1.71	3,639.27
MW-14	03/26/08		39.94	40.14	0.20	3,639.04
MW-14	04/02/08		40.13	40.26	0.13	3,638.86



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-14	04/16/08		39.94	40.25	0.31	3,639.03
MW-14	04/29/08		39.97	40.32	0.35	3,639.00
MW-14	05/07/08		39.39	43.18	3.79	3,639.23
MW-14	06/11/08		40.23	40.49	0.26	3,638.74
MW-14	06/20/08		40.29	40.52	0.23	3,638.69
MW-14	07/24/08		41.00	41.22	0.22	3,637.98
MW-14	08/19/08		39.86	44.75	4.89	3,638.65
MW-14	09/02/08		39.99	40.22	0.23	3,638.99
MW-14	11/18/08		39.15	44.54	5.39	3,639.31
MW-14	12/18/08		39.18	44.61	5.43	3,639.28
MW-14	01/13/09		39.25	44.33	5.08	3,639.24
MW-14	03/03/09		40.02	44.32	4.30	3,638.55
MW-14	06/24/09		39.45	44.90	5.45	3,639.01
MW-14	08/11/09		39.60	44.80	5.20	3,638.88
MW-14	11/18/09		40.57	42.70	2.13	3,638.08
MW-14	02/16/10		40.15	45.50	5.35	3,637.97
MW-14	06/03/10		40.92	46.47	5.55	3,637.26
MW-14	09/20/10		40.85	46.08	5.23	3,637.38
MW-15	06/03/04	3,674.92		36.22		3,638.70
MW-15	07/12/04			36.77		3,638.15
MW-15	07/19/04			36.90		3,638.02
MW-15	11/08/04			35.10		3,639.82



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-15	03/31/05			33.92		3,641.00
MW-15	05/13/05			34.00		3,640.92
MW-15	05/23/05			35.34		3,639.58
MW-15	05/26/05			35.38		3,639.54
MW-15	06/28/05			35.46		3,639.46
MW-15	08/15/05			34.32		3,640.60
MW-15	08/17/05			34.29		3,640.63
MW-15	11/14/05			34.47		3,640.45
MW-15	01/23/06			35.17		3,639.75
MW-15	03/02/06			34.60		3,640.32
MW-15	06/01/06			37.18		3,637.74
MW-15	08/10/06			35.62		3,639.30
MW-15	11/28/06			35.63		3,639.29
MW-15	12/12/06			36.92		3,638.00
MW-15	01/09/07			36.93		3,637.99
MW-15	02/27/07		35.16	35.67	0.51	3,639.71
MW-15	03/09/07		35.16	35.92	0.76	3,639.68
MW-15	03/13/07		35.65	36.01	0.36	3,639.23
MW-15	03/15/07		35.64	36.20	0.56	3,639.22
MW-15	03/23/07		35.68	36.14	0.46	3,639.19
MW-15	03/28/07		35.70	36.21	0.51	3,639.17
MW-15	04/12/07		35.75	36.51	0.76	3,639.09
MW-15	04/18/07		35.70	36.46	0.76	3,639.14



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-15	05/22/07		35.70	37.04	1.34	3,639.09
MW-15	06/20/07		35.90	37.52	1.62	3,638.86
MW-15	07/18/07		35.60	38.10	2.50	3,639.07
MW-15	08/15/07		35.47	38.56	3.09	3,639.14
MW-15	08/22/07		35.48	38.58	3.10	3,639.13
MW-15	08/28/07		35.59	38.15	2.56	3,639.07
MW-15	09/19/07		35.78	36.98	1.20	3,639.02
MW-15	09/25/07		36.43	37.27	0.84	3,638.41
MW-15	10/09/07		35.61	37.99	2.38	3,639.07
MW-15	10/17/07		35.49	38.36	2.87	3,639.14
MW-15	10/26/07		35.47	38.71	3.24	3,639.13
MW-15	11/05/07		35.46	39.89	4.43	3,639.02
MW-15	11/12/07		35.37	39.18	3.81	3,639.17
MW-15	12/05/07		35.31	39.75	4.44	3,639.17
MW-15	01/03/08		35.31	40.26	4.95	3,639.12
MW-15	01/30/08		35.27	40.47	5.20	3,639.13
MW-15	02/04/08		35.33	40.60	5.27	3,639.06
MW-15	02/12/08		35.28	40.48	5.20	3,639.12
MW-15	03/11/08		35.35	40.65	5.30	3,639.04
MW-15	03/26/08		35.40	40.71	5.31	3,638.99
MW-15	04/02/08		35.44	40.74	5.30	3,638.95
MW-15	04/16/08		36.34	36.61	0.27	3,638.55
MW-15	04/29/08		36.43	36.64	0.21	3,638.47



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-15	05/07/08		36.07	39.29	3.22	3,638.53
MW-15	06/11/08		36.64	36.89	0.25	3,638.26
MW-15	06/20/08		36.69	36.91	0.22	3,638.21
MW-15	07/24/08		36.51	41.53	5.02	3,637.91
MW-15	08/19/08		36.19	41.46	5.27	3,638.20
MW-15	08/20/08		36.19	41.48	5.29	3,638.20
MW-15	09/02/08		36.02	38.35	2.33	3,638.67
MW-15	11/18/08		35.61	40.73	5.12	3,638.80
MW-15	12/18/08		35.64	40.88	5.24	3,638.76
MW-15	01/13/09		35.70	40.67	4.97	3,638.72
MW-15	03/03/09		35.75	40.90	5.15	3,638.66
MW-15	06/24/09		36.02	40.90	4.88	3,638.41
MW-15	08/11/09		36.09	41.00	4.91	3,638.34
MW-15	11/18/09		36.15	41.38	5.23	3,637.91
MW-15	02/16/10		36.72	40.97	4.25	3,637.50
MW-15	06/03/10		37.96	38.73	0.77	3,636.85
MW-15	09/20/10		37.60	41.13	3.53	3,636.80
MW-16	06/03/04	3,676.86		37.66		3,639.20
MW-16	07/12/04			38.35		3,638.51
MW-16	07/19/04			38.57		3,638.29
MW-16	11/08/04			36.38		3,640.48
MW-16	03/31/05			35.29		3,641.57




TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-16	05/13/05			35.31		3,641.55
MW-16	05/23/05			35.18		3,641.68
MW-16	05/26/05			34.04		3,642.82
MW-16	06/28/05			34.11		3,642.75
MW-16	08/15/05			35.61		3,641.25
MW-16	08/17/05			35.56		3,641.30
MW-16	11/14/05			35.73		3,641.13
MW-16	01/23/06			36.45		3,640.41
MW-16	03/02/06			35.85		3,641.01
MW-16	06/01/06			35.82		3,641.04
MW-16	08/14/06			37.50		3,639.36
MW-16	11/28/06			37.94		3,638.92
MW-16	12/12/06			35.65		3,641.21
MW-16	01/09/07			35.67		3,641.19
MW-16	03/09/07			36.00		3,640.86
MW-16	03/13/07			36.98		3,639.88
MW-16	03/15/07			36.96		3,639.90
MW-16	03/23/07			36.84		3,640.02
MW-16	03/28/07			36.96		3,639.90
MW-16	04/12/07			37.14		3,639.72
MW-16	04/18/07			37.03		3,639.83
MW-16	05/23/07			37.08		3,639.78
MW-16	06/20/07			37.16		3,639.70



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-16	07/18/07			37.28		3,639.58
MW-16	09/19/07			37.27		3,639.59
MW-16	11/02/07			37.30		3,639.56
MW-16	11/16/07			37.32		3,639.54
MW-16	12/05/07			37.36		3,639.50
MW-16	01/30/08			37.38		3,639.48
MW-16	03/11/08			37.46		3,639.40
MW-16	04/29/08			37.51		3,639.35
MW-16	05/09/08			37.54		3,639.32
MW-16	06/11/08			37.56		3,639.30
MW-16	06/20/08			37.64		3,639.22
MW-16	08/19/08			37.68		3,639.18
MW-16	08/20/08			37.69		3,639.17
MW-16	11/18/08			37.81		3,639.05
MW-16	12/18/08			37.85		3,639.01
MW-16	01/13/09			37.86		3,639.00
MW-16	03/03/09			37.95		3,638.91
MW-16	06/24/09			38.13		3,638.73
MW-16	08/11/09			38.25		3,638.61
MW-16	11/18/09			38.55		3,638.31
MW-16	02/16/10			38.47		3,638.39
MW-16	06/03/10		39.26	39.85	0.59	3,637.51
MW-16	09/20/10		38.88	40.52	1.64	3,637.74




TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-17	06/03/04	3,679.01	39.66	42.05	2.39	3,639.11
MW-17	07/12/04		39.39	46.94	7.55	3,638.87
MW-17	07/19/04		39.50	46.97	7.47	3,638.76
MW-17	08/26/04		39.04	46.59	7.55	3,639.22
MW-17	12/09/04		37.11	44.60	7.49	3,641.15
MW-17	02/16/05		37.00	41.07	4.07	3,641.60
MW-17	03/31/05		36.49	44.13	7.64	3,641.76
MW-17	05/13/05		36.52	44.24	7.72	3,641.72
MW-17	05/26/05		36.72	44.28	7.56	3,641.53
MW-17	06/28/05		36.95	44.76	7.81	3,641.28
MW-17	08/15/05		37.25	42.35	5.10	3,641.25
MW-17	11/14/05		37.69	42.33	4.64	3,640.86
MW-17	01/23/06		38.15	43.41	5.26	3,640.33
MW-17	03/02/06		37.59	43.25	5.66	3,640.85
MW-17	06/01/06		38.95	42.48	3.53	3,639.71
MW-17	08/14/06		39.10	44.41	5.31	3,639.38
MW-17	11/28/06		38.49	44.04	5.55	3,639.97
MW-17	12/12/06		38.42	44.33	5.91	3,640.00
MW-17	01/09/07		38.42	43.07	4.65	3,640.13
MW-17	02/08/07		38.38	44.95	6.57	3,639.97
MW-17	02/27/07		38.51	45.22	6.71	3,639.83
MW-17	03/09/07		38.41	45.11	6.70	3,639.93



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-17	03/13/07		38.39	45.02	6.63	3,639.96
MW-17	03/15/07		38.41	45.01	6.60	3,639.94
MW-17	03/23/07		38.43	45.11	6.68	3,639.91
MW-17	03/28/07		38.43	45.26	6.83	3,639.90
MW-17	04/12/07		39.06	43.82	4.76	3,639.47
MW-17	04/18/07		39.13	44.32	5.19	3,639.36
MW-17	05/23/07		39.41	43.65	4.24	3,639.18
MW-17	06/20/07		39.52	41.72	2.20	3,639.27
MW-17	06/28/07		39.79	40.75	0.96	3,639.12
MW-17	07/18/07		39.82	40.81	0.99	3,639.09
MW-17	08/15/07		39.92	40.18	0.26	3,639.06
MW-17	08/22/07		39.87	40.17	0.30	3,639.11
MW-17	08/28/07		39.90	40.39	0.49	3,639.06
MW-17	09/25/07		39.78	40.17	0.39	3,639.19
MW-17	10/09/07		39.92	40.38	0.46	3,639.04
MW-17	10/17/07		39.83	40.17	0.34	3,639.15
MW-17	10/26/07		39.91	40.03	0.12	3,639.09
MW-17	11/05/07		39.17	43.19	4.02	3,639.44
MW-17	11/12/07		39.89	40.04	0.15	3,639.11
MW-17	12/05/07		39.75	41.97	2.22	3,639.04
MW-17	01/03/08		39.50	42.39	2.89	3,639.22
MW-17	01/30/08		39.10	44.36	5.26	3,639.38
MW-17	02/04/08		39.21	44.44	5.23	3,639.28



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-17	02/12/08		39.14	44.38	5.24	3,639.35
MW-17	03/11/08		39.66	42.27	2.61	3,639.09
MW-17	03/26/08		40.22	40.39	0.17	3,638.77
MW-17	04/16/08		40.19	40.60	0.41	3,638.78
MW-17	04/29/08		40.21	40.74	0.51	3,638.73
MW-17	05/07/08		39.49	43.18	3.69	3,639.15
MW-17	06/11/08		40.48	40.90	0.42	3,638.49
MW-17	06/20/08		40.54	40.88	0.34	3,638.44
MW-17	07/24/08		41.05	42.26	1.21	3,637.84
MW-17	08/19/08		39.99	45.73	5.74	3,638.45
MW-17	09/02/08		40.27	40.37	0.10	3,638.73
MW-17	11/18/08		39.31	45.25	5.94	3,639.11
MW-17	12/18/08		39.39	45.40	6.01	3,639.02
MW-17	01/13/09		39.40	45.25	5.85	3,639.03
MW-17	03/03/09		39.44	45.50	6.06	3,638.96
MW-17	06/24/09		39.69	45.24	5.55	3,638.77
MW-17	08/11/09		39.80	45.50	5.70	3,638.64
MW-17	11/18/09		40.49	44.56	4.07	3,637.85
MW-17	02/16/10		40.42	45.55	5.13	3,637.74
MW-17	06/03/10		41.75	43.25	1.50	3,637.04
MW-17	09/20/10		41.65	46.70	5.05	3,636.62
MW-18	11/28/06			35.64		



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-18	12/12/06			35.65		
MW-18	01/09/07			35.62		
MW-18	02/08/07			35.50		
MW-18	03/09/07			35.70		
MW-18	03/13/07			35.71		
MW-18	03/15/07			35.70		
MW-18	03/23/07			35.57		
MW-18	03/28/07			36.65		
MW-18	04/12/07			35.83		
MW-18	04/18/07			35.84		
MW-18	05/22/07			35.86		
MW-18	06/20/07			35.86		
MW-18	07/18/07			35.98		
MW-18	09/19/07	3,675.68		35.94		3,639.74
MW-18	11/02/07			35.97		3,639.71
MW-18	12/05/07			36.04		3,639.64
MW-18	01/30/08			36.08		3,639.60
MW-18	03/11/08			36.14		3,639.54
MW-18	04/29/08			38.22		3,637.46
MW-18	05/09/08			36.22		3,639.46
MW-18	06/11/08			36.27		3,639.41
MW-18	06/20/08			36.37		3,639.31
MW-18	08/19/08			36.37		3,639.31




TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-18	08/20/08			36.38		3,639.30
MW-18	11/18/08			36.51		3,639.17
MW-18	12/18/08			36.55		3,639.13
MW-18	01/13/09			36.56		3,639.12
MW-18	03/03/09			36.64		3,639.04
MW-18	06/24/09			36.84		3,638.84
MW-18	08/11/09			36.94		3,638.74
MW-18	11/18/09			37.20		3,638.48
MW-18	02/16/10			37.15		3,638.53
MW-18	06/03/10			37.57		3,638.11
MW-18	09/20/10			37.87		3,637.81
MW-19	11/28/06			35.55		
MW-19	12/12/06			35.55		
MW-19	01/09/07			35.57		
MW-19	02/08/07			35.43		
MW-19	03/09/07			35.65		
MW-19	03/13/07			35.65		
MW-19	03/15/07			35.66		
MW-19	03/23/07			35.48		
MW-19	03/28/07			35.54		
MW-19	04/12/07			35.77		
MW-19	04/18/07			35.72		



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-19	05/23/07			35.71		
MW-19	06/20/07			35.81		
MW-19	07/18/07			35.90		
MW-19	09/19/07	3,674.96		35.87		3,639.09
MW-19	11/02/07			35.90		3,639.06
MW-19	11/16/07			35.96		3,639.00
MW-19	12/05/07			36.56		3,638.40
MW-19	01/30/08			36.59		3,638.37
MW-19	03/11/08			36.06		3,638.90
MW-19	04/29/08			38.14		3,636.82
MW-19	05/09/08			36.15		3,638.81
MW-19	06/11/08			36.20		3,638.76
MW-19	06/20/08			36.28		3,638.68
MW-19	08/19/08			36.33		3,638.63
MW-19	08/20/08			36.32		3,638.64
MW-19	11/18/08			36.44		3,638.52
MW-19	12/18/08			36.48		3,638.48
MW-19	01/13/09			36.50		3,638.46
MW-19	03/03/09			36.57		3,638.39
MW-19	06/24/09			36.76		3,638.20
MW-19	08/11/09			36.85		3,638.11
MW-19	11/18/09			37.09		3,637.87
MW-19	02/16/10			37.10		3,637.86




TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-19	06/03/10			37.51		3,637.45
MW-19	09/20/10			37.76		3,637.20
MW-20	11/28/06			35.61		
MW-20	12/12/06			35.63		
MW-20	01/09/07			35.67		
MW-20	02/08/07			35.53		
MW-20	03/09/07			35.75		
MW-20	03/13/07			35.73		
MW-20	03/15/07			35.70		
MW-20	03/23/07			35.60		
MW-20	03/28/07			35.67		
MW-20	04/12/07			35.87		
MW-20	04/18/07			35.81		
MW-20	05/23/07			35.80		
MW-20	06/20/07			35.90		
MW-20	07/18/07			36.01		
MW-20	09/19/07	3,674.38		35.99		3,638.39
MW-20	11/02/07			36.01		3,638.37
MW-20	12/05/07			35.97		3,638.41
MW-20	01/30/08			36.01		3,638.37
MW-20	03/11/08			36.14		3,638.24
MW-20	03/11/08			36.14		3,638.24
MW-20	04/29/08			36.23		3,638.15



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-20	05/09/08			36.22		3,638.16
MW-20	06/11/08			36.28		3,638.10
MW-20	06/20/08			36.35		3,638.03
MW-20	08/19/08			36.39		3,637.99
MW-20	08/20/08			36.38		3,638.00
MW-20	11/18/08			36.51		3,637.87
MW-20	12/18/08			36.55		3,637.83
MW-20	01/13/09			36.56		3,637.82
MW-20	03/03/09			36.64		3,637.74
MW-20	06/24/09			36.81		3,637.57
MW-20	08/11/09			36.92		3,637.46
MW-20	11/18/09			37.15		3,637.23
MW-20	02/16/10			37.18		3,637.20
MW-20	06/03/10			37.54		3,636.84
MW-20	09/20/10		37.67	39.05	1.38	3,636.51
MW-21	12/05/07	3,674.38		36.34		3,638.04
MW-21	01/30/08			36.41		3,637.97
MW-21	03/11/08			36.48		3,637.90
MW-21	05/09/08			36.54		3,637.84
MW-21	06/11/08			36.59		3,637.79
MW-21	06/20/08			36.67		3,637.71
MW-21	08/19/08			36.70		3,637.68
MW-21	08/20/08			36.71		3,637.67



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-21	11/18/08			36.82		3,637.56
MW-21	12/18/08			36.87		3,637.51
MW-21	01/13/09			36.88		3,637.50
MW-21	03/03/09			36.95		3,637.43
MW-21	06/24/09			37.11		3,637.27
MW-21	08/11/09			37.22		3,637.16
MW-21	11/18/09			37.42		3,636.96
MW-21	02/16/10			37.50		3,636.88
MW-21	06/03/10			37.75		3,636.63
MW-21	09/20/10			38.20		3,636.18
MW-22	12/05/07	3,674.07		36.08		3,637.99
MW-22	01/30/08			36.19		3,637.88
MW-22	03/11/08			36.26		3,637.81
MW-22	04/29/08			36.31		3,637.76
MW-22	05/09/08			36.31		3,637.76
MW-22	06/11/08			36.70		3,637.37
MW-22	06/20/08			36.45		3,637.62
MW-22	08/19/08			36.48		3,637.59
MW-22	08/20/08			36.49		3,637.58
MW-22	11/18/08			36.61		3,637.46
MW-22	12/18/08			36.66		3,637.41
MW-22	01/13/09			36.67		3,637.40
MW-22	03/03/09			36.75		3,637.32




TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-22	06/24/09			36.90		3,637.17
MW-22	08/11/09			37.01		3,637.06
MW-22	11/18/09			37.23		3,636.84
MW-22	02/16/10			37.29		3,636.78
MW-22	06/03/10			37.57		3,636.50
MW-22	09/20/10			38.00		3,636.07
MW-23	03/17/08	WELL INSTALLATION				
MW-23	03/25/08					
MW-23	03/29/08			36.08		
MW-23	04/29/08			36.15		
MW-23	05/09/08	3,672.39		36.15		3,636.24
MW-23	06/11/08			36.20		3,636.19
MW-23	06/20/08			36.31		3,636.08
MW-23	08/19/08			36.33		3,636.06
MW-23	08/20/08			36.31		3,636.08
MW-23	11/18/08			36.33		3,636.06
MW-23	12/18/08			36.51		3,635.88
MW-23	01/13/09			36.51		3,635.88
MW-23	03/03/09			36.60		3,635.79
MW-23	06/24/09			36.74		3,635.65
MW-23	08/11/09			36.82		3,635.57
MW-23	11/18/09			37.03		3,635.36
MW-23	02/16/10			37.12		3,635.27



TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
MW-23	06/03/10			37.29		3,635.10
MW-23	09/20/10			37.70		3,634.69
MW-24	03/17/08	WELL INSTALLATION				
MW-24	03/25/08			36.04		
MW-24	03/29/08			36.04		
MW-24	04/29/08			36.04		
MW-24	05/09/08	3,672.79		36.03		3,636.76
MW-24	06/11/08			36.08		3,636.71
MW-24	06/20/08			36.16		3,636.63
MW-24	08/19/08			36.20		3,636.59
MW-24	08/20/08			36.20		3,636.59
MW-24	11/18/08			36.46		3,636.33
MW-24	12/18/08			36.38		3,636.41
MW-24	01/13/09			36.38		3,636.41
MW-24	03/03/09			36.45		3,636.34
MW-24	06/24/09			36.61		3,636.18
MW-24	08/11/09			36.05		3,636.74
MW-24	11/18/09			36.91		3,635.88
MW-24	02/16/10			36.90		3,635.89
MW-24	06/03/10			37.19		3,635.60
MW-24	09/20/10	NM - Well not found				
Klein	10/31/03	Well sampled but groundwater depth not measured.				




TABLE 1
SUMMARY OF HISTORICAL FLUID LEVEL MEASUREMENTS
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO - SRS# 2003-00017
Talon/LPE Project Number 700376.052.01

Well	Date	Top of Casing Elevation (feet-amsl)	Depth to PSH (feet-btoc)	Depth to Water (feet-btoc)	PSH Thickness (feet)	Corrected Groundwater Elevation (feet-amsl)
Irrigation Well	11/08/04	Well sampled but groundwater depth not measured.				
	03/31/05	Well sampled but groundwater depth not measured.				
	03/02/06	Well sampled but groundwater depth not measured.				
	06/01/06	Well sampled but groundwater depth not measured.				
	08/14/06	Well not scheduled for sampling.				
	01/09/07	Well not scheduled for sampling.				

PSH - Phase Separated Hydrocarbons

NM - not measured

amsl - above mean sea level

btoc - below top of casing

Corrected Groundwater Elevation = Top of Casing Elevation - [Depth to Water Below Top of Casing - (SG)(PSH Thickness)].

SG = 0.853




TABLE 2
SUMMARY OF BTEX GROUNDWATER ANALYTICAL DATA
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE - SRS# 2003-00017
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO
TALON/LPE PROJECT NUMBER 700376.052.01

All concentrations are in mg/L

Sample Location	Sample Date	Benzene	Toluene	Ethyl benzene	Xylene	Total BTEX
MW-1	01/23/04	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-1	05/12/04	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-1	07/19/04	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-1	11/08/04	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-1	03/31/05	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-1	05/23/05	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-1	08/17/05	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-1	11/14/05	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-1	03/02/06	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-1	06/01/06	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-1	08/14/06	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-1	11/28/06	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-1	03/28/07	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-1	06/20/07	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-1	09/19/07	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-1	12/05/07	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-1	03/11/08	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-1	06/20/08	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-1	08/22/08	14.7	7.36	1.32	1.65	25.0
MW-1	11/18/08	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-1	03/03/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-1	06/24/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-1	08/12/09	34.8	14.4	4.57	7.47	61.2
MW-1	11/18/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-1	02/16/10	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-1	06/03/10	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-1	09/21/10	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-2	01/23/04	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-2	05/12/04	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-2	07/19/04	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-2	11/08/04	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-2	03/31/05	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-2	05/23/05	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-2	08/17/05	Not Sampled Due to Presence of Phase Separated Hydrocarbons				



TABLE 2
SUMMARY OF BTEX GROUNDWATER ANALYTICAL DATA
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE - SRS# 2003-00017
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO
TALON/LPE PROJECT NUMBER 700376.052.01

All concentrations are in mg/L

Sample Location	Sample Date	Benzene	Toluene	Ethyl benzene	Xylene	Total BTEX
MW-2	11/14/05	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-2	03/02/06	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-2	06/01/06	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-2	08/14/06	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-2	11/28/06	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-2	03/28/07	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-2	06/20/07	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-2	09/19/07	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-2	12/05/07	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-2	03/11/08	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-2	06/20/08	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-2	08/20/08	24.8	11.2	2.58	3.84	42.4
MW-2	11/18/08	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-2	03/03/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-2	06/24/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-2	08/11/09	31.7	23.6	8.75	13.9	78.0
MW-2	11/18/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-2	02/16/10	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-2	06/03/10	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-2	09/21/10	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-3	01/23/04	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-3	05/12/04	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-3	07/19/04	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-3	11/08/04	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-3	03/31/05	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-3	05/23/05	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-3	08/17/05	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-3	11/14/05	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-3	03/02/06	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-3	06/01/06	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-3	08/14/06	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-3	11/28/06	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-3	03/28/07	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-3	06/20/07	Not Sampled Due to Presence of Phase Separated Hydrocarbons				



TABLE 2
SUMMARY OF BTEX GROUNDWATER ANALYTICAL DATA
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE - SRS# 2003-00017
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO
TALON/LPE PROJECT NUMBER 700376.052.01

All concentrations are in mg/L

Sample Location	Sample Date	Benzene	Toluene	Ethyl benzene	Xylene	Total BTEX
MW-3	09/19/07	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-3	12/05/07	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-3	03/11/08	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-3	06/20/08	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-3	08/21/08	19.6	10.9	2.16	3.09	35.8
MW-3	11/18/08	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-3	03/03/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-3	06/24/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-3	08/11/09	34.5	15.6	3.48	5.56	59.1
MW-3	11/18/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-3	02/16/10	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-3	06/03/10	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-3	09/21/10	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-4	01/23/04	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-4	05/12/04	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-4	07/19/04	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-4	11/08/04	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-4	03/31/05	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-4	05/23/05	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-4	08/17/05	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-4	11/14/05	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-4	03/02/06	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-4	06/01/06	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-4	08/14/06	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-4	11/28/06	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-4	03/28/07	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-4	06/20/07	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-4	09/19/07	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-4	12/05/07	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-4	03/11/08	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-4	06/20/08	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-4	08/21/08	44.0	9.98	2.72	4.10	60.8
MW-4	11/18/08	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-4	03/03/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons				



TABLE 2
SUMMARY OF BTEX GROUNDWATER ANALYTICAL DATA
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE - SRS# 2003-00017
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO
TALON/LPE PROJECT NUMBER 700376.052.01

All concentrations are in mg/L

Sample Location	Sample Date	Benzene	Toluene	Ethyl benzene	Xylene	Total BTEX
MW-4	06/24/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-4	08/11/09	45.1	19.8	6.40	12.1	83.4
MW-4	11/18/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-4	02/16/10	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-4	06/03/10	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-4	09/21/10	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-5	01/23/04	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-5	05/12/04	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-5	07/19/04	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-5	11/08/04	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-5	03/31/05	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-5	05/23/05	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-5	08/17/05	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-5	11/14/05	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-5	03/02/06	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-5	06/01/06	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-5	08/14/06	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-5	11/28/06	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-5	03/28/07	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-5	06/20/07	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-5	09/19/07	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-5	12/05/07	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-5	03/11/08	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-5	06/20/08	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-5	08/21/08	12.0	10.8	1.78	6.02	30.6
MW-5	11/18/08	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-5	03/03/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-5	06/24/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-5	08/12/09	15.0	6.31	0.856	1.47	23.6
MW-5	11/18/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-5	02/16/10	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-5	06/03/10	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-5	09/21/10	Not Sampled Due to Presence of Phase Separated Hydrocarbons				




TABLE 2
SUMMARY OF BTEX GROUNDWATER ANALYTICAL DATA
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE - SRS# 2003-00017
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO
TALON/LPE PROJECT NUMBER 700376.052.01

All concentrations are in mg/L

Sample Location	Sample Date	Benzene	Toluene	Ethyl benzene	Xylene	Total BTEX
MW-6	01/23/04	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-6	05/12/04	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-6	07/19/04	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-6	11/08/04	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-6	03/31/05	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-6	05/23/05	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-6	08/17/05	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-6	11/14/05	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-6	03/02/06	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-6	06/01/06	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-6	08/14/06	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-6	11/28/06	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-6	03/28/07	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-6	06/20/07	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-6	09/19/07	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-6	12/05/07	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-6	03/11/08	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-6	06/20/08	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-6	08/21/08	12.0	10.8	1.78	6.02	30.6
MW-6	11/18/08	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-6	03/03/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-6	06/24/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-6	08/12/09	39.8	21.8	4.60	7.09	73.3
MW-6	11/18/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-6	02/16/10	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-6	06/03/10	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-6	09/21/10	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-7	01/23/04	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-7	05/12/04	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-7	07/19/04	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-7	11/08/04	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-7	03/31/05	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-7	05/23/05	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-7	08/17/05	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200



TABLE 2
SUMMARY OF BTEX GROUNDWATER ANALYTICAL DATA
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE - SRS# 2003-00017
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO
TALON/LPE PROJECT NUMBER 700376.052.01

All concentrations are in mg/L

Sample Location	Sample Date	Benzene	Toluene	Ethyl benzene	Xylene	Total BTEX
MW-7	11/14/05	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-7	03/02/06	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-7	06/01/06	Not scheduled for sampling				
MW-7	08/14/06	Not scheduled for sampling				
MW-7	11/28/06	Not scheduled for sampling				
MW-7	03/28/07	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-7	06/20/07	Not scheduled for sampling				
MW-7	09/19/07	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-7	12/05/07	Not scheduled for sampling				
MW-7	03/11/08	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100
MW-7	06/20/08	Not scheduled to sample 2nd quarter				
MW-7	08/21/08	Not scheduled to sample 3rd quarter				
MW-7	11/18/08	Not scheduled to sample 4th quarter				
MW-7	03/03/09	Not scheduled to sample 1st quarter				
MW-7	06/24/09	Not scheduled to sample 2nd quarter				
MW-7	08/12/09	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100
MW-7	11/18/09	Not scheduled to sample 4th quarter				
MW-7	02/16/10	Not scheduled to sample 1st quarter				
MW-7	06/03/10	Not scheduled to sample 2nd quarter				
MW-7	09/21/10	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-8	01/23/04	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-8	05/12/04	0.0011	<0.00100	<0.00100	<0.00200	0.0011
MW-8	07/19/04	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-8	11/08/04	0.00471	<0.00100	<0.00100	<0.00200	0.00471
MW-8	03/31/05	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-8	05/23/05	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-8	08/17/05	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-8	11/14/05	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-8	03/02/06	0.0674	0.0348	0.0303	0.0289	0.1614
MW-8	06/01/06	Not scheduled for sampling				
MW-8	08/14/06	Not scheduled for sampling				
MW-8	11/28/06	Not scheduled for sampling				
MW-8	03/28/07	0.0113	<0.00100	<0.00100	<0.00200	0.0113
MW-8	06/20/07	Not scheduled for sampling				



TABLE 2
SUMMARY OF BTEX GROUNDWATER ANALYTICAL DATA
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE - SRS# 2003-00017
NMOCDF REF. # AP-054
LEA COUNTY, NEW MEXICO
TALON/LPE PROJECT NUMBER 700376.052.01

All concentrations are in mg/L

Sample Location	Sample Date	Benzene	Toluene	Ethyl benzene	Xylene	Total BTEX
MW-8	09/19/07	0.0052	<0.00100	<0.00100	<0.00200	0.0052
MW-8	12/05/07	Not scheduled for sampling				
MW-8	03/11/08	0.00540	<0.00100	<0.00100	<0.00100	0.0054
MW-8	06/20/08	Not scheduled to sample 2nd quarter				
MW-8	08/21/08	Not scheduled to sample 3rd quarter				
MW-8	11/18/08	Not scheduled to sample 4th quarter				
MW-8	03/03/09	Not scheduled to sample 1st quarter				
MW-8	06/24/09	Not scheduled to sample 2nd quarter				
MW-8	08/12/09	0.00880	<0.00100	<0.00100	<0.00100	0.0088
MW-8	11/18/09	Not scheduled to sample 4th quarter				
MW-8	02/16/10	Not scheduled to sample 1st quarter				
MW-8	06/03/10	Not scheduled to sample 2nd quarter				
MW-8	09/21/10	0.00660	<0.00100	<0.00100	<0.00100	0.0066
MW-9	01/23/04	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-9	05/12/04	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-9	07/19/04	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-9	11/08/04	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-9	03/31/05	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-9	05/23/05	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-9	08/17/05	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-9	11/14/05	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-9	03/02/06	0.0538	0.0281	0.0232	0.0213	0.1264
MW-9	06/01/06	Not scheduled for sampling				
MW-9	08/14/06	Not scheduled for sampling				
MW-9	11/28/06	Not scheduled for sampling				
MW-9	03/28/07	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-9	06/20/07	Not scheduled for sampling				
MW-9	09/19/07	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-9	12/05/07	Not scheduled for sampling				
MW-9	03/11/08	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100
MW-9	06/20/08	Not scheduled to sample 2nd quarter				
MW-9	08/21/08	Not scheduled to sample 3rd quarter				
MW-9	11/18/08	Not scheduled to sample 4th quarter				
MW-9	03/03/09	Not scheduled to sample 1st quarter				



TABLE 2
SUMMARY OF BTEX GROUNDWATER ANALYTICAL DATA
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE - SRS# 2003-00017
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO
TALON/LPE PROJECT NUMBER 700376.052.01

All concentrations are in mg/L

Sample Location	Sample Date	Benzene	Toluene	Ethyl benzene	Xylene	Total BTEX
MW-9	06/24/09	Not scheduled to sample 2nd quarter				
MW-9	08/12/09	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100
MW-9	11/18/09	Not scheduled to sample 4th quarter				
MW-9	02/16/10	Not scheduled to sample 1st quarter				
MW-9	06/03/10	Not scheduled to sample 2nd quarter				
MW-9	09/21/10	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-10	01/23/04	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-10	05/12/04	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-10	07/19/04	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-10	11/08/04	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-10	03/31/05	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-10	05/23/05	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-10	08/17/05	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-10	11/14/05	0.0119	<0.00100	<0.00100	<0.00200	<0.00200
MW-10	03/02/06	3.31	0.0232	0.0615	0.08	3.47
MW-10	06/01/06	1.11	<0.00100	0.114	0.135	0.249
MW-10	08/14/06	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-10	11/28/06	0.294	0.0215	0.0179	0.0134	0.347
MW-10	03/28/07	6.22	0.552	0.453	0.526	7.751
MW-10	06/20/07	4.648	<0.0500	0.3300	<0.100	4.978
MW-10	09/19/07	<0.001	<0.001	<0.001	<0.00200	<0.001
MW-10	12/05/07	7.375	<0.0400	0.5106	<0.0400	7.886
MW-10	03/11/08	1.69	<0.00500	0.105	0.0122	1.81
MW-10	06/20/08	3.25	<0.200	0.272	<0.200	3.52
MW-10	08/21/08	3.90	<0.0200	0.356	<0.0200	4.26
MW-10	11/18/08	3.35	<0.0200	0.255	<0.0200	3.61
MW-10	03/03/09	8.59	<0.100	0.771	<0.100	9.36
MW-10	06/24/09	5.62	0.489	0.874	<0.100	6.98
MW-10	08/12/09	3.60	0.534	0.491	<0.100	4.63
MW-10	11/18/09	11.40	1.840	0.818	0.158	14.22
MW-10	02/16/10	7.11	1.71	0.608	0.641	10.07
MW-10	06/03/10	6.34	1.82	0.534	0.394	9.09
MW-10	09/21/10	Not Sampled Due to Presence of Phase Separated Hydrocarbons				



TABLE 2
SUMMARY OF BTEX GROUNDWATER ANALYTICAL DATA
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE - SRS# 2003-00017
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO
TALON/LPE PROJECT NUMBER 700376.052.01

All concentrations are in mg/L

Sample Location	Sample Date	Benzene	Toluene	Ethyl benzene	Xylene	Total BTEX
MW-11	01/23/04	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-11	05/12/04	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-11	07/19/04	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-11	11/08/04	0.00225	<0.00100	<0.00100	<0.00200	<0.00200
MW-11	03/31/05	1.010	0.0138	0.233	0.075	1.332
MW-11	05/23/05	3.030	0.831	0.661	1.20	5.722
MW-11	08/17/05	16.0	5.30	1.40	1.20	23.9
MW-11	11/14/05	24.00	7.45	2.24	1.95	35.64
MW-11	03/02/06	43.4	6.33	2.55	2.090	54.37
MW-11	06/01/06	24.1	1.86	0.811	0.894	27.665
MW-11	08/14/06	16.3	0.880	1.700	1.568	20.448
MW-11	11/28/06	22.0	1.200	1.82	1.353	26.4
MW-11	03/28/07	17.5	0.728	1.88	1.450	21.6
MW-11	06/20/07	17.86	1.420	1.836	1.487	22.60
MW-11	09/19/07	18.35	0.5280	1.3990	0.822	21.10
MW-11	12/05/07	17.89	1.365	1.290	1.011	21.56
MW-11	03/11/08	24.7	1.19	1.66	1.33	28.9
MW-11	06/20/08	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-11	08/21/08	24.7	2.86	1.68	1.13	30.4
MW-11	11/18/08	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-11	03/03/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-11	06/24/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-11	08/12/09	21.8	20.5	5.13	7.68	55.1
MW-11	11/18/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-11	02/16/10	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-11	06/03/10	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-11	09/21/10	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-12	01/23/04	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-12	05/12/04	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-12	07/19/04	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-12	11/08/04	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-12	03/31/05	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-12	05/23/05	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-12	08/17/05	Not Sampled Due to Presence of Phase Separated Hydrocarbons				



TABLE 2
SUMMARY OF BTEX GROUNDWATER ANALYTICAL DATA
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE - SRS# 2003-00017
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO
TALON/LPE PROJECT NUMBER 700376.052.01

All concentrations are in mg/L

Sample Location	Sample Date	Benzene	Toluene	Ethyl benzene	Xylene	Total BTEX
MW-12	11/14/05	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-12	03/02/06	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-12	06/01/06	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-12	08/14/06	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-12	11/28/06	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-12	03/11/08	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-12	06/20/08	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-12	08/21/08	24.9	14.8	3.19	4.79	47.7
MW-12	11/18/08	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-12	03/03/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-12	06/24/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-12	08/12/09	26.8	9.12	2.40	3.53	41.9
MW-12	11/18/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-12	02/16/10	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-12	06/03/10	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-12	09/21/10	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-13	01/23/04	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-13	05/12/04	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-13	07/19/04	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-13	11/08/04	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-13	03/31/05	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-13	05/23/05	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-13	08/17/05	0.00150	<0.00100	<0.00100	<0.00200	0.0015
MW-13	11/14/05	0.00104	<0.00100	<0.00100	<0.00200	0.00104
MW-13	03/02/06	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-13	06/01/06	Not scheduled for sampling				
MW-13	08/14/06	Not scheduled for sampling				
MW-13	11/28/06	Not scheduled for sampling				
MW-13	03/28/07	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100
MW-13	06/20/07	Not scheduled for sampling				
MW-13	09/19/07	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100
MW-13	12/05/07	Not scheduled for sampling				
MW-13	03/11/08	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100
MW-13	06/20/08	Not scheduled to sample 2nd quarter				




TABLE 2
SUMMARY OF BTEX GROUNDWATER ANALYTICAL DATA
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE - SRS# 2003-00017
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO
TALON/LPE PROJECT NUMBER 700376.052.01

All concentrations are in mg/L

Sample Location	Sample Date	Benzene	Toluene	Ethyl benzene	Xylene	Total BTEX
MW-13	08/20/08	Not scheduled to sample 3rd quarter				
MW-13	11/18/08	Not scheduled to sample 4th quarter				
MW-13	03/03/09	Not scheduled to sample 1st quarter				
MW-13	06/24/09	Not scheduled to sample 2nd quarter				
MW-13	08/12/09	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100
MW-13	11/18/09	Not scheduled to sample 4th quarter				
MW-13	02/16/10	Not scheduled to sample 1st quarter				
MW-13	06/03/10	Not scheduled to sample 2nd quarter				
MW-13	09/21/10	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100
MW-14	07/19/04	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-14	11/08/04	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-14	03/31/05	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-14	05/23/05	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-14	08/17/05	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-14	11/14/05	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-14	03/02/06	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-14	06/01/06	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-14	08/14/06	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-14	11/28/06	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-14	03/28/07	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-14	06/20/07	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-14	09/19/07	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-14	12/05/07	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-14	03/11/08	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-14	06/20/08	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-14	08/20/08	34.7	10.8	2.68	3.89	52.1
MW-14	11/18/08	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-14	03/03/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-14	06/24/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-14	08/11/09	31.2	16.9	3.25	4.94	56.3
MW-14	11/18/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-14	02/16/10	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-14	06/03/10	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-14	09/21/10	Not Sampled Due to Presence of Phase Separated Hydrocarbons				



TABLE 2
SUMMARY OF BTEX GROUNDWATER ANALYTICAL DATA
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE - SRS# 2003-00017
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO
TALON/LPE PROJECT NUMBER 700376.052.01

All concentrations are in mg/L

Sample Location	Sample Date	Benzene	Toluene	Ethyl benzene	Xylene	Total BTEX
MW-15	07/19/04	<0.00100	0.00101	<0.00100	<0.00200	<0.00200
MW-15	11/08/04	0.00482	<0.00100	<0.00100	<0.00200	0.00482
MW-15	03/31/05	0.00104	<0.00100	<0.00100	<0.00200	0.00104
MW-15	05/23/05	0.00263	<0.00100	<0.00100	<0.00200	0.00263
MW-15	08/17/05	2.15	<0.00100	<0.00100	0.0239	2.17
MW-15	11/14/05	8.96	0.0149	0.0341	0.2650	9.27
MW-15	03/02/06	7.57	0.406	0.295	0.0010	8.272
MW-15	06/01/06	23.2	2.25	1.04	3.18	29.67
MW-15	08/14/06	0.00132	<0.00100	<0.00100	<0.00200	0.00132
MW-15	11/28/06	18.6	0.0912	0.955	<0.150	19.6462
MW-15	03/28/07	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-15	06/20/07	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-15	09/19/07	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-15	12/05/07	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-15	03/11/08	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-15	06/20/08	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-15	08/20/08	5.04	2.71	0.593	0.644	8.99
MW-15	11/18/08	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-15	03/03/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-15	06/24/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-15	08/12/09	29.5	30.1	9.27	15.0	83.9
MW-15	11/18/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-15	02/16/10	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-15	06/03/10	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-15	09/21/10	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-16	07/19/04	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-16	11/08/04	0.0255	<0.00100	<0.00100	<0.00200	0.0255
MW-16	03/31/05	0.0071	<0.00100	<0.00100	<0.00200	0.0071
MW-16	05/23/05	0.0036	<0.00100	<0.00100	<0.00200	0.0036
MW-16	08/17/05	0.0024	<0.00100	<0.00100	<0.00200	0.0024
MW-16	11/14/05	0.0051	<0.00100	<0.00100	<0.00200	0.0051
MW-16	03/02/06	0.167	0.0654	0.0476	0.046	0.326
MW-16	06/01/06	0.0279	0.00155	<0.001	<0.00200	0.02945




TABLE 2
SUMMARY OF BTEX GROUNDWATER ANALYTICAL DATA
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE - SRS# 2003-00017
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO
TALON/LPE PROJECT NUMBER 700376.052.01

All concentrations are in mg/L

Sample Location	Sample Date	Benzene	Toluene	Ethyl benzene	Xylene	Total BTEX
MW-16	08/14/06	0.0106	<0.001	<0.001	<0.00200	0.0106
MW-16	11/28/06	0.0284	<0.001	<0.001	<0.00200	0.0284
MW-16	03/28/07	0.0120	<0.001	<0.001	<0.00200	0.012
MW-16	06/20/07	0.0013	<0.0010	<0.0010	<0.00200	0.0013
MW-16	09/19/07	<0.0010	<0.001	<0.0010	<0.00200	<0.00200
MW-16	12/05/07	0.0034	<0.0020	<0.0010	<0.00200	0.0034
MW-16	03/11/08	0.0124	<0.00100	<0.00100	<0.00100	0.0124
MW-16	06/20/08	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100
MW-16	08/20/08	0.00140	<0.00100	<0.00100	<0.00100	0.0014
MW-16	11/18/08	0.00200	<0.00100	<0.00100	<0.00100	0.002
MW-16	03/03/09	0.00150	<0.00100	<0.00100	<0.00100	0.0015
MW-16	06/24/09	0.00570	<0.00100	<0.00100	<0.00100	0.0057
MW-16	08/12/09	<0.00100	0.00530	<0.00100	0.0108	0.01610
MW-16	11/18/09	0.00760	0.00230	0.00140	0.00670	0.01130
MW-16	02/16/10	0.00820	0.02260	0.03880	0.0863	0.06960
MW-16	06/03/10	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-16	09/21/10	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-17	07/19/04	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-17	11/08/04	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-17	03/31/05	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-17	05/23/05	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-17	08/17/05	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-17	11/14/05	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-17	03/02/06	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-17	06/01/06	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-17	08/14/06	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-17	11/28/06	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-17	03/28/07	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-17	06/20/07	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-17	09/19/07	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-17	12/05/07	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-17	03/11/08	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-17	06/20/08	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-17	08/20/08	39.4	22.0	3.00	4.18	68.6



TABLE 2
SUMMARY OF BTEX GROUNDWATER ANALYTICAL DATA
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE - SRS# 2003-00017
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO
TALON/LPE PROJECT NUMBER 700376.052.01

All concentrations are in mg/L

Sample Location	Sample Date	Benzene	Toluene	Ethyl benzene	Xylene	Total BTEX
MW-17	11/18/08	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-17	03/03/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-17	06/24/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-17	08/11/09	32.9	12.9	2.92	4.86	53.6
MW-17	11/18/09	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-17	02/16/10	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-17	06/03/10	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-17	09/21/10	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-18		Well Installed 11/22/2006				
MW-18	11/28/06	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-18	03/28/07	0.00210	<0.00100	<0.00100	<0.00200	0.0021
MW-18	06/20/07	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-18	09/19/07	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-18	12/05/07	0.0039	<0.0020	<0.00100	<0.00200	0.0039
MW-18	03/11/08	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
MW-18	06/20/08	0.00290	<0.00100	<0.00100	<0.00100	0.0029
MW-18	08/21/08	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100
MW-18	11/18/08	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100
MW-18	03/04/09	0.0162	0.00160	0.00320	0.00220	0.0232
MW-18	06/24/09	0.00660	<0.00100	<0.00100	<0.00100	0.0066
MW-18	08/12/09	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100
MW-18	11/18/09	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100
MW-18	02/16/10	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100
MW-18	06/03/10	0.0124	0.00390	0.00210	0.00290	0.0213
MW-18	09/21/10	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100
MW-19		Well Installed 11/22/2006				
MW-19	11/28/06	<0.002	<0.001	<0.001	<0.002	<0.002
MW-19	03/28/07	<0.001	<0.001	<0.001	<0.001	<0.001
MW-19	06/20/07	<0.0020	<0.0010	<0.0010	<0.0020	<0.0020
MW-19	09/19/07	<0.0020	<0.0010	<0.0010	<0.0020	<0.0020
MW-19	12/05/07	<0.0020	<0.0020	<0.0010	<0.0020	<0.0020
MW-19	03/11/08	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500
MW-19	06/20/08	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100



TABLE 2
SUMMARY OF BTEX GROUNDWATER ANALYTICAL DATA
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE - SRS# 2003-00017
NMOCDF REF. # AP-054
LEA COUNTY, NEW MEXICO
TALON/LPE PROJECT NUMBER 700376.052.01

All concentrations are in mg/L

Sample Location	Sample Date	Benzene	Toluene	Ethyl benzene	Xylene	Total BTEX
MW-19	08/21/08	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100
MW-19	11/18/08	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100
MW-19	03/03/09	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100
MW-19	06/24/09	0.0107	0.00580	<0.00100	<0.00100	0.0165
MW-19	08/12/09	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100
MW-19	11/18/09	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100
MW-19	02/16/10	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100
MW-19	06/03/10	0.0107	0.00400	0.00220	0.00290	0.0198
MW-19	09/21/10	0.0156	0.00690	0.00490	0.00150	0.0289
MW-20	Well Installed 11/22/2006					
MW-20	11/28/06	15.7	0.104	0.875	0.665	17.344
MW-20	03/28/07	20.7	1.39	1.61	1.272	25.0
MW-20	06/20/07	20.17	<0.0500	1.624	0.409	22.20
MW-20	09/19/07	31.67	<0.1000	1.850	1.850	35.37
MW-20	12/05/07	31.41	<0.2000	1.749	1.749	34.91
MW-20	03/11/08	38.9	<0.200	2.17	1.24	42.3
MW-20	06/20/08	30.7	<0.200	1.61	0.278	32.6
MW-20	08/21/08	31.0	<0.100	1.74	0.325	33.1
MW-20	11/18/08	27.3	<0.100	1.72	0.276	29.3
MW-20	03/03/09	18.2	<0.0500	1.610	0.671	20.5
MW-20	06/24/09	15.5	0.516	1.27	1.09	18.4
MW-20	08/12/09	21.1	1.14	1.65	1.46	25.4
MW-20	11/18/09	23.9	2.22	1.48	1.14	28.7
MW-20	02/16/10	24.0	4.20	1.68	1.95	31.8
MW-20	06/03/10	18.4	2.26	1.36	1.16	23.2
MW-20	09/21/10	Not Sampled Due to Presence of Phase Separated Hydrocarbons				
MW-21	Well Installed 12/05/2007					
MW-21	12/05/07	0.0590	0.0033	0.0040	<0.00200	0.0663
MW-21	03/11/08	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500
MW-21	06/20/08	0.0511	<0.00100	<0.00100	<0.00100	0.0511
MW-21	08/21/08	0.849	<0.0200	<0.0200	0.0238	0.873
MW-21	11/18/08	1.22	0.0253	0.222	0.0469	1.51
MW-21	03/03/09	1.42	<0.0200	0.724	0.0372	2.18



TABLE 2
SUMMARY OF BTEX GROUNDWATER ANALYTICAL DATA
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE - SRS# 2003-00017
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO
TALON/LPE PROJECT NUMBER 700376.052.01

All concentrations are in mg/L

Sample Location	Sample Date	Benzene	Toluene	Ethyl benzene	Xylene	Total BTEX
MW-21	06/24/09	0.834	<0.0200	0.486	<0.0200	1.320
MW-21	08/12/09	0.454	<0.0200	0.282	0.190	0.926
MW-21	11/18/09	0.862	<0.0200	0.360	<0.0200	1.222
MW-21	02/16/10	2.10	<0.00200	0.510	<0.0200	2.61
MW-21	06/03/10	3.47	<0.00200	0.471	<0.0200	3.94
MW-21	09/21/10	6.64	<0.00200	0.892	0.058	7.59
MW-22	Well Installed 12/05/2007					
MW-22	12/05/07	0.1621	0.0028	<0.0010	0.0040	0.1689
MW-22	03/11/08	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100
MW-22	06/20/08	0.00450	<0.00100	<0.00100	0.00100	0.00550
MW-22	08/21/08	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100
MW-22	11/18/08	0.0148	<0.00100	<0.00100	<0.00100	0.0148
MW-22	03/03/09	0.00160	<0.00100	<0.00100	0.00100	0.0016
MW-22	06/24/09	0.00660	<0.00100	0.00570	0.0294	0.04170
MW-22	08/12/09	<0.00100	<0.00100	<0.00100	0.0163	0.0163
MW-22	11/18/09	0.00210	<0.00100	0.00500	0.00130	0.00840
MW-22	02/16/10	0.03300	<0.00100	0.05430	<0.00100	0.08730
MW-22	06/03/10	0.869	<0.00100	0.228	<0.00100	1.097
MW-22	09/21/10	2.410	<0.0100	0.363	0.02750	2.801
MW-23	Well Installed 03/17/2008					
MW-23	03/25/08	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100
MW-23	06/20/08	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100
MW-23	08/21/08	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100
MW-23	11/18/08	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100
MW-23	03/04/09	0.00560	<0.00100	<0.00100	<0.00100	0.0056
MW-23	06/24/09	0.00510	<0.00100	<0.00100	<0.00100	0.0051
MW-23	08/12/09	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100
MW-23	11/18/09	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100
MW-23	02/16/10	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100
MW-23	06/03/10	0.00360	0.00230	<0.00100	<0.00100	0.00590
MW-23	09/21/10	<0.00100	0.0018	<0.00100	<0.00100	0.0018
MW-24	Well Installed 03/17/2008					



TABLE 2
SUMMARY OF BTEX GROUNDWATER ANALYTICAL DATA
PLAINS PIPELINE, L.P.
HOBBS JUNCTION MAINLINE - SRS# 2003-00017
NMOCD REF. # AP-054
LEA COUNTY, NEW MEXICO
TALON/LPE PROJECT NUMBER 700376.052.01

All concentrations are in mg/L

Sample Location	Sample Date	Benzene	Toluene	Ethyl benzene	Xylene	Total BTEX
MW-24	03/25/08	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100
MW-24	06/20/08	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100
MW-24	08/21/08	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500
MW-24	11/18/08	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100
MW-24	03/04/09	0.00570	<0.00100	0.00250	0.00140	0.00960
MW-24	06/24/09	0.00590	<0.00100	<0.00100	<0.00100	0.0059
MW-24	08/12/09	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100
MW-24	11/18/09	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100
MW-24	02/16/10	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100
MW-24	06/03/10	0.00290	0.00180	<0.00100	<0.00100	0.00470
MW-24	09/20/10	Not sampled - well not found				
Klein Irrigation Well	10/31/03	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
	11/08/04	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
	03/31/05	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
	06/09/06	<0.00100	<0.00100	<0.00100	<0.00200	<0.00200
NMWQCC Remedial Limits		0.010	0.750	0.750	0.620	NA

¹ **Bolded** values are in excess of the NMWQCC Remediation Thresholds

BTEX analyzed by EPA Method 8021B

Appendix C

Laboratory Analytical Data Reports and Chain of Custody Documentation

Summary Report

Steve Killingsworth
Talon LPE-Midland
2901 State Highway 349
Midland, TX 79706

Report Date: September 28, 2010

Work Order: 10092212



Project Location: Hobbs, NM
Project Name: Hobbs Junction Mainline
Project Number: 700376.052.01

Sample	Description	Matrix	Date Taken	Time Taken	Date Received
245371	MW 7	water	2010-09-21	10:45	2010-09-22
245372	MW 8	water	2010-09-21	10:55	2010-09-22
245373	MW 9	water	2010-09-21	10:30	2010-09-22
245374	MW 13	water	2010-09-21	12:45	2010-09-22
245375	MW 18	water	2010-09-21	12:30	2010-09-22
245376	MW 19	water	2010-09-21	12:05	2010-09-22
245377	MW 21	water	2010-09-21	11:35	2010-09-22
245378	MW 22	water	2010-09-21	11:50	2010-09-22
245379	MW 23	water	2010-09-21	11:25	2010-09-22

Sample - Field Code	BTEX			
	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Xylene (mg/L)
245371 - MW 7	<0.00100	<0.00100	<0.00100	<0.00100
245372 - MW 8	0.00660	<0.00100	<0.00100	<0.00100
245373 - MW 9	<0.00100	<0.00100	<0.00100	<0.00100
245374 - MW 13	<0.00100	<0.00100	<0.00100	<0.00100
245375 - MW 18	<0.00100	<0.00100	<0.00100	<0.00100
245376 - MW 19	0.0156	0.00690	0.00490	0.00150
245377 - MW 21	6.64	<0.0200	0.892	0.0583
245378 - MW 22	2.41	<0.0100	0.363	0.0275
245379 - MW 23	<0.00100	0.00180	<0.00100	<0.00100



6701 Aberdeen Avenue, Suite 9 Lubbock, Texas 79424 800•378•1296 806•794•1296 FAX 806•794•1298
200 East Sunset Road, Suite E El Paso, Texas 79922 888•588•3443 915•585•3443 FAX 915•585•4944
5002 Basin Street, Suite A1 Midland, Texas 79703 432•689•6301 FAX 432•689•6313
6015 Harris Parkway, Suite 110 Ft. Worth, Texas 76132 817•201•5260
E-Mail: lab@traceanalysis.com

Certifications

WBENC: 237019

HUB: 1752439743100-86536
NCTRCA WFWB38444Y0909

DBE: VN 20657

NELAP Certifications

Lubbock: T104704219-08-TX
LELAP-02003
Kansas E-10317

El Paso: T104704221-08-TX
LELAP-02002

Midland: T104704392-08-TX

Analytical and Quality Control Report

Steve Killingsworth
Talon LPE-Midland
2901 State Highway 349
Midland, TX, 79706

Report Date: September 28, 2010

Work Order: 10092212



Project Location: Hobbs, NM
Project Name: Hobbs Junction Mainline
Project Number: 700376.052.01

Enclosed are the Analytical Report and Quality Control Report for the following sample(s) submitted to TraceAnalysis, Inc.

Sample	Description	Matrix	Date Taken	Time Taken	Date Received
245371	MW 7	water	2010-09-21	10:45	2010-09-22
245372	MW 8	water	2010-09-21	10:55	2010-09-22
245373	MW 9	water	2010-09-21	10:30	2010-09-22
245374	MW 13	water	2010-09-21	12:45	2010-09-22
245375	MW 18	water	2010-09-21	12:30	2010-09-22
245376	MW 19	water	2010-09-21	12:05	2010-09-22
245377	MW 21	water	2010-09-21	11:35	2010-09-22
245378	MW 22	water	2010-09-21	11:50	2010-09-22
245379	MW 23	water	2010-09-21	11:25	2010-09-22

These results represent only the samples received in the laboratory. The Quality Control Report is generated on a batch basis. All information contained in this report is for the analytical batch(es) in which your sample(s) were analyzed.

This report consists of a total of 10 pages and shall not be reproduced except in its entirety, without written approval of TraceAnalysis, Inc.



Dr. Blair Leftwich, Director
Dr. Michael Abel, Project Manager

Standard Flags

B - The sample contains less than ten times the concentration found in the method blank.

Case Narrative

Samples for project Hobbs Junction Mainline were received by TraceAnalysis, Inc. on 2010-09-22 and assigned to work order 10092212. Samples for work order 10092212 were received intact without headspace and at a temperature of 1.7 C.

Samples were analyzed for the following tests using their respective methods.

Test	Method	Prep Batch	Prep Date	QC Batch	Analysis Date
BTEX	S 8021B	63332	2010-09-24 at 12:15	73877	2010-09-24 at 23:02

Results for these samples are reported on a wet weight basis unless data package indicates otherwise.

A matrix spike (MS) and matrix spike duplicate (MSD) sample is chosen at random from each preparation batch. The MS and MSD will indicate if a site specific matrix problem is occurring, however, it may not pertain to the samples for work order 10092212 since the sample was chosen at random. Therefore, the validity of the analytical data reported has been determined by the laboratory control sample (LCS) and the method blank (MB). These quality control measures are performed with each preparation batch to ensure data integrity.

All other exceptions associated with this report have been footnoted on the appropriate analytical page to assist in general data comprehension. Please contact the laboratory directly if there are any questions regarding this project.

Report Date: September 28, 2010
700376.052.01

Work Order: 10092212
Hobbs Junction Mainline

Page Number: 4 of 10
Hobbs, NM

Analytical Report

Sample: 245371 - MW 7

Laboratory: Midland
Analysis: BTEX
QC Batch: 73877
Prep Batch: 63332

Analytical Method: S 8021B
Date Analyzed: 2010-09-24
Sample Preparation: 2010-09-24

Prep Method: S 5030B
Analyzed By: AG
Prepared By: AG

Parameter	Flag	RL Result	Units	Dilution	RL
Benzene		<0.00100	mg/L	1	0.00100
Toluene		<0.00100	mg/L	1	0.00100
Ethylbenzene		<0.00100	mg/L	1	0.00100
Xylene		<0.00100	mg/L	1	0.00100

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)		0.0894	mg/L	1	0.100	89	66.2 - 107
4-Bromofluorobenzene (4-BFB)		0.0862	mg/L	1	0.100	86	39 - 138

Sample: 245372 - MW 8

Laboratory: Midland
Analysis: BTEX
QC Batch: 73877
Prep Batch: 63332

Analytical Method: S 8021B
Date Analyzed: 2010-09-24
Sample Preparation: 2010-09-24

Prep Method: S 5030B
Analyzed By: AG
Prepared By: AG

Parameter	Flag	RL Result	Units	Dilution	RL
Benzene		0.00660	mg/L	1	0.00100
Toluene		<0.00100	mg/L	1	0.00100
Ethylbenzene		<0.00100	mg/L	1	0.00100
Xylene		<0.00100	mg/L	1	0.00100

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)		0.0921	mg/L	1	0.100	92	66.2 - 107
4-Bromofluorobenzene (4-BFB)		0.0862	mg/L	1	0.100	86	39 - 138

Sample: 245373 - MW 9

Laboratory: Midland
Analysis: BTEX
QC Batch: 73877
Prep Batch: 63332

Analytical Method: S 8021B
Date Analyzed: 2010-09-24
Sample Preparation: 2010-09-24

Prep Method: S 5030B
Analyzed By: AG
Prepared By: AG

Report Date: September 28, 2010
700376.052.01

Work Order: 10092212
Hobbs Junction Mainline

Page Number: 5 of 10
Hobbs, NM

Parameter	Flag	RL Result	Units	Dilution	RL
Benzene		<0.00100	mg/L	1	0.00100
Toluene		<0.00100	mg/L	1	0.00100
Ethylbenzene		<0.00100	mg/L	1	0.00100
Xylene		<0.00100	mg/L	1	0.00100

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)		0.0884	mg/L	1	0.100	88	66.2 - 107
4-Bromofluorobenzene (4-BFB)		0.0856	mg/L	1	0.100	86	39 - 138

Sample: 245374 - MW 13

Laboratory: Midland

Analysis: BTEX

QC Batch: 73877

Prep Batch: 63332

Analytical Method: S 8021B

Date Analyzed: 2010-09-24

Sample Preparation: 2010-09-24

Prep Method: S 5030B

Analyzed By: AG

Prepared By: AG

Parameter	Flag	RL Result	Units	Dilution	RL
Benzene		<0.00100	mg/L	1	0.00100
Toluene		<0.00100	mg/L	1	0.00100
Ethylbenzene		<0.00100	mg/L	1	0.00100
Xylene		<0.00100	mg/L	1	0.00100

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)		0.0885	mg/L	1	0.100	88	66.2 - 107
4-Bromofluorobenzene (4-BFB)		0.0856	mg/L	1	0.100	86	39 - 138

Sample: 245375 - MW 18

Laboratory: Midland

Analysis: BTEX

QC Batch: 73877

Prep Batch: 63332

Analytical Method: S 8021B

Date Analyzed: 2010-09-24

Sample Preparation: 2010-09-24

Prep Method: S 5030B

Analyzed By: AG

Prepared By: AG

Parameter	Flag	RL Result	Units	Dilution	RL
Benzene		<0.00100	mg/L	1	0.00100
Toluene		<0.00100	mg/L	1	0.00100
Ethylbenzene		<0.00100	mg/L	1	0.00100
Xylene		<0.00100	mg/L	1	0.00100

Report Date: September 28, 2010
700376.052.01

Work Order: 10092212
Hobbs Junction Mainline

Page Number: 6 of 10
Hobbs, NM

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)		0.0902	mg/L	1	0.100	90	66.2 - 107
4-Bromofluorobenzene (4-BFB)		0.0880	mg/L	1	0.100	88	39 - 138

Sample: 245376 - MW 19

Laboratory: Midland
Analysis: BTEX
QC Batch: 73877
Prep Batch: 63332

Analytical Method: S 8021B
Date Analyzed: 2010-09-24
Sample Preparation: 2010-09-24

Prep Method: S 5030B
Analyzed By: AG
Prepared By: AG

Parameter	Flag	RL Result	Units	Dilution	RL
Benzene		0.0156	mg/L	1	0.00100
Toluene		0.00690	mg/L	1	0.00100
Ethylbenzene		0.00490	mg/L	1	0.00100
Xylene		0.00150	mg/L	1	0.00100

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)		0.0873	mg/L	1	0.100	87	66.2 - 107
4-Bromofluorobenzene (4-BFB)		0.0871	mg/L	1	0.100	87	39 - 138

Sample: 245377 - MW 21

Laboratory: Midland
Analysis: BTEX
QC Batch: 73877
Prep Batch: 63332

Analytical Method: S 8021B
Date Analyzed: 2010-09-24
Sample Preparation: 2010-09-24

Prep Method: S 5030B
Analyzed By: AG
Prepared By: AG

Parameter	Flag	RL Result	Units	Dilution	RL
Benzene		6.64	mg/L	20	0.00100
Toluene		<0.0200	mg/L	20	0.00100
Ethylbenzene		0.892	mg/L	20	0.00100
Xylene		0.0583	mg/L	20	0.00100

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)		1.84	mg/L	20	2.00	92	66.2 - 107
4-Bromofluorobenzene (4-BFB)		1.79	mg/L	20	2.00	90	39 - 138

Report Date: September 28, 2010
700376.052.01

Work Order: 10092212
Hobbs Junction Mainline

Page Number: 7 of 10
Hobbs, NM

Sample: 245378 - MW 22

Laboratory: Midland
Analysis: BTEX
QC Batch: 73877
Prep Batch: 63332

Analytical Method: S 8021B
Date Analyzed: 2010-09-24
Sample Preparation: 2010-09-24

Prep Method: S 5030B
Analyzed By: AG
Prepared By: AG

Parameter	Flag	RL Result	Units	Dilution	RL
Benzene		2.41	mg/L	10	0.00100
Toluene		<0.0100	mg/L	10	0.00100
Ethylbenzene		0.363	mg/L	10	0.00100
Xylene		0.0275	mg/L	10	0.00100

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)		0.853	mg/L	10	1.00	85	66.2 - 107
4-Bromofluorobenzene (4-BFB)		0.857	mg/L	10	1.00	86	39 - 138

Sample: 245379 - MW 23

Laboratory: Midland
Analysis: BTEX
QC Batch: 73877
Prep Batch: 63332

Analytical Method: S 8021B
Date Analyzed: 2010-09-24
Sample Preparation: 2010-09-24

Prep Method: S 5030B
Analyzed By: AG
Prepared By: AG

Parameter	Flag	RL Result	Units	Dilution	RL
Benzene		<0.00100	mg/L	1	0.00100
Toluene		0.00180	mg/L	1	0.00100
Ethylbenzene		<0.00100	mg/L	1	0.00100
Xylene		<0.00100	mg/L	1	0.00100

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)		0.0880	mg/L	1	0.100	88	66.2 - 107
4-Bromofluorobenzene (4-BFB)		0.0869	mg/L	1	0.100	87	39 - 138

Method Blank (1) QC Batch: 73877

QC Batch: 73877
Prep Batch: 63332

Date Analyzed: 2010-09-24
QC Preparation: 2010-09-24

Analyzed By: AG
Prepared By: AG

Report Date: September 28, 2010
700376.052.01

Work Order: 10092212
Hobbs Junction Mainline

Page Number: 8 of 10
Hobbs, NM

Parameter	Flag	MDL Result	Units	RL
Benzene		<0.000400	mg/L	0.001
Toluene		<0.000800	mg/L	0.001
Ethylbenzene		<0.000400	mg/L	0.001
Xylene		<0.000400	mg/L	0.001

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)		0.0940	mg/L	1	0.100	94	61.8 - 106
4-Bromofluorobenzene (4-BFB)		0.0899	mg/L	1	0.100	90	48.5 - 129

Laboratory Control Spike (LCS-1)

QC Batch: 73877
Prep Batch: 63332

Date Analyzed: 2010-09-24
QC Preparation: 2010-09-24

Analyzed By: AG
Prepared By: AG

Param	LCS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
Benzene	0.0946	mg/L	1	0.100	<0.000400	95	80.7 - 117
Toluene	0.0917	mg/L	1	0.100	<0.000800	92	80.5 - 117
Ethylbenzene	0.0938	mg/L	1	0.100	<0.000400	94	79.2 - 117
Xylene	0.279	mg/L	1	0.300	<0.000400	93	74.1 - 120

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	LCSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
Benzene	0.0917	mg/L	1	0.100	<0.000400	92	80.7 - 117	3	20
Toluene	0.0952	mg/L	1	0.100	<0.000800	95	80.5 - 117	4	20
Ethylbenzene	0.0971	mg/L	1	0.100	<0.000400	97	79.2 - 117	3	20
Xylene	0.284	mg/L	1	0.300	<0.000400	95	74.1 - 120	2	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Surrogate	LCS Result	LCSD Result	Units	Dil.	Spike Amount	LCS Rec.	LCSD Rec.	Rec. Limit
Trifluorotoluene (TFT)	0.0964	0.0916	mg/L	1	0.100	96	92	72.5 - 126
4-Bromofluorobenzene (4-BFB)	0.0915	0.0894	mg/L	1	0.100	92	89	48.3 - 135

Matrix Spike (MS-1) Spiked Sample: 245378

QC Batch: 73877
Prep Batch: 63332

Date Analyzed: 2010-09-24
QC Preparation: 2010-09-24

Analyzed By: AG
Prepared By: AG

Report Date: September 28, 2010
700376.052.01

Work Order: 10092212
Hobbs Junction Mainline

Page Number: 9 of 10
Hobbs, NM

Param	MS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
Benzene	3.39	mg/L	10	1.00	2.4107	98	60.9 - 132
Toluene	0.899	mg/L	10	1.00	<0.00800	90	65.7 - 129
Ethylbenzene	1.29	mg/L	10	1.00	0.3634	93	51.5 - 134
Xylene	2.72	mg/L	10	3.00	0.0275	90	62.6 - 124

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	MSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
Benzene	3.32	mg/L	10	1.00	2.4107	91	60.9 - 132	2	20
Toluene	0.909	mg/L	10	1.00	<0.00800	91	65.7 - 129	1	20
Ethylbenzene	1.30	mg/L	10	1.00	0.3634	94	51.5 - 134	1	20
Xylene	2.79	mg/L	10	3.00	0.0275	92	62.6 - 124	2	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Surrogate	MS Result	MSD Result	Units	Dil.	Spike Amount	MS Rec.	MSD Rec.	Rec. Limit
Trifluorotoluene (TFT)	0.841	0.861	mg/L	10	1	84	86	75.1 - 117
4-Bromofluorobenzene (4-BFB)	0.863	0.888	mg/L	10	1	86	89	31.3 - 143

Standard (CCV-1)

QC Batch: 73877

Date Analyzed: 2010-09-24

Analyzed By: AG

Param	Flag	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Benzene		mg/L	0.100	0.0891	89	80 - 120	2010-09-24
Toluene		mg/L	0.100	0.0902	90	80 - 120	2010-09-24
Ethylbenzene		mg/L	0.100	0.0922	92	80 - 120	2010-09-24
Xylene		mg/L	0.300	0.276	92	80 - 120	2010-09-24

Standard (CCV-2)

QC Batch: 73877

Date Analyzed: 2010-09-24

Analyzed By: AG

Param	Flag	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Benzene		mg/L	0.100	0.0903	90	80 - 120	2010-09-24
Toluene		mg/L	0.100	0.0916	92	80 - 120	2010-09-24
Ethylbenzene		mg/L	0.100	0.0937	94	80 - 120	2010-09-24
Xylene		mg/L	0.300	0.280	93	80 - 120	2010-09-24

Report Date: September 28, 2010
700376.052.01

Work Order: 10092212
Hobbs Junction Mainline

Page Number: 10 of 10
Hobbs, NM

Standard (CCV-3)

QC Batch: 73877

Date Analyzed: 2010-09-24

Analyzed By: AG

Param	Flag	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Benzene		mg/L	0.100	0.0890	89	80 - 120	2010-09-24
Toluene		mg/L	0.100	0.0900	90	80 - 120	2010-09-24
Ethylbenzene		mg/L	0.100	0.0919	92	80 - 120	2010-09-24
Xylene		mg/L	0.300	0.273	91	80 - 120	2010-09-24

TraceAnalysis, Inc.

6701 Aberdeen Avenue, Suite 9
Lubbock, Texas 79424
Tel (806) 794-1296
Fax (806) 794-1298
1 (800) 378-1296

5002 Basin Street, Suite A1
Midland, Texas 79703
Tel (432) 689-6301
Fax (432) 689-6313

200 East Sunset Rd., Suite E
El Paso, Texas 79922
Tel (915) 585-3443
Fax (915) 585-4944
1 (888) 588-3443

email: lab@traceanalysis.com

Company Name: **Talon LPE** Phone #: **432-522-2133**

Address: **2701 S. Hwy 349, Midland** Fax #: **432-522-2180**

Contact Person: **Killingworth skillingworth@talonlpe.com** E-mail:

Invoice to: **Plains District SRS # 100376.052.01**

(If different from above)

Project #: **700376.052.01** Project Name: **Hobbs JCF Midland**

Project Location (including state): **Hobbs NM** Sampler Signature: **[Signature]**

ANALYSIS REQUEST (Circle or Specify Method No.)

MTBE 8021 / 602 / 8260 / 624	TPH 418.1 / TX1005 / TX1005 Ex(C35)	TPH 8015 GRO / DRO / TVHC	PAH 8270 / 625	Total Metals Ag As Ba Cd Cr Pb Se Hg 6010/200.7	TCLP Metals Ag As Ba Cd Cr Pb Se Hg	TCLP Volatiles	TCLP Semi Volatiles	TCLP Pesticides	RCI	GC/MS Vol. 8260 / 624	GC/MS Semi. Vol. 8270 / 625	PCBs 8082 / 608	Pesticides 8081 / 608	BOD, TSS, pH	Moisture Content	Cl, FI, S04, NO3, NO2, Alkalinity	Na, Ca, Mg, K, TDS, EC	Turn Around Time if different from standard	Hold
------------------------------	-------------------------------------	---------------------------	----------------	---	-------------------------------------	----------------	---------------------	-----------------	-----	-----------------------	-----------------------------	-----------------	-----------------------	--------------	------------------	-----------------------------------	------------------------	---	------

LAB # (LAB USE ONLY)	FIELD CODE	# CONTAINERS	Volume / Amount	MATRIX				PRESERVATIVE METHOD						SAMPLING	
				WATER	SOIL	AIR	SLUDGE	HCl	HNO ₃	H ₂ SO ₄	NaOH	ICE	NONE	DATE	TIME
245371	MW 7	3		X				X					X	9-21-10	1045
372	MW 8	1													1055
373	MW 9	1													1030
374	MW 13	1													1245
375	MW 18	1													1230
376	MW 19	1													1205
377	MW 21	1													1135
378	MW 22	1													1150
379	MW 23	1													1125

REMARKS: **all tests - Midland**

LAB USE ONLY

Intact ☒ N

Headspace ☒ N

Log-in-Review ☐

Dry Weight Basis Required ☐

TRRP Report Required ☐

Check If Special Reporting Limits Are Needed ☐

Relinquished by: **SKillingworth** Date: **9/22/10** Time: **10:15** Company: **Trace**

Relinquished by: **Trace** Date: **9/22/10** Time: **10:15** Company: **Trace**

Relinquished by: **Trace** Date: **9/22/10** Time: **10:15** Company: **Trace**

Submittal of samples constitutes agreement to Terms and Conditions listed on reverse side of C. O. C.

ORIGINAL COPY

Carrier # **Carry**