

Bratcher, Mike, EMNRD

From: Bratcher, Mike, EMNRD
Sent: Thursday, April 28, 2011 11:30 AM
To: 'Isaac Kincaid'; 'James Tinney'
Cc: scontreras@sesi-nm.com; 'Bob Allen'; 'Susana Rodriguez'
Subject: RE: Palmillo

Isaac,

In reviewing what OCD has on file regarding this release, I do not see where a C-141 was ever submitted to OCD and have no record that OCD was notified of the release. The C-141 that is with the work plan indicates I was notified on 3/13/11 at 12:00 noon. 3/13/was a Sunday. I keep fairly accurate records on messages left at my extension, and have no record of this notification. As for the C-141, I can use the copy that was included with the Delineation Report/Work Plan you presented to OCD yesterday, however, if a better copy is available, please send.

OCD will require the site to be delineated for contaminants, horizontal and vertical. Per OCD Guidelines, if the site ranking is 0, the RRAL for TPH would be 5000 mg/kg. Any excavation/remedial requirements will be based on the delineation results and the site ranking.

If you have any questions or concerns, please contact me. Also, please advise if there is a better copy of the C-141 available.

MIKE BRATCHER

NMOCD District 2
1301 W. Grand Ave.
Artesia, NM 88210
575-748-1283 Ext.108
575-626-0857
mike.bratcher@state.nm.us

From: Isaac Kincaid [<mailto:ikincaid@sesi-nm.com>]
Sent: Wednesday, April 27, 2011 3:07 PM
To: Bratcher, Mike, EMNRD; 'James Tinney'
Cc: scontreras@sesi-nm.com; 'Bob Allen'; 'Susana Rodriguez'
Subject: Palmillo

Mr. Bratcher,

This letter is in regards to our conversation this morning on the Cimarex Palmillo State #2. In the conversation you had denied the previous work plan due high TPH (total petroleum hydrocarbons). The work plan stated to excavate the top 1'bgs and haul contaminated soils. You have suggested that the most highly contaminated soils needs to be excavated to a depth of minimal 3'bgs and anything over 5,000 PPM TPH needs to be removed vertically and horizontally including inside the battery area around the tanks.

SESI will submit a revised hard copy of work plan in the mail.

If this is correct please respond to the email for SESI records.

Thank You

Isaac Kincaid

Environmental Consultant
Safety & Environmental Solutions Inc
575-390-8841 ikincaid@sesi-nm.com
www.sesi-nm.com