



NEW MEXICO ENERGY, MINERALS
& NATURAL RESOURCES DEPARTMENT

OIL CONSERVATION DIVISION
2040 South Pacheco Street
Santa Fe, New Mexico 87505
(505) 827-7131

ADMINISTRATIVE ORDER NO. PMX-187

***APPLICATION OF SOUTHWEST ROYALTIES, INC. TO EXPAND ITS PRESSURE
MAINTENANCE PROJECT IN THE SCARBOROUGH YATES-SEVEN RIVERS POOL IN
LEA COUNTY, NEW MEXICO***

**ADMINISTRATIVE ORDER
OF THE OIL CONSERVATION DIVISION**

Under the provisions of Division Order No. R-6277, Southwest Royalties, Inc. has made application to the Division on April 10, 1997 for permission to expand its Scarborough Yates-Seven Rivers Pressure Maintenance Project in the Scarborough Yates-Seven Rivers Pool in Lea County, New Mexico.

THE DIVISION DIRECTOR FINDS THAT:

- (1) The application has been filed in due form.
- (2) Satisfactory information has been provided that all offset operators have been duly notified of the application.
- (3) No objection has been received within the waiting period as prescribed by Rule 701(B).
- (4) The proposed injection well is eligible for conversion to injection under the terms of Rule 701.
- (5) The proposed expansion of the above referenced pressure maintenance project will not cause waste nor impair correlative rights.
- (6) The application should be approved.

IT IS THEREFORE ORDERED THAT:

The applicant, Southwest Royalties, Inc., be and the same is hereby authorized to inject water into the Seven Rivers formation at approximately 3219 feet to approximately 3245 feet through 4 1/2-inch plastic lined tubing set in a packer located at approximately 3000 feet in the following described well for purposes of pressure maintenance to wit:

Eaves 'A' Well No.12 (API No.30-025-12079)
660' FNL & 1980' FWL
Section 30, Township 26 South, Range 37 East, NMPM,\
Lea County, New Mexico
Maximum Injection Pressure: 644 psig

IT IS FURTHER ORDERED THAT:

The Eaves 'A' Well No.2, previously permitted for injection by Division Order SWD-547, shall be made part of the subject pressure maintenance project and Order SWD-547 is hereby placed in abeyance.

The operator shall take all steps necessary to ensure that the injected water enters only the proposed injection interval and is not permitted to escape to other formations or onto the surface.

Prior to commencing injection operations into the well, the casing shall be pressure tested from the surface to the packer setting depth to assure the integrity of said casing.

The casing-tubing annulus shall be loaded with an inert fluid and equipped with a pressure gauge at the surface or left open to the atmosphere to facilitate detection of leakage in the casing, tubing or packer.

The injection well or system shall be equipped with a pressure limiting device which will limit the wellhead pressure on the injection well to no more than .2 psi per foot to the uppermost injection perforation or open-hole interval.

The Director of the Division may authorize an increase in injection pressure upon a proper showing by the operator of said well that such higher pressure will not result in migration of the injected fluid from the Seven Rivers formation. Such proper showing shall consist of a valid step-rate test run in accordance with and acceptable to this office.

The operator shall notify the supervisor of the Hobbs district office of the Division of the date and time of the installation of injection equipment and of the mechanical integrity tests so that the same may be inspected and witnessed.

The operator shall immediately notify the supervisor of the Hobbs district office of the Division of the failure of the tubing, casing or packer in said well and shall take such steps as may be timely and necessary to correct such failure or leakage.

The subject well shall be governed by all provisions of Division Order No. R-6277, as amended and Rules 702-706 of the Division Rules and Regulations not inconsistent herewith.

PROVIDED FURTHER THAT, jurisdiction of this cause is hereby retained by the Division for the entry of such further order or orders as may be deemed necessary or convenient for the prevention of waste and/or protection of correlative rights; upon failure of the operator to conduct operations in a manner which will ensure the protection of fresh water or in a manner inconsistent with the requirements set forth in this order, the Division may, after notice and hearing, terminate the injection authority granted herein.

The injection authority granted herein shall terminate one year after the effective date of this order if the operator has not commenced injection operations into the subject well, provided however, the Division, upon written request by the operator, may grant an extension thereof for good cause shown.

DONE at Santa Fe, New Mexico, on this 4th day of May, 1997.

STATE OF NEW MEXICO
OIL CONSERVATION DIVISION


WILLIAM J. LEMAY
Director

S E A L

cc: Oil Conservation Division - Hobbs
Case File No. 6728
SWD-547