



NEW MEXICO ENERGY, MINERALS and NATURAL RESOURCES DEPARTMENT

GARY E. JOHNSON

Governor

Betty Rivera

Cabinet Secretary

Lori Wrotenberg

Director

Oil Conservation Division

AMENDED ADMINISTRATIVE ORDER SWD-812-B

APPLICATION OF XTO ENERGY INC. FOR SALT WATER DISPOSAL, SAN JUAN COUNTY, NEW MEXICO.

ADMINISTRATIVE ORDER OF THE OIL CONSERVATION DIVISION

Under the provisions of Rule 701(B), XTO Energy, Inc., made application to the New Mexico Oil Conservation Division on December 20, 2002, for permission to amend the existing salt water disposal permit on its Ashcroft No. 1 (API 30-045-30788) located 998 feet from the North line and 2114 feet from the East line (Unit B) of Section 26, Township 29 North, Range 11 West, NMPM, San Juan County, New Mexico.

THE DIVISION DIRECTOR FINDS THAT:

- (1) The application has been duly filed under the provisions of Rule 701(B) of the Division Rules and Regulations;
- (2) Satisfactory information has been provided that all offset operators and surface owners have been duly notified;
- (3) The applicant has presented satisfactory evidence that all requirements prescribed in Rule 701 will be met; and
- (4) No objections have been received within the waiting period prescribed by said rule.

IT IS THEREFORE ORDERED THAT:

XTO Energy, Inc., is hereby authorized to re-complete its Ashcroft No. 1 (API 30-045-30788) located 998 feet from the North line and 2114 feet from the East line (Unit B) of Section 26, Township 29 North, Range 11 West, NMPM, San Juan County, New Mexico, in such a manner as to permit the injection of produced water for disposal purposes into the **Bluff and Entrada** formations from approximate respective footages of **6,923 to 7,102 and 7220 to 7,385** through 2 7/8 inch plastic-lined tubing set in a packer located at approximately **6,850 feet**.

IT IS FURTHER ORDERED THAT:

The operator shall take all steps necessary to ensure that the injected water enters only the proposed injection interval and is not permitted to escape to other formations or onto the surface.

Prior to **perforating the additional Bluff interval**, the casing shall be pressure tested from the surface to the packer setting depth to assure the integrity of said casing.

The casing-tubing annulus shall be loaded with an inert fluid and equipped with a pressure gauge at the surface or left open to the atmosphere to facilitate detection of leakage in the casing, tubing, or packer.

The injection well or system shall be equipped with a pressure limiting device which will limit the wellhead pressure on the injection well to **no more than 1385 psi**.

The Director of the Division may authorize an increase in injection pressure upon a proper showing by the operator of said well that such higher pressure will not result in migration of the injected fluid from the **Bluff and Entrada formations**. Such proper showing shall consist of a valid step-rate test run in accordance with and acceptable to this office.

The operator shall notify the supervisor of the Aztec district office of the Division of the date and time of the installation of disposal equipment and of any mechanical integrity test so that the same may be inspected and witnessed.

The operator shall immediately notify the supervisor of the Aztec district office of the Division of the failure of the tubing, casing, or packer in said well and shall take such steps as may be timely and necessary to correct such failure or leakage.


PROVIDED FURTHER THAT, jurisdiction is retained by the Division for the entry of such further orders as may be necessary for the prevention of waste and/or protection of correlative rights or upon failure of the operator to conduct operations (1) to protect fresh water or (2) consistent with the requirements in this order, whereupon the Division may, after notice and hearing, terminate the injection authority granted herein.

The operator shall submit monthly reports of the disposal operations on Division Form C-120-A, in accordance with Rule Nos. 706 and 1120 of the Division Rules and Regulations.

The injection authority granted herein shall terminate one year after the effective date of this order if the operator has not commenced injection operations into the subject well, provided however, the Division, upon written request by the operator, may grant an extension thereof for good cause shown.

Amended Administrative Order SWD-812-B
XTO Energy, Inc.
December 20, 2002
Page 3

Approved at Santa Fe, New Mexico, on this **20th day of December 2002.**

A handwritten signature in cursive script, reading "Lori Wrotenbery" with a stylized flourish at the end.

LORI WROTENBERY, Director

LW/wvjj

cc: Oil Conservation Division – Aztec