

New Mexico Office of the State Engineer

Water Column/Average Depth to Water

(A CLW#### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)

(R=POD has been replaced, O=orphaned, C=the file is

closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest)

(NAD83 UTM in meters)

(In feet)

		POD Sub-		0 0	o							V	/ater
POD Number	Code	basin	County	64 16	4	Sec	Tws	Rng	X	Y	DepthWellDep		
C 00364	C	CUB	ED	i	2	09	24S	27E	575997	3567043* 🍪	2270		
C 00821		С	ED	3	2	09	248	27E	575996	3566635*	97	50	47
C 00850		С	ED	2	3	09	24S	27E	575595	3566223*	108	35	73

Average Depth to Water:

42 feet

Minimum Depth:

35 feet

Maximum Depth:

50 feet

Record Count: 3

PLSS Search:

Section(s): 9

Township: 24S

Range: 27E

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

11/30/18 10:10 AM

^{*}UTM location was derived from PLSS - see Help



C 01452

New Mexico Office of the State Engineer

Water Column/Average Depth to Water

(A CLW##### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)

(R=POD has been replaced, O=orphaned, C=the file is

closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest)

(NAD83 UTM in meters)

(In feet)

POD Number

Sub-Code

POD

QQQ basin County 64 16 4 Sec Tws Rng 22 24S 27E

X 577435 3563175*

Water DepthWellDepthWater Column

Average Depth to Water:

70 feet

Minimum Depth:

70 feet

Maximum Depth:

70 feet

Record Count: 1

PLSS Search:

Section(s): 22

Township: 24S

Range: 27E

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, or suitability for any particular purpose of the data.

11/30/18 10:10 AM



New Mexico Office of the State Engineer Water Column/Average Depth to Water

(A CLW##### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)

(R=POD has been replaced, O=orphaned, C=the file is

closed)

Code

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest)

1 3 3 35 23S 27E

(NAD83 UTM in meters)

(In feet)

POD

C

Sub- Q Q Q basin County 64 16 4 Sec Tws Rng

X Y
578315 3569206*

DepthWellDepthWater Column 150 67 83

Average Depth to Water:

67 feet

Water

Minimum Depth:

67 feet

Maximum Depth:

67 feet

Record Count: 1

POD Number

C 03031

PLSS Search:

Section(s): 35

Township: 23S

Range: 27E

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

11/30/18 12:49 PM

^{*}UTM location was derived from PLSS - see Help



New Mexico Office of the State Engineer

Water Column/Average Depth to Water

(A CLW##### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)

(R=POD has been replaced, O=orphaned, C=the file is

closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest)

(NAD83 UTM in meters)

(In feet)

POD Number	Code	POD Sub-	Carrata	_	Q	_		There	D	v	V	Donald W. M.D. and		Vater .
N-900 2 (2000 LL)	Code		County						_	X	Y	DepthWellDepth	water Co	olumb
C 02976		С	ED	4	2	3	12	248	27E	580519	3566195*	57	27	30
C 03037		С	ED	4	3	4	12	24S	27E	580930	3565795*	116	25	91
C 03147		C	ED	3	3	3	12	24S	27E	579885	3565715 🚳	140		
C 03260 POD1		С	ED	3	3	3	12	24S	27E	579995	3565935 🍪	80	56	24
C 03260 POD2	0	С	ED	1	3	3	12	24S	27E	580100	3565984	80	56	24
C 03740 POD1		С	ED	4	4	4	12	24S	27E	581283	3565795	340		

Average Depth to Water:

41 feet

Minimum Depth:

25 feet

Maximum Depth:

56 feet

Record Count: 6

PLSS Search:

Section(s): 12

Township: 24S

Range: 27E

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

11/30/18 10:09 AM

^{*}UTM location was derived from PLSS - see Help



New Mexico Office of the State Engineer

Water Column/Average Depth to Water

(A CLW##### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)

(R=POD has been replaced, O=orphaned, C=the file is

closed)

(quarters are 1-NW 2-NE 3-SW 4-SE)

(quarters are smallest to largest)

(NAD83 UTM in meters)

(In feet)

POD Number	Code	Sub- basin	County	Q 64	_	-	Sec	Tws	Rng	x	Y	DepthWellDept		Vater olumn
C 00342	С	CUB	ED		4	1	13	24S	27E	580432	3565080*	2565		
C 00347		CUB	ED		1	1	13	24S	27E	580010	3565479* 🍪	60	30	30
C 01943		С	ED			1	13	24\$	27E	580221	3565275*	30	25	5
C 03145		С	ED	3	1	4	13	24S	27E	580749	3564579*	103	40	63

Average Depth to Water: 31 feet
Minimum Depth: 25 feet

Maximum Depth:

40 feet

Record Count: 4

PLSS Search:

Section(s): 13

Township: 24S

Range: 27E

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

11/30/18 10:10 AM

^{*}UTM location was derived from PLSS - see Help