

RESUME

Edward F. Hohos

511 Northmeadow Drive

Phone: 817-408-6662

Arlington, Texas 76011

e-mail: edw.hohos@sbcglobal.net

Visionary and results driven geoscientist with over 40 years of experience and success in exploration and exploitation of oil and gas reserves. Broad experience and strong base of knowledge used to support decisions. Experienced in Unconventional Gas and Oil Resource plays as well as tight sand reservoirs and fractured carbonates.

Selected Achievements:

- Drilled +/- 500 horizontal wells in the Fort Worth Basin with total estimated reserves of 1 TCFGE.
- Supervised a geo-technical group of 12 professionals who generated and drilled 50 wells per year with an annual budget of \$130 MM in the western Fort Worth Basin.
- Identified and developed the "Golden Lane" trend on northwestern Johnson County, Texas whose wells averaged in excess of 3 BCFG per well
- Discovered the Robertson Hill Ranch Field of Palo Pinto County, Texas whose wells IP'd in the 500 to 800 BO/D range.
- Described continuous cores from over 100 wells in the Appalachian that, if laid end to end, exceeded 15 miles in length.

Professional Experience:

November, 2010 to Present

Geological Consultant: Evaluated properties for acquisition in southern and western U.S. Generated and drilled prospects in the Permian and Fort Worth Basins, and north Louisiana. Initiated field rework programs in the Cretaceous of East Texas Basin, in the Penn and Permian carbonates of the northern Delaware Basin and the Penn carbonates and sands of the Fort



Worth Basin. Developed models to high grade "sweet spots" in the Barnett, Cline and Wolfcamp Shales. Specialized in Unconventional Shales and Fractured Carbonate.

January, 2005 to November, 2010

EOG Resources, Inc - Geological Advisor: Developed exploration models for Unconventional Shale Gas and Oil Reservoirs in the Fort Worth Basin using well data and 3-D seismic. Applied models to development drilling programs. Coordinated with land and engineering to locate, drill and complete large scale drilling programs. Mentored new geologists and interns.

March, 2000 to January, 2005

Comstock Resources, Inc. - Senior Geologist/Senior Geological Consultant: Helped develop Unconventional Gas project in New Albany Shale, Illinois Basin. Generated drilling prospects in east Texas and north Louisiana. Helped developed pilot project for gas Co-Production in Frio sands of Markham Field. Oversaw non-operated properties in Wyoming, Anadarko Basin, South Texas. Helped evaluate properties throughout the U.S. (both onshore and shallow water offshore, Gulf Coast) for purchase. Helped prepare year-end reserve numbers for independent audit.

January, 1989 to February, 2000

Petroleum Geologist/Consultant: Developed exploration plays on-shore Texas & La Gulf Coast using 2D & 3D seismic. Evaluated exploration plays and development projects for participation in east Texas and Texas & Louisiana Gulf Coasts. Evaluated properties for purchase throughout U.S. Helped prepare reserves for independent audits.

February, 1985 to January, 2000

Caspen Oil, Inc. - Vice President, Exploration and Acquisition: Acquired and managed Gulf Coast producing properties. Initiated exploration programs that developed four large scale projects in the Anadarko Basin and Gulf Coast regions.

Torrid Energy Company - President: Acquired and managed Gulf Coast producing oil properties. developed a marketing strategy and business plan that raised funds for a public stock offering

for a U.S. subsidiary of an international company. Arranged a three company merger of Torrid and two others into Caspen Oil, Inc.

April, 1981 to February, 1985

ARCO Exploration Company - Senior Geologist: Designed and supervised exploration programs to identify large scale plays in the Appalachian Thrust Belt and Black Warrior Basin. Developed yearly exploration budgets and made presentations to corporate management.

May, 1974 to April, 1981

Rochester and Pittsburgh Coal Company - Senior Geologist: Responsible for sub-surface exploration in Pennsylvania and western U.S. Helped initiate the first pilot project for Coal Bed Methane production. Duties included field mapping, supervising coring activities , core description and reserve evaluation .

Education: *B.S. Geology, Indiana University of Pennsylvania*
M.S. Geology, University of South Carolina
Ph.D Program University of South Carolina (Unfinished)

Advanced Training: *Eight In house Nautilus Training Field Courses, Numerous specialized short courses on geological & geophysical techniques.*

Skills: *Computer - Microsoft Word, Excel, Powerpoint, IHS Petra, Kingdom, DrillingInfo.com*

Geologic/Geophysical - *Unconventional oil and gas resource modeling; depositional modeling, sequence stratigraphic interpretation; reservoir modeling for secondary development; well log interpretation, tight gas sand expertise, evaluation of fractured reservoirs.*

Professional Societies:

American Association of Petroleum Geologists

Dallas Geological Society

Fort Worth Geological Society

Rocky Mountain Geological Society

West Texas Geological Society

Military Service:

United States Marine Corps: 1969 - 1971; Honorable Discharge

References:

Upon Request

RECEIVED:	REVIEWER:	TYPE:	APP NO:
-----------	-----------	-------	---------

ABOVE THIS TABLE FOR OCD DIVISION USE ONLY

NEW MEXICO OIL CONSERVATION DIVISION
 - Geological & Engineering Bureau -
 1220 South St. Francis Drive, Santa Fe, NM 87505



ADMINISTRATIVE APPLICATION CHECKLIST

THIS CHECKLIST IS MANDATORY FOR ALL ADMINISTRATIVE APPLICATIONS FOR EXCEPTIONS TO DIVISION RULES AND
 REGULATIONS WHICH REQUIRE PROCESSING AT THE DIVISION LEVEL IN SANTA FE

Applicant: Jay Management Company, LLC

OGRID Number: 247692

Well Name: G.S. State No. 1

API: 30-025-22811

Pool: North Bagley Permo Penn

Pool Code: N/A

**SUBMIT ACCURATE AND COMPLETE INFORMATION REQUIRED TO PROCESS THE TYPE OF APPLICATION
 INDICATED BELOW**

1) **TYPE OF APPLICATION:** Check those which apply for [A]

A. Location - Spacing Unit - Simultaneous Dedication

☐ NSL☐ NSP (PROJECT AREA)☐ NSP (PRORATION UNIT)☐ SD

B. Check one only for [I] or [II]

[I] Commingling - Storage - Measurement

☐ DHC☐ CTB☐ PLC☐ PC☐ OLS☐ OLM

[II] Injection - Disposal - Pressure Increase - Enhanced Oil Recovery

☐ WFX☐ PMX☒ SWD☐ IPI☐ EOR☐ PPR2) **NOTIFICATION REQUIRED TO:** Check those which apply.A. ☒ Offset operators or lease holdersB. ☐ Royalty, overriding royalty owners, revenue ownersC. ☒ Application requires published noticeD. ☒ Notification and/or concurrent approval by SLOE. ☐ Notification and/or concurrent approval by BLMF. ☐ Surface ownerG. ☐ For all of the above, proof of notification or publication is attached, and/or,H. ☐ No notice required**FOR OCD ONLY**☐ Notice Complete☐ Application
Content
Complete

3) **CERTIFICATION:** I hereby certify that the information submitted with this application for
 administrative approval is **accurate** and **complete** to the best of my knowledge. I also
 understand that **no action** will be taken on this application until the required information and
 notifications are submitted to the Division.

Note: Statement must be completed by an individual with managerial and/or supervisory capacity.

Jim Foster

Print or Type Name

10/20/18

Date

979-324-2139

Phone Number

jim@teamtimberwolf.com

e-mail Address

Signature

EXHIBIT**2**

tabbles

Affidavit of Publication


STATE OF NEW MEXICO
COUNTY OF LEA

I, Daniel Russell, Publisher of the Hobbs News-Sun, a newspaper published at Hobbs, New Mexico, solemnly swear that the clipping attached hereto was published in the regular and entire issue of said newspaper, and not a supplement thereof for a period of 1 issue(s).


Beginning with the issue dated
October 12, 2018
and ending with the issue dated
October 12, 2018.


Publisher

Sworn and subscribed to before me this
12th day of October 2018.


Business Manager

My commission expires
January 29, 2019



This newspaper is duly qualified to publish
legal notices or advertisements within the
meaning of Section 3, Chapter 167, Laws of
and payment of fees for said

LEGAL NOTICE OCTOBER 12, 2018

Public Notice for the G.S. State #1 (API: 30-025-22811)
Jay Management Company, LLC
1001 West Loop, Suite 750
Houston, Texas 77027
(713) 521-5785
Contact Party: Jim Foster (979) 324-2139

Jay Management intends to submit an injection permit for the above referenced well. The purpose of this injection permit is for disposal of produced water associated with oil and gas production activities. The well will be permitted as a commercial disposal well, injecting into the Pennsylvanian formation. The location of the well is 1,874 feet from the East Line and 2,086 feet from the North Line of Section 8, Township 11S, Range 33E, which is in the SW/4 of the NE/4 of the aforementioned section.

The formation name is the Pennsylvanian; injection intervals to be between a depth of 9,192' to 10,345'; a maximum injection rate of 8,000 barrels per day with maximum pressure of 1,200 PSI.

Interested parties must file objections or request a hearing with the Oil Conservation Division, 1220 South St. Francis Dr., Santa Fe, New Mexico 87505, within 15 days, by Monday the 29th of October.
#33319

67114900

00219367

MORGAN VIZI
TIMBERWOLF ENVIRONMENTAL
1920 W. VILLA MARIA, STE 205
BRYAN, TX 77807



October 26, 2018

Dear Customer:

The following is the proof-of-delivery for tracking number **783441916905**.

Delivery Information:

Status:	Delivered	Delivered to:	Mailroom
Signed for by:	R.ROMERO	Delivery location:	310 OLD SANTA FE TRL SANTA FE, NM 87501
Service type:	FedEx Priority Overnight	Delivery date:	Oct 26, 2018 09:41
Special Handling:	Deliver Weekday		



Shipping Information:

Tracking number:	783441916905	Ship date:	Oct 25, 2018
		Weight:	1.0 lbs/0.5 kg

Recipient:

Attn oil and gas division
THE NEW MEXICO STATE LAND
310 OLD SANTA FE TRL
SANTA FE, NM 87501 US

Shipper:

morgan vizi
1920 W VILLA MARIA RD STE 205
BRYAN, TX 77807 US

Thank you for choosing FedEx.



October 26, 2018

Dear Customer:

The following is the proof-of-delivery for tracking number **783441974014**.

Delivery Information:

Status:	Delivered	Delivered to:	Receptionist/Front Desk
Signed for by:	M.RANKAN	Delivery location:	104 S 4TH ST ARTESIA, NM 88210
Service type:	FedEx Priority Overnight	Delivery date:	Oct 26, 2018 10:08
Special Handling:	Deliver Weekday Adult Signature Required		

Shipping Information:

Tracking number:	783441974014	Ship date:	Oct 25, 2018
		Weight:	1.0 lbs/0.5 kg

Recipient:
EOG Y RESOURCES
EOG RESOURCES
104 S 4TH ST
ARTESIA, NM 88210 US

Shipper:
morgan vizi
1920 W VILLA MARIA RD STE 205
BRYAN, TX 77807 US

Thank you for choosing FedEx.



November 30, 2018

Dear Customer:

The following is the proof-of-delivery for tracking number **783460566890**.

Delivery Information:

Status:	Delivered	Delivered to:	Mailroom
Signed for by:	A.KILLOY	Delivery location:	1220 S SAINT FRANCIS DR SANTA FE, NM 87505
Service type:	FedEx Priority Overnight	Delivery date:	Oct 29, 2018 10:01
Special Handling:	Deliver Weekday		

Shipping Information:

Tracking number:	783460566890	Ship date:	Oct 26, 2018
		Weight:	3.0 lbs/1.4 kg

Recipient:

MICHAEL MCMILLAN
district 4 santa fe
1220 S SAINT FRANCIS DR
SANTA FE, NM 87505 US

Shipper:

jim foster
1920 W VILLA MARIA RD STE 205
BRYAN, TX 77807 US

Thank you for choosing FedEx.



November 30, 2018

Dear Customer:

The following is the proof-of-delivery for tracking number **783460492552**.

Delivery Information:

Status:	Delivered	Delivered to:	Receptionist/Front Desk
Signed for by:	B.BERTHA	Delivery location:	OCD DISTRICT 1 Hobbs, NM 88240
Service type:	FedEx Priority Overnight	Delivery date:	Oct 29, 2018 09:19
Special Handling:	Deliver Weekday Adult Signature Required		

Shipping Information:

Tracking number:	783460492552	Ship date:	Oct 26, 2018
		Weight:	1.0 lbs/0.5 kg

Recipient:

maxey brown
district 1 hobbs
1625 n french dr
Hobbs, NM 88240 US

Shipper:

jim foster
1920 W VILLA MARIA RD STE 205
BRYAN, TX 77807 US

Thank you for choosing FedEx.

Submit 3 Copies To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
June 19, 2008

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-22811
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name G S State
8. Well Number 1
9. OGRID Number 247692
10. Pool name or Wildcat BAGLEY PERMO PENN NORTH

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH
PROPOSALS.)

1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>
2. Name of Operator JAY MANAGEMENT COMPANY, LLC
3. Address of Operator 1001 WEST LOOP SOUTH, SUITE 750 HOUSTON, TX 77027
4. Well Location Unit Letter G : 2086 feet from the NORTH line and 1874 feet from the EAST line Section 8 Township 11S Range 33E NMPM County LEA
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 4301' GL

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
DOWNHOLE COMMINGLE <input type="checkbox"/>			
OTHER: Convert to SWD <input checked="" type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

1. TIH with PKR and 2-7/8" work string tubing. Set PKR @ 9092'.
2. Pressure test casing to 500 psi.
3. Acidize Perf with 15% NEFE.
4. POOH with PKR and 2-7/8" work string.
5. TIH with PKR and 2-7/8" plastic-lined tubing. Set PKR @ 9092'.
6. Pressure test casing for MIT.
7. Put well Online.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Clayton Griffin TITLE Operations Manager DATE 10/25/2018

Type or print name Clay Griffin E-mail address: cgriffin@jaymgt.com PHONE: 574-707-5691

For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____

Conditions of Approval (if any): _____

NEW MEXICO OIL CONSERVATION COMMISSION
WELL LOCATION AND ACREAGE DEDICATION PLAT

Form C-102
Supersedes C-128
Effective 1-1-65

All distances must be from the outer boundaries of the Section.


Operator Major, Glebel & Forster				Lease Oil & Gas State		Well No. 1
Unit Letter G	Section 8	Township 11	Range 33	County Lea		
Actual Footage Location of Well: 1874 feet from the East line and 2086 feet from the North line						
Ground Level Elev: Will furnish later	Producing Formation Pennsylvanian		Pool Undesignated		Dedicated Acreage: 80 Acres	

1. Outline the acreage dedicated to the subject well by colored pencil or hatchure marks on the plat below.
2. If more than one lease is dedicated to the well, outline each and identify the ownership thereof (both as to working interest and royalty).
3. If more than one lease of different ownership is dedicated to the well, have the interests of all owners been consolidated by communitization, unitization, force-pooling, etc?

☐ Yes ☐ No If answer is "yes," type of consolidation _____

If answer is "no," list the owners and tract descriptions which have actually been consolidated. (Use reverse side of this form if necessary.) _____

No allowable will be assigned to the well until all interests have been consolidated (by communitization, unitization, forced-pooling, or otherwise) or until a non-standard unit, eliminating such interests, has been approved by the Commission.



CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief.

Name
William E. Kene

Position
Engineer

Company
Major, Glebel & Forster

Date
October 18, 1968


I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my knowledge and belief.

Date Surveyed
October 11, 1968

Registered Professional Engineer and/or Land Surveyor

Mark E. Shour

Certificate No.
2189



RECEIVED:	REVIEWER:	TYPE:	APP NO:
-----------	-----------	-------	---------

ABOVE THIS TABLE FOR OCD DIVISION USE ONLY

NEW MEXICO OIL CONSERVATION DIVISION
 - Geological & Engineering Bureau -
 1220 South St. Francis Drive, Santa Fe, NM 87505



ADMINISTRATIVE APPLICATION CHECKLIST

THIS CHECKLIST IS MANDATORY FOR ALL ADMINISTRATIVE APPLICATIONS FOR EXCEPTIONS TO DIVISION RULES AND
 REGULATIONS WHICH REQUIRE PROCESSING AT THE DIVISION LEVEL IN SANTA FE

Applicant: Jay Management Company, LLC

OGRID Number: 247692

Well Name: G.S. State No. 1

API: 30-025-22811

Pool: North Bagley Permo Penn

Pool Code: N/A

**SUBMIT ACCURATE AND COMPLETE INFORMATION REQUIRED TO PROCESS THE TYPE OF APPLICATION
 INDICATED BELOW**

1) **TYPE OF APPLICATION:** Check those which apply for [A]

A. Location - Spacing Unit - Simultaneous Dedication

☐ NSL☐ NSP (PROJECT AREA)☐ NSP (PRORATION UNIT)☐ SD

B. Check one only for [I] or [II]

[I] Commingling - Storage - Measurement

☐ DHC☐ CTB☐ PLC☐ PC☐ OLS☐ OLM

[II] Injection - Disposal - Pressure Increase - Enhanced Oil Recovery

☐ WFX☐ PMX☒ SWD☐ IPI☐ EOR☐ PPR2) **NOTIFICATION REQUIRED TO:** Check those which apply.A. ☒ Offset operators or lease holdersB. ☐ Royalty, overriding royalty owners, revenue ownersC. ☒ Application requires published noticeD. ☒ Notification and/or concurrent approval by SLOE. ☐ Notification and/or concurrent approval by BLMF. ☐ Surface ownerG. ☐ For all of the above, proof of notification or publication is attached, and/or,H. ☐ No notice required**FOR OCD ONLY**☐

Notice Complete

☐Application
Content
Complete

3) **CERTIFICATION:** I hereby certify that the information submitted with this application for administrative approval is **accurate** and **complete** to the best of my knowledge. I also understand that **no action** will be taken on this application until the required information and notifications are submitted to the Division.

Note: Statement must be completed by an individual with managerial and/or supervisory capacity.

Jim Foster

Print or Type Name

Signature

10/20/18

Date

979-324-2139

Phone Number

jim@teamtinberwolf.com

e-mail Address

Affidavit of Publication

STATE OF NEW MEXICO
COUNTY OF LEA


I, Daniel Russell, Publisher of the Hobbs News-Sun, a newspaper published at Hobbs, New Mexico, solemnly swear that the clipping attached hereto was published in the regular and entire issue of said newspaper, and not a supplement thereof for a period of 1 issue(s).

Beginning with the issue dated
October 12, 2018
and ending with the issue dated
October 12, 2018.




Publisher

Sworn and subscribed to before me this
12th day of October 2018.



Business Manager

My commission expires
January 29, 2019



This newspaper is duly qualified to publish
legal notices or advertisements within the
meaning of Section 3, Chapter 167, Laws of
and payment of fees for said

LEGAL NOTICE OCTOBER 12, 2018

Public Notice for the G.S. State #1 (API: 30-025-22811)
Jay Management Company, LLC
1001 West Loop, Suite 750
Houston, Texas 77027
(713) 821-6785
Contact Party: Jim Foster (979) 324-2139

Jay Management intends to submit an injection permit for the above referenced well. The purpose of this injection permit is for disposal of produced water associated with oil and gas production activities. The well will be permitted as a commercial disposal well, injecting into the Pennsylvanian formation. The location of the well is 1,874 feet from the East Line and 2,086 feet from the North Line of Section 8, Township 11S, Range 33E, which is in the SW/4 of the NE/4 of the aforementioned section.

The formation name is the Pennsylvanian; injection intervals to be between a depth of 9,192' to 10,345'; a maximum injection rate of 6,000 barrels per day with maximum pressure of 1,200 PSI.

Interested parties must file objections or request a hearing with the Oil Conservation Division, 1220 South St. Francis Dr., Santa Fe, New Mexico 87505, within 15 days, by Monday the 29th of October.
#33319

67114900

00219367

MORGAN VIZI
TIMBERWOLF ENVIRONMENTAL
1920 W. VILLA MARIA, STE 205
BRYAN, TX 77807



October 26, 2018

Dear Customer:

The following is the proof-of-delivery for tracking number **783441916905**.

Delivery Information:

Status:	Delivered	Delivered to:	Mailroom
Signed for by:	R.ROMERO	Delivery location:	310 OLD SANTA FE TRL SANTA FE, NM 87501
Service type:	FedEx Priority Overnight	Delivery date:	Oct 26, 2018 09:41
Special Handling:	Deliver Weekday		



Shipping Information:

Tracking number:	783441916905	Ship date:	Oct 25, 2018
		Weight:	1.0 lbs/0.5 kg

Recipient:

Attn oil and gas division
THE NEW MEXICO STATE LAND
310 OLD SANTA FE TRL
SANTA FE, NM 87501 US

Shipper:

morgan vizi
1920 W VILLA MARIA RD STE 205
BRYAN, TX 77807 US

Thank you for choosing FedEx.



October 26, 2018

Dear Customer:

The following is the proof-of-delivery for tracking number **783441974014**.

Delivery Information:

Status:	Delivered	Delivered to:	Receptionist/Front Desk
Signed for by:	M.RANKAN	Delivery location:	104 S 4TH ST ARTESIA, NM 88210
Service type:	FedEx Priority Overnight	Delivery date:	Oct 26, 2018 10:08
Special Handling:	Deliver Weekday Adult Signature Required		

Shipping Information:

Tracking number:	783441974014	Ship date:	Oct 25, 2018
		Weight:	1.0 lbs/0.5 kg

Recipient:
EOG Y RESOURCES
EOG RESOURCES
104 S 4TH ST
ARTESIA, NM 88210 US

Shipper:
morgan vizi
1920 W VILLA MARIA RD STE 205
BRYAN, TX 77807 US

Thank you for choosing FedEx.



November 30, 2018

Dear Customer:

The following is the proof-of-delivery for tracking number **783460566890**.

Delivery Information:

Status:	Delivered	Delivered to:	Mailroom
Signed for by:	A.KILLOY	Delivery location:	1220 S SAINT FRANCIS DR SANTA FE, NM 87505
Service type:	FedEx Priority Overnight	Delivery date:	Oct 29, 2018 10:01
Special Handling:	Deliver Weekday		

Shipping Information:

Tracking number:	783460566890	Ship date:	Oct 26, 2018
		Weight:	3.0 lbs/1.4 kg

Recipient:

MICHAEL MCMILLAN
district 4 santa fe
1220 S SAINT FRANCIS DR
SANTA FE, NM 87505 US

Shipper:

jim foster
1920 W VILLA MARIA RD STE 205
BRYAN, TX 77807 US

Thank you for choosing FedEx.



November 30, 2018

Dear Customer:

The following is the proof-of-delivery for tracking number **783460492552**.

Delivery Information:

Status:	Delivered	Delivered to:	Receptionist/Front Desk
Signed for by:	B.BERTHA	Delivery location:	OCD DISTRICT 1 Hobbs, NM 88240
Service type:	FedEx Priority Overnight	Delivery date:	Oct 29, 2018 09:19
Special Handling:	Deliver Weekday Adult Signature Required		

Shipping Information:

Tracking number:	783460492552	Ship date:	Oct 26, 2018
		Weight:	1.0 lbs/0.5 kg

Recipient:

maxey brown
district 1 hobbs
1625 n french dr
Hobbs, NM 88240 US

Shipper:

jim foster
1920 W VILLA MARIA RD STE 205
BRYAN, TX 77807 US

Thank you for choosing FedEx.

Submit 3 Copies To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
June 19, 2008

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-22811
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name G S State
8. Well Number 1
9. OGRID Number 247692
10. Pool name or Wildcat BAGLEY PERMO PENN NORTH

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH
PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other

2. Name of Operator
JAY MANAGEMENT COMPANY, LLC

3. Address of Operator
1001 WEST LOOP SOUTH, SUITE 750 HOUSTON, TX 77027

4. Well Location
Unit Letter G : 2086 feet from the NORTH line and 1874 feet from the EAST line
Section 8 Township 11S Range 33E NMPM County LEA

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
4301' GL

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: Convert to SWD



OTHER:



13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.


1. TIH with PKR and 2-7/8" work string tubing. Set PKR @ 9092'.
2. Pressure test casing to 500 psi.
3. Acidize Perf with 15% NEFE.
4. POOH with PKR and 2-7/8" work string.
5. TIH with PKR and 2-7/8" plastic-lined tubing. Set PKR @ 9092'.
6. Pressure test casing for MIT.
7. Put well Online.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE



TITLE Operations Manager

DATE 10/25/2018

Type or print name Clay Griffin

E-mail address: cgriffin@jaymgt.com

PHONE: 574-707-5691

For State Use Only

APPROVED BY:

TITLE

DATE

Conditions of Approval (if any):

NEW XICO OIL CONSERVATION COMMISSION
WELL LOCATION AND ACREAGE DEDICATION PLAT

Form C-102
Supersedes C-128
Effective 1-1-65

All distances must be from the outer boundaries of the section.


Operator Major, Glebel & Forster				Lease Oil & Gas State		Well No. 1
Unit Letter G	Section 8	Township 11	Range 33	County Lea		
Actual Footage Location of Well: 1874 feet from the East line and 2086 feet from the North line						
Ground Level Elev: Will furnish later		Producing Formation Pennsylvanian		Pool Undesignated		Dedicated Acreage: 80 Acres

1. Outline the acreage dedicated to the subject well by colored pencil or hatchure marks on the plat below.
2. If more than one lease is dedicated to the well, outline each and identify the ownership thereof (both as to working interest and royalty).
3. If more than one lease of different ownership is dedicated to the well, have the interests of all owners been consolidated by communitization, unitization, force-pooling, etc?

☐ Yes ☐ No If answer is "yes," type of consolidation _____

If answer is "no," list the owners and tract descriptions which have actually been consolidated. (Use reverse side of this form if necessary.) _____

No allowable will be assigned to the well until all interests have been consolidated (by communitization, unitization, forced-pooling, or otherwise) or until a non-standard unit, eliminating such interests, has been approved by the Commission.



CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief.

Name
William G. Kern

Position
Engineer

Company
Major, Glebel & Forster

Date
October 18, 1968

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my knowledge and belief.

Date Surveyed
October 11, 1968

Registered Professional Engineer and/or Land Surveyor

Mark E. Shour

Certificate No.
2189

APPLICATION FOR AUTHORIZATION TO INJECT

- I. PURPOSE: Secondary Recovery Pressure Maintenance X Disposal Storage
Application qualifies for administrative approval? X Yes No
- II. OPERATOR: Jay Management Company, LLC
ADDRESS: 1001 West Loop, Suite 750, Houston, Texas 77027
CONTACT PARTY: Jim Foster PHONE: (979) 324-2139
- III. WELL DATA: Complete the data required on the reverse side of this form for each well proposed for injection.
Additional sheets may be attached if necessary.
- IV. Is this an expansion of an existing project? X Yes No
If yes, give the Division order number authorizing the project: 247692
- V. Attach a map that identifies all wells and leases within two miles of any proposed injection well with a one-half mile radius circle drawn around each proposed injection well. This circle identifies the well's area of review.
- VI. Attach a tabulation of data on all wells of public record within the area of review which penetrate the proposed injection zone. Such data shall include a description of each well's type, construction, date drilled, location, depth, record of completion, and a schematic of any plugged well illustrating all plugging detail.
- VII. Attach data on the proposed operation, including:
1. Proposed average and maximum daily rate and volume of fluids to be injected;
 2. Whether the system is open or closed;
 3. Proposed average and maximum injection pressure;
 4. Sources and an appropriate analysis of injection fluid and compatibility with the receiving formation if other than reinjected produced water; and,
 5. If injection is for disposal purposes into a zone not productive of oil or gas at or within one mile of the proposed well, attach a chemical analysis of the disposal zone formation water (may be measured or inferred from existing literature, studies, nearby wells, etc.).
- *VIII. Attach appropriate geologic data on the injection zone including appropriate lithologic detail, geologic name, thickness, and depth. Give the geologic name, and depth to bottom of all underground sources of drinking water (aquifers containing waters with total dissolved solids concentrations of 10,000 mg/l or less) overlying the proposed injection zone as well as any such sources known to be immediately underlying the injection interval.
- IX. Describe the proposed stimulation program, if any.
- *X. Attach appropriate logging and test data on the well. (If well logs have been filed with the Division, they need not be resubmitted).
- *XI. Attach a chemical analysis of fresh water from two or more fresh water wells (if available and producing) within one mile of any injection or disposal well showing location of wells and dates samples were taken.
- XII. Applicants for disposal wells must make an affirmative statement that they have examined available geologic and engineering data and find no evidence of open faults or any other hydrologic connection between the disposal zone and any underground sources of drinking water.
- XIII. Applicants must complete the "Proof of Notice" section on the reverse side of this form.
- XIV. Certification: I hereby certify that the information submitted with this application is true and correct to the best of my knowledge and belief.
- NAME: Jim Foster TITLE: Consultant
SIGNATURE: [Signature] DATE: October 23, 2018
E-MAIL ADDRESS: jim@teamtinberwolf.com
- * If the information required under Sections VI, VIII, X, and XI above has been previously submitted, it need not be resubmitted. Please show the date and circumstances of the earlier submittal: December 30, 1968

II. WELL DATA

A. The following well data must be submitted for each injection well covered by this application. The data must be both in tabular and schematic form and shall include:

- (1) Lease name; Well No.; Location by Section, Township and Range; and footage location within the section.
- (2) Each casing string used with its size, setting depth, sacks of cement used, hole size, top of cement, and how such top was determined.
- (3) A description of the tubing to be used including its size, lining material, and setting depth.
- (4) The name, model, and setting depth of the packer used or a description of any other seal system or assembly used.

Division District Offices have supplies of Well Data Sheets which may be used or which may be used as models for this purpose. Applicants for several identical wells may submit a "typical data sheet" rather than submitting the data for each well.

B. The following must be submitted for each injection well covered by this application. All items must be addressed for the initial well. Responses for additional wells need be shown only when different. Information shown on schematics need not be repeated.

- (1) The name of the injection formation and, if applicable, the field or pool name.
- (2) The injection interval and whether it is perforated or open-hole.
- (3) State if the well was drilled for injection or, if not, the original purpose of the well.
- (4) Give the depths of any other perforated intervals and detail on the sacks of cement or bridge plugs used to seal off such perforations.
- (5) Give the depth to and the name of the next higher and next lower oil or gas zone in the area of the well, if any.

XIV. PROOF OF NOTICE

All applicants must furnish proof that a copy of the application has been furnished, by certified or registered mail, to the owner of the surface of the land on which the well is to be located and to each leasehold operator within one-half mile of the well location.

Where an application is subject to administrative approval, a proof of publication must be submitted. Such proof shall consist of a copy of the legal advertisement which was published in the county in which the well is located. The contents of such advertisement must include:

- (1) The name, address, phone number, and contact party for the applicant;
- (2) The intended purpose of the injection well; with the exact location of single wells or the Section, Township, and Range location of multiple wells;
- (3) The formation name and depth with expected maximum injection rates and pressures; and,
- (4) A notation that interested parties must file objections or requests for hearing with the Oil Conservation Division, 1220 South St. Francis Dr., Santa Fe, New Mexico 87505, within 15 days.

NO ACTION WILL BE TAKEN ON THE APPLICATION UNTIL PROPER PROOF OF NOTICE HAS BEEN SUBMITTED.

NOTICE: Surface owners or offset operators must file any objections or requests for hearing of administrative applications within 15 days from the date this application was mailed to them.

Side 1

INJECTION WELL DATA SHEET

OPERATOR: Jay Management Company, LLC

WELL NAME & NUMBER: G.S. State #1

WELL LOCATION: 2086' FNL 1874' FEL G 8 11S 33E
FOOTAGE LOCATION UNIT LETTER SECTION TOWNSHIP RANGE

WELLBORE SCHEMATIC

See Schematics Section

WELL CONSTRUCTION DATA

Surface Casing

Hole Size: 17 1/2"

Casing Size: 12 3/4"

Cemented with: 350 sx.

or _____ ft³

Top of Cement: Surface

Method Determined: Circulated

Intermediate Casing

Hole Size: 11"

Casing Size: 8 5/8"

Cemented with: 400 sx.

or _____ ft³

Top of Cement: 2,150 ft

Method Determined: Calculated

Production Casing

Hole Size: 7 7/8"

Casing Size: 5 1/2"

Cemented with: 575 sx.

or _____ ft³

Top of Cement: 7,080 ft

Method Determined: Calculated

Total Depth: 10,400 ft

Injection Interval

9,192 ft to 10,345 ft

(Perforated)

Side 2

INJECTION WELL DATA SHEET

Tubing Size: 2 7/8" Lining Material: Plastic Lined

Type of Packer: Model R packer

Packer Setting Depth: 9,092'

Other Type of Tubing/Casing Seal (if applicable): _____

Additional Data

1. Is this a new well drilled for injection? Yes X No

If no, for what purpose was the well originally drilled? Oil Production
This well is to be converted into a commercial salt water disposal well.

2. Name of the Injection Formation: Pennsylvanian

3. Name of Field or Pool (if applicable): North Bagley Oil Field

4. Has the well ever been perforated in any other zone(s)? List all such perforated intervals and give plugging detail, i.e. sacks of cement or plug(s) used.

Previous:

Well has been perforated at 9,192 – 9,228; 9,446 – 9,470; 9,602-10,354

Proposed:

None

Give the name and depths of any oil or gas zones underlying or overlying the proposed injection zone in this area:

Permian Wolfcamp Carbonate: 8,700', Penn: Cisco 8,741', Canyon 8,741', Strawn 9,904', Atoka 10,845

V. Please see Figures 1 and 2 for all wells and leases located within a two-mile radius and the area of review.

VI. Please see Tables A-1 and A-2 (in the tables section) for a tabulation of data on all wells and leases of public record in the area. Schematics for the plugged wells can be found in the schematics section.

VII. Proposed Operation

1. Proposed average and maximum daily rate and volume of fluids to be injected;	5,000 Daily average 6,000 Maximum
2. Whether the system is open or closed;	Closed
3. Proposed average and maximum injection pressure;	Avg: 1000 PSI Max: 1200 PSI
4. Sources and an appropriate analysis of injection fluid and compatibility with the receiving formation if other than reinjected produced water; and,	Re-inject produced water
5. If injection is for disposal purposes into a zone not productive of oil or gas at or within one mile of the proposed well, attach a chemical analysis of the disposal zone formation water (may be measured or inferred from existing literature, studies, nearby wells, etc.).	Chemical analysis of the Pennsylvanian Formation is attached as Table B-1 in the tables section.

VIII. *Attach appropriate geologic data on the injection zone including appropriate lithologic detail, geologic name, thickness, and depth. Give the geologic name, and depth to bottom of all underground sources of drinking water (aquifers containing waters with total dissolved solids concentrations of 10,000 mg/l or less) overlying the proposed injection zone as well as any such sources known to be immediately underlying the injection interval.*

The proposed injection zone is in the Pennsylvanian formation. Lithologically it is a limestone of shelf origin.

DEPTH	Lithology	Geologic Name	Thickness
9,192 – 9,228	Limestone	Pennsylvanian Cisco	36
9,446 – 9,470	Limestone	Pennsylvanian Cisco	24
9,602 – 9,619	Limestone	Pennsylvanian Canyon	5
10,147 – 10,180	Limestone	Pennsylvanian Strawn	5
10,216 – 10,290	Limestone	Pennsylvanian Strawn	8
10,325 – 10,354	Limestone	Pennsylvanian Strawn	5
Total			83'

The fresh water aquifer at this site is the Ogallala found from near surface depth of 380'.

IX. *Describe the proposed stimulation program, if any.*

Acidizing

- X. *Attach appropriate logging and test data on the well. (If well logs have been filed with the Division, they need not be resubmitted).*

Logs have been filed with OCD (December 30, 1968).

- XI. *Attach a chemical analysis of fresh water from two or more fresh water wells (if available and producing) within one mile of any injection or disposal well showing location of wells and dates samples were taken.*


A water well survey of the area revealed only one water well located within a one-mile radius of the G.S. State #1. Results are documented in Timberwolf's report entitled *Water Well Resources and Water Quality Report* and has been attached to this application in the referenced documents section. Additionally, a chemical analysis is presented in Table B-2 in the tables section.


- XII. *Applicants for disposal wells must make an affirmative statement that they have examined available geologic and engineering data and find no evidence of open faults or any other hydrologic connection between the disposal zone and any underground sources of drinking water.*

Jay Management attests that a thorough examination has been made of all available geologic, engineering, and well data and that no hydrologic connection exists between the proposed injection interval and the overlying fresh water aquifer.

An engineering report from Syfan Engineering, LLC titled *Injection Study* and dated February 23, 2018, regarding the offset of the State OG SWD No. 2 well can be found in the referenced documents section. The G.S. State #1 is located 2,800 feet to the west-northwest of the State OG SWD No. 2.

Figures





Tables

Table A-1. Oil and Gas Wells within a 2 Mile Radius of the U.S. State No. 1
Application for Authorization to Inject
Jay Management, Lee County, New Mexico

Map ID Number	Operator	Well Name	API Number	Spud Date	Status	Depth (ft)	NAD83 Coordinates		Pool Name
							Latitude (°N)	Longitude (°W)	
1	Chesapeake	OG State #001	30-025-30566	03/06/99	Plugged	8,804	33.378805	103.821445	North Bagley, Permo Penn
2	Chesapeake	Candy Corn #001	30-025-22350	11/27/87	Plugged	10,440	33.389021	103.836820	North Bagley, Permo Penn
3	Chesapeake	Litton 38 State #001	30-025-35615	08/17/01	Plugged	11,333	33.400990	103.823561	Cuomo Largo, Upper Pennsylvanian, Wilcox, Alaska
4	COG Operating LLC	Bagley 16 State #001	30-025-36903	06/25/00	Plugged	11,050	33.371346	103.825392	North Bagley, Permo Penn
5	Dwight A Tipton	Shes Garretts #001	30-025-22281	10/12/87	Plugged	10,370	33.374587	103.838825	North Bagley, Permo Penn
6	Ek Oil Co	R R State #001	30-025-28904	11/02/84	Plugged	10,450	33.379295	103.847764	North Bagley, Permo Penn
7	EOG Y Resources	Chesley ACA State #001	30-025-28460	06/01/88	Active	11,050	33.379356	103.834927	North Bagley, Permo Penn, Alaska
8	EOG Y Resources	Chesley ACA State #001	30-025-23043	03/04/89	Plugged	11,300	33.382296	103.836157	North Bagley, Permo Penn
9	EOG Y Resources	Rdlt Bld State #001	30-025-37882	07/31/06	Active	11,212	33.398251	103.835338	Cuomo Largo, Upper Pennsylvanian
10	Fasken Oil and Ranch LTD	Falmon Collier #001	30-025-21245	06/18/85	Plugged	10,325	33.382149	103.812443	North Bagley, Permo Penn
11	Jay Management	State OG SWD #002	30-025-31381	10/15/91	Active SWD	9,000	33.378907	103.825849	North Bagley, Permo Penn, SWD Claco, SWD Sirgan
12	Jay Management	State NBN #001	30-025-00998	02/16/89	TA	11,807	33.360568	103.821246	North Bagley, Permo Penn
13	Jay Management	Andrew Federal #001	30-025-21804	10/29/86	Active	10,280	33.360815	103.830082	North Bagley, Permo Penn
14	Jay Management	Christensen State #001	30-025-22017	01/31/87	Plugged	10,380	33.384140	103.825633	North Bagley, Permo Penn
15	Jay Management	Dolly #001	30-025-22370	12/21/87	Active	10,290	33.364041	103.834536	North Bagley, Permo Penn
16	Jay Management	Shel State Com #001	30-025-22226	06/24/87	Active	10,300	33.367713	103.830171	North Bagley, Permo Penn
17	Jay Management	Chesley Federal #001	30-025-22554	05/14/88	Active	10,300	33.364126	103.842509	North Bagley, Permo Penn
18	Jay Management	Gulf Soho State #001	30-025-21184	05/11/86	Active	10,335	33.382285	103.830858	North Bagley, Permo Penn, Wolfcamp
19	Jay Management	Coiler #001	30-025-00994	08/13/82	Plugged	11,400	33.382215	103.821504	North Bagley, Permo Penn
20	Jay Management	GS State #001	30-025-22811	10/23/88	Active	10,400	33.381987	103.834339	North Bagley, Permo Penn
21	Jay Management	Tilly #001	30-025-22702	06/21/88	Active	10,370	33.360451	103.847415	North Bagley, Permo Penn
22	Jay Management	JFG Collier #001	30-025-22108	05/07/87	Active	10,410	33.395749	103.825415	North Bagley, Permo Penn
23	Jay Management	Soho B State #001	30-025-22122	05/20/87	Active	10,510	33.389568	103.830121	North Bagley, Permo Penn
24	Jay Management	Lulu #001	30-025-22256	09/21/87	Plugged	10,436	33.399441	103.821564	North Bagley, Permo Penn
25	Jay Management	Soho A State #001	30-025-22206	07/31/87	Active	10,450	33.389441	103.817144	North Bagley, Permo Penn
26	Jay Management	Soho State #001	30-025-22043	03/01/87	TA	10,450	33.389321	103.818723	North Bagley, Permo Penn
27	LBO New Mexico Inc	State OG #001	30-025-22329	11/14/87	Plugged	10,270	33.378592	103.821524	North Bagley, Permo Penn
28	Lessee Holders Acquisition, Inc	Bagley #002	30-025-36182	06/02/87	TA	10,500	33.382309	103.817781	North Bagley, Permo Penn
29	Legacy Reserves	Sidewinder State #001	30-025-31012	08/22/80	Active	10,460	33.404680	103.832117	Cuomo Largo, Upper Pennsylvanian
30	Pre-Operated Well Operator	Pre-Operated Well #001	30-025-22487	03/19/83	Plugged	10,355	33.374894	103.825858	North Bagley, Permo Penn
31	Pre-Operated Well Operator	Pre-Operated Well #001	30-025-22077	05/11/87	Plugged	10,300	33.374910	103.817144	North Bagley, Permo Penn
32	Pre-Operated Well Operator	Pre-Operated Well #001	30-025-20677	05/01/85	Plugged	10,217	33.378801	103.812524	North Bagley, Permo Penn
33	Pre-Operated Well Operator	Pre-Operated Well #001	30-025-22184	07/20/87	Plugged	10,258	33.371362	103.806501	North Bagley, Permo Penn
34	Pre-Operated Well Operator	Pre-Operated Well #001	30-025-22577	06/23/88	Plugged	10,380	33.367673	103.843083	North Bagley, Permo Penn
35	Pre-Operated Well Operator	Pre-Operated Well #001	30-025-22377	12/29/87	Plugged	10,400	33.378818	103.838820	North Bagley, Permo Penn
36	Pre-Operated Well Operator	Pre-Operated Well #001	30-025-22187	05/05/87	Plugged	10,380	33.374807	103.830031	North Bagley, Permo Penn
37	Pre-Operated Well Operator	Pre-Operated Well #001	30-025-22068	04/04/87	Plugged	10,400	33.378598	103.830126	North Bagley, Permo Penn
38	Pre-Operated Well Operator	Pre-Operated Well #001	30-025-23333	07/01/70	Plugged	10,460	33.378652	103.855607	N/A
39	Pre-Operated Well Operator	Pre-Operated Well #001	30-025-21393	05/29/85	Plugged	4,510	33.400671	103.849518	N/A
40	Pre-Operated Well Operator	Pre-Operated Well #001	30-025-22178	07/18/87	Plugged	10,450	33.397978	103.814951	N/A

Table A-1. Oil and Gas Wells within a 2 Mile Radius of the O.S. State No. 1
Application for Authorization to Inject
Jay Management, Lee County, New Mexico

Map ID Number	Operator	Well Name	API Number	Spud Date	Status	Depth (ft)	RADSS Coordinates		Pool Name
							Latitude (°N)	Longitude (°W)	
41	Pre-Ortford Well Operator	Pre-Ortford Well #002	30-025-22335	03/13/65	Plugged	10,290	33.389089	103.506582	N/A
42	Pride Energy	Bagley #001	30-025-20810	10/16/64	Plugged	10,360	33.386069	103.512912	North Bagley, Permian Penn
43	Prime Operating	State DG #001	30-025-21948	12/16/68	Plugged	10,268	33.387621	103.521597	North Bagley, Permian Penn
44	Prime Operating	State DK #002	30-025-22392	01/14/68	Active	10,270	33.371242	103.635849	North Bagley, Permian Penn
45	Prime Operating	State DK #001	30-025-22314	11/07/67	Plugged	10,358	33.371151	103.630297	North Bagley, Permian Penn
46	Read & Stevens Inc	Shell State #002	30-025-22598	06/05/68	Active	10,370	33.387577	103.648878	North Bagley, Permian Penn
47	Read & Stevens Inc	Shell State #001	30-025-22409	01/24/68	Active	10,363	33.371286	103.646949	North Bagley, Permian Penn
48	Read & Stevens Inc	Shell State #004	30-025-23190	06/07/69	Active	10,400	33.367695	103.655607	North Bagley, Permian Penn
49	Read & Stevens Inc	Shell State #003	30-025-23014	02/14/69	Active	10,410	33.371387	103.655607	North Bagley, Permian Penn
50	Read & Stevens Inc	State E #001	30-025-23353	11/06/69	Plugged	10,421	33.374990	103.655607	North Bagley, Permian Penn
51	Read & Stevens Inc	Sun State #001	30-025-22718	09/15/68	Plugged	10,400	33.374722	103.648308	North Bagley, Permian Penn
52	Remnant Oil Operating	Yates State #001	30-025-30664	08/20/90	Active	10,440	33.404680	103.656390	Guerno Largo, Upper Permian Penn
53	Sabre Op INC	Bagley State #003	30-025-22016	01/26/67	Plugged	10,276	33.371362	103.621502	North Bagley, Permian Penn
54	Sabre Op INC	Bagley State #002	30-025-21826	12/04/66	Plugged	10,200	33.371025	103.616855	North Bagley, Permian Penn
55	Sabre Op INC	Bagley State #001	30-025-21883	10/18/66	Plugged	10,200	33.367740	103.612827	North Bagley, Permian Penn
56	Tipperary Oil & Gas Corp	Helen #001	30-025-22440	02/22/68	Plugged	10,348	33.380487	103.638817	North Bagley, Permian Penn

**Table A-2. Operator within a 1/2 Mile Radius of G.S. State No. 1
Application for Authorization to Inject
Jay Management, Lea County, New Mexico**

Map ID Number	Operator	Lease Name	Surface Owner	Mineral Owner
1	Jay Management Company, LLC	Gulf Sohio St	State	State
2	EOG Y Resources, Inc.	Champlin	State	State
3	Jay Management Company, LLC	Sohio B	State	State
4	Jay Management Company, LLC	Lulu	State	State
5	Jay Management Company, LLC	Collier	Pearce	Private
6	Jay Management Company, LLC	Collier et al	Pearce	Private
7	Jay Management Company, LLC	State OG/Len St	State	State
8	Pre-Ongard Well Operator (Defunct)/ EOG Y Resources	Champlin	State	State
9	Pre-Ongard Well Operator (Defunct)	Dwight A Tipton	State	State

**Table B-1. Produced Water Samples for the G.S. State No. 1
Application for Authorizatin to Inject
Jay Management, Lea County, New Mexico**

Well Name	API	Section	Township	Range	Unit	Formation	Sample Source	TDS mg/L	Chloride mg/L
HISSOM A STATE #001	30-025-20677	9	11S	33E	I	PERMO-PENNSYLVANIAN	UNKNOWN	69,713	--
HISSOM A STATE #001	30-025-20677	9	11S	33E	I	N/A	UNKNOWN	69,713	40,540
CHAMPLIN AQD STATE #001	30-025-23043	8	11S	33E	F	PERMO-PENNSYLVANIAN	UNKNOWN	--	70,290
CHAMPLIN AQD STATE #001	30-025-23043	8	11S	33E	F	PERMO-PENNSYLVANIAN	UNKNOWN	--	69,438
STATE F #001	30-025-00995	10	11S	33E	K	PERMO-PENNSYLVANIAN	UNKNOWN	55,607	33,600
J P COLLIER #001	30-025-00996	10	11S	33E	F	PERMO-PENNSYLVANIAN	UNKNOWN	54,972	34,110
MPC STATE #001	30-025-20808	27	11S	33E	H	PENNSYLVANIAN	DST	47,386	26,400
STATE NBF #001	30-025-20891	22	11S	33E	F	PERMO-PENNSYLVANIAN	DST	46,082	26,080
STATE NBF #001	30-025-20891	22	11S	33E	F	PERMO-PENNSYLVANIAN	DST	42,573	24,470
STATE NBF #001	30-025-20891	22	11S	33E	F	PERMO-PENNSYLVANIAN	DST	60,103	30,030
DALLAS #001	30-025-22434	26	11S	33E	H	PERMO-PENNSYLVANIAN	WELLHEAD	78,088	47,500
MARY ELLEN DALLAS #001	30-025-00997	15	11S	33E	P	PERMO-PENNSYLVANIAN	UNKNOWN	60,289	36,540
STATE NBN #001	30-025-00998	16	11S	33E	N	PERMO-PENNSYLVANIAN	UNKNOWN	36,985	21,800
STATE NBN #001	30-025-00998	16	11S	33E	N	PERMO-PENNSYLVANIAN	DST	41,450	24,600
STATE BT N #001	30-025-01012	34	11S	33E	P	DEVONIAN	UNKNOWN	51,781	30,040
STATE BT P #001	30-025-01014	34	11S	33E	E	PERMO-PENNSYLVANIAN	PRODUCTION TEST	73,630	42,400
DALLAS #001	30-025-22330	15	11S	33E	J	PERMO-PENNSYLVANIAN	N/A	56,532	35,527

Table D-2. Fresh Water Sample Results for the G.S. State No. 1
Application for Authorization to Inject
Jay Management Company
Bagley North Oil Field, Lea County, New Mexico

Sample ID	Sample Date	TPT (mg/L)	Volatile Organic Compounds (mg/L)				Anions (mg/L)				Cations (mg/L)				General Water Quality Parameters			Dissolved Metals (mg/L)							
			B	T	E	X	Cl	SO ₄	CO ₃	BiCarb	Na	Ca	Mg	K	pH	Sp. Cond.	TDS	As	Ba	Cd	Cr	Pb	Se	Ag	Hg
3 G.S. State	03/13/18	< 0.71	< 0.00018	< 0.00020	< 0.00020	< 0.00037	120	130	< 20	130	41 ¹	110	14	2.1	7.7 ¹	860	690	0.0055 ¹	0.06	< 0.00028	< 0.0018	< 0.0022	0.0071 ¹	< 0.0013	< 0.000082
Regulatory Limits	—	—	0.01 ¹	0.75 ¹	0.75 ¹	0.82 ¹	250 ²	250 ²	—	—	—	—	—	—	8.5 - 8.5 ²	—	500 ³	0.01 ¹	2.0 ¹	0.035 ¹	0.1 ¹	0.015 ¹	0.05 ¹	0.15 ²	0.002 ¹

¹ EPA Primary Drinking Water Standards

² EPA Secondary Drinking Water Standards

³ NMOC standards from Title 20 NMAC § 6.2

⁴ - analyte detected below quantitation limit

⁵ - sample prepped or analyzed beyond specified holding time

⁶ - analyte detected in blank

mg/L - milligrams per liter

— - no applicable limit

s.u. - Standard units

Sp. Cond. - Specific conductance

mmhos/cm - millimhos per centimeter

chrom - chrome per meter

TDS - total dissolved solids

TSS - total suspended solids

NTU - nephelometric turbidity unit

— - concentration exceeds recommended action level

CO₃ - carbon dioxide

Cl - Chloride

SO₄ - Sulfate

CO₃ - Carbonate

BiCarb - Bicarbonate

Na - Sodium

Ca - Calcium

Mg - Magnesium

As - arsenic

Ba - barium

Cd - cadmium

Cr - chromium

Pb - lead

Se - selenium

Ag - silver

Hg - mercury

Schematics



LSE #: 8969-2
FIELD: Bagley; Permo Penn, North
LOCATION: 2086' FNL & 1874' FEL
FORMATION: Penn
ELEVATION: 4312 KB

O.D.	WT./FT.	GRADE	THD	TOP	BTM	NO. JTS.	BIT SZ.	SX CMT.	TOP CMT.
12-3/4"	34#				380'			350	Surf.
8-5/8"	32# & 34#				3725'			400	2150'

[illegible]

O.D.	WT./FT.	GRADE	THD	TOP	BTM	NO. JTS.

DATE	TOP	BOTTOM	SPF	ZONE	STATUS
12/11/1968	9,602'	10,354'		Penn	Open
1995	9,446'	9,470'		Penn	Open
1995	9,192'	9,228'		Penn	Open

[illegible]



LSE #: 8969-2
FIELD: Bagley; Fermo Penn, North
LOCATION: 2086' FNL & 1874' FEL
FORMATION: Penn
ELEVATION: 4312 KB

[illegible]

O.D.	WT./FT.	GRADE	THD	TOP	BTM	NO. JTS.


DATE	TOP	BOTTOM	SPF	ZONE	STATUS
12/11/1968	9,602'	10,354'		Penn	Open
N/A	9,446'	9,470'			Open
N/A	9,192'	9,228'			Open

[illegible]

Plugged Well Schematic

Operator: EOG Y Resources
Well: Champlin AQD State #001
API: 30-025-23043

Twolf Reference #: 8




Cement Plug

Plugged Well Schematic

Operator: Pre-Ongard Well Operator
Well: Pre-Ongard Well #001
API: 30-025-22377

Twolf Reference #: 35




 Cement Plug

Plugged Well Schematic

Operator: Pre-Ongard Well Operator
Well: Pre-Ongard Well #001
API: 30-025-22068

Twolf Reference #: 37



 Cement Plug

Mechanical Integrity Test

Submit 3 Copies To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88240
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM
87505

HOBBS OGD

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
June 19, 2008

OCT 22 2018

RECEIVED

CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-22811
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator JAY MANAGEMENT COMPANY, LLC		6. State Oil & Gas Lease No.
3. Address of Operator 1001 WEST LOOP SOUTH, SUITE 750 HOUSTON, TX 77027		7. Lease Name or Unit Agreement Name G S State
4. Well Location Unit Letter <u>G</u> : <u>2086</u> feet from the <u>NORTH</u> line and <u>1874</u> feet from the <u>EAST</u> line Section <u>8</u> Township <u>11S</u> Range <u>33E</u> NMPM County <u>LEA</u>		8. Well Number <u>1</u>
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 4301' GL		9. OGRID Number 247692
		10. Pool name or Wildcat BAGLEY PERMO PENN NORTH

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: Convert to SWD ☒

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

1. Jay Management perform casing integrity test 10/11/2018

2. Evaluate this well for SWD.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

TITLE District Manager

DATE 10/17/2018

Type or print name Clay Griffin

E-mail address: cgriffin@jaymgt.com

PHONE: 574-707-5691

For State Use Only

APPROVED BY:


Accepted for Record Only

DATE

Conditions of Approval (if any):

MBrown 10/22/2018

MB



Referenced Documents



Syfan Engineering, LLC

309 W. 7th Street
Suite 500
Fort Worth, TX 76102
(Cell) 281-889-8774
(E-Mail) frank.syfan@gmail.com

PETROLEUM ENGINEERING CONSULTANTS

DRILLING – WORKOVERS – COMPLETIONS – HYDRAULIC FRACTURING – RESERVOIR ENGINEERING
TEXAS PROFESSIONAL ENGINEER NO. 65255

February 23, 2018

Mr. Amir Sanker
Jay Management Company
1001 West Loop South
Suite 750
Houston, TX 77027

Re: Injection Study
State OG SWD #2
Pool: Cisco-Cisco SWD-Strawn
Lea County, NM
API No. 30-025-31381

Dear Mr. Sanker,

At the request of Mr. Coby Denham of Denham Energy ("DE") on behalf of Jay Management Company ("JMC"), Syfan Engineering, LLC ("Syfan") has prepared an injection study of the State OG SWD No. 2 in the Cisco-Cisco SWD-Strawn Pool located in Lea County, NM. Syfan has reviewed the applicable data supplied by JMC regarding recompleting the State OG SWD #2 to inject produced waters into the San Andres formation.

CONCLUSIONS

1. Injection into the State OG SWD #2 should not cause a vertical fracture in the San Andres formation if surface injection pressures are limited to 1,700 psi.
2. Injection volumes in the State OG SWD #2 should not communicate vertically with either the Ogallala Aquifer, or surrounding deeper productive horizons.

RECOMMENDATIONS

1. Obtain an up to date Aquifer Depth Letter from the NMOCD for the State OG SWD #2.
2. The State OG SWD #2 should be approved for SWD through perforations 4,590' – 4,829' and injection should be down a tubing string under a sealing packer to prevent excessive surface pressures.
3. The Maximum Allowable Surface Injection Pressure ("MASIP") should be 1,710 psi.

INTRODUCTION

According to available public records reviewed from the New Mexico Oil Conservation Division, LBO New Mexico, Inc. (the Original Operator of Record) spudded the State OG #2 on 10/15/1991 and drilled vertically to a total depth of 11,000 ft.

Initially a 17" hole was drilled and 13-3/8", 48.0 lb/ft casing was run to 367' and cemented back to surface with 350 sacks of Class C Cement. Then an 11" hole was drilled and 8-5/8", 32.0 and 24.0 lb/ft casing was run to 3,810' and cemented back to surface with 1,150 sacks of cement. A 7-7/8" hole was then drilled to 11,000' (well TD). After logging the well, 5-1/2", 17.0 and 20.0 lb/ft casing was run and cemented with 2,025 sacks of cement, which was circulated back to surface. The well was perforated from 10,804' – 10,810' in the Morrow formation. A CIBP was set over the Morrow perforations @ 10,615' and sealed with 20 sacks of cement. The well was completed in the Strawn formation through perforations 10,206' – 10,216', 10,224' – 10,232', and 10,282' – 10,294' as a producing oil well with the completion approved by the NMOCD on January 24, 1992. According to records filed with the NMOCD, the State OG #2 was not hydraulically fracture stimulated on completion.

The State OG #2 was converted to SWD under Burro Pipeline Corporation (Operator of Record at that time) and began taking water on February 4, 1994. The well was officially called the State OG SWD-548 #2 according to NMOCD records. The original Strawn perforations (3 sets ranging from 10,206' – 10,294') were deemed non-productive due to depletion and three additional sets of perforations were opened. The added perforations were from 9,154' – 9,164', 9,231' – 9,236', and 9,388' – 9,398'.

Jay Management Company, LLC was approved as the new Operator of Record by the NMOCD on October 29, 2008 and took over operation of the State OG SWD #2. Jay Management has applied to the NMOCD to seal off the existing perforations in the Pennsylvanian and recomplete the well as a SWD in the San Andres formation. The proposed perforations in the San Andres are listed in Table 1.

Table 1
State OG SWD #2
Proposed San Andres Perforations

Formation	Upper Interval	Lower Interval
San Andres Formation	4,590'	4,595'
San Andres Formation	4,638.5'	4,652'
San Andres Formation	4,735'	4,750'
San Andres Formation	4,780'	4,786'
San Andres Formation	4,814'	4,820'
San Andres Formation	4,825'	4,829'

STATE OG SWD #2 ENGINEERING ANALYSIS

A review of the geology associated with the San Andres formation for the State OG SWD #2 according to information obtained from the USGS, indicates that the formation is continuous throughout the field and Lea County area. The San Andres is Permian in geologic age

and consists of laminated limestone/dolomite, sandstone, and shale beds. The formation also is interbedded in places by gypsum/evaporites and rebeds. Thus, all wellbores which penetrate the San Andres surrounding the State OG SWD #2 are probably in pressure communication.

As part of the application process, JMC has stated that an average 5,000 BWPD will be injected into the San Andres perforations with a stated maximum injection rate of 6,000 BWPD.

Syfan reviewed the logs associated with the San Andres formation in the State OG SWD #2 and analysis indicates the lithology in the injection intervals to be primarily limestone with porosities ranging from 6% - 20%. Local knowledge of the San Andres also provides that the porous limestone intervals are separated vertically by laminations of limestone/dolomite, sandstone, and shale and thus the likelihood of vertical communication with other zones is considered by Syfan to be extremely remote. The fresh water aquifer in this area is listed as the Ogallala found near 380' from surface. This aquifer would be protected from injection waters intended for the San Andres by the 13-3/8" and 5-5/8" casing strings, both of which were cemented back to surface. Schematics have been provided which identify all wells drilled within two (2) miles of the State OG SWD #2 location.

Offset P&A Well Analysis

As part of the Engineering Analysis performed on the area immediately surrounding the State OG SWD #2, Syfan looked six (6) wells Plugged and Abandoned (P&A) that are located within 1/2-mile of the well's location. These wells are listed in Table 2. According to the information received by Syfan on the wells in Table 2, all were P&A'd according to NMOC regulations with multiple cement plugs set between the intermediate casing seat and the surface. These plugs should be more than adequate to prevent vertical migration and water contamination of the Ogallala aquifer.

Table 2
P&A Wells Located Within 1/2 -Mile of State OG SWD #2

Operator	Well Name	API No.
Jay Management Company LLC	Collier #001	30-025-00994
Chesapeake	State OG 1-9	30-025-30586
LBO New Mexico Inc.	State OG #002	30-025-22329
Pre-Ongard Well Operator	Southland Royalty C #001	30-025-22467
Pre-Ongard Well Operator	Dwight A Tipton #001	30-025-22197
Pre-Ongard Well Operator	Tipperary Oil & Gas #001	30-025-22068

In addition, due to the blanket nature of the San Andres formation in the area surrounding the State OG SWD #2, pressure from injected waters should dissipate over a wide aerial extent, thus reducing the probability of creating a vertical fracture in the San Andres. The extremely laminated nature of the San Andres formation would also virtually eliminate the possibility of vertical communication not only with the Ogallala but also the Pennsylvanian, Strawn, and Morrow formations which have been deemed productive in the area.

Producing Well Analyses

Syfan studied five (5) wells located less than or equal to 1-mile distance and surrounding the State OG SWD #2. This was done to determine the possibility damaging the producing wells within 1-

mile of the Stage OG SWD #2 due to SWD into the San Andres formation. Analysis of the information provided by JMC, shown in Table 3, indicates that all five currently producing wells are completed in the zones within or below the Wolfcamp and Pennsylvanian formations. The uppermost reported perforations and the estimated geologic top of the Pennsylvanian is included in Table 3. As shown in the table, all five of the offset producing wells located within 1 mile are completed significantly deeper than the proposed San Andres injection zone and therefore, should be totally isolated from vertical communication.

Table 3
Producing Wells Within 1-Mile of State OG SWD #2

Operator	Well Name	API No.	Distance	Top of Prod. Formation.	Upper-Most Perforation
Jay Management	Gulf-Sohio State #001**	30-025-21194	<1/2 Mi.	8,744'	Unk
Jay Management	JFG Collier #001	30-025-22108	< 1.0 Mi	9,185'	9,192'
Jay Management	Shell State Com #001	30-025-22226	< 1.0 Mi	9,108'	9,882'
Jay Management	GS State #001	30-025-22811	< 1.0 Mi	8,492'	8,603'
EOG Y Resources	Quesal AQA State #001	30-025-33460	< 1.0 Mi	10,840'	10,845'

**** Note:** The Gulf-Sohio State #001 was originally completed in the Pennsylvanian below 9,400'. NMOCD records indicated on a Form C-102 that the well was producing from the Wolfcamp B formation. No Wolfcamp B perforations were found, but the top of the Wolfcamp was reported to be 8,744'.

Maximum Surface Injection Pressure

It will be necessary in any injection scenario to limit the maximum surface injection pressure as not to hydraulically fracture the injection formation. JMC reported the Fracture Gradient (FG) for the San Andres formation to be approximately 0.80 – 0.85 psi/ft. Eq. 1 is the formula used to calculate the Hydrostatic Head (HH) of the fluid column. Eq. 2 then uses the HH calculation to determine the MASIP.

Using a depth of 4,590' to the proposed top perforation and assuming a normal field saltwater weight of 8.8 lbs/gal, the calculated HH of the fluid column would be 2,100 psi. Since the FG reported for the San Andres is estimated, Syfan used a 10% Safety Factor from the lower value, which yields a FG equal to 0.72 psi/ft. Plugging these numbers into Eq. 2 yields a calculated BHFP of 3,305 psi.

The friction losses in the pipe are a function of the fluid type, viscosity, and injection rate and would be additive to the maximum allowable surface pressure. The Maximum Daily Injection Volume is estimated to be 6,000 BWPD which equals a 24-hour injection rate slightly less than 4.5 BPM. Using a pump rate of 4.5 BPM, saltwater friction losses in 2-7/8" tubing are estimated to be 110 psi per 1,000 ft of depth. Therefore, the estimated pipe friction pressure would be 505 psi. Solving for Eq. 2 yields a calculated MASIP of 1,710 psi.

Equation 1 **Hydrostatic Head Calculation**

$$HH = (FW)(D)(0.052)$$

Equation 2
Maximum Allowable Surface Treating Pressure Calculation

$$SIP = BHFP - HH + \Delta P_p$$

Where: BHFP = Bottomhole Fracture Pressure, psi
D = Depth, ft
HH = Hydrostatic Head, psi
0.052 = Conversion Factor, dim
FW = Fluid Weight, lbs/gal
SIP = Surface Injection Pressure, psi
 ΔP_p = Pipe Friction, psi

NOMENCLATURE

BPM	Barrels per Minute
BWPD	Barrels Water per Day
CIBP	Cast Iron Bridge Plug
FG	Fracture Gradient, psi/ft
Fi	Feet
MASIP	Maximum Allowable Surface Injection Pressure, psi
Psi	pounds per square inch
P&A	Plug and Abandonment
SWD	Salt Water Disposal
TD	Total Depth, ft

GENERAL

All data used in this study were obtained through verbal communication or written documents received from JMC, Denham Energy, and the non-confidential files of Syfan Engineering, LLC. A current field inspection of the properties was not made in connection with the preparation of this report. In addition, the potential environmental liabilities attendant to ownership and/or operation of the leases operated by Jay Management Company LLC has not been addressed in this report.

In evaluating the information at our disposal related to this report, we have excluded from our consideration all matters which require a legal or accounting interpretation or any interpretation other than those of an engineering or geologic nature. In assessing the conclusions expressed in this report pertaining to all aspects of petroleum engineering evaluations, especially pertaining to injection into the San Andres reservoir, there are uncertainties inherent in the interpretation of engineering data, and such conclusions represent only professional judgments.

Data and worksheets used in the preparation of this evaluation will be maintained in our files in Fort Worth, TX and will be available for inspection by anyone having proper authorization by IJMC.

This report was prepared solely for the use of the party to whom it is addressed and any disclosure by said party of this report and/or the contents thereof shall be solely the responsibility of said party and shall in no way constitute any representation of any kind whatsoever of the undersigned with respect to matters being addressed.

ENGINEERING DISCLAIMER

Interpretations, research, analysis, recommendations, advise or interpretational data ("Interpretations and Recommendations") furnished by Syfan Engineering, LLC ("Contractor") hereunder are opinions based upon inferences, from measurements, empirical relationships and assumptions, and industry practice, which inferences, assumptions and practices are not infallible, and with respect to which professional geologists, engineers, drilling consultants, and analysts may differ. Accordingly, Contractor does not warrant the accuracy, correctness, or completeness of any such Interpretations and Recommendations, or that Jay Management Company's ("Company") reliance and/or any third party's reliance on such Interpretations and Recommendations will accomplish any particular results. Company assumes full responsibility for the use of such Interpretations and Recommendations and for all decisions based thereon (including without limitation decisions based on any oil and gas evaluation, injection study, production forecasts, reservoir simulation studies, and reserve estimates, furnished by Contractor to Company hereunder), and hereby releases and indemnifies Contractor from any claims, damages, and losses arising out of the use of such Interpretations and Recommendations.


Without limiting the generality of the foregoing, Company acknowledges that the engineering analyses, injection analyses, production analyses, production forecasts, and/or reserve estimates furnished by Contractor are based strictly on technical judgments. The accuracy of any engineering analyses, injection analyses, production analyses, production forecasts, and/or reserve estimates are a function of the quality of data available and of engineering and geological interpretations. All engineering analyses, injection analyses, production analyses, production forecasts and reserve estimates furnished by Contractor are believed reasonable based on the data available to Contractor at the time of their generation. Company acknowledges that Contractor cannot and does not guarantee the accuracy of any such interpretations, forecasts, and/or estimates, and hereby releases and indemnifies Contractor from any claims, damages, and losses arising out of the use of any such analyses, interpretations, forecasts, and/or estimates. Company accepts and assumes the risks from the use of all such analyses, interpretations, forecasts, and/or estimates with the understanding that additional data received by Contractor and/or future reservoir performance subsequent to the date of any such interpretations, forecasts, and/or estimates may justify their revision, either up or down.

Syfan Engineering, LLC sincerely appreciates the opportunity to serve you and Jay Management Company. We look forward to the opportunity to work with you again in future. If you have any questions regarding the information contained in this report, please contact me at the address or phone numbers listed on this letterhead.

Best Regards,



Frank E. Syfan, Jr., PE
Registered Professional Engineer - TX 65255



gls
2/23/2018



1920 W. Villa Maria, Ste. 205
Bryan, Texas 77807
979.324.2139
www.teamtimberwolf.com

October 23, 2018

Michael McMillan
New Mexico Oil Conservation Division
Engineering Bureau
1220 South St. Francis Dr.
Santa Fe, New Mexico 87505

Re: Water Well Resources and Water Quality Report
G.S. State No. 1 Permit
Jay Management Company
Bagley North Oil Field, Lea County, New Mexico
Timberwolf Environmental Project No.: ISR-180051

Dear Mr. McMillan:

At the request of Jay Management Company (Jay Management), Timberwolf Environmental, LLC (Timberwolf) conducted a receptor survey and groundwater sampling event for the G.S. State No. 1 Permit (Site). The Site is located in the Bagley North Oil Field, approximately 20.3 miles northwest of Tatum, Lea County, New Mexico (Figure 1).

The New Mexico OCD requested two (2) water wells within a one-mile radius of the Site to be sampled and analyzed as part of the authorization to inject permit application. The receptor survey conducted by Timberwolf included a one-mile radius public records water well search and a one-mile radius ground reconnaissance. The well search and ground reconnaissance are documented below. The Site location is shown on the attached topographic map and aerial image (Figures 2 and 3).

Water Well Search

Timberwolf contracted with Banks Environmental Data ("Banks") to conduct a water well search within a one-mile radius from the Site. A copy of the Banks report is attached. Eleven (11) wells were identified in the public records search; results are summarized in Table 1 (below) and shown in Figure 4.

Table 1. Findings of Public Records Search – One-Mile Radius

Well Name	Well ID	GPS Coordinate*	Well Type	Status	Depth (ft)
Unnamed	1	33.37947° N / 103.63554° W	Development of Natural Resource	Sealed	130
Unnamed	2	33.37856° N / 103.63879° W	Development of Natural Resource	Plugged	105
Unnamed	3	33.37650° N / 103.63468° W	Agriculture	Active	130
Unnamed	4	33.38131° N / 103.62726° W	Other	Plugged	--
Unnamed	5	33.37857° N / 103.62582° W	Development of Natural Resource	Sealed	115
Unnamed	6	33.38946° N / 103.63016° W	Development of Natural Resource	Active	75
Unnamed	7	33.37495° N / 103.62581° W	Development of Natural Resource	Plugged	90
Unnamed	8	33.38939° N / 103.62633° W	Other	Plugged	--
Unnamed	9	33.37405° N / 103.62691° W	Development of Natural Resource	Plugged	100
Unnamed	10	33.37673° N / 103.62362° W	Development of Natural Resource	Plugged	80
Unnamed	11	33.38289° N / 103.61968° W	--	Active	--

*Coordinates in North America Datum (NAD) 83
ft - feet
-- -- not applicable

Ground Reconnaissance

On 03/12/18, Timberwolf performed ground reconnaissance to identify potential water wells to sample within a one-mile radius of the Site as specified by the New Mexico Oil Conservation Division (NMOCD). Timberwolf identified six (6) water wells within a one-mile radius of the Site; two (2) water wells were welded shut (i.e. sealed), three (3) water wells were active and used for agriculture.

Findings of the ground reconnaissance are summarized in Table 2 and shown in Figure 4.

Table 2. Findings of Ground Reconnaissance – One-Mile Radius

Well Name	Well ID	GPS Coordinate*	Well Type	Status	Depth (ft)
Unnamed	1	33.37947° N / 103.63554° W	Rig Supply	Sealed	130
Unnamed	3	33.37650° N / 103.63468° W	Agriculture	Active	130
Unnamed	5	33.37857° N / 103.62582° W	Rig Supply	Sealed	115
Unnamed	6	33.38946° N / 103.63016° W	Agriculture	Active	75
Unnamed	11	33.38289° N / 103.61968° W	Agriculture	Active	--

*Coordinates in North America Datum (NAD) 83

-- not applicable

ft - feet

No other active or plugged water wells within a one-mile radius of the Site were located during the ground reconnaissance. These wells are presumed to be plugged and abandoned or geographically misrepresented in the public records.

Collection and Analysis of Water Well No. 3

Timberwolf collected a groundwater sample from one (1) water well within a one-mile radius of the Site. No other water wells were sampled due to: the inability to sample wells without dismantling surface equipment.

Timberwolf sampled the water well identified in Tables 1 and 2 and Figure 4 as Water Well No. 3. The well is equipped with a windmill and pump. The sample was collected directly out of the discharge pipe while the windmill was actively producing water.

The sample was collected directly into laboratory provided containers and submitted for laboratory analysis, including: total petroleum hydrocarbons (TPH); benzene, toluene, ethylbenzene, and xylenes (BTEX); total dissolved solids (TDS); electrical conductivity (EC); pH; Resource Conservation Recovery Act (RCRA) 8 metals (arsenic, barium, cadmium, chromium, lead, selenium, silver, and mercury); cations, (calcium, magnesium, sodium, potassium); anions (chloride, sulfate, carbonate, and bicarbonate). Analytical methods are documented on the attached laboratory report. Analytical results are summarized in the attached table.

Conclusions

Public records were reviewed to identify water wells in the vicinity of the Site. The review revealed:

- Eleven (11) water wells within a one-mile radius of the Site

The one-mile ground reconnaissance identified the following:

- Two (2) sealed water wells
- Three (3) active agriculture water wells, three of which were completed into cattle troughs and inaccessible
- Six (6) plugged and abandoned water wells


Analytical results of groundwater collected from the Water Well No. 3 revealed:


- Concentrations of petroleum hydrocarbons (i.e., TPH, BTEX) were below EPA or NMOCD criteria
- Concentrations of RCRA 8 metals were below EPA primary drinking water standards
- Concentrations of TDS exceeded EPA secondary drinking water standards, however:
 - Concentrations of chloride were below EPA criteria
 - Concentrations of sulfate were below EPA criteria
- Groundwater from Water Well No. 3 is considered fresh and suitable for human consumption

Analytical results are shown in the attached Table B-2 and in the attached laboratory report.

If you have any questions regarding this letter please do not hesitate to contact us.

Sincerely,
Timberwolf Environmental, LLC


Morgan Vizi
Project Scientist


Jim Foster
President

Attachments: Figures
Banks Water Well Report
Laboratory Report

Cc: Amir Sanker, Jay Management Company

Tables

Table B-2. Fresh Water Sample Results
 G.S. State No. 001 Permit
 Jay Management Company
 Bagley North Oil Field, Lea County, New Mexico

Sample ID	Sample Date	TTH (mg/L)	Volatile Organic Compounds (mg/L)				Anions				Cations				General Water Quality Parameters			Dissolved Metals							
							(mg/L)				(mg/L)				pH	Sp. Cond.	TDS	(mg/L)							
			B	T	E	X	Cl	SO ₄	CO ₃	BiCarb	Na	Ca	Mg	K				As	Ba	Cd	Cr	Pb	Se	Ag	Hg
3 G.S. State	05/13/18	< 0.71	< 0.00018	< 0.00020	< 0.00020	< 0.00037	120	130	< 20	130	41 ¹	110	14	2.1	7.7 ²	869	290	0.0055 ³	0.06	< 0.00028	< 0.0019	< 0.0022	0.0071 ¹	< 0.0013	< 0.000082
Regulatory Limits	—	—	0.01 ¹	0.75 ¹	0.75 ¹	0.62 ³	250 ¹	250 ¹	—	—	—	—	—	—	8.5 - 8.5 ¹	—	500 ¹	0.01 ¹	2.0 ¹	0.005 ¹	0.1 ¹	0.015 ¹	0.05 ¹	0.10 ¹	0.002 ¹

¹ EPA Primary Drinking Water Standards

² EPA Secondary Drinking Water Standards

³ NMOC standards from Title 20 NMAC § 6.2

⁴ - analyte detected below quantitation limit

⁵ - sample preserved or analyzed beyond specified holding time

⁶ - analyte detected in blank

mg/L - milligrams per liter

— - no applicable limit

s.u. - Standard units

Sp. Cond. - Specific conductance

millimhos - millimhos per centimeter

gram - grams per meter

TDS - total dissolved solids

TSS - total suspended solids

NTU - Nephelometric turbidity unit

concentration exceeds recommended action level

CO₂ - carbon dioxide

Cl - Chloride

SO₄ - Sulfate

CO₃ - Carbonate

BiCarb - Bicarbonate

Na - Sodium

Ca - Calcium

Mg - Magnesium

As - arsenic

Ba - barium

Cd - cadmium

Cr - chromium


Pb - lead


Se - selenium

Ag - silver

Hg - mercury

Figures





Site
33.382268° N / 103.634093° W

Source: Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community



Figure 3
Aerial Map

Water Well Resources and Water Quality Report

Survey Date:
March 12, 2018





Created By:
Russell Greer
October 22, 2018
TE Project No.: ISR-180051

GS State No. 1
Jay Management, LLC
Bagley North Oil Field, Lea County, New Mexico

Datum: NAD83
Imagery Source: ESRI
Vector Source: TE

 Site





Banks Water Well Report

Prepared for:

TIMBERWOLF ENVIRONMENTAL
1920 West Villa maria Road, STE 305-2
Bryan, TX 77507



Water Well Report

GS State No. 1

NM

ES-129325

Thursday, October 18, 2018

Table of Contents



Geographic Summary	3
Maps	
Summary Map - 1 Mile Radius	4
Topographic Overlay Map - 1 Mile Radius	5
Current Imagery Overlay Map - 1 Mile Radius	6
Water Well Details	7
Database Definitions and Sources	8
Disclaimer	9

Geographic Summary



Location

NM

Coordinates

Longitude & Latitude in Degrees Minutes Seconds

-103° 38' 3", 33° 22' 55"

Longitude & Latitude in Decimal Degrees

-103.634155°, 33.38195°

X and Y in UTM

627043.72, 3694464.57 (Zone 13)

Elevation

NA

Zip Codes Searched

Search Distance

Zip Codes (historical zip codes included)

Target Property

88213, 88114, 88116, 88201, 88230, 88232, 88260, 88267

1 mile

88213, 88114, 88116, 88201, 88230, 88232, 88260, 88267

Topos Searched

Search Distance

Topo Name


Target Property

Caprock (1985)

1 mile

Caprock (1985), Soldier Hill (1985), Lane Salt Lake (1985), Dallas Store (1985)

Summary Map - 1 Mile Radius



GS State No. 1

- Well
- ⬢ Well Cluster

- ★ Target Property
- Search Buffer

0' 1000' 2000'

1 : 19,000

1 inch = 0.300 miles

1 inch = 1583 feet


1 centimeter = 0.190 kilometers

1 centimeter = 190 meters

Lambert Conformal Conic Projection
 1983 North American Datum
 First Standard Parallel: 33° 00' 00" North
 Second Standard Parallel: 45° 00' 00" North
 Central Meridian: 98° 00' 00" West
 Latitude of Origin: 39° 00' 00" North



Topographic Overlay Map - 1 Mile Radius



GS State No. 1

- Well
- Well Cluster

- ★ Target Property
- Search Buffer

Target Property Quad Name(s)
Caprock (1985)

0' 1000' 2000'

1 : 19,000


1 inch = 0.300 miles

1 inch = 1583 feet

Lambert Conformal Conic Projection
1983 North American Datum
First Standard Parallel: 33° 00' 00" North
Second Standard Parallel: 45° 00' 00" North
Central Meridian: 95° 00' 00" West
Latitude of Origin: 39° 00' 00" North



Current Imagery Overlay Map - 1 Mile Radius



Source: Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community

GS State No. 1

- Well
- Well Cluster

- ★ Target Property
- Search Buffer

0' 1000' 2000'

1 : 19,000

1 inch = 0.300 miles
1 inch = 1583 feet
1 centimeter = 0.190 kilometers
1 centimeter = 190 meters

Lambert Conformal Conic Projection
1983 North American Datum
First Standard Parallel: 33° 00' North
Second Standard Parallel: 45° 00' North
Central Meridian: 96° 00' West
Latitude of Origin: 39° 00' North



Water Well Details



Map ID	Source ID	Dataset	Owner of Well	Type of Well	Depth Drilled	Completion Date	Longitude	Latitude	Elevation	Driller's Logs
1	L-10567	NM WW	YATES PETROLEUM	72-12-1 PROSPECTING OR DEVELOPMENT OF NATURAL RESOURCE	130	6/3/1996	-103.635535	33.379471	NA	N/A
2	L-06249	NM WW	M G F DRILLING COMPANY	72-12-1 PROSPECTING OR DEVELOPMENT OF NATURAL RESOURCE	105	12/24/1967	-103.638785	33.37856	NA	N/A
3	USGS-332217103375701	WW USGS	USGS	Not Reported	130	N/A	-103.634677	33.376496	NA	N/A
4	L-14417-POD1	NM WW	PEARCE TRUST	Other	0	N/A	-103.627259	33.381305	NA	N/A
5	L-10225	NM WW	NORTON DRILLING	72-12-1 PROSPECTING OR DEVELOPMENT OF NATURAL RESOURCE	115	10/14/1991	-103.62582	33.37857	NA	N/A
6	L-12920-POD1	NM WW	MCVAY DRILLING COMPANY	72-12-1 PROSPECTING OR DEVELOPMENT OF NATURAL RESOURCE	75	5/18/1967	-103.630164	33.389459	NA	N/A
7	L-06235	NM WW	CACTUS DRILLING CORP	72-12-1 PROSPECTING OR DEVELOPMENT OF NATURAL RESOURCE	90	11/6/1967	-103.625813	33.374945	NA	N/A
8	L-14416-POD1	NM WW	PEARCE TRUST	Other	0	N/A	-103.626328	33.389386	NA	N/A
9	L-06242	NM WW	SHARP DRILLING COMPANY	72-12-1 PROSPECTING OR DEVELOPMENT OF NATURAL RESOURCE	100	11/13/1967	-103.626913	33.374046	NA	N/A
10	L-06139	NM WW	FORSTER DRILLING COMPANY	72-12-1 PROSPECTING OR DEVELOPMENT OF NATURAL RESOURCE	80	5/5/1967	-103.623624	33.376733	NA	N/A
11	USGS-332252103370401	WW USGS	USGS	Not Reported	0	N/A	-103.619676	33.382885	NA	N/A

Well Summary

Water Well Dataset	# of Wells
NM WW	9
WW USGS	2
Total Count	11

Dataset Descriptions and Sources



Dataset	Source	Dataset Description	Update Schedule	Data Requested	Data Obtained	Data Updated	Source Updated
NM WW - New Mexico Water Wells	New Mexico Office of the State Engineer	This WATERS dataset contains all groundwater records and water rights applications compiled by New Mexico Office of the State Engineer (OSE). OSE is in the process of digitizing all records, all wells have not yet been plotted.	Quarterly	10/17/2018	10/17/2018	10/18/2018	04/01/2018
NM WW HIST - New Mexico Historical Water Wells	New Mexico Office of the State Engineer	This dataset contains all groundwater records found at the New Mexico Office of the State Engineer Water Rights Division district office. Groundwater rights are administered and filed at the district level: Albuquerque (District I), Roswell (District II).		N/A	N/A	N/A	N/A
WW USGS - USGS Water Wells	U.S. Geological Survey	This dataset contains groundwater well records from the U.S. Geological Survey.	Semi-annually	06/06/2018	06/06/2018	06/10/2018	06/06/2018

Disclaimer



The Banks Environmental Data Water Well Report was prepared from existing state water well databases and/or additional file data/records research conducted at the state agency and the U.S. Geological Survey. Banks Environmental Data has performed a thorough and diligent search of all groundwater well information provided and recorded. All mapped locations are based on information obtained from the source. Although Banks performs quality assurance and quality control on all research projects, we recognize that any inaccuracies of the records and mapped well locations could possibly be traced to the appropriate regulatory authority or the actual driller. It may be possible that some water well schedules and logs have never been submitted to the regulatory authority by the water driller and, thus, may explain the possible unaccountability of privately drilled wells. It is uncertain if the above listing provides 100% of the existing wells within the area of review. Therefore, Banks Environmental Data cannot fully guarantee the accuracy of the data or well location(s) of those maps and records maintained by the regulatory authorities.

Laboratory Report

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica Houston

6310 Rothway Street

Houston, TX 77040

Tel: (713)690-4444

TestAmerica Job ID: 600-162845-1

Client Project/Site: 180006 - State OG SWD

Revision: 1

For:

Timberwolf Environmental LLC

1920 W. Vill Maria

Suite 305-2 Box 205

Bryan, Texas 77807

Attn: Accounts Payable



Authorized for release by:

10/22/2018 3:19:08 PM

Dean Joiner, Project Manager II

(713)690-4444

dean.joiner@testamericainc.com

LINKS

Review your project
results through

Total Access

Have a Question?



Visit us at:

www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

Table of Contents

Cover Page	1
Table of Contents	2
Case Narrative	3
Method Summary	4
Sample Summary	5
Client Sample Results	6
Definitions/Glossary	8
Surrogate Summary	9
QC Sample Results	10
Default Detection Limits	16
QC Association Summary	17
Lab Chronicle	20
Certification Summary	21
Chain of Custody	22
Receipt Checklists	24

Case Narrative

Client: Timberwolf Environmental LLC
Project/Site: 180006 - State OG SWD

TestAmerica Job ID: 600-162845-1

Job ID: 600-162845-1

Laboratory: TestAmerica Houston

Narrative

Job Narrative 600-162845-1

Comments

This report was revised on 10-22-18 updating the client sample id for TA sample # 600-162845-1 as requested by the client via e-mail.

Receipt

The samples were received on 3/14/2018 9:23 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 0.9° C.

GC/MS VOA

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

GC Semi VOA

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Metals

Method(s) 6010B: The serial dilution performed for the following sample associated with batch 234414 was outside control limits for Potassium at 20% recovery: (600-162845-A-1-E SD)

Method(s) 6010B: The method blank for Prep Batch 234286 contained Sodium above the method detection limit. This target analyte concentration was less than the reporting limit (RL); therefore, re-extraction and/or re-analysis of samples was not performed.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

General Chemistry

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Industrial Hygiene

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Organic Prep

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Method Summary

Client: Timberwolf Environmental LLC
Project/Site: 180006 - State OG SWD

TestAmerica Job ID: 600-162845-1

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL HOU
TX 1005	Texas - Total Petroleum Hydrocarbon (GC)	TCEQ	TAL HOU
300.0	Anions, Ion Chromatography	MCAWW	TAL HOU
6010B	Inductively Coupled Plasma - Atomic Emission Spectrometry	SW846	TAL HOU
7470A	Mercury in Liquid Waste (Manual Cold Vapor Technique)	SW846	TAL HOU
2320B-1997	Alkalinity, Total - SM Online, 2011	SM-Online	TAL HOU
9040B	pH	SW846	TAL HOU
9050A	Conductivity, Specific Conductance	SW846	TAL HOU
SM 2540C	Solids, Total Dissolved (TDS)	SM	TAL HOU
3010A	Acid Digestion of Aqueous Samples and Extracts for Total Metals	SW846	TAL HOU
5030B	Purge and Trap	SW846	TAL HOU
7470A	Mercury in Liquid Waste (Manual Cold Vapor Technique)/Preparation	SW846	TAL HOU
FILTRATION	Sample Filtration	None	TAL HOU
TX_1005_W_Prep	Extraction - Texas Total petroleum Hydrocarbons	TCEQ	TAL HOU

Protocol References:

MCAWW = "Methods For Chemical Analysis Of Water And Wastes", EPA-600/4-79-020, March 1983 And Subsequent Revisions.
None = None
SM = "Standard Methods For The Examination Of Water And Wastewater"
SM-Online = Standard Methods Online
SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.
TCEQ = Texas Commission of Environmental Quality

Laboratory References:

TAL HOU = TestAmerica Houston, 6310 Rothway Street, Houston, TX 77040, TEL (713)690-4444

Sample Summary

Client: Timberwolf Environmental LLC
Project/Site: 180006 - State OG SWD

TestAmerica Job ID: 600-162845-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
600-162845-1	G.S. State 3 WW	Water	03/13/18 08:40	03/14/18 09:23
600-162845-2	State NBN 7 WW	Water	03/13/18 09:00	03/14/18 09:23

5

TestAmerica Houston

Client Sample Results

Client: Timberwolf Environmental LLC
Project/Site: 180006 - State OG SWD

TestAmerica Job ID: 600-162845-1

Client Sample ID: G.S. State 3 WW

Lab Sample ID: 600-162845-1

Date Collected: 03/13/18 08:40

Matrix: Water

Date Received: 03/14/18 09:23

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	0.00018	U	0.0010	0.00018	mg/L			03/15/18 15:34	1
Ethylbenzene	0.00021	U	0.0010	0.00021	mg/L			03/15/18 15:34	1
Toluene	0.00020	U	0.0010	0.00020	mg/L			03/15/18 15:34	1
Xylenes, Total	0.00037	U	0.0020	0.00037	mg/L			03/15/18 15:34	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	119		50 - 134		03/15/18 15:34	1
Dibromofluoromethane	115		62 - 130		03/15/18 15:34	1
Toluene-d8 (Surr)	118		70 - 130		03/15/18 15:34	1
4-Bromofluorobenzene	119		67 - 139		03/15/18 15:34	1

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12	0.71	U	1.7	0.71	mg/L		03/16/18 11:02	03/17/18 00:04	1
>C12-C28	0.82	U	1.7	0.82	mg/L		03/16/18 11:02	03/17/18 00:04	1
>C28-C35	0.82	U	1.7	0.82	mg/L		03/16/18 11:02	03/17/18 00:04	1
C6-C35	0.71	U	1.7	0.71	mg/L		03/16/18 11:02	03/17/18 00:04	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
o-Terphenyl	90		70 - 130	03/16/18 11:02	03/17/18 00:04	1

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	120		10	1.3	mg/L			03/16/18 14:12	25
Sulfate	130		13	2.4	mg/L			03/16/18 14:12	25

Method: 6010B - Inductively Coupled Plasma - Atomic Emission Spectrometry - Dissolved

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	0.0055	J	0.010	0.0029	mg/L		03/19/18 13:06	03/20/18 12:30	1
Barium	0.060		0.020	0.00053	mg/L		03/19/18 13:06	03/20/18 12:30	1
Cadmium	0.00028	U	0.0050	0.00028	mg/L		03/19/18 13:06	03/20/18 12:30	1
Calcium	110		1.0	0.024	mg/L		03/19/18 13:06	03/20/18 12:30	1
Chromium	0.0016	U	0.010	0.0016	mg/L		03/19/18 13:06	03/20/18 12:30	1
Lead	0.0022	U	0.010	0.0022	mg/L		03/19/18 13:06	03/20/18 12:30	1
Magnesium	14		1.0	0.056	mg/L		03/19/18 13:06	03/20/18 12:30	1
Potassium	2.1		1.0	0.037	mg/L		03/19/18 13:06	03/20/18 12:30	1
Selenium	0.0071	J	0.040	0.0029	mg/L		03/19/18 13:06	03/20/18 12:30	1
Silver	0.0013	U	0.010	0.0013	mg/L		03/19/18 13:06	03/20/18 12:30	1
Sodium	41	B	1.0	0.021	mg/L		03/19/18 13:06	03/20/18 14:29	1

Method: 7470A - Mercury in Liquid Waste (Manual Cold Vapor Technique) - Dissolved

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.000082	U	0.00020	0.000082	mg/L		03/19/18 11:46	03/19/18 14:20	1

General Chemistry

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Bicarbonate Alkalinity as CaCO3	130		20	20	mg/L			03/19/18 14:26	1
Carbonate Alkalinity as CaCO3	20	U	20	20	mg/L			03/19/18 14:26	1
pH	7.7	HF	0.01	0.01	SU			03/19/18 12:49	1
Specific Conductance	860		2.0	2.0	umhos/cm			03/19/18 15:45	1
Total Dissolved Solids	690		10	10	mg/L			03/15/18 15:09	1

TestAmerica Houston

Client Sample Results

Client: Timberwolf Environmental LLC
Project/Site: 180006 - State OG SWD

TestAmerica Job ID: 600-162845-1

Client Sample ID: State NBN 7 WW

Lab Sample ID: 600-162845-2

Date Collected: 03/13/18 09:00

Matrix: Water

Date Received: 03/14/18 09:23

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	0.00018	U	0.0010	0.00018	mg/L	-		03/15/18 15:58	1
Ethylbenzene	0.00021	U	0.0010	0.00021	mg/L	-		03/15/18 15:58	1
Toluene	0.00020	U	0.0010	0.00020	mg/L	-		03/15/18 15:58	1
Xylenes, Total	0.00037	U	0.0020	0.00037	mg/L	-		03/15/18 15:58	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	119		50 - 134		03/15/18 15:58	1
Dibromofluoromethane	107		62 - 130		03/15/18 15:58	1
Toluene-d8 (Surr)	119		70 - 130		03/15/18 15:58	1
4-Bromofluorobenzene	122		67 - 139		03/15/18 15:58	1

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12	0.74	U	1.8	0.74	mg/L	-	03/16/18 11:02	03/17/18 00:37	1
>C12-C28	0.86	U	1.8	0.86	mg/L	-	03/16/18 11:02	03/17/18 00:37	1
>C28-C35	0.86	U	1.8	0.86	mg/L	-	03/16/18 11:02	03/17/18 00:37	1
C6-C35	0.74	U	1.8	0.74	mg/L	-	03/16/18 11:02	03/17/18 00:37	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
o-Terphenyl	96		70 - 130	03/16/18 11:02	03/17/18 00:37	1

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	51		10	1.3	mg/L	-		03/16/18 14:48	25
Sulfate	200		13	2.4	mg/L	-		03/16/18 14:48	25

Method: 6010B - Inductively Coupled Plasma - Atomic Emission Spectrometry - Dissolved

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	0.0052	J	0.010	0.0029	mg/L	-	03/19/18 13:06	03/20/18 12:36	1
Barium	0.031		0.020	0.00053	mg/L	-	03/19/18 13:06	03/20/18 12:36	1
Cadmium	0.00028	U	0.0050	0.00028	mg/L	-	03/19/18 13:06	03/20/18 12:36	1
Calcium	94		1.0	0.024	mg/L	-	03/19/18 13:06	03/20/18 12:36	1
Chromium	0.0016	U	0.010	0.0016	mg/L	-	03/19/18 13:06	03/20/18 12:36	1
Lead	0.0022	U	0.010	0.0022	mg/L	-	03/19/18 13:06	03/20/18 12:36	1
Magnesium	13		1.0	0.056	mg/L	-	03/19/18 13:06	03/20/18 12:36	1
Potassium	2.6		1.0	0.037	mg/L	-	03/19/18 13:06	03/20/18 12:36	1
Selenium	0.0048	J	0.040	0.0029	mg/L	-	03/19/18 13:06	03/20/18 12:36	1
Silver	0.0013	U	0.010	0.0013	mg/L	-	03/19/18 13:06	03/20/18 12:36	1
Sodium	64	B	1.0	0.021	mg/L	-	03/19/18 13:06	03/20/18 14:42	1

Method: 7470A - Mercury in Liquid Waste (Manual Cold Vapor Technique) - Dissolved

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.000082	U	0.00020	0.000082	mg/L	-	03/19/18 12:45	03/19/18 14:26	1

General Chemistry

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Bicarbonate Alkalinity as CaCO3	160		20	20	mg/L	-		03/19/18 14:33	1
Carbonate Alkalinity as CaCO3	20	U	20	20	mg/L	-		03/19/18 14:33	1
pH	7.9	HF	0.01	0.01	SU	-		03/19/18 12:56	1
Specific Conductance	850		2.0	2.0	umhos/cm	-		03/19/18 15:45	1
Total Dissolved Solids	650		10	10	mg/L	-		03/15/18 15:09	1

TestAmerica Houston

Definitions/Glossary

Client: Timberwolf Environmental LLC
Project/Site: 180006 - State OG SWD

TestAmerica Job ID: 600-162845-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

GC Semi VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

HPLC/IC

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

Metals

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
B	Compound was found in the blank and sample.
F5	Duplicate RPD exceeds limit, and one or both sample results are less than 5 times RL. The data are considered valid because the absolute difference is less than the RL.
4	MS, MSD: The analyte present in the original sample is greater than 4 times the matrix spike concentration; therefore, control limits are not applicable.

General Chemistry

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.
HF	Field parameter with a holding time of 15 minutes. Test performed by laboratory at client's request.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
EQ	Toxicity Equivalent Quotient (Dioxin)

TestAmerica Houston

Surrogate Summary

Client: Timberwolf Environmental LLC
Project/Site: 180006 - State OG SWD

TestAmerica Job ID: 600-162845-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCA (50-134)	DBFM (62-130)	TOL (70-130)	BFB (67-139)
600-162845-1	G.S. State 3 WW	119	115	118	119
600-162845-2	State NBN 7 WW	119	107	119	122
LCS 600-234104/3	Lab Control Sample	123	110	112	120
LCSD 600-234104/4	Lab Control Sample Dup	127	111	112	120
MB 600-234104/6	Method Blank	115	109	117	116

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

DBFM = Dibromofluoromethane

TOL = Toluene-d8 (Surr)

BFB = 4-Bromofluorobenzene

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		OTPH (70-130)			
600-162845-1	G.S. State 3 WW	90			
600-162845-2	State NBN 7 WW	96			
LCS 600-234200/2-A	Lab Control Sample	98			
LCSD 600-234200/3-A	Lab Control Sample Dup	95			
MB 600-234200/1-A	Method Blank	93			

Surrogate Legend

OTPH = o-Terphenyl

QC Sample Results

Client: Timberwolf Environmental LLC
Project/Site: 180006 - State OG SWD

TestAmerica Job ID: 600-162845-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 600-234104/6
Matrix: Water
Analysis Batch: 234104

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	0.00018	U	0.0010	0.00018	mg/L	-		03/15/18 13:04	1
Ethylbenzene	0.00021	U	0.0010	0.00021	mg/L	-		03/15/18 13:04	1
Toluene	0.00020	U	0.0010	0.00020	mg/L	-		03/15/18 13:04	1
Xylenes, Total	0.00037	U	0.0020	0.00037	mg/L	-		03/15/18 13:04	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	115		50 - 134		03/15/18 13:04	1
Dibromofluoromethane	109		62 - 130		03/15/18 13:04	1
Toluene-d8 (Surr)	117		70 - 130		03/15/18 13:04	1
4-Bromofluorobenzene	116		67 - 139		03/15/18 13:04	1

Lab Sample ID: LCS 600-234104/3
Matrix: Water
Analysis Batch: 234104

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Benzene	0.0100	0.0120		mg/L	-	120	70 - 130
Ethylbenzene	0.0100	0.0124		mg/L	-	124	70 - 130
Toluene	0.0100	0.0123		mg/L	-	123	70 - 130
Xylenes, Total	0.0200	0.0249		mg/L	-	125	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	123		50 - 134
Dibromofluoromethane	110		62 - 130
Toluene-d8 (Surr)	112		70 - 130
4-Bromofluorobenzene	120		67 - 139

Lab Sample ID: LCSD 600-234104/4
Matrix: Water
Analysis Batch: 234104

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Benzene	0.0100	0.0118		mg/L	-	118	70 - 130	2	20
Ethylbenzene	0.0100	0.0122		mg/L	-	122	70 - 130	2	20
Toluene	0.0100	0.0120		mg/L	-	120	70 - 130	3	20
Xylenes, Total	0.0200	0.0244		mg/L	-	122	70 - 130	2	20

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	127		50 - 134
Dibromofluoromethane	111		62 - 130
Toluene-d8 (Surr)	112		70 - 130
4-Bromofluorobenzene	120		67 - 139

TestAmerica Houston

QC Sample Results

Client: Timberwolf Environmental LLC
Project/Site: 180006 - State OG SWD

TestAmerica Job ID: 600-162845-1

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Lab Sample ID: MB 600-234200/1-A
Matrix: Water
Analysis Batch: 234211

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 234200

Analyte	MB Result	MB Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
C6-C12	0.83	U	2.0	0.83	mg/L		03/16/18 11:02	03/16/18 22:27	1
>C12-C28	0.96	U	2.0	0.96	mg/L		03/16/18 11:02	03/16/18 22:27	1
>C28-C35	0.96	U	2.0	0.96	mg/L		03/16/18 11:02	03/16/18 22:27	1
C6-C35	0.83	U	2.0	0.83	mg/L		03/16/18 11:02	03/16/18 22:27	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
o-Terphenyl	93		70 - 130	03/16/18 11:02	03/16/18 22:27	1

Lab Sample ID: LCS 600-234200/2-A
Matrix: Water
Analysis Batch: 234211

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 234200

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
C6-C12	33.3	27.3		mg/L		82	75 - 125
>C12-C28	33.3	35.7		mg/L		107	75 - 125
C6-C35	66.7	63.0		mg/L		95	75 - 125

Surrogate	LCS %Recovery	LCS Qualifier	Limits
o-Terphenyl	98		70 - 130

Lab Sample ID: LCSD 600-234200/3-A
Matrix: Water
Analysis Batch: 234211

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 234200

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	Limit
C6-C12	33.3	26.6		mg/L		80	75 - 125	2	20
>C12-C28	33.3	36.3		mg/L		109	75 - 125	2	20
C6-C35	66.7	62.9		mg/L		94	75 - 125	0	20

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
o-Terphenyl	95		70 - 130

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 600-234198/4
Matrix: Water
Analysis Batch: 234198

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	0.053	U	0.40	0.053	mg/L			03/16/18 12:24	1
Sulfate	0.096	U	0.50	0.096	mg/L			03/16/18 12:24	1

TestAmerica Houston

QC Sample Results

Client: Timberwolf Environmental LLC
Project/Site: 180006 - State OG SWD

TestAmerica Job ID: 600-162845-1

Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: LCS 600-234198/5
Matrix: Water
Analysis Batch: 234198

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	20.0	19.1		mg/L		96	90 - 110
Sulfate	20.0	19.7		mg/L		98	90 - 110

Method: 6010B - Inductively Coupled Plasma - Atomic Emission Spectrometry

Lab Sample ID: MB 600-234286/1-C
Matrix: Water
Analysis Batch: 234414

Client Sample ID: Method Blank
Prep Type: Dissolved
Prep Batch: 234323

Analyte	MB Result	MB Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	0.0029	U	0.010	0.0029	mg/L		03/19/18 13:06	03/20/18 12:26	1
Barium	0.00053	U	0.020	0.00053	mg/L		03/19/18 13:06	03/20/18 12:26	1
Cadmium	0.00028	U	0.0050	0.00028	mg/L		03/19/18 13:06	03/20/18 12:26	1
Calcium	0.024	U	1.0	0.024	mg/L		03/19/18 13:06	03/20/18 12:26	1
Chromium	0.0016	U	0.010	0.0016	mg/L		03/19/18 13:06	03/20/18 12:26	1
Lead	0.0022	U	0.010	0.0022	mg/L		03/19/18 13:06	03/20/18 12:26	1
Magnesium	0.056	U	1.0	0.056	mg/L		03/19/18 13:06	03/20/18 12:26	1
Potassium	0.037	U	1.0	0.037	mg/L		03/19/18 13:06	03/20/18 12:26	1
Selenium	0.0029	U	0.040	0.0029	mg/L		03/19/18 13:06	03/20/18 12:26	1
Silver	0.0013	U	0.010	0.0013	mg/L		03/19/18 13:06	03/20/18 12:26	1

Lab Sample ID: MB 600-234286/1-C
Matrix: Water
Analysis Batch: 234414

Client Sample ID: Method Blank
Prep Type: Dissolved
Prep Batch: 234323

Analyte	MB Result	MB Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Sodium	0.0928	J	1.0	0.021	mg/L		03/19/18 13:06	03/20/18 14:25	1

Lab Sample ID: LCS 600-234286/2-B
Matrix: Water
Analysis Batch: 234414

Client Sample ID: Lab Control Sample
Prep Type: Dissolved
Prep Batch: 234323

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Arsenic	1.00	1.01		mg/L		101	80 - 120
Barium	1.00	1.00		mg/L		100	80 - 120
Cadmium	0.500	0.504		mg/L		101	80 - 120
Calcium	10.0	9.83		mg/L		98	80 - 120
Chromium	1.00	0.992		mg/L		99	80 - 120
Lead	1.00	0.991		mg/L		99	80 - 120
Magnesium	10.0	9.91		mg/L		99	80 - 120
Potassium	10.0	9.96		mg/L		100	80 - 120
Selenium	1.00	1.01		mg/L		101	80 - 120
Silver	0.500	0.500		mg/L		100	80 - 120

TestAmerica Houston

QC Sample Results

Client: Timberwolf Environmental LLC
Project/Site: 180006 - State OG SWD

TestAmerica Job ID: 600-162845-1

Method: 6010B - Inductively Coupled Plasma - Atomic Emission Spectrometry (Continued)

Lab Sample ID: LCS 600-234286/2-B
Matrix: Water
Analysis Batch: 234414

Client Sample ID: Lab Control Sample
Prep Type: Dissolved
Prep Batch: 234323

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Sodium	10.0	9.99		mg/L		100	80 - 120

Lab Sample ID: 600-162845-1 MS
Matrix: Water
Analysis Batch: 234414

Client Sample ID: G.S. State 3 WW
Prep Type: Dissolved
Prep Batch: 234323

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Arsenic	0.0055	J	1.00	1.04		mg/L		103	75 - 125
Barium	0.060		1.00	1.06		mg/L		100	75 - 125
Cadmium	0.00028	U	0.500	0.515		mg/L		103	75 - 125
Calcium	110		10.0	117	4	mg/L		111	75 - 125
Chromium	0.0016	U	1.00	0.980		mg/L		98	75 - 125
Lead	0.0022	U	1.00	0.992		mg/L		99	75 - 125
Magnesium	14		10.0	23.8		mg/L		99	75 - 125
Potassium	2.1		10.0	12.2		mg/L		101	75 - 125
Selenium	0.0071	J	1.00	1.05		mg/L		104	75 - 125
Silver	0.0013	U	0.500	0.516		mg/L		103	75 - 125

Lab Sample ID: 600-162845-1 MS
Matrix: Water
Analysis Batch: 234414

Client Sample ID: G.S. State 3 WW
Prep Type: Dissolved
Prep Batch: 234323

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Sodium	41	B	10.0	51.4	4	mg/L		100	75 - 125

Lab Sample ID: 600-162845-1 DU
Matrix: Water
Analysis Batch: 234414

Client Sample ID: G.S. State 3 WW
Prep Type: Dissolved
Prep Batch: 234323

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Arsenic	0.0055	J	0.00420	J F5	mg/L		27	20
Barium	0.060		0.0601		mg/L		1	20
Cadmium	0.00028	U	0.00028	U	mg/L		NC	20
Calcium	110		106		mg/L		0	20
Chromium	0.0016	U	0.0016	U	mg/L		NC	20
Lead	0.0022	U	0.0022	U	mg/L		NC	20
Magnesium	14		14.0		mg/L		0.6	20
Potassium	2.1		2.14		mg/L		0.5	20
Selenium	0.0071	J	0.00310	J F5	mg/L		78	20
Silver	0.0013	U	0.0013	U	mg/L		NC	20

Lab Sample ID: 600-162845-1 DU
Matrix: Water
Analysis Batch: 234414

Client Sample ID: G.S. State 3 WW
Prep Type: Dissolved
Prep Batch: 234323

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Sodium	41	B	41.1		mg/L		0.7	20

TestAmerica Houston

QC Sample Results

Client: Timberwolf Environmental LLC
Project/Site: 180006 - State OG SWD

TestAmerica Job ID: 600-162845-1

Method: 7470A - Mercury in Liquid Waste (Manual Cold Vapor Technique)

Lab Sample ID: MB 600-234317/7-A
Matrix: Water
Analysis Batch: 234325

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 234317

Analyte	MB Result	MB Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.000082	U	0.00020	0.000082	mg/L		03/19/18 11:46	03/19/18 13:02	1

Lab Sample ID: LCS 600-234317/8-A
Matrix: Water
Analysis Batch: 234325

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 234317

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Mercury	0.00300	0.00297		mg/L		99	70 - 130

Lab Sample ID: MB 600-234286/1-B
Matrix: Water
Analysis Batch: 234325

Client Sample ID: Method Blank
Prep Type: Dissolved
Prep Batch: 234317

Analyte	MB Result	MB Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.000082	U	0.00020	0.000082	mg/L		03/19/18 11:46	03/19/18 14:18	1

Lab Sample ID: 600-162845-1 MS
Matrix: Water
Analysis Batch: 234325

Client Sample ID: G.S. State 3 WW
Prep Type: Dissolved
Prep Batch: 234317

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Mercury	0.000082	U	0.00300	0.00303		mg/L		101	75 - 125

Lab Sample ID: 600-162845-1 DU
Matrix: Water
Analysis Batch: 234325

Client Sample ID: G.S. State 3 WW
Prep Type: Dissolved
Prep Batch: 234317

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	Limit
Mercury	0.000082	U	0.000082	U	mg/L		NC	20

Method: 2320B-1997 - Alkalinity, Total - SM Online, 2011

Lab Sample ID: MB 600-234340/2
Matrix: Water
Analysis Batch: 234340

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Bicarbonate Alkalinity as CaCO ₃	20	U	20	20	mg/L			03/19/18 13:41	1
Carbonate Alkalinity as CaCO ₃	20	U	20	20	mg/L			03/19/18 13:41	1

Method: 9040B - pH

Lab Sample ID: LCS 600-234341/1
Matrix: Water
Analysis Batch: 234341

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
pH	7.00	7.0		SU		101	99 - 101

TestAmerica Houston

QC Sample Results

Client: Timberwolf Environmental LLC
Project/Site: 180006 - State OG SWD

TestAmerica Job ID: 600-162845-1

Method: 9040B - pH (Continued)

Lab Sample ID: 600-162845-1 DU				Client Sample ID: G.S. State 3 WW					
Matrix: Water				Prep Type: Total/NA					
Analysis Batch: 234341									
Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	Limit	
pH	7.7	HF	7.8		SU		1	1	

Method: 9050A - Conductivity, Specific Conductance

Lab Sample ID: MB 600-234342/1				Client Sample ID: Method Blank					
Matrix: Water				Prep Type: Total/NA					
Analysis Batch: 234342									
Analyte	MB Result	MB Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Specific Conductance	2.0	U	2.0	2.0	umhos/cm			03/19/18 15:45	1

Lab Sample ID: LCS 600-234342/2				Client Sample ID: Lab Control Sample					
Matrix: Water				Prep Type: Total/NA					
Analysis Batch: 234342									
Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits		
Specific Conductance	10.0	9.96		umhos/cm		100	90 - 110		

Lab Sample ID: 600-162845-1 DU				Client Sample ID: G.S. State 3 WW					
Matrix: Water				Prep Type: Total/NA					
Analysis Batch: 234342									
Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	Limit	
Specific Conductance	860		863		umhos/cm		0.1	20	

Method: SM 2540C - Solids, Total Dissolved (TDS)

Lab Sample ID: MB 600-234145/1				Client Sample ID: Method Blank					
Matrix: Water				Prep Type: Total/NA					
Analysis Batch: 234145									
Analyte	MB Result	MB Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	10	U	10	10	mg/L			03/15/18 15:09	1

Lab Sample ID: LCS 600-234145/2				Client Sample ID: Lab Control Sample					
Matrix: Water				Prep Type: Total/NA					
Analysis Batch: 234145									
Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits		
Total Dissolved Solids	1800	1650		mg/L		92	90 - 110		

Lab Sample ID: 600-162845-1 DU				Client Sample ID: G.S. State 3 WW					
Matrix: Water				Prep Type: Total/NA					
Analysis Batch: 234145									
Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	Limit	
Total Dissolved Solids	690		661		mg/L		4	10	

TestAmerica Houston

Unadjusted Detection Limits

Client: Timberwolf Environmental LLC
Project/Site: 180006 - State OG SWD

TestAmerica Job ID: 600-162845-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	MQL	MDL	Units	Method
Benzene	0.0010	0.00018	mg/L	8260B
Ethylbenzene	0.0010	0.00021	mg/L	8260B
Toluene	0.0010	0.00020	mg/L	8260B
Xylenes, Total	0.0020	0.00037	mg/L	8260B

Method: TX 1005 - Texas - Total Petroleum Hydrocarbon (GC)

Prep: TX_1005_W_Prep

Analyte	MQL	MDL	Units	Method
>C12-C28	2.0	0.96	mg/L	TX 1005
>C28-C35	2.0	0.96	mg/L	TX 1005
C6-C12	2.0	0.83	mg/L	TX 1005
C6-C35	2.0	0.83	mg/L	TX 1005

Method: 300.0 - Anions, Ion Chromatography

Analyte	MQL	MDL	Units	Method
Chloride	0.40	0.053	mg/L	300.0
Sulfate	0.50	0.096	mg/L	300.0

Method: 6010B - Inductively Coupled Plasma - Atomic Emission Spectrometry - Dissolved

Prep: 3010A

Analyte	MQL	MDL	Units	Method
Arsenic	0.010	0.0029	mg/L	6010B
Barium	0.020	0.00053	mg/L	6010B
Cadmium	0.0050	0.00028	mg/L	6010B
Calcium	1.0	0.024	mg/L	6010B
Chromium	0.010	0.0016	mg/L	6010B
Lead	0.010	0.0022	mg/L	6010B
Magnesium	1.0	0.056	mg/L	6010B
Potassium	1.0	0.037	mg/L	6010B
Selenium	0.040	0.0029	mg/L	6010B
Silver	0.010	0.0013	mg/L	6010B
Sodium	1.0	0.021	mg/L	6010B

Method: 7470A - Mercury in Liquid Waste (Manual Cold Vapor Technique) - Dissolved

Prep: 7470A

Analyte	MQL	MDL	Units	Method
Mercury	0.00020	0.000082	mg/L	7470A

General Chemistry

Analyte	MQL	MDL	Units	Method
Bicarbonate Alkalinity as CaCO ₃	20	20	mg/L	2320B-1997
Carbonate Alkalinity as CaCO ₃	20	20	mg/L	2320B-1997
pH	0.01	0.01	SU	9040B
Specific Conductance	2.0	2.0	umhos/cm	9050A
Total Dissolved Solids	10	10	mg/L	SM 2540C

TestAmerica Houston

QC Association Summary

Client: Timberwolf Environmental LLC
Project/Site: 180006 - State OG SWD

TestAmerica Job ID: 600-162845-1

GC/MS VOA

Analysis Batch: 234104

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-162845-1	G.S. State 3 WW	Total/NA	Water	8260B	
600-162845-2	State NBN 7 WW	Total/NA	Water	8260B	
MB 600-234104/6	Method Blank	Total/NA	Water	8260B	
LCS 600-234104/3	Lab Control Sample	Total/NA	Water	8260B	
LCSD 600-234104/4	Lab Control Sample Dup	Total/NA	Water	8260B	

GC Semi VOA

Prep Batch: 234200

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-162845-1	G.S. State 3 WW	Total/NA	Water	TX_1005_W_Pr ep	
600-162845-2	State NBN 7 WW	Total/NA	Water	TX_1005_W_Pr ep	
MB 600-234200/1-A	Method Blank	Total/NA	Water	TX_1005_W_Pr ep	
LCS 600-234200/2-A	Lab Control Sample	Total/NA	Water	TX_1005_W_Pr ep	
LCSD 600-234200/3-A	Lab Control Sample Dup	Total/NA	Water	TX_1005_W_Pr ep	

Analysis Batch: 234211

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-162845-1	G.S. State 3 WW	Total/NA	Water	TX 1005	234200
600-162845-2	State NBN 7 WW	Total/NA	Water	TX 1005	234200
MB 600-234200/1-A	Method Blank	Total/NA	Water	TX 1005	234200
LCS 600-234200/2-A	Lab Control Sample	Total/NA	Water	TX 1005	234200
LCSD 600-234200/3-A	Lab Control Sample Dup	Total/NA	Water	TX 1005	234200

HPLC/IC

Analysis Batch: 234198

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-162845-1	G.S. State 3 WW	Total/NA	Water	300.0	
600-162845-2	State NBN 7 WW	Total/NA	Water	300.0	
MB 600-234198/4	Method Blank	Total/NA	Water	300.0	
LCS 600-234198/5	Lab Control Sample	Total/NA	Water	300.0	

Metals

Filtration Batch: 234286

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-162845-1	G.S. State 3 WW	Dissolved	Water	FILTRATION	
600-162845-2	State NBN 7 WW	Dissolved	Water	FILTRATION	
MB 600-234286/1-B	Method Blank	Dissolved	Water	FILTRATION	
MB 600-234286/1-C	Method Blank	Dissolved	Water	FILTRATION	
LCS 600-234286/2-B	Lab Control Sample	Dissolved	Water	FILTRATION	
600-162845-1 MS	G.S. State 3 WW	Dissolved	Water	FILTRATION	
600-162845-1 DU	G.S. State 3 WW	Dissolved	Water	FILTRATION	

TestAmerica Houston

QC Association Summary

Client: Timberwolf Environmental LLC
Project/Site: 180006 - State OG SWD

TestAmerica Job ID: 600-162845-1

Metals (Continued)

Prep Batch: 234317

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-162845-1	G.S. State 3 WW	Dissolved	Water	7470A	234286
600-162845-2	State NBN 7 WW	Dissolved	Water	7470A	234286
MB 600-234286/1-B	Method Blank	Dissolved	Water	7470A	234286
MB 600-234317/7-A	Method Blank	Total/NA	Water	7470A	
LCS 600-234317/8-A	Lab Control Sample	Total/NA	Water	7470A	
600-162845-1 MS	G.S. State 3 WW	Dissolved	Water	7470A	234286
600-162845-1 DU	G.S. State 3 WW	Dissolved	Water	7470A	234286

Prep Batch: 234323

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-162845-1	G.S. State 3 WW	Dissolved	Water	3010A	234286
600-162845-2	State NBN 7 WW	Dissolved	Water	3010A	234286
MB 600-234286/1-C	Method Blank	Dissolved	Water	3010A	234286
LCS 600-234286/2-B	Lab Control Sample	Dissolved	Water	3010A	234286
600-162845-1 MS	G.S. State 3 WW	Dissolved	Water	3010A	234286
600-162845-1 DU	G.S. State 3 WW	Dissolved	Water	3010A	234286

Analysis Batch: 234325

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-162845-1	G.S. State 3 WW	Dissolved	Water	7470A	234317
600-162845-2	State NBN 7 WW	Dissolved	Water	7470A	234317
MB 600-234286/1-B	Method Blank	Dissolved	Water	7470A	234317
MB 600-234317/7-A	Method Blank	Total/NA	Water	7470A	234317
LCS 600-234317/8-A	Lab Control Sample	Total/NA	Water	7470A	234317
600-162845-1 MS	G.S. State 3 WW	Dissolved	Water	7470A	234317
600-162845-1 DU	G.S. State 3 WW	Dissolved	Water	7470A	234317

Analysis Batch: 234414

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-162845-1	G.S. State 3 WW	Dissolved	Water	6010B	234323
600-162845-1	G.S. State 3 WW	Dissolved	Water	6010B	234323
600-162845-2	State NBN 7 WW	Dissolved	Water	6010B	234323
600-162845-2	State NBN 7 WW	Dissolved	Water	6010B	234323
MB 600-234286/1-C	Method Blank	Dissolved	Water	6010B	234323
MB 600-234286/1-C	Method Blank	Dissolved	Water	6010B	234323
LCS 600-234286/2-B	Lab Control Sample	Dissolved	Water	6010B	234323
LCS 600-234286/2-B	Lab Control Sample	Dissolved	Water	6010B	234323
600-162845-1 MS	G.S. State 3 WW	Dissolved	Water	6010B	234323
600-162845-1 MS	G.S. State 3 WW	Dissolved	Water	6010B	234323
600-162845-1 DU	G.S. State 3 WW	Dissolved	Water	6010B	234323
600-162845-1 DU	G.S. State 3 WW	Dissolved	Water	6010B	234323

General Chemistry

Analysis Batch: 234145

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-162845-1	G.S. State 3 WW	Total/NA	Water	SM 2540C	
600-162845-2	State NBN 7 WW	Total/NA	Water	SM 2540C	
MB 600-234145/1	Method Blank	Total/NA	Water	SM 2540C	
LCS 600-234145/2	Lab Control Sample	Total/NA	Water	SM 2540C	

TestAmerica Houston

QC Association Summary

Client: Timberwolf Environmental LLC
Project/Site: 180006 - State OG SWD

TestAmerica Job ID: 600-162845-1

General Chemistry (Continued)

Analysis Batch: 234145 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-162845-1 DU	G.S. State 3 WW	Total/NA	Water	SM 2540C	

Analysis Batch: 234340

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-162845-1	G.S. State 3 WW	Total/NA	Water	2320B-1997	
600-162845-2	State NBN 7 WW	Total/NA	Water	2320B-1997	
MB 600-234340/2	Method Blank	Total/NA	Water	2320B-1997	
LCS 600-234340/3	Lab Control Sample	Total/NA	Water	2320B-1997	

Analysis Batch: 234341

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-162845-1	G.S. State 3 WW	Total/NA	Water	9040B	
600-162845-2	State NBN 7 WW	Total/NA	Water	9040B	
LCS 600-234341/1	Lab Control Sample	Total/NA	Water	9040B	
600-162845-1 DU	G.S. State 3 WW	Total/NA	Water	9040B	

Analysis Batch: 234342

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-162845-1	G.S. State 3 WW	Total/NA	Water	9050A	
600-162845-2	State NBN 7 WW	Total/NA	Water	9050A	
MB 600-234342/1	Method Blank	Total/NA	Water	9050A	
LCS 600-234342/2	Lab Control Sample	Total/NA	Water	9050A	
600-162845-1 DU	G.S. State 3 WW	Total/NA	Water	9050A	

Lab Chronicle

Client: Timberwolf Environmental LLC
Project/Site: 180006 - State OG SWD

TestAmerica Job ID: 600-162845-1

Client Sample ID: G.S. State 3 WW

Lab Sample ID: 600-162845-1

Date Collected: 03/13/18 08:40

Matrix: Water

Date Received: 03/14/18 09:23

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	20 mL	20 mL	234104	03/15/18 15:34	WS1	TAL HOU
Total/NA	Prep	TX_1005_WW_Prep			35.3 mL	3.00 mL	234200	03/16/18 11:02	RJV	TAL HOU
Total/NA	Analysis	TX 1005		1			234211	03/17/18 00:04	PXS	TAL HOU
Total/NA	Analysis	300.0		25			234198	03/16/18 14:12	DAW	TAL HOU
Dissolved	Filtration	FILTRATION			1.0 mL	1.0 mL	234286	03/19/18 09:22	DCL	TAL HOU
Dissolved	Prep	3010A			50 mL	50 mL	234323	03/19/18 13:06	DCL	TAL HOU
Dissolved	Analysis	6010B		1			234414	03/20/18 12:30	DCL	TAL HOU
Dissolved	Filtration	FILTRATION			1.0 mL	1.0 mL	234286	03/19/18 09:22	DCL	TAL HOU
Dissolved	Prep	3010A			50 mL	50 mL	234323	03/19/18 13:06	DCL	TAL HOU
Dissolved	Analysis	6010B		1			234414	03/20/18 14:29	DCL	TAL HOU
Dissolved	Filtration	FILTRATION			1.0 mL	1.0 mL	234286	03/19/18 09:22	DCL	TAL HOU
Dissolved	Prep	7470A			40 mL	40 mL	234317	03/19/18 11:46	TWR	TAL HOU
Dissolved	Analysis	7470A		1			234325	03/19/18 14:20	TWR	TAL HOU
Total/NA	Analysis	2320B-1997		1	50 mL	50 mL	234340	03/19/18 14:26	KRD	TAL HOU
Total/NA	Analysis	9040B		1			234341	03/19/18 12:49	KRD	TAL HOU
Total/NA	Analysis	9050A		1			234342	03/19/18 15:45	KRD	TAL HOU
Total/NA	Analysis	SM 2540C		1	100 mL	100 mL	234145	03/15/18 15:09	EC1	TAL HOU

Client Sample ID: State NBN 7 WW

Lab Sample ID: 600-162845-2

Date Collected: 03/13/18 09:00

Matrix: Water

Date Received: 03/14/18 09:23

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	20 mL	20 mL	234104	03/15/18 15:58	WS1	TAL HOU
Total/NA	Prep	TX_1005_WW_Prep			33.5 mL	3.00 mL	234200	03/16/18 11:02	RJV	TAL HOU
Total/NA	Analysis	TX 1005		1			234211	03/17/18 00:37	PXS	TAL HOU
Total/NA	Analysis	300.0		25			234198	03/16/18 14:48	DAW	TAL HOU
Dissolved	Filtration	FILTRATION			1.0 mL	1.0 mL	234286	03/19/18 09:22	DCL	TAL HOU
Dissolved	Prep	3010A			50 mL	50 mL	234323	03/19/18 13:06	DCL	TAL HOU
Dissolved	Analysis	6010B		1			234414	03/20/18 12:36	DCL	TAL HOU
Dissolved	Filtration	FILTRATION			1.0 mL	1.0 mL	234286	03/19/18 09:22	DCL	TAL HOU
Dissolved	Prep	3010A			50 mL	50 mL	234323	03/19/18 13:06	DCL	TAL HOU
Dissolved	Analysis	6010B		1			234414	03/20/18 14:42	DCL	TAL HOU
Dissolved	Filtration	FILTRATION			1.0 mL	1.0 mL	234286	03/19/18 09:22	DCL	TAL HOU
Dissolved	Prep	7470A			40 mL	40 mL	234317	03/19/18 12:45	TWR	TAL HOU
Dissolved	Analysis	7470A		1			234325	03/19/18 14:26	TWR	TAL HOU
Total/NA	Analysis	2320B-1997		1	50 mL	50 mL	234340	03/19/18 14:33	KRD	TAL HOU
Total/NA	Analysis	9040B		1			234341	03/19/18 12:56	KRD	TAL HOU
Total/NA	Analysis	9050A		1			234342	03/19/18 15:45	KRD	TAL HOU
Total/NA	Analysis	SM 2540C		1	100 mL	100 mL	234145	03/15/18 15:09	EC1	TAL HOU

Laboratory References:

TAL HOU = TestAmerica Houston, 6310 Rothway Street, Houston, TX 77040, TEL (713)690-4444

TestAmerica Houston

Accreditation/Certification Summary

Client: Timberwolf Environmental LLC
Project/Site: 180006 - State OG SWD

TestAmerica Job ID: 600-162845-1

Laboratory: TestAmerica Houston

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	EPA Region	Identification Number	Expiration Date
Texas	NELAP	6	T104704223-17-22	10-31-18

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
2320B-1997		Water	Bicarbonate Alkalinity as CaCO ₃
2320B-1997		Water	Carbonate Alkalinity as CaCO ₃

Sample Receipt Ch

Loc: 600
162845

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

'18 MAR 14 9:23

JOB NUMBER:

845

CLIENT:

Timber wolf

UNPACKED BY:

RD

CARRIER/DRIVER:

Client

Custody Seal Present:

☐ YES☒ NO

Number of Coolers Received:

1

Cooler ID	Temp Blank	Trip Blank	Observed Temp (°C)	Therm ID	Therm CF	Corrected Temp (°C)
R/W	Y / N	Y / N	0.6	676	+0.3	0.9
	Y / N	Y / N				
	Y / N	Y / N				
	Y / N	Y / N				
	Y / N	Y / N				
	Y / N	Y / N				
	Y / N	Y / N				
	Y / N	Y / N				
	Y / N	Y / N				

CF = correction factor

Samples received on ice?

☒ YES☐ NO

LABORATORY PRESERVATION OF SAMPLES REQUIRED:

☒ NO☐ YES

Base samples are > pH 12:

☐ YES☐ NO

Acid preserved are < pH 2:

☒ YES☐ NO

pH paper Lot #

HC7302 69

VOA headspace acceptable (5-6mm):

☒ YES☐ NO☐ NA

YES NO

Did samples meet the laboratory's standard conditions of sample acceptability upon receipt?

☒ YES☐ NO

COMMENTS:

RD 3/14/18

Login Sample Receipt Checklist

Client: Timberwolf Environmental LLC

Job Number: 600-162845-1

Login Number: 162845

List Source: TestAmerica Houston

List Number: 1

Creator: Crafton, Tommie S

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.	N/A	Lab does not accept radioactive samples.
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	0.9°C
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	Check done at department level as required.

15

SIGN-IN HELP

Wells Operator Data

OCD Permitting

Home Wells Well Details

30-025-31381 STATE OG SWD #002 [306222]

General Well Information

Operator: [247692] JAY MANAGEMENT COMPANY, LLC
 Status: Active Direction: Vertical
 Well Type: Salt Water Disposal Multi-Lateral: No
 Work Type: New Mineral Owner: State
 Surface Owner:
 Surface Location: L-09-11S-33E 1980 FSL 680 FWL
 Lat/Long: 33 3788011, -103 6258392 NAD83
 GL Elevation: 4292
 KB Elevation:
 DF Elevation: Sing/Mult Compl: Single
 Potash Walver: False

Proposed Formation and/or Notes

BAGLEY INT REMEDIAL WORK 03/17/2011

Depths

Proposed: 11000 Total Vertical Depth: 11000
 Measured Vertical Depth: 11000 Plugback Measured: 0

Formation Tops

Formation	Top	Producing	Method Obtained
-----------	-----	-----------	-----------------

Event Dates

Initial APD Approval: 02/01/1992
 Most Recent APD Approval: 10/01/2008 Current APD Expiration: 02/01/1994
 APD Cancellation:
 APD Extension Approval:
 Spud: 10/15/1991 Gas Capture Plan Received:
 Approved Temporary TA Expiration:
 Abandonment:
 Shut In:
 Plug and Abandoned Intent PNR Expiration:
 Received: Last MIT/BHT: 04/05/2017
 Well Plugged:
 Site Release:
 Last Inspection: 09/10/2018

History

Effective Date	Property	Well Number	Operator	C-101 Work Type	Well Type	Well Status	Apd Cancelled	Plug Date
10/01/2008	[306222] STATE OG SWD	#002	[247692] JAY MANAGEMENT COMPANY, LLC	New	Salt Water Disposal	Active		

Quick Links


- [General Well Information](#)
- [History](#)
- [Comments](#)
- [Operator](#)
- [Pits](#)
- [Casing](#)
- [Well Completions](#)
- [Financial Assurance](#)
- [Compliance](#)
- [Complaints, Incidents and Spills](#)
- [Orders](#)
- [Production](#)
- [Transporters](#)
- [Points of Disposition](#)

Associated Images

- [Well Files](#)
- [Well Logs](#)
- [Administrative Orders](#)

New Searches

- [New Well Search](#)



Effective Date	Property	Well Number	Operator	C-101 Work Type	Well Type	Well Status	Apd Cancelled	Plug Date	SIGN-IN	HELP
07/01/2000	[26620] STATE OG SWD	#002	[188483] PHOENIX HYDROCARBONS OPERATING CORP	New	Salt Water Disposal	Active			Wells	Operator Data
02/01/1994	[15953] STATE OG	#002	[3131] BURRO PIPELINE CORPORATION	New	Salt Water Disposal	Active				
02/01/1992	[5815] STATE OG	#002	[13185] LBO NEW MEXICO INC	New	Oil	Active				

Comments

SPUD DATE 10-15-91

Added on 03/21/1995 by ogomp

LBO NEW MEXICO OPERATOR 2-1-92 TO 4-22-94

Added on 05/27/1994 by Donna Mul

NON-WELL POD FOR THIS WELL IS 2814540 KS

Added on 03/26/1996 by Karen Sharp

NON WELL POD FOR THIS WELL IS 2814540

Added on 03/21/1995 by ogomp

BEGAN INJ 2-2-1994 3 25 BPM ON VAC KS

Added on 03/26/1996 by Karen Sharp

Operator

General Contact Information

Company: [247692] JAY MANAGEMENT COMPANY, LLC
 Address: 11767 Katy Fwy Suite 711
 Houston, TX 77079-1715
 Country: U.S.A
 Main Phone: 713-621-3882
 Main Fax: 713-621-3988

Central Contact

Name: Anthony James
 Title: Legal Counsel
 E-Mail Address: tjames@jramco-jay.com
 Phone Number: 713-621-3882
 Cell Number:
 Fax Number: 713-621-3988

Hobbs Contact

Name: Anthony James
 Title:
 E-Mail Address: tjames@jramco-jay.com
 Phone Number: 713-621-3882
 Cell Number:
 Fax Number:

Artesia Contact

Name: Anthony James
 Title:
 E-Mail Address: tjames@jramco-jay.com
 Phone Number: 713-621-3882
 Cell Number:
 Fax Number:

Pits

Pit On Site: Number 01

SIGN-IN HELP

Pit Type: Closed Loop Status: Inactive
 Registration Denied:
 Closure Approved: Yes
 Closure Denied:

Wells Operator Data

Event Dates

Registered: Approved: 06/10/2011
 Open: Closed (most recent rig release): 05/25/2011

Notes

Date	Detail
05/25/2011	P1-03228 CLOSED

Casing

			Boreholes, Strings and Equipment Specifications			Specifications for Strings and Tubing			Strings Cemented and Intervals			Cement and Plug Description		
String/Hole Type	Taper	Date Set	Diameter	Top	Bottom (Depth)	Grade	Length	Weight	Bot of Cem	Top of Cem	Meth	Class of Cement	Sacks	Pressure Test (Y/N)
Hole 1	1		13.375	0	367		0	0.0	0	0			0	No
Surface Casing	1		13.375	0	367		367	48.0	367	0		Class C Cement	350	No
Hole 2	1		8.625	0	3810		0	0.0	0	0			0	No
Intermediate 1 Casing	1		8.625	0	3810		3810	32.0	3810	0		Class C Cement	1150	No
Hole 3	1		5.500	0	10944		0	0.0	0	0			0	No
Production Casing	1		5.500	0	10944		10944	20.0	10944	0		Class C Cement	2025	No
Packer	1		5.500	9049	9054		5	0.0	0	0			0	No
Tubing 1	1		2.875	0	9049		9049	0.0	0	0			0	No
Cast Iron Bridge Plug	1		0.000	0	5063		0	0.0	0	0			0	No
Cast Iron Bridge Plug	1		0.000	0	6011		0	0.0	0	0			0	No
Cast Iron Bridge Plug	1		0.000	0	8048		0	0.0	0	0			0	No

Well Completions

[96188] SWD; STRAWN

Status: Active Last Produced: 12/01/2017

Bottomhole Location: L-09-11S-33E 1980 FSL 660 FWL

Lat/Long:

SIGN-IN HELP

Acreage:

DHC:

No

Consolidation Code:

Production Method:

Wells

Operator Data

Well Test Data

Production Test:		Test Length:	0 hours
Flowing Tubing Pressure:	0 psi	Flowing Casing Pressure:	0 psi
Choke Size:	0.000 inches	Testing Method:	
Gas Volume:	0.0 MCF	Oil Volume:	0.0 bbls
Gas-Oil Ratio:	0 Kcf / bbl	Oil Gravity:	0.0 Corr. API
Disposition of Gas:		Water Volume:	0.0 bbls

Perforations

Date	Top Measured Depth (Where Completion Enters Formation)	Bottom Measured Depth (End of Lateral)	Top Vertical Depth	Bottom Vertical Depth
	9154	10294	0	0

Notes

Event Dates

Initial Effective/Approval:	01/27/1994	TA Expiration:	
Most Recent Approval:	10/01/2006	Confidential Until:	
Confidential Requested On:		Test Allowable End:	
Test Allowable Approval:		DHC:	
TD Reached:		Rig Released:	
Deviation Report Received:	No	Logs Received:	No
Directional Survey Run:	No	Closure Pit Plat Received:	
Directional Survey Received:	No	First Gas Production:	
First Oil Production:		Completion Report Received:	
First Injection:		New Well C-104 Approval:	
Ready to Produce:		Revoked Until:	
C-104 Approval:			
Plug Back:			
Authorization Revoked Start:			

Well Completion History

Effective Date	Property	Well Number	Operator	Completion Status	TA Expiration Date
10/01/2008	[306222] STATE OG SWD	#002	[247692] JAY MANAGEMENT COMPANY, LLC	Active	
07/01/2000	[26620] STATE OG SWD	#002	[188483] PHOENIX HYDROCARBONS OPERATING CORP.	Active	
02/01/1994	[15953] STATE OG	#002	[3131] BURRO PIPELINE CORPORATION	Active	
01/27/1994	[5915] STATE OG	#002	[13185] LBO NEW MEXICO INC	Active	

[96099] SWD; CISCO

Status:	Active	Last Produced:	12/01/2017
Bottomhole Location:	L-09-11S-33E 1980 FSL 660 FWL		
Lat/Long:			
Acreage:			
DHC:	No		

Consolidation Code:

Production Method:

SIGN-IN HELP

Well Test Data

Production Test:		Test Length:	0 hours
Flowing Tubing Pressure:	0 psi	Flowing Casing Pressure:	0 psi
Choke Size:	0.000 inches	Testing Method:	
Gas Volume:	0.0 MCF	Oil Volume:	0.0 bbls
Gas-Oil Ratio:	0 Kcf / bbl	Oil Gravity:	0.0 Corr. API
Disposition of Gas:		Water Volume:	0.0 bbls

Wells

Operator Data

Perforations

Date	Top Measured Depth (Where Completion Enters Formation)	Bottom Measured Depth (End of Lateral)	Top Vertical Depth	Bottom Vertical Depth
	9154	10294	0	0

Notes

Event Dates

Initial Effective/Approval:	01/27/1994	TA Expiration:	
Most Recent Approval:	10/01/2008	Confidential Until:	
Confidential Requested On:		Test Allowable End:	
Test Allowable Approval:		DHC:	
TD Reached:		Rig Released:	
Deviation Report Received:	No	Logs Received:	No
Directional Survey Run:	No	Closure Pit Plat Received:	
Directional Survey Received:	No	First Gas Production:	
First Oil Production:		Completion Report Received:	
First Injection:		New Well C-104 Approval:	
Ready to Produce:	01/27/1994	Revoked Until:	
C-104 Approval:			
Plug Back:			
Authorization Revoked Start:			

Well Completion History

Effective Date	Property	Well Number	Operator	Completion Status	TA Expiration Date
10/01/2008	[306222] STATE OG SWD	#002	[247592] JAY MANAGEMENT COMPANY, LLC	Active	
07/01/2000	[26620] STATE OG SWD	#002	[188483] PHOENIX HYDROCARBONS OPERATING CORP	Active	
02/01/1994	[15953] STATE OG	#002	[3131] BURRO PIPELINE CORPORATION	Active	
01/27/1994	[5815] STATE OG	#002	[13185] LBO NEW MEXICO INC	Active	

[3820] BAGLEY; PERMO PENN, NORTH

Status:	Zone Permanently Plugged	Last Produced:	09/01/1993
Bottomhole Location:	L-09-11S-33E 1380 FSL 580 FWL		
Lat/Long:			
Acreage:			
DHC:	No	Consolidation Code:	
		Production Method:	Pumping

Well Test Data

SIGN-IN HELP

Production Test:		Test Length:	0 hours
Flowing Tubing Pressure:	0 psi	Flowing Casing Pressure:	0 psi
Choke Size:	0.000 inches	Testing Method:	
Gas Volume:	0.0 MCF	Oil Volume:	0.0 bbls
Gas-Oil Ratio:	0 Kcf / bbl	Oil Gravity:	0.0 Corr. API
Disposition of Gas:		Water Volume:	0.0 bbls

Wells Operator Data

Perforations

Date	Top Measured Depth (Where Completion Enters Formation)	Bottom Measured Depth (End of Lateral)	Top Vertical Depth	Bottom Vertical Depth
	10134	10294	0	0

Notes

Event Dates

Initial Effective/Approval:	02/01/1992	TA Expiration:	
Most Recent Approval:	02/01/1994	Confidential Until:	
Confidential Requested On:		Test Allowable End:	
Test Allowable Approval:		DHC:	
TD Reached:		Rig Released:	
Deviation Report Received:	No	Logs Received:	No
Directional Survey Run:	No	Closure Pit Plat Received:	
Directional Survey Received:	No	First Gas Production:	02/01/1992
First Oil Production:	02/01/1992	Completion Report Received:	
First Injection:		New Well C-104 Approval:	
Ready to Produce:		Revoked Until:	
C-104 Approval:	04/22/1994		
Plug Back:			
Authorization Revoked Start:			

Well Completion History

Effective Date	Property	Well Number	Operator	Completion Status	TA Expiration Date
02/01/1994	[15953] STATE OG	#002	[3131] BURRO PIPELINE CORPORATION	Zone Permanently Plugged	
02/01/1992	[5915] STATE OG	#002	[13185] LBO NEW MEXICO INC	Active	

Financial Assurance

Effective	Bond Type	Base	Balance	Issuer	Cash/Surety	Cancellation Date
11/01/2011	Blanket	50000	50000	LEXON INSURANCE COMPANY	Surety	

Last Production for this well:	12/2017
Inactive Additional Bond Due Date:	01/01/2020
Measured Depth:	11000
Required Well Bond Amount:	16000
Well Bond Required Now:	No
Amount of Well Bond In Place:	0
Variance:	16000 Note: This well is covered by this operator's Blanket Bond
In Violation:	No

If the depth of the well is Unknown, please contact the appropriate OCD District Office and provide the measured depth of the well.

Requests to release bonds must be submitted in writing. You may send an e-mail to Denise.Callecos@state.nm.us or fax a letter to (505) 476-3453

[SIGN-IN](#) [HELP](#)

Compliance

[Wells](#) [Operator Data](#)

Note that Financial Assurance and Inactive Well Compliance are documented in separate reports ([Inactive Well Report](#), [Financial Assurance Report](#)).

Also note that some compliance issues are addressed at the operator level so not listed under each well.

cMAW0817532131

Violation Source: Field Inspection
Date of Violation: 06/23/2008
Compliance Required: 09/23/2008
Resolved: 12/02/2008

Notes

Sign no legible

Actions/Events

Event Date	Category	Type
12/02/2008	Corrective Actions	Compliance Resolved
06/23/2008	Enforcements	Identification (Well Sign)
06/23/2008	Notifications	Letter of Violation

cSAD0105130379

Violation Source: Field Inspection
Date of Violation: 01/03/2001
Compliance Required: 04/08/2001
Resolved: 01/11/2001

Notes

Converted compliance record had no comment!

Actions/Events

Event Date	Category	Type
02/20/2001	Enforcements	Mechanical Integrity
02/20/2001	Corrective Actions	Tubing Repair
01/03/2001	Notifications	Field Visit or Inspection

cMAW1514658272

Violation Source: Incident, Spill or Release
Date of Violation: 05/26/2015
Compliance Required: 06/26/2015
Resolved:

Notes

Tank has run over

Actions/Events

Event Date	Category	Type
05/26/2015	Enforcements	Pollution and Contamination

Event Date	Category	Type	SIGN-IN	HELP
05/26/2015	Notifications	Letter of Violation		
			Wells	Operator Data

Complaints, Incidents and Spills

Please note that incidents that impact ground water are recorded along with "facilities" which may not be wells, so although the initial report may be recorded here as a spill, information related to the abatement plans, remediation plans and ground water impact information are not yet part of this application.

NGRL0821742309 2008 A SWS @ 30-025-31381

Action:
Notified: Oil Conservation Division Rep

Event Dates

Date of Discovery: 06/20/2008 OCD Notified of Major Release: 06/20/2008
Characterization Report Received: Closure Report Approved:

Notes

Date	Details
08/04/2008	Initial C-141 Mark with OCD office discovered the leak and called Phoenix. Mark advised this office that he would report the leak to the Hovvs OCD office. A 1/2" nipple under the head switch on the P/L leaving the tank failed due to corrosion of the nipple; as a result 25 to 35 barrels of produced water was lost in the pasture land. The valve was closed by Mr. Craig upon his arrival, until the nipple could be replaced. A vacuum truck was called, but the ground is so dry it was immediately saturated with the liquid. 0 barrels recovered. A back hoe was called to excavate the soil. The affected area is about 90' by 15' of rocky terrain, and with sparse vegetation. Mr. Craig called a vacuum truck and back hoe to remove soil. Whole Earth has been contacted to take soil samples as soon as the affected soil is removed. Contact: Clarence Craig 505-370-0285

Spills

Cause	Source	Product Spilled	Square Feet	Volume Spilled	Volume Recovered
-------	--------	-----------------	-------------	----------------	------------------

NLWJ1010458376 2009 MAJOR A SWS @ 30-025-31381

Action: Referred to Environmental Inspector
Notified: Industry Rep

Event Dates

Date of Discovery: 11/19/2009 OCD Notified of Major Release: 11/19/2009
Characterization Report Received: Closure Report Approved:

Notes

Date	Details
04/14/2010	Leak occurred @ satellite 5 22 18S 33E. Charged to State OG SWD #2. This was an old pit area 22'x220'x5' 1RP#2477

Spills

Cause	Source	Product Spilled	Square Feet	Volume Spilled	Volume Recovered
Human Error	Other (Specify)	Produced Water	0	100	0 BBL

NKJ1517626295 2015 MINOR A OS @ 30-025-31381

SIGN-IN HELP

Action:

Notified: Oil Conservation Division Rep

Event Dates

Wells Operator Data

Date of Discovery: 00/25/2015

OCD Notified of Major Release:

Characterization Report Received:

Closure Report Approved:

Notes

Date	Detail
06/25/2015	1RP-3691; loss power to transfer pumps due to storms.

Spills

Cause	Source	Product Spilled	Square Feet	Volume Spilled	Volume Recovered
Equipment Failure	Pump	Crude Oil	0	4	4 BBL
Equipment Failure	Pump	Unknown	0	4	4 BBL

NOY1713835168 2017 MINOR A SWS @ 30-025-31381

Action:

Notified: Land Owner

Event Dates

Date of Discovery: 05/18/2017

OCD Notified of Major Release: 05/12/2017

Characterization Report Received:

Closure Report Approved:

Notes

Date	Detail
05/18/2017	1RP4703. Release indicated on C-141 does not correspond with photos. Estimated volume > 5bbls. Release due to failure of nipple where flowline from wellhead goes underground

Spills

Cause	Source	Product Spilled	Square Feet	Volume Spilled	Volume Recovered
Equipment Failure	Other (Specify)	Produced Water	0	6	0 BBL

NJCW0829048507 2008 I SWS @ 30-025-31381

Action:

False Incident - No Real Issue or Violation

Notified:

Oil Conservation Division Rep

Event Dates

Date of Discovery: 06/20/2008

OCD Notified of Major Release: 07/19/2008

Characterization Report Received: 07/19/2008

Closure Report Approved: 07/19/2008

Notes

Date	Detail
08/04/2008	No oil out at any tank battery's in 3-20S-37E

Spills

Cause	Source	Product Spilled	Square Feet	Volume Spilled	Volume Recovered
-------	--------	-----------------	-------------	----------------	------------------

SIGN-IN HELP

Orders

SWD-548.0

Wells

Operator Data

Applicant:	[3131] BURRO PIPELINE CORPORATION	Approved By:	
Contact:		Issuing Office:	Santa Fe
Reviewer:			

Processing Dates

Received:		Ordered:	01/13/1994
Approved:	01/13/1994	Denied:	
Expiration:		Cancelled:	

Injection Orders

Injection					Pressure				
Formation	Top	Bottom	Packer Depth	Tubing Size	Gradient	Injection Limit	CO2 Limit	Comments	
	9154	10294	9050	2	0	1831	0	BOUGH A.B.C/STRAWN	

1RP-1897.0

Applicant:	[185483] PHOENIX HYDROCARBONS OPERATING CORP	Approved By:	
Contact:	Clarence Craig	Issuing Office:	Hobbs
Reviewer:	Larry Johnson		

Processing Dates

Received:		Ordered:	06/20/2008
Approved:	06/20/2008	Denied:	
Expiration:		Cancelled:	

1RP-3691.0

Applicant:	[247892] JAY MANAGEMENT COMPANY, LLC	Approved By:	SLO
Contact:	Ronnie Rogers	Issuing Office:	Hobbs
Reviewer:	Kellie Jones		

Processing Dates

Received:		Ordered:	
Approved:		Denied:	
Expiration:		Cancelled:	

1RP-2477.0

Applicant:	[247692] JAY MANAGEMENT COMPANY, LLC	Approved By:	
Contact:	Kirk Brussard	Issuing Office:	Hobbs
Reviewer:	Larry Johnson		

Processing Dates

Received:	03/25/2010	Ordered:	
Approved:		Denied:	
Expiration:		Cancelled:	

SIGN-IN HELP

Wells Operator Data

OCD Permitting

Home Wells Well Details

30-025-31381 STATE OG SWD #002 [306222]

General Well Information

Operator: [247692] JAY MANAGEMENT COMPANY, LLC
 Status: Active Direction: Vertical
 Well Type: Salt Water Disposal Multi-Lateral: No
 Work Type: New Mineral Owner: State
 Surface Owner:
 Surface Location: L-09-11S-33E 1980 FSL 660 FWL
 Lat/Long: 33.3788011 -103.6258392 NAD83
 GL Elevation: 4292
 KB Elevation: Sing/Mult Compl: Single
 DF Elevation: Potash Waiver: False

Proposed Formation and/or Notes

BAGLEY INT REMEDIAL WORK 03/17/2011

Depths

Proposed: 11000 Total Vertical Depth: 11000
 Measured Vertical Depth: 11000 Plugback Measured: 0

Formation Tops

Formation	Top	Producing	Method Obtained
-----------	-----	-----------	-----------------

Event Dates

Initial APD Approval: 02/01/1992
 Most Recent APD Approval: 10/01/2008 Current APD Expiration: 02/01/1994
 APD Cancellation:
 APD Extension Approval:
 Spud: 10/15/1991 Gas Capture Plan Received:
 Approved Temporary TA Expiration:
 Abandonment:
 Shut In:
 Plug and Abandoned Intent PNR Expiration:
 Received: Last MIT/BHT: 04/05/2017
 Well Plugged:
 Site Release:
 Last Inspection: 09/10/2018

History

Effective Date	Property	Well Number	Operator	C-101 Work Type	Well Type	Well Status	Apd Cancelled	Plug Date
10/01/2008	[306222] STATE OG SWD	#002	[247692] JAY MANAGEMENT COMPANY, LLC	New	Salt Water Disposal	Active		

Quick Links

- [General Well Information](#)
- [History](#)
- [Comments](#)
- [Operator](#)
- [Pits](#)
- [Casing](#)
- [Well Completions](#)
- [Financial Assurance](#)
- [Compliance](#)
- [Complaints, Incidents and Spills](#)
- [Orders](#)
- [Production](#)
- [Transporters](#)
- [Points of Disposition](#)

Associated Images

- [Well Files](#)
- [Well Logs](#)
- [Administrative Orders](#)

New Searches

- [New Well Search](#)

Effective Date	Property	Well Number	Operator	C-101 Work Type	Well Type	Well Status	Apd Cancelled	Plug Date	SIGN-IN	HELP
07/01/2000	[26620] STATE OG SWD	#002	[188483] PHOENIX HYDROCARBONS OPERATING CORP	New	Salt Water Disposal	Active			Wells	Operator Data
02/01/1994	[15953] STATE OG	#002	[3131] BURRO PIPELINE CORPORATION	New	Salt Water Disposal	Active				
02/01/1992	[5815] STATE OG	#002	[13185] LBO NEW MEXICO INC	New	Oil	Active				

Comments

SPUD DATE 10-15-91

Added on 03/21/1995 by ogomp

LBO NEW MEXICO OPERATOR 2-1-92 TO 4-22-94

Added on 05/27/1994 by Diana Mull

NON-WELL POD FOR THIS WELL IS 2814540 KS

Added on 03/26/1996 by Karen Sharp

NON WELL POD FOR THIS WELL IS 2814540

Added on 03/21/1995 by ogomp

BEGAN INJ 2-2-1994 3 25 BPM ON VAC KS

Added on 03/26/1996 by Karen Sharp

Operator

General Contact Information

Company: [247692] JAY MANAGEMENT COMPANY, LLC
Address: 11787 Katy Fwy Suite 711
 Houston, TX 77079-1715
Country: U.S.A.
Main Phone: 713-621-3882
Main Fax: 713-621-3988

Central Contact

Name: Anthony James
Title: Legal Counsel
E-Mail Address: tjames@jramco-jay.com
Phone Number: 713-621-3882
Cell Number:
Fax Number: 713-621-3988

Hobbs Contact

Name: Anthony James
Title:
E-Mail Address: tjames@jramco-jay.com
Phone Number: 713-621-3882
Cell Number:
Fax Number:

Artesia Contact

Name: Anthony James
Title:
E-Mail Address: tjames@jramco-jay.com
Phone Number: 713-621-3882
Cell Number:
Fax Number:

Pits

Pit On Site: Number 01

SIGN-IN HELP

Pit Type: Closed Loop Status: Inactive
 Registration Denied:
 Closure Approved: Yes
 Closure Denied:

Wells Operator Data

Event Dates

Registered: Approved: 06/10/2011
 Open: Closed (most recent rig release): 05/25/2011

Notes

Date	Detail
05/25/2011	P1-03228 CLOSED

Casing

			Boreholes, Strings and Equipment Specifications			Specifications for Strings and Tubing			Strings Cemented and Intervals			Cement and Plug Description		
String/Hole Type	Taper	Date Set	Diameter	Top	Bottom (Depth)	Grade	Length	Weight	Bot of Cem	Top of Cem	Meth	Class of Cement	Sacks	Pressure Test (Y/N)
Hole 1	1		13.375	0	367		0	0.0	0	0			0	No
Surface Casing	1		13.375	0	367		367	48.0	367	0		Class C Cement	350	No
Hole 2	1		8.625	0	3810		0	0.0	0	0			0	No
Intermediate 1 Casing	1		8.625	0	3810		3810	32.0	3810	0		Class C Cement	1150	No
Hole 3	1		5.500	0	10944		0	0.0	0	0			0	No
Production Casing	1		5.500	0	10944		10944	20.0	10944	0		Class C Cement	2025	No
Packer	1		5.500	9049	9054		5	0.0	0	0			0	No
Tubing 1	1		2.875	0	9049		9049	0.0	0	0			0	No
Cast Iron Bridge Plug	1		0.000	0	5063		0	0.0	0	0			0	No
Cast Iron Bridge Plug	1		0.000	0	6011		0	0.0	0	0			0	No
Cast Iron Bridge Plug	1		0.000	0	8048		0	0.0	0	0			0	No

Well Completions

[96188] SWD; STRAWN

Status: Active Last Produced: 12/01/2017

Bottomhole Location: L-09-11S-33E 1980 FSL 660 FWL

Lat/Long:

SIGN-IN HELP

Acreage:

DHC:

No

Consolidation Code:

Production Method:

Wells

Operator Data

Well Test Data

Production Test:		Test Length:	0 hours
Flowing Tubing Pressure:	0 psi	Flowing Casing Pressure:	0 psi
Choke Size:	0.000 inches	Testing Method:	
Gas Volume:	0.0 MCF	Oil Volume:	0.0 bbls
Gas-Oil Ratio:	0 Kcf / bbl	Oil Gravity:	0.0 Corr API
Disposition of Gas:		Water Volume:	0.0 bbls

Perforations

Date	Top Measured Depth (Where Completion Enters Formation)	Bottom Measured Depth (End of Lateral)	Top Vertical Depth	Bottom Vertical Depth
	9154	10294	0	0

Notes

Event Dates

Initial Effective/Approval:	01/27/1994	TA Expiration:	
Most Recent Approval:	10/01/2008	Confidential Until:	
Confidential Requested On:		Test Allowable End:	
Test Allowable Approval:		DHC:	
TD Reached:		Rig Released:	
Deviation Report Received:	No	Logs Received:	No
Directional Survey Run:	No	Closure Pit Plat Received:	
Directional Survey Received:	No	First Gas Production:	
First Oil Production:		Completion Report Received:	
First Injection:		New Well C-104 Approval:	
Ready to Produce:		Revoked Until:	
C-104 Approval:			
Plug Back:			
Authorization Revoked Start:			

Well Completion History

Effective Date	Property	Well Number	Operator	Completion Status	TA Expiration Date
10/01/2008	[306222] STATE OG SWD	#002	[247692] JAY MANAGEMENT COMPANY, LLC	Active	
07/01/2000	[26620] STATE OG SWD	#002	[188483] PHOENIX HYDROCARBONS OPERATING CORP	Active	
02/01/1994	[15953] STATE OG	#002	[3131] BURRO PIPELINE CORPORATION	Active	
01/27/1994	[5815] STATE OG	#002	[13185] LBO NEW MEXICO INC	Active	

[96099] SWD; CISCO

Status:	Active	Last Produced:	12/01/2017
Bottomhole Location:	L-09-11S-33E 1980 FSL 660 FWL		
Lat/Long:			
Acreage:			
DHC:	No		

Consolidation Code:

Production Method:

SIGN-IN HELP

Well Test Data

Production Test:		Test Length:	0 hours
Flowing Tubing Pressure:	0 psi	Flowing Casing Pressure:	0 psi
Choke Size:	0.000 inches	Testing Method:	
Gas Volume:	0.0 MCF	Oil Volume:	0.0 bbls
Gas-Oil Ratio:	0 Kcf / bbl	Oil Gravity:	0.0 Corr. API
Disposition of Gas:		Water Volume:	0.0 bbls

Wells Operator Data

Perforations

Date	Top Measured Depth (Where Completion Enters Formation)	Bottom Measured Depth (End of Lateral)	Top Vertical Depth	Bottom Vertical Depth
	9154	10294	0	0

Notes

Event Dates

Initial Effective/Approval:	01/27/1994	TA Expiration:	
Most Recent Approval:	10/01/2008	Confidential Until:	
Confidential Requested On:		Test Allowable End:	
Test Allowable Approval:		DHC:	
TD Reached:		Rig Released:	
Deviation Report Received:	No	Logs Received:	No
Directional Survey Run:	No	Closure Pit Plat Received:	
Directional Survey Received:	No	First Gas Production:	
First Oil Production:		Completion Report Received:	
First Injection:		New Well C-104 Approval:	
Ready to Produce:	01/27/1994	Revoked Until:	
C-104 Approval:			
Plug Back:			
Authorization Revoked Start:			

Well Completion History

Effective Date	Property	Well Number	Operator	Completion Status	TA Expiration Date
10/01/2008	[308222] STATE OG SWD	#002	[247602] JAY MANAGEMENT COMPANY LLC	Active	
07/01/2000	[25620] STATE OG SWD	#002	[188483] PHOENIX HYDROCARBONS OPERATING CORP	Active	
02/01/1994	[15953] STATE OG	#002	[3131] BURRO PIPELINE CORPORATION	Active	
01/27/1994	[5815] STATE OG	#002	[13185] LBO NEW MEXICO INC	Active	

[3820] BAGLEY; PERMO PENN, NORTH

Status:	Zone Permanently Plugged	Last Produced:	08/01/1993
Bottomhole Location:	L-09-11S-33E 1980 FSL 660 FWL		
Lat/Long:			
Acreage:			
DHC:	No	Consolidation Code:	
		Production Method:	Pumping

Well Test Data

Production Test:		Test Length:	0 hours
Flowing Tubing Pressure:	0 psi	Flowing Casing Pressure:	0 psi
Choke Size:	0.000 inches	Testing Method:	
Gas Volume:	0.0 MCF	Oil Volume:	0.0 bbls
Gas-Oil Ratio:	0 Kcf / bbl	Oil Gravity:	0.0 Corr. API
Disposition of Gas:		Water Volume:	0.0 bbls

SIGN IN HELP

Wells Operator Data

Perforations

Date	Top Measured Depth (Where Completion Enters Formation)	Bottom Measured Depth (End of Lateral)	Top Vertical Depth	Bottom Vertical Depth
	10134	10294	0	0

Notes

Event Dates

Initial Effective/Approval:	02/01/1992	TA Expiration:	
Most Recent Approval:	02/01/1994	Confidential Until:	
Confidential Requested On:		Test Allowable End:	
Test Allowable Approval:		DHC:	
TD Reached:		Rig Released:	
Deviation Report Received:	No	Logs Received:	No
Directional Survey Run:	No	Closure Pit Plat Received:	
Directional Survey Received:	No	First Gas Production:	02/01/1992
First Oil Production:	02/01/1992	Completion Report Received:	
First Injection:		New Well C-104 Approval:	
Ready to Produce:		Revoked Until:	
C-104 Approval:	04/22/1994		
Plug Back:			
Authorization Revoked Start:			

Well Completion History

Effective Date	Property	Well Number	Operator	Completion Status	TA Expiration Date
02/01/1994	[15953] STATE OG	#002	[3131] BURRO PIPELINE CORPORATION	Zone Permanently Plugged	
02/01/1992	[5815] STATE OG	#002	[13185] LBO NEW MEXICO INC	Active	

Financial Assurance

Effective	Bond Type	Base	Balance	Issuer	Cash/Surety	Cancellation Date
11/01/2011	Blanket	50000	50000	LEXON INSURANCE COMPANY	Surety	

Last Production for this well: 12/2017
 Inactive Additional Bond Due Date: 01/01/2020
 Measured Depth: 11000
 Required Well Bond Amount: 10000
 Well Bond Required Now: No
 Amount of Well Bond in Place: 0
 Variance: 10000 Note: This well is covered by this operator's Blanket Bond
 In Violation: No

If the depth of the well is Unknown, please contact the appropriate OCD District Office and provide the measured depth of the well

Requests to release bonds must be submitted in writing. You may send an e-mail to Denise.Gallegos@state.nm.us or fax a letter to (505) 476-3453.

[SIGN IN](#) [HELP](#)

Compliance

[Wells](#) [Operator Data](#)

Note that Financial Assurance and Inactive Well Compliance are documented in separate reports ([Inactive Well Report](#), [Financial Assurance Report](#)).

Also note that some compliance issues are addressed at the operator level so not listed under each well.

cMAW0817532181

Violation Source: Field Inspection
 Date of Violation: 06/23/2008
 Compliance Required: 09/23/2008 Resolved: 12/02/2008

Notes

Sign no legible

Actions/Events

Event Date	Category	Type
12/02/2008	Corrective Actions	Compliance Resolved
06/23/2008	Enforcements	Identification (Well Sign)
06/23/2008	Notifications	Letter of Violation

cSAD0105130379

Violation Source: Field Inspection
 Date of Violation: 01/03/2001
 Compliance Required: 04/08/2001 Resolved: 01/11/2001

Notes

Converted compliance record had no comment!

Actions/Events

Event Date	Category	Type
02/20/2001	Enforcements	Mechanical Integrity
02/20/2001	Corrective Actions	Tubing Repair
01/03/2001	Notifications	Field Visit or Inspection

cMAW1514656272

Violation Source: Incident, Spill or Release
 Date of Violation: 05/26/2015 Resolved:
 Compliance Required: 08/26/2015

Notes

Tank has run over

Actions/Events

Event Date	Category	Type
05/26/2015	Enforcements	Pollution and Contamination

Event Date	Category	Type	SIGN-IN	HELP
05/26/2015	Notifications	Letter of Violation		
			Wells	Operator Data

Complaints, Incidents and Spills

Please note that incidents that impact ground water are recorded along with "facilities" which may not be wells, so although the initial report may be recorded here as a spill, information related to the abatement plans, remediation plans and ground water impact information are not yet part of this application.

NGRL0821742309 2008 A SWS @ 30-025-31381

Action:

Notified: Oil Conservation Division Rep

Event Dates

Date of Discovery: 06/20/2008

OCD Notified of Major Release: 06/20/2008

Characterization Report Received:

Closure Report Approved:

Notes

Date	Detail
09/04/2008	Initial C-141. Mark with OCD office discovered the leak and called Phoenix. Mark advised this office that he would report the leak to the Hobbs OCD office. A 1/2" nipple under the head switch on the P/L leaving the tank failed due to corrosion of the nipple, as a result 25 to 35 barrels of produced water was lost in the pasture land. The valve was closed by Mr. Craig upon his arrival, until the nipple could be replaced. A vacuum truck was called, but the ground is so dry it was immediately saturated with the liquid. 0 barrels recovered. A back hoe was called to excavate the soil. The affected area is about 50' by 15' of rocky terrain, and with sparse vegetation. Mr. Craig called a vacuum truck and back hoe to remove soil. Whole Earth has been contacted to take soil samples as soon as the affected soil is removed. Contact: Clarence Craig 505-370-0265

Spills

Cause	Source	Product Spilled	Square Feet	Volume Spilled	Volume Recovered
-------	--------	-----------------	-------------	----------------	------------------

NLWJ1010458376 2009 MAJOR A SWS @ 30-025-31381

Action:

Referred to Environmental Inspector

Notified:

Industry Rep

Event Dates

Date of Discovery: 11/19/2009

OCD Notified of Major Release: 11/19/2009

Characterization Report Received:

Closure Report Approved:

Notes

Date	Detail
04/14/2010	Leak occurred @ satellite 5 22 18S 33E. Charged to State OG SWD #2. This was an old pit area 22'x22'x5' IRP#2477

Spills

Cause	Source	Product Spilled	Square Feet	Volume Spilled	Volume Recovered
Human Error	Other (Specify)	Produced Water	0	100	0 BBL

NKJ1517626295 2015 MINOR A OS @ 30-025-31381

SIGN-IN HELP

Action:
Notified: Oil Conservation Division Rep

Event Dates

Wells Operator Data

Date of Discovery: 06/25/2015
Characterization Report Received: 06/25/2015
OCD Notified of Major Release:
Closure Report Approved:

Notes

Date	Detail
06/25/2015	1RP-3681; loss power to transfer pumps due to storms.

Spills

Cause	Source	Product Spilled	Square Feet	Volume Spilled	Volume Recovered
Equipment Failure	Pump	Crude Oil	0	4	4 BBL
Equipment Failure	Pump	Unknown	0	4	4 BBL

NOY1712835168 2017 MINOR A SWS @ 30-025-31381

Action:
Notified: Land Owner

Event Dates

Date of Discovery: 05/18/2017
Characterization Report Received: 05/18/2017
OCD Notified of Major Release: 05/12/2017
Closure Report Approved:

Notes

Date	Detail
05/18/2017	1RP4703 Release indicated on C-141 does not correspond with photos. Estimated volume > 5bbls. Release due to failure of nipple where flowline from wellhead goes underground

Spills

Cause	Source	Product Spilled	Square Feet	Volume Spilled	Volume Recovered
Equipment Failure	Other (Specify)	Produced Water	0	6	0 BBL

NJCW0820048507 2008 I SWS @ 30-025-31381

Action: False Incident - No Real Issue or Violation
Notified: Oil Conservation Division Rep

Event Dates

Date of Discovery: 06/20/2008
Characterization Report Received: 07/18/2008
OCD Notified of Major Release: 07/18/2008
Closure Report Approved: 07/18/2008

Notes

Date	Detail
08/04/2008	No oil out at any tank battery's in 3-20S-37E

Spills

Cause	Source	Product Spilled	Square Feet	Volume Spilled	Volume Recovered
-------	--------	-----------------	-------------	----------------	------------------

SIGN-IN HELP

Orders

SWD-548-0

Wells Operator Data

Applicant: [3131] BURRO PIPELINE CORPORATION

Contact:

Approved By:

Reviewer:

Issuing Office:

Santa Fe

Processing Dates

Received:

Ordered:

01/13/1994

Approved:

01/13/1994

Denied:

Expiration:

Cancelled:

Injection Orders

Injection						Pressure			Comments
Formation	Top	Bottom	Packer Depth	Tubing Size	Gradient	Injection Limit	CO2 Limit		
	9154	10294	9050	2	0	1631	0		BOUGH A,B,C/STRAWN

1RP-1897-0

Applicant: [189483] PHOENIX HYDROCARBONS OPERATING CORP

Contact: Clarence Craig

Approved By:

Reviewer: Larry Johnson

Issuing Office:

Hobbs

Processing Dates

Received:

Ordered:

06/20/2008

Approved:

06/20/2008

Denied:

Expiration:

Cancelled:

1RP-3691-0

Applicant: [247692] JAY MANAGEMENT COMPANY, LLC

Contact: Ronnie Rogers

Approved By:

SLO

Reviewer: Kellie Jones

Issuing Office:

Hobbs

Processing Dates

Received:

Ordered:

Approved:

Denied:

Expiration:

Cancelled:

1RP-2477-0

Applicant: [247692] JAY MANAGEMENT COMPANY, LLC

Contact: Kirk Brussard

Approved By:

Reviewer: Larry Johnson

Issuing Office:

Hobbs

Processing Dates

Received:

03/26/2010

Ordered:

Approved:

Denied:

Expiration:

Cancelled:

SWD-1726-0

SIGN-IN HELP

Applicant: [247692] JAY MANAGEMENT COMPANY, LLC
 Contact: Jim Foster, Agent
 Reviewer: Michael McMillan
 Approved By: SLO
 Issuing Office: Santa Fe

Wells Operator Data

Processing Dates

Received: 03/13/2018 Ordered: 05/14/2018
 Approved: 05/14/2018 Denied:
 Expiration: Cancelled:

Order Pools

Pool	Gas Percent	Oil Percent
[96121] SWD, SAN ANDRES	0	0

SWD-1726-A

Applicant: [247692] JAY MANAGEMENT COMPANY, LLC
 Contact: Jim Foster, Agent
 Reviewer: Michael McMillan
 Approved By: SLO
 Issuing Office: Santa Fe

Processing Dates

Received: 06/18/2018 Ordered: 08/08/2018
 Approved: 08/08/2018 Denied:
 Expiration: Cancelled:

Order Pools

Pool	Gas Percent	Oil Percent
[96121] SWD SAN ANDRES	0	0

Injection Orders

Injection					Pressure			
Formation	Top	Bottom	Packer Depth	Tubing Size	Gradient	Injection Limit	CO2 Limit	Comments
San Andres	4590	4829	4490	2	0	918	0	

1RP-4703-0

Applicant: [247692] JAY MANAGEMENT COMPANY, LLC
 Contact: Jim Foster
 Reviewer: Olivia Yu
 Approved By: SLO
 Issuing Office: Hobbs

Processing Dates

Received: 05/16/2017 Ordered: 05/18/2017
 Approved: 05/18/2017 Denied:
 Expiration: Cancelled:

Production / Injection

Earliest Production in OCD Records: 12/1992
 Last: 12/2017

[Show All Production](#) [Export to Excel](#)

Time Frame	Production				Injection				Pressure	Wells	Operator Data
	Oil (BBL5)	Gas (MCF)	Water (BBL5)	Days P/I	Water (BBL5)	Co2 (MCF)	Gas (MCF)	Other			
1992 Cumulative	2132	17278	83941	99	0	0	0	0	N/A		
1993	287	1287	53	182	0	0	0	0	N/A		
1994	0	0	0	0	935196	0	0	0	N/A		
1995	0	0	0	0	1132505	0	0	0	N/A		
1996	0	0	0	0	1063441	0	0	0	N/A		
1997	0	0	0	0	968726	0	0	0	N/A		
1998	0	0	0	0	839217	0	0	0	N/A		
1999	0	0	0	0	577380	0	0	0	N/A		
2000	0	0	0	0	705521	0	0	0	N/A		
2001	0	0	0	0	756428	0	0	0	N/A		
2002	0	0	0	0	787161	0	0	0	N/A		
2003	0	0	0	0	693376	0	0	0	N/A		
2004	0	0	0	0	735911	0	0	0	N/A		
2005	0	0	0	0	646759	0	0	0	N/A		
2006	0	0	0	0	677718	0	0	0	N/A		
2007	0	0	0	0	617536	0	0	0	N/A		
2008	0	0	0	0	555032	0	0	0	N/A		
2009	0	0	0	0	509705	0	0	0	N/A		
2010	0	0	0	0	427606	0	0	0	N/A		
2011	0	0	0	0	312090	0	0	0	N/A		
2012	0	0	0	0	383538	0	0	0	N/A		
2013	0	0	0	0	384344	0	0	0	N/A		
2014	0	0	0	0	357364	0	0	0	N/A		
2015	0	0	0	0	299128	0	0	0	N/A		
2016	0	0	0	0	197404	0	0	0	N/A		
2017	0	0	0	0	120590	0	0	0	N/A		
2018	0	0	0	0	0	0	0	0	N/A		
Grand Total:	2619	19055	83941	281	14693676	0	0	0	N/A		

Transporters

Transporter

Product

Most Recent for Property

[SIGN-IN](#) [HELP](#)**Points of Disposition****Wells** **Operator Data**

ID	Type	Description	Pool(s)
9999998	Water	BOGUS LOCATION FOR WCMP REQUIRED POD'S	[3820] BAGLEY, PERMO PENN. NORTH

New Mexico Energy, Minerals and Natural Resources Department | Copyright 2012
1220 South St. Francis Drive | Santa Fe, NM 87505 | P: (505) 476-3200 | F: (505) 476-3220

[EMNRD Home](#) [OCD Main Page](#) [OCD Rules](#) [Help](#)

SIGN-IN HELP

Wells Operator Data

OCD Permitting

Home Wells Well Details

30-025-22811 G S STATE #001 [306255]

General Well Information

Operator:	[247692] JAY MANAGEMENT COMPANY, LLC		
Status:	Active	Direction:	Vertical
Well Type:	Oil	Multi-Lateral:	No
Work Type:	New	Mineral Owner:	State
		Surface Owner:	
Surface Location:	G-08-11S-33E 2096 FNL 1874 FEL		
Lat/Long:	33 3819504 -103 6341553 NAD83		
GL Elevation:			
KB Elevation:		Sing/Mult Compl:	Single
DF Elevation:		Potash Waiver:	False

Quick Links

- [General Well Information](#)
- [History](#)
- [Comments](#)
- [Operator](#)
- [Pits](#)
- [Casing](#)
- [Well Completions](#)
- [Financial Assurance](#)
- [Compliance](#)
- [Complaints, Incidents and Spills](#)
- [Orders](#)
- [Production](#)
- [Transporters](#)
- [Points of Disposition](#)

Associated Images

- [Well Files](#)
- [Well Logs](#)
- [Administrative Orders](#)

New Searches

- [New Well Search](#)

Proposed Formation and/or Notes

Depths

Proposed:	10400	Total Vertical Depth:	10400
Measured Vertical Depth:	10400	Plugback Measured:	0

Formation Tops

Formation	Top	Producing	Method Obtained
-----------	-----	-----------	-----------------

Event Dates

Initial APD Approval:	01/01/1900		
Most Recent APD Approval:	10/01/2008	Current APD Expiration:	01/01/1902
APD Cancellation:			
APD Extension Approval:			
Spud:	10/23/1968	Gas Capture Plan Received:	
Approved Temporary Abandonment:		TA Expiration:	
Shut In:			
Plug and Abandoned Intent Received:		PNR Expiration:	
Well Plugged:		Last MIT/BHT:	10/11/2018
Site Release:			
Last Inspection:	10/11/2018		

History

Effective Date	Property	Well Number	Operator	C-101 Work Type	Well Type	Well Status	Apd Cancelled	Plug Date
10/01/2008	[306255] G S STATE	#001	[247692] JAY MANAGEMENT COMPANY, LLC	New	Oil	Active		

Effective Date	Property	Well Number	Operator	C-101 Work Type	Well Type	Well Status	App Cancelled	Plug Date	SIGN-IN	HELP
07/01/2000	[26533] G S STATE	#001	[168483] PHOENIX HYDROCARBONS OPERATING CORP	New	Oil	Active				

Wells Operator Data

09/01/1994	[15660] G S STATE	#001	[23148] TIPPERARY OIL & GAS CORP	New	Oil	Active				
03/28/1994	[14802] GS STATE	#001	[11830] J & G ENTERPRISE LTD CO	New	Oil	Active				
01/01/1900	[5355] GULF SOHIO STATE	#001	[12254] JPH OIL PRODUCERS DBA JIMMY P HODGE	New	Oil	Active				

Comments**Operator****General Contact Information**

Company: [247692] JAY MANAGEMENT COMPANY, LLC
 Address: 11767 Katy Fwy Suite 711
 Houston, TX 77079-1715
 Country: U.S.A.
 Main Phone: 713-621-3882
 Main Fax: 713-621-3988

Central Contact

Name: Anthony James
 Title: Legal Counsel
 E-Mail Address: tjames@isramco-jay.com
 Phone Number: 713-621-3882
 Cell Number:
 Fax Number: 713-621-3988

Hobbs Contact

Name: Anthony James
 Title:
 E-Mail Address: tjames@isramco-jay.com
 Phone Number: 713-621-3882
 Cell Number:
 Fax Number:

Artesia Contact

Name: Anthony James
 Title:
 E-Mail Address: tjames@isramco-jay.com
 Phone Number: 713-621-3882
 Cell Number:
 Fax Number:

Pits

No Pits Found

Casing

String/Hole Type	Taper	Date Set	Boreholes, Strings and Equipment Specifications			Specifications for Strings and Tubing			Strings Cemented and Intervals			Cement and Plug Description			Operations Data
			Diameter	Top	Bottom (Depth)	Grade	Length	Weight	Bot of Cem	Top of Cem	Meth	Class of Cement	Sacks	Test (Y/N)	
Hole 1	1		12.750	0	380		0	0.0	0	0			0	No	
Surface Casing	1		12.750	0	380		380	34.0	380	0		Class C Cement	350	No	
Hole 2	1		8.625	0	3725		0	0.0	0	0			0	No	
Intermediate 1 Casing	1		8.625	0	3725		3725	32.0	3725	0		Class C Cement	400	No	
Hole 4	1		5.500	0	10400		0	0.0	0	0			0	No	
Production Casing	1		5.500	0	10400		10400	17.0	10400	0		Class C Cement	575	No	

Well Completions

[3820] BAGLEY; PERMO PENN, NORTH

Status: Active
 Bottomhole Location: G-08-11S-33E 2086 FNL 1874 FEL
 Lat/Long:
 Acreage: 80 08-11S-33E Units: B G
 DHC: No
 Last Produced: 04/01/1994
 Consolidation Code:
 Production Method: Pumping

Well Test Data

Production Test:
 Flowing Tubing Pressure: 0 psi
 Choke Size: 0.000 inches
 Gas Volume: 0.0 MCF
 Gas-Oil Ratio: 0 Kcf / bbl
 Disposition of Gas:
 Test Length: 0 hours
 Flowing Casing Pressure: 0 psi
 Testing Method:
 Oil Volume: 0.0 bbls
 Oil Gravity: 0.0 Corr. API
 Water Volume: 0.0 bbls

Perforations

Date	Top Measured Depth (Where Completion Enters Formation)	Bottom Measured Depth (End of Lateral)	Top Vertical Depth	Bottom Vertical Depth
	10147	10354	0	0

Notes

Event Dates

SIGN-IN HELP

Initial Effective/Approval: 01/01/1900

Most Recent Approval: 10/01/2008

Confidential Requested On:

Test Allowable Approval:

TD Reached:

Deviation Report Received: No

Directional Survey Run: No

Directional Survey Received: No

First Oil Production: 01/01/1900

First Injection:

Ready to Produce: 12/11/1968

C-104 Approval:

Plug Back:

Authorization Revoked Start:

TA Expiration:

Confidential Until:

Test Allowable End:

DHC:

Rig Released:

Logs Received: No

Closure Pit Plat Received:

First Gas Production: 01/01/1900

Completion Report Received:

New Well C-104 Approval:

Revoked Until:

Wells

Operator Data

Well Completion History

Effective Date	Property	Well Number	Operator	Completion Status	TA Expiration Date
10/01/2008	[306255] G S STATE	#001	[247692] JAY MANAGEMENT COMPANY, LLC	Active	
07/01/2000	[26533] G S STATE	#001	[188483] PHOENIX HYDROCARBONS OPERATING CORP	Active	
09/01/1994	[15660] G S STATE	#001	[23148] TIPPERARY OIL & GAS CORP	Active	
03/28/1994	[14892] GS STATE	#001	[11830] J & G ENTERPRISE LTD. CO	Active	
01/01/1900	[5365] GULF SOHIO STATE	#001	[12254] JPH OIL PRODUCERS DBA JIMMY P HODGE	Active	

Financial Assurance

Effective	Bond Type	Base	Balance	Issuer	Cash/Surety	Cancellation Date
11/01/2011	Blanket	50000	50000	LEXON INSURANCE COMPANY	Surety	
10/11/2011	Single Well	15400	15400	LEXON INSURANCE COMPANY	Surety	

Last Production for this well: 4/1994

Inactive Additional Bond Due Date: 05/01/1996

Measured Depth: 10400

Required Well Bond Amount: 15400

Well Bond Required Now: Yes

Amount of Well Bond In Place: 15400

Variance:

In Violation: No

If the depth of the well is Unknown, please contact the appropriate OCD District Office and provide the measured depth of the well

Requests to release bonds must be submitted in writing. You may send an e-mail to Denise.Gaitegos@state.nm.us or fax a letter to (505) 476-3453

Compliance

Note that Financial Assurance and Inactive Well Compliance are documented in separate reports ([Inactive Well Report](#), [Financial Assurance Report](#))

Also note that some compliance issues are addressed at the operator level so not listed under each well

[SIGN-IN](#) [HELP](#)**Complaints, Incidents and Spills**

No Incidents Found

[Wells](#) [Operator Data](#)

Please note that incidents that impact ground water are recorded along with 'facilities' which may not be wells, so although the initial report may be recorded here as a spill, information related to the abatement plans, remediation plans and ground water impact information are not yet part of this application

Orders**ACOI-320-A**

Applicant:	[247692] JAY MANAGEMENT COMPANY, LLC	Approved By:	
Contact:		Issuing Office:	Santa Fe
Reviewer:	Daniel Sanchez		

Processing Dates

Received:	09/22/2017	Ordered:	09/25/2017
Approved:	09/25/2017	Denied:	
Expiration:	04/25/2018	Cancelled:	

ACOI-320-B

Applicant:	[247692] JAY MANAGEMENT COMPANY, LLC	Approved By:	
Contact:		Issuing Office:	Santa Fe
Reviewer:	Daniel Sanchez		

Processing Dates

Received:	05/01/2018	Ordered:	05/02/2018
Approved:	05/02/2018	Denied:	
Expiration:	11/30/2018	Cancelled:	

ACOI-201815-0

Applicant:	[247692] JAY MANAGEMENT COMPANY, LLC	Approved By:	
Contact:	Anthony James	Issuing Office:	Santa Fe
Reviewer:	Daniel Sanchez		

Processing Dates

Received:	12/20/2018	Ordered:	12/20/2018
Approved:	12/20/2018	Denied:	
Expiration:	07/15/2019	Cancelled:	

ACOI-296-0

Applicant:	[247692] JAY MANAGEMENT COMPANY, LLC	Approved By:	
Contact:	Anthony K. James	Issuing Office:	Santa Fe
General Counsel & Secretary			
Reviewer:	Daniel Sanchez		

Processing Dates

Received:	11/23/2015	Ordered:	11/23/2015
Approved:	11/23/2015	Denied:	
Expiration:	06/15/2016	Cancelled:	

SIGN-IN HELP

ACOI-320-0

Applicant:	[247692] JAY MANAGEMENT COMPANY, LLC		
Contact:	Anthony K. James	Approved By:	Wells
OC & Secretary		Issuing Office:	Operator Data
Reviewer:	Daniel Sanchez		Santa Fe

Processing Dates

Received:	03/13/2017	Ordered:	03/13/2017
Approved:	03/13/2017	Denied:	
Expiration:	08/31/2017	Cancelled:	

SWD-1845-0

Applicant:	[247692] JAY MANAGEMENT COMPANY, LLC		
Contact:	Jim Foster	Approved By:	
Reviewer:	Michael McMillan	Issuing Office:	Santa Fe

Processing Dates

Received:	10/30/2018	Ordered:	
Approved:		Denied:	
Expiration:		Cancelled:	11/30/2018

Order Pools

Pool	Gas Percent	Oil Percent
[96115] SWD.PERMO-PENN	0	0

ACOI-178-0

Applicant:	[188493] PHOENIX HYDROCARBONS OPERATING CORP		
Contact:	Gregg Baiardo	Approved By:	
President		Issuing Office:	Santa Fe
Reviewer:	Gail MacQuesten		

Processing Dates

Received:	12/13/2007	Ordered:	12/13/2007
Approved:	12/13/2007	Denied:	
Expiration:	07/01/2008	Cancelled:	

ACOI-207-0

Applicant:	[247692] JAY MANAGEMENT COMPANY, LLC		
Contact:	James H. Hutchinson	Approved By:	
Ill		Issuing Office:	Santa Fe
Reviewer:	Gail MacQuesten		

Processing Dates

Received:	05/14/2009	Ordered:	05/14/2009
Approved:	05/14/2009	Denied:	
Expiration:	07/01/2011	Cancelled:	

Production / Injection

Earliest Production in OCD Records: 3/1994

[Show All Production](#) [Export to Excel](#)[SIGN-IN](#) [HELP](#)

Last: 4/1994

Time Frame	Production				Injection				Wells	Operator Data
	Oil (BBLS)	Gas (MCF)	Water (BBLS)	Days P/I	Water (BBLS)	Co2 (MCF)	Gas (MCF)	Other	Pressure	
1994	159	0	500	25	0	0	0	0	N/A	
1997	0	0	0	0	0	0	0	0	N/A	
1998	0	0	0	0	0	0	0	0	N/A	
1999	0	0	0	0	0	0	0	0	N/A	
2000	0	0	0	0	0	0	0	0	N/A	
2001	0	0	0	0	0	0	0	0	N/A	
2002	0	0	0	0	0	0	0	0	N/A	
2003	0	0	0	0	0	0	0	0	N/A	
2004	0	0	0	0	0	0	0	0	N/A	
2005	0	0	0	0	0	0	0	0	N/A	
2006	0	0	0	0	0	0	0	0	N/A	
2007	0	0	0	0	0	0	0	0	N/A	
2008	0	0	0	0	0	0	0	0	N/A	
2009	0	0	0	0	0	0	0	0	N/A	
2010	0	0	0	0	0	0	0	0	N/A	
2011	0	0	0	0	0	0	0	0	N/A	
2012	0	0	0	0	0	0	0	0	N/A	
2013	0	0	0	0	0	0	0	0	N/A	
2014	0	0	0	0	0	0	0	0	N/A	
2015	0	0	0	0	0	0	0	0	N/A	
2016	0	0	0	0	0	0	0	0	N/A	
2017	0	0	0	0	0	0	0	0	N/A	
2018	0	0	0	0	0	0	0	0	N/A	
Grand Total:	159	0	500	25	0	0	0	0	N/A	

Transporters

Transporter	Product	Most Recent for Property
-------------	---------	--------------------------

Points of Disposition

ID	Type	Description	Pool(s)	SIGN-IN	HELP
1107050	Water	[3820] BAGLEY,PERMO PENN. NORTH		Wells	Operator Data
1107030	Gas	[3820] BAGLEY,PERMO PENN. NORTH			
1107010	Oil	[3820] BAGLEY PERMO PENN. NORTH			

New Mexico Energy, Minerals and Natural Resources Department | Copyright 2012
1220 South St. Francis Drive | Santa Fe, NM 87505 | P: (505) 476-3200 | F: (505) 476-3226

[EMNRD Home](#) [OCD Main Page](#) [OCD Rules](#) [Help](#)

SIGN-IN HELP

Wells Operator Data

OCD Permitting

Home Wells Well Details

30-025-21194 GULF SOHIO STATE #001 [306247]

General Well Information

Operator:	[247692] JAY MANAGEMENT COMPANY, LLC		
Status:	Active	Direction:	Vertical
Well Type:	Oil	Multi-Lateral:	No
Work Type:	New	Mineral Owner:	State
		Surface Owner:	
Surface Location:	H-08-11S-33E 1980 FNL 660 FEL		
Lat/Long:	33.3822441 -103.6301727 NAD83		
GL Elevation:			
KB Elevation:		Sing/Mult Compl:	Single
DF Elevation:		Potash Waiver:	False

Quick Links

- [General Well Information](#)
- [History](#)
- [Comments](#)
- [Operator](#)
- [Pits](#)
- [Casing](#)
- [Well Completions](#)
- [Financial Assurance](#)
- [Compliance](#)
- [Complaints, Incidents and Spills](#)
- [Orders](#)
- [Production](#)
- [Transporters](#)
- [Points of Disposition](#)

Associated Images

- [Well Files](#)
- [Well Logs](#)
- [Administrative Orders](#)

New Searches

- [New Well Search](#)

Proposed Formation and/or Notes

Depths

Proposed:	10355	Total Vertical Depth:	10355
Measured Vertical Depth:	10355	Plugback Measured:	0

Formation Tops

Formation	Top	Producing	Method Obtained
-----------	-----	-----------	-----------------

Event Dates

Initial APD Approval:	01/01/1900		
Most Recent APD Approval:	10/01/2008	Current APD Expiration:	01/01/1900
APD Cancellation:			
APD Extension Approval:			
Spud:		Gas Capture Plan Received:	
Approved Temporary Abandonment:		TA Expiration:	
Shut In:			
Plug and Abandoned Intent Received:		PNR Expiration:	
Well Plugged:		Last MIT/BHT:	
Site Release:			
Last Inspection:	10/11/2019		

History

Effective Date	Property	Well Number	Operator	C-101 Work Type	Well Type	Well Status	Apd Cancelled	Plug Date
10/01/2008	[306247] GULF	#001		New	Oil	Active		

Effective Date	Property	Well Number	Operator	C-101 Work Type	Well Type	Well Status	Apd Cancelled	Plug Date	SIGN-IN	HELP
	SOHIO STATE		[247692] JAY MANAGEMENT COMPANY LLC						Wells	Operator Data
07/01/2000	[26534] GULF SOHIO STATE	#001	[188483] PHOENIX HYDROCARBONS OPERATING CORP	New	Oil	Active				
09/01/1994	[15661] GULF SOHIO STATE	#001	[23148] TIPPERARY OIL & GAS CORP	New	Oil	Active				
01/01/1900	[5389] GULF SOHIO STATE	#001	[11830] J & G ENTERPRISE LTD. CO.	New	Oil	Active				

Comments

Operator

General Contact Information

Company: [247692] JAY MANAGEMENT COMPANY, LLC
Address: 11767 Katy Fwy Suite 711
 Houston, TX 77079-1715
Country: U.S.A.
Main Phone: 713-621-3882
Main Fax: 713-621-3988

Central Contact

Name: Anthony James
Title: Legal Counsel
E-Mail Address: t.james@isramco-jay.com
Phone Number: 713-621-3862
Cell Number:
Fax Number: 713-621-3988

Hobbs Contact

Name: Anthony James
Title:
E-Mail Address: t.james@isramco-jay.com
Phone Number: 713-621-3882
Cell Number:
Fax Number:

Artesia Contact

Name: Anthony James
Title:
E-Mail Address: t.james@isramco-jay.com
Phone Number: 713-621-3382
Cell Number:
Fax Number:

Pits

No Pits Found

Casing

No Casing Found

SIGN-IN HELP

Well Completions

Wells Operator Data

[3820] BAGLEY; PERMO PENN, NORTH

Status: Active Last Produced: 12/01/2018
 Bottomhole Location: H-08-11S-33E 1980 FNL 660 FEL
 Lat/Long:
 Acreage: 80 08-11S-33E Units: A H
 DHC: Consolidation Code:
 Production Method: Pumping

Well Test Data

Production Test: Test Length: 0 hours
 Flowing Tubing Pressure: 0 psi Flowing Casing Pressure: 0 psi
 Choke Size: 0.000 inches Testing Method:
 Gas Volume: 0.0 MCF Oil Volume: 0.0 bbls
 Gas-Oil Ratio: 0 Kcf / bbl Oil Gravity: 0.0 Corr API
 Disposition of Gas: Water Volume: 0.0 bbls

Perforations

Date	Top Measured Depth (Where Completion Enters Formation)	Bottom Measured Depth (End of Lateral)	Top Vertical Depth	Bottom Vertical Depth

Notes

Event Dates

Initial Effective/Approval:	01/01/1900	TA Expiration:	
Most Recent Approval:	10/01/2008	Confidential Until:	
Confidential Requested On:		Test Allowable End:	
Test Allowable Approval:		DHC:	
TD Reached:		Rig Released:	
Deviation Report Received:	No	Logs Received:	No
Directional Survey Run:	No	Closure Pit Plat Received:	
Directional Survey Received:	No	First Gas Production:	08/01/1973
First Oil Production:	08/01/1973	Completion Report Received:	
First Injection:		New Well C-104 Approval:	
Ready to Produce:		Revoked Until:	
C-104 Approval:	09/15/1994		
Plug Back:			
Authorization Revoked Start:			

Well Completion History

Effective Date	Property	Well Number	Operator	Completion Status	TA Expiration Date
10/01/2008	[306247] GULF SOHIO STATE	#001	[247692] JAY MANAGEMENT COMPANY LLC	Active	
07/01/2000	[26534] GULF SOHIO STATE	#001	[188483] PHOENIX HYDROCARBONS OPERATING CORP	Active	
09/01/1994	[15661] GULF SOHIO STATE	#001	[23143] TIPPERARY OIL & GAS CORP	Active	
01/01/1900		#001	[11830] J & G ENTERPRISE LTD CO	Active	

Effective Date	Property	Well Number	Operator	Completion Status	TA Expiration Date	SIGN-IN	HELP
	[5389] GULF SOHIO STATE					Wells	Operator Data

Financial Assurance

Effective	Bond Type	Base	Balance	Issuer	Cash/Surety	Cancellation Date
11/01/2011	Blanket	50000	50000	LEXON INSURANCE COMPANY	Surety	
Last Production for this well:		12/2018				
Inactive Additional Bond Due Date:		01/01/2021				
Measured Depth:		10355				
Required Well Bond Amount:		15355				
Well Bond Required Now:		No				
Amount of Well Bond In Place:		0				
Variance:		15355 Note: This well is covered by this operator's Blanket Bond				
In Violation:		No				

If the depth of the well is Unknown, please contact the appropriate OCD District Office and provide the measured depth of the well.

Requests to release bonds must be submitted in writing. You may send an e-mail to Denise.Gallegos@state.nm.us or fax a letter to (505) 476-3453

Compliance

Note that Financial Assurance and Inactive Well Compliance are documented in separate reports ([Inactive Well Report](#), [Financial Assurance Report](#))

Also note that some compliance issues are addressed at the operator level so not listed under each well.

Complaints, Incidents and Spills

Please note that incidents that impact ground water are recorded along with "facilities" which may not be wells, so although the initial report may be recorded here as a spill, information related to the abatement plans, remediation plans and ground water impact information are not yet part of this application.

NPAC0712955367 2006 MAJOR I SWS @ 30-025-21194

Action: Operator Handled - No Compliance Written
Notified: Industry Rep

Event Dates

Date of Discovery: 10/19/2006 OCD Notified of Major Release: 10/19/2006
Characterization Report Received: Closure Report Approved: 05/04/2007

Notes

Date	Detail
05/09/2007	C-141 Pipeline malfunction

Spills

Cause	Source	Product Spilled	Square Feet	Volume Spilled	Volume Recovered
	Pipeline (Any)	Produced Water	0	50	30 BBL

Cause	Source	Product Spilled	Square Feet	Volume Spilled	Volume Recovered
	Pipeline (Any)	Crude Oil	0	2	0 BBL

SIGN-IN HELP

Wells Operator Data

Orders

1RP-1308-0

Applicant: [188483] PHOENIX HYDROCARBONS OPERATING CORP
 Contact: Clarence Craig Approved By:
 Reviewer: Larry Johnson Issuing Office: Hobbs

Processing Dates

Received: Ordered: 05/09/2007
 Approved: 05/09/2007 Denied:
 Expiration: Cancelled:

Production / Injection

Earliest Production in OCD Records: 12/1992
 Last 12/2018

[Show All Production](#) [Export to Excel](#)

Time Frame	Production				Injection				
	Oil (BBLs)	Gas (MCF)	Water (BBLs)	Days P/I	Water (BBLs)	Co2 (MCF)	Gas (MCF)	Other	Pressure
1992 Cumulative	461801	325273	742714	99	0	0	0	0	N/A
1993	6881	5558	62392	325	0	0	0	0	N/A
1994	5767	17491	50877	344	0	0	0	0	N/A
1995	1713	6956	21043	278	0	0	0	0	N/A
1996	1958	9162	26371	351	0	0	0	0	N/A
1997	2010	11558	23893	359	0	0	0	0	N/A
1998	1404	4787	20541	289	0	0	0	0	N/A
1999	592	1084	80675	242	0	0	0	0	N/A
2000	1144	658	91842	269	0	0	0	0	N/A
2001	1871	1559	97117	309	0	0	0	0	N/A
2002	1462	613	97938	282	0	0	0	0	N/A
2003	790	0	45192	143	0	0	0	0	N/A
2004	672	0	50843	124	0	0	0	0	N/A
2005	765	0	49256	133	0	0	0	0	N/A
2006	695	0	62472	171	0	0	0	0	N/A
2007	683	0	98069	252	0	0	0	0	N/A
2008	494	0	71017	186	0	0	0	0	N/A

SIGN-IN HELP

Operator Data

Wells

Pressure

Other

Gas

CO₂

Water

Days

Water

Gas

Oil

Time Frame

2009

677

0

32812

213

Production

Injection

Time Frame	Oil (BBL/S)	Gas (MCF)	Water (BBL/S)	Days P/I	Water (BBL/S)	CO ₂ (MCF)	Gas (MCF)	Other	Pressure
2010	821	0	40160	284	0	0	0	0	N/A
2011	600	0	7943	182	0	0	0	0	N/A
2012	919	0	10343	356	0	0	0	0	N/A
2013	490	0	6248	248	0	0	0	0	N/A
2014	1614	0	20750	345	0	0	0	0	N/A
2015	1514	0	18900	322	0	0	0	0	N/A
2016	821	0	11064	297	0	0	0	0	N/A
2017	461	0	75	302	0	0	0	0	N/A
2018	654	0	550	337	0	0	0	0	N/A
Grand Total:	499273	384699	1841081	7042	0	0	0	0	N/A

Transporters

Transporter	Product	Most Recent for Property
[174238] ENTERPRISE CRUDE OIL LLC	Oil	12/2018

Points of Disposition

ID	Type	Description	Pools(s)
1109350	Water	[3820] BAGLEY PERMO PENN. NORTH	
1109330	Gas	[3820] BAGLEY PERMO PENN. NORTH	
1109310	Oil	[3820] BAGLEY PERMO PENN. NORTH	

New Mexico Energy Minerals and Natural Resources Department | Copyright 2012
1720 South St. Francis Drive | Santa Fe, NM 87505 | P: (505) 478-3200 | F: (505) 478-3220


EMNRD Home | OCD About Page | OCD Rules | Help



EXHIBIT
4







JAY MANAGEMENT COMPANY, LLC

NORTH BAGLEY FIELD

LEA COUNTY, NEW MEXICO


TOP WOLFCAMP STRUCTURE MAP

WELL SYMBOLS

- Oil Well
- Gas Well
- Dry Hole
- Abandoned Location - Permit
- Temporarily Abandoned
- Dry Hole, With Show of Oil
- Dry Hole, With Show of Oil & Gas
- Plugged Oil Well

By: EH

March 8, 2019



JAY MANAGEMENT COMPANY, LLC

NORTH BAGLEY FIELD

LEA COUNTY, NEW MEXICO

TOP PENN STRUCTURE MAP


0 1,033 3,066 5,499

FEET

WELL SYMBOLS

- Oil Well
- Gas Well
- Dry Hole
- Abandoned Location - Permit
- Temporarily Abandoned
- Dry Hole, With Show of Oil
- Dry Hole, With Show of Oil & Gas
- Plugged Oil Well

By: EH



GULS SOHIO OG #2 SWD
 YEAR STATE #1 WELL
 OIL PRODUCTION YEARLY WATER PRODUCTION

2014	1614	353364
2015	1514	299128
2016	821	197404
2017	461	120590
2018	654	0

