

Exhibit "A"

Applicant: Mewbourne Oil Company
Operator: Mewbourne Oil Company (OGRID 14744)

Spacing Unit: Horizontal Oil
Building Blocks: quarter-quarter sections
Spacing Unit Size: 240 acres, more or less
Orientation of Unit: West to East

Spacing Unit Description:

N/2 S/2 of Section 13, Township 19 South, Range 28 East and the N/2 SW/4 of Section 18, Township 19 South, Range 29 East in Eddy County.

Pooling this Vertical Extent: Bone Spring Formation
Depth Severance? (Yes/No): No

Pool: Scanlon Draw; Bone Spring (55510)
Pool Spacing Unit Size: quarter-quarter sections
Governing Well Setbacks: Horizontal Oil Well Rules
Pool Rules: Latest Horizontal Rules apply.

Proximity Tracts: None Included

Monthly charge for supervision: While drilling: \$8000 While producing: \$800
As the charge for risk, 200 percent of reasonable well costs.

Proposed Wells:

Rattlesnake 13/18 B2LK State Com #1H

SHL: 2130 feet from the South line and 205 feet from the West line,
(Unit L) of Section 13, Township 19 South, Range 28 East, NMPM, Eddy County.
BHL: 2100 feet from the South line and 2295 feet from the West line,
(Unit K) of Section 18, Township 19 South, Range 29 East, NMPM, Eddy County.

Completion Target: Second Bone Spring Sand at approx 7,750 feet TVD.
Well Orientation: West to East
Completion Location expected to be: standard.

Rattlesnake 13/18 B3LK State Com #1H

SHL: 2100 feet from the South line and 205 feet from the West line,
(Unit L) of Section 13, Township 19 South, Range 28 East, NMPM, Eddy County.
BHL: 2100 feet from the South line and 2295 feet from the West line,
(Unit K) of Section 18, Township 19 South, Range 29 East, NMPM, Eddy County.

Case No. 20929

Order No. R-

Page 2 of 3

Completion Target: Third Bone Spring Sand at approx 8,750 feet TVD.

Well Orientation: West to East

Completion Location expected to be: standard.

