BEFORE THE OIL CONSERVATION DIVISION EXAMINER HEARING JANUARY 21, 2021

CASE No. 21569

Andre Dawson SWD No. 1 Well

LEA COUNTY, NEW MEXICO



STATE OF NEW MEXICO DEPARTMENT OF ENERGY, MINERALS AND NATURAL RESOURCES OIL CONSERVATION DIVISION

APPLICATION OF GOODNIGHT MIDSTREAM PERMIAN, LLC FOR APPROVAL OF A SALT WATER DISPOSAL WELL, LEA COUNTY NEW MEXICO.

CASE NOS. 21569

TABLE OF CONTENTS

Goodnight Exhibit A — Goodnight's C-108 Application

Goodnight Exhibit B – Application of Goodnight Midstream Permian, LLC for Approval

of a Salt Water Disposal Well, Lea County, New Mexico

Goodnight Exhibit C – Affidavit of Nathan Alleman

Goodnight Exhibit D – Affidavit of Steve Allen Drake

Goodnight Exhibit D-1 – Stratigraphic Log of Injection Interval

Goodnight Exhibit D-2 – Geology Statement

Goodnight Exhibit E Affidavit of Thomas E. Tomastik

Goodnight Exhibit F – Notice Affidavit

Initial

Application

BEFORE THE OIL CONSERVATION DIVISION
Santa Fe, New Mexico
Exhibit No. A
Submitted by: Goodnight Midstream Permian, LLC

Hearing Date: January 21, 2021

Case No. 21569

Received 11/17/20

This application is placed in file for record. It MAY or MAY NOT have been reviewed to be determined Administratively Complete

EXHIBIT A



November 17, 2020

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, New Mexico 87505

Subject: Goodnight Midstream Permian, LLC – Andre Dawson SWD # 1
Application for Authorization to Inject

To Whom It May Concern,

On behalf of Goodnight Midstream Permian, LLC (Goodnight), ALL Consulting, LLC (ALL) is submitting the enclosed Application for Authorization to Inject for the Andre Dawson SWD #1, a proposed salt water disposal well, in Lea County, NM.

Should you have any questions regarding the enclosed application, please contact Nate Alleman at (918) 382-7581 or nalleman@all-llc.com.

Sincerely,

ALL Consulting

Nate Alleman

Sr. Regulatory Specialist

Signature

4QJN6-201117-C-1080

APP NO:

pBL2032263200

ABOVE THIS TABLE FOR OCD DIVISION USE ONLY

NEW MEXICO OIL CONSERVATION DIVISION

- Geological & Engineering Bureau -



1220 South St. Francis Drive, Santa	a Fe, NM 87505
ADMINISTRATIVE APPLICATION	ON CHECKLIST
THIS CHECKLIST IS MANDATORY FOR ALL ADMINISTRATIVE APPLICA' REGULATIONS WHICH REQUIRE PROCESSING AT THE E	TIONS FOR EXCEPTIONS TO DIVISION RULES AND
applicant:	OGRID Number:
/ell Name: Andre Dawson SWD #1	API:
ool:	Pool Code:
SUBMIT ACCURATE AND COMPLETE INFORMATION REQUIR INDICATED BELO	
1) TYPE OF APPLICATION: Check those which apply for [A] A. Location – Spacing Unit – Simultaneous Dedication NSL NSP(PROJECT AREA) NSP	
B. Check one only for [1] or [1] [1] Commingling – Storage – Measurement DHC CTB PLC PC OI [11] Injection – Disposal – Pressure Increase – Enha WFX PMX SWD IPI EC	nced Oil Recovery OR PPR
2) NOTIFICATION REQUIRED TO: Check those which apply. A Offset operators or lease holders B Royalty, overriding royalty owners, revenue own C Application requires published notice D Notification and/or concurrent approval by SLC E Notification and/or concurrent approval by BLN	ners Application Content Complete
F. Surface ownerG. For all of the above, proof of notification or putH. No notice required	blication is attached, and/or,
B) CERTIFICATION: I hereby certify that the information sub administrative approval is accurate and complete to the understand that no action will be taken on this application notifications are submitted to the Division.	ne best of my knowledge. I also
Note: Statement must be completed by an individual with a	managerial and/or supervisory capacity.
	_11/16/2020 Date
Drint or Tuno Nome	
Print or Type Name	

Phone Number

e-mail Address

STATE OF NEW MEXICO ENERGY, MINERALS AND NATURAL RESOURCES DEPARTMENT

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, New Mexico 87505

FORM C-108 Revised June 10, 2003

APPLICATION FOR AUTHORIZATION TO INJECT

I.	PURPOSE:Secondary RecoveryPressure MaintenanceXDisposalStorage Application qualifies for administrative approval?XYesNo
II.	OPERATOR: Goodnight Midstream Permian, LLC
	ADDRESS: <u>5910 N Central Expressway, Suite 850, Dallas, TX 75206</u>
	CONTACT PARTY: Grant Adams PHONE: 214-444-7388(0)
III.	WELL DATA: Complete the data required on the reverse side of this form for each well proposed for injection. Additional sheets may be attached if necessary.
IV.	Is this an expansion of an existing project?YesYes
V.	Attach a map that identifies all wells and leases within two miles of any proposed injection well with a one-half mile radius circle drawn around each proposed injection well. This circle identifies the well's area of review.
VI.	Attach a tabulation of data on all wells of public record within the area of review which penetrate the proposed injection zone. Such data shall include a description of each well's type, construction, date drilled, location, depth, record of completion, and a schematic of any plugged well illustrating all plugging detail.
VII.	Attach data on the proposed operation, including:
	 Proposed average and maximum daily rate and volume of fluids to be injected; Whether the system is open or closed; Proposed average and maximum injection pressure; Sources and an appropriate analysis of injection fluid and compatibility with the receiving formation if other than reinjected produced water; and, If injection is for disposal purposes into a zone not productive of oil or gas at or within one mile of the proposed well, attach a chemical analysis of the disposal zone formation water (may be measured or inferred from existing literature, studies, nearby wells, etc.).
*VIII.	Attach appropriate geologic data on the injection zone including appropriate lithologic detail, geologic name, thickness, and depth. Give the geologic name, and depth to bottom of all underground sources of drinking water (aquifers containing waters with total dissolved solids concentrations of 10,000 mg/l or less) overlying the proposed injection zone as well as any such sources known to be immediately underlying the injection interval.
IX.	Describe the proposed stimulation program, if any.
*X.	Attach appropriate logging and test data on the well. (If well logs have been filed with the Division, they need not be resubmitted).
*XI.	Attach a chemical analysis of fresh water from two or more fresh water wells (if available and producing) within one mile of any injection or disposal well showing location of wells and dates samples were taken.
XII.	Applicants for disposal wells must make an affirmative statement that they have examined available geologic and engineering data and find no evidence of open faults or any other hydrologic connection between the disposal zone and any underground sources of drinking water.
XIII.	Applicants must complete the "Proof of Notice" section on the reverse side of this form.
XIV.	Certification: I hereby certify that the information submitted with this application is true and correct to the best of my knowledge and
	belief.
	NAME: Nathan Alleman TITLE: Regulatory Specialist - Consultan
	SIGNATURE: Notice Allera DATE: 11/16/2020
XV.	E-MAIL ADDRESS: nalleman@all-llc.com If the information required under Sections VI, VIII, X, and XI above has been previously submitted, it need not be resubmitted. Please show the date and circumstances of the earlier submittal:

III. WELL DATA

- A. The following well data must be submitted for each injection well covered by this application. The data must be both in tabular and schematic form and shall include:
 - (1) Lease name; Well No.; Location by Section, Township and Range; and footage location within the section.
 - (2) Each casing string used with its size, setting depth, sacks of cement used, hole size, top of cement, and how such top was determined.
 - (3) A description of the tubing to be used including its size, lining material, and setting depth.
 - (4) The name, model, and setting depth of the packer used or a description of any other seal system or assembly used.

Division District Offices have supplies of Well Data Sheets which may be used or which may be used as models for this purpose. Applicants for several identical wells may submit a "typical data sheet" rather than submitting the data for each well.

- B. The following must be submitted for each injection well covered by this application. All items must be addressed for the initial well. Responses for additional wells need be shown only when different. Information shown on schematics need not be repeated.
 - (1) The name of the injection formation and, if applicable, the field or pool name.
 - (2) The injection interval and whether it is perforated or open-hole.
 - (3) State if the well was drilled for injection or, if not, the original purpose of the well.
 - (4) Give the depths of any other perforated intervals and detail on the sacks of cement or bridge plugs used to seal off such perforations.
 - (5) Give the depth to and the name of the next higher and next lower oil or gas zone in the area of the well, if any.

XIV. PROOF OF NOTICE

All applicants must furnish proof that a copy of the application has been furnished, by certified or registered mail, to the owner of the surface of the land on which the well is to be located and to each leasehold operator within one-half mile of the well location.

Where an application is subject to administrative approval, a proof of publication must be submitted. Such proof shall consist of a copy of the legal advertisement which was published in the county in which the well is located. The contents of such advertisement must include:

- (1) The name, address, phone number, and contact party for the applicant;
- (2) The intended purpose of the injection well; with the exact location of single wells or the Section, Township, and Range location of multiple wells;
- (3) The formation name and depth with expected maximum injection rates and pressures; and,
- (4) A notation that interested parties must file objections or requests for hearing with the Oil Conservation Division, 1220 South St. Francis Dr., Santa Fe, New Mexico 87505, within 15 days.

NO ACTION WILL BE TAKEN ON THE APPLICATION UNTIL PROPER PROOF OF NOTICE HAS BEEN SUBMITTED.

NOTICE: Surface owners or offset operators must file any objections or requests for hearing of administrative applications within 15 days from the date this application was mailed to them.

Application for Authorization to Inject Well Name: Andre Dawson SWD #1

III - Well Data (The Wellbore Diagram is included as Attachment 1)

A.

(1) General Well Information:

Operator: Goodnight Midstream Permian, LLC (OGRID No. 372311)

Lease Name & Well Number: Andre Dawson SWD #1

Location Footage Calls: 1,105 FSL & 244 FEL Legal Location: Unit Letter P, S17 T21S R36E

Ground Elevation: 3,536.6'

Proposed Injection Interval: 4,287' - 5,590'

County: Lea

(2) Casing Information:

Туре	Hole Size	Casing Size	Casing Weight	Setting Depth	Sacks of Cement	Estimated TOC	Method Determined
Surface	17-1/2"	13-3/8"	54.5 lb/ft	1,500'	1,180	Surface	Circulation
Production	12-1/4"	9-5/8"	40.0 lb/ft	5,720'	1,400	Surface	Circulation
Tubing	N/A	5-1/2"	Composite weight string	4,270'	N/A	N/A	N/A

(3) Tubing Information:

5-1/2" (composite weight string) of fiberglass-coated tubing with setting depth of 4,270'

(4) Packer Information: Baker SC-2 packer or equivalent packer set at 4,270'

В.

(1) Injection Formation Name: San Andres

Pool Name: SWD; SAN ANDRES

Pool Code: 96121

- (2) Injection Interval: Perforated injection between 4,287' 5,590'
- (3) Drilling Purpose: New Drill for Salt Water Disposal
- (4) Other Perforated Intervals: No other perforated intervals exist.
- (5) Overlying Oil and Gas Zones: Below are the approximate formation tops for known oil and gas producing zones in the area.
 - Grayburg (3,875')

Underlying Oil and Gas Zones: There are no known geologic zones below the San Andres formation that contain hydrocarbon within 2 miles of the proposed SWD location. The underlying zones between the San Andres formation and the Devonian formation were drilled and logged by the Snyder (Ryno) SWD (30-025-43901) which penetrated the Devonian formation at 11,000 feet. The Glorieta, Paddock, Blinebry, Tubb, and Drinkard are present and are either impermeable rock or are saline aquifers. The closest known hydrocarbon in these formations is at the top of the Monument Field structure, 2.5 miles away.

V – Well and Lease Maps

The following maps are included in **Attachment 2**:

- 2-mile Oil & Gas Well Map
- 1/2-mile Well Detail List
- 2-mile Lease Map
- 2-mile Mineral Ownership Map
- 2-mile Surface Ownership map
- Potash Lease Map

VI – AOR Well List

There are 18 wells within the 1/2-mile AOR, but none of the wells penetrate the proposed injection zone.

A list of the wells within the 1/2-mile AOR is included in **Attachment 2**.

VII - Proposed Operation

- (1) Proposed Maximum Injection Rate: 25,000 bpd Proposed Average Injection Rate: 17,500 bpd
- (2) A closed system will be used.
- (3) Proposed Maximum Injection Pressure: 857 psi (surface)
 Proposed Average Injection Pressure: approximately 429 psi (surface)
- (4) Source Water Analysis: It is expected that the injectate will consist of produced water from production wells completed in the Bone Springs, Delaware, and Wolfcamp formations. Analysis of water from these formations is included in *Attachment 3*.
- (5) Injection Formation Water Analysis: The proposed SWD will be injecting water into the San Andres formation which is a non-productive zone known to be compatible with formation water from the Bone Spring, Delaware, and Wolfcamp formations. Water analyses results were selected from intervals comparable to that of the injection zone in the San Andres Formation. Water analysis from in the area are included in **Attachment 4.**

VIII – Geologic Description

- San Andres Injection Formations: The injection interval consists of the San Andres Formation at a depth of 4,287 ft 5,590 ft. These formations consist of interbedded carbonate rocks including dolomites, anhydrites, and limestones.
- Confining Layers:
 - Upper Confinement: The injection formation is confined from overlying production by layers of low porosity anhydrites and dolomites located in the top of both the San Andres and Grayburg formations that are not capable of transmitting fluid.

VIII - Geologic Description (Continued)

- o **Lower Confinement:** The injection formation is confined from potential underlying production formations by layers of low permeability rock located at the base of the San Andres and above the Glorieta interval. Additionally, the Paddock formation, located below the Glorieta formation, is a non-hydrocarbon bearing zone, that does not have the porosity intervals, that are present in the hydrocarbon bearing portions of the Paddock formation. As such the paddock will function as an additional confinement zone between the injection interval and any potential underlying production.
- Lowermost Underground Source of Drinking Water (USDW): The base of the deepest USDW (Rustler Formation) is at a depth of approximately 1300 feet which is covered by the surface casing set at 1,500 feet and cemented to surface to isolate the USDW. Water well depths in the area range from approximately 200 305 feet below ground surface.

IX – Proposed Stimulation Program

A small cleanup acid job may be used to remove mud and drill cuttings from the formation. However, no other formation stimulation is currently planned.

X – Logging and Test Data

Logs will be submitted to the Division upon completion of the well.

XI – Fresh Groundwater Samples

Based on a review of data from the New Mexico Office of the State Engineer, 3 groundwater wells are located within 1 mile of the proposed SWD location; however, state water well data and conversations with water well owners have revealed that only 1 of the water wells are active. A Water Sample was collected on January 28th, 2019.

A water well map, details of water wells within 1-mile, and the associated water analyses are included in *Attachment 5*.

XII – No Hydrologic Connection Statement

No faulting is present in the area that would provide a hydrologic connection between the injection interval and overlying USDWs. Additionally, the casing program has been designed to ensure there will be no hydrologic connection between the injection interval and overlying USDWs.

XIII – Proof of Notice

A Public Notice was filed with the Hobbs News-Sun newspaper and an affidavit is included in **Attachment 6**.

A copy of the application was mailed to the OCD District Office, landowner, and leasehold operators within 1/2-mile of the proposed SWD location. A list of the recipients, as well as delivery confirmations, are included in *Attachment 6*.

Attachments

Attachment 1: C-102 & Wellbore Diagram

Attachment 2: Area of Review Information:

- 2-mile Oil & Gas Well Map
- 1/2-mile Well Detail List
- 2-mile Lease Map
- 2-mile Mineral Ownership Map
- 2-mile Surface Ownership Map
- Potash Lease Map

Attachment 3: Source Water Analyses

Attachment 4: Injection Formation Water Analyses

Attachment 5: Water Well Map and Well Data

Attachment 6: Public Notice Affidavit and Notice of Application Confirmations

Attachment 1

- C-102
- Wellbore Diagram


DISTRICT I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
DISTRICT II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
DISTRICT III
1000 Rio Brazos Rd., Azec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
DISTRICT IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3406 Fax: (505) 476-3462

State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, New Mexico 87505

Form C-102 Revised August 1, 2011 Submit one copy to appropriate District Office

 \square AMENDED REPORT

		WEI	LL LOCA	TION A	AND ACREA	AGE DEDICAT	TION PLAT						
AP	PI Number			Pool Code 96121		S	ND; SAN ANDF	Pool Name D; SAN ANDRES					
Property Cod	de			Al	Property Name			Well Nur	mber				
OGRID No 37231			GC	ODNIGH	Operator Nam	M PERMIAN, LLC	;		Elevation 3563.6'				
					Surface Loca	ation		1					
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County				
Р	17	21-S	36-E		1105	SOUTH	244	EAST	LEA				
			Bott	om Hole	Location If Dif	ferent From Surface	e						
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County				
Dedicated Acres	Joint or	: Infill	Consolidated Co	de Ord	er No.								
No allowable wildivision.	ll be assig	ned to this		Intil all int		consolidated or a no							
NMSP-E (NAD 83) N.(Y): = 542138.9' E.(X): = 861181.5' LAT.:= 32.4861270' N LON.:= 103.2960526' W NMSP-E (NAD 27) N.(Y): = 542077.2' E.(X): = 81997.6' LAT.:= 32.4860022' N LON.:= 103.2955783' W				NMSP-E (NAD 8: N.(Y): = 542165.1 E(X): = 863818.8 LAT.: = 32.48612 LON.: = 103.2874 NMSP-E (NAD 2: N.(Y): = 542103.4 LAT.: = 32.48600 LON.: = 103.2870	9) 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	NMSP-E (NAD 8 N.(Y): = 542191 E.(X): = 866456 LAT.: = N32.4861286* LON.: = W103.2789473° NMSP-E (NAD 2 N.(Y): = 542129 E.(X): = 825272 LAT.: = 32.4860039° LON.: = 103.2784739° \(\)	3] 3] I hereby certify to therein is true an knowledge and be either owns a word, mineral interest of proposed bottom if drill this well at contract with an working interest,	OR CERTIFICA hat the information of a complete to the bestlief, and that this or king interest or unle in the land including to this location or has a this location pursuan owner of such a min or to voluntary pooling orchy the division.	contained at of my ganization eased the cright to att to a veral or				
WEST QUARTER CORNEI NMSP-E (NAD 83) N.(Y): = 539468.3' E.(X): = 681201.5' LAT.: = 32.4787866' N LON.: = 103.2960719' W NMSP-E (NAD 27) N.(Y): = 539406.6' E.(X): = 820017.6' LAT.: = 32.4786617' N	<u>R</u>					EAST QUARTER CORNE NMSP-E (NAD 8 N.(Y): = 539531 E (X): = 866480 LAT.: = 32.4788175° LON: = 103.2789525° NMSP-E (NAD 2 N.(Y): = 539469 E (X): = 825296 LAT.: = 32.4786926°	Nathan Alleman Print Name No. No. Nalleman@all-llc.con E-mail Address	11/16/ Dat					
LON.: = 103.2955978° W	·				GR. EL NM\$P- N.(Y): E.(X): LAT.: = 32. LON.: = 103.2 NM\$P- N.(Y): E.(X):	E (NAD 27) = 537917.6' = 825068.6' 4744332° N	SURVEYO I hereby certify th plat was plotted fr made by me or un same is true and of SEPTEMBER 3 Date of Survey Signature and Seal of	Professional Serveyor. O	thown on thi rual surveys and that the my belief.				
SOUTHWEST CORNER MMSP-E (NAD 83) N.(Y): = 536797.6' E.(X): = 861221.6' LAT: = 324714461° N LON:: = 103.2960911° W NMSP-E (NAD 27) N.(Y): = 536736.0' E.(X): = 820037.6' LAT:: = 32.4713212° N LON:: = 103.2956172° W		LA' LON.	UARTER CORNER MMSP-E (NAD 83) N.(Y): = 536838.1' E.(X): = 863865.0' := 103.2875196' W NMSP-E (NAD 27) N.(Y): = 536776.4' E.(X): = 822680.9' := 103.28770461' W			SOUTHEAST CORNER MMSP-E (NAD 83) N.(Y): = 536878.5' E.(X): = 866508.4' LAT.: = 324715261' N N.(Y): = 536878.9' E.(X): = 825324.3' LAT.: = 32.4714011' N ON.: = 103.2784751' W	Johns: WTC 5 JAMES E. TOMPKIN Certificate Number		Draft: M.Y				



SC-2 Retrievable Packer


Product Family No. H48807

APPLICATION

The Baker Hughes SC-2™ retrievable packer is a high-performance, retrievable, sealbore packer. It can be run and set on electric wireline, slick line/tubing with the same setting tools used for the D packer.

Advantages

- Can be set with wireline or hydraulic setting tools
- Can be equipped with a variety of bottom guides (must be ordered separately)
- Packer easily accommodates tubing expansion or contraction
- Tubing and seals can be removed without accidentally unsetting packer
- Easy retrieval due to caged slips and releasing mechanism located in protected area below packing element
- Packer's releasing mechanism is not affected by differential pressure or tailpipe weight
- Case-hardened slips suitable for all grades of casing including V-150
- Compatible with standard Baker Hughes' seal accessories, tubingconveyed perforating and gravel-packing systems




SC-2 Retrievable Packer Product Family No. H48807

Attachment 2

Area of Review Information:

- 2-mile Oil & Gas Well Map
- 1/2-mile Well Detail List
- 2-mile Lease Map
- 2-mile Mineral Ownership Map
- 2-mile Surface Ownership Map
- Potash Lease Map

Page 14 of 35 Received by OCD: 11/17/2020 2:22:43 PM



Miles

Legend

- Proposed SWD
- Gas, Active (131)
- Gas, Plugged (44)
- Gas, Temporarily Abandoned (3)
- Injection, Active (79)
- Injection, Plugged (14)
- Injection, Temporarily Abandoned (1)
- Oil, Active (149)
- Oil, New (1)
- Oil, Plugged (138)
- Oil, Temporarily Abandoned (5)
- Salt Water Injection, Active (2)
- Salt Water Injection, New (5)
- Salt Water Injection, Plugged (1)

Source Info: NMOCD O&G Wells updated 9/30/2020 (http://www.emnrd.state.nm.us/OCD/ocdgis.html)



Service Laver Credits: Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community


Page 15 of 35 Received by OCD: 11/17/2020 2:22:43 PM

	AOR Tabulation for Andre Dawson SWD #1 (Top of Injection Interval: 4,287')												
Well Name	API#	Well Type			Location (Sec., Tn., Rng.)	Total Vertical Depth (feet)	Penetrate Inj. Zone?						
EUNICE MONUMENT SOUTH UNIT #422	30-025-04654	Plugged	CHEVRON U S A INC	8/7/2002	N-16-21S-36E	Plugged (4,065)	No						
EUNICE MONUMENT SOUTH UNIT #381	30-025-04660	Plugged	CHEVRON U S A INC	3/6/1935	E-16-21S-36E	Plugged (4,150)	No						
EUNICE MONUMENT SOUTH UNIT #405	30-025-04693	Plugged	CHEVRON U S A INC	9/30/1956	I-17-21S-36E	Plugged (4,084)	No						
EUNICE MONUMENT SOUTH UNIT #420	30-025-04694	Plugged	CHEVRON U S A INC	Unknown*	P-17-21S-36E	Plugged (4,071)	No						
EUNICE MONUMENT SOUTH UNIT #421	30-025-08713	Plugged	CHEVRON U S A INC	8/30/1935	M-16-21S-36E	Plugged (3,941)	No						
COLEMAN #001	30-025-08716	Plugged	CIMAREX ENERGY CO. OF COLORADO	3/24/2011	J-17-21S-36E	Plugged (4,005)	No						
DEVONIAN STATE #002	30-025-04729	Gas	CITATION OIL & GAS CORP	7/6/1935	B-20-21S-36E	3729	No						
DEVONIAN STATE #003	30-025-04730	Gas	CITATION OIL & GAS CORP	10/26/1935	A-20-21S-36E	3934	No						
ARNOTT RAMSAY NCT C #019	30-025-33256	Plugged	CONOCOPHILLIPS COMPANY	2/20/1996	D-21-21S-36E	Plugged (3,775)	No						
STATE C #003	30-025-08714	Gas	OXY USA WTP LIMITED PARTNERSHIP	11/16/1935	K-16-21S-36E	3851	No						
STATE C #005	30-025-32732	Gas	OXY USA WTP LIMITED PARTNERSHIP	11/16/1994	M-16-21S-36E	3900	No						
MEYER B 17 #003	30-025-30422	Gas	PENROC OIL CORP	8/10/1988	P-17-21S-36E	3750	No						
EUNICE MONUMENT SOUTH UNIT #404	30-025-04688	Injection	XTO ENERGY, INC	5/20/1935	L-16-21S-36E	4026	No						
EUNICE MONUMENT SOUTH UNIT #419	30-025-04695	Plugged	XTO ENERGY, INC	8/23/1935	O-17-21S-36E	Plugged (4,101)	No						
EUNICE MONUMENT SOUTH UNIT #406	30-025-04696	Plugged	XTO ENERGY, INC	1/21/2013	J-17-21S-36E	Plugged (4,116)	No						
EUNICE MONUMENT SOUTH UNIT #380	30-025-04701	Injection	XTO ENERGY, INC	10/21/1934	H-17-21S-36E	4095	No						
EUNICE MONUMENT SOUTH UNIT #440	30-025-04735	Oil	XTO ENERGY, INC	11/17/1935	D-21-21S-36E	4072	No						
EUNICE MONUMENT SOUTH UNIT #403	30-025-29779	Plugged	XTO ENERGY, INC	2/18/1987	K-16-21S-36E	Plugged (4,200)	No						

Notes:

No wells within a 1/2-mile AOR penetrated the injection interval.
 Unknown* - Indicates that there was no spud date available from the NM OCD Imaging - Well File Search.


Received by OCD: 11/17/2020 2:22:43 PM Page 16 of 35



Miles

Legend







Private Mineral Leases

Unleased Minerals - Private Owned

Mineral Lease Area of Review

ANDRE DAWSON SWD #1

Lea County, New Mexico

Proj Mgr: Dan Arthur November 10, 2020


Mapped by: Ben Bockelmann





& NMSLO O&G Leases (http://www.nmstatelands.org/maps-gis/gis-data-download/)

Page 17 of 35



Legend

★ Proposed SWD

Private minerals

Subsurface minerals (NMSLO)

Surface and Subsurface minerals (NMSLO)

Mineral Ownership

All minerals are owned by U.S. (BLM)

Mineral Ownership Area of Review

ANDRE DAWSON SWD #1

Lea County, New Mexico

Proj Mgr: Dan Arthur

October 21, 2020


Mapped by: Ben Bockelmann

Prepared for:





Page 18 of 35 Received by OCD: 11/17/2020 2:22:43 PM





Surface Ownership Area of Review

ANDRE DAWSON SWD #1


Lea County, New Mexico

October 19, 2020

Mapped by: Ben Bockelmann



Received by OCD: 11/17/2020 2:22:43 PM



Legend

Proposed SWD

1/2 mi buffer

Ore Type - Measured

Ore Type - Indicated

Ore Type - Inferred

KPLA

SOPA

Drill Islands

Status

Approved

Denied

Nominated

Potash Leases Area of Review

ANDRE DAWSON SWD #1

Lea County, New Mexico

Proj Mgr: Dan Arthur

October 19, 2020

Mapped by: Ben Bockelmann

Prepared for:



ALICONSULTING

Prepared by:

0 3 6 12 Miles

Source Info: BLM CFO Potash (https://www.nm.blm.gov/shapeFiles/cfo/carlsbad_spatial_data.html)

Attachment 3

Source Water Analyses

Received by OCD: 11/17/2020 2:22:43 PM

Source Water Formation Analysis																	
		Goodn	ight Midstre	am Pern	nian, LLC -	Bone	Sprir	ng, Wo	lfcamp	& Dela	ware	Formations					
Wellname	API	Latitude	Longitude	Section	Township	Range	Unit	Ftgns	Ftgew	County	State	Field	Formation	Tds (mg/L)	Chloride (mg/L)	Bicarbonate (mg/L)	Sulfate (mg/L)
LEA 403 STATE #001	3002503126	32.7386093	-103.4518051	22	185	35E	D	660N	660W	LEA	NM	VACUUM SOUTH	BONE SPRING	255451	156699	327	779
HAMON STATE #001	3002503140	32.7175827	-103.4464035	27	185	35E	К	2310S	2310W	LEA	NM	VACUUM SOUTH	BONE SPRING	154510	96360	430	1210
SHOOTING STAR STATE SWD #001	3002529805	32.7594261	-103.4270935	11	185	35E	J	1650S	2310E	LEA	NM	SWD	BONE SPRING		148248	244	650
STATE NPA #001	3002503156	32.6879654	-103.5031815	6	198	35E	L	1980S	660W	LEA	NM	SCHARB	BONE SPRING	195200	118000	220	1030
APPLESEED FEDERAL COM #001	3002520377	32.5750008	-103.4730377	17	20S	35E	Н	1980N	660E	LEA	NM	LYNCH	BONE SPRING	173141	93660	5174	7916
ALPHABET AQR STATE #001	3002521342	32.4806519	-103.4940796	17	21S	34E	F	1980N	1980W	LEA	NM		BONE SPRING		95978	391	400
HUNT APO STATE #001	3002527135	32.5070038	-103.4812317	4	21S	34E	Т	2310S	660W	LEA	NM	GRAMA RIDGE NORTH	BONE SPRING		154965	146	350
BERRY APN STATE #001	3002527250	32.5060349	-103.4983444	5	21S	34E	L	1980S	660W	LEA	NM	BERRY NORTH	BONE SPRING	128117	82351.1	567	1722.6
INDIAN FLATS BASS FEDERAL #002	3001521715	32.438549	-104.0594788	35	21S	28E	F	1980N	1980W	EDDY	NM	INDIAN FLATS	DELAWARE	149252	99299	267.18	2081.59
INDIAN FLATS BASS FEDERAL #003	3001521853	32.4340134	-104.0648575	35	215	28E	L	1650S	330W	EDDY	NM	INDIAN FLATS	DELAWARE	146197	96176.8	400.404	1763.53
INDIAN FLATS BASS FEDERAL #004	3001522229	32.435833	-104.0605698	35	215	28E	K	2310S	1650W	EDDY	NM	INDIAN FLATS	DELAWARE	148805	99247.4	335.195	1728.73
INDIAN FLATS BASS FEDERAL #005	3001522671	32.4303894	-104.0584564	35	21S	28E	N	330S	2310W	EDDY	NM	INDIAN FLATS	DELAWARE	144959	95967.9	200.202	1882.77
INDIAN FLATS BASS FEDERAL #006	3001522673	32.4303932	-104.0561905	35	215	28E	0	330S	2310E	EDDY	NM	INDIAN FLATS	DELAWARE	163756	110195	134.566	1662.22
BIG EDDY FEDERAL #098	3001524707	32.4960899	-104.1280518	7	215	28E	F	2180N	1980W	EDDY	NM	FENTON NORTHWEST	DELAWARE	153408	103522	718.9	247.744
INDIAN FLATS BASS FEDERAL #001	3001524968	32.438549	-104.0637589	35	21S	28E	Е	1980N	660W	EDDY	NM	INDIAN FLATS	DELAWARE	136419	89021	397.842	1681.59
BIG EDDY UT #016	3001510867	32.4776154	-104.021843	18	215	29E	J	1980S	1980E	EDDY	NM		DELAWARE	40942	23800	329	1500
GOLDEN D FEDERAL #002	3001527060	32.488533	-104.004631	8	215	29E	0	660S	1980E	EDDY	NM	GOLDEN LANE SOUTH	DELAWARE	242051	173806	281.82	781.935
GOLDEN B FEDERAL #001	3001527061	32.4948692	-104.0100784	8	215	29E	F	2310N	1650W	EDDY	NM	GOLDEN LANE SOUTH	DELAWARE	180633	125909	548.024	965.78
GOLDEN D FEDERAL #003	3001527683	32.4912529	-104.0056992	8	215	29E	J	1650S	2310E	EDDY	NM	GOLDEN LANE SOUTH	DELAWARE	220337	153865	277.428	1042.63
LUCY ALC STATE #002	3001531792	32.4323502	-103.7582169	34	215	31E	I	1650S	330E	EDDY	NM	LOST TANK	DELAWARE		159964	73	195
LUCY ALC STATE #003	3001531793	32.432518	-103.7635651	34	215	31E	J	1710S	1980E	EDDY	NM	LOST TANK	DELAWARE		144967	73	145
H L VINSON #001	3002503587	33.5251312	-103.237999	22	098	36E	Α	660N	660E	Lea	NM		WOLFCAMP		66400	187	690
PHILLIPS STATE #001	3002503659	33.3458824	-103.2939529	22	11S	36E	N	660S	1980W	LEA	NM	CINDY	WOLFCAMP	78885	47400	354	875
STATE CA #001 SINCLAIR STATE #002	3002503743	32.902153 32.7386246	-103.3229828 -103.4561005	23	16S 18S	36E 35E	O A	660S 660N	1980E 660E	LEA LEA	NM NM	LOVINGTON VACUUM SOUTH	WOLFCAMP WOLFCAMP	167968 60950	102800 33568	61 1087	623 3049

Attachment 4

Injection Formation Water Analyses


Received by OCD: 11/17/2020 2:22:43 PM

Goodnight Midstream Permian, LLC - San Andres Formation																	
Wellname	API	Latitude	Longitude	Section	Township	Range	Unit	Ftgns	Ftgew	County	State	Field	Formation	Tds (mg/L)	Chloride (mg/L)	Bicarbonate (mg/L)	Sulfate (mg/L)
EUNICE MONUMENT SOUTH UNIT #294	3002504562	32.49519	-103.2938995	8	21\$	36E	E	1980N	660W	LEA	NM	EUNICE MONUMENT	GRAYBURG/SAN ANDRES	16408.0	8357.3	846.9	1410.1
EUNICE MONUMENT SOUTH UNIT #282	3002521902	32.498848	-103.2813873	8	21\$	36E	А	660N	760E	LEA	NM	EUNICE MONUMENT	GRAYBURG/SAN ANDRES	17899.1	9016.5	1378.0	1192.5
EUNICE MONUMENT SOUTH UNIT #282	3002521902	32.498848	-103.2813873	8	21\$	36E	А	660N	760E	LEA	NM	EUNICE MONUMENT	GRAYBURG/SAN ANDRES	13209.4	6315.7	1172.8	1069.6
EUNICE MONUMENT SOUTH UNIT #284	3002504561	32.498829	-103.2896271	8	215	36E	С	660N	1980W	LEA	NM	EUNICE MONUMENT	GRAYBURG/SAN ANDRES	149764.0	94400.0	427.0	734.0
C P FALBY B FEDERAL #004	3002510106	32.40453	-103.1914597	8	22S	37E	L	1980S	660W	LEA	NM	CARY	SAN ANDRES	80540.0	43500.0	755.0	5950.0
C P FALBY A FEDERAL #003	3002510118	32.408142	-103.1871872	8	22S	37E	F	1980N	1980W	LEA	NM	EUNICE SOUTHWEST	SAN ANDRES	59766.0			
C P FALBY A FEDERAL #004	3002510120	32.408134	-103.1914673	8	22S	37E	E	1980N	660W	LEA	NM	EUNICE SOUTHWEST	SAN ANDRES	10925.0	5312.0	1620.0	201.0
PENROSE #002	3002510146	32.407871	-103.1739807	9	22S	37E	E	2086N	776W	LEA	NM	EUNICE SOUTHWEST	SAN ANDRES	64895.0	38010.0	488.0	2100.0
EUNICE MONUMENT SOUTH UNIT #404	3002504688	32.477978	-103.2778244	16	215	36E	L	23105	330W	LEA	NM	EUNICE MONUMENT	GRAYBURG/SAN ANDRES	20286.0	10900.0	1818.0	231.0
EUNICE MONUMENT SOUTH UNIT #409	3002504678	32.47707	-103.2981644	18	215	36E	I	1980S	660E	LEA	NM	EUNICE MONUMENT	GRAYBURG/SAN ANDRES	9161.2	4248.7	1360.8	416.3
EUNICE MONUMENT SOUTH UNIT #416	3002504670	32.47253	-103.2970886	18	215	36E	Р	330S	330E	LEA	NM	EUNICE MONUMENT	GRAYBURG/SAN ANDRES	9303.0	5218.0	264.0	382.0
EUNICE MONUMENT SOUTH UNIT #370	3002504684	32.484352	-103.3024521	18	215	36E	В	660N	1980E	LEA	NM	EUNICE MONUMENT	GRAYBURG/SAN ANDRES	11598.0	6380.0	1380.0	18.0
EUNICE MONUMENT SOUTH UNIT #409	3002504678	32.47707	-103.2981644	18	215	36E	Ι	1980S	660E	LEA	NM	EUNICE MONUMENT	GRAYBURG/SAN ANDRES	10943.9	4990.0	1585.6	553.6
EUNICE MONUMENT SOUTH UNIT #409	3002504678	32.47707	-103.2981644	18	215	36E	I	1980S	660E	LEA	NM	EUNICE MONUMENT	GRAYBURG/SAN ANDRES	14155.7	6186.4	1721.4	982.5
STATE AV #001	3002504706	32.470715	-103.297081	19	215	36E	А	330N	330E	LEA	NM	EUNICE MONUMENT	GRAYBURG/SAN ANDRES	6334.0	2553.0	1732.0	2.0
STATE AV #001	3002504706	32.470715	-103.297081	19	215	36E	А	330N	330E	LEA	NM	EUNICE MONUMENT	GRAYBURG/SAN ANDRES	8560.0	3600.0	671.0	1330.0

Attachment 5

Water Well Map and Well Data

Received by OCD: 11/17/2020 2:22:43 PM Page 25 of 35



Legend

★ Proposed SWD

NMOSE Points of Diversion

- Active (4)
- Pending (0)
- Change Location of Well (0)
- Capped (0)
- Plugged (0)
- Incomplete (1)
- Unknown (3)

Water Wells Area of Review

ANDRE DAWSON SWD #1

Lea County, New Mexico

Proj Mgr: Dan Arthur

October 19, 2020

Mapped by: Ben Bockelmann

Prepared for:





SourceInfo: ttps://gis.ose.state.nm.us/arcgis/rest/services/WatersPod/OSE_PODs/MapServer/0 Miles

Received by OCD: 11/17/2020 2:22:43 PM

	Water Well Sampling Rationale											
Goodnight Midstream Permian, LLC - Andre Dawson SWD #1												
Water Wells	Owner	Available Contact Information	Use	Sampling Required	Notes							
CP 00281 POD1	CONTINENTAL OIL COMPANY	P.O Box 460 Hobbs, NM 88241	Industrial	No	Temporarily abandoned, may re-enter in the future for industrail use.							
CP 00505	SNYDER RANCHES LTD.	P.O. Box 726 Lovington, NM 88260 Phone: 575-602-8863	Livestock Watering	I No	Owner was unaware of a well at this location, believes there to be a caliche pit located there.							
CP 01485 POD1 DASCO CATTLE CO LLC		Dasco Cattle Co., LLC Atlee Snyder Contact: 575-631-9438 & 575-391-0309	Commercial	Yes	Sample collected on 01/28/2019. Analysis included in Attachment 5 .							
lote:												

Phillips Freshwater Analysis – Attachment XI-2



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CP-01485 Pod 1

Etech Environmental & Safety Solutions

P.O. Box 301

Lovington NM, 88260

Project: GOODNIGHT MIDSTREAM

Project Number: NONE GIVEN

Project Manager: LANCE CRENSHAW

Fax To: (575) 396-1429

Reported: 05-Feb-19 17:18

PHILLIPS WELL & STOCK TANK

H900304-04 (Water)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes				
			Cardin	nal Laborate	ories									
Inorganic Compounds														
Alkalinity, Bicarbonate	224		5.00	mg/L	1	9012407	AC	30-Jan-19	310.1					
Alkalinity, Carbonate	<1.00		1.00	mg/L	1	9012407	AC	30-Jan-19	310.1					
Chloride*	176		4.00	mg/L	1	9012811	AC	31-Jan-19	4500-Cl-B					
Conductivity*	1200		1.00	uS/cm	1	9013002	AC	30-Jan-19	120.1					
pH*	8.87		0.100	pH Units	1	9013002	AC	30-Jan-19	150.1					
Resistivity	8.35			Ohms/m	1	9013002	AC	30-Jan-19	120.1					
Specific Gravity @ 60° F	1.002		0.000	[blank]	1	9013007	AC	30-Jan-19	SM 2710F					
Sulfate*	242		50.0	mg/L	5	9013006	AC	30-Jan-19	375.4					
TDS*	644		5.00	mg/L	1	9012801	AC	31-Jan-19	160.1					
Alkalinity, Total*	184		4.00	mg/L	1	9012407	AC	30-Jan-19	310.1					
			Green Ana	lytical Labo	oratories									
Total Recoverable Metals by	ICP (E200.7)													
Barium*	< 0.050		0.050	mg/L	1	B901226	AES	04-Feb-19	EPA200.7					
Calcium*	69.8		0.100	mg/L	1	B901226	AES	04-Feb-19	EPA200.7					
Iron*	0.097		0.050	mg/L	1	B901226	AES	04-Feb-19	EPA200.7					
Magnesium*	36.1		0.100	mg/L	1	B901226	AES	04-Feb-19	EPA200.7					
Potassium*	6.36		1.00	mg/L	1	B901226	AES	04-Feb-19	EPA200.7					
Sodium*	119		1.00	mg/L	1	B901226	AES	04-Feb-19	EPA200.7					

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence ar any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by Client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey & Keine

Attachment 6

Public Notice Affidavit and Notice of Application Confirmations

APPLICATION FOR AUTHORIZATION TO INJECT

NOTICE IS HEREBY GIVEN: That Goodnight Midstream Permian, LLC, 5910 N Central Expressway, Suite 850, Dallas, TX 75206, is requesting that the New Mexico Oil Conservation Division administratively approve the APPLICATION FOR AUTHORIZATION TO INJECT as follows:

PURPOSE: The intended purpose of the injection well is to dispose of salt water produced from permitted oil and gas wells.

WELL NAME AND LOCATION: Andre Dawson SWD #1

Located approximately 7.48 miles northwest of Eunice, NM

SE 1/4 SE 1/4, Section 17, Township 21S, Range 36E

1,105' FSL & 244' FEL

Lea County, NM

NAME AND DEPTH OF DISPOSAL ZONE: San Andres (4,287 – 5,590')

EXPECTED MAXIMUM INJECTION RATE: 25,000 Bbls/day

EXPECTED MAXIMUM INJECTION PRESSURE: 857 psi (surface)

Objections or requests for hearing must be filed with the New Mexico Oil Conservation Division within fifteen (15) days. Any objection or request for hearing should be mailed to the Oil Conservation Division, 1220 South St. Francis Dr., Santa Fe, New Mexico 87505.

Additional information may be obtained by contacting Nate Alleman at 918-382-7581.

Affidavit of Publication

STATE OF NEW MEXICO **COUNTY OF LEA**

I, Daniel Russell, Publisher of the Hobbs News-Sun, a newspaper published at Hobbs, New Mexico, solemnly swear that the clipping attached hereto was published in the regular and entire issue of said newspaper, and not a supplement thereof for a period of 1 issue(s).

> Beginning with the issue dated November 11, 2020 and ending with the issue dated November 11, 2020.

Publisher

Sworn and subscribed to before me this 11th day of November 2020.

Business Manager

My commission expires

January 29, 2023

OFFICIAL SEAL **GUSSIE BLACK** Notary Public State of New Mexic My Commission Expires

This newspaper is duly qualified to publish legal notices or advertisements within the meaning of Section 3, Chapter 167, Laws of

1937 and payment of fees for said

THE A STORY OF THE PROPERTY OF

LEGAL

LEGAL

LEGAL NOTICE November 11, 2020

APPLICATION FOR AUTHORIZATION TO INJECT

NOTICE IS HEREBY GIVEN: That Goodnight Midstream Permian, LLC, 5910 N Central Expressway, Suite 850, Dallas, TX 75206, is requesting that the New Mexico Oil Conservation Division administratively approve the APPLICATION FOR AUTHORIZATION TO INJECT as follows:

PURPOSE: The intended purpose of the injection well is to dispose of salt water produced from permitted oil and gas wells.

WELL NAME AND LOCATION: Andre Dawson SWD

Located approximately 7.48 miles northwest of Eunice, NM SE ¼ SE ¼, Section 17, Township 21S, Range 36E 1.105' FSL & 244' FEL

Lea County, NM

NAME AND DEPTH OF DISPOSAL ZONE: San Andres (4.287 - 5.590') EXPECTED MAXIMUM INJECTION RATE: 25.000 Bbis/day EXPECTED MAXIMUM INJECTION PRESSURE:

857 psi (surface)

Objections or requests for hearing must be filed with the New Mexico Oil Conservation Division within fifteen (15) days. Any objection or request for hearing should be mailed to the Oil Conservation Division, 1220 South St. Francis Dr., Santa Fe, New Mexico 87505 Mexico 87505.

Additional information may be obtained by contacting Nate Alleman at 918-382-7581. #35982

67115320

00248391

DANIEL ARTHUR ALL CONSULTING 1718 S. CHEYENNE AVE. **TULSA, OK 74119**

Andre Dawson SWD #1 - Notice of Application Recipients											
Entity	Address	City	State	Zip Code							
	Land Owner										
Monte Guy Morton	P.O. Box 917	Denton	TX	76202							
Mineral Owner											
New Mexico BLM	620 E Greene St.	Carlsbad	NM	88220							
	OCD District										
NMOCD District 1	1625 N. French Drive	Hobbs	NM	88240							
	Leasehold Operators										
Chevron USA, Inc. (CHEVRON USA INC, CHEVRON U S A INC)	6301 Deauville Blvd	Midland	TX	79706							
Citation Oil & Gas Corporation (CITATION O&G CORP, CITATION OIL AND GAS CORP)	P.O. Box 690688	Houston	TX	77269							
Commision of Public Lands - State Lands Office	310 Old Santa Fe Trail	Santa Fe	NM	87501							
Conocophillips Company (CONOCOPHILLIPS CO)	P.O. Box 7500	Bartlesville	ОК	74005							
OXY USA Limited Partnership (OXY USA WTP LMYD PTNRSHIP)	5 Greenway Plaza, Suite 110	Houston	TX	77046-0521							
Penroc Oil Corporation (PENROC OIL CORP)	P.O. Box 2769	Hobbs	NM	88241							
XTO Energy, Inc.	500 W. Illinois Ave, Suite 100	Midland	TX	79701							

Notes: The table above shows the Entities who were identified as parties of interest requiring notification on either the 1/2-mile well detail list (Attachment 2) or on the 2-mile Mineral Lease Map (Attachment 2). The names listed above in parenthesis, are the abbreviated entity names used on either the 1/2-mile well detail list (Attachment 2) or on the 2-mile Mineral Lease Map (Attachment 2).

ALL Consulting, LLC 1718 S Cheyenne Ave Tulsa OK 74119

Place label at top of the center of the envelope and fold at dotted line.



Tulsa OK 74119

1718 S Cheyenne Ave

ALL Consulting, LLC

Place label at top of the center of the envelope and fold at dotted line.



<u>©ER</u>TIFIED MAIL® CERTIFIED MAIL®



9414 8118 9956 4331 4912 77

NMOCD District 1 1625 North French Drive Hobbs NM 88240-9273

CERTIFIED MAIL® CERTIFIED MAIL®



Citation Oil & Gas Corporation PO Box 690688 Houston TX 77269-0688

ALL Consulting, LLC 1718 S Chevenne Ave Tulsa OK 74119

Place label at top of the center of the envelope and fold at dotted line.

\$5.750 US POSTAGE FIRST-CLASS FROM 74119 NOV 12 2020 stamps endicia

ALL Consulting, LLC 1718 S Chevenne Ave Tulsa OK 74119

Place label at top of the center of the envelope and fold at dotted line.

\$5.750 US POSTAGE FIRST-CLASS FROM 74119 NOV 12 2020 stamps stamps endicia

©EBTIFIED MAIL® CERTIFIED MAIL®



9414 8118 9956 4331 4911 23

5 Greenway Plaza, Suite 110 Houston TX 77046-0521

OXY USA Limited Partnership

©ERTIFIED MAIL® CERTIFIED MAIL®



9414 8118 9956 4331 4914 20

XTO Energy, Inc. 500 West Illinois Ave Suite 100 Midland TX 79701-4337

ALL Consulting, LLC 1718 S Cheyenne Ave Tulsa OK 74119

Place label at top of the center of the envelope and fold at dotted line.



1718 S Cheyenne Ave Tulsa OK 74119

> Place label at top of the center of the envelope and fold at dotted line.

ALL Consulting, LLC



©ERTIFIED MAIL® CERTIFIED MAIL®



Penroc Oil Corporation PO Box 2769 Hobbs NM 88241-2769

CERTIFIED MAIL®

CERTIFIED MAIL®

Conocophillips Company PO Box 7500 Bartlesville OK 74005-7500

ALL Consulting, LLC 1718 S Cheyenne Ave Tulsa OK 74119

Place label at top of the center of the envelope and fold at dotted line.

\$5.750 ; **US POSTAGE** FIRST-CLASS FROM 74119 3 NOV 12 2020 stamps endicia

ALL Consulting, LLC 1718 S Cheyenne Ave Tulsa OK 74119

Place label at top of the center of the envelope and fold at dotted line.

\$5.750 POSTAGE US POSTAGE FIRST-CLASS FROM 74119 NOV 12 2020 stamps endicia

©ERTIFIED MAIL® CERTIFIED MAIL®



9414 8118 9956 4331 4293 31

Chevron USA, Inc. 6301 Deauville

Midland TX 79706-2964

©ERTIFIED MAIL® **CERTIFIED MAIL®**



9414 8118 9956 4331 4294 30

New Mexico BLM 620 East Greene Street Carlsbad NM 88220-6292

CERTIFIED MAIL® **CERTIFIED MAIL®**

\$5.750 US POSTAGE FIRST-CLASS FROM 74119 NOV 16 2020 stamps

stamps endicia





9414 8118 9956 4162 1183 67

State Lands Office Commission of Public Lands 310 Old Santa Fe Trail Santa Fe NM 87501-2708

ALL Consulting, LLC 1718 S Cheyenne Ave Tulsa OK 74119

Place label at top of the center of the envelope and fold at dotted line.



Place label at top of the center of the envelope and fold at dotted line.

CERTIFIED MAIL® CERTIFIED MAIL®





Monte Guy Morton PO Box 917 Denton TX 76202-0917

Place label at top of the center of the envelope and fold at dotted line.

> CERTIFIED MAIL® **CERTIFIED MAIL®**

Place label at top of the center of the

envelope and fold at dotted line.

CERTIFIED MAIL® **CERTIFIED MAIL®**

STATE OF NEW MEXICO DEPARTMENT OF ENERGY, MINERALS AND NATURAL RESOURCES OIL CONSERVATION DIVISION

APPLICATION OF GOODNIGHT MIDSTREAM PERMIAN, LLC FOR APPROVAL OF A SALT WATER DISPOSAL WELL, LEA COUNTY, NEW MEXICO.

CASE NO. 21569

APPLICATION

Goodnight Midstream Permian, LLC ("Goodnight Midstream") (OGRID No. 372311), through its undersigned attorneys, hereby files this application with the Oil Conservation Division, pursuant to the provisions of NMSA 1978, § 70-2-12(B)(15), for an order authorizing injection of produced salt water for purposes of disposal. In support, Goodnight Midstream states the following:

- 1. Attached is a complete Form C-108 application for authorization to inject that contains all the information necessary to authorize the requested approval to inject and that was filed with the Division for administrative approval on November 17, 2020. *See* C-108, attached as **Exhibit A**, and incorporated herein.
- 2. Goodnight Midstream proposes to drill a new commercial salt water disposal well to be named **Andre Dawson SWD No. 1 Well** (API No. pending), which will be located 1,105 feet from the south line and 244 feet from the east line (Unit P), Section 17, Township 21 South, Range 36 East, NMPM, Lea County, New Mexico.
- 3. The proposed injection disposal interval will be within the San Andres formation [SWD; San Andres (Pool Code 96121)] between approximately 4,287 feet and 5,590 feet below the ground through a perforated completion.

Santa Fe, New Mexico
Exhibit No. B
Submitted by: Goodnight Midstream Permian, LLC
Hearing Date: January 21, 2021
Case No. 21569

- 4. Disposal fluid will be produced salt water from oil and gas wells in the area producing from the Bone Spring, Delaware, and Wolfcamp formations.
- 5. The estimated average surface injection pressure is expected to be approximately 429 psi. The maximum surface injection pressure will be 857 psi.
- 6. The granting of this application will avoid the drilling of unnecessary wells, will prevent waste, and will protect correlative rights.
- 7. The administrative application was protested by the New Mexico State Land Office. Accordingly, Goodnight Midstream hereby requests that its application be set for hearing pursuant to 19.15.26.8(E) NMAC.

WHEREFORE, Goodnight Midstream Permian, LLC requests that this application be set for hearing before an Examiner of the Oil Conservation Division on January 7, 2021, and, after notice and hearing as required by law, the Division enter an order approving this application.

Respectfully submitted,

HOLLAND & HART LLP

By:

Michael H. Feldewert

Adam G. Rankin

Julia Broggi

Kaitlyn A. Luck

Post Office Box 2208

Santa Fe, New Mexico 87504-2208

(505) 988-4421

(505) 983-6043 Facsimile

mfeldewert@hollandhart.com

agrankin@hollandhart.com

jbroggi@hollandhart.com

kaluck@hollandhart.com

ATTORNEYS FOR GOODNIGHT MIDSTREAM PERMIAN, LLC

Initial

Application

Part I

Received 11/17/20

This application is placed in file for record. It MAY or MAY NOT have been reviewed to be determined Administratively Complete

EXHIBIT A



November 17, 2020

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, New Mexico 87505

Subject: Goodnight Midstream Permian, LLC – Andre Dawson SWD # 1
Application for Authorization to Inject

To Whom It May Concern,

On behalf of Goodnight Midstream Permian, LLC (Goodnight), ALL Consulting, LLC (ALL) is submitting the enclosed Application for Authorization to Inject for the Andre Dawson SWD #1, a proposed salt water disposal well, in Lea County, NM.

Should you have any questions regarding the enclosed application, please contact Nate Alleman at (918) 382-7581 or nalleman@all-llc.com.

Sincerely,

ALL Consulting

Nate Alleman

Sr. Regulatory Specialist

Signature

4QJN6-201117-C-1080

APP NO:

pBL2032263200

ABOVE THIS TABLE FOR OCD DIVISION USE ONLY

NEW MEXICO OIL CONSERVATION DIVISION

- Geological & Engineering Bureau -



1220 South St. Francis Drive, Santa	a Fe, NM 87505
ADMINISTRATIVE APPLICATION	ON CHECKLIST
THIS CHECKLIST IS MANDATORY FOR ALL ADMINISTRATIVE APPLICA' REGULATIONS WHICH REQUIRE PROCESSING AT THE E	TIONS FOR EXCEPTIONS TO DIVISION RULES AND
applicant:	OGRID Number:
/ell Name: Andre Dawson SWD #1	API:
ool:	Pool Code:
SUBMIT ACCURATE AND COMPLETE INFORMATION REQUIR INDICATED BELO	
1) TYPE OF APPLICATION: Check those which apply for [A] A. Location – Spacing Unit – Simultaneous Dedication NSL NSP(PROJECT AREA) NSP	
B. Check one only for [1] or [1] [1] Commingling – Storage – Measurement DHC CTB PLC PC OI [11] Injection – Disposal – Pressure Increase – Enha WFX PMX SWD IPI EC	nced Oil Recovery OR PPR
2) NOTIFICATION REQUIRED TO: Check those which apply. A Offset operators or lease holders B Royalty, overriding royalty owners, revenue own C Application requires published notice D Notification and/or concurrent approval by SLC E Notification and/or concurrent approval by BLN	ners Application Content Complete
F. Surface ownerG. For all of the above, proof of notification or putH. No notice required	blication is attached, and/or,
B) CERTIFICATION: I hereby certify that the information sub administrative approval is accurate and complete to the understand that no action will be taken on this application notifications are submitted to the Division.	ne best of my knowledge. I also
Note: Statement must be completed by an individual with a	managerial and/or supervisory capacity.
	_11/16/2020 Date
Drint or Tuno Nome	
Print or Type Name	

Phone Number

e-mail Address

STATE OF NEW MEXICO ENERGY, MINERALS AND NATURAL RESOURCES DEPARTMENT

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, New Mexico 87505

FORM C-108 Revised June 10, 2003

APPLICATION FOR AUTHORIZATION TO INJECT

I.	PURPOSE:Secondary RecoveryPressure MaintenanceXDisposalStorage Application qualifies for administrative approval?XYesNo
II.	OPERATOR: Goodnight Midstream Permian, LLC
	ADDRESS: <u>5910 N Central Expressway, Suite 850, Dallas, TX 75206</u>
	CONTACT PARTY: Grant Adams PHONE: 214-444-7388(0)
III.	WELL DATA: Complete the data required on the reverse side of this form for each well proposed for injection. Additional sheets may be attached if necessary.
IV.	Is this an expansion of an existing project?YesYes
V.	Attach a map that identifies all wells and leases within two miles of any proposed injection well with a one-half mile radius circle drawn around each proposed injection well. This circle identifies the well's area of review.
VI.	Attach a tabulation of data on all wells of public record within the area of review which penetrate the proposed injection zone. Such data shall include a description of each well's type, construction, date drilled, location, depth, record of completion, and a schematic of any plugged well illustrating all plugging detail.
VII.	Attach data on the proposed operation, including:
	 Proposed average and maximum daily rate and volume of fluids to be injected; Whether the system is open or closed; Proposed average and maximum injection pressure; Sources and an appropriate analysis of injection fluid and compatibility with the receiving formation if other than reinjected produced water; and, If injection is for disposal purposes into a zone not productive of oil or gas at or within one mile of the proposed well, attach a chemical analysis of the disposal zone formation water (may be measured or inferred from existing literature, studies, nearby wells, etc.).
*VIII.	Attach appropriate geologic data on the injection zone including appropriate lithologic detail, geologic name, thickness, and depth. Give the geologic name, and depth to bottom of all underground sources of drinking water (aquifers containing waters with total dissolved solids concentrations of 10,000 mg/l or less) overlying the proposed injection zone as well as any such sources known to be immediately underlying the injection interval.
IX.	Describe the proposed stimulation program, if any.
*X.	Attach appropriate logging and test data on the well. (If well logs have been filed with the Division, they need not be resubmitted).
*XI.	Attach a chemical analysis of fresh water from two or more fresh water wells (if available and producing) within one mile of any injection or disposal well showing location of wells and dates samples were taken.
XII.	Applicants for disposal wells must make an affirmative statement that they have examined available geologic and engineering data and find no evidence of open faults or any other hydrologic connection between the disposal zone and any underground sources of drinking water.
XIII.	Applicants must complete the "Proof of Notice" section on the reverse side of this form.
XIV.	Certification: I hereby certify that the information submitted with this application is true and correct to the best of my knowledge and
	belief.
	NAME: Nathan Alleman TITLE: Regulatory Specialist - Consultan
	SIGNATURE: Notice Allera DATE: 11/16/2020
XV.	E-MAIL ADDRESS: nalleman@all-llc.com If the information required under Sections VI, VIII, X, and XI above has been previously submitted, it need not be resubmitted. Please show the date and circumstances of the earlier submittal:

III. WELL DATA

- A. The following well data must be submitted for each injection well covered by this application. The data must be both in tabular and schematic form and shall include:
 - (1) Lease name; Well No.; Location by Section, Township and Range; and footage location within the section.
 - (2) Each casing string used with its size, setting depth, sacks of cement used, hole size, top of cement, and how such top was determined.
 - (3) A description of the tubing to be used including its size, lining material, and setting depth.
 - (4) The name, model, and setting depth of the packer used or a description of any other seal system or assembly used.

Division District Offices have supplies of Well Data Sheets which may be used or which may be used as models for this purpose. Applicants for several identical wells may submit a "typical data sheet" rather than submitting the data for each well.

- B. The following must be submitted for each injection well covered by this application. All items must be addressed for the initial well. Responses for additional wells need be shown only when different. Information shown on schematics need not be repeated.
 - (1) The name of the injection formation and, if applicable, the field or pool name.
 - (2) The injection interval and whether it is perforated or open-hole.
 - (3) State if the well was drilled for injection or, if not, the original purpose of the well.
 - (4) Give the depths of any other perforated intervals and detail on the sacks of cement or bridge plugs used to seal off such perforations.
 - (5) Give the depth to and the name of the next higher and next lower oil or gas zone in the area of the well, if any.

XIV. PROOF OF NOTICE

All applicants must furnish proof that a copy of the application has been furnished, by certified or registered mail, to the owner of the surface of the land on which the well is to be located and to each leasehold operator within one-half mile of the well location.

Where an application is subject to administrative approval, a proof of publication must be submitted. Such proof shall consist of a copy of the legal advertisement which was published in the county in which the well is located. The contents of such advertisement must include:

- (1) The name, address, phone number, and contact party for the applicant;
- (2) The intended purpose of the injection well; with the exact location of single wells or the Section, Township, and Range location of multiple wells;
- (3) The formation name and depth with expected maximum injection rates and pressures; and,
- (4) A notation that interested parties must file objections or requests for hearing with the Oil Conservation Division, 1220 South St. Francis Dr., Santa Fe, New Mexico 87505, within 15 days.

NO ACTION WILL BE TAKEN ON THE APPLICATION UNTIL PROPER PROOF OF NOTICE HAS BEEN SUBMITTED.

NOTICE: Surface owners or offset operators must file any objections or requests for hearing of administrative applications within 15 days from the date this application was mailed to them.

Application for Authorization to Inject Well Name: Andre Dawson SWD #1

III - Well Data (The Wellbore Diagram is included as Attachment 1)

A.

(1) General Well Information:

Operator: Goodnight Midstream Permian, LLC (OGRID No. 372311)

Lease Name & Well Number: Andre Dawson SWD #1

Location Footage Calls: 1,105 FSL & 244 FEL Legal Location: Unit Letter P, S17 T21S R36E

Ground Elevation: 3,536.6'

Proposed Injection Interval: 4,287' - 5,590'

County: Lea

(2) Casing Information:

Туре	Hole Size	Casing Size	Casing Weight	Setting Depth	Sacks of Cement	Estimated TOC	Method Determined
Surface	17-1/2"	13-3/8"	54.5 lb/ft	1,500'	1,180	Surface	Circulation
Production	12-1/4"	9-5/8"	40.0 lb/ft	5,720'	1,400	Surface	Circulation
Tubing	N/A	5-1/2"	Composite weight string	4,270'	N/A	N/A	N/A

(3) Tubing Information:

5-1/2" (composite weight string) of fiberglass-coated tubing with setting depth of 4,270'

(4) Packer Information: Baker SC-2 packer or equivalent packer set at 4,270'

В.

(1) Injection Formation Name: San Andres

Pool Name: SWD; SAN ANDRES

Pool Code: 96121

- (2) Injection Interval: Perforated injection between 4,287' 5,590'
- (3) Drilling Purpose: New Drill for Salt Water Disposal
- (4) Other Perforated Intervals: No other perforated intervals exist.
- (5) Overlying Oil and Gas Zones: Below are the approximate formation tops for known oil and gas producing zones in the area.
 - Grayburg (3,875')

Underlying Oil and Gas Zones: There are no known geologic zones below the San Andres formation that contain hydrocarbon within 2 miles of the proposed SWD location. The underlying zones between the San Andres formation and the Devonian formation were drilled and logged by the Snyder (Ryno) SWD (30-025-43901) which penetrated the Devonian formation at 11,000 feet. The Glorieta, Paddock, Blinebry, Tubb, and Drinkard are present and are either impermeable rock or are saline aquifers. The closest known hydrocarbon in these formations is at the top of the Monument Field structure, 2.5 miles away.

V – Well and Lease Maps

The following maps are included in **Attachment 2**:

- 2-mile Oil & Gas Well Map
- 1/2-mile Well Detail List
- 2-mile Lease Map
- 2-mile Mineral Ownership Map
- 2-mile Surface Ownership map
- Potash Lease Map

VI – AOR Well List

There are 18 wells within the 1/2-mile AOR, but none of the wells penetrate the proposed injection zone.

A list of the wells within the 1/2-mile AOR is included in **Attachment 2**.

VII - Proposed Operation

- (1) Proposed Maximum Injection Rate: 25,000 bpd Proposed Average Injection Rate: 17,500 bpd
- (2) A closed system will be used.
- (3) Proposed Maximum Injection Pressure: 857 psi (surface)
 Proposed Average Injection Pressure: approximately 429 psi (surface)
- (4) Source Water Analysis: It is expected that the injectate will consist of produced water from production wells completed in the Bone Springs, Delaware, and Wolfcamp formations. Analysis of water from these formations is included in *Attachment 3*.
- (5) Injection Formation Water Analysis: The proposed SWD will be injecting water into the San Andres formation which is a non-productive zone known to be compatible with formation water from the Bone Spring, Delaware, and Wolfcamp formations. Water analyses results were selected from intervals comparable to that of the injection zone in the San Andres Formation. Water analysis from in the area are included in **Attachment 4.**

VIII – Geologic Description

- San Andres Injection Formations: The injection interval consists of the San Andres Formation at a depth of 4,287 ft 5,590 ft. These formations consist of interbedded carbonate rocks including dolomites, anhydrites, and limestones.
- Confining Layers:
 - Upper Confinement: The injection formation is confined from overlying production by layers of low porosity anhydrites and dolomites located in the top of both the San Andres and Grayburg formations that are not capable of transmitting fluid.

VIII - Geologic Description (Continued)

- o **Lower Confinement:** The injection formation is confined from potential underlying production formations by layers of low permeability rock located at the base of the San Andres and above the Glorieta interval. Additionally, the Paddock formation, located below the Glorieta formation, is a non-hydrocarbon bearing zone, that does not have the porosity intervals, that are present in the hydrocarbon bearing portions of the Paddock formation. As such the paddock will function as an additional confinement zone between the injection interval and any potential underlying production.
- Lowermost Underground Source of Drinking Water (USDW): The base of the deepest USDW (Rustler Formation) is at a depth of approximately 1300 feet which is covered by the surface casing set at 1,500 feet and cemented to surface to isolate the USDW. Water well depths in the area range from approximately 200 305 feet below ground surface.

IX – Proposed Stimulation Program

A small cleanup acid job may be used to remove mud and drill cuttings from the formation. However, no other formation stimulation is currently planned.

X – Logging and Test Data

Logs will be submitted to the Division upon completion of the well.

XI – Fresh Groundwater Samples

Based on a review of data from the New Mexico Office of the State Engineer, 3 groundwater wells are located within 1 mile of the proposed SWD location; however, state water well data and conversations with water well owners have revealed that only 1 of the water wells are active. A Water Sample was collected on January 28th, 2019.

A water well map, details of water wells within 1-mile, and the associated water analyses are included in *Attachment 5*.

XII – No Hydrologic Connection Statement

No faulting is present in the area that would provide a hydrologic connection between the injection interval and overlying USDWs. Additionally, the casing program has been designed to ensure there will be no hydrologic connection between the injection interval and overlying USDWs.

XIII – Proof of Notice

A Public Notice was filed with the Hobbs News-Sun newspaper and an affidavit is included in **Attachment 6**.

A copy of the application was mailed to the OCD District Office, landowner, and leasehold operators within 1/2-mile of the proposed SWD location. A list of the recipients, as well as delivery confirmations, are included in *Attachment 6*.

Attachments

Attachment 1: C-102 & Wellbore Diagram

Attachment 2: Area of Review Information:

- 2-mile Oil & Gas Well Map
- 1/2-mile Well Detail List
- 2-mile Lease Map
- 2-mile Mineral Ownership Map
- 2-mile Surface Ownership Map
- Potash Lease Map

Attachment 3: Source Water Analyses

Attachment 4: Injection Formation Water Analyses

Attachment 5: Water Well Map and Well Data

Attachment 6: Public Notice Affidavit and Notice of Application Confirmations

Attachment 1

- C-102
- Wellbore Diagram


DISTRICT I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
DISTRICT II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
DISTRICT III
1000 Rio Brazos Rd., Azec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
DISTRICT IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3406 Fax: (505) 476-3462

State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, New Mexico 87505

Form C-102 Revised August 1, 2011 Submit one copy to appropriate District Office

 \square AMENDED REPORT

		WEI	LL LOCA	TION A	AND ACREA	AGE DEDICAT	TION PLAT						
AP	PI Number			Pool Code 96121		S	ND; SAN ANDF	Pool Name D; SAN ANDRES					
Property Cod	de			Al	Property Name			Well Nur	mber				
OGRID No 37231			GC	ODNIGH	Operator Nam	M PERMIAN, LLC	;		Elevation 3563.6'				
					Surface Loca	ation		1					
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County				
Р	17	21-S	36-E		1105	SOUTH	244	EAST	LEA				
			Bott	om Hole	Location If Dif	ferent From Surface	e						
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County				
Dedicated Acres	Joint or	: Infill	Consolidated Co	de Ord	er No.								
No allowable wildivision.	ll be assig	ned to this		Intil all int		consolidated or a no							
NMSP-E (NAD 83) N.(Y): = 542138.9' E.(X): = 861181.5' LAT.:= 32.4861270' N LON.:= 103.2960526' W NMSP-E (NAD 27) N.(Y): = 542077.2' E.(X): = 81997.6' LAT.:= 32.4860022' N LON.:= 103.2955783' W				NMSP-E (NAD 8: N.(Y): = 542165.1 E(X): = 863818.8 LAT.: = 32.48612 LON.: = 103.2874 NMSP-E (NAD 2: N.(Y): = 542103.4 LAT.: = 32.48600 LON.: = 103.2870	9) 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	NMSP-E (NAD 8 N.(Y): = 542191 E.(X): = 866456 LAT.: = N32.4861286* LON.: = W103.2789473° NMSP-E (NAD 2 N.(Y): = 542129 E.(X): = 825272 LAT.: = 32.4860039° LON.: = 103.2784739° \(\)	3] 3] I hereby certify to therein is true an knowledge and be either owns a word, mineral interest of proposed bottom if drill this well at contract with an working interest,	OR CERTIFICA hat the information of a complete to the bestlief, and that this or king interest or unle in the land including to this location or has a this location pursuan owner of such a min or to voluntary pooling orchy the division.	contained at of my ganization eased the cright to att to a veral or				
WEST QUARTER CORNEI NMSP-E (NAD 83) N.(Y): = 539468.3' E.(X): = 681201.5' LAT.: = 32.4787866' N LON.: = 103.2960719' W NMSP-E (NAD 27) N.(Y): = 539406.6' E.(X): = 820017.6' LAT.: = 32.4786617' N	<u>R</u>					EAST QUARTER CORNE NMSP-E (NAD 8 N.(Y): = 539531 E (X): = 866480 LAT.: = 32.4788175° LON: = 103.2789525° NMSP-E (NAD 2 N.(Y): = 539469 E (X): = 825296 LAT.: = 32.4786926°	Nathan Alleman Print Name No. No. Nalleman@all-llc.con E-mail Address	11/16/ Dat					
LON.: = 103.2955978° W	·				GR. EL NM\$P- N.(Y): E.(X): LAT.: = 32. LON.: = 103.2 NM\$P- N.(Y): E.(X):	E (NAD 27) = 537917.6' = 825068.6' 4744332° N	SURVEYO I hereby certify th plat was plotted fr made by me or un same is true and of SEPTEMBER 3 Date of Survey Signature and Seal of	Professional Serveyor. O	thown on thi rual surveys and that the my belief.				
SOUTHWEST CORNER MMSP-E (NAD 83) N.(Y): = 536797.6' E.(X): = 861221.6' LAT: = 324714461° N LON:: = 103.2960911° W NMSP-E (NAD 27) N.(Y): = 536736.0' E.(X): = 820037.6' LAT:: = 32.4713212° N LON:: = 103.2956172° W		LA' LON.	UARTER CORNER MMSP-E (NAD 83) N.(Y): = 536838.1' E.(X): = 863865.0' := 103.2875196' W NMSP-E (NAD 27) N.(Y): = 536776.4' E.(X): = 822680.9' := 103.28770461' W			SOUTHEAST CORNER MMSP-E (NAD 83) N.(Y): = 536878.5' E.(X): = 866508.4' LAT.: = 324715261' N N.(Y): = 536878.9' E.(X): = 825324.3' LAT.: = 32.4714011' N ON.: = 103.2784751' W	Johns: WTC 5 JAMES E. TOMPKIN Certificate Number		Draft: M.Y				



SC-2 Retrievable Packer


Product Family No. H48807

APPLICATION

The Baker Hughes SC-2™ retrievable packer is a high-performance, retrievable, sealbore packer. It can be run and set on electric wireline, slick line/tubing with the same setting tools used for the D packer.

Advantages

- Can be set with wireline or hydraulic setting tools
- Can be equipped with a variety of bottom guides (must be ordered separately)
- Packer easily accommodates tubing expansion or contraction
- Tubing and seals can be removed without accidentally unsetting packer
- Easy retrieval due to caged slips and releasing mechanism located in protected area below packing element
- Packer's releasing mechanism is not affected by differential pressure or tailpipe weight
- Case-hardened slips suitable for all grades of casing including V-150
- Compatible with standard Baker Hughes' seal accessories, tubingconveyed perforating and gravel-packing systems




SC-2 Retrievable Packer Product Family No. H48807

Attachment 2

Area of Review Information:

- 2-mile Oil & Gas Well Map
- 1/2-mile Well Detail List
- 2-mile Lease Map
- 2-mile Mineral Ownership Map
- 2-mile Surface Ownership Map
- Potash Lease Map

Page 14 of 35 Received by OCD: 11/17/2020 2:22:43 PM



Miles

Legend

- Proposed SWD
- Gas, Active (131)
- Gas, Plugged (44)
- Gas, Temporarily Abandoned (3)
- Injection, Active (79)
- Injection, Plugged (14)
- Injection, Temporarily Abandoned (1)
- Oil, Active (149)
- Oil, New (1)
- Oil, Plugged (138)
- Oil, Temporarily Abandoned (5)
- Salt Water Injection, Active (2)
- Salt Water Injection, New (5)
- Salt Water Injection, Plugged (1)

Source Info: NMOCD O&G Wells updated 9/30/2020 (http://www.emnrd.state.nm.us/OCD/ocdgis.html)



Service Laver Credits: Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community


Page 15 of 35 Received by OCD: 11/17/2020 2:22:43 PM

	AOR Tabulation for Andre Dawson SWD #1 (Top of Injection Interval: 4,287')												
Well Name	API#	Well Type			Location (Sec., Tn., Rng.)	Total Vertical Depth (feet)	Penetrate Inj. Zone?						
EUNICE MONUMENT SOUTH UNIT #422	30-025-04654	Plugged	CHEVRON U S A INC	8/7/2002	N-16-21S-36E	Plugged (4,065)	No						
EUNICE MONUMENT SOUTH UNIT #381	30-025-04660	Plugged	CHEVRON U S A INC	3/6/1935	E-16-21S-36E	Plugged (4,150)	No						
EUNICE MONUMENT SOUTH UNIT #405	30-025-04693	Plugged	CHEVRON U S A INC	9/30/1956	I-17-21S-36E	Plugged (4,084)	No						
EUNICE MONUMENT SOUTH UNIT #420	30-025-04694	Plugged	CHEVRON U S A INC	Unknown*	P-17-21S-36E	Plugged (4,071)	No						
EUNICE MONUMENT SOUTH UNIT #421	30-025-08713	Plugged	CHEVRON U S A INC	8/30/1935	M-16-21S-36E	Plugged (3,941)	No						
COLEMAN #001	30-025-08716	Plugged	CIMAREX ENERGY CO. OF COLORADO	3/24/2011	J-17-21S-36E	Plugged (4,005)	No						
DEVONIAN STATE #002	30-025-04729	Gas	CITATION OIL & GAS CORP	7/6/1935	B-20-21S-36E	3729	No						
DEVONIAN STATE #003	30-025-04730	Gas	CITATION OIL & GAS CORP	10/26/1935	A-20-21S-36E	3934	No						
ARNOTT RAMSAY NCT C #019	30-025-33256	Plugged	CONOCOPHILLIPS COMPANY	2/20/1996	D-21-21S-36E	Plugged (3,775)	No						
STATE C #003	30-025-08714	Gas	OXY USA WTP LIMITED PARTNERSHIP	11/16/1935	K-16-21S-36E	3851	No						
STATE C #005	30-025-32732	Gas	OXY USA WTP LIMITED PARTNERSHIP	11/16/1994	M-16-21S-36E	3900	No						
MEYER B 17 #003	30-025-30422	Gas	PENROC OIL CORP	8/10/1988	P-17-21S-36E	3750	No						
EUNICE MONUMENT SOUTH UNIT #404	30-025-04688	Injection	XTO ENERGY, INC	5/20/1935	L-16-21S-36E	4026	No						
EUNICE MONUMENT SOUTH UNIT #419	30-025-04695	Plugged	XTO ENERGY, INC	8/23/1935	O-17-21S-36E	Plugged (4,101)	No						
EUNICE MONUMENT SOUTH UNIT #406	30-025-04696	Plugged	XTO ENERGY, INC	1/21/2013	J-17-21S-36E	Plugged (4,116)	No						
EUNICE MONUMENT SOUTH UNIT #380	30-025-04701	Injection	XTO ENERGY, INC	10/21/1934	H-17-21S-36E	4095	No						
EUNICE MONUMENT SOUTH UNIT #440	30-025-04735	Oil	XTO ENERGY, INC	11/17/1935	D-21-21S-36E	4072	No						
EUNICE MONUMENT SOUTH UNIT #403	30-025-29779	Plugged	XTO ENERGY, INC	2/18/1987	K-16-21S-36E	Plugged (4,200)	No						

Notes:

No wells within a 1/2-mile AOR penetrated the injection interval.
 Unknown* - Indicates that there was no spud date available from the NM OCD Imaging - Well File Search.


Received by OCD: 11/17/2020 2:22:43 PM Page 16 of 35



Miles

Legend







Private Mineral Leases

Unleased Minerals - Private Owned

Mineral Lease Area of Review

ANDRE DAWSON SWD #1

Lea County, New Mexico

Proj Mgr: Dan Arthur November 10, 2020


Mapped by: Ben Bockelmann





& NMSLO O&G Leases (http://www.nmstatelands.org/maps-gis/gis-data-download/)

Page 17 of 35



Legend

★ Proposed SWD

Private minerals

Subsurface minerals (NMSLO)

Surface and Subsurface minerals (NMSLO)

Mineral Ownership

All minerals are owned by U.S. (BLM)

Mineral Ownership Area of Review

ANDRE DAWSON SWD #1

Lea County, New Mexico

Proj Mgr: Dan Arthur

October 21, 2020


Mapped by: Ben Bockelmann

Prepared for:





Page 18 of 35 Received by OCD: 11/17/2020 2:22:43 PM





Surface Ownership Area of Review

ANDRE DAWSON SWD #1


Lea County, New Mexico

October 19, 2020

Mapped by: Ben Bockelmann



Received by OCD: 11/17/2020 2:22:43 PM



Legend

Proposed SWD

1/2 mi buffer

Ore Type - Measured

Ore Type - Indicated

Ore Type - Inferred

KPLA

SOPA

Drill Islands

Status

Approved

Denied

Nominated

Potash Leases Area of Review

ANDRE DAWSON SWD #1

Lea County, New Mexico

Proj Mgr: Dan Arthur

October 19, 2020

Mapped by: Ben Bockelmann

Prepared for:



ALICONSULTING

Prepared by:

0 3 6 12 Miles

Source Info: BLM CFO Potash (https://www.nm.blm.gov/shapeFiles/cfo/carlsbad_spatial_data.html)

Attachment 3

Source Water Analyses

Received by OCD: 11/17/2020 2:22:43 PM

Source Water Formation Analysis																	
		Goodn	ight Midstre	am Pern	nian, LLC -	Bone	Sprir	ng, Wo	lfcamp	& Dela	ware	Formations					
Wellname	API	Latitude	Longitude	Section	Township	Range	Unit	Ftgns	Ftgew	County	State	Field	Formation	Tds (mg/L)	Chloride (mg/L)	Bicarbonate (mg/L)	Sulfate (mg/L)
LEA 403 STATE #001	3002503126	32.7386093	-103.4518051	22	185	35E	D	660N	660W	LEA	NM	VACUUM SOUTH	BONE SPRING	255451	156699	327	779
HAMON STATE #001	3002503140	32.7175827	-103.4464035	27	185	35E	К	2310S	2310W	LEA	NM	VACUUM SOUTH	BONE SPRING	154510	96360	430	1210
SHOOTING STAR STATE SWD #001	3002529805	32.7594261	-103.4270935	11	185	35E	J	1650S	2310E	LEA	NM	SWD	BONE SPRING		148248	244	650
STATE NPA #001	3002503156	32.6879654	-103.5031815	6	198	35E	L	1980S	660W	LEA	NM	SCHARB	BONE SPRING	195200	118000	220	1030
APPLESEED FEDERAL COM #001	3002520377	32.5750008	-103.4730377	17	20S	35E	Н	1980N	660E	LEA	NM	LYNCH	BONE SPRING	173141	93660	5174	7916
ALPHABET AQR STATE #001	3002521342	32.4806519	-103.4940796	17	21S	34E	F	1980N	1980W	LEA	NM		BONE SPRING		95978	391	400
HUNT APO STATE #001	3002527135	32.5070038	-103.4812317	4	21S	34E	Т	2310S	660W	LEA	NM	GRAMA RIDGE NORTH	BONE SPRING		154965	146	350
BERRY APN STATE #001	3002527250	32.5060349	-103.4983444	5	21S	34E	L	1980S	660W	LEA	NM	BERRY NORTH	BONE SPRING	128117	82351.1	567	1722.6
INDIAN FLATS BASS FEDERAL #002	3001521715	32.438549	-104.0594788	35	21S	28E	F	1980N	1980W	EDDY	NM	INDIAN FLATS	DELAWARE	149252	99299	267.18	2081.59
INDIAN FLATS BASS FEDERAL #003	3001521853	32.4340134	-104.0648575	35	215	28E	L	1650S	330W	EDDY	NM	INDIAN FLATS	DELAWARE	146197	96176.8	400.404	1763.53
INDIAN FLATS BASS FEDERAL #004	3001522229	32.435833	-104.0605698	35	215	28E	K	2310S	1650W	EDDY	NM	INDIAN FLATS	DELAWARE	148805	99247.4	335.195	1728.73
INDIAN FLATS BASS FEDERAL #005	3001522671	32.4303894	-104.0584564	35	21S	28E	N	330S	2310W	EDDY	NM	INDIAN FLATS	DELAWARE	144959	95967.9	200.202	1882.77
INDIAN FLATS BASS FEDERAL #006	3001522673	32.4303932	-104.0561905	35	215	28E	0	330S	2310E	EDDY	NM	INDIAN FLATS	DELAWARE	163756	110195	134.566	1662.22
BIG EDDY FEDERAL #098	3001524707	32.4960899	-104.1280518	7	215	28E	F	2180N	1980W	EDDY	NM	FENTON NORTHWEST	DELAWARE	153408	103522	718.9	247.744
INDIAN FLATS BASS FEDERAL #001	3001524968	32.438549	-104.0637589	35	21S	28E	Е	1980N	660W	EDDY	NM	INDIAN FLATS	DELAWARE	136419	89021	397.842	1681.59
BIG EDDY UT #016	3001510867	32.4776154	-104.021843	18	215	29E	J	1980S	1980E	EDDY	NM		DELAWARE	40942	23800	329	1500
GOLDEN D FEDERAL #002	3001527060	32.488533	-104.004631	8	215	29E	0	660S	1980E	EDDY	NM	GOLDEN LANE SOUTH	DELAWARE	242051	173806	281.82	781.935
GOLDEN B FEDERAL #001	3001527061	32.4948692	-104.0100784	8	215	29E	F	2310N	1650W	EDDY	NM	GOLDEN LANE SOUTH	DELAWARE	180633	125909	548.024	965.78
GOLDEN D FEDERAL #003	3001527683	32.4912529	-104.0056992	8	215	29E	J	1650S	2310E	EDDY	NM	GOLDEN LANE SOUTH	DELAWARE	220337	153865	277.428	1042.63
LUCY ALC STATE #002	3001531792	32.4323502	-103.7582169	34	215	31E	I	1650S	330E	EDDY	NM	LOST TANK	DELAWARE		159964	73	195
LUCY ALC STATE #003	3001531793	32.432518	-103.7635651	34	215	31E	J	1710S	1980E	EDDY	NM	LOST TANK	DELAWARE		144967	73	145
H L VINSON #001	3002503587	33.5251312	-103.237999	22	098	36E	Α	660N	660E	Lea	NM		WOLFCAMP		66400	187	690
PHILLIPS STATE #001	3002503659	33.3458824	-103.2939529	22	11S	36E	N	660S	1980W	LEA	NM	CINDY	WOLFCAMP	78885	47400	354	875
STATE CA #001 SINCLAIR STATE #002	3002503743	32.902153 32.7386246	-103.3229828 -103.4561005	23	16S 18S	36E 35E	O A	660S 660N	1980E 660E	LEA LEA	NM NM	LOVINGTON VACUUM SOUTH	WOLFCAMP WOLFCAMP	167968 60950	102800 33568	61 1087	623 3049

Attachment 4

Injection Formation Water Analyses


Received by OCD: 11/17/2020 2:22:43 PM

Goodnight Midstream Permian, LLC - San Andres Formation																	
Wellname	API	Latitude	Longitude	Section	Township	Range	Unit	Ftgns	Ftgew	County	State	Field	Formation	Tds (mg/L)	Chloride (mg/L)	Bicarbonate (mg/L)	Sulfate (mg/L)
EUNICE MONUMENT SOUTH UNIT #294	3002504562	32.49519	-103.2938995	8	21\$	36E	E	1980N	660W	LEA	NM	EUNICE MONUMENT	GRAYBURG/SAN ANDRES	16408.0	8357.3	846.9	1410.1
EUNICE MONUMENT SOUTH UNIT #282	3002521902	32.498848	-103.2813873	8	21\$	36E	А	660N	760E	LEA	NM	EUNICE MONUMENT	GRAYBURG/SAN ANDRES	17899.1	9016.5	1378.0	1192.5
EUNICE MONUMENT SOUTH UNIT #282	3002521902	32.498848	-103.2813873	8	21\$	36E	А	660N	760E	LEA	NM	EUNICE MONUMENT	GRAYBURG/SAN ANDRES	13209.4	6315.7	1172.8	1069.6
EUNICE MONUMENT SOUTH UNIT #284	3002504561	32.498829	-103.2896271	8	215	36E	С	660N	1980W	LEA	NM	EUNICE MONUMENT	GRAYBURG/SAN ANDRES	149764.0	94400.0	427.0	734.0
C P FALBY B FEDERAL #004	3002510106	32.40453	-103.1914597	8	22S	37E	L	1980S	660W	LEA	NM	CARY	SAN ANDRES	80540.0	43500.0	755.0	5950.0
C P FALBY A FEDERAL #003	3002510118	32.408142	-103.1871872	8	22S	37E	F	1980N	1980W	LEA	NM	EUNICE SOUTHWEST	SAN ANDRES	59766.0			
C P FALBY A FEDERAL #004	3002510120	32.408134	-103.1914673	8	22S	37E	E	1980N	660W	LEA	NM	EUNICE SOUTHWEST	SAN ANDRES	10925.0	5312.0	1620.0	201.0
PENROSE #002	3002510146	32.407871	-103.1739807	9	22S	37E	E	2086N	776W	LEA	NM	EUNICE SOUTHWEST	SAN ANDRES	64895.0	38010.0	488.0	2100.0
EUNICE MONUMENT SOUTH UNIT #404	3002504688	32.477978	-103.2778244	16	215	36E	L	23105	330W	LEA	NM	EUNICE MONUMENT	GRAYBURG/SAN ANDRES	20286.0	10900.0	1818.0	231.0
EUNICE MONUMENT SOUTH UNIT #409	3002504678	32.47707	-103.2981644	18	215	36E	I	1980S	660E	LEA	NM	EUNICE MONUMENT	GRAYBURG/SAN ANDRES	9161.2	4248.7	1360.8	416.3
EUNICE MONUMENT SOUTH UNIT #416	3002504670	32.47253	-103.2970886	18	215	36E	Р	330S	330E	LEA	NM	EUNICE MONUMENT	GRAYBURG/SAN ANDRES	9303.0	5218.0	264.0	382.0
EUNICE MONUMENT SOUTH UNIT #370	3002504684	32.484352	-103.3024521	18	215	36E	В	660N	1980E	LEA	NM	EUNICE MONUMENT	GRAYBURG/SAN ANDRES	11598.0	6380.0	1380.0	18.0
EUNICE MONUMENT SOUTH UNIT #409	3002504678	32.47707	-103.2981644	18	215	36E	Ι	1980S	660E	LEA	NM	EUNICE MONUMENT	GRAYBURG/SAN ANDRES	10943.9	4990.0	1585.6	553.6
EUNICE MONUMENT SOUTH UNIT #409	3002504678	32.47707	-103.2981644	18	215	36E	I	1980S	660E	LEA	NM	EUNICE MONUMENT	GRAYBURG/SAN ANDRES	14155.7	6186.4	1721.4	982.5
STATE AV #001	3002504706	32.470715	-103.297081	19	215	36E	А	330N	330E	LEA	NM	EUNICE MONUMENT	GRAYBURG/SAN ANDRES	6334.0	2553.0	1732.0	2.0
STATE AV #001	3002504706	32.470715	-103.297081	19	215	36E	А	330N	330E	LEA	NM	EUNICE MONUMENT	GRAYBURG/SAN ANDRES	8560.0	3600.0	671.0	1330.0

Attachment 5

Water Well Map and Well Data

Received by OCD: 11/17/2020 2:22:43 PM Page 25 of 35



Legend

★ Proposed SWD

NMOSE Points of Diversion

- Active (4)
- Pending (0)
- Change Location of Well (0)
- Capped (0)
- Plugged (0)
- Incomplete (1)
- Unknown (3)

Water Wells Area of Review

ANDRE DAWSON SWD #1

Lea County, New Mexico

Proj Mgr: Dan Arthur

October 19, 2020

Mapped by: Ben Bockelmann

Prepared for:





SourceInfo: ttps://gis.ose.state.nm.us/arcgis/rest/services/WatersPod/OSE_PODs/MapServer/0 Miles

Received by OCD: 11/17/2020 2:22:43 PM

	Water Well Sampling Rationale											
Goodnight Midstream Permian, LLC - Andre Dawson SWD #1												
Water Wells	Owner	Available Contact Information	Use	Sampling Required	Notes							
CP 00281 POD1	CONTINENTAL OIL COMPANY	P.O Box 460 Hobbs, NM 88241	Industrial	No	Temporarily abandoned, may re-enter in the future for industrail use.							
CP 00505	SNYDER RANCHES LTD.	P.O. Box 726 Lovington, NM 88260 Phone: 575-602-8863	Livestock Watering	I No	Owner was unaware of a well at this location, believes there to be a caliche pit located there.							
CP 01485 POD1 DASCO CATTLE CO LLC		Dasco Cattle Co., LLC Atlee Snyder Contact: 575-631-9438 & 575-391-0309	Commercial	Yes	Sample collected on 01/28/2019. Analysis included in Attachment 5 .							
lote:												

Phillips Freshwater Analysis – Attachment XI-2



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

CP-01485 Pod 1

Etech Environmental & Safety Solutions

P.O. Box 301

Lovington NM, 88260

Project: GOODNIGHT MIDSTREAM

Project Number: NONE GIVEN

Project Manager: LANCE CRENSHAW

Fax To: (575) 396-1429

Reported: 05-Feb-19 17:18

PHILLIPS WELL & STOCK TANK

H900304-04 (Water)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes				
			Cardin	nal Laborate	ories									
Inorganic Compounds														
Alkalinity, Bicarbonate	224		5.00	mg/L	1	9012407	AC	30-Jan-19	310.1					
Alkalinity, Carbonate	<1.00		1.00	mg/L	1	9012407	AC	30-Jan-19	310.1					
Chloride*	176		4.00	mg/L	1	9012811	AC	31-Jan-19	4500-Cl-B					
Conductivity*	1200		1.00	uS/cm	1	9013002	AC	30-Jan-19	120.1					
pH*	8.87		0.100	pH Units	1	9013002	AC	30-Jan-19	150.1					
Resistivity	8.35			Ohms/m	1	9013002	AC	30-Jan-19	120.1					
Specific Gravity @ 60° F	1.002		0.000	[blank]	1	9013007	AC	30-Jan-19	SM 2710F					
Sulfate*	242		50.0	mg/L	5	9013006	AC	30-Jan-19	375.4					
TDS*	644		5.00	mg/L	1	9012801	AC	31-Jan-19	160.1					
Alkalinity, Total*	184		4.00	mg/L	1	9012407	AC	30-Jan-19	310.1					
			Green Ana	lytical Labo	oratories									
Total Recoverable Metals by	ICP (E200.7)													
Barium*	< 0.050		0.050	mg/L	1	B901226	AES	04-Feb-19	EPA200.7					
Calcium*	69.8		0.100	mg/L	1	B901226	AES	04-Feb-19	EPA200.7					
Iron*	0.097		0.050	mg/L	1	B901226	AES	04-Feb-19	EPA200.7					
Magnesium*	36.1		0.100	mg/L	1	B901226	AES	04-Feb-19	EPA200.7					
Potassium*	6.36		1.00	mg/L	1	B901226	AES	04-Feb-19	EPA200.7					
Sodium*	119		1.00	mg/L	1	B901226	AES	04-Feb-19	EPA200.7					

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence ar any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by Client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey & Keine

Attachment 6

Public Notice Affidavit and Notice of Application Confirmations

APPLICATION FOR AUTHORIZATION TO INJECT

NOTICE IS HEREBY GIVEN: That Goodnight Midstream Permian, LLC, 5910 N Central Expressway, Suite 850, Dallas, TX 75206, is requesting that the New Mexico Oil Conservation Division administratively approve the APPLICATION FOR AUTHORIZATION TO INJECT as follows:

PURPOSE: The intended purpose of the injection well is to dispose of salt water produced from permitted oil and gas wells.

WELL NAME AND LOCATION: Andre Dawson SWD #1

Located approximately 7.48 miles northwest of Eunice, NM

SE 1/4 SE 1/4, Section 17, Township 21S, Range 36E

1,105' FSL & 244' FEL

Lea County, NM

NAME AND DEPTH OF DISPOSAL ZONE: San Andres (4,287 – 5,590')

EXPECTED MAXIMUM INJECTION RATE: 25,000 Bbls/day

EXPECTED MAXIMUM INJECTION PRESSURE: 857 psi (surface)

Objections or requests for hearing must be filed with the New Mexico Oil Conservation Division within fifteen (15) days. Any objection or request for hearing should be mailed to the Oil Conservation Division, 1220 South St. Francis Dr., Santa Fe, New Mexico 87505.

Additional information may be obtained by contacting Nate Alleman at 918-382-7581.

Affidavit of Publication

STATE OF NEW MEXICO **COUNTY OF LEA**

I, Daniel Russell, Publisher of the Hobbs News-Sun, a newspaper published at Hobbs, New Mexico, solemnly swear that the clipping attached hereto was published in the regular and entire issue of said newspaper, and not a supplement thereof for a period of 1 issue(s).

> Beginning with the issue dated November 11, 2020 and ending with the issue dated November 11, 2020.

Publisher

Sworn and subscribed to before me this 11th day of November 2020.

Business Manager

My commission expires

January 29, 2023

OFFICIAL SEAL **GUSSIE BLACK** Notary Public State of New Mexic My Commission Expires

This newspaper is duly qualified to publish legal notices or advertisements within the meaning of Section 3, Chapter 167, Laws of

1937 and payment of fees for said

THE A STORY OF THE PROPERTY OF

LEGAL

LEGAL

LEGAL NOTICE November 11, 2020

APPLICATION FOR AUTHORIZATION TO INJECT

NOTICE IS HEREBY GIVEN: That Goodnight Midstream Permian, LLC, 5910 N Central Expressway, Suite 850, Dallas, TX 75206, is requesting that the New Mexico Oil Conservation Division administratively approve the APPLICATION FOR AUTHORIZATION TO INJECT as follows:

PURPOSE: The intended purpose of the injection well is to dispose of salt water produced from permitted oil and gas wells.

WELL NAME AND LOCATION: Andre Dawson SWD

Located approximately 7.48 miles northwest of Eunice, NM SE ¼ SE ¼, Section 17, Township 21S, Range 36E 1.105' FSL & 244' FEL

Lea County, NM

NAME AND DEPTH OF DISPOSAL ZONE: San Andres (4.287 - 5.590') EXPECTED MAXIMUM INJECTION RATE: 25.000 Bbis/day EXPECTED MAXIMUM INJECTION PRESSURE:

857 psi (surface)

Objections or requests for hearing must be filed with the New Mexico Oil Conservation Division within fifteen (15) days. Any objection or request for hearing should be mailed to the Oil Conservation Division, 1220 South St. Francis Dr., Santa Fe, New Mexico 87505 Mexico 87505.

Additional information may be obtained by contacting Nate Alleman at 918-382-7581. #35982

67115320

00248391

DANIEL ARTHUR ALL CONSULTING 1718 S. CHEYENNE AVE. TULSA, OK 74119

Andre Dawson SWD #1 - Notice of Application Recipients											
Entity	Address	City	State	Zip Code							
	Land Owner										
Monte Guy Morton	P.O. Box 917	Denton	TX	76202							
Mineral Owner											
New Mexico BLM	620 E Greene St.	Carlsbad	NM	88220							
	OCD District										
NMOCD District 1	1625 N. French Drive	Hobbs	NM	88240							
	Leasehold Operators										
Chevron USA, Inc. (CHEVRON USA INC, CHEVRON U S A INC)	6301 Deauville Blvd	Midland	TX	79706							
Citation Oil & Gas Corporation (CITATION O&G CORP, CITATION OIL AND GAS CORP)	P.O. Box 690688	Houston	TX	77269							
Commision of Public Lands - State Lands Office	310 Old Santa Fe Trail	Santa Fe	NM	87501							
Conocophillips Company (CONOCOPHILLIPS CO)	P.O. Box 7500	Bartlesville	ОК	74005							
OXY USA Limited Partnership (OXY USA WTP LMYD PTNRSHIP)	5 Greenway Plaza, Suite 110	Houston	TX	77046-0521							
Penroc Oil Corporation (PENROC OIL CORP)	P.O. Box 2769	Hobbs	NM	88241							
XTO Energy, Inc.	500 W. Illinois Ave, Suite 100	Midland	TX	79701							

Notes: The table above shows the Entities who were identified as parties of interest requiring notification on either the 1/2-mile well detail list (Attachment 2) or on the 2-mile Mineral Lease Map (Attachment 2). The names listed above in parenthesis, are the abbreviated entity names used on either the 1/2-mile well detail list (Attachment 2) or on the 2-mile Mineral Lease Map (Attachment 2).

ALL Consulting, LLC 1718 S Cheyenne Ave Tulsa OK 74119

Place label at top of the center of the envelope and fold at dotted line.



Tulsa OK 74119

1718 S Cheyenne Ave

ALL Consulting, LLC

Place label at top of the center of the envelope and fold at dotted line.



<u>©ER</u>TIFIED MAIL® CERTIFIED MAIL®



9414 8118 9956 4331 4912 77

NMOCD District 1 1625 North French Drive Hobbs NM 88240-9273

CERTIFIED MAIL® CERTIFIED MAIL®



Citation Oil & Gas Corporation PO Box 690688 Houston TX 77269-0688

ALL Consulting, LLC 1718 S Chevenne Ave Tulsa OK 74119

Place label at top of the center of the envelope and fold at dotted line.

\$5.750 US POSTAGE FIRST-CLASS FROM 74119 NOV 12 2020 stamps endicia

ALL Consulting, LLC 1718 S Chevenne Ave Tulsa OK 74119

Place label at top of the center of the envelope and fold at dotted line.

\$5.750 US POSTAGE FIRST-CLASS FROM 74119 NOV 12 2020 stamps stamps endicia

©EBTIFIED MAIL® CERTIFIED MAIL®



9414 8118 9956 4331 4911 23

5 Greenway Plaza, Suite 110 Houston TX 77046-0521

OXY USA Limited Partnership

©ERTIFIED MAIL® CERTIFIED MAIL®



9414 8118 9956 4331 4914 20

XTO Energy, Inc. 500 West Illinois Ave Suite 100 Midland TX 79701-4337

ALL Consulting, LLC 1718 S Cheyenne Ave Tulsa OK 74119

Place label at top of the center of the envelope and fold at dotted line.



1718 S Cheyenne Ave Tulsa OK 74119

> Place label at top of the center of the envelope and fold at dotted line.

ALL Consulting, LLC



©ERTIFIED MAIL® CERTIFIED MAIL®



Penroc Oil Corporation PO Box 2769 Hobbs NM 88241-2769

CERTIFIED MAIL®

CERTIFIED MAIL®

Conocophillips Company PO Box 7500 Bartlesville OK 74005-7500

ALL Consulting, LLC 1718 S Cheyenne Ave Tulsa OK 74119

Place label at top of the center of the envelope and fold at dotted line.

\$5.750 ; **US POSTAGE** FIRST-CLASS FROM 74119 3 NOV 12 2020 stamps endicia

ALL Consulting, LLC 1718 S Cheyenne Ave Tulsa OK 74119

Place label at top of the center of the envelope and fold at dotted line.

\$5.750 POSTAGE **US POSTAGE** FIRST-CLASS FROM 74119 NOV 12 2020 stamps endicia

©ERTIFIED MAIL® CERTIFIED MAIL®



9414 8118 9956 4331 4293 31

Chevron USA, Inc. 6301 Deauville

Midland TX 79706-2964

©ERTIFIED MAIL® **CERTIFIED MAIL®**



9414 8118 9956 4331 4294 30

New Mexico BLM 620 East Greene Street Carlsbad NM 88220-6292

CERTIFIED MAIL® **CERTIFIED MAIL®**

\$5.750 US POSTAGE FIRST-CLASS FROM 74119 NOV 16 2020 stamps

stamps endicia





9414 8118 9956 4162 1183 67

State Lands Office Commission of Public Lands 310 Old Santa Fe Trail Santa Fe NM 87501-2708

ALL Consulting, LLC 1718 S Cheyenne Ave Tulsa OK 74119

Place label at top of the center of the envelope and fold at dotted line.



Place label at top of the center of the envelope and fold at dotted line.

CERTIFIED MAIL® CERTIFIED MAIL®





Monte Guy Morton PO Box 917 Denton TX 76202-0917

Place label at top of the center of the envelope and fold at dotted line.

> CERTIFIED MAIL® **CERTIFIED MAIL®**

Place label at top of the center of the

envelope and fold at dotted line.

CERTIFIED MAIL® **CERTIFIED MAIL®**

APPLICATION OF GOODNIGHT MIDSTREAM PERMIAN, LLC FOR APPROVAL OF A SALT WATER DISPOSAL WELL, LEA COUNTY NEW MEXICO.

CASE NOS. 21569

AFFIDAVIT OF NATHAN ALLEMAN

Nathan Alleman, of lawful age and being first duly sworn, declares as follows:

- 1. My name is Nathan Alleman. I work for ALL Consulting as a regulatory specialist and project manager. I have been retained by Goodnight Midstream Permian, LLC ("Goodnight Midstream") (OGRID No. 372311).
- 2. I have previously testified before the New Mexico Oil Conservation Division as an expert witness in regulatory matters and permitting salt water disposal wells. My credentials as an expert in regulatory matters and permitting salt water disposal wells have been accepted by the Division and made a matter of record.
- 3. I am familiar with the application filed by Goodnight Midstream in this case, and I am familiar with the status of the lands in the subject area.
- 4. This application was originally filed for administrative approval but was protested during the administrative review period by the New Mexico State Land Office. As a result of the State Land Office's protest, Goodnight Midstream requested that the application be set for hearing before a Division Examiner. The State Land Office is the only entity that objected to this application. The State Land Office has stated that it does not oppose presentation of this case by affidavit. Therefore, I do not expect any opposition at hearing.

Santa Fe, New Mexico
Exhibit No. C
Submitted by: Goodnight Midstream Permian, LLC
Hearing Date: January 21, 2021
Case No. 21569

- 5. **Exhibit A**, attached hereto and as *Exhibit A* to the Application, is a full and complete copy of the Form C-108 application filed by Goodnight Midstream with the Division on November 17, 2020.
- 6. In this application, Goodnight Midstream seeks authority to inject produced salt water for purposes of disposal through its proposed **Andre Dawson SWD No. 1 Well** (API No. pending), which will be located 1,105 feet from the south line and 244 feet from the east line (Unit P), Section 17, Township 21 South, Range 36 East, NMPM, Lea County, New Mexico. Page 11 in **Exhibit A** contains a C-102 depicting the location for the proposed injection well.
- 7. The proposed injection disposal interval will be within the San Andres formation [SWD; San Andres (Pool Code 96121)] between approximately 4,287 feet and 5,590 feet below the ground through a perforated completion. The maximum surface injection pressure will be 857 pounds per square inch (psi) and the estimated average surface injection pressure is expected to be approximately 429 psi. The maximum injection rate will be 25,000 barrels per day (bpd) and the estimated average injection rate is expected to be approximately 17,500 bpd.
- 8. The proposed injection is a new project and will be a closed injection system. It will operate as a commercial salt water disposal well.
- 9. **Exhibit A**, page 26, contains a map depicting the location of the proposed injection well and the relative location of three water wells within a one-mile radius. Water well sampling rationale and sample analyses for the available freshwater wells are included at pages 27-28 in **Exhibit A**.
- 10. Notice of this application was provided to the surface owner, NMOCD District Office, and Affected Persons within a half-mile area of review that are entitled to receive notice. Parties entitled to notice were identified based on a determination of the title of lands and interests

as recorded in the records of Lea County and from a review of New Mexico Oil Conservation Division and BLM operator records as of the time the application was filed. *See* Exhibit A, pages 16, 32-36. Exhibit A, pages 17-19, are maps that depict all lease tracts within the half-mile area of review. A complete list of the parties entitled to notice is included in Exhibit A at pages 32-36.

- 11. **Exhibit A**, page 29, is a copy of a sample notice letter sent to all parties entitled to notice of the C-108 administrative application within the half-mile area of review. **Exhibit A**, pages 31-36, is proof that notice of the application was sent by certified mail, return receipt requested, as required by Division rule. Constructive notice was also provided by publication in a newspaper of general circulation in Lea County, New Mexico, where the proposed injection well will be located. A copy of the affidavit of publication is included in **Exhibit A** at page 31.
- 12. It is my opinion that Goodnight Midstream undertook a good faith effort to locate and identify the correct parties and valid addresses required for notice within the half-mile area of review. To the best of my knowledge the addresses used for notice purposes are valid and correct. There were no unlocatable parties for whom we were unable to locate a valid address.
- 13. At the location of the proposed injection well, the surface estate is privately owned and the mineral estate is owned by the U.S. Bureau of Land Management. Page 17 in **Exhibit A** is a map depicting all oil and gas leases within a one-mile radius of the proposed injection well. Page 16 of that same exhibit contains a table identifying each of the lessees of record and the operators for those leases.
- 14. **Exhibit B** is a copy of an attorney affidavit prepared by Holland & Hart LLP reflecting that notice of this hearing was sent to the State Land Office, as the sole protestant.

FURTHER AFFIANT SAYETH NOT.

Nathan Alleman

STATE OF OKLAHOMA)
COUNTY OF Washington
SUBSCRIBED and SWORN to before me this day of
by Nathan Alleman.
Terah Henderson
NOTARY PUBLIC
My Commission Expires: 8 8 22
OF OKE SHOWING

APPLICATION OF GOODNIGHT MIDSTREAM PERMIAN, LLC FOR APPROVAL OF A SALT WATER DISPOSAL WELL, LEA COUNTY NEW MEXICO.

CASE NO. 21569

AFFIDAVIT OF STEVE ALLEN DRAKE

Steve Allen Drake, of lawful age and being first duly sworn, declares as follows:

- 1. My name is Steve Allen Drake. I work for Goodnight Midstream Permian, LLC ("Goodnight Midstream") as Vice President of Geology and Reservoir Engineering.
- 2. I have previously testified before the New Mexico Oil Conservation Division as an expert witness in petroleum geology. My credentials as an expert in petroleum geology have been accepted by the Division and made a matter of record.
- 3. I am familiar with the application filed by Goodnight Midstream in this case, and I am familiar with the status of the lands and geology in the subject area.
- 4. The proposed injection disposal interval will be within the San Andres formation [SWD; San Andres (Pool Code 96121)] between approximately 4,287 feet and 5,590 feet below the ground through a perforated completion.
- 5. **Exhibit A**, pages 7-8, contains an overview of the geology, including details on the lithology, thickness, and depths of all formations within the area of the proposed well. The geologic description also includes a discussion and overview of the San Andres injection interval, which consists of alternating low porosity anhydrites and dolomites located in the top of both the San Andres and Grayburg formations that are not capable of transmitting fluid. The

BEFORE THE OIL CONSERVATION DIVISION

Santa Fe, New Mexico
Exhibit No. D

Submitted by: Goodnight Midstream Permian, LLC
Hearing Date: January 21, 2021
Case No. 21569

injection interval has a net thickness of 635 feet out of a gross thickness of approximately 1300 feet.

6. Exhibit D-1, page 39, is a log from the Snyder (Ryno) SWD #1 well (API No. 30-025-43901), located in the area, that depict the stratigraphic intervals above and below the proposed injection interval. The top 90 feet of the San Andres is predominantly tight dolomite and anhydrite which serves as a stratigraphic seal to contain the injection fluid from upward migration. The San Andres has two main porosity intervals that are 270 feet and 330 feet thick, respectively. Both intervals are dolomites with porosities ranging from 7% to 19%. The permeabilities of these intervals are very high. They are also pressure depleted from previously existing water extraction wells. These water supply wells were used by Chevron USA to provide water for the EMSU Grayburg water flood. The lower San Andres lithologic unit consists of two non-porous layers. A tight dolomite and anhydrite combined with a non-porous limestone to form a 260 foot barrier at the base of the San Andres. This interval has porosity values of 0%-3%, which presents an effective basal seal and barrier between the San Andres and Glorieta reservoirs against downward fluid migration. The Glorieta has a significant interval of porosity that has been approved for saltwater disposal in section 28, one and ½ miles to the south. Below the Glorieta dolomitic siltstone reservoir is the interval know in name as the Paddock, however since the porosity is absent at most locations off structure, the Paddock serves as a barrier in this geologic setting rather than a reservoir. Below the Paddock barrier is the Blinebry interval which consists of approximately 160 feet of porous dolomite. The Blinebry contain salt water at this location and is not proximal to any Blinebry production. Below the Blinebry saline aquifer is 550 feet of Tubb which functions as an excellent and exceptionally thick barrier to downward migration. Based on my examination and study of the geology in the area, it is my opinion that these geologic seals will effectively contain the injected fluids within the target injection zone.

- 7. **Exhibit D-2**, is a statement I prepared confirming that I have reviewed the available geologic and engineering data and have found no evidence of a hydrological connection between the proposed injection interval and any underground sources of drinking water.
- 8. Injection will not impair correlative rights and will not adversely affect the production of hydrocarbons because the proposed injection will remain within the target injection zone. The proposed injection interval is not prospective for hydrocarbons within the area of the proposed injection well. There are no wells penetrating the injection interval within a 1/2 mile area of review. The geologic seals identified above and below the injection interval will serve to isolate the disposal fluids from offsetting zones capable of producing hydrocarbons.
- 9. Freshwater water in this area is found to a depth of about 1400 feet or less below the surface. No underground sources of drinking water exist below the injection interval in this area. The Ogallala aquifer is approximately 4.6 miles north of the proposed injection well and will not be impacted by this injection.
- 10. Based on this review and analysis of freshwater, the geologic seals above and below the injection interval, and the significant vertical offset between the injection zone and shallow zones containing freshwater, it is my opinion that the proposed injection will not threaten any drinking water sources or zones of freshwater.
- 11. The proposed injection fluids will be from production in various formations, including the Yates, Seven Rivers, Queen, Grayburg, San Andres, Delaware, Blinebry, Drinkard, Tubb, Bone Spring, Wolfcamp, Strawn, Pennsylvanian, and Morrow formations. Water chemistry analyses of representative samples of produced water that are expected to be injected are located at pages 21-22 in **Exhibit A**. In addition, water samples from the injection formation are located at pages 23-24 in **Exhibit A**. Based on this water chemistry analysis and prior

experience, I do not expect there will be a compatibility issue between the injection fluids and the fluids within the injection interval.

12. In my opinion, granting this application will help conserve resources, avoid waste, and protect correlative rights.

FURTHER AFFIANT SAYETH NOT.

Steve Allen Drake

STATE OF TEXAS

COUNTY OF DAILS

SUBSCRIBED and SWORN to before me this 12 day of 300 day of 300 by Steve Allen Drake.

My Commission Expires:


04/15/2012

Notary Public Leigh Ann Peagan



16010260_v1

Goodnight Andre Dawson SWD#1 P-17-21S-36E 30-025-00000 TD: 5,400 KB: 0000 00-00-2020 Goodnight Snyder (Ryno) SWD#1 H-17-21S-36E 30-025-43901 TD: 10,535 KB: 3632 07-09-2018





BEFORE THE OIL CONSERVATION DIVISION
Santa Fe, New Mexico
Exhibit No. D2

Submitted by: Goodnight Midstream Permian, LLC
Hearing Date: January 21, 2021

Case No. 21569

Steve Drake V.P. Geology and Reservoir Engineering Goodnight Midstream, LLC 5910 North Central Expressway, Suite 850 Dallas, Texas 75206

RE: Goodnight Midstream, LLC Andre Dawson SWD well permit

Lot P, Section 17, Township 21S Range 36E Lea County, New Mexico

Goodnight Midstream conducted a hydrogeologic investigation related to the proposed injection well. The scope of the investigation was to determine if there is any hydrologic connection between the proposed injection interval and any sources of underground drinking water.

Goodnight geologist performed an analysis of subsurface well log data. It is our conclusion that there is no evidence of faulting in the data we evaluated at the depths that are being considered. There are small scale flexures which may or may not be associated with small scale faults. None of these flexures extend above the Wolfcamp unconformity and are not seen in the Leonard intervals.

Goodnight acquired and evaluated 3D seismic covering the lands that this salt water disposal well is located upon. This data shows the geologic setting in the area. No faults are seen in the Artesia Group, San Andres, Glorieta, or Leonard series. The San Andres contains small scale flexures and changes in seismic velocity that may indicate karsting. These flexures and velocity anomalies are being used to target disposal reservoir opportunities. The Grayburg thickens over the San Andres sag. There is also a thickening of the Yates relative to the low in the San Andres. These stratigraphic changes do not indicate the presence of faulting and there is no communication between these intervals.

Water has been disposed into the San Andres in this area since 1966. There is a good record of pressure separation. Production from the Artesia group has proceeded without interruption or encroachment from San Andres disposal for more than 50 years. Containment and isolation from the hydrocarbon intervals would then also be isolated from any sources of fresh water above.

We see no evidence of faulting that would extend to or form a connection between the injection zone and any underground sources of drinking water.

Steve Drake

V.P. Geology and Reservoir Engineering

Steve Drake

Goodnight Midstream, LLC

1/19/2021

APPLICATION OF GOODNIGHT MIDSTREAM PERMIAN, LLC FOR APPROVAL OF A SALTWATER DISPOSAL WELL, LEA COUNTY NEW MEXICO.

CASE NO. 21569

AFFIDAVIT OF THOMAS E. TOMASTIK

Thomas E. Tomastik, of lawful age and being first duly sworn, declares as follows:

- My name is Thomas E. Tomastik. I work for ALL Consulting as a chief geologist and regulatory specialist. I have been retained by Goodnight Midstream Permian, LLC ("Goodnight Midstream").
- 2. I have previously testified before the New Mexico Oil Conservation Division as an expert witness in petroleum engineering and petroleum geology. My credentials as an expert have been accepted by the Division and made a matter of record.
- 3. I am familiar with the application filed by Goodnight Midstream in this case, and I have conducted an engineering study of the proposed injection and the area of review surrounding the proposed injection well.
- 4. The proposed well is the **Andre Dawson SWD No. 1 Well** (API No. pending), which will be located 1,105 feet from the south line and 244 feet from the east line (Unit P), Section 17, Township 21 South, Range 36 East, NMPM, Lea County, New Mexico.
- 5. All the well data and operational information required by the C-108 is included in the application within **Exhibit A**. The proposed well design is contained in the Injection Well

Santa Fe, New Mexico
Exhibit No. E
Submitted by: Goodnight Midstream Permian, LLC
Hearing Date: January 21, 2021
Case No. 21569

Data Sheet at pages 12-13, following the C-108 in **Exhibit A**. A description of the proposed well design may be found at page 12 of the C-108 in **Exhibit A**.

- 6. The disposal interval will be a perforated completion from approximately 4,287 feet and 5,590 feet in the San Andres formation [SWD; San Andres (Pool Code 96121)].
- 7. The well's cement job on the seven-inch production casing will be confirmed with a cement bond log or an equivalent cement integrity log, to establish the top of the cement and the quality of the bonding to the casing.
- 8. The well's annular space will be filled with an inert packer fluid to protect both the production casing and the injection tubing and both injection and annulus pressures will be monitored at the wellhead to confirm the continuous mechanical integrity of the well during injection operations.
- The well design and cement plan will be protective of freshwater and underground sources of drinking water in the area and protective of correlative rights.
- 10. The estimated average surface injection pressure is expected to be approximately 429 psi. The maximum surface injection pressure will be 857 psi, based on the Division's guideline limiting surface injection pressures to 0.2 psi per foot of depth to the top-most injection interval. The proposed injection volumes can be achieved without exceeding the maximum surface injection pressure. Injection pressures and volumes will be continuously monitored through an electronic SCADA system.
- 11. An acid job will be performed to clean up the perforations prior to commencement of injection operations.
- 12. Page 15 of the C-108 in **Exhibit A** depicts a map of oil and gas wells with a two-mile radius around the proposed well, as well as all wells within the half-mile area of review.

- 13. Eighteen wells are located within the half-mile area of review. Six of those wells are active producers, ten have been plugged and abandoned, and two are injection wells. Information on each of the wells within the half-mile area of review is tabulated at page 16 of **Exhibit A**. None of these wells penetrate the intended injection interval.
- 14. None of the wells within a half-mile area of review require corrective action to contain injection fluids within the injection interval. Additionally, none of the existing wells within the half-mile area of review create a potential conduit for the migration of injection fluids out of the injection zone.
- 15. In my opinion, granting this application will help conserve resources, avoid waste, and protect correlative rights.

FURTHER AFFIANT SAYETH NOT.

Hymn E. Amarell
Thomas E. Tomastik

STATE OF OHIO)
COUNTY OF DELAWAR	(E)
- Control of the Cont	SWORN to before me this 12 day of January 2021
by Thomas E. Tomastik.	
	NOTARY PUBLIC
My Commission Expires:	
12-14-2022	
	AARON HECK Notary Public, State of Ohio My Comm. Expires 12/18/2022

APPLICATION OF GOODNIGHT MIDSTREAM PERMIAN, LLC FOR APPROVAL OF A SALT WATER DISPOSAL WELL, LEA COUNTY NEW MEXICO.

CASE NO. 21569

<u>AFFIDAVIT</u>

STATE OF NEW MEXICO
) ss.
COUNTY OF SANTA FE)

Kaitlyn A. Luck, attorney in fact and authorized representative of Goodnight Midstream Permian, LLC, the Applicant herein, being first duly sworn, upon oath, states that the above-referenced Application has been provided under the notice letters and proof of receipts attached hereto.

Kaitlyn A. Luck

SUBSCRIBED AND SWORN to before me this 28th day of December, 2020 by Kaitlyn A. Luck.

Notary Pt

My Commission Expires:

Nov. 12, 2023

OFFICIAL SEAL
Carla Garcia
NOTARY PUBLIC - STATE OF NEW MEXICO
My Commission Expires: Nov. 12, 2023

BEFORE THE OIL CONSERVATION DIVISION

Santa Fe, New Mexico
Exhibit No. F

Submitted by: Goodnight Midstream Permian, LLC
Hearing Date: January 21, 2021
Case No. 21569



Adam G. Rankin Phone (505) 988-4421 Fax (505) 983-6043 agrankin@hollandhart.com

December 18, 2020

VIA CERTIFIED MAIL
CERTIFIED RECEIPT REQUESTED
New Mexico State Land Office
P.O. Box 1148
Santa Fe, NM 87504-1148

Re: Application of Goodnight Midstream Permian, LLC for Approval of a Salt

Water Disposal Well, Lea County, New Mexico.

Andre Dawson SWD No. 1 Well

Ladies & Gentlemen:

This letter is to advise you that Goodnight Midstream Permian, LLC has filed the enclosed application with the New Mexico Oil Conservation Division.

During the COVID-19 Pubic Health Emergency, state buildings are closed to the public and hearings will be conducted remotely. The hearing will be conducted on January 7, 2021, beginning at 8:15 a.m. To participate in the electronic hearing, see the instructions posted on the OCD Hearings website: http://www.emnrd.state.nm.us/OCD/announcements.html.

You are not required to attend this hearing, but as an owner of an interest that may be affected by this application, you may appear and present testimony. Failure to appear at that time and become a party of record will preclude you from challenging the matter at a later date. Parties appearing in cases are required by Division Rule 19.15.4.13.B to file a Pre-hearing Statement four business days in advance of a scheduled hearing. This statement must be filed at the Division's Santa Fe office at the above specified address and should include: the names of the parties and their attorneys; a concise statement of the case; the names of all witnesses the party will call to testify at the hearing; the approximate time the party will need to present its case; and identification of any procedural matters that are to be resolved prior to the hearing.

If you have any questions about this matter please contact ALL Consulting, LLC, at (918) 382-7581 or nalleman@all-llc.com.

Sincerely,

Adam G. Rankin

ATTORNEY FOR GOODNIGHT MIDSTREAM

PERMIAN, LLC

Goodnight Midstream - Andre Dawson Case No. 21569 Postal Delivery Report

TrackingNo	ToName	DeliveryAddress	City	State	Zip	USPS_Status
						Your item was picked up at a
						postal facility at 7:36 am on
						December 28, 2020 in SANTA FE,
9414811898765895870930	New Mexico State Land Office	PO Box 1148	Santa Fe	NM	87504-1148	NM 87501.