

Acid Gas Injection Well Report
Zia 2

Hour	October - December 2021										October - December 2021										Differential Pressure	
	Zia AGI #1 (API# 30-025-42208)										Zia AGI D#2 (API# 30-025-42207)											
	Surface			Downhole							Surface			Downhole								
	Wellhead		Surface Injection Temp AGI #1	Annular Pressure AGI #1	Annular		Injection			Notes on Deviations	Wellhead		Surface Injection Temperature AGI #D2	Annular Pressure #D2	Injection		Notes on Deviations	Surface vs Annular				
	Injection Rate AGI #1	Surface Injection Pressure AGI #1			Bottomhole Annular Pressure AGI #1	Bottomhole Annular Temp AGI #1 (°F)	Bottomhole Pressure AGI #1	Bottomhole Temp AGI #1	Injection Rate AGI #D2		Surface Injection Pressure AGI #D2	Bottomhole Pressure AGI #D2			Bottomhole Temperature AGI #D2	Differential Pressure AGI #1		Differential Pressure AGI #D2				
	Average	Average	Average	Average	Average	Average	Average	Average	Average	Average	Average	Average	Average	Average	Average	Average	Average	Average	Average			
	0.00	4	82	304	2,285	98	3,274	98	4.43	1,710	115	149	6,345	166	-300	1,561						
Units of Measure	MMSCFD	psig	(°F)	psig	psig	(°F)	psig	psig	psig	(°F)	psig	psig	(°F)	psig	psig							
Sensor #	FI1680	PI1682	TI1680	PI1686	PI1688	TI1682	PI1690	FI1681	PI1683	TI1681	PI1687	PI1691	TI1685	CALC	CALC							
10/1/2021 0:00	0	4	83	309	2285	98	3274	98	4.21	1696	112	161	6338	165	-305	1535						
10/1/2021 1:00	0	4	84	309	2285	98	3274	98	3.90	1706	116	154	6336	166	-305	1552						
10/1/2021 2:00	0	4	84	309	2285	98	3274	98	4.16	1697	114	139	6335	166	-305	1558						
10/1/2021 3:00	0	4	84	309	2285	98	3274	98	4.47	1700	115	134	6335	166	-305	1566						
10/1/2021 4:00	0	4	85	309	2285	98	3274	98	4.52	1700	114	132	6335	166	-305	1568						
10/1/2021 5:00	0	4	84	309	2285	98	3274	98	4.89	1703	113	136	6338	166	-305	1567						
10/1/2021 6:00	0	4	82	309	2285	98	3274	98	4.64	1708	115	139	6338	166	-305	1569						
10/1/2021 7:00	0	4	82	309	2285	98	3274	98	4.48	1710	115	155	6337	166	-305	1555						
10/1/2021 8:00	0	4	82	309	2285	98	3274	98	4.17	1700	113	144	6337	166	-305	1560						
10/1/2021 9:00	0	4	83	309	2285	98	3274	98	4.18	1695	114	134	6335	166	-305	1561						
10/1/2021 10:00	0	4	84	309	2285	98	3274	98	4.57	1692	112	115	6336	166	-305	1576						
10/1/2021 11:00	0	4	85	309	2285	98	3274	98	4.27	1711	117	147	6335	166	-305	1564						
10/1/2021 12:00	0	5	88	309	2285	98	3274	98	4.35	1701	115	135	6335	166	-304	1566						
10/1/2021 13:00	0	6	91	309	2285	98	3274	98	4.31	1700	114	135	6335	166	-303	1565						
10/1/2021 14:00	0	6	93	310	2285	98	3274	98	4.28	1695	114	127	6333	166	-304	1568						
10/1/2021 15:00	0	6	95	310	2285	98	3274	98	4.21	1697	115	121	6332	166	-304	1576						
10/1/2021 16:00	0	6	93	310	2285	98	3274	98	4.19	1697	114	117	6332	166	-304	1580						
10/1/2021 17:00	0	6	92	310	2285	98	3274	98	3.98	1687	112	119	6334	166	-304	1568						
10/1/2021 18:00	0	5	90	310	2285	98	3274	98	4.38	1705	116	134	6335	166	-305	1571						
10/1/2021 19:00	0	5	90	310	2285	98	3274	98	4.70	1702	114	126	6336	166	-305	1576						
10/1/2021 20:00	0	5	89	310	2285	98	3274	98	4.80	1711	115	142	6338	166	-305	1569						
10/1/2021 21:00	0	5	89	310	2285	98	3274	98	4.68	1704	115	139	6337	166	-305	1565						
10/1/2021 22:00	0	5	88	310	2285	98	3274	98	4.74	1709	114	148	6338	166	-305	1561						
10/1/2021 23:00	0	4	87	309	2285	98	3274	98	4.79	1708	115	148	6339	166	-305	1560						
10/2/2021 0:00	0	4	86	309	2285	98	3274	98	4.68	1706	114	147	6339	166	-305	1560						
10/2/2021 1:00	0	4	86	309	2285	98	3274	98	4.85	1707	114	144	6339	166	-305	1564						
10/2/2021 2:00	0	4	85	309	2285	98	3274	98	4.61	1711	115	156	6339	166	-305	1555						
10/2/2021 3:00	0	4	85	309	2285	98	3274	98	4.71	1705	113	148	6339	166	-305	1557						
10/2/2021 4:00	0	4	85	309	2285	98	3274	98	4.73	1709	114	148	6339	166	-305	1561						
10/2/2021 5:00	0	4	84	309	2285	98	3274	98	4.76	1713	116	152	6339	166	-305	1560						
10/2/2021 6:00	0	4	84	309	2285	98	3274	98	4.85	1710	114	153	6340	166	-305	1557						
10/2/2021 7:00	0	4	84	308	2285	98	3274	98	4.73	1709	115	154	6340	166	-304	1555						
10/2/2021 8:00	0	4	84	309	2285	98	3274	98	4.56	1705	114	149	6339	166	-305	1555						
10/2/2021 9:00	0	4	85	309	2285	98	3274	98	4.38	1700	114	143	6337	166	-305	1557						
10/2/2021 10:00	0	4	86	309	2285	98	3274	98	4.58	1709	116	142	6337	166	-305	1567						
10/2/2021 11:00	0	4	88	309	2285	98	3274	98	4.87	1716	115	157	6340	166	-305	1559						
10/2/2021 12:00	0	5	92	309	2285	98	3274	98	4.70	1714	116	165	6340	166	-304	1549						
10/2/2021 13:00	0	6	95	310	2285	98	3274	98	4.77	1724	118	179	6340	166	-304	1545						
10/2/2021 14:00	0	6	96	310	2285	98	3274	98	4.65	1718	116	181	6339	166	-304	1536						
10/2/2021 15:00	0	6	95	310	2285	98	3274	98	4.39	1714	116	182	6337	166	-304	1532						
10/2/2021 16:00	0	6	95	310	2285	98	3274	98	4.51	1717	117	178	6338	166	-304	1539						
10/2/2021 17:00	0	6	93	310	2285	98	3274	98	4.36	1710	115	169	6337	166	-304	1541						
10/2/2021 18:00	0	5	91	310	2285	98	3274	98	4.30	1705	114	160	6336	166	-305	1545						
10/2/2021 19:00	0	5	90	310	2285	98	3274	98	4.50	1705	114	153	6337	166	-305	1552						
10/2/2021 20:00	0	5	90	310	2285	98	3274	98	4.08	1693	113	137	6336	166	-305	1555						
10/2/2021 21:00	0	5	89	310	2285	98	3274	98	4.41	1702	115	137	6336	166	-305	1564						
10/2/2021 22:00	0	5	88	310	2285	98	3274	98	4.34	1693	113	127	6336	166	-305	1566						
10/2/2021 23:00	0	4	87	310	2285	98	3274	98	4.45	1701	115	127	6337	166	-306	1574						
10/3/2021 0:00	0	4	86	310	2285	98	3274	98	4.53	1701	114	135	6337	166	-306	1566						
10/3/2021 1:00	0	4	85	309	2285	98	3274	98	4.39	1707	116	141	6337	166	-305	1566						
10/3/2021 2:00	0	4	85	309	2285	98	3274	98	4.56	1703	114	136	6337	166	-305	1567						
10/3/2021 3:00	0	4	84	309	2285	98	3274	98	4.60	1707	115	144	6338	166	-305	1564						
10/3/2021 4:00	0	4	83	309	2285	98	3274	98	4.58	1703	115	139	6338	166	-305	1564						
10/3/2021 5:00	0	4	82	309	2285	98	3274	98	4.70	1718	116	159	6339	166	-305	1560						
10/3/2021 6:00	0	4	83	309	2285	98	3274															

Acid Gas Injection Well Report
Zia 2

Hour	October - December 2021									October - December 2021									Differential Pressure	
	Zia AGI #1 (API# 30-025-42208)									Zia AGI D#2 (API# 30-025-42207)										
	Surface				Downhole					Notes on Deviations	Surface			Downhole			Notes on Deviations			
	Wellhead		Annular	Annular		Injection			Wellhead		Annular	Injection								
	Injection Rate AGI #1	Surface Injection Pressure AGI #1		Surface Injection Temp AGI #1	Surface Annular Pressure AGI #1	Bottomhole Annular Pressure AGI #1	Bottomhole Annular Temp AGI #1 (°F)	Bottomhole Pressure AGI #1	Bottomhole Temp AGI #1			Injection Rate AGI #D2	Surface Injection Pressure AGI #D2	Surface Injection Temperature AGI #D2	Surface Annular Pressure AGI #D2	Bottomhole Pressure AGI #D2		Bottomhole Temperature AGI #D2		
	Average	Average	Average	Average	Average	Average	Average	Average	Average		Average	Average	Average	Average	Average	Average		Average		
10/4/2021 10:00	0	4	86	309	2285	98	3274	98		3.70	1691	114	129	6335	166		-305	1562		
10/4/2021 11:00	0	4	89	309	2285	98	3274	98		4.23	1700	115	130	6334	166		-305	1561		
10/4/2021 12:00	0	6	92	309	2285	98	3274	98		4.30	1706	116	140	6335	166		-303	1566		
10/4/2021 13:00	0	6	94	310	2285	98	3274	98		4.42	1707	115	148	6335	166		-304	1559		
10/4/2021 14:00	0	6	94	310	2285	98	3274	98		4.73	1729	119	177	6338	166		-304	1552		
10/4/2021 15:00	0	6	95	310	2285	98	3274	98		4.93	1738	119	212	6339	166		-304	1527		
10/4/2021 16:00	0	6	95	310	2285	98	3274	98		4.70	1740	119	231	6339	166		-304	1509		
10/4/2021 17:00	0	6	94	311	2285	98	3274	98		4.84	1750	121	247	6340	166		-305	1503		
10/4/2021 18:00	0	6	93	311	2285	98	3274	98		4.67	1743	118	260	6340	166		-305	1483		
10/4/2021 19:00	0	5	92	310	2285	98	3274	98		4.48	1730	117	235	6338	166		-305	1491		
10/4/2021 20:00	0	6	92	310	2285	98	3274	98		4.53	1721	116	213	6338	166		-305	1508		
10/4/2021 21:00	0	6	93	310	2285	98	3274	98		4.43	1714	114	200	6337	166		-304	1514		
10/4/2021 22:00	0	6	93	310	2285	98	3274	98		4.47	1714	115	186	6337	166		-304	1528		
10/4/2021 23:00	0	6	92	310	2285	98	3274	98		4.58	1707	114	173	6338	166		-304	1534		
10/5/2021 0:00	0	6	92	310	2285	98	3274	98		4.46	1710	115	169	6337	166		-304	1541		
10/5/2021 1:00	0	5	91	310	2285	98	3274	98		4.51	1707	116	155	6338	166		-305	1552		
10/5/2021 2:00	0	5	91	310	2285	98	3274	98		4.38	1700	113	150	6337	166		-305	1550		
10/5/2021 3:00	0	5	90	310	2285	98	3274	98		4.65	1705	114	148	6337	166		-305	1557		
10/5/2021 4:00	0	5	89	309	2285	98	3274	98		5.01	1730	117	177	6341	166		-304	1553		
10/5/2021 5:00	0	4	88	309	2285	98	3274	98		5.01	1717	114	179	6342	166		-305	1537		
10/5/2021 6:00	0	4	86	309	2285	98	3274	98		4.95	1719	115	181	6342	165		-305	1538		
10/5/2021 7:00	0	4	85	309	2285	98	3274	98		5.25	1721	114	181	6343	165		-305	1540		
10/5/2021 8:00	0	4	85	309	2285	98	3274	98		5.13	1727	116	188	6343	165		-305	1539		
10/5/2021 9:00	0	4	87	309	2285	98	3274	98		4.95	1737	118	216	6344	165		-305	1521		
10/5/2021 10:00	0	4	88	309	2285	98	3274	98		4.67	1722	116	205	6341	166		-305	1517		
10/5/2021 11:00	0	5	91	309	2285	98	3274	98		4.72	1727	118	205	6341	166		-304	1523		
10/5/2021 12:00	0	6	95	310	2285	98	3274	98		4.68	1742	120	232	6341	166		-304	1510		
10/5/2021 13:00	0	6	95	310	2285	98	3274	98		4.60	1755	122	267	6342	166		-304	1488		
10/5/2021 14:00	0	6	96	310	2285	98	3274	98		4.96	1764	122	291	6343	166		-304	1473		
10/5/2021 15:00	0	6	96	310	2285	98	3274	98		5.00	1767	122	312	6344	166		-304	1455		
10/5/2021 16:00	0	6	96	310	2285	98	3274	98		4.95	1775	122	329	6344	166		-304	1445		
10/5/2021 17:00	0	6	96	310	2285	98	3274	98		4.65	1765	121	335	6342	166		-304	1430		
10/5/2021 18:00	0	6	95	311	2285	98	3274	98		4.67	1759	120	323	6342	166		-305	1436		
10/5/2021 19:00	0	6	94	311	2285	98	3274	98		4.35	1730	115	286	6341	166		-305	1444		
10/5/2021 20:00	0	6	94	310	2285	98	3274	98		4.55	1725	115	242	6340	166		-304	1463		
10/5/2021 21:00	0	6	94	310	2285	98	3274	98		4.39	1719	115	222	6339	166		-304	1497		
10/5/2021 22:00	0	5	94	310	2285	98	3274	98		4.49	1716	114	205	6338	166		-305	1511		
10/5/2021 23:00	0	6	93	310	2285	98	3274	98		4.42	1712	115	193	6338	166		-304	1519		
10/6/2021 0:00	0	6	92	310	2285	98	3274	98		4.42	1710	114	183	6338	166		-304	1527		
10/6/2021 1:00	0	5	91	310	2285	98	3274	98		4.45	1700	113	166	6337	166		-305	1534		
10/6/2021 2:00	0	5	90	310	2285	98	3274	98		4.53	1701	113	155	6337	166		-305	1546		
10/6/2021 3:00	0	5	89	310	2285	98	3274	98		3.81	1699	114	152	6337	166		-305	1547		
10/6/2021 4:00	0	4	88	309	2285	98	3274	98		4.31	1699	114	143	6337	166		-305	1555		
10/6/2021 5:00	0	4	86	309	2285	98	3274	98		4.54	1694	113	136	6337	166		-305	1558		
10/6/2021 6:00	0	4	85	309	2285	98	3274	98		4.54	1701	115	131	6337	166		-305	1570		
10/6/2021 7:00	0	4	84	309	2285	98	3274	98		4.44	1698	115	130	6336	166		-305	1569		
10/6/2021 8:00	0	4	83	309	2285	98	3274	98		4.49	1705	115	135	6335	166		-305	1570		
10/6/2021 9:00	0	4	84	309	2285	98	3274	98		4.36	1714	118	152	6336	166		-305	1562		
10/6/2021 10:00	0	4	87	309	2285	98	3274	98		4.20	1706	115	162	6334	166		-305	1544		
10/6/2021 11:00	0	5	89	309	2285	98	3274	98		4.26	1704	116	145	6335	166		-304	1559		
10/6/2021 12:00	0	6	93	310	2285	98	3274	98		4.48	1714	117	159	6336	166		-304	1555		
10/6/2021 13:00	0	6	94	310	2285	98	3274	98		4.80	1728	119	180	6339	166		-304	1548		
10/6/2021 14:00	0	6	94	310	2285	98	3274	98		4.95	1738	119	213	6341	166		-304	1525		
10/6/2021 15:00	0	6	94	310	2285	98	3274	98		5.07	1760	122	259	6343	165		-304	1500		
10/6/2021 16:00	0	6	94	310	2285	98	3274	98		5.12	1771	123	299	63						

Acid Gas Injection Well Report
Zia 2

Hour	October - December 2021										October - December 2021										Differential Pressure	
	Zia AGI #1 (API# 30-025-42208)										Zia AGI D#2 (API# 30-025-42207)											
	Surface			Downhole				Notes on Deviations	Surface			Downhole				Notes on Deviations						
	Wellhead		Annular	Annular		Injection			Wellhead		Annular	Injection										
	Injection Rate AGI #1	Surface Injection Pressure AGI #1		Surface Injection Temp AGI #1	Surface Annular Pressure AGI #1	Bottomhole Annular Pressure AGI #1	Bottomhole Annular Temp AGI #1 (°F)		Bottomhole Pressure AGI #1	Bottomhole Temp AGI #1		Injection Rate AGI #D2	Surface Injection Pressure AGI #D2	Surface Injection Temperature AGI #D2	Surface Annular Pressure #D2		Bottomhole Pressure AGI #D2	Bottomhole Temperature AGI #D2				
																			Average	Average	Average	Average
10/7/2021 23:00	0	6	94	310	2285	98	3274	98		5.12	1771	121	348	6347	166			-304	1423			
10/8/2021 0:00	0	6	93	310	2285	98	3274	98		5.08	1774	121	365	6348	166			-304	1409			
10/8/2021 1:00	0	6	93	310	2285	98	3274	98		5.29	1776	121	362	6348	166			-305	1414			
10/8/2021 2:00	0	6	93	310	2285	98	3274	98		5.22	1759	117	348	6348	166			-304	1411			
10/8/2021 3:00	0	6	92	310	2285	98	3274	98		5.19	1747	115	317	6348	166			-304	1430			
10/8/2021 4:00	0	5	91	310	2285	98	3274	98		5.17	1750	116	314	6348	166			-305	1436			
10/8/2021 5:00	0	5	90	310	2285	98	3274	98		5.26	1744	116	286	6349	166			-305	1458			
10/8/2021 6:00	0	5	89	309	2285	98	3274	98		4.97	1723	113	254	6346	166			-304	1469			
10/8/2021 7:00	0	4	88	309	2285	98	3274	98		5.05	1737	116	262	6348	166			-305	1475			
10/8/2021 8:00	0	4	87	309	2285	98	3274	98		5.26	1745	118	260	6349	166			-305	1465			
10/8/2021 9:00	0	5	89	309	2285	98	3274	98		4.30	1736	118	280	6347	166			-304	1456			
10/8/2021 10:00	0	5	89	309	2285	98	3274	98		4.77	1741	117	280	6346	166			-304	1460			
10/8/2021 11:00	0	4	89	310	2285	98	3274	98		4.92	1750	119	278	6346	166			-306	1471			
10/8/2021 12:00	0	5	90	310	2285	98	3274	98		4.90	1764	122	309	6346	166			-305	1455			
10/8/2021 13:00	0	5	91	310	2285	98	3274	98		4.82	1771	122	332	6346	166			-305	1440			
10/8/2021 14:00	0	5	92	310	2285	98	3274	98		4.81	1767	121	336	6345	166			-305	1431			
10/8/2021 15:00	0	5	93	311	2285	98	3274	98		4.61	1767	121	343	6344	166			-306	1424			
10/8/2021 16:00	0	5	94	311	2285	98	3274	98		4.48	1757	120	326	6342	166			-306	1438			
10/8/2021 17:00	0	6	94	311	2285	98	3274	98		4.62	1763	121	327	6342	166			-305	1436			
10/8/2021 18:00	0	5	94	311	2285	98	3274	98		4.64	1772	123	347	6344	166			-306	1425			
10/8/2021 19:00	0	5	92	311	2285	98	3274	98		4.92	1758	120	308	6343	166			-306	1450			
10/8/2021 20:00	0	4	91	311	2285	98	3274	98		5.30	1776	120	342	6347	166			-307	1434			
10/8/2021 21:00	0	5	91	311	2285	98	3274	98		5.37	1780	122	359	6349	166			-306	1421			
10/8/2021 22:00	0	5	91	311	2285	98	3274	98		5.21	1779	120	383	6348	166			-306	1395			
10/8/2021 23:00	0	5	91	310	2285	98	3274	98		5.33	1791	123	384	6350	166			-305	1406			
10/9/2021 0:00	0	5	91	310	2285	98	3274	98		5.56	1792	122	388	6352	166			-305	1402			
10/9/2021 1:00	0	5	90	310	2285	98	3274	98		5.44	1796	122	411	6352	166			-305	1385			
10/9/2021 2:00	0	5	90	310	2285	98	3274	98		5.30	1790	122	407	6351	166			-305	1383			
10/9/2021 3:00	0	5	90	310	2285	98	3274	98		5.23	1767	117	378	6350	166			-305	1389			
10/9/2021 4:00	0	5	90	310	2285	98	3274	98		5.13	1758	118	350	6350	166			-305	1408			
10/9/2021 5:00	0	5	89	310	2285	98	3274	98		5.36	1759	117	337	6351	166			-305	1422			
10/9/2021 6:00	0	5	88	310	2285	98	3274	98		5.20	1751	116	324	6350	166			-305	1427			
10/9/2021 7:00	0	4	87	310	2285	98	3274	98		5.41	1751	117	304	6352	166			-306	1447			
10/9/2021 8:00	0	4	87	309	2285	98	3274	98		5.34	1762	120	312	6352	166			-305	1450			
10/9/2021 9:00	0	4	88	309	2285	98	3274	98		5.14	1772	122	335	6352	166			-305	1437			
10/9/2021 10:00	0	4	87	310	2285	98	3274	98		4.99	1775	121	355	6349	166			-306	1419			
10/9/2021 11:00	0	4	88	310	2285	98	3274	98		5.09	1767	119	345	6349	166			-306	1422			
10/9/2021 12:00	0	4	89	310	2285	98	3274	98		4.57	1779	122	363	6348	166			-306	1416			
10/9/2021 13:00	0	5	91	310	2285	98	3274	98		3.19	1705	112	278	6335	167			-305	1428			
10/9/2021 14:00	0	5	92	311	2285	98	3274	98		3.56	1713	117	222	6336	168			-306	1491			
10/9/2021 15:00	0	5	94	311	2285	98	3274	98		4.63	1741	120	233	6339	167			-306	1508			
10/9/2021 16:00	0	6	95	311	2285	98	3274	98		5.14	1802	129	346	6346	167			-305	1456			
10/9/2021 17:00	0	6	96	311	2285	98	3274	98		5.41	1830	131	438	6349	166			-305	1392			
10/9/2021 18:00	0	6	95	311	2285	98	3274	98		5.54	1841	130	494	6351	166			-305	1347			
10/9/2021 19:00	0	5	94	311	2285	98	3274	98		4.87	1793	120	475	6347	166			-306	1318			
10/9/2021 20:00	0	5	92	311	2285	98	3274	98		5.05	1774	119	408	6348	166			-306	1366			
10/9/2021 21:00	0	5	92	311	2285	98	3274	98		5.37	1790	122	404	6350	166			-306	1385			
10/9/2021 22:00	0	5	93	311	2285	98	3274	98		5.29	1793	121	423	6350	166			-306	1370			
10/9/2021 23:00	0	5	93	311	2285	98	3274	98		5.37	1789	121	421	6351	166			-306	1368			
10/10/2021 0:00	0	5	93	311	2285	98	3274	98		5.56	1793	121	416	6351	166			-306	1377			
10/10/2021 1:00	0	5	93	310	2285	98	3274	98		5.02	1776	119	397	6350	166			-305	1378			
10/10/2021 2:00	0	5	92	310	2285	98	3274	98		4.92	1755	117	362	6349	166			-305	1393			
10/10/2021 3:00	0	5	92	310	2285	98	3274	98		5.20	1765	117	346	6349	166			-305	1419			
10/10/2021 4:																						

Acid Gas Injection Well Report
Zia 2

Hour	October - December 2021									October - December 2021									Differential Pressure	
	Zia AGI #1 (API# 30-025-42208)									Zia AGI D#2 (API# 30-025-42207)										
	Surface			Downhole						Notes on Deviations	Surface			Downhole			Notes on Deviations			
	Wellhead		Annular	Annular		Injection		Wellhead			Annular	Injection								
	Injection Rate AGI #1	Surface Injection Pressure AGI #1		Surface Injection Temp AGI #1	Surface Annular Pressure AGI #1	Bottomhole Annular Pressure AGI #1	Bottomhole Annular Temp AGI #1 (°F)	Bottomhole Pressure AGI #1	Bottomhole Temp AGI #1			Injection Rate AGI #D2	Surface Injection Pressure AGI #D2	Surface Injection Temperature AGI #D2	Surface Annular Pressure #D2	Bottomhole Pressure AGI #D2		Bottomhole Temperature AGI #D2		
	Average	Average	Average	Average	Average	Average	Average	Average	Average		Average	Average	Average	Average	Average	Average		Average		
10/11/2021 12:00	0	4	84	308	2285	98	3274	98		4.16	1694	114	135	6338	167	-304	1559			
10/11/2021 13:00	0	4	86	308	2285	98	3274	98		4.00	1692	113	130	6337	167	-304	1562			
10/11/2021 14:00	0	5	89	309	2285	98	3274	98		3.36	1685	114	123	6335	167	-304	1562			
10/11/2021 15:00	0	5	90	309	2285	98	3274	98		4.01	1693	114	121	6336	167	-304	1572			
10/11/2021 16:00	0	5	89	309	2285	98	3274	98		4.25	1689	114	117	6336	167	-304	1572			
10/11/2021 17:00	0	5	88	309	2285	98	3274	98		4.14	1692	113	115	6336	167	-304	1577			
10/11/2021 18:00	0	4	87	309	2285	98	3274	98		4.16	1690	113	116	6336	167	-305	1574			
10/11/2021 19:00	0	4	87	309	2285	98	3274	98		4.57	1707	116	131	6339	166	-305	1576			
10/11/2021 20:00	0	5	88	309	2285	98	3274	98		4.49	1701	114	138	6340	166	-304	1563			
10/11/2021 21:00	0	5	88	309	2285	98	3274	98		4.40	1698	114	135	6338	166	-304	1563			
10/11/2021 22:00	0	5	88	309	2285	98	3274	98		4.33	1699	115	135	6338	166	-304	1564			
10/11/2021 23:00	0	5	87	309	2285	98	3274	98		4.74	1709	115	142	6341	166	-304	1567			
10/12/2021 0:00	0	5	87	309	2285	98	3274	98		4.94	1710	113	166	6344	166	-304	1545			
10/12/2021 1:00	0	5	87	309	2285	98	3274	98		4.60	1702	114	153	6341	166	-304	1549			
10/12/2021 2:00	0	5	86	309	2285	98	3274	98		4.56	1706	114	155	6342	166	-304	1551			
10/12/2021 3:00	0	5	85	309	2285	98	3274	98		4.49	1703	114	151	6341	166	-304	1552			
10/12/2021 4:00	0	4	85	309	2285	98	3274	98		4.09	1693	113	141	6340	166	-305	1553			
10/12/2021 5:00	0	4	84	309	2285	98	3274	98		4.27	1703	115	145	6340	166	-305	1558			
10/12/2021 6:00	0	4	84	309	2285	98	3274	98		4.42	1704	115	148	6340	166	-305	1557			
10/12/2021 7:00	0	4	84	309	2285	98	3274	98		4.43	1707	117	148	6340	166	-305	1559			
10/12/2021 8:00	0	4	84	309	2285	98	3274	98		4.28	1698	114	143	6339	166	-305	1555			
10/12/2021 9:00	0	4	86	309	2285	98	3274	98		4.22	1695	114	129	6338	166	-305	1566			
10/12/2021 10:00	0	4	85	309	2285	98	3274	98		4.16	1693	114	122	6337	166	-305	1571			
10/12/2021 11:00	0	4	85	309	2285	98	3274	98		4.52	1703	114	135	6339	166	-305	1568			
10/12/2021 12:00	0	4	86	310	2285	98	3274	98		4.71	1706	115	141	6341	166	-306	1565			
10/12/2021 13:00	0	4	87	310	2285	98	3274	98		4.65	1707	114	148	6342	166	-306	1567			
10/12/2021 14:00	0	4	88	310	2285	98	3274	98		4.66	1701	113	148	6342	166	-306	1553			
10/12/2021 15:00	0	4	88	310	2285	98	3274	98		4.45	1695	113	140	6341	166	-306	1555			
10/12/2021 16:00	0	4	89	310	2285	98	3274	98		4.52	1698	113	138	6341	166	-306	1560			
10/12/2021 17:00	0	4	89	311	2285	98	3274	98		4.49	1697	114	135	6340	166	-307	1562			
10/12/2021 18:00	0	4	89	311	2285	98	3274	98		4.26	1696	114	130	6339	166	-307	1566			
10/12/2021 19:00	0	4	88	311	2285	98	3274	98		4.40	1698	114	129	6339	166	-307	1568			
10/12/2021 20:00	0	4	86	310	2285	98	3274	98		4.62	1703	115	131	6340	166	-306	1572			
10/12/2021 21:00	0	4	87	310	2285	98	3274	98		4.38	1706	116	147	6340	166	-306	1559			
10/12/2021 22:00	0	4	88	310	2285	98	3274	98		4.61	1716	117	157	6341	166	-306	1558			
10/12/2021 23:00	0	4	89	310	2285	98	3274	98		4.73	1710	115	157	6342	166	-306	1553			
10/13/2021 0:00	0	4	89	310	2285	98	3274	98		4.80	1711	114	161	6343	166	-306	1550			
10/13/2021 1:00	0	4	88	310	2285	98	3274	98		4.74	1710	114	163	6343	166	-306	1547			
10/13/2021 2:00	0	4	88	310	2285	98	3274	98		4.52	1706	114	166	6343	166	-306	1540			
10/13/2021 3:00	0	4	86	310	2285	98	3274	98		4.61	1708	114	160	6342	166	-306	1547			
10/13/2021 4:00	0	4	85	309	2285	98	3274	98		4.35	1703	115	152	6340	166	-305	1551			
10/13/2021 5:00	0	4	84	309	2285	98	3274	98		4.45	1697	113	137	6339	166	-305	1559			
10/13/2021 6:00	0	4	83	309	2285	98	3274	98		4.48	1691	114	123	6338	166	-305	1569			
10/13/2021 7:00	0	4	82	309	2285	98	3274	98		4.51	1709	115	142	6340	166	-305	1567			
10/13/2021 8:00	0	3	82	309	2285	98	3274	98		4.71	1711	116	149	6341	166	-305	1562			
10/13/2021 9:00	0	4	83	308	2285	98	3274	98		4.57	1700	111	154	6341	166	-304	1546			
10/13/2021 10:00	0	4	84	308	2285	98	3274	98		4.54	1706	115	145	6341	166	-304	1561			
10/13/2021 11:00	0	4	86	309	2285	98	3274	98		4.40	1701	114	143	6340	166	-305	1558			
10/13/2021 12:00	0	4	89	309	2285	98	3274	98		4.62	1706	115	145	6341	166	-305	1561			
10/13/2021 13:00	0	5	90	309	2285	98	3274	98		4.31	1700	114	145	6340	166	-304	1556			
10/13/2021 14:00	0	6	92	309	2285	98	3274	98		4.60	1704	114	147	6341	166	-303	1557			
10/13/2021 15:00	0	6	93	310	2285	98	3274	98		4.17	1691	112	139	6339	166	-304	1552			
10/13/2021 16:00	0	6	94	310	2285	98	3274	98		4.37	1703	114	145	6340	166	-304	1559			
10/13/2021 17:00	0	6	95	310	2285	98	3274	98		4.12	1693	113	138	6338	166	-304	1555			
10/13/2021 18:00	0	6	95	310	2285	98	3274	98		4.22	1694	116	129	6337	166	-304	1564			
10/13/2021 19:00	0	6	94	310	2285	98	3274	98		4.37	1698	114	130	6338	166	-304	156			

Acid Gas Injection Well Report
Zia 2

Hour	October - December 2021									October - December 2021									Differential Pressure	
	Zia AGI #1 (API# 30-025-42208)									Zia AGI D#2 (API# 30-025-42207)										
	Surface			Downhole						Notes on Deviations	Surface			Downhole			Notes on Deviations			
	Wellhead		Annular	Annular		Injection		Wellhead			Annular	Injection								
	Injection Rate AGI #1	Surface Injection Pressure AGI #1		Bottomhole Annular Pressure AGI #1	Bottomhole Annular Temp AGI #1 (°F)	Bottomhole Pressure AGI #1	Bottomhole Temp AGI #1	Injection Rate AGI #D2	Surface Injection Pressure AGI #D2			Surface Injection Temperature AGI #D2	Surface Annular Pressure D#2	Bottomhole Pressure AGI #D2	Bottomhole Temperature AGI #D2					
	Average	Average		Average	Average	Average	Average	Average	Average			Average	Average	Average	Average					
	10/15/2021 1:00	0		4	86	308	2285	98	3274			98	4.34	1699	115	101		6335	167	-304
10/15/2021 2:00	0	4	84	308	2285	98	3274	98	4.50	1697	114	112	6337	166	-304	1585				
10/15/2021 3:00	0	4	83	308	2285	98	3274	98	4.52	1698	114	119	6338	166	-304	1579				
10/15/2021 4:00	0	4	82	308	2285	98	3274	98	4.50	1699	115	119	6338	168	-304	1580				
10/15/2021 5:00	0	4	81	307	2285	98	3274	98	4.53	1703	115	137	6339	166	-303	1566				
10/15/2021 6:00	0	3	81	307	2285	98	3274	98	4.51	1701	114	134	6338	166	-304	1567				
10/15/2021 7:00	0	3	80	307	2285	98	3274	98	4.48	1698	114	132	6339	166	-304	1566				
10/15/2021 8:00	0	3	80	307	2285	98	3274	98	4.49	1701	115	135	6339	166	-304	1566				
10/15/2021 9:00	0	3	79	307	2285	98	3274	98	0.00	1630	111	89	6321	167	-304	1541				
10/15/2021 10:00	0	3	79	307	2285	98	3274	98	3.63	1666	124	24	6326	168	-304	1642				
10/15/2021 11:00	0	4	80	308	2285	98	3274	98	3.11	1664	112	79	6327	168	-304	1585				
10/15/2021 12:00	0	4	82	308	2285	98	3274	98	4.32	1691	117	64	6335	167	-304	1627				
10/15/2021 13:00	0	4	84	308	2285	98	3274	98	4.32	1703	116	116	6335	167	-304	1587				
10/15/2021 14:00	0	4	86	308	2285	98	3274	98	4.01	1696	115	110	6334	166	-304	1586				
10/15/2021 15:00	0	5	88	308	2285	98	3274	98	4.24	1696	116	110	6335	166	-303	1586				
10/15/2021 16:00	0	5	90	308	2285	98	3274	98	4.24	1699	116	118	6335	166	-303	1581				
10/15/2021 17:00	0	6	90	308	2285	98	3274	98	4.48	1702	115	126	6337	166	-303	1576				
10/15/2021 18:00	0	6	90	308	2285	98	3274	98	4.53	1707	115	141	6338	166	-303	1566				
10/15/2021 19:00	0	5	89	308	2285	98	3274	98	4.47	1699	113	139	6339	166	-303	1559				
10/15/2021 20:00	0	5	87	309	2285	98	3274	98	4.45	1680	110	105	6337	166	-304	1575				
10/15/2021 21:00	0	4	85	308	2285	98	3274	98	3.46	1683	115	96	6335	166	-304	1587				
10/15/2021 22:00	0	4	84	308	2285	98	3274	98	4.05	1687	115	100	6335	166	-304	1588				
10/15/2021 23:00	0	4	82	308	2285	98	3274	98	4.53	1697	114	106	6335	166	-304	1591				
10/16/2021 0:00	0	4	81	307	2285	98	3274	98	4.55	1702	116	108	6336	166	-304	1594				
10/16/2021 1:00	0	3	79	307	2285	98	3274	98	4.65	1695	115	110	6336	166	-304	1584				
10/16/2021 2:00	0	3	78	306	2285	98	3274	98	4.57	1699	115	114	6336	166	-303	1585				
10/16/2021 3:00	0	3	76	306	2285	98	3274	98	4.69	1697	115	113	6336	166	-303	1584				
10/16/2021 4:00	0	3	75	306	2285	98	3274	98	5.00	1704	114	113	6337	166	-303	1591				
10/16/2021 5:00	0	2	74	306	2285	98	3274	98	3.79	1687	115	107	6334	166	-304	1580				
10/16/2021 6:00	0	2	73	306	2285	98	3274	98	4.60	1713	118	113	6337	166	-304	1600				
10/16/2021 7:00	0	2	73	306	2285	98	3274	98	4.68	1705	114	135	6339	166	-304	1570				
10/16/2021 8:00	0	2	73	306	2285	98	3274	98	4.38	1700	115	131	6339	166	-304	1569				
10/16/2021 9:00	0	2	74	305	2285	98	3274	98	4.44	1700	114	141	6336	166	-303	1559				
10/16/2021 10:00	0	3	75	306	2285	98	3274	98	4.31	1700	114	132	6336	166	-303	1568				
10/16/2021 11:00	0	3	77	306	2285	98	3274	98	4.50	1706	113	128	6337	166	-303	1577				
10/16/2021 12:00	0	3	79	306	2285	98	3274	98	4.50	1698	113	123	6337	166	-303	1575				
10/16/2021 13:00	0	4	82	306	2285	98	3274	98	3.86	1693	113	123	6336	166	-302	1570				
10/16/2021 14:00	0	4	84	307	2285	98	3274	98	4.24	1693	115	119	6335	166	-303	1574				
10/16/2021 15:00	0	4	86	308	2285	98	3274	98	4.32	1703	116	130	6335	166	-303	1573				
10/16/2021 16:00	0	5	87	308	2285	98	3274	98	3.58	1687	114	116	6334	166	-303	1570				
10/16/2021 17:00	0	5	87	308	2285	98	3274	98	4.22	1696	114	111	6335	166	-303	1586				
10/16/2021 18:00	0	5	87	308	2285	98	3274	98	4.36	1683	113	95	6333	167	-303	1588				
10/16/2021 19:00	0	5	87	308	2285	98	3274	98	3.53	1688	115	102	6334	167	-303	1586				
10/16/2021 20:00	0	5	86	308	2285	98	3274	98	3.88	1700	116	118	6336	166	-303	1582				
10/16/2021 21:00	0	4	85	308	2285	98	3274	98	4.20	1703	115	136	6336	166	-304	1567				
10/16/2021 22:00	0	4	84	307	2285	98	3274	98	4.52	1689	112	120	6336	166	-303	1569				
10/16/2021 23:00	0	4	82	307	2285	98	3274	98	3.94	1687	114	109	6335	166	-303	1578				
10/17/2021 0:00	0	4	81	307	2285	98	3274	98	4.54	1691	114	109	6336	166	-303	1582				
10/17/2021 1:00	0	3	80	306	2285	98	3274	98	4.03	1684	114	102	6335	166	-303	1582				
10/17/2021 2:00	0	3	79	306	2285	98	3274	98	4.16	1689	114	103	6336	166	-303	1585				
10/17/2021 3:00	0	3	79	306	2285	98	3274	98	4.23	1690	115	101	6335	166	-303	1589				
10/17/2021 4:00	0	3	78	306	2285	98	3274	98	4.19	1693	115	112	6335	166	-303	1582				
10/17/2021 5:00	0	3	78	306	2285	98	3274	98	3.85	1687	114	108	6335	166	-303	1579				
10/17/2021 6:00	0	3	78	306	2285	98	3274	98	3.92	1681	112	97	6335	166	-303	1584				
10/17/2021 7:00	0	3	77	306	2285	98	3274	98	3.89	1687	114	101	6335	166	-303	1585				
10/17/2021 8:00	0	3	77	306	2285	98	3274	98	4.10	1692	116	104	6335	166	-303	1588				
10/17/2021 9:00	0	3	77	306	2285	98	3274	98	3.63	1682	113	102	6335	166	-303	1580				
10/17/2021 10:00	0	3	78	306	2285	98	3274	98	4.06	1692	116	104	6335	166	-303	1588				
10/17/2021 11:00	0	3	80	306	22															

Acid Gas Injection Well Report
Zia 2

Hour	October - December 2021									October - December 2021									Differential Pressure	
	Zia AGI #1 (API# 30-025-42208)									Zia AGI D#2 (API# 30-025-42207)										
	Surface				Downhole					Notes on Deviations	Surface			Downhole			Notes on Deviations			
	Wellhead		Annular	Annular		Injection			Wellhead		Annular	Injection								
	Injection Rate AGI #1	Surface Injection Pressure AGI #1		Surface Injection Temp AGI #1	Surface Annular Pressure AGI #1	Bottomhole Annular Pressure AGI #1	Bottomhole Annular Temp AGI #1 (°F)	Bottomhole Pressure AGI #1	Bottomhole Temp AGI #1			Injection Rate AGI #D2	Surface Injection Pressure AGI #D2	Surface Injection Temperature AGI #D2	Surface Annular Pressure #D2	Bottomhole Pressure AGI #D2		Bottomhole Temperature AGI #D2		
	Average	Average	Average	Average	Average	Average	Average	Average	Average		Average	Average	Average	Average	Average	Average		Average		
10/18/2021 14:00	0	5	90	308	2285	98	3274	98		4.59	1704	114	151	6339	166		-303	1553		
10/18/2021 15:00	0	6	91	308	2285	98	3274	98		4.17	1695	113	152	6338	166		-302	1543		
10/18/2021 16:00	0	6	92	308	2285	98	3274	98		4.32	1703	116	144	6337	166		-302	1560		
10/18/2021 17:00	0	6	91	309	2285	98	3274	98		4.27	1705	116	148	6337	166		-303	1557		
10/18/2021 18:00	0	5	89	308	2285	98	3274	98		4.60	1717	116	164	6338	166		-303	1553		
10/18/2021 19:00	0	5	89	309	2285	98	3274	98		4.73	1726	118	187	6341	166		-304	1539		
10/18/2021 20:00	0	5	89	309	2285	98	3274	98		4.61	1714	115	185	6341	166		-304	1529		
10/18/2021 21:00	0	5	88	309	2285	98	3274	98		4.65	1709	112	183	6340	166		-304	1526		
10/18/2021 22:00	0	5	87	309	2285	98	3274	98		4.56	1710	115	173	6341	166		-304	1537		
10/18/2021 23:00	0	5	86	308	2285	98	3274	98		4.86	1706	114	154	6341	166		-303	1552		
10/19/2021 0:00	0	5	86	308	2285	98	3274	98		4.68	1709	115	164	6342	166		-303	1545		
10/19/2021 1:00	0	5	86	308	2285	98	3274	98		4.64	1702	114	158	6342	166		-303	1544		
10/19/2021 2:00	0	4	85	308	2285	98	3274	98		4.58	1703	114	149	6341	166		-304	1555		
10/19/2021 3:00	0	4	84	308	2285	98	3274	98		4.67	1702	114	153	6341	166		-304	1549		
10/19/2021 4:00	0	4	84	308	2285	98	3274	98		4.61	1689	111	138	6339	166		-304	1551		
10/19/2021 5:00	0	4	84	308	2285	98	3274	98		4.59	1706	116	142	6340	166		-304	1564		
10/19/2021 6:00	0	4	83	308	2285	98	3274	98		4.62	1706	116	139	6341	166		-304	1567		
10/19/2021 7:00	0	4	82	307	2285	98	3274	98		4.78	1713	118	158	6342	166		-303	1565		
10/19/2021 8:00	0	4	82	307	2285	98	3274	98		4.41	1708	115	161	6341	166		-303	1547		
10/19/2021 9:00	0	4	83	307	2285	98	3274	98		4.76	1716	117	166	6342	166		-303	1550		
10/19/2021 10:00	0	4	85	308	2285	98	3274	98		4.59	1713	116	175	6342	166		-304	1538		
10/19/2021 11:00	0	4	88	308	2285	98	3274	98		4.66	1703	114	160	6341	166		-304	1543		
10/19/2021 12:00	0	5	91	308	2285	98	3274	98		4.44	1710	116	167	6341	166		-303	1543		
10/19/2021 13:00	0	6	93	308	2285	98	3274	98		4.47	1702	114	156	6340	166		-303	1546		
10/19/2021 14:00	0	6	95	309	2285	98	3274	98		4.56	1708	115	157	6340	166		-303	1551		
10/19/2021 15:00	0	6	94	309	2285	98	3274	98		4.45	1706	115	161	6340	166		-303	1545		
10/19/2021 16:00	0	6	93	309	2285	98	3274	98		4.56	1707	115	160	6341	166		-303	1547		
10/19/2021 17:00	0	6	92	309	2285	98	3274	98		4.52	1701	114	155	6340	166		-303	1546		
10/19/2021 18:00	0	5	90	309	2285	98	3274	98		4.68	1704	114	156	6341	166		-304	1548		
10/19/2021 19:00	0	5	90	309	2285	98	3274	98		4.80	1717	116	173	6343	166		-304	1544		
10/19/2021 20:00	0	5	90	309	2285	98	3274	98		4.88	1718	116	181	6344	165		-304	1537		
10/19/2021 21:00	0	5	90	309	2285	98	3274	98		4.78	1713	115	177	6343	166		-304	1536		
10/19/2021 22:00	0	5	91	309	2285	98	3274	98		4.73	1712	115	175	6343	166		-304	1537		
10/19/2021 23:00	0	5	90	309	2285	98	3274	98		4.96	1721	118	181	6344	166		-304	1539		
10/20/2021 0:00	0	5	90	309	2285	98	3274	98		4.95	1720	116	187	6345	165		-304	1533		
10/20/2021 1:00	0	5	89	309	2285	98	3274	98		4.91	1713	114	180	6345	165		-304	1533		
10/20/2021 2:00	0	4	88	308	2285	98	3274	98		4.87	1722	117	184	6345	165		-304	1538		
10/20/2021 3:00	0	4	87	308	2285	98	3274	98		4.46	1698	112	163	6342	166		-304	1535		
10/20/2021 4:00	0	4	86	308	2285	98	3274	98		3.93	1692	114	144	6340	166		-304	1548		
10/20/2021 5:00	0	4	84	308	2285	98	3274	98		3.88	1698	116	135	6339	166		-304	1563		
10/20/2021 6:00	0	4	83	308	2285	98	3274	98		3.71	1684	114	115	6338	166		-304	1569		
10/20/2021 7:00	0	3	82	307	2285	98	3274	98		3.68	1689	115	116	6338	166		-304	1573		
10/20/2021 8:00	0	3	81	307	2285	98	3274	98		3.91	1692	116	117	6337	166		-304	1576		
10/20/2021 9:00	0	4	82	307	2285	98	3274	98		3.54	1694	117	122	6334	167		-303	1572		
10/20/2021 10:00	0	4	84	307	2285	98	3274	98		3.37	1692	118	112	6333	167		-303	1580		
10/20/2021 11:00	0	4	88	308	2285	98	3274	98		4.22	1700	117	113	6333	167		-304	1587		
10/20/2021 12:00	0	5	91	308	2285	98	3274	98		4.00	1684	114	104	6332	167		-303	1581		
10/20/2021 13:00	0	6	96	308	2285	98	3274	98		3.26	1683	115	92	6331	167		-302	1590		
10/20/2021 14:00	0	6	97	308	2285	98	3274	98		-0.01	1631	112	54	6318	168		-302	1577		
10/20/2021 15:00	0	6	97	309	2285	98	3274	98		4.12	1714	121	91	6330	168		-303	1622		
10/20/2021 16:00	0	6	97	309	2285	98	3274	98		4.16	1692	115	99	6333	167		-303	1593		
10/20/2021 17:00	0	6	96	309	2285	98	3274	98		3.37	1680	114	95	6333	167		-303	1585		
10/20/2021 18:00	0	6	94	309	2285	98	3274	98		4.73	1702	114	117	6338	166		-303	1585		
10/20/2021 19:00	0	6	93	309	2285	98	3274	98		4.57	1711	116	139	6335	166		-303	1572		
10/20/2021 20:00	0	6	93	309	2285	98	3274													

Acid Gas Injection Well Report
Zia 2

Hour	October - December 2021									October - December 2021									Differential Pressure	
	Zia AGI #1 (API# 30-025-42208)									Zia AGI D#2 (API# 30-025-42207)										
	Surface			Downhole						Notes on Deviations	Surface			Downhole			Notes on Deviations			
	Wellhead		Annular	Annular		Injection		Wellhead			Annular	Injection								
	Injection Rate AGI #1	Surface Injection Pressure AGI #1		Surface Injection Temp AGI #1	Surface Annular Pressure AGI #1	Bottomhole Annular Pressure AGI #1	Bottomhole Annular Temp AGI #1 (°F)	Bottomhole Pressure AGI #1	Bottomhole Temp AGI #1			Injection Rate AGI #D2	Surface Injection Pressure AGI #D2	Surface Injection Temperature AGI #D2	Surface Annular Pressure #D2	Bottomhole Pressure AGI #D2		Bottomhole Temperature AGI #D2		
	Average	Average	Average	Average	Average	Average	Average	Average	Average		Average	Average	Average	Average	Average	Average		Average		
	10/22/2021 3:00	0	5	88	309	2285	98	3274	98		4.85	1708	116	145	6342	165	-304	1562		
10/22/2021 4:00	0	4	87	308	2285	98	3274	98		4.85	1705	114	148	6342	165	-304	1567			
10/22/2021 5:00	0	4	86	308	2285	98	3274	98		4.81	1707	115	152	6342	165	-304	1555			
10/22/2021 6:00	0	4	86	308	2285	98	3274	98		4.76	1709	115	155	6343	165	-304	1554			
10/22/2021 7:00	0	4	86	308	2285	98	3274	98		4.86	1707	115	155	6343	165	-304	1552			
10/22/2021 8:00	0	4	85	308	2285	98	3274	98		4.84	1704	114	152	6343	165	-304	1552			
10/22/2021 9:00	0	4	85	308	2285	98	3274	98		4.72	1705	114	155	6343	165	-304	1550			
10/22/2021 10:00	0	4	86	308	2285	98	3274	98		4.73	1707	114	153	6343	166	-304	1553			
10/22/2021 11:00	0	5	89	308	2285	98	3274	98		4.62	1705	114	155	6342	166	-303	1549			
10/22/2021 12:00	0	6	91	309	2285	98	3274	98		4.69	1706	115	156	6343	166	-303	1550			
10/22/2021 13:00	0	6	94	309	2285	98	3274	98		4.62	1704	115	153	6341	166	-303	1551			
10/22/2021 14:00	0	7	96	309	2285	98	3274	98		4.58	1703	114	152	6342	166	-302	1551			
10/22/2021 15:00	0	6	96	309	2285	98	3274	98		4.53	1699	115	147	6341	166	-303	1552			
10/22/2021 16:00	0	6	96	309	2285	98	3274	98		4.60	1698	114	145	6342	166	-303	1553			
10/22/2021 17:00	0	6	95	309	2285	98	3274	98		4.78	1704	114	148	6343	166	-303	1556			
10/22/2021 18:00	0	6	93	309	2285	98	3274	98		4.84	1704	114	151	6344	165	-303	1553			
10/22/2021 19:00	0	6	92	309	2285	98	3274	98		4.95	1710	115	157	6345	165	-303	1553			
10/22/2021 20:00	0	5	92	309	2285	98	3274	98		5.13	1714	114	168	6346	165	-304	1548			
10/22/2021 21:00	0	5	92	309	2285	98	3274	98		4.60	1705	114	161	6344	165	-304	1544			
10/22/2021 22:00	0	5	91	309	2285	98	3274	98		4.78	1707	115	159	6344	166	-304	1548			
10/22/2021 23:00	0	6	91	309	2285	98	3274	98		4.72	1706	115	160	6344	166	-303	1546			
10/23/2021 0:00	0	6	90	309	2285	98	3274	98		4.74	1707	114	157	6344	166	-303	1550			
10/23/2021 1:00	0	5	89	309	2285	98	3274	98		4.76	1708	115	160	6344	165	-304	1548			
10/23/2021 2:00	0	5	89	309	2285	98	3274	98		4.72	1711	116	162	6344	166	-304	1549			
10/23/2021 3:00	0	5	89	309	2285	98	3274	98		4.70	1706	115	160	6344	166	-304	1546			
10/23/2021 4:00	0	5	89	309	2285	98	3274	98		4.72	1707	115	157	6344	166	-304	1550			
10/23/2021 5:00	0	5	89	309	2285	98	3274	98		4.66	1705	114	160	6343	166	-304	1545			
10/23/2021 6:00	0	5	88	309	2285	98	3274	98		4.69	1705	114	155	6343	166	-304	1550			
10/23/2021 7:00	0	5	87	309	2285	98	3274	98		4.58	1701	115	149	6343	166	-304	1552			
10/23/2021 8:00	0	5	87	309	2285	98	3274	98		4.61	1706	116	152	6343	166	-304	1554			
10/23/2021 9:00	0	5	88	309	2285	98	3274	98		4.58	1700	113	152	6343	166	-304	1548			
10/23/2021 10:00	0	5	89	309	2285	98	3274	98		4.60	1700	114	148	6343	166	-304	1552			
10/23/2021 11:00	0	6	91	309	2285	98	3274	98		4.40	1699	115	147	6341	166	-303	1552			
10/23/2021 12:00	0	6	94	309	2285	98	3274	98		4.45	1699	115	142	6341	166	-303	1557			
10/23/2021 13:00	0	6	95	309	2285	98	3274	98		4.34	1695	115	136	6340	166	-303	1560			
10/23/2021 14:00	0	6	95	310	2285	98	3274	98		4.33	1696	114	135	6340	166	-304	1561			
10/23/2021 15:00	0	6	95	310	2285	98	3274	98		4.21	1688	114	122	6339	166	-304	1566			
10/23/2021 16:00	0	6	95	310	2285	98	3274	98		4.24	1689	114	117	6338	166	-304	1572			
10/23/2021 17:00	0	6	94	310	2285	98	3274	98		4.22	1691	115	116	6338	166	-304	1576			
10/23/2021 18:00	0	6	92	310	2285	98	3274	98		4.29	1690	114	116	6338	166	-304	1574			
10/23/2021 19:00	0	5	92	310	2285	98	3274	98		4.42	1693	115	115	6338	166	-305	1578			
10/23/2021 20:00	0	5	92	310	2285	98	3274	98		4.43	1699	116	123	6336	166	-305	1576			
10/23/2021 21:00	0	5	91	310	2285	98	3274	98		3.70	1691	116	122	6337	166	-305	1569			
10/23/2021 22:00	0	5	91	309	2285	98	3274	98		4.42	1692	115	118	6337	166	-304	1574			
10/23/2021 23:00	0	5	90	309	2285	98	3274	98		4.40	1697	115	122	6337	166	-304	1575			
10/24/2021 0:00	0	5	90	309	2285	98	3274	98		4.23	1694	115	125	6337	166	-304	1569			
10/24/2021 1:00	0	5	89	309	2285	98	3274	98		4.53	1706	116	138	6339	166	-304	1568			
10/24/2021 2:00	0	5	89	309	2285	98	3274	98		4.55	1702	115	142	6340	166	-304	1560			
10/24/2021 3:00	0	5	88	309	2285	98	3274	98		4.63	1705	115	147	6341	166	-304	1558			
10/24/2021 4:00	0	5	88	309	2285	98	3274	98		4.61	1704	115	145	6341	166	-304	1559			
10/24/2021 5:00	0	5	88	309	2285	98	3274	98		4.56	1706	115	153	6341	166	-304	1553			
10/24/2021 6:00	0	4	87	308	2285	98	3274	98		4.36	1703	116	147	6340	166	-304	1566			
10/24/2021 7:00	0	4	87	308	2285	98	3274	98		3.54	1685	112	135	6340	166	-304	1550			
10/24/2021 8:00	0	4	86	308	2285	98	3274	98		4.18	1701	116	137	6339	166	-304	1565			
10/24/2021 9:00	0	4	87	308	2285	98	3274	98		4.39	1694	114	131	6339	166	-304	1563			
10/24/2021 10:00	0	5	89	308	2285	98	3274	98		4.19	1695	115	125	6339	166	-303	1570			
10/24/2021 11:00	0	6	92	308	2285	98	3274	98</												

Acid Gas Injection Well Report
Zia 2

Hour	October - December 2021									October - December 2021									Differential Pressure	
	Zia AGI #1 (API# 30-025-42208)									Zia AGI D#2 (API# 30-025-42207)										
	Surface			Downhole						Notes on Deviations	Surface			Downhole			Notes on Deviations			
	Wellhead		Surface Injection Temp AGI #1	Annular		Injection		Wellhead			Surface Injection Temperature AGI #D2	Annular		Injection						
	Injection Rate AGI #1	Surface Injection Pressure AGI #1		Bottomhole Annular Pressure AGI #1	Bottomhole Annular Temp AGI #1 ("F)	Bottomhole Pressure AGI #1	Bottomhole Temp AGI #1	Injection Rate AGI #D2	Surface Injection Pressure AGI #D2			Surface Annular Pressure #D2	Bottomhole Pressure AGI #D2	Bottomhole Temperature AGI #D2						
	Average	Average		Average	Average	Average	Average	Average	Average			Average	Average	Average	Average	Average				
10/25/2021 16:00	0	6	94	309	2285	98	3274	98		4.17	1685	115	92	6335	166		-303	1593		
10/25/2021 17:00	0	6	94	309	2285	98	3274	98		4.62	1701	115	119	6339	166		-303	1592		
10/25/2021 18:00	0	5	93	310	2285	98	3274	98		4.63	1693	113	121	6340	166		-305	1591		
10/25/2021 19:00	0	5	91	310	2285	98	3274	98		4.66	1699	116	119	6341	165		-305	1585		
10/25/2021 20:00	0	5	91	309	2285	98	3274	98		4.49	1701	115	139	6341	166		-304	1562		
10/25/2021 21:00	0	5	91	309	2285	98	3274	98		4.60	1700	114	141	6341	166		-304	1559		
10/25/2021 22:00	0	5	91	309	2285	98	3274	98		4.57	1700	115	139	6341	166		-304	1561		
10/25/2021 23:00	0	5	91	309	2285	98	3274	98		4.54	1698	114	135	6341	166		-304	1563		
10/26/2021 0:00	0	5	91	309	2285	98	3274	98		4.59	1700	114	135	6341	166		-304	1565		
10/26/2021 1:00	0	5	91	309	2285	98	3274	98		4.70	1705	115	144	6342	166		-304	1561		
10/26/2021 2:00	0	5	90	309	2285	98	3274	98		4.70	1705	115	144	6342	166		-304	1561		
10/26/2021 3:00	0	5	90	309	2285	98	3274	98		4.66	1702	116	141	6342	166		-304	1561		
10/26/2021 4:00	0	5	90	309	2285	98	3274	98		4.47	1700	114	142	6341	166		-304	1558		
10/26/2021 5:00	0	5	89	309	2285	98	3274	98		4.41	1696	113	141	6341	166		-304	1555		
10/26/2021 6:00	0	5	88	308	2285	98	3274	98		4.55	1703	116	134	6341	166		-303	1569		
10/26/2021 7:00	0	5	87	308	2285	98	3274	98		4.73	1706	116	138	6342	166		-303	1568		
10/26/2021 8:00	0	5	86	309	2285	98	3274	98		4.68	1705	115	147	6343	166		-304	1558		
10/26/2021 9:00	0	5	88	308	2285	98	3274	98		4.31	1693	114	142	6340	166		-304	1561		
10/26/2021 10:00	0	5	89	308	2285	98	3274	98		3.52	1687	115	123	6338	166		-303	1564		
10/26/2021 11:00	0	6	92	309	2285	98	3274	98		4.34	1693	115	125	6338	166		-303	1568		
10/26/2021 12:00	0	6	95	309	2285	98	3274	98		4.40	1701	115	131	6339	166		-303	1570		
10/26/2021 13:00	0	6	95	309	2285	98	3274	98		4.13	1687	113	118	6338	166		-303	1569		
10/26/2021 14:00	0	6	94	310	2285	98	3274	98		4.24	1692	115	113	6337	166		-304	1579		
10/26/2021 15:00	0	6	93	310	2285	98	3274	98		4.23	1689	114	117	6338	166		-304	1572		
10/26/2021 16:00	0	5	92	310	2285	98	3274	98		4.26	1688	116	117	6338	166		-305	1571		
10/26/2021 17:00	0	5	90	310	2285	98	3274	98		4.39	1690	114	108	6338	166		-305	1581		
10/26/2021 18:00	0	5	89	310	2285	98	3274	98		4.32	1694	115	114	6338	166		-305	1580		
10/26/2021 19:00	0	5	89	310	2285	98	3274	98		4.44	1691	115	110	6337	166		-305	1581		
10/26/2021 20:00	0	5	89	309	2285	98	3274	98		4.48	1697	115	117	6338	166		-304	1580		
10/26/2021 21:00	0	5	88	309	2285	98	3274	98		4.36	1690	114	109	6337	166		-304	1581		
10/26/2021 22:00	0	5	87	309	2285	98	3274	98		4.54	1695	115	109	6337	166		-304	1586		
10/26/2021 23:00	0	4	86	309	2285	98	3274	98		3.61	1680	113	99	6335	166		-305	1581		
10/27/2021 0:00	0	4	85	309	2285	98	3274	98		3.60	1693	116	103	6335	166		-305	1590		
10/27/2021 1:00	0	4	85	308	2285	98	3274	98		3.74	1699	115	91	6335	166		-304	1598		
10/27/2021 2:00	0	4	83	308	2285	98	3274	98		3.66	1679	114	86	6335	167		-304	1593		
10/27/2021 3:00	0	4	82	308	2285	98	3274	98		4.69	1688	113	87	6334	167		-304	1600		
10/27/2021 4:00	0	4	81	308	2285	98	3274	98		3.70	1681	115	88	6334	167		-304	1594		
10/27/2021 5:00	0	3	79	307	2285	98	3274	98		3.73	1682	114	80	6334	167		-304	1602		
10/27/2021 6:00	0	3	78	308	2285	98	3274	98		3.89	1685	115	87	6334	167		-305	1598		
10/27/2021 7:00	0	3	76	307	2285	98	3274	98		4.04	1680	113	85	6334	167		-304	1595		
10/27/2021 8:00	0	2	75	306	2285	98	3274	98		3.69	1677	115	76	6333	167		-304	1601		
10/27/2021 9:00	0	2	75	306	2285	98	3274	98		3.71	1680	114	82	6334	167		-304	1598		
10/27/2021 10:00	0	3	76	306	2285	98	3274	98		3.72	1682	116	82	6334	167		-303	1599		
10/27/2021 11:00	0	3	78	306	2285	98	3274	98		4.84	1704	116	96	6337	166		-303	1608		
10/27/2021 12:00	0	3	80	307	2285	98	3274	98		4.11	1688	115	110	6338	166		-304	1578		
10/27/2021 13:00	0	4	82	307	2285	98	3274	98		3.38	1679	113	112	6336	166		-303	1567		
10/27/2021 14:00	0	4	84	308	2285	98	3274	98		4.57	1701	116	117	6339	166		-304	1584		
10/27/2021 15:00	0	4	85	308	2285	98	3274	98		4.82	1704	115	128	6341	166		-304	1576		
10/27/2021 16:00	0	4	86	308	2285	98	3274	98		5.49	1717	121	121	6341	166		-304	1595		
10/27/2021 17:00	0	5	86	308	2285	98	3274	98		4.45	1716	116	178	6340	166		-303	1538		
10/27/2021 18:00	0	5	86	308	2285	98	3274	98		4.00	1710	117	162	6336	166		-303	1548		
10/27/2021 19:00	0	4	86	308	2285	98	3274	98		4.72	1704	115	148	6337	166		-304	1556		
10/27/2021 20:00	0	4	85	306	2285	98	3274	98		4.05	1688	114	122	6336	166		-304	1566		
10/27/2021 21:00	0	4	84	308	2285	98	3274	98		4.05	1690	115	118	6335	166		-304	1572		
10/27/2021 22:00	0	4	83	307	2285	98	3274	98		3.99	1685	113	106	6335						

Acid Gas Injection Well Report
Zia 2

Hour	October - December 2021									October - December 2021									
	Zia AGI #1 (API# 30-025-42208)									Zia AGI D#2 (API# 30-025-42207)									
	Surface			Downhole					Notes on Deviations	Surface			Downhole			Notes on Deviations	Differential Pressure		
	Wellhead		Surface Injection Pressure AGI #1	Surface Injection Temp AGI #1	Annular Surface Annular Pressure AGI #1	Bottomhole Annular Pressure AGI #1	Bottomhole Annular Temp AGI #1 ("F)	Injection Bottomhole Pressure AGI #1	Bottomhole Temp AGI #1		Wellhead		Surface Injection Temperature AGI #D2	Annular Surface Annular Pressure #D2	Injection Bottomhole Pressure AGI #D2	Bottomhole Temperature AGI #D2		Surface vs Annular	
	Injection Rate AGI #1	Surface Injection Pressure AGI #1									Injection Rate AGI #D2	Surface Injection Pressure AGI #D2				Differential Pressure AGI #1	Differential Pressure AGI #D2		
	Average	Average	Average	Average	Average	Average	Average	Average	Average	Average	Average	Average	Average	Average	Average	Average	Average		
10/29/2021 5:00	0	3	76	305	2285	98	3274	98		4.57	1767	125	274	6337	166		-302	1494	
10/29/2021 6:00	0	3	75	305	2285	98	3274	98		4.56	1747	119	281	6337	166		-302	1466	
10/29/2021 7:00	0	2	74	304	2285	98	3274	98		4.22	1740	119	298	6337	166		-302	1481	
10/29/2021 8:00	0	2	74	304	2285	98	3274	98		4.13	1736	120	251	6336	166		-302	1485	
10/29/2021 9:00	0	2	75	304	2285	98	3274	98		3.87	1729	120	240	6335	166		-302	1489	
10/29/2021 10:00	0	3	77	304	2285	98	3274	98		3.90	1725	119	225	6334	166		-301	1500	
10/29/2021 11:00	0	3	80	305	2285	98	3274	98		3.80	1725	119	218	6334	166		-302	1507	
10/29/2021 12:00	0	4	83	306	2285	98	3274	98		4.30	1728	119	218	6334	167		-302	1510	
10/29/2021 13:00	0	4	86	306	2285	98	3274	98		4.16	1700	113	162	6330	167		-302	1518	
10/29/2021 14:00	0	4	88	306	2285	98	3274	98		4.31	1704	116	162	6334	167		-302	1547	
10/29/2021 15:00	0	5	90	306	2285	98	3274	98		4.57	1708	115	170	6338	166		-301	1538	
10/29/2021 16:00	0	6	92	306	2285	98	3274	98		4.69	1707	114	174	6340	166		-300	1533	
10/29/2021 17:00	0	6	92	306	2285	98	3274	98		4.88	1709	114	175	6341	166		-301	1534	
10/29/2021 18:00	0	6	92	307	2285	98	3274	98		4.89	1710	115	181	6343	165		-301	1528	
10/29/2021 19:00	0	6	92	307	2285	98	3274	98		4.98	1714	114	184	6344	165		-301	1530	
10/29/2021 20:00	0	6	92	307	2285	98	3274	98		4.84	1711	114	183	6344	165		-301	1527	
10/29/2021 21:00	0	5	91	306	2285	98	3274	98		5.00	1717	115	187	6345	165		-301	1530	
10/29/2021 22:00	0	5	89	306	2285	98	3274	98		5.02	1713	114	182	6345	165		-301	1531	
10/29/2021 23:00	0	5	87	306	2285	98	3274	98		4.77	1711	114	184	6344	165		-301	1527	
10/30/2021 0:00	0	4	85	306	2285	98	3274	98		3.93	1696	115	164	6341	166		-302	1532	
10/30/2021 1:00	0	4	83	306	2285	98	3274	98		4.04	1697	114	154	6340	166		-302	1542	
10/30/2021 2:00	0	4	82	306	2285	98	3274	98		4.59	1692	114	133	6339	166		-302	1559	
10/30/2021 3:00	0	3	80	306	2285	98	3274	98		0.00	1637	111	103	6325	167		-303	1534	
10/30/2021 4:00	0	3	79	305	2285	98	3274	98		1.15	1576	104	0	6309	169		-302	1576	
10/30/2021 5:00	0	3	77	305	2285	98	3274	98		4.39	1692	119	66	6333	168		-302	1626	
10/30/2021 6:00	0	3	76	305	2285	98	3274	98		4.58	1711	120	122	6336	167		-302	1588	
10/30/2021 7:00	0	3	75	305	2285	98	3274	98		4.34	1715	119	153	6336	167		-302	1562	
10/30/2021 8:00	0	3	74	304	2285	98	3274	98		4.51	1730	121	180	6337	166		-301	1550	
10/30/2021 9:00	0	3	76	304	2285	98	3274	98		4.37	1741	123	212	6337	166		-301	1529	
10/30/2021 10:00	0	3	80	304	2285	98	3274	98		4.29	1730	120	219	6336	166		-301	1511	
10/30/2021 11:00	0	4	84	305	2285	98	3274	98		4.29	1724	119	213	6335	166		-301	1511	
10/30/2021 12:00	0	4	88	306	2285	98	3274	98		4.31	1723	115	221	6337	166		-302	1502	
10/30/2021 13:00	0	5	92	306	2285	98	3274	98		4.04	1699	115	184	6336	166		-301	1515	
10/30/2021 14:00	0	6	94	306	2285	98	3274	98		4.05	1698	116	154	6335	166		-300	1544	
10/30/2021 15:00	0	6	94	306	2285	98	3274	98		4.19	1695	114	151	6336	166		-300	1544	
10/30/2021 16:00	0	6	94	307	2285	98	3274	98		4.21	1690	114	140	6336	166		-301	1550	
10/30/2021 17:00	0	6	94	307	2285	98	3274	98		4.28	1694	115	136	6337	166		-301	1558	
10/30/2021 18:00	0	5	93	307	2285	98	3274	98		4.37	1694	115	134	6338	166		-302	1560	
10/30/2021 19:00	0	5	92	308	2285	98	3274	98		4.36	1696	115	135	6337	166		-303	1561	
10/30/2021 20:00	0	5	92	307	2285	98	3274	98		4.47	1704	116	147	6339	166		-302	1556	
10/30/2021 21:00	0	5	91	307	2285	98	3274	98		4.50	1695	114	136	6338	166		-302	1559	
10/30/2021 22:00	0	5	90	307	2285	98	3274	98		4.34	1695	114	138	6338	166		-302	1557	
10/30/2021 23:00	0	5	88	306	2285	98	3274	98		4.41	1694	114	131	6338	166		-301	1564	
10/31/2021 0:00	0	4	87	306	2285	98	3274	98		3.71	1686	114	127	6338	166		-302	1559	
10/31/2021 1:00	0	4	85	306	2285	98	3274	98		3.62	1687	115	123	6337	166		-302	1564	
10/31/2021 2:00	0	4	84	306	2285	98	3274	98		4.39	1692	115	123	6337	166		-302	1569	
10/31/2021 3:00	0	4	83	306	2285	98	3274	98		3.97	1692	115	126	6338	166		-302	1566	
10/31/2021 4:00	0	4	82	306	2285	98	3274	98		4.38	1694	114	128	6338	166		-302	1565	
10/31/2021 5:00	0	3	81	306	2285	98	3274	98		4.41	1687	114	115	6338	166		-303	1572	
10/31/2021 6:00	0	3	80	306	2285	98	3274	98		4.42	1697	116	123	6338	166		-303	1574	
10/31/2021 7:00	0	3	79	305	2285	98	3274	98		3.78	1687	115	117	6338	166		-302	1570	
10/31/2021 8:00	0	3	79	305	2285	98	3274	98		4.24	1696	115	126	6337	166		-302	1570	
10/31/2021 9:00	0	3	79	305	2285	98	3274	98		4.05	1690	114	120	6337	166		-302	1570	
10/31/2021 10:00	0	3	80	305	2285	98	3274	98		3.41	1672	114	97	6333	166		-302	1575	
10/31/2021 11:00	0	4	82	306	2285	98	3274	98		4.21	1692	115	106	6334	167		-302	1586	
10/31/2021 12:00	0	4	84	306	2285	98	3274	98		3.21	1683	116	109	6335	166		-302	1574	
10/31/2021 13:00	0	4	87	306	2285	98	3274	98		4.04	1684	113	101	6335	166		-302	1583	
10/31/2021 14:00	0	5	89	306	2285	98	3274	98		4.09	1691	116	107	6334	166		-301	1584	
10/31/2021 15:00	0	5	91	306	2285	98	3274	98		4.18	1687	115	104	6335	166		-301	1583	
10/31/2021 16:00	0	6	93	307	2285	98	3274	98		4.40	1694	114	118	6337	166		-301	1576	
10/31/2021 17:00	0	6	93	307	2285	98	3274	98		4.18	1686	114	115	6337	166		-301	1571	
10/31/2021 18:00	0	6	93	307	2285	98	3274	98		4.32	1683	114	106	6336	166		-301	1578	
10/31/2021 19:00	0	6	92	307	2285	98	3274	98		4.31	1691	116	108	6336	166		-301	1583	
10/31/2021 20:00	0	5	90	307	2285	98	3274	98		4.42	1687	115	105	6335	166		-302	1582	
10/31/2021 21:00	0	5	88	306	2285	98	3274	98		3.78	1681	115	101	6335	166		-301	1580	
10/31/2021 22:00	0	4	86	306	2285	98	3274	98		4.41	1692	115	104	6336	166		-302	1588	
10/31/2021 23:00	0	4	85	306	2285	98	3274	98		4.42	1690	114	107	6337	166		-302	1583	
11/1/2021 0:00	0	4	83	306	2285	98	3274	98		4.39	1693	115	110	6336	166		-302	1583	
11/1/21 1 AM	0	4	82	306	2285	98	3274	98											

Acid Gas Injection Well Report
Zia 2

Hour	October - December 2021									October - December 2021									Differential Pressure					
	Zia AGI #1 (API# 30-025-42208)									Zia AGI D#2 (API# 30-025-42207)														
	Surface			Downhole					Notes on Deviations	Surface			Downhole			Notes on Deviations	Surface vs Annular							
	Wellhead		Annular	Annular		Injection				Wellhead		Annular	Injection				Differential Pressure							
	Injection Rate AGI #1	Surface Injection Pressure AGI #1		Bottomhole Annular Pressure AGI #1	Bottomhole Annular Temp AGI #1 (°F)	Bottomhole Pressure AGI #1	Bottomhole Temp AGI #1	Injection Rate AGI #D2		Surface Injection Pressure AGI #D2	Surface Injection Temperature AGI #D2	Surface Annular Pressure #D2	Bottomhole Pressure AGI #D2	Bottomhole Temperature AGI #D2	Differential Pressure AGI #1		Differential Pressure AGI #D2							
	Average	Average	Average	Average	Average	Average	Average	Average		Average	Average	Average	Average	Average	Average		Average							
11/1/21 6 PM	0	6	91	306	2285	98	3274	98		3.53	1676	115	70	6331	167		-300		1606					
11/1/21 7 PM	0	5	90	306	2285	98	3274	98		3.51	1675	115	74	6331	167		-301		1601					
11/1/21 8 PM	0	5	89	306	2285	98	3274	98		4.07	1682	115	81	6333	167		-301		1601					
11/1/21 9 PM	0	5	88	306	2285	98	3274	98		3.87	1674	113	77	6333	167		-301		1597					
11/1/21 10 PM	0	5	87	306	2285	98	3274	98		3.43	1675	115	82	6332	167		-301		1593					
11/1/21 11 PM	0	4	87	306	2285	98	3274	98		3.46	1665	110	75	6331	167		-302		1589					
11/2/21 12 AM	0	4	86	306	2285	98	3274	98		3.52	1684	116	82	6333	167		-302		1601					
11/2/21 1 AM	0	4	85	306	2285	98	3274	98		4.28	1682	114	76	6333	166		-302		1605					
11/2/21 2 AM	0	4	84	306	2285	98	3274	98		3.60	1675	115	78	6333	166		-302		1596					
11/2/21 3 AM	0	4	83	306	2285	98	3274	98		3.73	1673	114	74	6331	166		-302		1599					
11/2/21 4 AM	0	4	82	306	2285	98	3274	98		4.41	1695	115	101	6336	166		-302		1594					
11/2/21 5 AM	0	4	82	306	2285	98	3274	98		4.56	1693	115	109	6338	166		-302		1584					
11/2/21 6 AM	0	4	82	306	2285	98	3274	98		4.60	1695	115	114	6338	166		-302		1581					
11/2/21 7 AM	0	3	81	306	2285	98	3274	98		4.57	1694	114	117	6339	166		-303		1577					
11/2/21 8 AM	0	3	81	306	2285	98	3274	98		4.37	1690	114	115	6339	166		-303		1575					
11/2/21 9 AM	0	3	79	306	2285	98	3274	98		4.56	1694	114	121	6339	166		-303		1573					
11/2/21 10 AM	0	3	78	305	2285	98	3274	98		4.45	1689	114	110	6338	166		-302		1579					
11/2/21 11 AM	0	3	79	306	2285	98	3274	98		4.46	1697	116	122	6339	166		-303		1575					
11/2/21 12 PM	0	3	79	306	2285	98	3274	98		5.01	1714	117	135	6341	166		-303		1578					
11/2/21 1 PM	0	3	80	306	2285	98	3274	98		5.22	1713	115	153	6345	165		-303		1560					
11/2/21 2 PM	0	4	82	306	2285	98	3274	98		4.94	1707	114	157	6345	165		-302		1550					
11/2/21 3 PM	0	4	83	306	2285	98	3274	98		4.80	1704	114	152	6343	165		-302		1552					
11/2/21 4 PM	0	4	84	306	2285	98	3274	98		4.53	1701	115	142	6341	165		-302		1559					
11/2/21 5 PM	0	4	85	306	2285	98	3274	98		4.72	1702	114	142	6342	166		-302		1560					
11/2/21 6 PM	0	4	84	306	2285	98	3274	98		4.32	1684	112	124	6339	166		-302		1560					
11/2/21 7 PM	0	4	84	306	2285	98	3274	98		4.40	1689	115	115	6337	166		-302		1574					
11/2/21 8 PM	0	4	82	306	2285	98	3274	98		3.60	1676	113	104	6336	166		-302		1572					
11/2/21 9 PM	0	4	81	306	2285	98	3274	98		3.60	1672	113	96	6333	167		-302		1586					
11/2/21 10 PM	0	3	79	305	2285	98	3274	98		3.54	1673	114	76	6332	167		-302		1597					
11/2/21 11 PM	0	3	78	305	2285	98	3274	98		3.60	1672	114	66	6331	167		-302		1606					
11/3/21 12 AM	0	3	78	305	2285	98	3274	98		3.61	1673	115	62	6331	167		-302		1611					
11/3/21 1 AM	0	3	77	304	2285	98	3274	98		3.55	1673	113	60	6331	167		-302		1612					
11/3/21 2 AM	0	3	77	304	2285	98	3274	98		3.52	1677	115	58	6331	167		-302		1618					
11/3/21 3 AM	0	3	76	304	2285	98	3274	98		4.02	1670	114	56	6331	167		-301		1614					
11/3/21 4 AM	0	3	76	304	2285	98	3274	98		2.70	1649	113	28	6325	168		-301		1621					
11/3/21 5 AM	0	3	75	304	2285	98	3274	98		2.80	1654	114	13	6323	168		-301		1641					
11/3/21 6 AM	0	2	74	304	2285	98	3274	98		2.92	1656	114	5	6323	168		-302		1651					
11/3/21 7 AM	0	2	73	304	2285	98	3274	98		2.68	1652	114	4	6323	169		-302		1648					
11/3/21 8 AM	0	2	73	304	2285	98	3274	98		2.77	1654	114	4	6322	169		-302		1650					
11/3/21 9 AM	0	2	73	304	2285	98	3274	98		2.83	1655	114	4	6322	169		-302		1650					
11/3/21 10 AM	0	2	73	304	2285	98	3274	98		3.51	1667	116	14	6327	168		-302		1653					
11/3/21 11 AM	0	2	74	304	2285	98	3274	98		3.61	1663	113	23	6328	167		-302		1640					
11/3/21 12 PM	0	2	75	304	2285	98	3274	98		3.49	1670	115	37	6330	167		-302		1632					
11/3/21 1 PM	0	3	76	304	2285	98	3274	98		4.33	1682	115	53	6332	167		-301		1629					
11/3/21 2 PM	0	3	77	304	2285	98	3274	98		4.02	1678	116	62	6332	166		-301		1616					
11/3/21 3 PM	0	3	78	304	2285	98	3274	98		3.46	1669	114	62	6332	166		-301		1607					
11/3/21 4 PM	0	3	78	304	2285	98	3274	98		3.43	1668	113	66	6330	166		-301		1602					
11/3/21 5 PM	0	3	79	304	2285	98	3274	98		3.37	1664	114	48	6328	167		-301		1615					
11/3/21 6 PM	0	3	78	304	2285	98	3274	98		3.37	1670	116	44	6327	167		-301		1625					
11/3/21 7 PM	0	3	78	304	2285	98	3274	98		3.60	1671	114	41	6328	167		-301		1630					
11/3/21 8 PM	0	3	78	304	2285	98	3274	98		3.62	1672	115	41	6328	167		-301		1632					
11/3/21 9 PM	0	3	78	304	2285	98	3274	98		3.52	1671	114	36	6328	167		-301		1635					
11/3/21 10 PM	0	3	77	304	2285	98	3274	98		3.42	1673	115	28	6327	167		-301		1645					
11/3/21 11 PM	0	3	77	304	2285	98	3274	98		3.22	1663	114	23	6326	167		-301		1640					
11/4/21 12 AM	0	3	76	304	2285	98	3274	98		3.34	1662	115	15	6326	168		-301		1647					
11/4/21 1 AM	0	3	75	304	2285	98	3274	98		3.59	1663	113	17	6326	167		-301		1647					
11/4/21 2 AM	0	2	74	303	2285	98	3274	98		3.48	1663	115	17	6327	167		-301		1646					
11/4/21 3 AM	0	2	73	303	2285	98	3274	98		3.61	1666	114	20	6326	167		-301		1645					
11/4/21 4 AM	0	2	72	303	2285	98	3274	98		3.53	1665	115	22	6326	167		-301		1643					
11/4/21 5 AM	0	2	71	303	2285	98	3274	98		3.16	1661	114	18	6321	167		-301		1643					
11/4/21 6 AM	0	1	71	303	2285	98	3274	98		3.32	1661	114	16	6326	167		-302		1645					
11/4/21 7 AM	0	1	71	303	2285	98	3274	98		3.21	1662	116	16	6325	168		-302		1646					
11/4/21 8 AM	0	1	70	303	2285	98	3274	98		3.29	1659	114	13	6325	168		-302		1647					
11/4/21 9 AM	0	2	71	303	2285	98	3274	98		3.07	1655	114	12	6324	168		-301		1643					
11/4/21 10 AM	0	2	72	303	2285	98	3274	98		3.17	1664	119	14	6324	168		-301		1650					
11/4/21 11 AM	0	2	74	303	2285	98	3274	98		3.41	1664	115	14	6324	168		-301		1650					
11/4/21 12 PM	0	3	77	303	2285	98	3274	98		2.58	1651	113	9	6322	168		-300		1642					
11/4/21 1 PM	0	3	79	304	2285	98	3274	98		2.														

Acid Gas Injection Well Report
Zia 2

October - December 2021										October - December 2021												
Zia AGI #1 (API# 30-025-42208)										Zia AGI D#2 (API# 30-025-42207)												
Hour	Surface				Downhole				Notes on Deviations	Surface				Downhole				Notes on Deviations	Differential Pressure			
	Wellhead		Annular		Annular		Injection			Wellhead		Annular		Injection					Surface vs Annular			
	Injection Rate AGI #1	Surface Injection Pressure AGI #1	Surface Injection Temp AGI #1	Surface Annular Pressure AGI #1	Bottomhole Annular Pressure AGI #1	Bottomhole Annular Temp AGI #1 ("F)	Bottomhole Pressure AGI #1	Bottomhole Temp AGI #1		Injection Rate AGI #D2	Surface Injection Pressure AGI #D2	Surface Injection Temperature AGI #D2	Surface Annular Pressure #D2	Bottomhole Pressure AGI #D2	Bottomhole Temperature AGI #D2	Differential Pressure AGI #1	Differential Pressure AGI #D2					
	Average	Average	Average	Average	Average	Average	Average	Average		Average	Average	Average	Average	Average	Average	Average	Average					
11/5/21 7 AM	0	2	71	303	2285	98	3274	98		3.43	1664	114	21	6324	167			-301	1643			
11/5/21 8 AM	0	1	71	302	2285	98	3274	98		3.27	1664	115	22	6324	167			-301	1642			
11/5/21 9 AM	0	1	71	302	2285	98	3274	98		3.20	1657	114	16	6322	168			-301	1641			
11/5/21 10 AM	0	2	73	303	2285	98	3274	98		3.19	1661	114	16	6322	168			-301	1645			
11/5/21 11 AM	0	3	75	303	2285	98	3274	98		3.71	1662	115	17	6322	168			-300	1646			
11/5/21 12 PM	0	3	79	303	2285	98	3274	98		3.47	1666	114	25	6324	167			-300	1641			
11/5/21 1 PM	0	4	83	304	2285	98	3274	98		3.34	1660	113	25	6324	167			-300	1635			
11/5/21 2 PM	0	4	86	304	2285	98	3274	98		3.07	1654	113	22	6322	167			-300	1632			
11/5/21 3 PM	0	5	89	304	2285	98	3274	98		2.37	1643	114	9	6318	168			-299	1634			
11/5/21 4 PM	0	5	91	305	2285	98	3274	98		3.16	1663	116	8	6316	168			-300	1655			
11/5/21 5 PM	0	6	92	305	2285	98	3274	98		3.23	1658	114	10	6321	168			-299	1648			
11/5/21 6 PM	0	6	92	306	2285	98	3274	98		3.96	1683	118	21	6326	168			-300	1662			
11/5/21 7 PM	0	5	92	306	2285	98	3274	98		4.73	1686	114	48	6332	166			-301	1638			
11/5/21 8 PM	0	6	90	306	2285	98	3274	98		4.36	1682	113	73	6333	166			-300	1609			
11/5/21 9 PM	0	5	89	306	2285	98	3274	98		3.92	1674	115	69	6331	166			-301	1604			
11/5/21 10 PM	0	5	88	306	2285	98	3274	98		4.46	1689	114	87	6332	166			-300	1603			
11/5/21 11 PM	0	4	87	305	2285	98	3274	98		4.67	1694	115	99	6334	166			-301	1595			
11/6/21 12 AM	0	4	85	305	2285	98	3274	98		5.11	1704	114	106	6337	165			-301	1598			
11/6/21 1 AM	0	4	83	305	2285	98	3274	98		4.52	1695	114	106	6336	165			-301	1589			
11/6/21 2 AM	0	4	81	304	2285	98	3274	98		4.66	1690	113	105	6336	165			-300	1585			
11/6/21 3 AM	0	3	79	304	2285	98	3274	98		4.81	1697	114	112	6338	165			-301	1585			
11/6/21 4 AM	0	3	78	304	2285	98	3274	98		4.70	1697	114	116	6337	165			-301	1581			
11/6/21 5 AM	0	3	77	304	2285	98	3274	98		4.72	1695	114	117	6337	165			-301	1578			
11/6/21 6 AM	0	3	76	303	2285	98	3274	98		4.64	1698	115	125	6338	165			-300	1573			
11/6/21 7 AM	0	3	75	304	2285	98	3274	98		4.52	1692	115	110	6336	166			-301	1562			
11/6/21 8 AM	0	3	74	303	2285	98	3274	98		4.76	1700	113	117	6337	166			-300	1583			
11/6/21 9 AM	0	3	75	303	2285	98	3274	98		4.91	1707	114	129	6340	165			-300	1577			
11/6/21 10 AM	0	3	78	303	2285	98	3274	98		4.81	1705	115	138	6339	165			-300	1567			
11/6/21 11 AM	0	3	81	304	2285	98	3274	98		4.86	1705	114	147	6341	165			-301	1558			
11/6/21 12 PM	0	4	85	304	2285	98	3274	98		4.73	1699	114	138	6339	165			-300	1561			
11/6/21 1 PM	0	4	88	304	2285	98	3274	98		4.67	1701	114	140	6339	165			-300	1561			
11/6/21 2 PM	0	6	92	305	2285	98	3274	98		4.72	1702	114	141	6340	165			-299	1561			
11/6/21 3 PM	0	6	94	306	2285	98	3274	98		4.62	1703	116	142	6340	165			-300	1561			
11/6/21 4 PM	0	6	93	306	2285	98	3274	98		4.54	1696	114	135	6339	165			-300	1561			
11/6/21 5 PM	0	6	92	306	2285	98	3274	98		4.62	1696	114	134	6340	165			-300	1562			
11/6/21 6 PM	0	5	90	306	2285	98	3274	98		4.97	1704	114	136	6341	165			-301	1568			
11/6/21 7 PM	0	5	90	306	2285	98	3274	98		5.02	1703	113	141	6342	165			-301	1562			
11/6/21 8 PM	0	5	88	306	2285	98	3274	98		4.77	1703	114	140	6341	165			-301	1563			
11/6/21 9 PM	0	5	88	306	2285	98	3274	98		4.73	1702	114	138	6341	165			-301	1564			
11/6/21 10 PM	0	5	87	306	2285	98	3274	98		4.69	1701	114	136	6341	165			-301	1565			
11/6/21 11 PM	0	4	86	306	2285	98	3274	98		4.86	1705	114	141	6341	165			-302	1563			
11/7/21 12 AM	0	4	85	306	2285	98	3274	98		4.77	1706	115	144	6342	165			-302	1562			
11/7/21 1 AM	0	4	84	306	2285	98	3274	98		4.87	1705	114	145	6342	165			-302	1563			
11/7/21 1 AM	0	4	83	305	2285	98	3274	98		4.85	1707	114	148	6343	165			-301	1559			
11/7/21 2 AM	0	4	82	305	2285	98	3274	98		4.92	1704	114	147	6342	165			-301	1557			
11/7/21 3 AM	0	3	81	304	2285	98	3274	98		4.86	1705	115	148	6343	165			-301	1557			
11/7/21 4 AM	0	3	80	304	2285	98	3274	98		4.88	1706	114	151	6343	165			-301	1555			
11/7/21 5 AM	0	3	79	304	2285	98	3274	98		4.81	1705	114	150	6343	165			-301	1556			
11/7/21 6 AM	0	3	78	304	2285	98	3274	98		4.84	1705	114	148	6343	165			-301	1557			
11/7/21 7 AM	0	3	76	303	2285	98	3274	98		4.83	1702	114	143	6343	165			-300	1560			
11/7/21 8 AM	0	3	77	303	2285	98	3274	98		4.79	1707	115	151	6343	165			-300	1556			
11/7/21 9 AM	0	3	79	304	2285	98	3274	98		4.89	1712	115	156	6344	165			-301	1555			
11/7/21 10 AM	0	3	82	304	2285	98	3274	98		4.78	1706	114	157	6343	165			-301	1549			
11/7/21 11 AM	0	4	85	304	2285	98	3274	98		4.78	1703	114	151	6343	165			-300	1552			
11/7/21 12 PM	0	5	89	305	2285	98	3274	98		4.76	1704	115	153	6343	165			-300	1551			
11/7/21 1 PM	0	6	92	306	2285	98	3274	98		4.84	1708	115	157	6344	165			-300	1551			
11/7/21 2 PM	0	6	93	306	2285	98	3274	98		4.67	1701	114	155	6343	165			-300	1546			
11/7/21 3 PM	0	6	93	306	2285	98	3274	98		4.73	1704	114	151	6343	165			-300	1553			
11/7/21 4 PM	0	5	92	306	2285	98	3274	98		4.72	1701	114	148	6343	165			-301	1553			
11/7/21 5 PM	0	5	90	306	2285	98	3274	98		4.76	1701	113	147	6343	165			-301	1554			
11/7/21 6 PM	0	5	90	306	2285	98	3274	98		4.57	1695	114	140	6342	165			-301	1555			
11/7/21 7 PM	0	5	89	306	2285	98	3274	98		4.61	1699	114	139	6342	166			-301	1560			
11/7/21 8 PM	0	5	88	306	2285	98	3274	98		4.71	1704	115	144	6343	165			-301	1560			
11/7/21 9 PM	0	5	88	306	2285	98	3274	98		4.47	1698	114	144	6342	165			-301	1554			
11/7/21 10 PM	0	5	87	306	2285	98	3274	98		4.52	1698	114	140	6342	166			-301	1559			
11/7/21 11 PM	0	4	87	306	2285	98	3274	98		4.51	1701	115	141	6341	166			-302	1560			
11/8/21 12 AM	0	4	86	306	2285	98	3274	98		4.54	1700	115	139	6341	166			-302	1561			
11/8/21 1 AM	0	4	84	306	2285	98	3274	98		4.51	1702	115	140	6341	166			-302	1562			
11/8/21 2 AM	0	4	82	305	2285	98	3274	9														

Acid Gas Injection Well Report
Zia 2Source : DCS
All values are hourly averages.

Hour	October - December 2021									October - December 2021									Differential Pressure					
	Zia AGI #1 (API# 30-025-42208)									Zia AGI D#2 (API# 30-025-42207)														
	Surface			Downhole					Notes on Deviations	Surface			Downhole			Notes on Deviations			Surface vs Annular					
	Wellhead		Annular	Annular		Injection				Wellhead		Annular	Injection						Differential Pressure					
	Injection Rate AGI #1	Surface Injection Pressure AGI #1		Surface Annular Pressure AGI #1	Bottomhole Annular Pressure AGI #1	Bottomhole Annular Temp AGI #1 (°F)	Bottomhole Pressure AGI #1	Bottomhole Temp AGI #1		Injection Rate AGI #D2	Surface Injection Pressure AGI #D2	Surface Injection Temperature AGI #D2	Surface Annular Pressure #D2	Bottomhole Pressure AGI #D2	Bottomhole Temperature AGI #D2				Differential Pressure AGI #1	Differential Pressure AGI #D2				
	Average	Average	Average	Average	Average	Average	Average	Average		Average	Average	Average	Average	Average	Average				Average	Average				
11/8/21 7 PM	0	5	90	306	2285	98	3274	98		4.23	1696	116	116	6336	166			-301	1580					
11/8/21 8 PM	0	5	90	306	2285	98	3274	98		4.23	1689	114	113	6337	166			-301	1576					
11/8/21 9 PM	0	5	89	306	2285	98	3274	98		4.29	1690	116	105	6337	166			-301	1585					
11/8/21 10 PM	0	5	89	306	2285	98	3274	98		4.07	1681	114	96	6336	166			-301	1585					
11/8/21 11 PM	0	5	89	306	2285	98	3274	98		4.39	1694	116	106	6336	166			-301	1588					
11/9/21 12 AM	0	4	88	306	2285	98	3274	98		3.85	1687	115	105	6337	166			-302	1582					
11/9/21 1 AM	0	4	87	306	2285	98	3274	98		4.38	1693	115	105	6337	166			-302	1587					
11/9/21 2 AM	0	4	86	306	2285	98	3274	98		4.41	1689	114	108	6337	166			-302	1581					
11/9/21 3 AM	0	4	85	306	2285	98	3274	98		4.49	1690	115	105	6338	166			-302	1595					
11/9/21 4 AM	0	4	84	305	2285	98	3274	98		4.02	1685	117	107	6336	166			-301	1578					
11/9/21 5 AM	0	4	83	305	2285	98	3274	98		4.25	1687	114	104	6337	166			-301	1583					
11/9/21 6 AM	0	4	82	305	2285	98	3274	98		4.45	1694	114	114	6338	166			-301	1580					
11/9/21 7 AM	0	3	80	305	2285	98	3274	98		3.79	1685	115	108	6338	166			-301	1577					
11/9/21 8 AM	0	3	81	305	2285	98	3274	98		3.92	1687	116	106	6338	166			-302	1581					
11/9/21 9 AM	0	4	84	305	2285	98	3274	98		4.36	1696	115	120	6337	166			-301	1576					
11/9/21 10 AM	0	4	87	305	2285	98	3274	98		3.45	1657	117	70	6331	167			-301	1587					
11/9/21 11 AM	0	5	90	306	2285	98	3274	98		4.37	1691	114	91	6336	167			-301	1600					
11/9/21 12 PM	0	6	92	306	2285	98	3274	98		4.62	1694	114	112	6339	166			-300	1582					
11/9/21 1 PM	0	6	94	306	2285	98	3274	98		4.59	1701	116	118	6340	166			-300	1583					
11/9/21 2 PM	0	6	94	306	2285	98	3274	98		4.63	1698	114	118	6341	166			-300	1580					
11/9/21 3 PM	0	6	94	306	2285	98	3274	98		4.29	1686	113	114	6339	166			-300	1572					
11/9/21 4 PM	0	6	94	306	2285	98	3274	98		4.39	1686	114	101	6338	166			-300	1585					
11/9/21 5 PM	0	6	92	307	2285	98	3274	98		4.65	1696	114	122	6341	166			-301	1574					
11/9/21 6 PM	0	6	92	307	2285	98	3274	98		4.61	1695	114	122	6341	165			-301	1573					
11/9/21 7 PM	0	5	92	306	2285	98	3274	98		4.67	1699	114	129	6342	165			-301	1570					
11/9/21 8 PM	0	6	91	306	2285	98	3274	98		4.63	1700	115	135	6343	165			-300	1566					
11/9/21 9 PM	0	5	90	306	2285	98	3274	98		4.73	1706	115	143	6343	165			-301	1563					
11/9/21 10 PM	0	5	89	306	2285	98	3274	98		4.93	1708	115	148	6344	165			-301	1560					
11/9/21 11 PM	0	5	87	306	2285	98	3274	98		4.86	1706	115	147	6344	165			-301	1559					
11/10/21 12 AM	0	4	86	306	2285	98	3274	98		4.77	1703	114	146	6344	165			-302	1557					
11/10/21 1 AM	0	4	85	306	2285	98	3274	98		4.72	1707	116	145	6344	165			-302	1563					
11/10/21 2 AM	0	4	84	306	2285	98	3274	98		4.86	1707	116	143	6345	165			-302	1564					
11/10/21 3 AM	0	4	84	306	2285	98	3274	98		4.83	1708	115	148	6345	165			-302	1560					
11/10/21 4 AM	0	4	83	306	2285	98	3274	98		4.92	1712	115	149	6346	165			-302	1563					
11/10/21 5 AM	0	4	82	305	2285	98	3274	98		4.82	1714	114	155	6346	165			-301	1558					
11/10/21 6 AM	0	3	81	304	2285	98	3274	98		4.97	1715	114	158	6347	165			-301	1557					
11/10/21 7 AM	0	3	80	304	2285	98	3274	98		4.96	1711	114	154	6346	165			-301	1556					
11/10/21 8 AM	0	3	80	305	2285	98	3274	98		4.90	1710	114	154	6346	165			-302	1556					
11/10/21 9 AM	0	4	83	305	2285	98	3274	98		5.00	1715	115	161	6347	165			-301	1554					
11/10/21 10 AM	0	4	85	305	2285	98	3274	98		5.06	1712	114	156	6347	165			-301	1556					
11/10/21 11 AM	0	4	86	306	2285	98	3274	98		4.86	1709	115	154	6347	165			-302	1555					
11/10/21 12 PM	0	5	88	306	2285	98	3274	98		4.80	1709	115	154	6347	165			-301	1555					
11/10/21 1 PM	0	5	90	306	2285	98	3274	98		3.37	1674	111	130	6340	166			-301	1561					
11/10/21 2 PM	0	6	91	306	2285	98	3274	98		4.89	1715	114	148	6345	166			-300	1569					
11/10/21 3 PM	0	6	91	306	2285	98	3274	98		4.50	1700	113	141	6345	165			-300	1559					
11/10/21 4 PM	0	6	91	306	2285	98	3274	98		4.64	1703	113	137	6344	166			-300	1567					
11/10/21 5 PM	0	6	91	306	2285	98	3274	98		4.45	1699	113	130	6343	166			-300	1569					
11/10/21 6 PM	0	6	91	306	2285	98	3274	98		4.18	1691	113	125	6343	166			-300	1566					
11/10/21 7 PM	0	6	89	306	2285	98	3274	98		4.34	1701	116	118	6342	166			-300	1583					
11/10/21 8 PM	0	5	88	306	2285	98	3274	98		4.21	1702	115	127	6342	166			-301	1575					
11/10/21 9 PM	0	5	88	306	2285	98	3274	98		4.67	1700	114	121	6343	166			-301	1578					
11/10/21 10 PM	0	4	85	306	2285	98	3274	98		4.54	1696	113	130	6343	166			-302	1566					
11/10/21 11 PM	0	4	84	306	2285	98	3274	98		4.65	1700	114	127	6343	166			-302	1573					
11/11/21 12 AM	0	4	83	305	2285	98	3274	98		4.63	1701	115	130	6344	166			-302	1571					
11/11/21 1 AM	0	4	82	305	2285	98	3274	98		4.70	1707	115	140	6344	165			-301	1567					
11/11/21 2 AM	0	4	81	305	2285	98	3274	98		4.69	1704	115	141	6344	165			-301	1563					
11/11/21 3 AM	0	3	80	305	2285	98	3274	98		4.51	1698	114	135	6343	165			-302	1563					
11/11/21 4 AM	0	3	78	304	2285	98	3274	98		4.56	1695	114	127	6343	166			-301	1568					
11/11/21 5 AM	0	3	76	304	2285	98	3274	98		4.60	1700	116	129	6343	166			-301	1571					
11/11/21 6 AM	0	3	75	304	2285	98	3274	98		4.64	1702	115	135	6344	166			-301	1567					
11/11/21 7 AM	0	3	73	304	2285	98	3274	98		4.61	1700	115	132	6343	166			-301	1567					
11/11/21 8 AM	0	3	73	303	2285	98	3274	98		4.58	1702	115	134	6343	166			-300	1568					
11/11/21 9 AM	0	3	75	304	2285	98	3274	98		4.58	1699	115	128	6341	166			-301	1571					
11/11/21 10 AM	0	3	77	304	2285	98	3274	98		4.45	1703	115	134	6340	166			-301	1569					
11/11/21 11 AM	0	3	81	304	2285	98	3274	98		4.33	1696	113	122	6341	166			-301	1574					
11/11/21 12 PM	0	4	85	305	2285	98	3274	98		4.44	1698	115	119	6341	166			-301	1579					
11/11/21 1 PM	0	4	88	305	2285	98	3274	98		4.55	1701	115	126	6342	166			-301	1575					
11/11/21 2 PM	0	5	90	306	2285	98	3274	98		4.63	1703	115	128	6343	166			-301	1576					
11/11/21 3 PM	0	6	92	306	2285	98	3274	98		4.38	1696	114	128											

Acid Gas Injection Well Report
Zia 2

Hour	October - December 2021									October - December 2021									Differential Pressure					
	Zia AGI #1 (API# 30-025-42208)									Zia AGI D#2 (API# 30-025-42207)														
	Surface			Downhole					Notes on Deviations	Surface			Downhole			Notes on Deviations	Surface vs Annular							
	Wellhead		Annular	Annular		Injection				Wellhead		Annular	Injection				Differential Pressure							
	Injection Rate AGI #1	Surface Injection Pressure AGI #1		Surface Annular Pressure AGI #1	Bottomhole Annular Pressure AGI #1	Bottomhole Annular Temp AGI #1 ("F)	Bottomhole Pressure AGI #1	Bottomhole Temp AGI #1		Injection Rate AGI #D2	Surface Injection Pressure AGI #D2	Surface Injection Temperature AGI #D2	Surface Annular Pressure #D2	Bottomhole Pressure AGI #D2	Bottomhole Temperature AGI #D2		Differential Pressure AGI #1	Differential Pressure AGI #D2						
	Average	Average	Average	Average	Average	Average	Average	Average		Average	Average	Average	Average	Average	Average		Average	Average						
11/12/21 8 AM	0	2	72	302	2285	98	3274	98		4.62	1709	116	134	6344	165		-300	1575						
11/12/21 9 AM	0	2	71	303	2285	98	3274	98		4.77	1691	109	131	6343	165		-301	1566						
11/12/21 10 AM	0	2	71	303	2285	98	3274	98		4.63	1702	114	131	6343	165		-301	1571						
11/12/21 11 AM	0	2	73	303	2285	98	3274	98		4.91	1711	115	145	6345	165		-301	1566						
11/12/21 12 PM	0	3	75	303	2285	98	3274	98		5.11	1719	115	156	6346	165		-300	1563						
11/12/21 1 PM	0	3	77	304	2285	98	3274	98		4.64	1708	115	157	6345	165		-301	1551						
11/12/21 2 PM	0	3	80	304	2285	98	3274	98		4.40	1704	115	148	6343	166		-301	1557						
11/12/21 3 PM	0	4	82	304	2285	98	3274	98		4.55	1709	115	141	6344	166		-300	1568						
11/12/21 4 PM	0	4	83	304	2285	98	3274	98		4.45	1707	115	135	6344	166		-300	1572						
11/12/21 5 PM	0	4	83	304	2285	98	3274	98		4.59	1707	115	134	6344	166		-300	1573						
11/12/21 6 PM	0	4	82	304	2285	98	3274	98		4.54	1704	115	131	6344	166		-300	1573						
11/12/21 7 PM	0	3	81	304	2285	98	3274	98		4.51	1699	114	121	6343	166		-301	1577						
11/12/21 8 PM	0	3	80	304	2285	98	3274	98		4.66	1707	115	128	6344	166		-301	1578						
11/12/21 9 PM	0	3	79	304	2285	98	3274	98		4.76	1710	116	130	6345	165		-301	1580						
11/12/21 10 PM	0	3	77	303	2285	98	3274	98		4.91	1713	115	139	6347	165		-300	1574						
11/12/21 11 PM	0	3	76	303	2285	98	3274	98		4.90	1714	114	145	6347	165		-300	1569						
11/13/21 12 AM	0	2	74	303	2285	98	3274	98		5.05	1721	114	139	6348	165		-301	1552						
11/13/21 1 AM	0	2	75	303	2285	98	3274	98		4.98	1715	115	151	6348	165		-301	1564						
11/13/21 2 AM	0	2	72	302	2285	98	3274	98		4.96	1711	114	151	6348	165		-300	1560						
11/13/21 3 AM	0	1	71	302	2285	98	3274	98		4.95	1713	113	155	6348	165		-301	1558						
11/13/21 4 AM	0	1	70	302	2285	98	3274	98		5.04	1712	113	148	6349	165		-301	1564						
11/13/21 5 AM	0	1	69	302	2285	98	3274	98		4.91	1713	113	155	6348	165		-301	1558						
11/13/21 6 AM	0	1	67	302	2285	98	3274	98		5.26	1726	116	157	6351	165		-301	1570						
11/13/21 7 AM	0	1	67	301	2285	98	3274	98		5.04	1714	114	154	6350	165		-300	1560						
11/13/21 8 AM	0	1	67	302	2285	98	3274	98		4.97	1724	117	161	6350	165		-300	1562						
11/13/21 9 AM	0	2	69	302	2285	98	3274	98		4.85	1718	115	165	6349	165		-300	1558						
11/13/21 10 AM	0	2	72	302	2285	98	3274	98		4.69	1712	114	155	6348	165		-300	1557						
11/13/21 11 AM	0	2	75	303	2285	98	3274	98		4.73	1712	114	148	6347	165		-301	1564						
11/13/21 12 PM	0	3	77	303	2285	98	3274	98		4.74	1713	114	151	6349	165		-300	1562						
11/13/21 1 PM	0	3	80	303	2285	98	3274	98		4.84	1714	114	151	6349	165		-300	1563						
11/13/21 2 PM	0	4	84	304	2285	98	3274	98		4.77	1712	114	152	6349	165		-300	1560						
11/13/21 3 PM	0	4	86	304	2285	98	3274	98		4.96	1718	115	155	6349	165		-300	1563						
11/13/21 4 PM	0	4	88	304	2285	98	3274	98		4.79	1713	114	157	6349	165		-300	1556						
11/13/21 5 PM	0	5	89	304	2285	98	3274	98		4.78	1711	115	150	6348	165		-300	1561						
11/13/21 6 PM	0	5	88	305	2285	98	3274	98		4.75	1709	114	148	6348	165		-300	1561						
11/13/21 7 PM	0	5	88	305	2285	98	3274	98		4.84	1716	116	148	6348	165		-300	1568						
11/13/21 8 PM	0	4	87	304	2285	98	3274	98		4.57	1709	114	154	6347	165		-300	1555						
11/13/21 9 PM	0	4	86	304	2285	98	3274	98		4.47	1704	116	135	6345	166		-300	1569						
11/13/21 10 PM	0	4	84	304	2285	98	3274	98		4.95	1711	114	148	6348	165		-300	1563						
11/13/21 11 PM	0	4	83	304	2285	98	3274	98		4.70	1710	115	147	6348	165		-300	1563						
11/14/21 12 AM	0	4	82	304	2285	98	3274	98		4.80	1712	115	144	6348	165		-300	1568						
11/14/21 1 AM	0	3	81	304	2285	98	3274	98		4.73	1712	116	144	6348	165		-301	1568						
11/14/21 2 AM	0	3	80	304	2285	98	3274	98		4.92	1712	114	148	6349	165		-300	1564						
11/14/21 3 AM	0	3	79	303	2285	98	3274	98		4.98	1715	115	151	6349	165		-300	1563						
11/14/21 4 AM	0	3	79	303	2285	98	3274	98		4.87	1717	115	154	6349	165		-300	1563						
11/14/21 5 AM	0	3	79	303	2285	98	3274	98		4.99	1718	115	149	6350	165		-300	1569						
11/14/21 6 AM	0	3	78	304	2285	98	3274	98		4.72	1710	114	147	6349	165		-301	1563						
11/14/21 7 AM	0	3	78	304	2285	98	3274	98		4.69	1707	114	139	6348	165		-301	1568						
11/14/21 8 AM	0	3	79	303	2285	98	3274	98		4.68	1710	115	141	6348	165		-300	1569						
11/14/21 9 AM	0	3	81	304	2285	98	3274	98		4.57	1711	117	136	6347	166		-301	1575						
11/14/21 10 AM	0	4	85	304	2285	98	3274	98		4.45	1703	114	135	6346	166		-300	1568						
11/14/21 11 AM	0	4	88	304	2285	98	3274	98		4.57	1705	114	131	6345	166		-300	1574						
11/14/21 12 PM	0	5	90	305	2285	98	3274	98		4.54	1708	115	136	6346	166		-300	1572						
11/14/21 1 PM	0	6	92	305	2285	98	3274	98		4.58	1707	115	138	6346	166		-299	1569						
11/14/21 2 PM	0	6	94	306	2285	98	3274	98		4.45	1703	114	133	6346	166		-300	1570						
11/14/21 3 PM	0	6	95	306	2285	98	3274	98		4.28	1699	115	126	6344	166		-300	1573						
11/14/21 4 PM	0	6	95	306	2285	98	3274	98		4.47	1703	114	128	6345	166		-300	1575						
11/14/21 5 PM	0	6	95	306	2285	98	3274	98		4.49	1699	114	129	6345	166		-300	1570						
11/14/21 6 PM	0	6	94	306	2285	98	3274	98		4.55	1701	115	135	6346	166		-300	1567						
11/14/21 7 PM	0	6	93	306	2285	98	3274	98		4.74	1708	116	138	6347	165		-300	1572						
11/14/21 8 PM	0	6	91	306	2285	98	3274	98		4.75	1703	113	145	6347	165		-301	1558						
11/14/21 9 PM	0	5	89	306	2285	98	3274	98		4.78	1708	114	148	6347	165		-301	1560						
11/14/21 10 PM	0	5	87	305	2285	98	3274	98		4.65	1705	115	147	6347	165		-300	1558						
11/14/21 11 PM	0	4	85	305	2285	98	3274	98		4.62	1701	115	138	6347	165		-300	1563						
11/15/21 12 AM	0	4	83	304	2285	98	3274	98		4.67	1701	114	140	6347	165		-300	1561						
11/15/21 1 AM	0	4	81	304	2285	98	3274	98		4.73	1705	114	142	6347	165		-300	1563						
11/15/21 2 AM	0	3	79	304	2285	98	3274	98		4.64	1704	114	136	6347										

Acid Gas Injection Well Report
Zia 2Source : DCS
All values are hourly averages.

Hour	October - December 2021									October - December 2021									Differential Pressure					
	Zia AGI #1 (API# 30-025-42208)									Zia AGI D#2 (API# 30-025-42207)														
	Surface			Downhole					Notes on Deviations	Surface			Downhole			Notes on Deviations			Surface vs Annular					
	Wellhead		Annular	Annular		Injection				Wellhead		Annular	Injection						Differential Pressure					
	Injection Rate AGI #1	Surface Injection Pressure AGI #1		Surface Annular Pressure AGI #1	Bottomhole Annular Pressure AGI #1	Bottomhole Annular Temp AGI #1 ("F)	Bottomhole Pressure AGI #1	Bottomhole Temp AGI #1		Injection Rate AGI #D2	Surface Injection Pressure AGI #D2	Surface Injection Temperature AGI #D2	Surface Annular Pressure #D2	Bottomhole Pressure AGI #D2	Bottomhole Temperature AGI #D2				Differential Pressure AGI #1	Differential Pressure AGI #D2				
	Average	Average	Average	Average	Average	Average	Average	Average		Average	Average	Average	Average	Average	Average				Average	Average				
11/15/21 9 PM	0	4	88	306	2285	98	3274	98		4.62	1702	113	159	6347	165			-302	1543					
11/15/21 10 PM	0	4	86	305	2285	98	3274	98		4.73	1708	113	159	6347	165			-301	1548					
11/15/21 11 PM	0	4	84	305	2285	98	3274	98		4.69	1706	114	154	6347	165			-301	1552					
11/16/21 12 AM	0	4	83	305	2285	98	3274	98		4.86	1711	115	155	6348	165			-301	1556					
11/16/21 1 AM	0	4	81	304	2285	98	3274	98		4.81	1710	114	157	6349	165			-300	1553					
11/16/21 2 AM	0	3	80	304	2285	98	3274	98		4.82	1710	114	158	6349	165			-301	1552					
11/16/21 3 AM	0	3	79	304	2285	98	3274	98		4.89	1710	115	157	6349	165			-301	1553					
11/16/21 4 AM	0	3	78	303	2285	98	3274	98		4.85	1714	115	161	6349	165			-300	1553					
11/16/21 5 AM	0	3	78	304	2285	98	3274	98		5.04	1719	114	164	6350	165			-301	1555					
11/16/21 6 AM	0	3	77	303	2285	98	3274	98		4.97	1717	114	162	6351	165			-300	1555					
11/16/21 7 AM	0	3	76	303	2285	98	3274	98		4.90	1717	115	156	6351	165			-300	1561					
11/16/21 8 AM	0	3	77	303	2285	98	3274	98		4.96	1717	114	156	6351	165			-300	1562					
11/16/21 9 AM	0	3	80	303	2285	98	3274	98		4.80	1715	114	158	6350	165			-300	1557					
11/16/21 10 AM	0	4	83	303	2285	98	3274	98		4.22	1666	112	113	6331	166			-299	1553					
11/16/21 11 AM	0	4	87	304	2285	98	3274	98		4.76	1755	122	227	6348	166			-300	1529					
11/16/21 12 PM	0	5	90	304	2285	98	3274	98		4.84	1748	121	235	6349	165			-299	1513					
11/16/21 1 PM	0	5	91	305	2285	98	3274	98		4.68	1742	120	244	6349	165			-300	1498					
11/16/21 2 PM	0	4	90	305	2285	98	3274	98		4.58	1734	118	234	6347	166			-301	1508					
11/16/21 3 PM	0	4	89	306	2285	98	3274	98		4.59	1734	118	234	6347	166			-302	1500					
11/16/21 4 PM	0	4	88	306	2285	98	3274	98		4.55	1736	119	235	6347	166			-302	1501					
11/16/21 5 PM	0	4	87	306	2285	98	3274	98		4.71	1747	120	253	6348	166			-302	1494					
11/16/21 6 PM	0	4	87	306	2285	98	3274	98		4.71	1749	120	264	6348	166			-302	1485					
11/16/21 7 PM	0	4	87	306	2285	98	3274	98		3.74	1731	118	264	6346	166			-302	1467					
11/16/21 8 PM	0	4	86	306	2285	98	3274	98		3.42	1713	120	204	6339	166			-302	1509					
11/16/21 9 PM	0	4	86	306	2285	98	3274	98		3.45	1718	121	192	6337	167			-302	1527					
11/16/21 10 PM	0	4	86	306	2285	98	3274	98		4.23	1728	119	191	6338	167			-302	1537					
11/16/21 11 PM	0	4	85	305	2285	98	3274	98		5.09	1770	121	281	6348	166			-301	1489					
11/17/21 12 AM	0	4	84	305	2285	98	3274	98		4.57	1743	120	263	6347	166			-301	1479					
11/17/21 1 AM	0	4	83	305	2285	98	3274	98		4.54	1727	119	234	6344	166			-301	1493					
11/17/21 2 AM	0	4	82	304	2285	98	3274	98		4.57	1744	120	255	6346	166			-300	1489					
11/17/21 3 AM	0	4	82	304	2285	98	3274	98		4.58	1745	120	264	6345	166			-300	1481					
11/17/21 4 AM	0	3	81	304	2285	98	3274	98		4.59	1734	118	250	6344	166			-301	1483					
11/17/21 5 AM	0	3	80	304	2285	98	3274	98		4.47	1709	117	171	6340	167			-301	1538					
11/17/21 6 AM	0	3	78	303	2285	98	3274	98		4.23	1707	115	180	6343	166			-300	1527					
11/17/21 7 AM	0	3	77	303	2285	98	3274	98		4.54	1702	113	162	6343	166			-300	1548					
11/17/21 8 AM	0	3	77	303	2285	98	3274	98		4.66	1705	114	157	6344	165			-300	1548					
11/17/21 9 AM	0	3	80	303	2285	98	3274	98		4.30	1710	116	170	6344	166			-300	1540					
11/17/21 10 AM	0	4	83	304	2285	98	3274	98		4.44	1701	114	156	6344	166			-300	1545					
11/17/21 11 AM	0	4	86	304	2285	98	3274	98		4.37	1695	113	147	6343	166			-300	1548					
11/17/21 12 PM	0	4	87	304	2285	98	3274	98		4.31	1703	115	148	6343	166			-300	1555					
11/17/21 1 PM	0	4	88	305	2285	98	3274	98		5.57	1704	114	130	6339	166			-301	1574					
11/17/21 2 PM	0	5	88	305	2285	98	3274	98		3.25	1691	117	135	6340	166			-300	1556					
11/17/21 3 PM	0	5	87	305	2285	98	3274	98		3.43	1706	118	147	6338	167			-300	1558					
11/17/21 4 PM	0	4	86	305	2285	98	3274	98		3.48	1706	118	144	6336	167			-301	1563					
11/17/21 5 PM	0	4	84	305	2285	98	3274	98		4.69	1737	120	191	6344	166			-301	1546					
11/17/21 6 PM	0	4	82	305	2285	98	3274	98		4.62	1731	121	188	6342	166			-301	1543					
11/17/21 7 PM	0	4	80	304	2285	98	3274	98		4.29	1734	118	220	6344	166			-300	1514					
11/17/21 8 PM	0	3	78	304	2285	98	3274	98		4.74	1739	119	234	6345	166			-301	1505					
11/17/21 9 PM	0	3	76	304	2285	98	3274	98		4.52	1740	119	245	6346	166			-301	1495					
11/17/21 10 PM	0	3	74	303	2285	98	3274	98		4.81	1745	120	253	6347	166			-301	1492					
11/17/21 11 PM	0	3	72	303	2285	98	3274	98		4.77	1749	119	262	6347	166			-300	1487					
11/18/21 12 AM	0	2	70	303	2285	98	3274	98		4.80	1749	120	266	6347	166			-301	1483					
11/18/21 1 AM	0	2	69	303	2285	98	3274	98		4.96	1753	120	273	6348	166			-301	1480					
11/18/21 2 AM	0	2	67	302	2285	98	3274	98		4.85	1752	120	278	6348	166			-300	1473					
11/18/21 3 AM	0	2	66	302	2285	98	3274	98		4.83	1749	119	277	6348	166			-300	1471					
11/18/21 4 AM	0	2	64	302	2285	98	3274	98		4.87	1753	120	279	6348	166			-300	1474					
11/18/21 5 AM	0	1	63	302	2285	98	3274	98		4.88	1751	120	285	6349	166			-301	1466					
11/18/21 6 AM	0	1	63	301	2285	98	3274	98		4.86	1753	120	286	6349	166			-300	1467					
11/18/21 7 AM	0	1	63	301	2285	98	3274	98		4.87	1752	120	284	6348	166			-300	1468					
11/18/21 8 AM	0	1	64	301	2285	98	3274	98		4.83	1749	119	284	6348	166			-300	1468					
11/18/21 9 AM	0	1	66	300	2285	98	3274	98		4.10	1742	121	275	6347	166			-299	1463					
11/18/21 10 AM	0	2	69	301	2285	98	3274	98		4.22	1743	120	272	6346	166			-299	1470					
11/18/21 11 AM	0	2	71	302	2285	98	3274	98		4.63	1749	120	273	6347	166			-300	1476					
11/18/21 12 PM	0	2	73	302	2285	98	3274	98		4.63	1742	117	275	6347	166			-300	1467					
11/18/21 1 PM	0	3	75	302	2285	98	3274	98		4.71	1745	119	276	6347	166			-299	1468					
11/18/21 2 PM	0	3	77	302	2285	98	3274	98		4.52	1745	119	282	6347	166			-299	1463					
11/18/21 3 PM	0	3	78	303	2285	98	3274	98		5.03	1766	123	297	6350	166			-300	1469					
11/18/21 4 PM	0	3	79	303	2285	98	3274	98		5.05	1767	118	305	6350	166			-300	1452					
11/18/21 5 PM	0	3	78	303	2285	98																		

Acid Gas Injection Well Report
Zia 2

Hour	October - December 2021									October - December 2021									Differential Pressure					
	Zia AGI #1 (API# 30-025-42208)									Zia AGI D#2 (API# 30-025-42207)														
	Surface			Downhole					Notes on Deviations	Surface			Downhole			Notes on Deviations	Surface vs Annular							
	Wellhead		Annular	Annular		Injection				Wellhead		Annular	Injection				Differential Pressure							
	Injection Rate AGI #1	Surface Injection Pressure AGI #1		Bottomhole Annular Pressure AGI #1	Bottomhole Annular Temp AGI #1 ("F)	Bottomhole Pressure AGI #1	Bottomhole Temp AGI #1	Injection Rate AGI #D2		Surface Injection Pressure AGI #D2	Surface Injection Temperature AGI #D2	Surface Annular Pressure #D2	Bottomhole Pressure AGI #D2	Bottomhole Temperature AGI #D2	Differential Pressure AGI #1		Differential Pressure AGI #D2							
	Average	Average	Average	Average	Average	Average	Average	Average		Average	Average	Average	Average	Average	Average		Average							
11/19/21 10 AM	0	2	68	300	2285	98	3274	98		4.58	1747	120	274	6346	166		-298		1474					
11/19/21 11 AM	0	2	70	300	2285	98	3274	98		4.88	1758	120	286	6349	166		-299		1468					
11/19/21 12 PM	0	2	73	301	2285	98	3274	98		4.43	1743	120	286	6347	166		-299		1455					
11/19/21 1 PM	0	3	76	302	2285	98	3274	98		4.68	1755	120	300	6349	166		-299		1455					
11/19/21 2 PM	0	3	78	302	2285	98	3274	98		4.79	1758	121	304	6349	166		-299		1454					
11/19/21 3 PM	0	3	80	302	2285	98	3274	98		4.44	1750	119	310	6348	166		-299		1440					
11/19/21 4 PM	0	4	81	303	2285	98	3274	98		4.75	1757	120	309	6349	166		-299		1448					
11/19/21 5 PM	0	4	82	303	2285	98	3274	98		4.58	1750	120	303	6348	166		-299		1447					
11/19/21 6 PM	0	4	82	303	2285	98	3274	98		4.81	1764	121	318	6349	166		-299		1446					
11/19/21 7 PM	0	4	82	303	2285	98	3274	98		4.73	1759	119	328	6349	166		-299		1431					
11/19/21 8 PM	0	4	81	303	2285	98	3274	98		4.66	1735	118	284	6348	166		-299		1451					
11/19/21 9 PM	0	3	81	303	2285	98	3274	98		4.84	1759	121	308	6350	166		-300		1451					
11/19/21 10 PM	0	3	81	303	2285	98	3274	98		4.86	1758	121	310	6350	166		-300		1448					
11/19/21 11 PM	0	3	80	303	2285	98	3274	98		4.73	1759	121	319	6350	166		-300		1440					
11/20/21 12 AM	0	3	79	302	2285	98	3274	98		4.79	1748	118	306	6350	166		-299		1443					
11/20/21 1 AM	0	3	78	302	2285	98	3274	98		4.58	1753	121	303	6349	166		-299		1450					
11/20/21 2 AM	0	3	76	302	2285	98	3274	98		4.62	1750	120	301	6349	166		-299		1448					
11/20/21 3 AM	0	3	75	302	2285	98	3274	98		4.62	1750	119	298	6349	166		-299		1451					
11/20/21 4 AM	0	2	74	301	2285	98	3274	98		4.72	1751	121	293	6349	166		-299		1458					
11/20/21 5 AM	0	2	73	301	2285	98	3274	98		4.64	1745	120	291	6348	166		-299		1454					
11/20/21 6 AM	0	2	72	301	2285	98	3274	98		4.68	1748	120	291	6348	166		-299		1456					
11/20/21 7 AM	0	2	72	300	2285	98	3274	98		4.73	1742	118	284	6346	166		-298		1457					
11/20/21 8 AM	0	2	72	301	2285	98	3274	98		4.32	1740	120	273	6346	166		-299		1467					
11/20/21 9 AM	0	2	75	301	2285	98	3274	98		4.52	1742	120	271	6345	166		-299		1471					
11/20/21 10 AM	0	3	79	302	2285	98	3274	98		4.21	1745	122	279	6345	166		-299		1466					
11/20/21 11 AM	0	4	83	302	2285	98	3274	98		3.55	1732	118	263	6345	167		-298		1448					
11/20/21 12 PM	0	4	86	302	2285	98	3274	98		4.40	1738	119	261	6345	167		-298		1477					
11/20/21 1 PM	0	4	89	303	2285	98	3274	98		4.42	1738	119	264	6345	166		-299		1474					
11/20/21 2 PM	0	5	91	303	2285	98	3274	98		3.79	1729	119	256	6344	167		-298		1472					
11/20/21 3 PM	0	6	92	304	2285	98	3274	98		4.44	1753	123	277	6345	166		-298		1476					
11/20/21 4 PM	0	6	92	304	2285	98	3274	98		4.48	1742	119	282	6346	166		-298		1460					
11/20/21 5 PM	0	6	92	304	2285	98	3274	98		4.42	1750	122	284	6346	166		-298		1466					
11/20/21 6 PM	0	6	92	304	2285	98	3274	98		4.77	1754	121	291	6348	166		-298		1463					
11/20/21 7 PM	0	6	91	304	2285	98	3274	98		4.59	1748	119	288	6348	166		-298		1460					
11/20/21 8 PM	0	5	89	304	2285	98	3274	98		4.62	1752	120	290	6348	166		-298		1462					
11/20/21 9 PM	0	5	89	304	2285	98	3274	98		4.51	1748	119	287	6348	166		-299		1461					
11/20/21 10 PM	0	5	89	304	2285	98	3274	98		4.52	1751	120	287	6348	166		-299		1464					
11/20/21 11 PM	0	5	88	304	2285	98	3274	98		4.08	1738	118	282	6346	166		-299		1456					
11/21/21 12 AM	0	4	87	303	2285	98	3274	98		4.53	1738	118	266	6346	166		-299		1472					
11/21/21 1 AM	0	4	86	304	2285	98	3274	98		4.40	1729	118	252	6345	166		-300		1477					
11/21/21 2 AM	0	4	84	303	2285	98	3274	98		4.41	1741	120	257	6345	166		-299		1483					
11/21/21 3 AM	0	4	83	303	2285	98	3274	98		4.55	1741	120	256	6344	166		-299		1485					
11/21/21 4 AM	0	4	81	303	2285	98	3274	98		3.90	1740	120	264	6345	166		-299		1476					
11/21/21 5 AM	0	3	80	303	2285	98	3274	98		3.93	1741	120	266	6345	166		-300		1475					
11/21/21 6 AM	0	3	77	303	2285	98	3274	98		4.66	1735	120	249	6344	166		-300		1486					
11/21/21 7 AM	0	3	75	303	2285	98	3274	98		4.43	1737	119	256	6344	166		-300		1481					
11/21/21 8 AM	0	3	74	303	2285	98	3274	98		4.65	1740	119	258	6345	166		-300		1482					
11/21/21 9 AM	0	3	74	303	2285	98	3274	98		4.65	1752	121	281	6348	166		-300		1471					
11/21/21 10 AM	0	3	75	303	2285	98	3274	98		4.62	1746	120	279	6347	166		-300		1467					
11/21/21 11 AM	0	3	75	303	2285	98	3274	98		4.68	1746	119	280	6346	166		-300		1466					
11/21/21 12 PM	0	3	75	303	2285	98	3274	98		4.61	1747	120	277	6347	166		-300		1468					
11/21/21 1 PM	0	3	77	303	2285	98	3274	98		4.71	1753	121	291	6348	166		-300		1462					
11/21/21 2 PM	0	3	78	303	2285	98	3274	98		4.58	1752	120	290	6348	166		-300		1462					
11/21/21 3 PM	0	3	78	303	2285	98	3274	98		4.67	1749	120	284	6347	166		-300		1465					
11/21/21 4 PM	0	3	78	304	2285	98	3274	98		4.51	1747	120	279	6347	166		-300		1467					
11/21/21 5 PM	0	3	78	303	2285	98	3274	98		3.67	1732	118	279	6347	166		-300		1453					
11/21/21 6 PM	0	3	78	303	2285	98	3274	98		4.59	1750	121	287	6348	166		-300		1463					
11/21/21 7 PM	0	3	78	303	2285	98	3274	98		4.59	1754	121	286	6347	166		-300		1468					
11/21/21 8 PM	0	3	77	303	2285	98	3274	98		4.00	1742	119	280	6347	166		-300		1462					
11/21/21 9 PM	0	3	78	303	2285	98	3274	98		3.93	1744	120	277	6347	166		-300		1466					
11/21/21 10 PM	0	3	75	303	2285	98	3274	98		4.71	1754	120	283	6347	166		-300		1471					
11/21/21 11 PM	0	2	73	302	2285	98	3274	98		4.22	1747	120	278	6347	166		-300		1469					
11/22/21 12 AM	0	2	72	302	2285	98	3274	98		4.28	1752	121	278	6347	166		-300		1474					
11/22/21 1 AM	0	2	71	302	2285	98	3274	98		4.64	1753	120	277	6346	166		-300		1476					
11/22/21 2 AM	0	2	70	302	2285	98	3274	98		4.09	1749	120	278	6347	166		-300		1471					
11/22/21 3 AM	0	2	69	301	2285	98	3274	98		4.79	1754	120	279	6347	166		-299		1475					
11/22/21 4 AM	0	1	69	300	2285	98	3274	98		4.														

Acid Gas Injection Well Report
Zia 2

Hour	October - December 2021									October - December 2021									Differential Pressure					
	Zia AGI #1 (API# 30-025-42208)									Zia AGI D#2 (API# 30-025-42207)														
	Surface			Downhole					Notes on Deviations	Surface			Downhole			Notes on Deviations	Surface vs Annular							
	Wellhead		Annular	Annular		Injection				Wellhead		Annular	Injection				Surface vs Annular							
	Injection Rate AGI #1	Surface Injection Pressure AGI #1		Surface Annular Pressure AGI #1	Bottomhole Annular Pressure AGI #1	Bottomhole Annular Temp AGI #1 ("F)	Bottomhole Pressure AGI #1	Bottomhole Temp AGI #1		Injection Rate AGI #D2	Surface Injection Pressure AGI #D2	Surface Injection Temperature AGI #D2	Surface Annular Pressure #D2	Bottomhole Pressure AGI #D2	Bottomhole Temperature AGI #D2		Differential Pressure AGI #1	Differential Pressure AGI #D2						
	Average	Average	Average	Average	Average	Average	Average	Average		Average	Average	Average	Average	Average	Average		Average	Average						
11/23/21 11 PM	0	3	78	302	2285	98	3274	98		4.58	1748	120	273	6345	166		-299	1473						
11/23/21 12 AM	0	3	75	301	2285	98	3274	98		3.80	1740	121	273	6344	166		-299	1467						
11/23/21 1 AM	0	2	74	302	2285	98	3274	98		4.10	1740	120	270	6344	166		-300	1470						
11/23/21 2 AM	0	2	72	301	2285	98	3274	98		3.85	1737	120	268	6344	166		-299	1469						
11/23/21 3 AM	0	2	71	301	2285	98	3274	98		4.61	1745	120	269	6344	166		-299	1476						
11/23/21 4 AM	0	2	70	300	2285	98	3274	98		3.90	1737	120	265	6344	166		-298	1471						
11/23/21 5 AM	0	2	69	300	2285	98	3274	98		4.59	1742	120	263	6344	166		-298	1479						
11/23/21 6 AM	0	2	69	300	2285	98	3274	98		4.07	1736	119	261	6344	166		-298	1475						
11/23/21 7 AM	0	2	68	300	2285	98	3274	98		3.81	1734	120	257	6343	166		-298	1477						
11/23/21 8 AM	0	2	68	300	2285	98	3274	98		4.29	1711	120	218	6341	167		-298	1495						
11/23/21 9 AM	0	1	71	300	2285	98	3274	98		3.62	1709	116	205	6342	167		-299	1504						
11/23/21 10 AM	0	2	73	301	2285	98	3274	98		4.51	1714	116	201	6343	167		-299	1513						
11/23/21 11 AM	0	3	75	301	2285	98	3274	98		4.42	1701	113	180	6341	167		-298	1521						
11/23/21 12 PM	0	3	78	302	2285	98	3274	98		4.32	1704	115	166	6342	167		-299	1538						
11/23/21 1 PM	0	3	81	302	2285	98	3274	98		4.56	1729	119	158	6343	167		-299	1571						
11/23/21 2 PM	0	4	83	302	2285	98	3274	98		4.38	1736	118	205	6343	166		-298	1531						
11/23/21 3 PM	0	4	84	303	2285	98	3274	98		4.44	1735	119	208	6343	167		-299	1527						
11/23/21 4 PM	0	4	85	303	2285	98	3274	98		4.29	1733	119	218	6343	166		-299	1515						
11/23/21 5 PM	0	4	85	303	2285	98	3274	98		4.02	1732	118	221	6342	167		-299	1511						
11/23/21 6 PM	0	4	85	303	2285	98	3274	98		4.31	1736	120	224	6342	167		-299	1513						
11/23/21 7 PM	0	4	85	303	2285	98	3274	98		3.83	1736	120	226	6341	167		-299	1510						
11/23/21 8 PM	0	4	84	303	2285	98	3274	98		4.27	1739	120	229	6342	167		-299	1510						
11/23/21 9 PM	0	4	84	303	2285	98	3274	98		4.10	1740	120	236	6344	166		-299	1505						
11/23/21 10 PM	0	4	83	303	2285	98	3274	98		4.41	1746	120	245	6344	166		-299	1501						
11/23/21 11 PM	0	4	83	303	2285	98	3274	98		4.16	1738	119	244	6344	166		-299	1494						
11/24/21 12 AM	0	4	83	303	2285	98	3274	98		4.34	1740	119	251	6344	166		-299	1488						
11/24/21 1 AM	0	4	82	303	2285	98	3274	98		3.87	1740	120	252	6344	166		-299	1488						
11/24/21 2 AM	0	4	81	303	2285	98	3274	98		4.00	1743	121	250	6345	166		-299	1492						
11/24/21 3 AM	0	3	80	303	2285	98	3274	98		3.75	1731	119	242	6343	166		-300	1489						
11/24/21 4 AM	0	3	79	303	2285	98	3274	98		4.24	1743	120	243	6344	166		-299	1500						
11/24/21 5 AM	0	3	78	303	2285	98	3274	98		4.36	1749	120	249	6345	166		-299	1500						
11/24/21 6 AM	0	3	78	302	2285	98	3274	98		4.67	1748	119	248	6346	166		-299	1500						
11/24/21 7 AM	0	3	77	302	2285	98	3274	98		4.57	1750	122	252	6346	166		-299	1498						
11/24/21 8 AM	0	3	78	302	2285	98	3274	98		4.31	1748	120	255	6345	166		-299	1493						
11/24/21 9 AM	0	3	78	302	2285	98	3274	98		4.27	1745	118	260	6345	166		-299	1485						
11/24/21 10 AM	0	3	79	302	2285	98	3274	98		4.50	1748	119	258	6345	166		-299	1490						
11/24/21 11 AM	0	3	80	302	2285	98	3274	98		3.86	1745	121	256	6344	166		-299	1489						
11/24/21 12 PM	0	3	82	302	2285	98	3274	98		4.05	1737	120	239	6342	166		-299	1498						
11/24/21 1 PM	0	4	84	303	2285	98	3274	98		3.40	1733	120	235	6341	167		-299	1498						
11/24/21 2 PM	0	4	86	303	2285	98	3274	98		3.42	1717	114	207	6338	167		-299	1510						
11/24/21 3 PM	0	4	86	303	2285	98	3274	98		4.43	1736	118	195	6340	167		-299	1541						
11/24/21 4 PM	0	4	88	303	2285	98	3274	98		3.12	1714	117	197	6337	167		-299	1517						
11/24/21 5 PM	0	4	88	303	2285	98	3274	98		3.45	1721	120	170	6335	168		-299	1551						
11/24/21 6 PM	0	4	87	304	2285	98	3274	98		5.28	1775	127	236	6347	166		-299	1539						
11/24/21 7 PM	0	4	86	303	2285	98	3274	98		0.36	1642	116	152	6321	168		-299	1489						
11/24/21 8 PM	0	4	84	303	2285	98	3274	98		3.89	1704	116	177	6338	167		-299	1527						
11/24/21 9 PM	0	4	83	303	2285	98	3274	98		4.80	1722	115	197	6344	166		-299	1526						
11/24/21 10 PM	0	4	80	303	2285	98	3274	98		4.37	1707	114	187	6345	166		-299	1520						
11/24/21 11 PM	0	3	78	303	2285	98	3274	98		4.93	1708	113	178	6346	166		-300	1530						
11/25/21 12 AM	0	3	76	303	2285	98	3274	98		4.85	1708	113	177	6347	166		-300	1531						
11/25/21 1 AM	0	3	73	303	2285	98	3274	98		4.93	1711	114	184	6347	166		-300	1527						
11/25/21 2 AM	0	3	71	303	2285	98	3274	98		4.95	1716	115	185	6349	166		-300	1530						
11/25/21 3 AM	0	2	71	302	2285	98	3274	98		4.88	1720	116	167	6350	165		-300	1533						
11/25/21 4 AM	0	2	70	302	2285	98	3274	98		5.11	1724	115	201	6351	165		-300	1523						
11/25/21 5 AM	0	2	69	302	2285	98	3274	98		4.97	1717	115	191	6351	165		-300	1525						
11/25/21 6 AM	0	2	68	302	2285	98	3274	98		5.07	1721	115	200	6351	165		-300	1521						
11/25/21 7 AM	0	1	68	301	2285	98	3274	98		4.87	1713	114	191	6350	165		-300	1522						
11/25/21 8 AM	0	1	68	302	2285	98	3274	98		4.38	1708	114	189	6349	166		-300	1519						
11/25/21 9 AM	0	1	67	301	2285	98	3274	98		5.11	1726	116	196	6351	166		-300	1529						
11/25/21 10 AM	0	1	69	302	2285	98	3274	98		5.28	1725	115	205	6351	165		-301	1528						
11/25/21 11 AM	0	2	70	302	2285	98	3274	98		4.25	1712	113	194	6348	166		-300	1516						
11/25/21 12 PM	0	2	72	302	2285	98	3274	98		4.18	1711	115	186	6348	166		-300	1524						
11/25/21 1 PM	0	3	74	302	2285	98	3274	98		4.66	1706	110	193	6348	166		-299	1513						
11/25/21 2 PM	0	3	76	302	2285	98	3274	98		4.83	1724	113	204	6349	166		-299	1521						
11/25/21 3 PM	0	3	78	302	2285	98	3274	98		4.80	1723	118	190	6350	166		-299	1534						
11/25/21 4 PM	0	3	79	303	2285	98	3274	98		4.82	1715	115	183	6350	166		-300	1532						
11/25/21 5 PM	0	3	80	303	2285	98	3274	98		4														

Acid Gas Injection Well Report
Zia 2

Hour	October - December 2021								October - December 2021								Differential Pressure		
	Zia AGI #1 (API# 30-025-42208)								Zia AGI D#2 (API# 30-025-42207)										
	Surface			Downhole					Notes on Deviations	Surface			Downhole			Notes on Deviations			
	Wellhead		Annular	Annular		Injection				Wellhead		Annular	Injection						
	Injection Rate AGI #1	Surface Injection Pressure AGI #1		Surface Injection Temp AGI #1	Surface Annular Pressure AGI #1	Bottomhole Annular Pressure AGI #1	Bottomhole Annular Temp AGI #1 ("F)	Bottomhole Pressure AGI #1		Bottomhole Temp AGI #1	Injection Rate AGI #D2		Surface Injection Pressure AGI #D2	Surface Injection Temperature AGI #D2	Surface Annular Pressure #D2				Bottomhole Pressure AGI #D2
	Average	Average	Average	Average	Average	Average	Average	Average		Average	Average	Average	Average	Average	Average				Average
11/26/21 12 PM	0	3	74	301	2285	98	3274	98		4.67	1712	115	167	6350	166		-298		1545
11/26/21 1 PM	0	3	76	302	2285	98	3274	98		4.31	1712	115	169	6350	166		-299		1543
11/26/21 2 PM	0	3	77	302	2285	98	3274	98		4.75	1713	115	172	6351	166		-299		1541
11/26/21 3 PM	0	3	77	302	2285	98	3274	98		4.67	1709	115	161	6350	166		-299		1548
11/26/21 4 PM	0	3	77	302	2285	98	3274	98		4.80	1715	115	165	6351	166		-299		1550
11/26/21 5 PM	0	3	77	302	2285	98	3274	98		4.79	1714	114	165	6351	166		-299		1550
11/26/21 6 PM	0	3	77	302	2285	98	3274	98		4.13	1705	114	161	6351	166		-299		1544
11/26/21 7 PM	0	3	77	302	2285	98	3274	98		4.85	1716	114	167	6352	166		-299		1550
11/26/21 8 PM	0	3	76	302	2285	98	3274	98		4.72	1710	114	166	6352	165		-299		1545
11/26/21 9 PM	0	3	75	302	2285	98	3274	98		4.87	1715	115	165	6351	165		-299		1550
11/26/21 10 PM	0	3	75	302	2285	98	3274	98		4.65	1711	113	161	6351	166		-299		1550
11/26/21 11 PM	0	3	74	302	2285	98	3274	98		4.76	1707	114	155	6351	166		-299		1551
11/27/21 12 AM	0	3	75	302	2285	98	3274	98		4.85	1709	114	161	6350	166		-299		1548
11/27/21 1 AM	0	3	76	302	2285	98	3274	98		4.14	1708	116	165	6351	166		-299		1543
11/27/21 2 AM	0	3	76	302	2285	98	3274	98		4.68	1721	120	167	6351	166		-299		1555
11/27/21 3 AM	0	3	75	302	2285	98	3274	98		4.53	1720	121	166	6351	166		-299		1554
11/27/21 4 AM	0	3	74	302	2285	98	3274	98		4.78	1707	114	162	6351	166		-299		1544
11/27/21 5 AM	0	3	73	301	2285	98	3274	98		4.12	1700	113	159	6351	166		-298		1541
11/27/21 6 AM	0	3	73	301	2285	98	3274	98		4.79	1700	114	154	6350	166		-298		1546
11/27/21 7 AM	0	2	73	301	2285	98	3274	98		4.65	1720	118	166	6351	166		-299		1554
11/27/21 8 AM	0	2	73	301	2285	98	3274	98		4.88	1711	115	161	6351	166		-299		1550
11/27/21 9 AM	0	2	74	301	2285	98	3274	98		4.76	1725	116	177	6351	166		-299		1547
11/27/21 10 AM	0	2	74	301	2285	98	3274	98		4.84	1711	114	161	6352	166		-299		1550
11/27/21 11 AM	0	3	75	301	2285	98	3274	98		4.39	1717	115	170	6351	166		-298		1547
11/27/21 12 PM	0	3	78	302	2285	98	3274	98		4.75	1712	115	164	6351	166		-299		1548
11/27/21 1 PM	0	3	78	302	2285	98	3274	98		4.69	1705	115	162	6350	166		-299		1543
11/27/21 2 PM	0	3	78	302	2285	98	3274	98		4.80	1709	113	161	6351	166		-299		1548
11/27/21 3 PM	0	3	81	302	2285	98	3274	98		4.73	1710	115	160	6351	166		-299		1550
11/27/21 4 PM	0	3	81	302	2285	98	3274	98		4.55	1713	116	165	6351	166		-299		1548
11/27/21 5 PM	0	3	81	302	2285	98	3274	98		4.77	1712	115	164	6352	166		-299		1548
11/27/21 6 PM	0	3	81	302	2285	98	3274	98		4.87	1713	115	162	6352	166		-299		1551
11/27/21 7 PM	0	3	82	302	2285	98	3274	98		4.84	1711	114	165	6352	165		-299		1546
11/27/21 8 PM	0	3	81	302	2285	98	3274	98		4.59	1700	114	161	6351	165		-299		1539
11/27/21 9 PM	0	3	80	302	2285	98	3274	98		4.70	1707	115	154	6351	166		-299		1553
11/27/21 10 PM	0	3	79	302	2285	98	3274	98		4.81	1705	114	146	6350	166		-299		1559
11/27/21 11 PM	0	3	76	302	2285	98	3274	98		4.82	1698	113	132	6348	166		-299		1566
11/28/21 12 AM	0	3	74	302	2285	98	3274	98		4.09	1705	116	148	6348	166		-299		1557
11/28/21 1 AM	0	2	73	301	2285	98	3274	98		4.01	1694	114	129	6347	166		-299		1564
11/28/21 2 AM	0	2	71	301	2285	98	3274	98		4.80	1700	113	126	6346	166		-299		1574
11/28/21 3 AM	0	2	70	301	2285	98	3274	98		4.10	1701	114	134	6347	166		-299		1566
11/28/21 4 AM	0	1	68	300	2285	98	3274	98		4.09	1695	114	136	6348	166		-299		1560
11/28/21 5 AM	0	1	68	300	2285	98	3274	98		4.21	1696	114	135	6348	166		-299		1561
11/28/21 6 AM	0	1	67	300	2285	98	3274	98		4.79	1708	114	140	6348	166		-299		1568
11/28/21 7 AM	0	1	67	300	2285	98	3274	98		4.02	1693	114	135	6348	166		-299		1558
11/28/21 8 AM	0	1	68	300	2285	98	3274	98		4.71	1709	121	131	6346	166		-299		1578
11/28/21 9 AM	0	1	70	300	2285	98	3274	98		3.93	1691	114	127	6344	166		-299		1564
11/28/21 10 AM	0	2	74	300	2285	98	3274	98		3.72	1702	118	125	6343	166		-298		1576
11/28/21 11 AM	0	3	77	301	2285	98	3274	98		4.20	1689	113	121	6342	167		-298		1568
11/28/21 12 PM	0	3	80	301	2285	98	3274	98		4.13	1690	114	117	6342	167		-298		1572
11/28/21 1 PM	0	3	81	302	2285	98	3274	98		4.12	1699	115	118	6342	167		-299		1581
11/28/21 2 PM	0	4	83	302	2285	98	3274	98		3.90	1686	115	97	6341	167		-298		1588
11/28/21 3 PM	0	4	84	302	2285	98	3274	98		3.74	1684	114	100	6341	167		-298		1584
11/28/21 4 PM	0	4	84	302	2285	98	3274	98		3.87	1687	115	104	6341	167		-298		1583
11/28/21 5 PM	0	4	83	302	2285	98	3274	98		3.79	1695	115	116	6343	166		-298		1579
11/28/21 6 PM	0	4	83	302	2285	98	3274	98		4.37	1689	113	117	6344	166		-298		1572
11/28/21 7 PM	0	4	82	302	2285	98	3274	98		4.77	1705	114	130	6345	166		-298		1575
11/28/21 8 PM	0	4	81	302	2285	98	3274	98		4.22	1697	113	127	6346	166		-298		1569
11/28/21 9 PM	0	4	80	302	2285	98	3274	98		4.71	1715	116	140	6348	166		-298		1576
11/28/21 10 PM	0	3	79	302	2285	98	3274	98		4.08	1698	114	127	6348	166		-299		1571
11/28/21 11 PM	0	3	78	302	2285	98	3274	98		4.08	1707	114	129	6348	166		-299		1578
11/29/21 12 AM	0	3	78	302	2285	98	3274	98		4.69	1721	115	135	6349	166		-299		1586
11/29/21 1 AM	0	3	78	301	2285	98	3274	98		4.80	1711	112	126	6350	165		-298		1585
11/29/21 2 AM	0	3	76	301	2285	98	3274	98		4.54	1700	110	113	6350	165		-298		1587
11/29/29																			

Acid Gas Injection Well Report
Zia 2

Hour	October - December 2021									October - December 2021									Differential Pressure	
	Zia AGI #1 (API# 30-025-42208)									Zia AGI D#2 (API# 30-025-42207)										
	Surface			Downhole						Notes on Deviations	Surface			Downhole			Notes on Deviations			
	Wellhead		Annular	Annular		Injection		Wellhead			Annular	Injection								
	Injection Rate AGI #1	Surface Injection Pressure AGI #1		Surface Injection Temp AGI #1	Surface Annular Pressure AGI #1	Bottomhole Annular Pressure AGI #1	Bottomhole Annular Temp AGI #1 (°F)	Bottomhole Pressure AGI #1	Bottomhole Temp AGI #1			Injection Rate AGI #D2	Surface Injection Pressure AGI #D2	Surface Injection Temperature AGI #D2	Surface Annular Pressure #D2	Bottomhole Pressure AGI #D2		Bottomhole Temperature AGI #D2		
	Average	Average	Average	Average	Average	Average	Average	Average	Average		Average	Average	Average	Average	Average	Average		Average		
11/30/21 1 AM	0	3	76	301	2285	98	3274	98		4.02	1699	114	84	6344	166		-298		1615	
11/30/21 2 AM	0	3	75	300	2285	98	3274	98		4.32	1703	115	82	6344	166		-297		1621	
11/30/21 3 AM	0	2	74	300	2285	98	3274	98		4.15	1697	116	82	6344	166		-298		1615	
11/30/21 4 AM	0	2	73	300	2285	98	3274	98		4.08	1699	115	83	6343	166		-298		1616	
11/30/21 5 AM	0	2	72	300	2285	98	3274	98		4.39	1697	114	73	6344	166		-298		1624	
11/30/21 6 AM	0	2	72	300	2285	98	3274	98		4.24	1694	117	66	6344	166		-298		1628	
11/30/21 7 AM	0	2	71	300	2285	98	3274	98		4.00	1687	114	70	6344	166		-298		1617	
11/30/21 8 AM	0	1	71	300	2285	98	3274	98		4.00	1703	117	89	6344	166		-299		1614	
11/30/21 9 AM	0	2	73	300	2285	98	3274	98		4.17	1690	115	71	6344	166		-298		1618	
11/30/21 10 AM	0	3	77	300	2285	98	3274	98		4.21	1706	115	98	6343	166		-297		1607	
11/30/21 11 AM	0	3	81	301	2285	98	3274	98		3.93	1688	114	86	6343	166		-298		1602	
11/30/21 12 PM	0	4	85	301	2285	98	3274	98		4.50	1700	116	85	6343	166		-297		1614	
11/30/21 1 PM	0	4	88	302	2285	98	3274	98		3.71	1704	116	114	6346	166		-298		1590	
11/30/21 2 PM	0	5	91	302	2285	98	3274	98		3.92	1694	115	107	6345	166		-297		1587	
11/30/21 3 PM	0	5	92	302	2285	98	3274	98		4.56	1708	116	110	6345	166		-297		1598	
11/30/21 4 PM	0	6	93	302	2285	98	3274	98		4.54	1715	116	121	6346	166		-297		1594	
11/30/21 5 PM	0	6	93	303	2285	98	3274	98		3.75	1694	113	115	6344	166		-297		1579	
11/30/21 6 PM	0	5	91	303	2285	98	3274	98		3.62	1675	109	84	6340	166		-298		1591	
11/30/21 7 PM	0	5	89	302	2285	98	3274	98		4.43	1712	123	80	6342	166		-297		1633	
11/30/21 8 PM	0	5	86	302	2285	98	3274	98		4.39	1684	112	77	6341	166		-297		1608	
11/30/21 9 PM	0	4	84	302	2285	98	3274	98		3.98	1688	111	93	6341	166		-298		1595	
11/30/21 10 PM	0	4	84	302	2285	98	3274	98		3.92	1703	118	94	6341	166		-298		1609	
11/30/21 11 PM	0	4	83	302	2285	98	3274	98		4.88	1703	115	90	6342	166		-298		1613	
12/1/21 12 AM	0	4	82	302	2,285	98	3,274	98		3.96	1694	114	90	6342	166		-298		1604	
12/1/21 1 AM	0	4	82	302	2,285	98	3,274	98		4.09	1684	111	82	6342	166		-298		1602	
12/1/21 2 AM	0	3	81	302	2,285	98	3,274	98		4.04	1697	117	82	6342	166		-299		1615	
12/1/21 3 AM	0	3	79	302	2,285	98	3,274	98		4.15	1688	109	90	6341	166		-299		1598	
12/1/21 4 AM	0	2	78	301	2,285	98	3,274	98		4.14	1694	116	82	6343	166		-299		1612	
12/1/21 5 AM	0	3	77	301	2,285	98	3,274	98		4.02	1691	114	90	6342	166		-298		1600	
12/1/21 6 AM	0	3	76	301	2,285	98	3,274	98		3.91	1694	117	84	6342	166		-298		1610	
12/1/21 7 AM	0	3	75	300	2,285	98	3,274	98		3.89	1693	115	87	6341	166		-297		1605	
12/1/21 8 AM	0	2	74	300	2,285	98	3,274	98		3.91	1695	113	89	6341	166		-298		1606	
12/1/21 9 AM	0	2	73	300	2,285	98	3,274	98		4.20	1695	114	90	6341	166		-298		1605	
12/1/21 10 AM	0	3	76	300	2,285	98	3,274	98		3.99	1687	111	91	6341	166		-297		1596	
12/1/21 11 AM	0	3	79	301	2,285	98	3,274	98		4.22	1694	114	97	6341	166		-297		1597	
12/1/21 12 PM	0	4	83	301	2,285	98	3,274	98		3.78	1694	116	91	6341	166		-297		1603	
12/1/21 1 PM	0	4	87	302	2,285	98	3,274	98		3.79	1692	115	89	6341	166		-298		1603	
12/1/21 2 PM	0	4	89	302	2,285	98	3,274	98		3.75	1696	115	89	6341	166		-298		1607	
12/1/21 3 PM	0	5	91	302	2,285	98	3,274	98		3.68	1693	116	82	6341	166		-297		1611	
12/1/21 4 PM	0	6	93	302	2,285	98	3,274	98		3.73	1696	115	88	6341	166		-296		1608	
12/1/21 5 PM	0	6	93	302	2,285	98	3,274	98		3.92	1688	113	76	6341	166		-296		1612	
12/1/21 6 PM	0	6	92	303	2,285	98	3,274	98		4.38	1692	115	77	6341	166		-297		1616	
12/1/21 7 PM	0	5	91	303	2,285	98	3,274	98		3.85	1696	117	84	6341	166		-298		1611	
12/1/21 8 PM	0	5	90	302	2,285	98	3,274	98		4.06	1702	116	88	6341	166		-297		1614	
12/1/21 9 PM	0	5	88	303	2,285	98	3,274	98		4.00	1695	114	89	6341	166		-298		1606	
12/1/21 10 PM	0	4	86	302	2,285	98	3,274	98		4.02	1694	115	82	6341	166		-298		1612	
12/1/21 11 PM	0	4	84	302	2,285	98	3,274	98		3.87	1694	116	78	6340	166		-298		1616	
12/2/21 12 AM	0	4	83	302	2,285	98	3,274	98		3.90	1696	116	73	6340	166		-298		1622	
12/2/21 1 AM	0	3	81	302	2,285	98	3,274	98		3.93	1692	115	73	6340	166		-299		1620	
12/2/21 2 AM	0	3	80	302	2,285	98	3,274	98		4.06	1696	119	71	6341	166		-299		1625	
12/2/21 3 AM	0	3	78	301	2,285	98	3,274	98		4.17	1701	121	70	6342	166		-298		1632	
12/2/21 4 AM	0	3	77	301	2,285	98	3,274	98		4.05	1701	117	84	6342	166		-298		1618	
12/2/21 5 AM	0	3	76	301	2,285	98	3,274	98		4.08	1703	116	89	6341	166		-298		1614	
12/2/21 6 AM	0	2	75	300	2,285	98	3,274	98		4.20	1692	111	87	6341	166		-298		1605	
12/2/21 7 AM	0	2	74	300	2,285	98	3,274	98		4.02	1697	113	88	6341	166		-298		1608	
12/2/21 8 AM	0	2	73	300	2,285	98	3,274	98		4.15	1718	121	90	6343	166		-298		1628	
12/2/21 9 AM	0	2	74	300	2,285	98	3,274	98		3.98	1706	121	82	6343	166		-298		1624	
12/2/21 10 AM	0	3	77	300	2,285	98	3,274	98		4.00	1691	113	88	6342	166		-297		1603	
12/2/21 11 AM	0	3	80	301	2,285	98	3,274	98		4.47	1683	112	95	6343	166		-298		1618	
12/2/21 12 PM	0	4	84	301	2,285	98	3,274	98		4.37	1693	113	78	6342	166		-297		1615	
12/2/21 1 PM	0	4	88	302	2,285	98	3,274	98		3.61	1677	112	62	6339	166		-298		1615	
12/2/21 2 PM	0	4	90	302	2,285	98	3,274	98		3.87	1690	115	62	6339	167		-298		1628	
12/2/21 3 PM	0	5	92	302	2,285	98	3,274	98		3.55	1689	114	70	6339	166		-297		1620	
12/2/21 4 PM	0	6																		

Acid Gas Injection Well Report
Zia 2

Hour	October - December 2021									October - December 2021									Differential Pressure	
	Zia AGI #1 (API# 30-025-42208)									Zia AGI D#2 (API# 30-025-42207)										
	Surface			Downhole						Notes on Deviations	Surface			Downhole			Notes on Deviations			
	Wellhead		Annular	Annular		Injection		Wellhead			Annular	Injection		Surface vs Annular						
	Injection Rate AGI #1	Surface Injection Pressure AGI #1	Surface Injection Temp AGI #1	Surface Annular Pressure AGI #1	Bottomhole Annular Pressure AGI #1	Bottomhole Annular Temp AGI #1 ("F)	Bottomhole Pressure AGI #1	Bottomhole Temp AGI #1	Injection Rate AGI #D2		Surface Injection Pressure AGI #D2	Surface Injection Temperature AGI #D2	Surface Annular Pressure #D2	Bottomhole Pressure AGI #D2	Bottomhole Temperature AGI #D2	Differential Pressure AGI #1	Differential Pressure AGI #D2			
	Average	Average	Average	Average	Average	Average	Average	Average	Average		Average	Average	Average	Average	Average	Average	Average	Average		
12/3/21 2 PM	0	4	89	302	2,285	98	3,274	98		4.60	1701	114	119	6344	166		-298	1582		
12/3/21 3 PM	0	5	90	303	2,285	98	3,274	98		4.20	1696	114	122	6344	166		-298	1574		
12/3/21 4 PM	0	5	91	303	2,285	98	3,274	98		4.09	1691	114	115	6343	166		-298	1576		
12/3/21 5 PM	0	6	92	303	2,285	98	3,274	98		4.57	1709	117	122	6345	166		-297	1587		
12/3/21 6 PM	0	6	92	304	2,285	98	3,274	98		4.62	1701	114	127	6346	166		-298	1574		
12/3/21 7 PM	0	6	92	304	2,285	98	3,274	98		4.80	1710	115	142	6348	165		-298	1568		
12/3/21 8 PM	0	5	90	304	2,285	98	3,274	98		5.16	1720	116	154	6351	165		-299	1566		
12/3/21 9 PM	0	5	89	303	2,285	98	3,274	98		5.23	1715	114	161	6353	165		-298	1554		
12/3/21 10 PM	0	5	87	303	2,285	98	3,274	98		4.93	1709	114	161	6352	165		-298	1547		
12/3/21 11 PM	0	4	85	303	2,285	98	3,274	98		4.88	1711	114	161	6351	165		-299	1550		
12/4/21 12 AM	0	4	82	303	2,285	98	3,274	98		4.81	1709	114	149	6350	165		-299	1560		
12/4/21 1 AM	0	4	81	303	2,285	98	3,274	98		4.41	1717	116	158	6350	165		-299	1559		
12/4/21 2 AM	0	4	80	303	2,285	98	3,274	98		4.72	1724	115	142	6350	165		-299	1582		
12/4/21 3 AM	0	3	78	302	2,285	98	3,274	98		5.35	1740	115	148	6354	165		-299	1592		
12/4/21 4 AM	0	3	76	302	2,285	98	3,274	98		3.98	1709	110	135	6351	165		-299	1575		
12/4/21 5 AM	0	3	75	302	2,285	98	3,274	98		3.96	1707	114	96	6346	166		-299	1612		
12/4/21 6 AM	0	3	74	301	2,285	98	3,274	98		5.18	1737	117	121	6352	165		-298	1616		
12/4/21 7 AM	0	2	73	301	2,285	98	3,274	98		5.62	1732	114	152	6357	165		-299	1588		
12/4/21 8 AM	0	2	73	300	2,285	98	3,274	98		5.65	1737	115	168	6359	164		-298	1569		
12/4/21 9 AM	0	2	73	300	2,285	98	3,274	98		5.05	1725	115	177	6358	164		-298	1548		
12/4/21 10 AM	0	2	75	300	2,285	98	3,274	98		5.01	1719	114	175	6357	164		-298	1544		
12/4/21 11 AM	0	3	78	301	2,285	98	3,274	98		4.73	1716	114	168	6354	165		-298	1548		
12/4/21 12 PM	0	3	82	301	2,285	98	3,274	98		4.74	1716	115	161	6353	165		-298	1555		
12/4/21 1 PM	0	4	86	302	2,285	98	3,274	98		4.71	1713	115	155	6352	165		-298	1558		
12/4/21 2 PM	0	4	88	302	2,285	98	3,274	98		4.59	1709	114	149	6351	165		-298	1561		
12/4/21 3 PM	0	5	89	302	2,285	98	3,274	98		4.21	1703	115	141	6349	166		-297	1563		
12/4/21 4 PM	0	5	90	302	2,285	98	3,274	98		4.54	1707	115	135	6350	166		-297	1572		
12/4/21 5 PM	0	5	90	302	2,285	98	3,274	98		4.76	1712	115	145	6351	165		-297	1567		
12/4/21 6 PM	0	5	91	303	2,285	98	3,274	98		4.73	1712	115	145	6351	165		-298	1567		
12/4/21 7 PM	0	5	89	303	2,285	98	3,274	98		4.71	1713	114	148	6352	165		-298	1565		
12/4/21 8 PM	0	5	89	302	2,285	98	3,274	98		4.71	1713	115	145	6351	165		-297	1568		
12/4/21 9 PM	0	4	87	303	2,285	98	3,274	98		4.70	1711	114	142	6351	165		-298	1569		
12/4/21 10 PM	0	4	87	302	2,285	98	3,274	98		4.76	1709	114	139	6351	165		-298	1570		
12/4/21 11 PM	0	4	85	302	2,285	98	3,274	98		4.70	1710	115	135	6351	165		-298	1574		
12/5/21 12 AM	0	4	85	302	2,285	98	3,274	98		4.71	1707	114	134	6350	165		-298	1572		
12/5/21 1 AM	0	4	84	302	2,285	98	3,274	98		4.32	1707	115	135	6350	165		-298	1572		
12/5/21 2 AM	0	4	83	302	2,285	98	3,274	98		4.77	1710	115	132	6351	165		-298	1579		
12/5/21 3 AM	0	4	82	302	2,285	98	3,274	98		4.75	1710	113	132	6351	165		-298	1578		
12/5/21 4 AM	0	4	82	302	2,285	98	3,274	98		4.89	1716	114	139	6352	165		-298	1576		
12/5/21 5 AM	0	3	81	302	2,285	98	3,274	98		4.90	1713	114	141	6353	165		-299	1572		
12/5/21 6 AM	0	3	80	302	2,285	98	3,274	98		4.87	1716	114	146	6353	165		-299	1570		
12/5/21 7 AM	0	3	79	301	2,285	98	3,274	98		4.78	1714	115	143	6353	165		-298	1572		
12/5/21 8 AM	0	3	78	301	2,285	98	3,274	98		5.05	1717	115	145	6354	165		-298	1572		
12/5/21 9 AM	0	3	78	301	2,285	98	3,274	98		4.97	1720	115	155	6354	165		-298	1564		
12/5/21 10 AM	0	3	80	301	2,285	98	3,274	98		5.45	1720	113	156	6354	165		-298	1564		
12/5/21 11 AM	0	3	82	302	2,285	98	3,274	98		4.90	1712	113	159	6354	165		-299	1553		
12/5/21 12 PM	0	4	85	302	2,285	98	3,274	98		5.00	1717	114	162	6355	165		-298	1555		
12/5/21 1 PM	0	4	87	302	2,285	98	3,274	98		4.61	1707	114	155	6353	165		-298	1552		
12/5/21 2 PM	0	5	90	302	2,285	98	3,274	98		4.21	1700	114	149	6351	165		-297	1551		
12/5/21 3 PM	0	6	92	303	2,285	98	3,274	98		4.00	1697	114	138	6348	166		-297	1560		
12/5/21 4 PM	0	6	93	303	2,285	98	3,274	98		3.69	1689	115	116	6347	166		-297	1573		
12/5/21 5 PM	0	6	93	303	2,285	98	3,274	98		4.60	1702	115	117	6346	166		-297	1586		
12/5/21 6 PM	0	6	91	303	2,285	98	3,274	98		3.82	1695	115	114	6346	166		-297	1581		
12/5/21 7 PM	0	6	90	303	2,285	98	3,274	98		4.17	1699	115	116	6346	166		-297	1582		
12/5/21 8 PM	0	5	88	303	2,285	98	3,274	98		4.27	1699	114	117	6346	166		-298	1582		
12/5/21 9 PM	0	5	87	303	2,285	98	3,274	98		3.88	1694	116	103	6344	166		-298	1591		
12/5/21 10 PM	0	4	86	303	2,285	98	3,274	98		3.90	1691	114	100	6344	166		-299	1591		
12/5/21 11 PM	0	4	84	303	2,285	98	3,274	98		3.92	1687	113	91	6343	166		-299	1596		
12/6/21 12 AM	0	4	83	303	2,285	98	3,274	98		4.03	1691	114	88	6344	166		-299	1604		
12/6/21 1 AM	0	4	81	302	2,285	98	3,274	98		4.06	1697	116	94	6343	166		-298	1604		
12/6/21 2 AM	0	3	79	302	2,285	98	3,274	98		4.13	1693	109	90	6344	166		-299	1602		
12/6/21 3 AM	0	3	74	302	2,285	98	3,274	98		4.19	1692	114	83	6345	166		-299	1610		
12/6/21 4 AM	0	2	69	301	2,285	98	3,274	98		4.18	1700	115	95	6347	166		-299	1605		
12/6/21 5 AM	0	1	65	300	2,285	98	3,274	98		5.05	1708	113	104	6347	166		-299	1604		

Acid Gas Injection Well Report
Zia 2

Hour	October - December 2021									October - December 2021									Differential Pressure	
	Zia AGI #1 (API# 30-025-42208)									Zia AGI D#2 (API# 30-025-42207)										
	Surface			Downhole						Notes on Deviations	Surface			Downhole			Notes on Deviations			
	Wellhead		Annular	Annular		Injection		Wellhead			Annular	Injection								
	Injection Rate AGI #1	Surface Injection Pressure AGI #1		Surface Injection Temp AGI #1	Surface Annular Pressure AGI #1	Bottomhole Annular Pressure AGI #1	Bottomhole Annular Temp AGI #1 ("F)	Bottomhole Pressure AGI #1	Bottomhole Temp AGI #1			Injection Rate AGI #D2	Surface Injection Pressure AGI #D2	Surface Injection Temperature AGI #D2	Surface Annular Pressure #D2	Bottomhole Pressure AGI #D2			Bottomhole Temperature AGI #D2	
	Average	Average	Average	Average	Average	Average	Average	Average	Average		Average	Average	Average	Average	Average	Average			Average	
12/7/21 3 AM	0	1	65	298	2,285	98	3,274	98		4.06	1700	116	95	6348	166		-297	1605		
12/7/21 4 AM	0	1	65	298	2,285	98	3,274	98		5.04	1710	113	101	6349	165		-297	1610		
12/7/21 5 AM	0	1	65	298	2,285	98	3,274	98		4.81	1712	114	106	6350	165		-297	1606		
12/7/21 6 AM	0	1	65	298	2,285	98	3,274	98		4.35	1705	115	113	6350	165		-297	1592		
12/7/21 7 AM	0	1	65	298	2,285	98	3,274	98		4.89	1708	114	109	6350	165		-297	1600		
12/7/21 8 AM	0	1	65	298	2,285	98	3,274	98		4.79	1703	114	102	6348	165		-297	1601		
12/7/21 9 AM	0	1	65	298	2,285	98	3,274	98		3.99	1699	113	105	6347	166		-297	1594		
12/7/21 10 AM	0	1	67	298	2,285	98	3,274	98		4.81	1719	115	126	6350	165		-297	1593		
12/7/21 11 AM	0	2	70	298	2,285	98	3,274	98		4.28	1702	114	118	6349	165		-296	1584		
12/7/21 12 PM	0	2	74	299	2,285	98	3,274	98		5.20	1723	115	137	6351	165		-297	1586		
12/7/21 1 PM	0	3	77	299	2,285	98	3,274	98		5.20	1720	115	149	6355	165		-296	1572		
12/7/21 2 PM	0	3	80	300	2,285	98	3,274	98		5.06	1718	115	154	6355	165		-297	1563		
12/7/21 3 PM	0	3	82	300	2,285	98	3,274	98		4.75	1714	114	156	6354	165		-297	1558		
12/7/21 4 PM	0	4	84	300	2,285	98	3,274	98		4.96	1719	115	151	6354	165		-296	1568		
12/7/21 5 PM	0	4	85	300	2,285	98	3,274	98		4.62	1714	114	154	6354	165		-296	1560		
12/7/21 6 PM	0	4	86	300	2,285	98	3,274	98		4.95	1723	115	152	6354	165		-296	1571		
12/7/21 7 PM	0	4	85	300	2,285	98	3,274	98		4.96	1723	115	157	6355	165		-296	1566		
12/7/21 8 PM	0	4	84	300	2,285	98	3,274	98		4.92	1718	115	154	6355	165		-296	1564		
12/7/21 9 PM	0	4	83	300	2,285	98	3,274	98		4.87	1717	114	145	6353	165		-296	1572		
12/7/21 10 PM	0	3	81	300	2,285	98	3,274	98		4.99	1719	114	151	6355	165		-297	1568		
12/7/21 11 PM	0	3	80	300	2,285	98	3,274	98		4.90	1717	114	152	6355	165		-297	1565		
12/8/21 12 AM	0	3	79	300	2,285	98	3,274	98		4.87	1717	114	150	6354	165		-297	1567		
12/8/21 1 AM	0	3	77	300	2,285	98	3,274	98		4.64	1712	114	145	6353	165		-297	1567		
12/8/21 2 AM	0	3	76	299	2,285	98	3,274	98		4.91	1720	116	144	6353	165		-297	1576		
12/8/21 3 AM	0	3	75	299	2,285	98	3,274	98		4.96	1715	115	137	6353	165		-296	1578		
12/8/21 4 AM	0	2	74	299	2,285	98	3,274	98		4.86	1712	115	136	6352	165		-297	1576		
12/8/21 5 AM	0	2	73	299	2,285	98	3,274	98		4.87	1717	115	143	6353	165		-297	1574		
12/8/21 6 AM	0	2	72	299	2,285	98	3,274	98		4.16	1698	114	132	6353	165		-297	1566		
12/8/21 7 AM	0	1	71	299	2,285	98	3,274	98		3.19	1681	117	123	6349	166		-298	1558		
12/8/21 8 AM	0	1	70	298	2,285	98	3,274	98		4.96	1717	115	141	6351	166		-297	1576		
12/8/21 9 AM	0	1	70	298	2,285	98	3,274	98		5.13	1726	118	148	6354	165		-297	1578		
12/8/21 10 AM	0	1	71	298	2,285	98	3,274	98		5.02	1715	114	161	6354	165		-297	1554		
12/8/21 11 AM	0	2	75	299	2,285	98	3,274	98		4.72	1710	114	158	6353	165		-297	1552		
12/8/21 12 PM	0	3	78	299	2,285	98	3,274	98		4.73	1711	115	157	6353	165		-296	1554		
12/8/21 1 PM	0	3	80	299	2,285	98	3,274	98		4.59	1708	115	153	6353	165		-296	1555		
12/8/21 2 PM	0	3	81	300	2,285	98	3,274	98		4.63	1711	114	153	6353	165		-297	1558		
12/8/21 3 PM	0	4	83	300	2,285	98	3,274	98		4.56	1710	114	143	6352	165		-296	1567		
12/8/21 4 PM	0	4	84	300	2,285	98	3,274	98		4.58	1705	113	130	6351	165		-296	1575		
12/8/21 5 PM	0	4	85	301	2,285	98	3,274	98		4.59	1713	116	142	6352	165		-297	1571		
12/8/21 6 PM	0	4	85	301	2,285	98	3,274	98		4.13	1708	116	143	6352	165		-297	1565		
12/8/21 7 PM	0	4	85	301	2,285	98	3,274	98		4.75	1714	115	143	6353	165		-297	1571		
12/8/21 8 PM	0	4	85	301	2,285	98	3,274	98		3.97	1702	114	143	6352	165		-297	1559		
12/8/21 9 PM	0	4	85	301	2,285	98	3,274	98		3.82	1697	114	134	6350	165		-297	1563		
12/8/21 10 PM	0	4	85	301	2,285	98	3,274	98		3.82	1701	115	130	6350	166		-297	1571		
12/8/21 11 PM	0	4	85	301	2,285	98	3,274	98		4.79	1712	114	125	6350	166		-297	1587		
12/9/21 12 AM	0	4	84	301	2,285	98	3,274	98		4.14	1707	115	130	6352	165		-297	1577		
12/9/21 1 AM	0	4	83	301	2,285	98	3,274	98		4.84	1713	115	139	6354	165		-297	1574		
12/9/21 2 AM	0	4	82	300	2,285	98	3,274	98		4.18	1695	114	133	6351	165		-296	1562		
12/9/21 3 AM	0	3	81	300	2,285	98	3,274	98		4.99	1713	114	143	6354	165		-297	1570		
12/9/21 4 AM	0	3	80	300	2,285	98	3,274	98		5.09	1710	115	153	6355	165		-297	1557		
12/9/21 5 AM	0	3	80	300	2,285	98	3,274	98		5.04	1722	115	161	6355	165		-297	1561		
12/9/21 6 AM	0	3	80	300	2,285	98	3,274	98		4.99	1716	115	161	6356	165		-297	1555		
12/9/21 7 AM	0	3	79	300	2,285	98	3,274	98		4.95	1717	114	168	6356	165		-297	1549		
12/9/21 8 AM	0	3	79	300	2,285	98	3,274	98		4.72	1714	115	160	6355	165		-297	1554		
12/9/21 9 AM	0	3	79	300	2,285	98	3,274	98		4.79	1715	115	161	6355	165		-297	1554		
12/9/21 10 AM	0	3	79	300	2,285	98	3,274	98		4.83	1715	115	158	6355	165		-297	1558		
12/9/21 11 AM	0	3	79	300	2,285	98	3,274	98		4.87	1714	115	160	6355	165		-297	1554		
12/9/21 12 PM	0	3	79	300	2,285	98	3,274	98		4.70	1711	114	156	6354	165		-297	1555		
12/9/21 1 PM	0	3	80	301	2,285	98	3,274	98		4.46	1710	115	152	6353	165		-298	1558		
12/9/21 2 PM	0	4	81	301	2,285	98	3,274	98		4.12	1703	115	145	6352	165		-297	1558		
12/9/21 3 PM	0	4	83	302	2,285	98	3,274	98		4.57	1713	115	144	6353	165		-298	1569		
12/9/21 4 PM	0	4	84	302	2,285	98	3,274	98		4.11	1707	114	136	6352	166		-298	1571		
12/9/21 5 PM	0	4	84	302	2,285	98	3,274	98		4.89	1722	117	141	6354	165		-298	1581		
12/9/21 6 PM	0	4	85	302	2,285	98	3,274	98		4.92	1725	115	149	6356	165		-298	1576		
12/9/21 7 PM	0	4	85	302	2,285															

Acid Gas Injection Well Report
Zia 2

Hour	October - December 2021									October - December 2021									Differential Pressure	
	Zia AGI #1 (API# 30-025-42208)									Zia AGI D#2 (API# 30-025-42207)										
	Surface			Downhole						Notes on Deviations	Surface			Downhole			Notes on Deviations			
	Wellhead		Annular	Annular		Injection		Wellhead			Annular	Injection								
	Injection Rate AGI #1	Surface Injection Pressure AGI #1		Bottomhole Annular Pressure AGI #1	Bottomhole Annular Temp AGI #1 ("F)	Bottomhole Pressure AGI #1	Bottomhole Temp AGI #1	Injection Rate AGI #D2	Surface Injection Pressure AGI #D2			Surface Injection Temperature AGI #D2	Surface Annular Pressure #D2	Bottomhole Pressure AGI #D2	Bottomhole Temperature AGI #D2					
	Average	Average	Average	Average	Average	Average	Average	Average	Average		Average	Average	Average	Average	Average	Average		Average		
12/10/21 4 PM	0	4	84	303	2,285	98	3,274	98		4.75	1719	114	139	6357	165		-299	1580		
12/10/21 5 PM	0	4	84	303	2,285	98	3,274	98		4.96	1723	114	143	6358	165		-299	1579		
12/10/21 6 PM	0	4	83	303	2,285	98	3,274	98		4.82	1721	114	144	6357	165		-299	1577		
12/10/21 7 PM	0	4	82	303	2,285	98	3,274	98		4.96	1726	114	148	6358	165		-299	1578		
12/10/21 8 PM	0	4	81	302	2,285	98	3,274	98		4.93	1725	115	147	6358	165		-298	1578		
12/10/21 9 PM	0	4	80	302	2,285	98	3,274	98		5.07	1729	115	151	6359	165		-298	1578		
12/10/21 10 PM	0	3	79	302	2,285	98	3,274	98		5.10	1729	114	154	6360	165		-299	1575		
12/10/21 11 PM	0	3	78	302	2,285	98	3,274	98		4.99	1726	114	154	6360	165		-299	1572		
12/11/21 12 AM	0	3	75	302	2,285	98	3,274	98		5.00	1724	115	141	6360	165		-299	1583		
12/11/21 1 AM	0	3	72	301	2,285	98	3,274	98		4.96	1730	115	152	6360	165		-298	1578		
12/11/21 2 AM	0	2	70	301	2,285	98	3,274	98		5.12	1733	115	155	6360	165		-299	1578		
12/11/21 3 AM	0	2	68	300	2,285	98	3,274	98		5.10	1735	115	166	6361	165		-298	1569		
12/11/21 4 AM	0	1	67	300	2,285	98	3,274	98		5.15	1735	115	165	6361	165		-299	1570		
12/11/21 5 AM	0	1	66	300	2,285	98	3,274	98		5.10	1736	116	174	6361	165		-299	1562		
12/11/21 6 AM	0	1	66	299	2,285	98	3,274	98		5.06	1731	115	171	6361	165		-298	1560		
12/11/21 7 AM	0	1	67	299	2,285	98	3,274	98		5.13	1733	115	171	6361	165		-298	1562		
12/11/21 8 AM	0	1	67	299	2,285	98	3,274	98		5.16	1734	115	170	6362	165		-298	1564		
12/11/21 9 AM	0	1	68	299	2,285	98	3,274	98		5.13	1733	115	171	6361	165		-298	1563		
12/11/21 10 AM	0	1	68	299	2,285	98	3,274	98		5.00	1735	115	171	6361	165		-298	1564		
12/11/21 11 AM	0	1	70	299	2,285	98	3,274	98		4.86	1728	115	164	6360	165		-298	1564		
12/11/21 12 PM	0	2	73	299	2,285	98	3,274	98		4.82	1723	114	164	6359	165		-297	1559		
12/11/21 1 PM	0	3	75	300	2,285	98	3,274	98		4.84	1723	115	161	6359	165		-297	1562		
12/11/21 2 PM	0	3	77	300	2,285	98	3,274	98		4.71	1720	115	158	6358	165		-297	1562		
12/11/21 3 PM	0	3	78	300	2,285	98	3,274	98		4.84	1722	115	158	6359	165		-297	1564		
12/11/21 4 PM	0	3	78	300	2,285	98	3,274	98		4.89	1722	114	155	6359	165		-297	1566		
12/11/21 5 PM	0	3	78	300	2,285	98	3,274	98		4.83	1721	114	157	6359	165		-297	1564		
12/11/21 6 PM	0	3	76	300	2,285	98	3,274	98		4.80	1721	115	153	6358	165		-297	1568		
12/11/21 7 PM	0	3	75	300	2,285	98	3,274	98		4.85	1722	115	151	6359	165		-297	1571		
12/11/21 8 PM	0	3	73	300	2,285	98	3,274	98		4.83	1715	114	140	6359	165		-297	1575		
12/11/21 9 PM	0	3	72	300	2,285	98	3,274	98		4.44	1719	115	145	6358	165		-297	1574		
12/11/21 10 PM	0	2	72	300	2,285	98	3,274	98		4.77	1715	112	138	6357	165		-298	1577		
12/11/21 11 PM	0	2	70	299	2,285	98	3,274	98		4.90	1731	116	147	6359	165		-297	1584		
12/12/21 12 AM	0	2	70	299	2,285	98	3,274	98		4.85	1721	115	133	6359	165		-297	1588		
12/12/21 1 AM	0	1	69	299	2,285	98	3,274	98		5.21	1729	113	152	6361	165		-298	1577		
12/12/21 2 AM	0	1	69	299	2,285	98	3,274	98		5.04	1729	115	151	6361	165		-297	1578		
12/12/21 3 AM	0	2	67	298	2,285	98	3,274	98		4.99	1722	114	150	6361	165		-296	1572		
12/12/21 4 AM	0	1	65	298	2,285	98	3,274	98		4.88	1722	114	146	6360	165		-297	1577		
12/12/21 5 AM	0	1	64	298	2,285	98	3,274	98		4.89	1725	115	151	6359	165		-297	1574		
12/12/21 6 AM	0	1	63	297	2,285	98	3,274	98		4.95	1727	114	153	6359	165		-296	1574		
12/12/21 7 AM	0	0	62	297	2,285	98	3,274	98		4.99	1727	115	152	6360	165		-297	1575		
12/12/21 8 AM	0	0	61	297	2,285	98	3,274	98		4.77	1718	114	148	6359	165		-297	1570		
12/12/21 9 AM	0	0	62	297	2,285	98	3,274	98		4.67	1728	117	154	6358	165		-297	1574		
12/12/21 10 AM	0	1	64	297	2,285	98	3,274	98		4.78	1729	115	161	6359	165		-296	1568		
12/12/21 11 AM	0	1	67	298	2,285	98	3,274	98		5.32	1738	115	158	6361	165		-297	1580		
12/12/21 12 PM	0	2	70	298	2,285	98	3,274	98		4.77	1722	114	156	6360	165		-296	1566		
12/12/21 1 PM	0	2	72	298	2,285	98	3,274	98		4.92	1724	114	154	6360	165		-296	1570		
12/12/21 2 PM	0	3	75	299	2,285	98	3,274	98		5.15	1730	114	161	6361	165		-296	1569		
12/12/21 3 PM	0	3	78	299	2,285	98	3,274	98		4.98	1727	114	161	6362	165		-296	1566		
12/12/21 4 PM	0	3	80	300	2,285	98	3,274	98		4.76	1725	114	160	6361	165		-297	1565		
12/12/21 5 PM	0	4	81	300	2,285	98	3,274	98		4.96	1730	115	155	6361	165		-296	1575		
12/12/21 6 PM	0	4	82	300	2,285	98	3,274	98		5.09	1732	115	157	6362	165		-296	1576		
12/12/21 7 PM	0	4	81	300	2,285	98	3,274	98		5.19	1738	115	170	6363	165		-296	1569		
12/12/21 8 PM	0	4	80	300	2,285	98	3,274	98		5.27	1737	115	168	6363	165		-296	1569		
12/12/21 9 PM	0	3	79	300	2,285	98	3,274	98		5.34	1740	115	173	6364	165		-297	1567		
12/12/21 10 PM	0	3	79	300	2,285	98	3,274	98		5.44	1742	114	180	6365	164		-297	1562		
12/12/21 11 PM	0	3	78	300	2,285	98	3,274	98		5.31	1741	115	178	6365	165		-297	1562		
12/13/21 12 AM	0	3	77	300	2,285	98	3,274	98		5.23	1740	116	175	6364	165		-297	1566		
12/13/21 1 AM	0	3	77	300	2,285	98	3,274	98		5.11	1739	116	174	6364	165		-297	1565		
12/13/21 2 AM	0	3	76	299	2,285	98	3,274	98		5.20	1736	114	175	6365	165		-296	1561		
12/13/21 3 AM	0	3	76	299	2,285	98	3,274	98		5.21	1732	114	166	6364	165		-296	1566		
12/13/21 4 AM	0	2	73	299	2,285	98	3,274	98		5.25	1736	114	168	6365	165		-297	1568		
12/13/21 5 AM	0	2	72	299	2,285	98	3,274	98		5.27	1738	115	169	6365	165		-297	1569		
12/13/21 6 AM	0	2	70	298	2,285	98	3,274	98		5.17	1734	115	162	6365	165		-296	1572		
12/13/21 7 AM	0	1	69	298	2,285	98	3,274	98		5.16	1735	115	170	6364	165		-297	1565		
12/13/21 8 AM																				

Acid Gas Injection Well Report
Zia 2Source : DCS
All values are hourly averages.

Hour	October - December 2021									October - December 2021									Differential Pressure	
	Zia AGI #1 (API# 30-025-42208)									Zia AGI D#2 (API# 30-025-42207)										
	Surface			Downhole						Notes on Deviations	Surface			Downhole			Notes on Deviations			
	Wellhead		Annular	Annular		Injection		Wellhead			Annular	Injection								
	Injection Rate AGI #1	Surface Injection Pressure AGI #1		Surface Injection Temp AGI #1	Surface Annular Pressure AGI #1	Bottomhole Annular Pressure AGI #1	Bottomhole Annular Temp AGI #1 ("F)	Bottomhole Pressure AGI #1	Bottomhole Temp AGI #1			Injection Rate AGI #D2	Surface Injection Pressure AGI #D2	Surface Injection Temperature AGI #D2	Surface Annular Pressure #D2	Bottomhole Pressure AGI #D2		Bottomhole Temperature AGI #D2		
	Average	Average	Average	Average	Average	Average	Average	Average	Average		Average	Average	Average	Average	Average	Average		Average		
12/14/21 5 AM	0	3	77	300	2,285	98	3,274	98		4.82	1729	113	108	6357	165		-297	1621		
12/14/21 6 AM	0	3	76	299	2,285	98	3,274	98		4.59	1724	114	96	6356	165		-296	1628		
12/14/21 7 AM	0	2	75	299	2,285	98	3,274	98		4.97	1739	116	121	6360	165		-297	1617		
12/14/21 8 AM	0	2	74	299	2,285	98	3,274	98		4.92	1727	114	122	6360	165		-297	1605		
12/14/21 9 AM	0	2	74	299	2,285	98	3,274	98		4.92	1730	114	129	6361	165		-297	1601		
12/14/21 10 AM	0	2	75	299	2,285	98	3,274	98		4.63	1726	114	128	6358	165		-297	1598		
12/14/21 11 AM	0	3	79	299	2,285	98	3,274	98		4.71	1727	114	123	6358	165		-296	1604		
12/14/21 12 PM	0	3	81	300	2,285	98	3,274	98		4.74	1731	115	125	6359	165		-297	1606		
12/14/21 1 PM	0	4	84	300	2,285	98	3,274	98		3.94	1722	114	121	6358	165		-296	1600		
12/14/21 2 PM	0	4	87	300	2,285	98	3,274	98		4.35	1721	114	122	6357	165		-296	1598		
12/14/21 3 PM	0	5	88	301	2,285	98	3,274	98		4.67	1722	115	125	6359	165		-296	1597		
12/14/21 4 PM	0	5	90	301	2,285	98	3,274	98		4.73	1723	114	130	6358	165		-296	1593		
12/14/21 5 PM	0	6	91	302	2,285	98	3,274	98		4.85	1727	115	136	6359	165		-296	1591		
12/14/21 6 PM	0	6	91	302	2,285	98	3,274	98		4.82	1724	114	139	6359	165		-296	1585		
12/14/21 7 PM	0	6	90	302	2,285	98	3,274	98		4.53	1723	116	143	6359	165		-296	1580		
12/14/21 8 PM	0	5	90	302	2,285	98	3,274	98		4.58	1723	115	140	6358	165		-297	1583		
12/14/21 9 PM	0	5	88	302	2,285	98	3,274	98		4.84	1729	115	140	6359	165		-297	1588		
12/14/21 10 PM	0	5	86	302	2,285	98	3,274	98		4.93	1729	114	144	6360	165		-297	1585		
12/14/21 11 PM	0	5	86	302	2,285	98	3,274	98		4.95	1728	115	144	6361	165		-297	1583		
12/15/21 12 AM	0	4	85	302	2,285	98	3,274	98		5.01	1732	115	152	6361	165		-298	1580		
12/15/21 1 AM	0	4	84	301	2,285	98	3,274	98		5.01	1730	113	156	6362	165		-297	1574		
12/15/21 2 AM	0	4	82	301	2,285	98	3,274	98		4.93	1731	115	154	6362	165		-297	1577		
12/15/21 3 AM	0	4	81	301	2,285	98	3,274	98		4.90	1733	116	155	6361	165		-297	1578		
12/15/21 4 AM	0	4	81	301	2,285	98	3,274	98		4.88	1726	114	153	6361	165		-297	1573		
12/15/21 5 AM	0	4	80	301	2,285	98	3,274	98		4.97	1731	115	156	6362	165		-297	1575		
12/15/21 6 AM	0	4	80	301	2,285	98	3,274	98		5.12	1726	114	153	6362	165		-297	1573		
12/15/21 7 AM	0	3	78	300	2,285	98	3,274	98		5.44	1731	115	161	6364	165		-297	1570		
12/15/21 8 AM	0	3	77	300	2,285	98	3,274	98		5.22	1730	114	171	6364	165		-297	1559		
12/15/21 9 AM	0	3	77	300	2,285	98	3,274	98		4.99	1726	114	169	6363	165		-297	1557		
12/15/21 10 AM	0	3	77	300	2,285	98	3,274	98		4.91	1723	113	166	6362	165		-297	1557		
12/15/21 11 AM	0	3	79	301	2,285	98	3,274	98		4.92	1725	115	162	6362	165		-298	1563		
12/15/21 12 PM	0	4	81	301	2,285	98	3,274	98		4.89	1725	113	165	6362	165		-298	1560		
12/15/21 1 PM	0	4	83	302	2,285	98	3,274	98		4.68	1718	115	158	6360	165		-298	1560		
12/15/21 2 PM	0	4	86	302	2,285	98	3,274	98		4.59	1717	114	152	6359	165		-298	1565		
12/15/21 3 PM	0	4	87	302	2,285	98	3,274	98		4.53	1719	115	151	6359	165		-298	1568		
12/15/21 4 PM	0	5	89	302	2,285	98	3,274	98		4.77	1725	115	152	6359	165		-297	1574		
12/15/21 5 PM	0	5	89	302	2,285	98	3,274	98		4.52	1722	115	144	6358	165		-297	1578		
12/15/21 6 PM	0	5	89	302	2,285	98	3,274	98		4.60	1721	114	141	6358	165		-297	1580		
12/15/21 7 PM	0	5	89	303	2,285	98	3,274	98		4.69	1727	115	141	6359	165		-298	1586		
12/15/21 8 PM	0	5	88	303	2,285	98	3,274	98		4.69	1726	115	143	6359	165		-298	1583		
12/15/21 9 PM	0	5	87	302	2,285	98	3,274	98		3.87	1707	114	135	6357	165		-297	1572		
12/15/21 10 PM	0	4	87	302	2,285	98	3,274	98		4.63	1722	114	140	6357	165		-298	1582		
12/15/21 11 PM	0	4	86	302	2,285	98	3,274	98		4.61	1723	115	136	6358	165		-298	1587		
12/16/21 12 AM	0	4	86	302	2,285	98	3,274	98		4.64	1722	114	136	6358	165		-298	1586		
12/16/21 1 AM	0	4	85	302	2,285	98	3,274	98		4.70	1723	115	138	6358	165		-298	1585		
12/16/21 2 AM	0	4	84	302	2,285	98	3,274	98		4.80	1720	115	134	6356	165		-298	1586		
12/16/21 3 AM	0	4	83	302	2,285	98	3,274	98		4.73	1713	114	123	6354	166		-298	1590		
12/16/21 4 AM	0	4	82	302	2,285	98	3,274	98		3.89	1707	115	116	6354	166		-298	1591		
12/16/21 5 AM	0	3	79	301	2,285	98	3,274	98		4.89	1714	114	109	6354	166		-298	1605		
12/16/21 6 AM	0	3	77	300	2,285	98	3,274	98		4.05	1702	114	103	6353	166		-297	1599		
12/16/21 7 AM	0	3	74	300	2,285	98	3,274	98		4.05	1710	115	106	6352	166		-297	1604		
12/16/21 8 AM	0	3	73	300	2,285	98	3,274	98		4.13	1704	115	101	6352	166		-297	1603		
12/16/21 9 AM	0	3	73	300	2,285	98	3,274	98		4.03	1704	115	103	6352	166		-297	1601		
12/16/21 10 AM	0	3	75	300	2,285	98	3,274	98		3.85	1706	114	109	6351	166		-297	1597		
12/16/21 11 AM	0	3	75	300	2,285	98	3,274	98		4.76	1711	114	104	6352	166		-297	1607		
12/16/21 12 PM	0	3	77	300	2,285	98	3,274	98		4.64	1709	115	102	6351	166		-297	1607		
12/16/21 1 PM	0	3	80	301	2,285	98	3,274	98		4.28	1691	113	89	6350	166		-298	1602		
12/16/21 2 PM	0	4	82	301	2,285	98	3,274	98		3.61	1699	114	99	6350	166		-297	1608		
12/16/21 3 PM	0	4	83	301	2,285	98	3,274	98		3.63	1700	115	89	6350	166		-297	1610		
12/16/21 4 PM	0	4	84	302	2,285	98	3,274	98		3.77	1700	114	95	6351	166		-298	1605		
12/16/21 5 PM	0	4	85	302	2,285	98	3,274	98		3.70	1692	115	73	6347	166		-298	1619		
12/16/21 6 PM	0	4	85	302	2,285	98	3,274	98		3.39	1686	112	66	6345	167		-298	1620		
12/16/21 7 PM	0	4	84	302	2,285	98	3,274	98		3.79	1695	116	56	6346	167		-298	1639		
12/16/21 8 PM	0	4	83	302	2,285	98	3,274	98		3.51	1709	116	95	6350	166					

Acid Gas Injection Well Report
Zia 2

Hour	October - December 2021									October - December 2021									Differential Pressure	
	Zia AGI #1 (API# 30-025-42208)									Zia AGI D#2 (API# 30-025-42207)										
	Surface			Downhole						Notes on Deviations	Surface			Downhole			Notes on Deviations			
	Wellhead		Annular	Annular		Injection		Wellhead			Annular	Injection								
	Injection Rate AGI #1	Surface Injection Pressure AGI #1		Surface Injection Temp AGI #1	Surface Annular Pressure AGI #1	Bottomhole Annular Pressure AGI #1	Bottomhole Annular Temp AGI #1 (°F)	Bottomhole Pressure AGI #1	Bottomhole Temp AGI #1			Injection Rate AGI #D2	Surface Injection Pressure AGI #D2	Surface Injection Temperature AGI #D2	Surface Annular Pressure #D2	Bottomhole Pressure AGI #D2		Bottomhole Temperature AGI #D2		
	Average	Average	Average	Average	Average	Average	Average	Average	Average		Average	Average	Average	Average	Average	Average		Average		
12/17/21 6 PM	0	4	82	301	2,285	98	3,274	98		3.88	1689	116	43	6344	166		-297	1645		
12/17/21 7 PM	0	4	83	301	2,285	98	3,274	98		4.77	1711	115	75	6348	166		-297	1636		
12/17/21 8 PM	0	4	83	301	2,285	98	3,274	98		4.98	1716	117	92	6353	165		-297	1624		
12/17/21 9 PM	0	4	82	301	2,285	98	3,274	98		5.15	1716	114	115	6355	165		-297	1601		
12/17/21 10 PM	0	4	82	301	2,285	98	3,274	98		4.88	1712	114	122	6355	165		-297	1590		
12/17/21 11 PM	0	3	80	301	2,285	98	3,274	98		5.04	1720	114	134	6357	164		-298	1586		
12/18/21 12 AM	0	3	79	300	2,285	98	3,274	98		5.00	1720	115	130	6356	165		-297	1590		
12/18/21 1 AM	0	3	78	300	2,285	98	3,274	98		4.88	1717	115	129	6356	165		-297	1588		
12/18/21 2 AM	0	3	76	300	2,285	98	3,274	98		5.00	1714	113	132	6357	165		-297	1582		
12/18/21 3 AM	0	3	74	300	2,285	98	3,274	98		4.92	1714	114	128	6357	165		-297	1585		
12/18/21 4 AM	0	2	71	300	2,285	98	3,274	98		4.83	1714	114	128	6356	165		-298	1586		
12/18/21 5 AM	0	2	68	299	2,285	98	3,274	98		4.60	1715	114	126	6355	165		-297	1589		
12/18/21 6 AM	0	1	66	299	2,285	98	3,274	98		4.31	1709	114	128	6355	165		-298	1581		
12/18/21 7 AM	0	1	65	299	2,285	98	3,274	98		4.72	1713	114	122	6354	165		-298	1591		
12/18/21 8 AM	0	1	64	299	2,285	98	3,274	98		4.94	1721	116	123	6354	165		-298	1598		
12/18/21 9 AM	0	1	64	298	2,285	98	3,274	98		4.85	1711	114	121	6354	165		-297	1590		
12/18/21 10 AM	0	1	65	298	2,285	98	3,274	98		4.00	1711	115	132	6355	165		-297	1579		
12/18/21 11 AM	0	1	66	299	2,285	98	3,274	98		3.93	1709	114	135	6356	165		-298	1574		
12/18/21 12 PM	0	1	67	299	2,285	98	3,274	98		4.72	1721	116	134	6356	165		-298	1587		
12/18/21 1 PM	0	1	69	299	2,285	98	3,274	98		4.76	1724	115	155	6357	165		-298	1569		
12/18/21 2 PM	0	2	70	300	2,285	98	3,274	98		4.80	1721	115	145	6356	165		-298	1576		
12/18/21 3 PM	0	2	72	300	2,285	98	3,274	98		4.79	1717	113	148	6357	165		-298	1569		
12/18/21 4 PM	0	2	73	300	2,285	98	3,274	98		5.02	1725	115	151	6358	165		-298	1574		
12/18/21 5 PM	0	2	74	300	2,285	98	3,274	98		4.94	1720	114	154	6359	165		-298	1566		
12/18/21 6 PM	0	2	73	300	2,285	98	3,274	98		5.04	1726	114	158	6359	165		-298	1568		
12/18/21 7 PM	0	2	73	300	2,285	98	3,274	98		5.08	1725	115	160	6360	165		-298	1565		
12/18/21 8 PM	0	2	72	300	2,285	98	3,274	98		5.21	1728	115	162	6361	165		-298	1566		
12/18/21 9 PM	0	2	71	299	2,285	98	3,274	98		5.26	1726	114	158	6361	165		-297	1568		
12/18/21 10 PM	0	1	70	299	2,285	98	3,274	98		5.22	1728	114	170	6362	165		-298	1558		
12/18/21 11 PM	0	1	68	299	2,285	98	3,274	98		5.27	1729	115	163	6362	165		-298	1566		
12/19/21 12 AM	0	1	67	299	2,285	98	3,274	98		5.18	1730	114	171	6363	165		-297	1560		
12/19/21 1 AM	0	1	66	298	2,285	98	3,274	98		5.07	1725	114	163	6362	165		-297	1562		
12/19/21 2 AM	0	1	64	298	2,285	98	3,274	98		5.13	1733	115	169	6362	165		-297	1564		
12/19/21 3 AM	0	1	64	298	2,285	98	3,274	98		5.08	1731	114	168	6362	165		-297	1563		
12/19/21 4 AM	0	1	63	297	2,285	98	3,274	98		5.04	1735	116	167	6362	165		-298	1568		
12/19/21 5 AM	0	0	63	297	2,285	98	3,274	98		4.65	1724	113	154	6361	165		-297	1570		
12/19/21 6 AM	0	0	62	297	2,285	98	3,274	98		4.98	1723	114	153	6360	165		-297	1571		
12/19/21 7 AM	0	0	61	297	2,285	98	3,274	98		5.03	1725	115	147	6360	165		-297	1578		
12/19/21 8 AM	0	0	61	297	2,285	98	3,274	98		4.93	1727	115	151	6360	165		-297	1576		
12/19/21 9 AM	0	0	62	297	2,285	98	3,274	98		4.83	1725	117	149	6360	165		-297	1576		
12/19/21 10 AM	0	0	63	297	2,285	98	3,274	98		4.99	1729	115	156	6361	165		-297	1573		
12/19/21 11 AM	0	1	65	297	2,285	98	3,274	98		5.17	1735	114	163	6362	165		-296	1573		
12/19/21 12 PM	0	1	65	297	2,285	98	3,274	98		5.10	1738	115	165	6363	165		-296	1574		
12/19/21 1 PM	0	1	67	298	2,285	98	3,274	98		5.41	1747	116	166	6365	165		-297	1581		
12/19/21 2 PM	0	1	68	298	2,285	98	3,274	98		5.22	1743	114	162	6365	164		-297	1581		
12/19/21 3 PM	0	2	70	298	2,285	98	3,274	98		5.26	1740	115	161	6366	164		-296	1579		
12/19/21 4 PM	0	2	72	298	2,285	98	3,274	98		5.13	1734	115	161	6365	164		-296	1573		
12/19/21 5 PM	0	2	72	299	2,285	98	3,274	98		5.15	1734	114	161	6364	165		-297	1573		
12/19/21 6 PM	0	2	72	299	2,285	98	3,274	98		5.23	1734	115	164	6365	165		-297	1570		
12/19/21 7 PM	0	2	71	299	2,285	98	3,274	98		5.18	1732	114	164	6364	165		-297	1568		
12/19/21 8 PM	0	2	70	299	2,285	98	3,274	98		5.30	1736	114	168	6365	165		-297	1568		
12/19/21 9 PM	0	2	69	299	2,285	98	3,274	98		5.14	1737	115	168	6365	165		-297	1569		
12/19/21 10 PM	0	2	69	299	2,285	98	3,274	98		5.02	1730	114	158	6363	165		-297	1573		
12/19/21 11 PM	0	1	67	298	2,285	98	3,274	98		4.94	1725	113	143	6362	165		-297	1582		
12/20/21 12 AM	0	1	67	298	2,285	98	3,274	98		4.97	1728	114	142	6361	165		-297	1586		
12/20/21 1 AM	0	1	66	298	2,285	98	3,274	98		4.98	1724	114	134	6360	165		-297	1591		
12/20/21 2 AM	0	1	66	298	2,285	98	3,274	98		4.78	1723	115	129	6358	165		-297	1595		
12/20/21 3 AM	0	1	64	297	2,285	98	3,274	98		4.00	1713	116	118	6357	165		-296	1595		
12/20/21 4 AM	0	1	63	297	2,285	98	3,274	98		4.00	1710	113	113	6357	165		-296	1597		
12/20/21 5 AM	0	0	61	297	2,285	98	3,274	98		4.49	1721	114	111	6358	165		-297	1608		
12/20/21 6 AM	0	0	61	297	2,285	98	3,274	98		4.27	1710	112	109	6356	165		-297	1601		
12/20/21 7 AM	0	0	60	296	2,285	98	3,274	98		4.09	1712	115	105	6356	165		-296	1607		
12/20/21 8 AM	0	0	59	296	2,285	98	3,274	98		4.34	1716	114	105	6357	165		-296	1611		
12/20/21 9 AM	0	0	59	296	2,285	98	3,274	98		4.86	1725	115	112	6357	165		-296			

Acid Gas Injection Well Report
Zia 2Source : DCS
All values are hourly averages.

Hour	October - December 2021									October - December 2021									Differential Pressure	
	Zia AGI #1 (API# 30-025-42208)									Zia AGI D#2 (API# 30-025-42207)										
	Surface			Downhole						Notes on Deviations	Surface			Downhole			Notes on Deviations			
	Wellhead		Annular	Annular		Injection		Wellhead			Annular	Injection								
	Injection Rate AGI #1	Surface Injection Pressure AGI #1		Surface Injection Temp AGI #1	Surface Annular Pressure AGI #1	Bottomhole Annular Pressure AGI #1	Bottomhole Annular Temp AGI #1 ("F)	Bottomhole Pressure AGI #1	Bottomhole Temp AGI #1			Injection Rate AGI #D2	Surface Injection Pressure AGI #D2	Surface Injection Temperature AGI #D2	Surface Annular Pressure #D2	Bottomhole Pressure AGI #D2		Bottomhole Temperature AGI #D2		
12/21/21 7 AM	0	1	66	297	2,285	98	3,274	98		4.06	1706	114	86	6352	166		-296		1620	
12/21/21 8 AM	0	1	66	296	2,285	98	3,274	98		4.07	1705	115	83	6352	166		-295		1622	
12/21/21 9 AM	0	1	66	297	2,285	98	3,274	98		3.93	1704	115	83	6351	166		-296		1621	
12/21/21 10 AM	0	1	67	297	2,285	98	3,274	98		3.61	1692	114	69	6349	166		-296		1623	
12/21/21 11 AM	0	1	70	297	2,285	98	3,274	98		3.50	1690	116	79	6348	166		-296		1611	
12/21/21 12 PM	0	2	74	297	2,285	98	3,274	98		3.63	1680	115	69	6347	166		-295		1611	
12/21/21 1 PM	0	3	79	298	2,285	98	3,274	98		3.62	1679	115	62	6345	167		-295		1617	
12/21/21 2 PM	0	3	83	298	2,285	98	3,274	98		3.59	1682	115	69	6345	167		-295		1613	
12/21/21 3 PM	0	4	85	298	2,285	98	3,274	98		4.29	1701	116	83	6347	166		-295		1618	
12/21/21 4 PM	0	4	86	299	2,285	98	3,274	98		3.86	1684	114	83	6346	166		-295		1600	
12/21/21 5 PM	0	4	87	299	2,285	98	3,274	98		3.82	1691	116	89	6347	166		-295		1601	
12/21/21 6 PM	0	4	87	299	2,285	98	3,274	98		4.01	1698	118	90	6347	166		-295		1608	
12/21/21 7 PM	0	4	86	299	2,285	98	3,274	98		3.65	1674	111	79	6345	166		-295		1595	
12/21/21 8 PM	0	4	86	299	2,285	98	3,274	98		3.59	1680	114	81	6345	166		-295		1598	
12/21/21 9 PM	0	4	86	299	2,285	98	3,274	98		3.75	1686	116	79	6346	166		-295		1607	
12/21/21 10 PM	0	4	85	299	2,285	98	3,274	98		3.61	1679	114	75	6345	167		-295		1604	
12/21/21 11 PM	0	4	83	299	2,285	98	3,274	98		4.33	1700	116	90	6347	166		-295		1610	
12/22/21 12 AM	0	3	83	299	2,285	98	3,274	98		3.81	1682	112	100	6347	166		-295		1582	
12/22/21 1 AM	0	3	82	299	2,285	98	3,274	98		3.75	1680	113	84	6346	166		-296		1596	
12/22/21 2 AM	0	3	80	299	2,285	98	3,274	98		3.99	1690	115	92	6347	166		-296		1598	
12/22/21 3 AM	0	3	78	299	2,285	98	3,274	98		4.11	1691	115	92	6349	166		-296		1599	
12/22/21 4 AM	0	3	76	299	2,285	98	3,274	98		4.18	1691	115	100	6349	166		-296		1591	
12/22/21 5 AM	0	2	75	298	2,285	98	3,274	98		4.13	1689	114	99	6349	166		-296		1590	
12/22/21 6 AM	0	2	73	298	2,285	98	3,274	98		4.09	1696	115	104	6350	166		-296		1592	
12/22/21 7 AM	0	2	72	298	2,285	98	3,274	98		4.06	1695	115	104	6350	166		-296		1591	
12/22/21 8 AM	0	1	72	298	2,285	98	3,274	98		4.13	1704	116	117	6351	166		-297		1588	
12/22/21 9 AM	0	1	72	298	2,285	98	3,274	98		4.52	1708	116	128	6351	166		-297		1581	
12/22/21 10 AM	0	2	75	298	2,285	98	3,274	98		4.11	1698	115	121	6349	166		-296		1577	
12/22/21 11 AM	0	3	78	298	2,285	98	3,274	98		3.89	1688	114	104	6348	166		-295		1584	
12/22/21 12 PM	0	3	82	299	2,285	98	3,274	98		4.62	1711	116	121	6351	166		-296		1590	
12/22/21 1 PM	0	4	85	299	2,285	98	3,274	98		4.34	1704	115	124	6351	166		-295		1579	
12/22/21 2 PM	0	4	88	299	2,285	98	3,274	98		4.31	1700	114	124	6352	165		-295		1576	
12/22/21 3 PM	0	5	90	300	2,285	98	3,274	98		3.89	1699	116	116	6351	166		-295		1584	
12/22/21 4 PM	0	5	92	300	2,285	98	3,274	98		4.60	1704	114	117	6351	166		-295		1596	
12/22/21 5 PM	0	6	92	300	2,285	98	3,274	98		4.86	1712	115	129	6355	165		-294		1583	
12/22/21 6 PM	0	6	92	300	2,285	98	3,274	98		5.20	1721	115	148	6358	165		-294		1573	
12/22/21 7 PM	0	5	91	300	2,285	98	3,274	98		4.96	1717	114	153	6358	165		-295		1564	
12/22/21 8 PM	0	5	90	300	2,285	98	3,274	98		4.90	1716	114	156	6358	165		-295		1560	
12/22/21 9 PM	0	5	89	300	2,285	98	3,274	98		4.14	1706	114	155	6357	165		-295		1551	
12/22/21 10 PM	0	4	86	300	2,285	98	3,274	98		4.45	1705	114	140	6354	165		-296		1565	
12/22/21 11 PM	0	4	84	300	2,285	98	3,274	98		4.51	1705	114	136	6354	165		-296		1569	
12/23/21 12 AM	0	4	82	299	2,285	98	3,274	98		4.78	1704	113	120	6353	165		-296		1584	
12/23/21 1 AM	0	3	80	300	2,285	98	3,274	98		4.57	1705	115	116	6353	166		-297		1590	
12/23/21 2 AM	0	3	78	299	2,285	98	3,274	98		3.99	1697	114	115	6352	166		-296		1582	
12/23/21 3 AM	0	3	77	299	2,285	98	3,274	98		4.35	1698	114	109	6351	166		-296		1589	
12/23/21 4 AM	0	3	75	299	2,285	98	3,274	98		4.13	1696	115	105	6351	166		-296		1591	
12/23/21 5 AM	0	3	74	298	2,285	98	3,274	98		4.43	1710	116	114	6352	166		-296		1596	
12/23/21 6 AM	0	2	73	298	2,285	98	3,274	98		4.46	1707	114	119	6353	165		-296		1588	
12/23/21 7 AM	0	2	72	298	2,285	98	3,274	98		4.89	1713	116	123	6354	165		-296		1590	
12/23/21 8 AM	0	2	72	298	2,285	98	3,274	98		4.53	1704	113	122	6354	165		-296		1582	
12/23/21 9 AM	0	2	72	298	2,285	98	3,274	98		4.07	1704	115	115	6353	165		-296		1588	
12/23/21 10 AM	0	2	75	298	2,285	98	3,274	98		4.11	1706	115	122	6352	166		-296		1584	
12/23/21 11 AM	0	3	79	299	2,285	98	3,274	98		4.12	1705	114	116	6352	166		-296		1589	
12/23/21 12 PM	0	3	83	299	2,285	98	3,274	98		4.47	1706	114	109	6352	166		-296		1597	
12/23/21 1 PM	0	4	86	299	2,285	98	3,274	98		4.04	1699	115	103	6351	166		-295		1597	
12/23/21 2 PM	0	4	88	300	2,285	98	3,274	98		3.80	1703	115	105	6351	166		-296		1598	
12/23/21 3 PM	0	5	90	300	2,285	98	3,274	98		4.50	1711	115	109	6352	166		-295		1602	
12/23/21 4 PM	0	5	91	300	2,285	98	3,274	98		4.19	1706	114	100	6351	166		-295		1606	
12/23/21 5 PM	0	6	91	301	2,285	98	3,274	98		4.21	1713	115	100	6351	166		-295		1613	
12/23/21 6 PM	0	6	91	301	2,285	98	3,274	98		4.27	1712	115	95	6352	166		-295		1617	
12/23/21 7 PM	0	6	90	301	2,285	98	3,274	98		2.99	1679	109	76	6345	166		-295		1603	
12/23/21 8 PM	0	5	88	301	2,285	98	3,274	98		3.93	1714	117	84	6349	166		-296		1631	
12/23/21 9 PM	0																			

FIGURE 1: ZIA AGI #1 AND AGI #D2 INJECTION RATES




FIGURE 2: ZIA AGI #1 SURFACE INJECTION PRESSURE, ANNULAR PRESSURE AND INJECTION RATE




FIGURE 3: ZIA AGI #1 SURFACE INJECTION PRESSURE, ANNULAR PRESSURE AND INJECTION TEMPERATURE




FIGURE 4: ZIA AGI #1 SURFACE INJECTION PRESSURE AND BOTTOM HOLE PRESSURE




FIGURE 5: ZIA AGI #D2 SURFACE INJECTION PRESSURE, ANNULAR PRESSURE AND INJECTION RATE




FIGURE 6: ZIA AGI #D2 SURFACE INJECTION PRESSURE, ANNULAR PRESSURE AND INJECTION TEMPERATURE




FIGURE 7: ZIA AGI #D2 SURFACE INJECTION PRESSURE AND BOTTOM HOLE PRESSURE




FIGURE 8: ZIA AGI #1 BOTTOM HOLE PRESSURE AND TEMPERATURE




FIGURE 9: ZIA AGI #D2 BOTTOM HOLE PRESSURE AND TEMPERATURE




FIGURE 10: ZIA AGI #1 AND #D2 DIFFERENTIAL PRESSURE

