

# **Public Health and the Proposed Pit Rule**

**Ben Thomas, Ph.D.**

**Presented to the Oil Conservation Commission**

**May 2012**

## **OVERVIEW OF TESTIMONY**

- Hazard vs. Risk
- What is in the pits
- Risk evaluation of detected constituents
- Constituents of Concern
- Proposed amendments to Pit Rule
- Conclusions

Thank you for the opportunity to speak before the Oil Conservation Commission. My name is Ben Thomas. As has been stated, I am an expert in the fields of pathology, toxicology, and Risk-Based Decision Making (RBDM). I have been retained by the New Mexico Oil and Gas Association to evaluate its proposed amendments to OCD's Pit Rule with regard to the potential health and environmental risks posed by the constituents found in the various oil and gas pits.

## **Hazard vs. Risk**

In order understand my message today, it is important that we all have a common appreciation of the technical distinction between the terms "hazard" and "risk". While many people consider these to be synonyms, they are not.

“Hazard” is technically defined as a potential adverse effect. It is a yes-or-no designation, assigned without qualification. For example, statement that “Tylenol is a liver toxicant” is a designation of toxicological hazard.

“Risk” is defined as the probability that the adverse effect (or hazard) will occur. For example, “risk” requires that a receptor (e.g., a person or an environmental receptor) be exposed to the toxicant at a defined level. Thus, a person who swallows 15 Tylenol tablets at once is at higher risk of developing toxic liver injury than if he swallowed one tablet. The risk of Tylenol-related liver toxicity is zero in someone who doesn’t ingest any Tylenol.

It is “risk”, not “hazard”, that is important in developing regulatory policy – that is, a regulatory agency must consider whether it is reasonable to believe that a receptor (i.e., human, animal, or plant) might be exposed to a high enough level of a toxicant that an adverse effect is of concern? If the answer is “yes”, regulatory criteria are warranted. If the answer is “no”, establishing regulatory criteria becomes a waste of everyone’s time and efforts.

## **What is in the Oil & Gas Pits?**

### **A. The Industry Sampling Program (2006)**

To confirm and characterize what chemicals are in Drilling/Reserve Pits, the industry conducted a detailed sampling and analysis of pit contents. Because of differences in geology and operating practices, the Industry chose...

- Three drilling/reserve pits in NW New Mexico (San Juan Basin; generally gas production at depths of 600–9000 ft below ground surface), and
- Three pits in SE New Mexico (Lea County in the Permian Basin; generally oil production at 7000+ ft).

An independent third party collected samples of the solids contents of temporary pits (after fluids removed; just prior to closure). The samples were analyzed for a full range of constituents using standard EPA methods for metals, volatile and semivolatile organic compounds, anions, cations, TPH, PCBs, radium isotopes, and other analytes. Where the EPA methods allowed, a TCLP leachate of each sample was prepared and analyzed (selected metals and volatile organics).

Twelve samples of pit contents were collected at depth by auger at 11 locations in each pit...11 samples + 1 duplicate from each pit.

Laboratory results were subjected to an independent quality assurance audit, then evaluated by my staff.

Any constituents having at least one of the 12 samples exhibiting a concentration above the detection limit (including estimated concentrations) was included in the analysis of each pit

## **1. What was found? – Total Petroleum Hydrocarbon**

TPH was evaluated by EPA Method 8015, which separates petroleum hydrocarbons into gasoline-range (GRO) and diesel-range (DRO) fractions.

Most of the hydrocarbons in both the northwest and southeast pits were in the DRO-size fraction.

- SE NM average Total TPH (GRO+DRO) was 7700 mg/kg
- NW NM average Total TPH (GRO+DRO) was 1800 mg/kg
- OCD's criterion is 2500 mg/kg.

## **2. What was found? – Chloride**

The average concentrations of Chloride anion were found to be:

- SE NM was 126,000 mg/kg
- NW NM was 3,900 mg/kg

### **3. What was found? – Arsenic**

Arsenic is not a component of commercial drilling muds, and its presence is likely due to natural subsurface minerals being brought up during drilling.

- Average NW was 4.1 mg/kg
- Average SE was 2.3 mg/kg
- NMED's Tier 1 Residential Soil Screening Level = 3.9 mg/kg (version 4)
- Arsenic levels in TCLP leachates were not detectable, indicating that the natural arsenic-containing minerals will not dissolve in water, are not environmentally mobile, and are not bioavailable.

CONCLUSION: Arsenic exists in New Mexico drilling/recycle pits in a chemical form that does not pose health or environmental risks.

### **4. What was found? – Barium**

Barium (in the form of barium sulfate) is a common component of drilling muds.

- Average SE was 1763 mg/kg
- Average NW was 10,000 mg/kg
- NMED SSL of 5450 mg/kg
- Barium levels in the TCLP leachates were low (estimated to be less than 3% of total; and were less than the WQCC 3103 criterion of 1 mg/L).
- Low water solubility indicates that barium in the pits is not environmentally mobile, and is not bioavailable.

CONCLUSION: Barium is in a form that is generally not soluble in water, and therefore does not pose a health or environmental risk.

### **5. What was found? – Benzene**

Benzene is a natural constituent of petroleum (GRO fraction) and natural gas liquids, and is not considered to be a component of water-based drilling mud formulations. It is a recognized carcinogen.

- Average SE NM was 8.17 mg/kg
- Average NW NM was 0.12 mg/kg
- NMED SSL is 10.3 mg/kg

Note: All soil samples exhibiting benzene concentrations above SSL were from Pit LC-1 (in SE NM) and these analytical samples were highly diluted (1000X vs. the usual 5-100X). High dilution ratios magnify analytical variability, and greatly complicate interpretation of such data.

- Benzene was found in all LC-1 leachate samples at concentrations above the WQCC 3103 criterion (0.01 mg/L).

## **6. What was found? – Halogenated Compounds**

Several unusual halogenated compounds were reported by the laboratory at detectable levels. Subsequent lab discussions confirmed that these were “QC surrogates” purposely added to the sample to evaluate analytical recoveries:

2,3,4-TRIFLUOROTOLUENE -- Method 8015 (TPH)  
o-TERPHENYL -- Method 8015 (TPH)  
DECACHLOROBIPHENYL -- Method 8082 (PEST/PCB)  
TETRACHLORO-m-XYLENE -- Method 8082 (PEST/PCB)  
4-BROMOFLUOROBENZENE -- Method 8260 (VOC)  
DIBROMOFLUOROMETHANE -- Method 8260 (VOC)  
2-FLUOROBIPHENYL -- Method 8270 (SVOC)  
2-FLUOROPHENOL -- Method 8270 (SVOC)  
2,4,6-TRIBROMOPHENOL -- Method 8270 (SVOC)

## **7. What was found? -- Other Compounds**

- The average soil concentrations of other detected Metal, VOC, SVOC, PCB analytes were below available NMED SSLs or SSL surrogate criteria.
- The average leachate concentrations of all other analytes were below available WQCC 3103 criteria or drinking water surrogate criteria.

CONCLUSION: Other compounds detected do not to pose significant risk to public health and the environment.

## **B. The OCD Sampling Program (2007)**

From May 22 to June 1, 2007, OCD staff collected aqueous and non-aqueous samples from 21 drilling/reserve pits, 2 production pits, and 2 closed-loop tanks, including blind duplicate samples, to answer the questions raised during the pit rulemaking outreach meetings.

- Twelve samples were taken from the northwest and 25 samples were taken from the southeast.
- It appears that OCD collected samples of solids from the surface at the four corners of each pit and mixed them to create a composite sample for analysis.
- OCD also collected water samples, suggesting that the fluids in some pits had not yet been removed for closure.
- The samples were analyzed for volatile organic compounds (VOCs), semi-volatile compounds (SVOCs), gasoline-range and diesel-range organics (GRO+DRO), polycyclic aromatic hydrocarbons (PAHs), total extractable petroleum hydrocarbons (TPH), total metals, and general chemistry cations and anions.
- The OCD data generally mirror the results of the Industry survey.

### C. Industry & OCD Findings

There may be several hundred chemicals present in the E&P wastes contained in various oil & gas pits. Most of these chemicals pose no recognized risk to health, environment, or natural resources, and are not measured by standard EPA methods. In addition, the analytical data from the Industry and OCD samplings of representative pits indicate that relatively few of these chemicals are present in a form or concentration to be of possible regulatory concern if an accidental release occurs:

- Total Petroleum Hydrocarbon – A variable mix of hydrocarbons (consistent with petroleum) were seen at relatively low concentrations by both the Industry and OCD programs. These hydrocarbons were analyzed by a method that essentially combines them according to molecular size -- that is, it groups them into those compounds that distill in the gasoline-range (GRO = 120-400°F) or in the diesel-range (DRO = 350-750°F) fractions. The GRO fraction contains compounds that are slightly water-soluble (especially the single-ring aromatics), and these could become environmentally mobile if a release were to occur. Because of the low concentrations in the pits, the hazard of regulatory concern would primarily be the ability of petroleum hydrocarbons to affect the odor and taste of water.
- Chloride Anion (Cl<sup>-</sup>) – Chloride (in the form of sodium chloride and other mineral salts) is commonly found in the geological formations that contain oil and natural gas. It is not surprising, therefore, to find high levels (100,000<sup>+</sup> mg/L) of chloride anion in some E&P pits. These salts are soluble in water, and would be environmentally mobile if a release occurred. Chloride anion is not considered to be toxic to man and animals. However, chloride anion can adversely affect the growth of many

species of plants. Dissolved chloride salts can adversely affect the taste and pot ability of water.

- Benzene – Benzene is a component of the GRO fraction of petroleum. It is one of the more soluble constituents (saturation = 1850 mg/L in fresh water), and is considered to be one of the more toxic components of petroleum. Benzene is a bone marrow poison, and is a carcinogen. Although it is present in the pits at low concentration, it is listed here because many regulatory agencies, by policy, consider any exposure to a carcinogen to be unacceptable.

## Conclusions

Based on the data from the Industry and OCD's sampling programs, it seems clear that only a few of the constituents found in oil & gas pits may be of regulatory concern (TPH, chloride, and benzene).

These constituents pose no risk to public health and the environment if pits are closed by the procedures proposed by the Industry. If an environmental release were to occur, the primary hazards of concern would be odor and taste impacts on water sources.

Based on my evaluation of the risk issues, I believe that the proposed Industry approach provides benefits similar to the current OCD policy, but at less cost:

- Small onsite pit closures (small mass of toxicant) present less overall risk to water than large concentrated landfills (large mass of toxicant).
- If liners are intact, both onsite pit closure and landfills are equally protective.
- If liners fail, onsite pit closures are more protective than large landfills
- Direct exposure risks (e.g., residential and construction) are *de minimis* for onsite pit closure.



- Other cumulative risks are minimized (e.g., lives, injuries, emissions, etc.).

Thank you for the opportunity to testify here today. I would be pleased to answer any questions you may have.

Respectfully Submitted,

A handwritten signature in black ink, appearing to read "Ben Thomas". The signature is fluid and cursive, with the first name "Ben" and last name "Thomas" clearly distinguishable.

Ben Thomas, Ph.D.

# References

## Value of Risk Evaluation in the Regulatory Process

American Petroleum Institute (1999). Decision Support System for Exposure and Risk Assessment (DSS) [Version 2].

American Society for Testing & Materials (1998). Standard Provisional Guide for Risk-Based Corrective Action [PS 104-98].

Canadian Council of Ministers (2000a). Canada-Wide Standards for Petroleum Hydrocarbons (PHC) in Soil.

Canadian Council of Ministers (2000b). Canada-Wide Standards for Petroleum Hydrocarbons (PHC) in Soil — Technical Supplement.

Colorado Bureau of Land Management (1997). Colorado BLM Policy for the On-Site Remediation of RCRA Exempt, Hydrocarbon Based, Oil and Gas Exploration & Production Waste and Terrestrial Spills of Crude Oil.

Colorado Oil and Gas Commission (1995). Rules 907 and 908, Denver, Colorado

Colorado Oil and Gas Commission (1997). Revisions to the 900 Series Rule, Denver, Colorado.

Hamilton WA, Sewell HJ & Deeley G (1999). "Technical Basis for Current Soil Management Levels of Total Petroleum Hydrocarbons." Proceedings of the International Petroleum Environmental Conference, Houston, TX, November 16-18.

Harju JA, Nakles DV, DeVaul G & Hopkins H (1999). "Application of Risk-Based Approaches for the Management of E&P Sites", SPE Paper No. 52723, presented at the 1999 SPE/EPA Exploration and Production Environmental Conference, Austin, Texas, February 28 - March 3.

Louisiana Department of Environmental Quality (1998). Proposed Louisiana Department of Environmental Quality Risk Evaluation/Corrective Action Program, April 20.

New Mexico Environment Department, Hazardous Waste Bureau and Ground Water Quality Bureau. Technical Background Document for Development of Soil Screening Levels, Revision 3.0 (August 2005).

Thomas FB (2000). Phase 3 Report: Risk-Based Evaluation of Exploration & Production Wastes. Report to the Louisiana Department of Natural Resources.

US Department of Energy (1997). Assessment of Short-term and Long-term Risks for Remedy Selection, DOE/EH-413-9708.

US Department of Energy (1999). Guidance for Conducting Risk Assessments and Related Risk Activities for the DOE-ORO Environmental Management Program, BJC/OR-271.

US Environmental Protection Agency (1987). "Report to Congress: Management of Wastes from Exploration, Development, and Production of Crude Oil, Natural Gas, and Geothermal Energy", NTIS Publication No. PB88-146212.

US Environmental Protection Agency (1988). Guidance for Conducting Remedial Investigations and Feasibility Studies Under CERCLA, EPA/540/G-89/004.

US Environmental Protection Agency (1989). Risk Assessment Guidance for Superfund: Volume 1-Human Health Evaluation Manual (Part A), EPA/540/1-89/002.

US Environmental Protection Agency (1990). Guidance for Data Usability in Risk Assessment, EPA/540/G-90/008.

US Environmental Protection Agency (1991a). Risk Assessment Guidance for Superfund. Volume I, Human Health Evaluation Manual (Part B, Development of Risk - based Preliminary Remediation Goals), OSWER Directive 9285.7-01B.

US Environmental Protection Agency (1991b). Risk Assessment Guidance for Superfund. Volume I, Human Health Evaluation Manual (Part C, Risk Evaluation of Remedial Alternatives), OSWER Directive 9285.7-01C.

US Environmental Protection Agency (1991c). Standard Default Factors, OSWER Directive 9285.6-03.

US Environmental Protection Agency (1991d). Appendix D of RAGS, Vol. 1, Human Health ("Corrections to RAGS—Part B, Sections 3.3.1 and 3.3.2").

US Environmental Protection Agency (1996a). Supplemental Guidance to RAGS: Region 4 Bulletins, Human Health Risk Assessment (Interim Guidance).

US Environmental Protection Agency (1996b). Soil Screening Guidance: User's Guide, EPA/540/R-96/018.

US Environmental Protection Agency (1998). Risk Assessment Guidance for Superfund, Volume I: Human Health Evaluation Manual (Part D, Standardized Planning, Reporting, and Review of Superfund Risk Assessments) Interim, Publication 9285.7-01D.

US Supreme Court (1980). Industrial Union Department, AFL-CIO v. American Petroleum Institute et al. Certiorari to the United States Court of Appeals for the Fifth Circuit [No. 78-911]. Together with No. 78-1036, Marshall, Secretary of Labor v. American Petroleum Institute et al., also on certiorari to the same court. 448 US 607.

## **What is in the Pits**

American Petroleum Institute (1993). Evaluation of Limiting Constituents Suggested for Land Disposal of Exploration and Production Wastes, API Publication No. 4527.

American Petroleum Institute (1996). Characterization of Exploration and Production Associated Waste. API Publication Number DR53.

American Petroleum Institute (1997). "Environmental Guidance Document: Waste Management in Exploration and Production Operations", Publication No. API E5, 2<sup>nd</sup> Edition.

American Society for Testing & Materials (1989). Manual on Hydrocarbon Analysis, 4th Ed. (West Conshohocken, PA: Society for Testing and Materials).

Bruce LG & Schmidt GW 1994. "Hydrocarbon Fingerprinting for Application in Forensic Geology: A Review With Case Studies," AAPG Bulletin , 78(11):1692-1710.

Coleman HJ, Shelton EM, Nichols DT & Thompson CJ (1978). "Analysis of 800 Crude Oils from United States Oilfields." Department of Energy Report No. BETC/RI-78/14.

Gas Research Institute (1993). "Sampling and Analysis of Wastes Generated from Natural Gas Industry Operations", Publication No. GRI-93/0208.

Louisiana Department of Environmental Quality (1998). Proposed Louisiana Department of Environmental Quality Risk Evaluation/Corrective Action Program, April 20.

Thomas FB (2000). Phase 3 Report: Risk-Based Evaluation of Exploration & Production Wastes. Report to the Louisiana Department of Natural Resources.

US Environmental Protection Agency (1987). "Report to Congress: Management of Wastes from Exploration, Development, and Production of Crude Oil, Natural Gas, and Geothermal Energy", NTIS Publication No. PB88-146212.

US Environmental Protection Agency (1993). "Clarification of the Regulatory Determination for Waste from the Exploration and Production of Crude Oil, Natural Gas, and Geothermal Energy," Federal Register 58: 15284-15287.

US Environmental Protection Agency (1993). Guidance on Conducting Non-Time Critical Removal Actions Under CERCLA, EPA/540-R-93-057.

US Environmental Protection Agency (1995). "Crude Oil and Natural Gas Exploration and Production Wastes: Exemption from RCRA Subtitle C Regulation".

Western States Petroleum Association (1993). Chemical and Physical Characteristics of Crude Oil, Gasoline, and Diesel Fuel: A Comparative Study.

## **Risk Evaluation of Detected Constituents**

## **Total Petroleum Hydrocarbons (TPH)**

Baker JM (1970). "The Effects of Oils on Plants," Environ Pollution 1: 27-44.

Chaineau CH, Morel JL & Oudot J (1997). "Phytotoxicity and Plant Uptake of Fuel Oil Hydrocarbons." J. Environ. Qual. 26:1478-1483.

Canadian Council of Ministers (2000a). Canada-Wide Standards for Petroleum Hydrocarbons (PHC) in Soil.

Canadian Council of Ministers (2000b). Canada-Wide Standards for Petroleum Hydrocarbons (PHC) in Soil — Technical Supplement.

Colorado Bureau of Land Management (1997). Colorado BLM Policy for the On-Site Remediation of RCRA Exempt, Hydrocarbon Based, Oil and Gas Exploration & Production Waste and Terrestrial Spills of Crude Oil.

CONCAWE (1997). Petroleum products – first aid, emergency and medical advice. Report 1/97.

Currier HB & Peoples SA (1954). "Phytotoxicity of Hydrocarbons." Hilgardia 23:155-173.

deOng E.R, Knight H & Chamberlin JC (1927). "A Preliminary Study of Petroleum Oil as an Insecticide for Citrus Trees," Hilgardia 2: 353-384.

DeVaul GE & Brost EJ (2000a). "Non-Aqueous Phase Liquid (NAPL) Mobility Limits in Soil." Soil and Groundwater Research, API Bulletin No. 9.

Hawthorne SB & Miller DJ (1998). "Hydrocarbon Characterization of Gas Condensates and Impacted Soils," Proceedings of the International Petroleum Environmental Conference, Albuquerque, NM, October 20-23.

Hamilton WA, Sewell HJ & Deeley G (1999). "Technical Basis for Current Soil Management Levels of Total Petroleum Hydrocarbons." Proceedings of the International Petroleum Environmental Conference, Houston, TX, November 16-18.

Harju JA, Nakles DV, DeVaul G & Hopkins H (1999). "Application of Risk-Based Approaches for the Management of E&P Sites", SPE Paper No. 52723, presented at the

1999 SPE/EPA Exploration and Production Environmental Conference, Austin, Texas, February 28 - March 3.

International Programme on Chemical Safety (1982). Environmental Health Criteria 20: Selected Petroleum Products (Geneva: World Health Organization, 1982).

Kerr JM, Hamed MM, Melton HR, Magaw RI, McMillen SJ & Naughton G (1999a). "Risk-Based Soil Screening Levels for Crude Oil: The Role of Polyaromatic Hydrocarbons", Paper presented at the International Petroleum Environmental Conference, Houston, Texas, November 16-18.

Kerr JM, Melton HR, McMillen SJ, Magaw RI & Naughton G (1999b). "Polyaromatic Hydrocarbon Content in Crude Oils Around the World", SPE Paper 52724, presented at the 1999 SPE/EPA Exploration and Production Environmental Conference, Austin, Texas, February 28 - March 3.

Louisiana Department of Environmental Quality (1998). Proposed Louisiana Department of Environmental Quality Risk Evaluation/Corrective Action Program, April 20.

McMillen S, Magaw RI, Kerr JM & Edwards DA (1999a). "A Risk-Based Screening Method for Evaluating Total Petroleum Hydrocarbons at Upstream Sites," SPE Paper No. 52722, presented at the 1999 SPE/EPA Exploration and Production Environmental Conference, Austin, Texas, February 28 - March 3.

McMillen SJ, Magaw RI, Kerr JM, Sweeney RE, Nakles DV & Geiger SC (1999b). "A New Risk-Based Approach to Establish Cleanup Levels for Total Petroleum Hydrocarbons," Paper presented at the International Petroleum Environmental Conference, Houston, Texas, November 16-18.

Michigan Department of Environmental Quality, 1997. Supervisor's Letter No. 1997-1, "Total Petroleum Hydrocarbon (TPH) and Aesthetic Cleanup Criteria for Soil at Oil and Gas Facilities", May.

Nakles, D. V., J. W. Lynch, D. A. Edwards, J. G. Tell, T. L. Potter, and R. P. Andes, 1996. "Risk-Based Determination of Soil Clean-up Goals for Diesel-Contaminated Sites

in the Railroad Industry", Association of American Railroads, Washington, D.C., September.

New Mexico Environment Department (2006). TPH Screening Guidelines.

New Mexico Oil Conservation Division, 1993. "Guidelines for Remediation of Leaks, Spills, and Releases", August.

Newell CJ & Conner JA (1998). "Characteristics of Dissolved Petroleum Hydrocarbon Plumes." Soil and Groundwater Research, API Bulletin No. 8.

Plice MJ (1948). "Some Effects of Crude Petroleum on Soil Fertility," Soil Science Society Proceedings 13:413-416.

Sample, B.E, Efroymsen RA, Jones DS & Suter GW (1998). "Ecotoxicological Benchmarks for Evaluation of Exposures to Petroleum Materials", Publication No. 4826, Environmental Sciences Division, Oak Ridge National Laboratory, Oak Ridge, Tennessee.

Saterbak A, Toy RJ, Wong DCL, McMain BJ, Williams MP, Dorn PB, Brzuzy LP, Chai EY & Salanitro JP (1999). "Ecotoxicological and Analytical Assessment of Hydrocarbon-Contaminated Soils and Application to Ecological Risk Assessment." Environmental Toxicology and Chemistry 18:1591-1607.

Thomas FB (2000). Phase 3 Report: Risk-Based Evaluation of Exploration & Production Wastes. Report to the Louisiana Department of Natural Resources.

TPHCWG (1997a). "Selection of Representative TPH Fractions Based on Fate and Transport Considerations", Total Petroleum Hydrocarbon Criteria Working Group Series, Volume 3, Amherst Scientific Publishers, Amherst, Massachusetts.

TPHCWG (1997b). "Development of Fraction Specific Reference Doses (RfDs) and Reference Concentrations (RfCs) for Total Petroleum Hydrocarbons", Total Petroleum Hydrocarbon Criteria Working Group Series, Volume 4, Amherst Scientific Publishers, Amherst, Massachusetts.



TPHCWG (1998a). "Analysis of Petroleum Hydrocarbons in Environmental Media", Total Petroleum Hydrocarbon Criteria Working Group Series, Volume 1, Amherst Scientific Publishers, Amherst, Massachusetts.

TPHCWG (1998b). "Composition of Petroleum Mixtures", Total Petroleum Hydrocarbon Criteria Working Group Series, Volume 2, Amherst Scientific Publishers, Amherst, Massachusetts.

TPHCWG (1999). "Human Health Risk-based Evaluation of Petroleum Release Sites: Implementing the Working Group Approach," Total Petroleum Hydrocarbon Criteria Working Group Series, Volume 5, Amherst Scientific Publishers, Amherst, Massachusetts.

Udo EJ & A. A. A. Fayemi AAA (1975). "The Effect of Oil Pollution of Soil on Germination, Growth, and Nutrient Uptake of Corn," J. Environ. Qual. 4: 537-540.

Western States Petroleum Association (1993). Chemical and Physical Characteristics of Crude Oil, Gasoline, and Diesel Fuel: A Comparative Study.

## **Anions & Cations**

Meteyer CU, Dubielzig RR, Dein FJ, Baeten LA, Moore MIS, Jehl JR & Wesenberg K (1997). "Sodium toxicity and pathology associated with exposure of waterfowl to hypersaline playa lakes of southeast New Mexico." J Vet Diagn Invest 9: 269-280.

US Environmental Protection Agency (2007). Hazardous Substances Data Bank: Chloride.

US Environmental Protection Agency (2007). Hazardous Substances Data Bank: Sodium.

Thomas FB (2000). Phase 3 Report: Risk-Based Evaluation of Exploration & Production Wastes. Report to the Louisiana Department of Natural Resources.

## **Metals**

Magaw RI, McMillen SJ, Gala WR, Trefry JH, Trocine RP (1999b). "A Risk Evaluation of Metals in Crude Oils", SPE Paper No. 52725, presented at the 1999 SPE/EPA Exploration and Production Environmental Conference, Austin, Texas, February 28 - March 3.

Magaw RI, S. J. McMillen SJ, Gala WR, Trefry JH & Trocine RP (1999a). "Risk Evaluation of Metals in Crude Oils", Paper presented at the International Petroleum Environmental Conference, Houston, Texas, November 16-18.

Reible DD & Valsaraj KT (1999). TCLP Characterization of Exploration and Production Wastes in Louisiana. Final Report to Louisiana Department of Natural Resources

US Environmental Protection Agency (2007). Hazardous Substances Data Bank: Arsenic Compounds (CAS Not Assigned).

US Environmental Protection Agency (2007). Hazardous Substances Data Bank: Barium (CAS Not Assigned).

US Environmental Protection Agency (2007). Hazardous Substances Data Bank: Barium Sulfate (CAS 7727-43-7).

US Environmental Protection Agency (2007). Hazardous Substances Data Bank: Lead Compounds (CAS Not Assigned).

Thomas FB (2000). Phase 3 Report: Risk-Based Evaluation of Exploration & Production Wastes. Report to the Louisiana Department of Natural Resources.

### **Volatile Organic Compounds**

Rixey WG, McMillen SJ, Magaw RI & Naughton G (1999). "An Evaluation of Benzene Risk at E&P Sites", Paper presented at the International Petroleum Environmental Conference, Houston, Texas, November 16-18.

Thomas FB (2000). Phase 3 Report: Risk-Based Evaluation of Exploration & Production Wastes. Report to the Louisiana Department of Natural Resources.

US Environmental Protection Agency (2007). Hazardous Substances Data Bank: Benzene (CAS 71-43-2).

### **Semi-Volatile Organic Compounds**

Kerr JM, Hamed MM, Melton HR, Magaw RI, McMillen SJ & Naughton G (1999a). "Risk-Based Soil Screening Levels for Crude Oil: The Role of Polyaromatic Hydrocarbons", Paper presented at the International Petroleum Environmental Conference, Houston, Texas, November 16-18.

Kerr JM, Melton HR, McMillen SJ, Magaw RI & Naughton G (1999b). "Polyaromatic Hydrocarbon Content in Crude Oils Around the World", SPE Paper 52724, presented at the 1999 SPE/EPA Exploration and Production Environmental Conference, Austin, Texas, February 28 - March 3.

Thomas FB (2000). Phase 3 Report: Risk-Based Evaluation of Exploration & Production Wastes. Report to the Louisiana Department of Natural Resources.

US Environmental Protection Agency (1992). Dermal Exposure Assessment: Principles and Application, Interim Report, EPA/600/8-91/011B.

US Environmental Protection Agency (1995). Exposure Factors Handbook, EPA/600/8-89/043.

US Environmental Protection Agency (2007). Hazardous Substances Data Bank: Naphthalene (CAS 91-20-3).

US Environmental Protection Agency (2007). Hazardous Substances Data Bank: 1-Methylnaphthalene (CAS 90-12-0).

US Environmental Protection Agency (2007). Hazardous Substances Data Bank: 2-Methylnaphthalene (CAS 91-57-6).

US Environmental Protection Agency (2007). Hazardous Substances Data Bank: Benzo(a)pyrene (CAS 50-32-8).

Wallcave L, Garcia H, Feldman R, Lijinsky W & Shubik P (1971). Skin tumorigenesis in mice by petroleum asphalts and coal-tar pitches of known polynuclear aromatic hydrocarbon content. Toxicol Appl Pharmacol 18(1): 41-52.

## **OCD Proposal**

New Mexico Oil Conservation Division (2007). 19 NMAC 19.15.17.

New Mexico Water Quality Conservation Commission (2004). 20 NMAC 6.2.3103.A&B.

## **ATTACHMENTS TO REPORT**

- A     Corrected Summary Table (comparison to NMED SSLs version 4; deletion of halogenated surrogate compounds)