

DISTRICT I

1825 N. FRENCH DR., BOHME, NM 86840

DISTRICT II

1301 W. GRAND AVENUE, ARTESIA, NM 86810

DISTRICT III

1000 Rio Bravos Rd., Artec. NM 87410

DISTRICT IV

1220 S. ST. FRANCIS DR., SANTA FE, NM 87505

State of New Mexico

Energy, Minerals and Natural Resources Department

OIL CONSERVATION DIVISION

1220 SOUTH ST. FRANCIS DR.
Santa Fe, New Mexico 87505

Form C-102

Revised JUNE 10, 2003

Submit to Appropriate District Office

State Lease - 4 Copies

Per Lease - 3 Copies

WELL LOCATION AND ACREAGE DEDICATION PLAT

☐ AMENDED REPORT

API Number		Pool Code		Pool Name	
Property Code	Property Name CARRASCO 14				Well Number 6
OGRID No.	Operator Name R.B. OPERATING				Elevation 2979'

Surface Location

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
H	14	23-S	28-E		1400	NORTH	800	EAST	EDDY

Bottom Hole Location If Different From Surface

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
H	14	23-S	28-E		1400	NORTH	1250	EAST	EDDY
Dedicated Acres	Joint or Infill	Consolidation Code	Order No.						

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

GRID AZ. = 269°32' BOTTOM HOLE SURF. HOLE 450' 1250' 1400' 1400' GEODETIC COORDINATES NAD 27 NME BOTTOM LOCATION Y=476197.2 N X=586579.7 E GEODETIC COORDINATES NAD 27 NME SURF. LOCATION Y=476201.2 N X=587029.9 E LAT. = 32°18'31.96" N LONG. = 104°03'05.90" W	OPERATOR CERTIFICATION I hereby certify the the information contained herein is true and complete to the best of my knowledge and belief. Signature _____ Printed Name _____ Title _____ Date _____ SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision and that the same is true and correct to the best of my belief. JANUARY 06, 2005 Date Surveyed _____ REV: 4/18/05 Signature of Surveyor _____ Professional - New Mexico GARY A. EDSON 4/19/05 04.11.1759 Certification No. GARY A. EDSON 12641
---	---

BEFORE THE
OIL CONSERVATION DIVISION
Case No. 13471 Exhibit No. **9A**
Submitted By:
RB Operating Company
Hearing Date: April 21, 2005



Scientific Drilling Planning Report

Company: Range Resources	Date: 4/18/2005	Time: 11:07:56	Page: 1
Field: Carrasco	Co-ordinate(NE) Reference: Well: Carrasco 14#6, Grid North		
Site: Eddy County, NM	Vertical (TVD) Reference: SITE 0.0		
Well: Carrasco 14#6	Section (VS) Reference: Well (0.00N,0.00E,270.00Azi)		
Wellpath: 1	Plan: Plan #1		

Field: Carrasco

Map System: US State Plane Coordinate System 1927
Geo Datum: NAD27 (Clarke 1866)
Sys Datum: Mean Sea Level

Map Zone: New Mexico, Eastern Zone
Coordinate System: Well Centre
Geomagnetic Model: igrf2005

Site: Eddy County, NM

Site Position:	Northing:	ft	Latitude:
From: Lease Line	Easting:	ft	Longitude:
Position Uncertainty:	0.00 ft		North Reference: Grid
Ground Level:	0.00 ft		Grid Convergence: 0.00 deg

Well: Carrasco 14#6

Slot Name:

Well Position:	+N/-S	0.00 ft	Northing:	0.00 ft	Latitude:	30 59 24.512 N
	+E/-W	0.00 ft	Easting :	0.00 ft	Longitude:	105 55 44.137 W
Position Uncertainty:	0.00 ft					

Wellpath: 1

Current Datum: SITE	Height	0.00 ft	Drilled From: Surface
Magnetic Data: 4/18/2005			Tie-on Depth: 0.00 ft
Field Strength: 0 nT			Above System Datum: Mean Sea Level
Vertical Section: Depth From (TVD)	+N/-S		Declination: 0.00 deg
ft	ft		Mag Dip Angle: 0.00 deg
			+E/-W
			ft
			Direction
			deg
0.00	0.00	0.00	270.00

Plan: Plan #1

Date Composed: 4/18/2005
Version: 1
Tied-to: From Surface

Principal: Yes

Plan Section Information

MD ft	Incl deg	Azim deg	TVD ft	+N/-S ft	+E/-W ft	DLS deg/100ft	Build deg/100ft	Turn deg/100ft	TFO deg	Target
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
600.00	0.00	0.00	600.00	0.00	0.00	0.00	0.00	0.00	0.00	
780.25	4.51	270.00	780.06	0.00	-7.08	2.50	2.50	-49.93	270.00	
6417.61	4.51	270.00	6400.00	0.00	-450.00	0.00	0.00	0.00	0.00	BHL

Section 1 : Start Hold

MD ft	Incl deg	Azim deg	TVD ft	+N/-S ft	+E/-W ft	VS ft	DLS deg/100ft	Build deg/100ft	Turn deg/100ft	TFO deg
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
100.00	0.00	0.00	100.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
200.00	0.00	0.00	200.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
300.00	0.00	0.00	300.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
400.00	0.00	0.00	400.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
500.00	0.00	0.00	500.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
600.00	0.00	0.00	600.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Section 2 : Start DLS 2.50 TFO 270.00

MD ft	Incl deg	Azim deg	TVD ft	+N/-S ft	+E/-W ft	VS ft	DLS deg/100ft	Build deg/100ft	Turn deg/100ft	TFO deg
700.00	2.50	270.00	699.97	0.00	-2.18	2.18	2.50	2.50	0.00	0.00
780.25	4.51	270.00	780.06	0.00	-7.08	7.08	2.50	2.50	0.00	0.00



Scientific Drilling Planning Report


Company: Range Resources	Date: 4/18/2005	Time: 11:07:56	Page: 2
Field: Carrasco	Co-ordinate(NE) Reference: Well: Carrasco 14#6, Grid North		
Site: Eddy County, NM	Vertical (TVD) Reference: SITE 0.0		
Well: Carrasco 14#6	Section (VS) Reference: Well (0.00N,0.00E,270.00Azi)		
Wellpath: 1	Plan: Plan #1		

Section 3 : Start Hold

MD ft	Incl deg	Azim deg	TVD ft	+N/-S ft	+E/-W ft	VS ft	DLS deg/100ft	Build deg/100ft	Turn deg/100ft	TFO deg
800.00	4.51	270.00	799.75	0.00	-8.64	8.64	0.00	0.00	0.00	0.00
900.00	4.51	270.00	899.44	0.00	-16.49	16.49	0.00	0.00	0.00	0.00
1000.00	4.51	270.00	999.13	0.00	-24.35	24.35	0.00	0.00	0.00	0.00
1100.00	4.51	270.00	1098.83	0.00	-32.21	32.21	0.00	0.00	0.00	0.00
1200.00	4.51	270.00	1198.52	0.00	-40.06	40.06	0.00	0.00	0.00	0.00
1300.00	4.51	270.00	1298.21	0.00	-47.92	47.92	0.00	0.00	0.00	0.00
1400.00	4.51	270.00	1397.90	0.00	-55.78	55.78	0.00	0.00	0.00	0.00
1500.00	4.51	270.00	1497.59	0.00	-63.63	63.63	0.00	0.00	0.00	0.00
1600.00	4.51	270.00	1597.28	0.00	-71.49	71.49	0.00	0.00	0.00	0.00
1700.00	4.51	270.00	1696.97	0.00	-79.35	79.35	0.00	0.00	0.00	0.00
1800.00	4.51	270.00	1796.66	0.00	-87.20	87.20	0.00	0.00	0.00	0.00
1900.00	4.51	270.00	1896.35	0.00	-95.06	95.06	0.00	0.00	0.00	0.00
2000.00	4.51	270.00	1996.04	0.00	-102.92	102.92	0.00	0.00	0.00	0.00
2100.00	4.51	270.00	2095.73	0.00	-110.77	110.77	0.00	0.00	0.00	0.00
2200.00	4.51	270.00	2195.43	0.00	-118.63	118.63	0.00	0.00	0.00	0.00
2300.00	4.51	270.00	2295.12	0.00	-126.49	126.49	0.00	0.00	0.00	0.00
2400.00	4.51	270.00	2394.81	0.00	-134.34	134.34	0.00	0.00	0.00	0.00
2500.00	4.51	270.00	2494.50	0.00	-142.20	142.20	0.00	0.00	0.00	0.00
2600.00	4.51	270.00	2594.19	0.00	-150.06	150.06	0.00	0.00	0.00	0.00
2700.00	4.51	270.00	2693.88	0.00	-157.92	157.92	0.00	0.00	0.00	0.00
2800.00	4.51	270.00	2793.57	0.00	-165.77	165.77	0.00	0.00	0.00	0.00
2900.00	4.51	270.00	2893.26	0.00	-173.63	173.63	0.00	0.00	0.00	0.00
3000.00	4.51	270.00	2992.95	0.00	-181.49	181.49	0.00	0.00	0.00	0.00
3100.00	4.51	270.00	3092.64	0.00	-189.34	189.34	0.00	0.00	0.00	0.00
3200.00	4.51	270.00	3192.33	0.00	-197.20	197.20	0.00	0.00	0.00	0.00
3300.00	4.51	270.00	3292.03	0.00	-205.06	205.06	0.00	0.00	0.00	0.00
3400.00	4.51	270.00	3391.72	0.00	-212.91	212.91	0.00	0.00	0.00	0.00
3500.00	4.51	270.00	3491.41	0.00	-220.77	220.77	0.00	0.00	0.00	0.00
3600.00	4.51	270.00	3591.10	0.00	-228.63	228.63	0.00	0.00	0.00	0.00
3700.00	4.51	270.00	3690.79	0.00	-236.48	236.48	0.00	0.00	0.00	0.00
3800.00	4.51	270.00	3790.48	0.00	-244.34	244.34	0.00	0.00	0.00	0.00
3900.00	4.51	270.00	3890.17	0.00	-252.20	252.20	0.00	0.00	0.00	0.00
4000.00	4.51	270.00	3989.86	0.00	-260.05	260.05	0.00	0.00	0.00	0.00
4100.00	4.51	270.00	4089.55	0.00	-267.91	267.91	0.00	0.00	0.00	0.00
4200.00	4.51	270.00	4189.24	0.00	-275.77	275.77	0.00	0.00	0.00	0.00
4300.00	4.51	270.00	4288.93	0.00	-283.62	283.62	0.00	0.00	0.00	0.00
4400.00	4.51	270.00	4388.62	0.00	-291.48	291.48	0.00	0.00	0.00	0.00
4500.00	4.51	270.00	4488.32	0.00	-299.34	299.34	0.00	0.00	0.00	0.00
4600.00	4.51	270.00	4588.01	0.00	-307.19	307.19	0.00	0.00	0.00	0.00
4700.00	4.51	270.00	4687.70	0.00	-315.05	315.05	0.00	0.00	0.00	0.00
4800.00	4.51	270.00	4787.39	0.00	-322.91	322.91	0.00	0.00	0.00	0.00
4900.00	4.51	270.00	4887.08	0.00	-330.76	330.76	0.00	0.00	0.00	0.00
5000.00	4.51	270.00	4986.77	0.00	-338.62	338.62	0.00	0.00	0.00	0.00
5100.00	4.51	270.00	5086.46	0.00	-346.48	346.48	0.00	0.00	0.00	0.00
5200.00	4.51	270.00	5186.15	0.00	-354.33	354.33	0.00	0.00	0.00	0.00
5300.00	4.51	270.00	5285.84	0.00	-362.19	362.19	0.00	0.00	0.00	0.00
5400.00	4.51	270.00	5385.53	0.00	-370.05	370.05	0.00	0.00	0.00	0.00
5500.00	4.51	270.00	5485.22	0.00	-377.91	377.91	0.00	0.00	0.00	0.00
5600.00	4.51	270.00	5584.92	0.00	-385.76	385.76	0.00	0.00	0.00	0.00
5700.00	4.51	270.00	5684.61	0.00	-393.62	393.62	0.00	0.00	0.00	0.00
5800.00	4.51	270.00	5784.30	0.00	-401.48	401.48	0.00	0.00	0.00	0.00
5900.00	4.51	270.00	5883.99	0.00	-409.33	409.33	0.00	0.00	0.00	0.00
6000.00	4.51	270.00	5983.68	0.00	-417.19	417.19	0.00	0.00	0.00	0.00
6100.00	4.51	270.00	6083.37	0.00	-425.05	425.05	0.00	0.00	0.00	0.00
6200.00	4.51	270.00	6183.06	0.00	-432.90	432.90	0.00	0.00	0.00	0.00
6300.00	4.51	270.00	6282.75	0.00	-440.76	440.76	0.00	0.00	0.00	0.00
6400.00	4.51	270.00	6382.44	0.00	-448.62	448.62	0.00	0.00	0.00	0.00
6417.61	4.51	270.00	6400.00	0.00	-450.00	450.00	0.00	0.00	0.00	0.00



Range Resources



CARRASCO 14#6 PLAN.TXT

Scientific Drilling Planning Report

Company: Range Resources
Time: 11:08:34 Page: 1
Field: Carrasco
Reference Well: Carrasco 14#6, Grid North
Site: Eddy County, NM
Reference SITE 0.0
Well: Carrasco 14#6
Reference: Well (0.00N,0.00E,270.00Azi)
Wellpath: 1
Plan #1

Date: 4/18/2005

Co-ordinate(NE)

Vertical (TVD)

Section (VS)

Plan:

Field: Carrasco

Map System: US State Plane Coordinate System 1927
New Mexico, Eastern Zone
Geo Datum: NAD27 (Clarke 1866)
Well Centre
Sys Datum: Mean Sea Level
igrf2005

Map Zone:

Coordinate System:

Geomagnetic Model:

Site: Eddy County, NM

Site Position:
From: Lease Line
Position Uncertainty: 0.00 ft
Grid
Ground Level: 0.00 ft
0.00 deg

Northing:
Easting:

ft
ft

Latitude:
Longitude:
North Reference:
Grid Convergence:

Well: Carrasco 14#6

Slot Name:

Well Position: +N/-S 0.00 ft Northing:
30 59 24.512 N
+E/-W 0.00 ft Easting :
105 55 44.137 W
Position Uncertainty: 0.00 ft

0.00 ft
0.00 ft

Latitude:
Longitude:

Wellpath: 1
Surface

Drilled From:

Tie-on Depth:

0.00 ft
Current Datum: SITE
Datum: Mean Sea Level
Magnetic Data: 4/18/2005
0.00 deg
Field Strength: 0 nT
0.00 deg
Vertical Section: Depth From (TVD)
Direction
deg
0.00
270.00

Height 0.00 ft

Above System

Declination:

Mag Dip Angle:

+N/-S

+E/-W

ft

ft

0.00

0.00

CARRASCO 14#6 PLAN.TXT

Plan: Plan #1
4/18/2005

Date Composed:

Version:

1
Principal: Yes
From Surface

Tied-to:

Plan Section Information				TVD	+N/-S	+E/-W	DLS	Build
MD	Incl	Azim						
Turn	TFO	Target						
ft	deg	deg	deg	ft	ft	ft		
deg/100ft	deg/100ft	deg/100ft	deg					
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0.00	0.00							
600.00	0.00	0.00	0.00	600.00	0.00	0.00	0.00	0.00
0.00	0.00							
780.25	4.51	270.00		780.06	0.00	-7.08	2.50	2.50
-49.93	270.00							
6417.61	4.51	270.00		6400.00	0.00	-450.00	0.00	0.00
0.00	0.00	BHL						
Section 1 :Start Hold								

				TVD	+N/-S	+E/-W	VS	DLS
MD	Incl	Azim						
Build	Turn	TFO						
ft	deg	deg	deg	ft	ft	ft	ft	
deg/100ft	deg/100ft	deg/100ft	deg					
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0.00	0.00	0.00						
100.00	0.00	0.00	0.00	100.00	0.00	0.00	0.00	0.00
0.00	0.00	0.00						
200.00	0.00	0.00	0.00	200.00	0.00	0.00	0.00	0.00
0.00	0.00	0.00						
300.00	0.00	0.00	0.00	300.00	0.00	0.00	0.00	0.00
0.00	0.00	0.00						
400.00	0.00	0.00	0.00	400.00	0.00	0.00	0.00	0.00
0.00	0.00	0.00						
500.00	0.00	0.00	0.00	500.00	0.00	0.00	0.00	0.00
0.00	0.00	0.00						
600.00	0.00	0.00	0.00	600.00	0.00	0.00	0.00	0.00
0.00	0.00	0.00						

Section 2 :Start				DLS 2.50	TFO 270.00			
MD	Incl	Azim						
Build	Turn	TFO						
ft	deg	deg	deg	ft	ft	ft	ft	
deg/100ft	deg/100ft	deg/100ft	deg					
700.00	2.50	270.00		699.97	0.00	-2.18	2.18	2.50
2.50	0.00	0.00						
780.25	4.51	270.00		780.06	0.00	-7.08	7.08	2.50
2.50	0.00	0.00						
Section 3 :Start Hold								

				TVD	+N/-S	+E/-W	VS	DLS
MD	Incl	Azim						
Build	Turn	TFO						
ft	deg	deg	deg	ft	ft	ft	ft	
deg/100ft	deg/100ft	deg/100ft	deg					
800.00	4.51	270.00		799.75	0.00	-8.64	8.64	0.00
0.00	0.00	0.00						
900.00	4.51	270.00		899.44	0.00	-16.49	16.49	0.00
0.00	0.00	0.00						

1000.00 4.51 270.00 CARRASCO 14#6 PLAN.TXT -24.35 24.35 0.00
 0.00 0.00 0.00 999.13 0.00

Scientific Drilling
 Planning Report

Company: Range Resources
 Time: 11:08:34 Page: 2
 Field: Carrasco
 Reference Well: Carrasco 14#6, Grid North
 Site: Eddy County, NM
 Reference SITE 0.0
 Well: Carrasco 14#6
 Reference: Well (0.00N,0.00E,270.00Azi)
 Wellpath: 1
 Plan #1

Date: 4/18/2005

Co-ordinate(NE)

Vertical (TVD)

Section (VS)

Plan:

Section	3	Start	Hold					
MD	Incl	Azim	TVD	+N/-S	+E/-W	VS	DLS	
Build	Turn	TFO	ft	ft	ft	ft		
deg/100ft	deg/100ft	deg/100ft	deg					
1100.00	4.51	270.00	1098.83	0.00	-32.21	32.21	0.00	
0.00	0.00	0.00						
1200.00	4.51	270.00	1198.52	0.00	-40.06	40.06	0.00	
0.00	0.00	0.00						
1300.00	4.51	270.00	1298.21	0.00	-47.92	47.92	0.00	
0.00	0.00	0.00						
1400.00	4.51	270.00	1397.90	0.00	-55.78	55.78	0.00	
0.00	0.00	0.00						
1500.00	4.51	270.00	1497.59	0.00	-63.63	63.63	0.00	
0.00	0.00	0.00						
1600.00	4.51	270.00	1597.28	0.00	-71.49	71.49	0.00	
0.00	0.00	0.00						
1700.00	4.51	270.00	1696.97	0.00	-79.35	79.35	0.00	
0.00	0.00	0.00						
1800.00	4.51	270.00	1796.66	0.00	-87.20	87.20	0.00	
0.00	0.00	0.00						
1900.00	4.51	270.00	1896.35	0.00	-95.06	95.06	0.00	
0.00	0.00	0.00						
2000.00	4.51	270.00	1996.04	0.00	-102.92	102.92	0.00	
0.00	0.00	0.00						
2100.00	4.51	270.00	2095.73	0.00	-110.77	110.77	0.00	
0.00	0.00	0.00						
2200.00	4.51	270.00	2195.43	0.00	-118.63	118.63	0.00	
0.00	0.00	0.00						
2300.00	4.51	270.00	2295.12	0.00	-126.49	126.49	0.00	
0.00	0.00	0.00						
2400.00	4.51	270.00	2394.81	0.00	-134.34	134.34	0.00	
0.00	0.00	0.00						
2500.00	4.51	270.00	2494.50	0.00	-142.20	142.20	0.00	

CARRASCO 14#6 PLAN.TXT

0.00	0.00	0.00					
2600.00	4.51	270.00	2594.19	0.00	-150.06	150.06	0.00
0.00	0.00	0.00					
2700.00	4.51	270.00	2693.88	0.00	-157.92	157.92	0.00
0.00	0.00	0.00					
2800.00	4.51	270.00	2793.57	0.00	-165.77	165.77	0.00
0.00	0.00	0.00					
2900.00	4.51	270.00	2893.26	0.00	-173.63	173.63	0.00
0.00	0.00	0.00					
3000.00	4.51	270.00	2992.95	0.00	-181.49	181.49	0.00
0.00	0.00	0.00					
3100.00	4.51	270.00	3092.64	0.00	-189.34	189.34	0.00
0.00	0.00	0.00					
3200.00	4.51	270.00	3192.33	0.00	-197.20	197.20	0.00
0.00	0.00	0.00					
3300.00	4.51	270.00	3292.03	0.00	-205.06	205.06	0.00
0.00	0.00	0.00					
3400.00	4.51	270.00	3391.72	0.00	-212.91	212.91	0.00
0.00	0.00	0.00					
3500.00	4.51	270.00	3491.41	0.00	-220.77	220.77	0.00
0.00	0.00	0.00					
3600.00	4.51	270.00	3591.10	0.00	-228.63	228.63	0.00
0.00	0.00	0.00					
3700.00	4.51	270.00	3690.79	0.00	-236.48	236.48	0.00
0.00	0.00	0.00					
3800.00	4.51	270.00	3790.48	0.00	-244.34	244.34	0.00
0.00	0.00	0.00					
3900.00	4.51	270.00	3890.17	0.00	-252.20	252.20	0.00
0.00	0.00	0.00					
4000.00	4.51	270.00	3989.86	0.00	-260.05	260.05	0.00
0.00	0.00	0.00					
4100.00	4.51	270.00	4089.55	0.00	-267.91	267.91	0.00
0.00	0.00	0.00					
4200.00	4.51	270.00	4189.24	0.00	-275.77	275.77	0.00
0.00	0.00	0.00					
4300.00	4.51	270.00	4288.93	0.00	-283.62	283.62	0.00
0.00	0.00	0.00					
4400.00	4.51	270.00	4388.62	0.00	-291.48	291.48	0.00
0.00	0.00	0.00					
4500.00	4.51	270.00	4488.32	0.00	-299.34	299.34	0.00
0.00	0.00	0.00					
4600.00	4.51	270.00	4588.01	0.00	-307.19	307.19	0.00
0.00	0.00	0.00					
4700.00	4.51	270.00	4687.70	0.00	-315.05	315.05	0.00
0.00	0.00	0.00					
4800.00	4.51	270.00	4787.39	0.00	-322.91	322.91	0.00
0.00	0.00	0.00					
4900.00	4.51	270.00	4887.08	0.00	-330.76	330.76	0.00
0.00	0.00	0.00					
5000.00	4.51	270.00	4986.77	0.00	-338.62	338.62	0.00
0.00	0.00	0.00					
5100.00	4.51	270.00	5086.46	0.00	-346.48	346.48	0.00
0.00	0.00	0.00					
5200.00	4.51	270.00	5186.15	0.00	-354.33	354.33	0.00
0.00	0.00	0.00					
5300.00	4.51	270.00	5285.84	0.00	-362.19	362.19	0.00
0.00	0.00	0.00					
5400.00	4.51	270.00	5385.53	0.00	-370.05	370.05	0.00
0.00	0.00	0.00					
5500.00	4.51	270.00	5485.22	0.00	-377.91	377.91	0.00
0.00	0.00	0.00					
5600.00	4.51	270.00	5584.92	0.00	-385.76	385.76	0.00
0.00	0.00	0.00					

5700.00	4.51	270.00	CARRASCO 14#6 PLAN.TXT				
0.00	0.00	0.00	5684.61	0.00	-393.62	393.62	0.00
5800.00	4.51	270.00	5784.30	0.00	-401.48	401.48	0.00
0.00	0.00	0.00					
5900.00	4.51	270.00	5883.99	0.00	-409.33	409.33	0.00
0.00	0.00	0.00					
6000.00	4.51	270.00	5983.68	0.00	-417.19	417.19	0.00
0.00	0.00	0.00					
6100.00	4.51	270.00	6083.37	0.00	-425.05	425.05	0.00
0.00	0.00	0.00					
6200.00	4.51	270.00	6183.06	0.00	-432.90	432.90	0.00
0.00	0.00	0.00					
6300.00	4.51	270.00	6282.75	0.00	-440.76	440.76	0.00
0.00	0.00	0.00					
6400.00	4.51	270.00	6382.44	0.00	-448.62	448.62	0.00
0.00	0.00	0.00					
6417.61	4.51	270.00	6400.00	0.00	-450.00	450.00	0.00
0.00	0.00	0.00					