

MONTGOMERY & ANDREWS LAW FIRM

J. Scott Hall Office: (505) 982-3873 Email: shall@montand.com Reply To: Santa Fe Office www.montand.com

March 3, 2015

Mr. David Catanach, Director New Mexico Oil Conservation Division 1220 S. St. Francis Drive Santa Fe, NM 87505 Hand Delivered

Re: NMOCD Case No. <u>17278</u> APPLICATION OF HIGH ROLLER WELLS LLC FOR AUTHORIZATION TO INJECT, EDDY COUNTY, NEW MEXICO

Dear Mr. Catanach:

On behalf of High Roller Wells LLC, enclosed is an original and one copy of an Application in the above-referenced case. Please set this matter for hearing on the April 2, 2015 examiner docket. Also enclosed is a proposed advertisement for the case.

Thank you.

Very truly yours,

7. Sion dell J. Scott Hall

654744

325 Paseo de Peralta Santa Fe, New Mexico 87501

T: 505.982.3873 F: 505.982.4289

P.O. Box 2307 Santa Fe, New Mexico 87504-2307

#### STATE OF NEW MEXICO DEPARTMENT OF ENERGY, MINERALS AND NATURAL RESOURCES OIL CONSERVATION DIVISION

### IN THE MATTER OF THE APPLICATION OF HIGH ROLLER WELLS LLC FOR AUTHORIZATION TO INJECT, EDDY COUNTY, NEW MEXICO.

# CASE NO. <u>/5278</u>

ZULZ HYU

μ

17

#### APPLICATION

High Roller Wells LLC, ("High Roller" or "Applicant"), through its undersigned counsel, Montgomery and Andrews, P.A. (J. Scott Hall, Esq.), applies pursuant to 19.15.26.8 NMAC for an order authorizing the injection of water for disposal into the Bell Canyon and Cherry Canyon members of the Delaware Mountain Group formation, Bell Canyon-Cherry Canyon SWD pool (96802), in Eddy County, New Mexico. In support of its Application, High Roller states:

1. Applicant is the operator of the following well:

Gossett SWD No. 1 313' FSL & 921' FEL (Unit P) Section 33 T-23-S, R-28-E, NMPM Eddy County, New Mexico

2. The Gossett SWD No. 1 well is to be drilled to a total depth of approximately 5,100'. Applicant proposes to complete the well for injection of water into the Bell Canyon and Cherry Canyon members of the Delaware Mountain Group through perforations from 2,500' to 5,000'.

3. Injection operations through the well will be conducted at an anticipated average daily injection pressure of 400 psi and maximum pressure of 500 psi. Applicant proposes injection of water at average daily rates of approximately 20,000 bbls and at maximum daily rates of approximately 30,000 bbls. The source of the injected fluids will be formation water

from Avalon, Bone Spring and Wolfcamp production wells that have been drilled and are scheduled to be drilled in the area.

4. Applicant's proposed injection operation can be conducted in a safe and responsible manner without causing waste, impairing correlative rights or endangering fresh water, public health or the environment.

5. Applicant's original request for administrative approval was filed with the Division on December 22, 2014. Written objection was received and consequently, the matter must be set for hearing pursuant to NMAC §19.15.26.8 D, with notice to be given by the Division.

WHEREFORE, Applicant requests that this Application be set for hearing before a duly appointed examiner of the Oil Conservation Division on April 2, 2015 and that after notice and hearing as required by law, the Division enter its Order approving the utilization of the Gossett No. 1 well for the injection of water into the Bell Canyon and Cherry Canyon members at the intervals and at the pressures, volumes and rates indicated, and making such other and further provisions as the Division determines appropriate.

Respectfully submitted,

MONTGOMERY & ANDREWS, P. A.

7. Swy yall By:

J. Scott Hall Seth C. McMillan P.O. Box 2307 Santa Fe, NM 87504-2307 (505) 982-3873 - Telephone (505) 982-4289 – Fax

Attorneys for High Roller Wells LLC

. ب ا

## Case 15278

Application of High Roller Wells LLC for Authorization to Inject, Eddy County, New Mexico. Applicant seeks an order authorizing the injection of water for disposal into the Bell Canyon and Cherry Canyon members of the Delaware Mountain Group formation, Bell Canyon-Cherry Canyon SWD Pool (96802) in Eddy County, New Mexico in the following well:

> Gossett SWD No. 1 313' FSL & 921' FEL (Unit P) Section 33 T-23-S, R-28-E, NMPM Eddy County, New Mexico

Applicant proposes to drill the well at the above location and utilize it for injection of produced water at depths of 2,500' to 5,000' subsurface. The well is located approximately 1 1/2 miles south of Loving, New Mexico.