

Mewbourne Oil Company

Eddy County, New Mexico

Loving Townsite 21 W2PA Fee #1H

Sec 28, T23S, R28E

SL 220' FNL & 210 FEL, Sec 28

BHL 330 FNL & 440 FEL, Sec 21

Plan Design #1

Standard Planning Report

07 February, 2017

EXHIBIT

11

Planning Report

Database	Hobbs	Local Co-ordinate Reference	Site Loving Townsite 21 W2PA Fee #1H
Company	Mewbourne Oil Company	TVD Reference	WELL @ 3062 0usft (Original Well Elev)
Project	Eddy County New Mexico	MD Reference	WELL @ 3062 0usft (Original Well Elev)
Site	Loving Townsite 21 W2PA Fee #1H	North Reference	Gnd
Well	Sec 28 T23S R28E	Survey Calculation Method	Minimum Curvature
Wellbore	BHL 330 FNL & 440 FEL Sec 21		
Design	Design #1		

Project	Eddy County New Mexico		
Map System	US State Plane 1927 (Exact solution)	System Datum	Mean Sea Level
Geo Datum	NAD 1927 (NADCON CONUS)		
Map Zone	New Mexico East 3001		

Site	Loving Townsite 21 W2PA Fee #1H					
Site Position		Northing	466 638 00 usft	Latitude	32 16 57 570 N	
From	Map	Easting	577 080 00 usft	Longitude	104 5 2 098 W	
Position Uncertainty		0 0 usft	Slot Radius	13-3/16	Grid Convergence	0 13

Well	Sec 28 T23S R28E					
Well Position	+N/-S	0 0 usft	Northng	466 638 00 usft	Latitude	32 16 57 570 N
	+E/ W	0 0 usft	Easting	577 080 00 usft	Longitude	104 5 2 098 W
Position Uncertainty		0 0 usft	Wellhead Elevation	3 062 0 usft	Ground Level	3 035 0 usft

Wellbore	BHL 330 FNL & 440 FEL Sec 21				
Magnetics	Model Name	Sample Date	Declination ()	Dip Angle (°)	Field Strength (nT)
	IGRF200510	12/31/2009	7 99	60 20	48 773

Design	Design #1			
Audit Notes				
Version	Phase	PROTOTYPE	Tie On Depth	0 0
Vertical Section	Depth From (TVD) (usft)	+N/-S (usft)	+E/ W (usft)	Direction (°)
	0 0	0 0	0 0	356 87

Plan Sections										
Measured Depth (usft)	Inclination ()	Azimuth ()	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Dogleg Rate (/100usft)	Build Rate (/100usft)	Turn Rate (/100usft)	TFO ()	Target
0 0	0 00	0 00	0 0	0 0	0 0	0 00	0 00	0 00	0 00	
9 911 0	0 00	0 00	9 911 0	0 0	0 0	0 00	0 00	0 00	0 00	
10 811 1	90 00	343 27	10 484 0	548 8	164 9	10 00	10 00	0 00	16 73	
10 811 3	90 00	343 27	10 484 0	549 0	165 0	0 00	0 00	0 00	0 00	LP/FTP 330 FSL & 4
11 350 8	89 84	359 46	10 484 8	1 080 6	245 7	3 00	0 03	3 00	90 57	BHL 330 FNL & 440
15 481 4	89 84	359 46	10 496 3	5 211 0	285 0	0 00	0 00	0 00	0 00	BHL 330 FNL & 440

Planning Report

Database	Hobbs	Local Co-ordinate Reference	Site Loving Townsite 21 W2PA Fee #1H
Company	Mewbourne Oil Company	TVD Reference	WELL @ 3062 0usft (Original Well Elev)
Project	Eddy County New Mexico	MD Reference	WELL @ 3062 0usft (Original Well Elev)
Site	Loving Townsite 21 W2PA Fee #1H	North Reference	Gnd
Well	Sec 28 T23S R28E	Survey Calculation Method	Minimum Curvature
Wellbore	BHL 330 FNL & 440 FEL Sec 21		
Design	Design #1		

Planned Survey										
Measured Depth (usft)	Inclination ()	Azimuth ()	Vertical Depth (usft)	+N-S (usft)	+E/W (usft)	Vertical Section (usft)	Dogleg Rate (/100usft)	Build Rate (/100usft)	Turn Rate (/100usft)	
0 0	0 00	0 00	0 0	0 0	0 0	0 0	0 00	0 00	0 00	
SL 220 FNL & 210 FEL Sec 28										
100 0	0 00	0 00	100 0	0 0	0 0	0 0	0 00	0 00	0 00	
200 0	0 00	0 00	200 0	0 0	0 0	0 0	0 00	0 00	0 00	
300 0	0 00	0 00	300 0	0 0	0 0	0 0	0 00	0 00	0 00	
400 0	0 00	0 00	400 0	0 0	0 0	0 0	0 00	0 00	0 00	
500 0	0 00	0 00	500 0	0 0	0 0	0 0	0 00	0 00	0 00	
600 0	0 00	0 00	600 0	0 0	0 0	0 0	0 00	0 00	0 00	
700 0	0 00	0 00	700 0	0 0	0 0	0 0	0 00	0 00	0 00	
800 0	0 00	0 00	800 0	0 0	0 0	0 0	0 00	0 00	0 00	
900 0	0 00	0 00	900 0	0 0	0 0	0 0	0 00	0 00	0 00	
1 000 0	0 00	0 00	1 000 0	0 0	0 0	0 0	0 00	0 00	0 00	
1 100 0	0 00	0 00	1 100 0	0 0	0 0	0 0	0 00	0 00	0 00	
1 200 0	0 00	0 00	1 200 0	0 0	0 0	0 0	0 00	0 00	0 00	
1 300 0	0 00	0 00	1 300 0	0 0	0 0	0 0	0 00	0 00	0 00	
1 400 0	0 00	0 00	1 400 0	0 0	0 0	0 0	0 00	0 00	0 00	
1 500 0	0 00	0 00	1 500 0	0 0	0 0	0 0	0 00	0 00	0 00	
1 600 0	0 00	0 00	1 600 0	0 0	0 0	0 0	0 00	0 00	0 00	
1 700 0	0 00	0 00	1 700 0	0 0	0 0	0 0	0 00	0 00	0 00	
1 800 0	0 00	0 00	1 800 0	0 0	0 0	0 0	0 00	0 00	0 00	
1 900 0	0 00	0 00	1 900 0	0 0	0 0	0 0	0 00	0 00	0 00	
2 000 0	0 00	0 00	2 000 0	0 0	0 0	0 0	0 00	0 00	0 00	
2 100 0	0 00	0 00	2 100 0	0 0	0 0	0 0	0 00	0 00	0 00	
2 200 0	0 00	0 00	2 200 0	0 0	0 0	0 0	0 00	0 00	0 00	
2 300 0	0 00	0 00	2 300 0	0 0	0 0	0 0	0 00	0 00	0 00	
2 400 0	0 00	0 00	2 400 0	0 0	0 0	0 0	0 00	0 00	0 00	
2 500 0	0 00	0 00	2 500 0	0 0	0 0	0 0	0 00	0 00	0 00	
2 600 0	0 00	0 00	2 600 0	0 0	0 0	0 0	0 00	0 00	0 00	
2 700 0	0 00	0 00	2 700 0	0 0	0 0	0 0	0 00	0 00	0 00	
2 800 0	0 00	0 00	2 800 0	0 0	0 0	0 0	0 00	0 00	0 00	
2 900 0	0 00	0 00	2 900 0	0 0	0 0	0 0	0 00	0 00	0 00	
3 000 0	0 00	0 00	3 000 0	0 0	0 0	0 0	0 00	0 00	0 00	
3 100 0	0 00	0 00	3 100 0	0 0	0 0	0 0	0 00	0 00	0 00	
3 200 0	0 00	0 00	3 200 0	0 0	0 0	0 0	0 00	0 00	0 00	
3 300 0	0 00	0 00	3 300 0	0 0	0 0	0 0	0 00	0 00	0 00	
3 400 0	0 00	0 00	3 400 0	0 0	0 0	0 0	0 00	0 00	0 00	
3 500 0	0 00	0 00	3 500 0	0 0	0 0	0 0	0 00	0 00	0 00	
3 600 0	0 00	0 00	3 600 0	0 0	0 0	0 0	0 00	0 00	0 00	
3 700 0	0 00	0 00	3 700 0	0 0	0 0	0 0	0 00	0 00	0 00	
3 800 0	0 00	0 00	3 800 0	0 0	0 0	0 0	0 00	0 00	0 00	
3 900 0	0 00	0 00	3 900 0	0 0	0 0	0 0	0 00	0 00	0 00	
4 000 0	0 00	0 00	4 000 0	0 0	0 0	0 0	0 00	0 00	0 00	
4 100 0	0 00	0 00	4 100 0	0 0	0 0	0 0	0 00	0 00	0 00	
4 200 0	0 00	0 00	4 200 0	0 0	0 0	0 0	0 00	0 00	0 00	
4 300 0	0 00	0 00	4 300 0	0 0	0 0	0 0	0 00	0 00	0 00	
4 400 0	0 00	0 00	4 400 0	0 0	0 0	0 0	0 00	0 00	0 00	
4 500 0	0 00	0 00	4 500 0	0 0	0 0	0 0	0 00	0 00	0 00	
4 600 0	0 00	0 00	4 600 0	0 0	0 0	0 0	0 00	0 00	0 00	
4 700 0	0 00	0 00	4 700 0	0 0	0 0	0 0	0 00	0 00	0 00	
4 800 0	0 00	0 00	4 800 0	0 0	0 0	0 0	0 00	0 00	0 00	
4 900 0	0 00	0 00	4 900 0	0 0	0 0	0 0	0 00	0 00	0 00	
5 000 0	0 00	0 00	5 000 0	0 0	0 0	0 0	0 00	0 00	0 00	
5 100 0	0 00	0 00	5 100 0	0 0	0 0	0 0	0 00	0 00	0 00	
5 200 0	0 00	0 00	5 200 0	0 0	0 0	0 0	0 00	0 00	0 00	

Planning Report

Database	Hobbs	Local Co-ordinate Reference	Site Loving Townsite 21 W2PA Fee #1H
Company	Mewbourne Oil Company	TVD Reference	WELL @ 3062 0usft (Original Well Elev)
Project	Eddy County New Mexico	MD Reference	WELL @ 3062 0usft (Original Well Elev)
Site	Loving Townsite 21 W2PA Fee #1H	North Reference	Gnd
Well	Sec 28 T23S R28E	Survey Calculation Method	Minimum Curvature
Wellbore	BHL 330 FNL & 440 FEL Sec 21		
Design	Design #1		

Planned Survey										
Measured Depth (usft)	Inclination ()	Azimuth ()	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (/100usft)	Build Rate (/100usft)	Turn Rate (/100usft)	
5 300 0	0 00	0 00	5 300 0	0 0	0 0	0 0	0 00	0 00	0 00	
5 400 0	0 00	0 00	5 400 0	0 0	0 0	0 0	0 00	0 00	0 00	
5 500 0	0 00	0 00	5 500 0	0 0	0 0	0 0	0 00	0 00	0 00	
5 600 0	0 00	0 00	5 600 0	0 0	0 0	0 0	0 00	0 00	0 00	
5 700 0	0 00	0 00	5 700 0	0 0	0 0	0 0	0 00	0 00	0 00	
5 800 0	0 00	0 00	5 800 0	0 0	0 0	0 0	0 00	0 00	0 00	
5 900 0	0 00	0 00	5 900 0	0 0	0 0	0 0	0 00	0 00	0 00	
6 000 0	0 00	0 00	6 000 0	0 0	0 0	0 0	0 00	0 00	0 00	
6 100 0	0 00	0 00	6 100 0	0 0	0 0	0 0	0 00	0 00	0 00	
6 200 0	0 00	0 00	6 200 0	0 0	0 0	0 0	0 00	0 00	0 00	
6 300 0	0 00	0 00	6 300 0	0 0	0 0	0 0	0 00	0 00	0 00	
6 400 0	0 00	0 00	6 400 0	0 0	0 0	0 0	0 00	0 00	0 00	
6 500 0	0 00	0 00	6 500 0	0 0	0 0	0 0	0 00	0 00	0 00	
6 600 0	0 00	0 00	6 600 0	0 0	0 0	0 0	0 00	0 00	0 00	
6 700 0	0 00	0 00	6 700 0	0 0	0 0	0 0	0 00	0 00	0 00	
6 800 0	0 00	0 00	6 800 0	0 0	0 0	0 0	0 00	0 00	0 00	
6 900 0	0 00	0 00	6 900 0	0 0	0 0	0 0	0 00	0 00	0 00	
7 000 0	0 00	0 00	7 000 0	0 0	0 0	0 0	0 00	0 00	0 00	
7 100 0	0 00	0 00	7 100 0	0 0	0 0	0 0	0 00	0 00	0 00	
7 200 0	0 00	0 00	7 200 0	0 0	0 0	0 0	0 00	0 00	0 00	
7 300 0	0 00	0 00	7 300 0	0 0	0 0	0 0	0 00	0 00	0 00	
7 400 0	0 00	0 00	7 400 0	0 0	0 0	0 0	0 00	0 00	0 00	
7 500 0	0 00	0 00	7 500 0	0 0	0 0	0 0	0 00	0 00	0 00	
7 600 0	0 00	0 00	7 600 0	0 0	0 0	0 0	0 00	0 00	0 00	
7 700 0	0 00	0 00	7 700 0	0 0	0 0	0 0	0 00	0 00	0 00	
7 800 0	0 00	0 00	7 800 0	0 0	0 0	0 0	0 00	0 00	0 00	
7 900 0	0 00	0 00	7 900 0	0 0	0 0	0 0	0 00	0 00	0 00	
8 000 0	0 00	0 00	8 000 0	0 0	0 0	0 0	0 00	0 00	0 00	
8 100 0	0 00	0 00	8 100 0	0 0	0 0	0 0	0 00	0 00	0 00	
8 200 0	0 00	0 00	8 200 0	0 0	0 0	0 0	0 00	0 00	0 00	
8 300 0	0 00	0 00	8 300 0	0 0	0 0	0 0	0 00	0 00	0 00	
8 400 0	0 00	0 00	8 400 0	0 0	0 0	0 0	0 00	0 00	0 00	
8 500 0	0 00	0 00	8 500 0	0 0	0 0	0 0	0 00	0 00	0 00	
8 600 0	0 00	0 00	8 600 0	0 0	0 0	0 0	0 00	0 00	0 00	
8 700 0	0 00	0 00	8 700 0	0 0	0 0	0 0	0 00	0 00	0 00	
8 800 0	0 00	0 00	8 800 0	0 0	0 0	0 0	0 00	0 00	0 00	
8 900 0	0 00	0 00	8 900 0	0 0	0 0	0 0	0 00	0 00	0 00	
9 000 0	0 00	0 00	9 000 0	0 0	0 0	0 0	0 00	0 00	0 00	
9 100 0	0 00	0 00	9 100 0	0 0	0 0	0 0	0 00	0 00	0 00	
9 200 0	0 00	0 00	9 200 0	0 0	0 0	0 0	0 00	0 00	0 00	
9 300 0	0 00	0 00	9 300 0	0 0	0 0	0 0	0 00	0 00	0 00	
9 400 0	0 00	0 00	9 400 0	0 0	0 0	0 0	0 00	0 00	0 00	
9 500 0	0 00	0 00	9 500 0	0 0	0 0	0 0	0 00	0 00	0 00	
9 600 0	0 00	0 00	9 600 0	0 0	0 0	0 0	0 00	0 00	0 00	
9 700 0	0 00	0 00	9 700 0	0 0	0 0	0 0	0 00	0 00	0 00	
9 800 0	0 00	0 00	9 800 0	0 0	0 0	0 0	0 00	0 00	0 00	
9 900 0	0 00	0 00	9 900 0	0 0	0 0	0 0	0 00	0 00	0 00	
9 911 0	0 00	0 00	9 911 0	0 0	0 0	0 0	0 00	0 00	0 00	
KOP @ 9911										
10 000 0	8 90	343 27	9 999 6	6 6	2 0	6 7	10 00	10 00	0 00	
10 100 0	18 90	343 27	10 096 6	29 6	8 9	30 0	10 00	10 00	0 00	
10 200 0	28 90	343 27	10 187 9	68 3	20 5	69 3	10 00	10 00	0 00	
10 300 0	38 90	343 27	10 270 8	121 7	36 6	123 5	10 00	10 00	0 00	

Planning Report

Database	Hobbs	Local Co-ordinate Reference	Site Loving Townsite 21 W2PA Fee #1H
Company	Mewbourne Oil Company	TVD Reference	WELL @ 3062 0usft (Original Well Elev)
Project	Eddy County New Mexico	MD Reference	WELL @ 3062 0usft (Original Well Elev)
Site	Loving Townsite 21 W2PA Fee #1H	North Reference	Grd
Well	Sec 28 T23S R28E	Survey Calculation Method	Minimum Curvature
Wellbore	BHL 330 FNL & 440 FEL Sec 21		
Design	Design #1		

Planned Survey

Measured Depth (usft)	Inclination ()	Azimuth ()	Vertical Depth (usft)	+N/ S (usft)	+E/ W (usft)	Vertical Section (usft)	Dogleg Rate (/100usft)	Buid Rate (/100usft)	Turn Rate (/100usft)
10 400 0	48 90	343 27	10 342 8	188 0	56 5	190 8	10 00	10 00	0 00
10 500 0	58 90	343 27	10 401 6	265 3	79 7	269 2	10 00	10 00	0 00
10 600 0	68 89	343 27	10 445 6	351 2	105 5	356 4	10 00	10 00	0 00
10 700 0	78 89	343 27	10 473 3	443 1	133 2	449 7	10 00	10 00	0 00
10 800 0	88 89	343 27	10 483 9	538 2	161 7	546 2	10 00	10 00	0 00
10 811 1	90 00	343 27	10 484 0	548 8	164 9	556 9	10 00	10 00	0 00
10 811 3	90 00	343 27	10 484 0	549 0	165 0	557 2	0 00	0 00	0 00
LP/FTP 330 FSL & 440 FEL Sec 21									
10 900 0	89 97	345 93	10 484 0	634 5	188 5	643 8	3 00	0 03	3 00
11 000 0	89 94	348 93	10 484 1	732 1	210 3	742 5	3 00	0 03	3 00
11 100 0	89 91	351 93	10 484 2	830 7	226 9	841 8	3 00	0 03	3 00
11 200 0	89 88	354 93	10 484 4	930 0	238 4	941 6	3 00	0 03	3 00
11 300 0	89 85	357 93	10 484 6	1 029 8	244 6	1 041 6	3 00	0 03	3 00
11 350 8	89 84	359 46	10 484 8	1 080 6	245 7	1 092 4	3 00	0 03	3 00
11 400 0	89 84	359 46	10 484 9	1 129 8	246 2	1 141 5	0 00	0 00	0 00
11 500 0	89 84	359 46	10 485 2	1 229 8	247 2	1 241 4	0 00	0 00	0 00
11 600 0	89 84	359 46	10 485 5	1 329 8	248 1	1 341 3	0 00	0 00	0 00
11 700 0	89 84	359 46	10 485 7	1 429 8	249 1	1 441 2	0 00	0 00	0 00
11 800 0	89 84	359 46	10 486 0	1 529 8	250 0	1 541 1	0 00	0 00	0 00
11 900 0	89 84	359 46	10 486 3	1 629 8	251 0	1 641 0	0 00	0 00	0 00
12 000 0	89 84	359 46	10 486 6	1 729 8	251 9	1 740 9	0 00	0 00	0 00
12 100 0	89 84	359 46	10 486 9	1 829 7	252 9	1 840 8	0 00	0 00	0 00
12 200 0	89 84	359 46	10 487 1	1 929 7	253 8	1 940 7	0 00	0 00	0 00
12 300 0	89 84	359 46	10 487 4	2 029 7	254 8	2 040 6	0 00	0 00	0 00
12 400 0	89 84	359 46	10 487 7	2 129 7	255 7	2 140 5	0 00	0 00	0 00
12 500 0	89 84	359 46	10 488 0	2 229 7	256 7	2 240 4	0 00	0 00	0 00
12 600 0	89 84	359 46	10 488 2	2 329 7	257 6	2 340 3	0 00	0 00	0 00
12 700 0	89 84	359 46	10 488 5	2 429 7	258 6	2 440 2	0 00	0 00	0 00
12 800 0	89 84	359 46	10 488 8	2 529 7	259 5	2 540 1	0 00	0 00	0 00
12 900 0	89 84	359 46	10 489 1	2 629 7	260 5	2 640 0	0 00	0 00	0 00
13 000 0	89 84	359 46	10 489 4	2 729 7	261 4	2 739 9	0 00	0 00	0 00
13 100 0	89 84	359 46	10 489 6	2 829 7	262 4	2 839 8	0 00	0 00	0 00
13 200 0	89 84	359 46	10 489 9	2 929 7	263 3	2 939 7	0 00	0 00	0 00
13 300 0	89 84	359 46	10 490 2	3 029 7	264 3	3 039 6	0 00	0 00	0 00
13 400 0	89 84	359 46	10 490 5	3 129 7	265 2	3 139 5	0 00	0 00	0 00
13 500 0	89 84	359 46	10 490 8	3 229 7	266 2	3 239 4	0 00	0 00	0 00
13 600 0	89 84	359 46	10 491 0	3 329 7	267 1	3 339 3	0 00	0 00	0 00
13 700 0	89 84	359 46	10 491 3	3 429 7	268 1	3 439 2	0 00	0 00	0 00
13 800 0	89 84	359 46	10 491 6	3 529 7	269 0	3 539 1	0 00	0 00	0 00
13 900 0	89 84	359 46	10 491 9	3 629 7	270 0	3 639 0	0 00	0 00	0 00
14 000 0	89 84	359 46	10 492 2	3 729 7	270 9	3 738 9	0 00	0 00	0 00
14 100 0	89 84	359 46	10 492 4	3 829 7	271 9	3 838 8	0 00	0 00	0 00
14 200 0	89 84	359 46	10 492 7	3 929 6	272 8	3 938 7	0 00	0 00	0 00
14 300 0	89 84	359 46	10 493 0	4 029 6	273 8	4 038 6	0 00	0 00	0 00
14 400 0	89 84	359 46	10 493 3	4 129 6	274 7	4 138 5	0 00	0 00	0 00
14 500 0	89 84	359 46	10 493 6	4 229 6	275 7	4 238 4	0 00	0 00	0 00
14 600 0	89 84	359 46	10 493 8	4 329 6	276 6	4 338 3	0 00	0 00	0 00
14 700 0	89 84	359 46	10 494 1	4 429 6	277 6	4 438 2	0 00	0 00	0 00
14 800 0	89 84	359 46	10 494 4	4 529 6	278 5	4 538 1	0 00	0 00	0 00
14 900 0	89 84	359 46	10 494 7	4 629 6	279 5	4 638 0	0 00	0 00	0 00
15 000 0	89 84	359 46	10 494 9	4 729 6	280 4	4 737 9	0 00	0 00	0 00
15 100 0	89 84	359 46	10 495 2	4 829 6	281 4	4 837 8	0 00	0 00	0 00
15 200 0	89 84	359 46	10 495 5	4 929 6	282 3	4 937 7	0 00	0 00	0 00
15 300 0	89 84	359 46	10 495 8	5 029 6	283 3	5 037 6	0 00	0 00	0 00

Planning Report

Database	Hobbs	Local Co-ordinate Reference	Site Loving Townsite 21 W2PA Fee #1H
Company	Mewbourne Oil Company	TVD Reference	WELL @ 3062 0usft (Original Well Elev)
Project	Eddy County New Mexico	MD Reference	WELL @ 3062 0usft (Original Well Elev)
Site	Loving Townsite 21 W2PA Fee #1H	North Reference	Gnd
Well	Sec 28 T23S R28E	Survey Calculation Method	Minimum Curvature
Wellbore	BHL 330 FNL & 440 FEL Sec 21		
Design	Design #1		

Planned Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/ S (usft)	+E/ W (usft)	Vertical Section (usft)	Dogleg Rate (/100usft)	Build Rate (/100usft)	Turn Rate (/100usft)
15 400 0	89 84	359 46	10 496 1	5 129 6	284 2	5 137 5	0 00	0 00	0 00
15 481 4	89 84	359 46	10 496 3	5 211 0	285 0	5 218 8	0 00	0 00	0 00
BHL 330 FNL & 440 FEL Sec 21									

Design Targets									
Target Name hit/miss target Shape	Dip Angle (°)	Dip Dir (°)	TVD (usft)	+N/-S (usft)	+E/-W (usft)	Northing (usft)	Easting (usft)	Latitude	Longitude
SL 220 FNL & 210 FEL plan hits target center Point	0 00	0 00	0 0	0 0	0 0	466 638 00	577 080 00	32 16 57 570 N	104 5 2 098 W
KOP @ 9911 plan hits target center Point	0 00	0 00	9 911 0	0 0	0 0	466 638 00	577 080 00	32 16 57 570 N	104 5 2 098 W
LP/FTP 330 FSL & 440 plan hits target center Point	0 00	0 00	10 484 0	549 0	165 0	467 187 00	576 915 00	32 17 3 007 N	104 5 4 005 W
BHL 330 FNL & 440 FE plan misses target center by 0 3usft at 15481 4usft MD (10496 3 TVD 5211 0 N 285 0 E) Point	0 00	0 00	10 496 0	5 211 0	285 0	471 849 00	576 795 00	32 17 49 145 N	104 5 5 277 W

Loving Townsite 21 W2PA Fee #1H

