COUNSEL EMERITUS William R. Federici

J.O. Seth (1883-1963) A.K. Montgomery (1903-1987) Frank Andrews (1914-1981) Seth D. Montgomery (1937-1998)

Victor R. Ortega Gary Kilpatric Thomas W. Olson Walter J. Melendres John B. Draper Nancy M. King Sarah M. Singleton Stephen S. Hamilton Edmund H. Kendrick Louis W. Rose Randy S. Bartell

Paul E. Houston Kevin M. Sexton Jeffery L. Martin Alexandra Corwin Aguilar Jeffrey J. Wechsler Shannon A. Parden Brian T. Judson Susan R. Johnson Holly Agajanian Sharon T. Shaheen Jaime R. Kennedy

OF COUNSEL Joe A. Sturges J. Scott Hall Suzanne C. Odom Earl Potter, P.A.

MONTGOMERY & ANDREWS
PROFESSIONAL ASSOCIATION RECEIVED ATTORNEYS AND COUNSELORS AT LAW

325 Paseo de Peralta JUL 10 PM 4 25

Santa Fe. New Mexico 87501

ALBUQUERQUE OFFICE

Post Office Box 2307 Santa Fe, New Mexico 87504-2307

> Telephone (505) 982-3873 Fax (505) 982-4289

6301 Indian School Road, N.E. Suite 400 Albuquerque, New Mexico 87110

Post Office Box 36210 Albuquerque, New Mexico 87176-6210

> Telephone (505) 884-4200 Fax (505) 888-8929

July 10, 2008

www.montand.com Reply to Santa Fe Office

HAND-DELIVERED

Mr. David Brooks New Mexico Oil Conservation Division 1220 South St. Francis Drive Santa Fe, NM 87505

> NMOCD Case No. 14134, Application of the Board of County Re: Commissioners of Rio Arriba County; and NMOCD Case No. 14141, Application of Approach Operating, LLC, Rio Arriba County, New Mexico

Dear Mr. Brooks:

Enclosed for inclusion in the record is a copy of a blown-down version of the mounted poster lease map identified as Exhibit 6 at the June 20-23, 2008 hearing in the above matter. In this blown-down version, the full reach of the western and eastern lease boundaries are off the page, but these may be seen on Exhibit 1, pg. 3 and on Exhibit 7.

Additionally, please be advised that Approach Operating, LLC is filing with the Division's District II office new C-144 forms for the permits for the closed-loop systems for each of the wells that are the subject of this proceeding. It should be noted that the C-144's being filed utilize the forms promulgated by the Division on June 24, 2008. At the hearing, the well files comprising Exhibits 8(a)-(i) included copies of C-144's using the Division's June 16, 2008 form. The new forms show latitudinal/longitudinal information for each of the wells and further identify TNT Environmental, Inc. (Permit No. NM-01-0008) as the facility for the disposal of liquids, drilling fluids and drill cuttings. A sample copy of the new form C-144 for the Leo Valdez No. 1 well is enclosed. I plan on providing you with copies of the new C-144's for each of the wells so that your file will be complete.

Very truly yours,

1. I wy dall

J. Scott Hall

JSH/mb

Enclosures

cc: Ted Trujillo, Esq. (w/encs.) Adan Trujillo, Esq. (w/encs.)

Form C-144 June 24, 2008

District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenuc, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 1220 S. St. Francis Dr., Santa Fc. NM 87505

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office. For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application

Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method		
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request		
Please be advised that approval of this request does not relieve the operator of lize cuvironment. Nor does approval relieve the operator of its responsibility to com-	ability should operations result in pollution of surface water, ground water or the ply with any other applicable governmental authority's rules, regulations or ordinances.	
Operator: Associations LLC	OGRID#: 248343	
Address: 6500 West Free way, Swite 800, Fortwork, TX 76116		
Facility or well name: Leo Valdez No. 1		
API Number: <u>30-039 -</u> U/L or Qtr/Qtr <u>£</u> Section <u>18</u> Township <u>28</u>	OCD Permit Number:	
U/L or Qtr/Qtr _ Z Section 18 Township 25	BN Range 42 County: Rio Arriba	
Center of Proposed Design: Latitude 36° 39' 47.70" N Longitude 106° 33' 19.18" W NAD: X1927 1983		
Surface Owner: Federal State Private Tribal Trust or Indian Allotment		
Pit: Subsection F or G of 19.15.17.11 NMAC	Closed-loop System: Subsection H of 19.15.17.11 NMAC	
Temporary: Drilling Workover	Drying Pad ATanks Haul-off Bins Other	
Permanent Emergency Cavitation Steel Pit	Lined Unlined	
Lined Unlined	Liner type: Thickness N/A mil LLDPE HDPE PVC	
Liner type: Thicknessmil LLDPE _ HDPE _ PVC	Other	
Other String-Reinforced	Seams: Welded Factory Other	
Seams: Welded Factory Other	Volume: N/A bbl N/A yd3	
Volume:bbl Dimensions: Lx Wx D	Dimensions: Length W/A × Width W/A	
Below-grade tank: Subsection I of 19.15.17.11 NMAC	Fencing: Subsection D of 19.15.17.11 NMAC	
Volume:bbl :	Chain link, six fect in height, two strands of barbed wire at top	
Type of fluid:	Four foot height, four strands of barbed wire evenly spaced between one and	
Tank Construction material:	four feet	
Secondary containment with leak detection	Netting: Subsection E of 19.15.17.11 NMAC	
Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off	Screen Netting Other	
Visible sidewalls and liner	Monthly inspections	
☐ Visible sidewalls only	Signs: Subsection C of 19.15.17.11 NMAC	
Other	12'x24', 2' lettering, providing Operator's name, site location, and	

Alternative Method:

Liner type: Thickness

Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Other

mil 🗌 HDPE 🛄 PVC

emergency telephone numbers

Signed in compliance with 19.15.3.103 NMAC

Administrative Approvals and Exceptions:

Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave

Viana.	
Administrative approval(s): Requests must be submitted to the	
appropriate division district or the Santa Fc Environmental Bureau office for	O)
consideration of approval.	

Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above-grade tanks associated with a closed-loop system.		
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. NM Office of the State Engineer • iWATERS database scarch; USGS; Data obtained from nearby wells	☐ Yes ☐ No	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes No	
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks) Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes No	
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No ☐ NA	
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	Ycs No	
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes No	
Within 500 fect of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Ycs No	
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	Yes No	
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	Yes No	
Within a 100-year floodplain FEMA map	Yes No	
Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Previously Approved Design (attach copy of design) API Number: or Permit Number:		
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the doc	cuments are	
Geologic and Hydrogeologic Data (required for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations (required for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.2 NMAC Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC		
Previously Approved Design (attach copy of design) API Number:		

Leak Defection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H ₂ S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC	
Proposed Closure: 19.15.17.13 NMAC	
Type: Drilling Workover Emergency Cavitation Permanent Pit Below-grade Tank Closed-loop System (∃ Alternative
Froposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for co	nsideration)
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.	
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Ground water is between 50 and 100 feet below the bottom of the buried waste NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Ycs No
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site	Yes No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. Visual inspection (certification) of the proposed site; Acrial photo; Satellite image	Ycs No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock vatering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	Yes No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes No
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	Yes No
Vithin an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	☐ Yes ☐ No
Vithin a 100-year floodplain. FEMA map	☐ Ycs ☐ No

Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC closure plan. Please indicate, by a check mark in the box, that the documents of 19 Protocols and Procedures - based upon the appropriate requirements of 19 Confirmation Sampling Plan (if applicable) - based upon the appropriate re Disposal Facility Name and Permit Number (for liquids, drilling fluids and Soil Backfill and Cover Design Specifications - based upon the appropriat Re-vegetation Plan - based upon the appropriate requirements of Subsections.	are attached15.17.13 NMAC equirements of Subsection F of 19.15.17.13 NMAC I drill cuttings) e requirements of Subsection H of 19.15.17.13 NMAC on I of 19.15.17.13 NMAC
Site Reclamation Plan - based upon the appropriate requirements of Subsc Waste Removal Closure For Closed-loop Systems That Utilize Haul-off Bins or facilities for the disposal of liquids, drilling fluids and drill cuttings.	
Disposal Facility Name: TNT Environmental Inc.	Disposal Facility Permit Number: NM-01 - 0008
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements Construction and Design of Burial Trench (if applicable) based upon the appropriate requirements of Protocols and Procedures - based upon the appropriate requirements of 19. Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Disposal Facility Name and Permit Number (for liquids, drilling fluids and Soil Cover Design - based upon the appropriate requirements of Subsection Re-vegetation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsection	equirements of 19.15.17.10 NMAC of Subsection F of 19.15.17.13 NMAC appropriate requirements of 19.15.17.11 NMAC 15.17.13 NMAC equirements of Subsection F of 19.15.17.13 NMAC of Subsection F of 19.15.17.13 NMAC of drill cuttings or in case on-site closure standards cannot be achieved) on H of 19.15.17.13 NMAC on I of 19.15.17.13 NMAC
Operator Application Certification:	
I hereby certify that the information submitted with this application is true, accur	
Name (Print): Brice A. Morgan	Title: Landman
Signature: BAM	Date: 7-9-08
e-mail address: bMotopn@approachresources.co	m Telephone: <u>517-959-9000</u>
OCD Approval: Permit Application (including closure plan) Closure P	lan (only)
OCD Representative Signature:	
Title:	OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection	K of 19,15.17.13 NMAC Closure Completion Date:
Closure Method: Waste Excavation and Removal On-Site Closure Method Alterna If different from approved plan, please explain.	ntive Closure Method
Closure Report Attachment Checklist: Instructions: Each of the following ite mark in the box, that the documents are attached. Proof of Closure Notice Proof of Deed Notice (if applicable) Plot Plan Confirmation Sampling Analytical Results	ems must be attached to the closure report. Please indicate, by a check
Waste Material Sampling Analytical Results Disposal Pacility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Location: Latitude	ndeNAD: []1927 [] 1983
 Waste Material Sampling Analytical Results □ Disposal Pacility Name and Permit Number □ Soil Backfilling and Cover Installation □ Re-vegetation Application Rates and Seeding Technique □ Site Reclamation (Photo Documentation) 	ndeNAD: []1927 [] 1983
Waste Material Sampling Analytical Results Disposal Pacility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Location: Latitude Longity Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure re	eport is true, accurate and complete to the best of my knowledge and
Waste Material Sampling Analytical Results Disposal Pacility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Location: Latitude Longity Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure requirem	eport is true, accurate and complete to the best of my knowledge and
Waste Material Sampling Analytical Results Disposal Pacility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Location: LatitudeLongitude	eport is true, accurate and complete to the best of my knowledge and ents and conditions specified in the approved closure plan.

