## BRUCE KING LARRY KEHOE SECRETARY

Mr. John Yuronka

#### STATE OF NEW MEXICO

### ENERGY AND MINERALS DEPARTMENT

OIL CONSERVATION DIVISION

December 1, 1982

Re: CASE NO.

POST OFFICE BOX 2088 STATE LAND OFFICE BUILDING SANTA FE, NEW MEXICO 87501 (505) 827-2434

7719

ORDER NO. R-7137

102 Petroleum Building Midland, Texas 79701	ORDER NO. R-7137
	Applicant:
	John Yuronka
Dear Sir:	•
Enclosed herewith are two cop Division order recently enter	ies of the above-referenced ed in the subject case.
Yours very truly,	
JOE D. RAMEY Director	
JDR/fd	
Copy of order also sent to:	
Hobbs OCD X Artesia OCD X Aztec OCD	

# STATE OF NEW MEXICO ENERGY AND MINERALS DEPARTMENT OIL CONSERVATION DIVISION

IN THE MATTER OF THE HEARING CALLED BY THE OIL CONSERVATION DIVISION FOR THE PURPOSE OF CONSIDERING:

CASE NO. 7719 Order No. R-7137

APPLICATION OF JOHN YURONKA FOR SALT WATER DISPOSAL, LEA COUNTY, NEW MEXICO.

#### ORDER OF THE DIVISION

#### BY THE DIVISION:

This cause came on for hearing at 9 a.m. on November 10, 1982, at Santa Fe, New Mexico, before Examiner Daniel S. Nutter.

NOW, on this <u>30th</u> day of November, 1982, the Division Director, having considered the testimony, the record, and the recommendations of the Examiner, and being fully advised in the premises,

#### FINDS:

- (1) That due public notice having been given as required by law, the Division has jurisdiction of this cause and the subject matter thereof.
- (2) That the applicant, John Yuronka, is the owner and operator of the Harrison A Well No. 2, located in Unit F of Section 29, Township 24 South, Range 37 East, NMPM, Langlie Mattix Pool, Lea County, New Mexico.
- (3) That the applicant proposes to utilize said well to dispose of produced salt water into the Lower Seven Rivers and Upper Queen formations, with injection into the perforated interval from approximately 3,400 feet to 3,501 feet.
- (4) That the injection should be accomplished through 2-inch plastic lined tubing installed in a packer set at approximately 3350 feet; that the casing-tubing annulus should be filled with an inert fluid; and that a pressure gauge or approved leak detection device should be attached to the annulus in order to determine leakage in the casing, tubing, or packer.

-2-Case-No. 7719 Order No. R-7137

- (5) That the injection well or system should be equipped with a pressure limiting switch or other acceptable device which will limit the wellhead pressure on the injection well to no more than 670 psi.
- (6) That the Director of the Division should be authorized to administratively approve an increase in the injection pressure upon a proper showing by the operator that such higher pressure will not result in migration of the injected waters from the Seven Rivers or Queen formations.
- (7) That the operator should notify the supervisor of the Hobbs district office of the Division of the date and time of the installation of disposal equipment so that the same may be inspected.
- (8) That the operator should take all steps necessary to ensure that the injected water enters only the proposed injection interval and is not permitted to escape to other formations or onto the surface.
- (9) That approval of the subject application will prevent the drilling of unnecessary wells and otherwise prevent waste and protect correlative rights.

### IT IS THEREFORE ORDERED:

(1) That the applicant, John Yuronka, is hereby authorized to utilize its Harrison A Well No. 2, located in Unit F of Section 29, Township 24 South, Range 37 East, NMPM, Lea County, New Mexico, to dispose of produced salt water into the Lower Seven Rivers and Upper Queen formations of the Langlie Mattix Pool with injection to be accomplished through 2-inch tubing installed in a packer set at approximately 3350 feet, with injection into the perforated interval from approximately 3,400 feet to 3,501 feet;

PROVIDED HOWEVER, that the tubing shall be plastic-lined; that the casing-tubing annulus shall be filled with an inert fluid; and that a pressure gauge shall be attached to the annulus or the annulus shall be equipped with an approved leak detection device in order to determine leakage in the casing, tubing, or packer.

(2) That the injection well or system shall be equipped with a pressure limiting switch or other acceptable device which will limit the wellhead pressure on the injection well to no more than 670 psi.

-3-Case-No. 7719 Order No. R-7137

- That the Director of the Division may authorize an increase in injection pressure upon a proper showing by the operator of said well that such higher pressure will not result in migration of the injected fluid from the Seven Rivers or Queen formations.
- That the operator shall notify the supervisor of the Hobbs district office of the Division of the date and time of the installation of disposal equipment so that the same may be inspected.
- That the operator shall immediately notify the (5) supervisor of the Division's Hobbs district office of the failure of the tubing, casing, or packer, in said well or the leakage of water from or around said well and shall take such steps as may be timely and necessary to correct such failure or leakage.
- That the applicant shall submit monthly reports of its disposal operations in accordance with Rules 702, 703, 704, 705, 706, 708, and 1120 of the Division Rules and Regulations.
- (7) That jurisdiction of this cause is retained for the entry of such further orders as the Division may deem

t Santa Fe, New Mexico, on the day and year esignated.

OIL CONSERVATION DIVISION

STATE OF NEW MEXICO

JOE D. RAMEY

Director