

NEW MEXICO ENERGY, MINERALS and NATURAL RESOURCES DEPARTMENT

BILL RICHARDSON Governor

> Joanna Prukop Cabinet Secretary

Mark E. Fesmire, P.E. Director Oil Conservation Division

Field Inspection Program "Preserving the Integray of Our Invironment"

24-Jun-09

PLATINUM EXPLORATION INC

550 WEST TEXAS AVENUE SUITE 500 MIDLAND TX 79701

LETTER OF VIOLATION - Inspection

Dear Operator:

The following inspection(s) indicate that the well, equipment, location or operational status of the well(s) failed to meet standards of the New Mexico Oil Conservation Division as described in the detail section below. To comply with standards imposed by Rules and Regulations of the Division, corrective action must be taken immediately and the situation brought into compliance. The detail section indicates preliminary findings and/or probable nature of the violation. This determination is based on an inspection of your well or facility by an inspector employed by the Oil Conservation Division on the date(s) indicated.

Please notify the proper district office of the Division, in writing, of the date corrective actions are scheduled to be made so that arrangements can be made to reinspect the well and/or facility.

INSPECTION DETAIL SECTION							
POST No.001 Inspection Date Type Inspection			Inspector	Violation?	N-1-14S-37E *Significant Non-Compliance?	30-025-27984-00- Corrective Action Due By:	-00 Inspection No.
06/24/2009	Routine/Peri- Violations Absent Well Ide Surface Release	ntification Signs	Maxey Brown (Rule 103)	Yes	No	7/27/2009	iMGB0917557070
Comments	on Inspection:	CURRENT O AT TANK BA CONTAMINA LEAKING VA	(Rule 119.15.16.8) PERATOR ON SIGN ATTERY, REMOVE ATED SOIL STOCKI ALVES ON TANKS, .29.11) THIS IS IST	I AT TANK E CONTAMIN PILED WEST ALSO ADDE	BATTERY. ALSO RI ATED SOIL, ASAP! `OF TANK BATTER	EPAIR FLOWLINE I NEED TO REMOVI Y; REPAIR OR REF	LEAK E PLACE

OCD Exhibit 11

In the event that a satisfactory response is not received to this letter of direction by the "Corrective Action Due By:" date shown above, further enforcement will occur. Such enforcement may include this office applying to the Division for an order summoning you to a hearing before a Divison Examiner in Santa Fe to show cause why you should not be ordered to permanently plug and abandon this well. Such a hearing may result in imposition of CIVIL PENALTIES for your violation of OCD rules.

Sincerely,

Hobbs OCD District Office

Mailey) Strawn COMPLIANCE OFFICER

Note: Information in Detail Section comes directly from field inspector data entries - not all blanks will contain data *Significant Non-Compliance events are reported directly to the EPA, Region VI, Dallas, Texas

