



W 1 1  
12/27/68

# J.O. EASLEY, INC.

ESTABLISHED 1979

P.O. Box 1796 88202-1796  
400 N. Pennsylvania, Suite 990-D  
Roswell, NM 88201

Telephone (505) 623-3758  
Fax (505) 623-3797

December 4, 1996

Mr. David Catanach  
New Mexico Oil Conservation Division  
2040 South Pacheco  
Santa Fe, New Mexico 87505

Re: C-108  
Skelly Waterflood Unit  
Eddy County, New Mexico

Dear Mr. Catanach:

Enclosed is an original and one copy of the C-108 for 62 new injection wells within The Wiser Oil Company's Skelly Waterflood Unit.

If you have any questions, please feel free to give me a call at 505-623-3758.

Sincerely,

J. O. EASLEY, INC.

Bonita L. Limpus Jones  
Consulting Landman

/bj

Enclosures

cc/enclosure Mr. Tim W. Gum  
New Mexico Oil Conservation Division  
811 South 1<sup>st</sup> Street  
Artesia, New Mexico 88210

Mr. Steve Gilbert  
The Wiser Oil Company  
8115 Preston Road, Suite 400  
Dallas, Texas 75225

Mr. Mike Jones  
The Wiser Oil Company  
P. O. Box 2568  
Hobbs, New Mexico 88241

Case 11708

APPLICATION FOR AUTHORIZATION TO INJECT

- I. PURPOSE:  Secondary Recovery  Pressure Maintenance  Disposal  Storage  
Application qualifies for administrative approval?  Yes  No
- II. OPERATOR: The Wiser Oil Company  
ADDRESS: P. O. Box 2568, Hobbs, NM 88241  
CONTACT PARTY: Mike Jones PHONE: (505) 392-9797
- III. WELL DATA: Complete the data required on the reverse side of this form for each well processed for injection. Additional sheets may be attached if necessary.
- IV. Is this an expansion of an existing project:  Yes  No  
If yes, give the Division order number authorizing the project R-3214 Skelly Unit
- V. Attach a map that identifies all wells and leases within two miles of any proposed injection well with a one-half mile radius circle drawn around each proposed injection well. This circle identifies the well's area of review.
- VI. Attach a tabulation of data on all wells of public record within the area of review which penetrate the proposed injection zone. Such data shall include a description of each well's type, construction, date drilled, location, depth, record of completion, and a schematic of any plugged well illustrating all plugging detail.
- VII. Attach data on the proposed operation, including:
1. Proposed average and maximum daily rate and volume of fluids to be injected;
  2. Whether the system is open or closed;
  3. Proposed average and maximum injection pressure;
  4. Sources and an appropriate analysis of injection fluid and compatibility with the receiving formation if other than reinjected produced water; and
  5. If injection is for disposal purposes into a zone not productive of oil or gas at or within one mile of the proposed well, attach a chemical analysis of the disposal zone formation water (may be measured or inferred from existing literature, studies, nearby wells, etc.).
- \*VIII. Attach appropriate geological data on the injection zone including appropriate lithologic detail, geological name, thickness and depth. Give the geologic name, and depth to bottom of all underground sources of drinking water (aquifers containing waters with total dissolved solids concentrations of 10,000 mg/l or less) overlying the proposed injection zone as well as any such sources known to be immediately underlying the injection interval.
- IX. Describe the proposed stimulation program, if any.
- \* X. Attach appropriate logging and test data on the well. (If well logs have been filed with the Division, they need not be resubmitted.)
- \* XI. Attach a chemical analysis of fresh water from two or more fresh water wells (if available and producing) within one mile of any injection or disposal well showing location of wells and dates samples were taken.
- XII. Applicants for disposal wells must make an affirmative statement that they have examined available geologic and engineering data and find no evidence of open faults or any other hydrologic connection between the disposal zone and any underground source of drinking water.
- XIII. Applicants must complete the "Proof of Notice" section on the reverse side of this form.
- XIV. Certification: I hereby certify that the information submitted with this application is true and correct to the best of my knowledge and belief.
- NAME: Michael R. Burch, CPL TITLE: Agent  
SIGNATURE: Michael R. Burch by [Signature] DATE: December 4, 1996
- \* If the information required under Sections VI, VIII, X, and XI above has been previously submitted, it need not be resubmitted. Please show the date and circumstance of the earlier submittal. \_\_\_\_\_

III. WELL DATA

A. The following well data must be submitted for each injection well covered by this application. The data must be both in tabular and schematic form and shall include:

- (1) Lease name; Well No.; Location by Section, Township, and Range; and footage location within the section.
- (2) Each casing string used with its size, setting depth, sacks of cement used, hole size, top of cement, and how such top was determined.
- (3) A description of the tubing to be used including its size, lining material, and setting depth.
- (4) The name, model, and setting depth of the packer used or a description of any other seal system or assembly used.

Division District Offices have supplies of Well Data Sheets which may be used or which may be used as models for this purpose. Applicants for several identical wells may submit a "typical data sheet" rather than submitting the data for each well.

B. The following must be submitted for each injection well covered by this application. All items must be addressed for the initial well. Responses for additional wells need be shown only when different. Information shown on schematics need not be repeated.

- (1) The name of the injection formation and, if applicable, the field or pool name.
- (2) The injection interval and whether it is perforated or open-hole.
- (3) State if the well was drilled for injection or, if not, the original purpose of the well.
- (4) Give the depths of any other perforated intervals and detail on the sacks of cement or bridge plugs used to seal off such perforations.
- (5) Give the depth to and name of the next higher and next lower oil or gas zone in the area of the well, if any.

XIV. PROOF OF NOTICE

All applicants must furnish proof that a copy of the application has been furnished, by certified or registered mail, to the owner of the surface of the land on which the well is to be located and to each leasehold operator within one-half mile of the well location.

Where an application is subject to administrative approval, a proof of publication must be submitted. Such proof shall consist of a copy of the legal advertisement which was published in the county in which the well is located. The contents of such advertisement must include:

- (1) The name, address, phone number, and contact party for the applicant;
- (2) The intended purpose of the injection well; with the exact location of single wells or the section, township, and range location of multiple wells;
- (3) The formation name and depth with expected maximum injection rates and pressures; and
- (4) A notation that interested parties must file objections or requests for hearing with the Oil Conservation Division, PO Box 2088, Santa Fe, NM 87504-2088 within 15 days.

**NO ACTION WILL BE TAKEN ON THE APPLICATION UNTIL PROPER PROOF OF NOTICE HAS BEEN SUBMITTED.**

---

**NOTICE: Surface owners or offset operators must file any objections or requests for hearing of administrative applications within 15 days from the date this application was mailed to them.**

C-108  
APPLICATION FOR AUTHORIZATION TO INJECT  
SKELLY UNIT

III. WELL DATA


The following data sheets describe the 62 Water Injection Wells for which this application is submitted by The Wiser Oil Company.

# INJECTION WELL DATA SHEET

OPERATOR The Wiser Oil Company LEASE Skelly Unit

WELL NO. #11 1980' FSL, 660' FEL, Unit I SECTION 21 TOWNSHIP 17S RANGE 31E

### Schematic



### Well Construction Data

Surface Casing Set @ 207 ' Cemented with 225 ' SX.  
 Size 13 3/8 ' TOC Surface feet determined by 225 ' SX.  
 Hole Size Surface feet determined by 18 ' "  
 Intermediate Casing Set @ 3605 ' Cemented with 1900 ' SX.  
 Size 8 5/8 ' TOC feet determined by 1900 ' SX.  
 Hole Size 8 3/4 ' feet determined by 1900 ' SX.  
 Long String Set @ 11,878 ' Cemented with 1900 ' SX.  
 Size 5 1/2 ' TOC feet determined by 1900 ' SX.  
 Hole Size 5221 ' feet determined by Calculation ' "  
 Total Depth 8 3/4 ' "  
 Injection Interval 11,963 ' "

(perforated or open-hole; Indicate which) feet to feet  
 Tubing Size 2 3/8 " lined with 3537 ' (type of internal coating) feet  
 Baker Model D Production packer at 3537 ' feet  
 Other type of tubing / casing seal if applicable 3537 ' feet  
 Other Data

1. Is this a new well drilled for injection? Yes  No   
 If no, for what purpose was the well originally drilled? Oil Production

2. The Wiser Oil Company plans to convert this well to WIW
3. Name of the Injection formation Grayburg-San Andres Vacuum
4. Name of Field or Pool (if applicable) Grayburg Jackson 7-Rivers-QN-GB-SA
5. Has the well ever been perforated in any other zone(s)? List all such perforated intervals and give plugging detail, i.e., sacks of cement or plug(s) used 2217-2330'; 3092-3194'; 3205-3399'; 3414-93'; 723+93'; 11810-22'
6. Give the names and depths of any over or underlying oil or gas zones (pools) in this area. Fren Penn

# INJECTION WELL DATA SHEET

OPERATOR The Wiser Oil Company

LEASE Skelly Unit

WELL NO. #17

660' FNL, 1930' FEL, Unit B

15


17S

31E

FOOTAGE LOCATION

SECTION TOWNSHIP RANGE

Schematic




Well Construction Data

- Surface Casing Set @ 780 ' Cemented with 95 ' sacks. Size 8 5/8 " feet determined by Surface. TOC Surface feet determined by 10 " Hole Size 10 " Intermediate Casing Size " Cemented with " feet determined by " Hole Size " TOC " feet determined by " Long String Set @ 3555 ' Cemented with 360 ' sacks. Size 5 1/2 " feet determined by Calculation. TOC 1824 ' Hole Size 8 " Total Depth 3666 ' Injection Interval feet to feet (perforated or open-hole; indicate which) Tubing Size 2 " lined with (type of internal coating) packer at 3405 feet set in a feet Other type of tubing / casing seal if applicable feet Other Data
1. Is this a new well drilled for injection? Yes  No
  2. If no, for what purpose was the well originally drilled? Oil Production 8-5-59
- The Wiser Oil Company plans to convert this well to WIW
2. Name of the Injection formation Grayburg-San Andres Vacuum
  3. Name of Field or Pool (if applicable) Grayburg Jackson 7-Rivers-QN-GB-SA
  4. Has the well ever been perforated in any other zone(s)? List all such perforated intervals and give plugging detail, i.e., sacks of cement or plug(s) used 3350-3402'
  5. Give the names and depths of any over or underlying oil or gas zones (pools) in this area. "

# INJECTION WELL DATA SHEET

OPERATOR The Wisser Oil Company LEASE Skelly Unit  
 WELL NO. #18 FOOTAGE LOCATION 660' FNL, 660' FWL, Unit D SECTION 15 TOWNSHIP 17S RANGE 31E

### Schematic



### Well Construction Data

Surface Casing Set @ 770' Cemented with 95' feet determined by 95' sx.  
 TOC Surface feet determined by 95' sx.  
 Hole Size 10" Intermediate Casing  
 Size 10" Cemented with 95' feet determined by 95' sx.  
 TOC Surface feet determined by 95' sx.  
 Hole Size 10" Cemented with 95' feet determined by 95' sx.  
 Long String Set @ 3510' Cemented with 345' feet determined by 345' sx.  
 Size 5 1/2" TOC 1851' feet determined by Calculation  
 Hole Size 8" Total Depth 3611'  
 Injection Interval 3611' feet to 3611' feet

(perforated or open-hole; indicate which) \_\_\_\_\_ set in a  
 Tubing Size 2" lined with \_\_\_\_\_ packer at 3288' feet  
 (type of internal coating) \_\_\_\_\_

Other type of tubing / casing seal if applicable \_\_\_\_\_  
 Other Data \_\_\_\_\_  
 1. Is this a new well drilled for injection? Yes  No   
 If no, for what purpose was the well originally drilled? \_\_\_\_\_  
 Oil Production 9-19-59

The Wisser Oil Company plans to convert this well to WIW  
 2. Name of the Injection formation Grayburg-San Andres Vacuum  
 3. Name of Field or Pool (if applicable) Grayburg Jackson 7-Rivers-QN-GB-SA  
 4. Has the well ever been perforated in any other zone(s)? List all such perforated intervals and give plugging detail, i.e., sacks of cement or plug(s) used 3302-58'; 3434-66'  
 5. Give the names and depths of any over or underlying oil or gas zones (pools) in this area. \_\_\_\_\_

# INJECTION WELL DATA SHEET

OPERATOR The Wiser Oil Company

LEASE Skelly Unit

WELL NO. #20

1980' FNL, 1980' FEL, Unit G

15

17S

31E


FOOTAGE LOCATION

SECTION

TOWNSHIP

RANGE

**Schematic**



**Well Construction Data**

Surface Casing Set @ 758 Cemented with 100 feet determined by 100 SX.

TOC Surface Cemented with 100 feet determined by 100 SX.

Hole Size 10 Cemented with 100 feet determined by 100 SX.

Intermediate Casing Cemented with 100 feet determined by 100 SX.

TOC Surface Cemented with 100 feet determined by 100 SX.

Hole Size 10 Cemented with 100 feet determined by 100 SX.

Long String Set @ 3657 Cemented with 385 feet determined by Calculation SX.

Size 5 1/2 Cemented with 385 feet determined by Calculation SX.

TOC 1806 Cemented with 385 feet determined by Calculation SX.

Hole Size 8 Cemented with 385 feet determined by Calculation SX.

Total Depth 3657 feet

Injection Interval 3657 feet to 3657 feet

(perforated or open-hole; indicate which) 3657 feet to 3657 feet

Tubing Size 2 3/8 lined with 3606 packer at 3606 feet

(type of internal coating) 3606 feet

Other type of tubing / casing seal if applicable \_\_\_\_\_ feet

Other Data \_\_\_\_\_

1. Is this a new well drilled for injection? Yes  No

If no, for what purpose was the well originally drilled? Oil Production 9-26-61

The Wiser Oil Company plans to convert this well to WIW

2. Name of the injection formation Grayburg-San Andres Vacuum

3. Name of Field or Pool (if applicable) Grayburg Jackson 7-Rivers-QN-GB-SA

4. Has the well ever been perforated in any other zone(s)? List all such perforated intervals and give plugging detail, i.e., sacks of cement or plug(s) used 3261-3470'; 3516-3615'

5. Give the names and depths of any over or underlying oil or gas zones (pools) in this area. \_\_\_\_\_



# INJECTION WELL DATA SHEET

OPERATOR The Wiser Oil Company LEASE Skelly Unit  
 WELL NO. #23 FOOTAGE LOCATION 1980' FSL, 1980' FWL, Unit K SECTION 14 TOWNSHIP 17S RANGE 31E

## Schematic



## Well Construction Data

Surface Casing 8 5/8 Set @ 772 Cemented with 350 SX.  
 TOC Surface feet determined by             
 Hole Size 12 1/4 " Intermediate Casing  
 Size            " Cemented with            SX.  
 TOC            feet determined by             
 Hole Size            " Long String  
 Size 4 1/2 " Set @ 3860 Cemented with 485 SX.  
 TOC 1728 feet determined by Temp. Survey  
 Hole Size 7 7/8 " Total Depth 3860 feet  
 Injection Interval            feet to            feet  
 (perforated or open-hole; indicate which) set in a  
 Tubing Size 2 3/8 " lined with            (type of internal coating) feet  
 Other type of tubing / casing seal if applicable 3819 packer at            feet  
 Other Data             
 1. Is this a new well drilled for injection? Yes  No   
 If no, for what purpose was the well originally drilled?             
 Oil Production             
 The Wiser Oil Company plans to convert this well to WIW  
 2. Name of the Injection formation Grayburg-San Andres Vacuum  
 3. Name of Field or Pool (if applicable) Grayburg Jackson 7-Rivers-QN-GB-SA  
 4. Has the well ever been perforated in any other zone(s)? List all such perforated intervals and give plugging detail, i.e., sacks of cement or plug(s) used 3309-75; 3407-88; 3504-95; 3599-3603; 3606-89; 3756-3839'  
 5. Give the names and depths of any over or underlying oil or gas zones (pools) in this area.

# INJECTION WELL DATA SHEET

OPERATOR The Wisser Oil Company

LEASE Skelly Unit

WELL NO. #25

1980' FSL, 660' FEL, Unit I

15

17S


31E

FOOTAGE LOCATION

SECTION TOWNSHIP RANGE

## Schematic

## Well Construction Data



Surface Casing Size 8 5/8 " Set @ 733 ' Cemented with 100 sacks.

TOC 2541 ' Surface Surface feet determined by Calculation

Hole Size 10 " Intermediate Casing Size 4 1/2 "

TOC 2541 ' Cemented with 300 sacks. Hole Size 10 " feet determined by Calculation

Long String Set @ 3654 ' Cemented with 300 sacks.

Size 4 1/2 " TOC 2541 ' feet determined by Calculation

Hole Size 10 " Total Depth 3659 ' Injection Interval 3240-3610 ' feet to 3659 ' feet

(perforated or open-hole; indicate which) 3240-3372', 3408-3545', 3572-3610' feet set in a 3533 ' packer at 3533 ' feet

Other type of tubing / casing seal if applicable Other Data (type of internal coating) 3533 ' feet

1. Is this a new well drilled for injection? Yes  No   
 If no, for what purpose was the well originally drilled? Oil Production

The Wisser Oil Company plans to convert this well to WIW

2. Name of the Injection formation Gravburg-San Andres Vacuum

3. Name of Field or Pool (if applicable) Grayburg Jackson 7-Rivers-QN-GIB-SA

4. Has the well ever been perforated in any other zone(s)? List all such perforated intervals and give plugging detail, i.e., sacks of cement or plug(s) used 3240-3610', 3408-3545'

5. Give the names and depths of any over or underlying oil or gas zones (pools) in this area. 3659' TD

# INJECTION WELL DATA SHEET

OPERATOR The Wiser Oil Company

LEASE Skelly Unit

WELL NO. #27

1980' FSL, 1980' FWL, Unit K

15

17S

31E


FOOTAGE LOCATION

SECTION

TOWNSHIP

RANGE

**Schematic**



**Well Construction Data**

Surface Casing Set @ 723 Cemented with 100 feet determined by 100 100 sx.

Size 8 5/8 Surface feet determined by 100 " "

TOC Surface Cemented with 100 feet determined by 100 " "

Hole Size 10 " "

Intermediate Casing Set @ 3491 Cemented with 385 feet determined by 385 " "

Size 5 1/2 Cemented with 385 feet determined by 385 " "

TOC 1640 feet determined by Calculation " "

Hole Size 8 " "

Long String Set @ 3491 " "

Size 5 1/2 Cemented with 385 feet determined by 385 " "

TOC 1640 feet determined by Calculation " "

Hole Size 8 " "

Total Depth 3600 " "

Injection Interval 3600 feet to 3600 feet

(perforated or open-hole; indicate which) feet to 3600 feet

Tubing Size 2 " lined with 3381 (type of internal coating) feet

Other type of tubing / casing seal if applicable 3381 packer at 3381 feet

Other Data 3381 packer at 3381 feet

1. Is this a new well drilled for injection? Yes  No

If no, for what purpose was the well originally drilled? Oil Production

The Wiser Oil Company plans to convert this well to WIW

2. Name of the Injection formation Gravburg-San Andres Vacuum

3. Name of Field or Pool (if applicable) Grayburg Jackson 7-Rivers-QN-GB-SA

4. Has the well ever been perforated in any other zone(s)? List all such perforated intervals and give plugging detail, i.e., sacks of cement or plug(s) used 3203-3453'

5. Give the names and depths of any over or underlying oil or gas zones (pools) in this area. Fren Penn

# INJECTION WELL DATA SHEET

OPERATOR The Wiser Oil Company

LEASE Skelly Unit

WELL NO. #28

FOOTAGE LOCATION 1980' FSL, 660' FWL, Unit L


15

17S

31E

SECTION            TOWNSHIP            RANGE           

**Schematic**



**Well Construction Data**

Surface Casing Set @ 722 ' Cemented with 125 ' SX.  
 TOC Surface feet determined by            "  
 Hole Size 10 "  
 Intermediate Casing " Cemented with            SX.  
 TOC            feet determined by            "  
 Hole Size            "  
 Long String Set @ 3619 ' Cemented with 375 ' SX.  
 Size 5 1/2 " Cemented with            "  
 TOC 1816 ' feet determined by            "  
 Hole Size 8 "  
 Total Depth 3714 '  
 Injection Interval            ' to            ' feet  
 (perforated or open-hole; indicate which)            ' set in a  
 Tubing Size 2 3/8 " lined with            (type of internal coating) packer at 3648 ' feet

Other type of tubing / casing seal if applicable            feet  
 Other Data  
 1. Is this a new well drilled for injection? Yes  No   
 If no, for what purpose was the well originally drilled?  
Oil Production

2. Name of the Injection formation Gravburg-San Andres Vacuum
3. Name of Field or Pool (if applicable) Grayburg Jackson 7-Rivers-QN-GB-SA
4. Has the well ever been perforated in any other zone(s)? List all such perforated intervals and give plugging detail, i.e., sacks of cement or plug(s) used 3205'-3433', 3474-3558'
5. Give the names and depths of any over or underlying oil or gas zones (pools) in this area. Fren Penn

# INJECTION WELL DATA SHEET

OPERATOR The Wisser Oil Company

LEASE Skelly Unit

WELL NO. #29

660' FSL, 660' FWL, Unit M

15

17S

31E

FOOTAGE LOCATION


SECTION

TOWNSHIP

RANGE

Schematic

Well Construction Data



Surface Casing 8 5/8 Set @ 639 Cemented with 100 feet determined by 100 sx.

TOC Surface Cemented with 100 feet determined by 100 sx.

Hole Size Surface Cemented with 100 feet determined by 100 sx.

Intermediate Casing 7 Set @ 3091 Cemented with 100 feet determined by 100 sx.

TOC 7 Set @ 3091 Cemented with 100 feet determined by 100 sx.

Hole Size 7 Set @ 3091 Cemented with 100 feet determined by 100 sx.

Long String 7 Set @ 3091 Cemented with 100 feet determined by 100 sx.

TOC 1300 feet determined by Temp Survey

Hole Size 1300 feet determined by Temp Survey

Total Depth 3717 feet

Injection Interval 3717 feet to 3717 feet

(perforated or open-hole; Indicate which) 2 3/8 " lined with 3634 packer at 3634 feet set in a 3717 'TD

Other type of tubing / casing seal if applicable \_\_\_\_\_ (type of internal coating) \_\_\_\_\_ feet

Other Data \_\_\_\_\_ packer at \_\_\_\_\_ feet

1. Is this a new well drilled for injection? Yes  No

If no, for what purpose was the well originally drilled? \_\_\_\_\_

Oil Production

The Wisser Oil Company plans to convert this well to WIV

2. Name of the Injection formation Grayburg-San Andres Vacuum

3. Name of Field or Pool (if applicable) Grayburg Jackson 7-Rivers-QN-GB-SA

4. Has the well ever been perforated in any other zone(s)? List all such perforated intervals and give plugging detail, i.e., sacks of cement or plug(s) used \_\_\_\_\_

5. Give the names and depths of any over or underlying oil or gas zones (pools) in this area. Fren Penn

# INJECTION WELL DATA SHEET

OPERATOR The Wiser Oil Company

LEASE Skelly Unit

WELL NO. #31

660' FSL, 1980' FEL, Unit O

15

17S

31E


FOOTAGE LOCATION

SECTION

TOWNSHIP

RANGE

Schematic



Well Construction Data

Surface Casing Set @ 668 ' Cemented with 50 ' SX.  
 TOC Surface feet determined by Temp Survey  
 Hole Size Unknown " Intermediate Casing  
 Size Unknown " Cemented with Unknown SX.  
 TOC Unknown feet determined by Temp Survey  
 Hole Size Unknown " Long String Set @ 3247 ' Cemented with Unknown SX.  
 TOC 1750 feet determined by Temp Survey  
 Hole Size Unknown " Total Depth 3800 '  
 Injection Interval Unknown feet to Unknown feet  
 (perforated or open-hole; Indicate which) set in a  
 Tubing Size 2 3/8 " lined with Unknown (type of internal coating) packer at 3676 feet

Other type of tubing / casing seal if applicable \_\_\_\_\_ feet  
 Other Data \_\_\_\_\_

1. Is this a new well drilled for injection? Yes  No   
 If no, for what purpose was the well originally drilled? \_\_\_\_\_  
Oil Production


2. Name of the Injection formation Grayburg-San Andres Vacuum
3. Name of Field or Pool (if applicable) Grayburg Jackson 7-Rivers-QN-GB-SA
4. Has the well ever been perforated in any other zone(s)? List all such perforated intervals and give plugging detail, i.e., sacks of cement or plug(s) used 3194'-3219'
5. Give the names and depths of any over or underlying oil or gas zones (pools) in this area. \_\_\_\_\_

# INJECTION WELL DATA SHEET

OPERATOR The Wiser Oil Company LEASE Skelly Unit

WELL NO. #33 FOOTAGE LOCATION 660' FSL, 660' FWL, Unit M SECTION 14 TOWNSHIP 17S RANGE 31E

### Schematic



### Well Construction Data

Surface Casing Set @ 671 Cemented with 75 SX.  
 Size 8 5/8 feet determined by \_\_\_\_\_  
 TOC \_\_\_\_\_  
 Hole Size \_\_\_\_\_  
 Intermediate Casing \_\_\_\_\_  
 Size \_\_\_\_\_ Cemented with \_\_\_\_\_ SX.  
 TOC \_\_\_\_\_ feet determined by \_\_\_\_\_  
 Hole Size \_\_\_\_\_  
 Long String Set @ 3208 Cemented with 150 SX.  
 Size 7 feet determined by Temp Survey  
 TOC 1981  
 Hole Size \_\_\_\_\_  
 Total Depth 3840  
 Injection Interval \_\_\_\_\_ feet to \_\_\_\_\_ feet  
 (perforated or open-hole; indicate which) \_\_\_\_\_ set in a  
 Tubing Size 2 " lined with \_\_\_\_\_ (type of internal coating) \_\_\_\_\_ feet  
 Other type of tubing / casing seal if applicable packer at 3316 feet  
 Other Data \_\_\_\_\_  
 1. Is this a new well drilled for injection? Yes  No   
 If no, for what purpose was the well originally drilled? \_\_\_\_\_  
 Oil Production \_\_\_\_\_  
The Wiser Oil Company plans to convert this well to WIW  
 2. Name of the Injection formation Grayburg-San Andres Vacuum  
 3. Name of Field or Pool (if applicable) Grayburg Jackson 7-Rivers-QN-GB-SA  
 4. Has the well ever been perforated in any other zone(s)? List all such perforated intervals and give plugging detail, i.e., sacks of cement or plug(s) used \_\_\_\_\_  
 5. Give the names and depths of any over or underlying oil or gas zones (pools) in this area. \_\_\_\_\_

# INJECTION WELL DATA SHEET

OPERATOR The Wiser Oil Company

LEASE Skelly Unit


WELL NO. #36

660' FSL, 660' FEL, Unit P

14 SECTION 17S TOWNSHIP 31E RANGE

FOOTAGE LOCATION SECTION TOWNSHIP RANGE

## Schematic



## Well Construction Data

Surface Casing Set @ 743 feet

Size 8 5/8 " Cemented with 100 feet determined by 100 SX.

TOC Surface feet determined by 10 3/4 "

Hole Size 10 3/4 "

Intermediate Casing " Cemented with 150 SX.

TOC Set @ 3318 feet determined by 150 SX.

Hole Size 7 "

Long String Set @ 3318 feet

Size 7 " Cemented with 150 SX.

TOC 1922 feet determined by Cement Bond Log

Hole Size 9 3/4 "

Total Depth 3899 feet

Injection Interval feet to feet

(perforated or open-hole; Indicate which)

Tubing Size " lined with (type of internal coating) set in a feet

Other type of tubing / casing seal if applicable packer at feet

Other Data Is this a new well drilled for injection? Yes  No

If no, for what purpose was the well originally drilled? Oil Production 6-1-60 - P&A 5-8-87

Wiser plans to re-enter this well and complete as WIW

Name of the Injection formation Grayburg-San Andres Vacuum

Name of Field or Pool (if applicable) Grayburg Jackson 7-Rivers-QN-GB-SA

Has the well ever been perforated in any other zone(s)? List all such perforated intervals and give plugging detail, i.e., sacks of cement or plug(s) used 2442-98'; 2503-62'

Give the names and depths of any over or underlying oil or gas zones (pools) in this area.

Wiser plans to re-enter this well and complete as WIW  
 L.W. Lennan April 12, 87  
 Unit Case P



# INJECTION WELL DATA SHEET

OPERATOR The Wiser Oil Company

LEASE Skelly Unit

WELL NO. #37

660' FNL, 660' FEL, Unit A

23

17S


31E

FOOTAGE LOCATION

SECTION TOWNSHIP

RANGE

Schematic



Well Construction Data

Surface Casing Size 8 5/8 Set @ 725 Cemented with 100 feet determined by Temp Survey sx.  
 TOC Surface feet determined by Temp Survey sx.  
 Hole Size Unkn Intermediate Casing Set @ 3290 Cemented with 150 feet determined by Temp Survey sx.  
 Size 7 Cemented with 150 feet determined by Temp Survey sx.  
 TOC 1475 feet determined by Temp Survey sx.  
 Hole Size Unkn Long String Set @ 3654 Cemented with 300 feet determined by Temp Survey sx.  
 Size 4 1/2 Cemented with 300 feet determined by Temp Survey sx.  
 TOC Unkn feet determined by Temp Survey sx.  
 Hole Size Unkn feet determined by Temp Survey sx.  
 Total Depth 3886 feet  
 Injection Interval Unkn feet to Unkn feet  
 (perforated or open-hole; indicate which) feet to Unkn feet  
 Tubing Size 2 3/8 lined with Unkn (type of internal coating) packer at 3867 feet set in a Unkn feet

Other type of tubing / casing seal if applicable \_\_\_\_\_ packer at \_\_\_\_\_ feet  
 Other Data \_\_\_\_\_

1. Is this a new well drilled for injection? Yes  No   
 If no, for what purpose was the well originally drilled? Oil Production - SI

2. Name of the Injection formation Grayburn-San Andres Vacuum
3. Name of Field or Pool (if applicable) Grayburg Jackson 7-Rivers-QN-GB-SA
4. Has the well ever been perforated in any other zone(s)? List all such perforated intervals and give plugging detail, i.e., sacks of cement or plug(s) used 2078-2226; 3240-95; 3304-72; 3408-3500; 3508-45; 3572-79; 3603-10'
5. Give the names and depths of any over or underlying oil or gas zones (pools) in this area. \_\_\_\_\_

# INJECTION WELL DATA SHEET

OPERATOR The Wiser Oil Company

LEASE Skelly Unit

WELL NO. #39

6601 FNL, 1980' FWL, Unit C

23

17S

31E


FOOTAGE LOCATION

SECTION

TOWNSHIP

RANGE

Schematic



Well Construction Data

Surface Casing Set @ 678 ' Cemented with 50 " sx.  
 Size 8 5/8 " Cemented with 50 " sx.  
 TOC Surface feet determined by "  
 Hole Size "  
 Intermediate Casing " Cemented with " sx.  
 Size " feet determined by "  
 TOC "  
 Hole Size "  
 Long String Set @ 3250 ' " Cemented with 150 " sx.  
 Size 7 " Cemented with 150 " sx.  
 TOC 1860' feet determined by Cement Bond Log  
 Hole Size "  
 Total Depth 3854'  
 Injection Interval feet to feet  
 (perforated or open-hole; indicate which)  
 Tubing Size 2 3/8 " lined with (type of internal coating) set in a  
 packer at 3747 feet  
 Other type of tubing / casing seal if applicable "  
 Other Data "  
 1. Is this a new well drilled for injection? Yes X No "  
 If no, for what purpose was the well originally drilled? Oil Production  
 The Wiser Oil Company plans to convert this well to WIW  
 2. Name of the Injection formation Grayburg-San Andres Vacuum  
 3. Name of Field or Pool (if applicable) Grayburg Jackson 7-Rivers-QN-GB-SA  
 4. Has the well ever been perforated in any other zone(s)? List all such  
 perforated intervals and give plugging detail, i.e., sacks of cement or  
 plug(s) used "  
 5. Give the names and depths of any over or underlying oil or gas zones  
 (pools) in this area. "

# INJECTION WELL DATA SHEET

OPERATOR The Wiser Oil Company

LEASE Skelly Unit

WELL NO. #41

330' FNL, 330' FEL, Unit A

22

17S

31E


FOOTAGE LOCATION

SECTION

TOWNSHIP

RANGE

**Schematic**



**Well Construction Data**

Surface Casing Set @ Unknown Cemented with Unknown feet determined by Unknown Unknown sx.

TOC Surface Unknown feet determined by Unknown Unknown sx.

Hole Size Unknown Unknown feet determined by Unknown Unknown sx.

Intermediate Casing Set @ Unknown Cemented with Unknown feet determined by Unknown Unknown sx.

TOC Unknown Unknown feet determined by Unknown Unknown sx.

Hole Size Unknown Unknown feet determined by Unknown Unknown sx.

Long String Set @ 3823 Cemented with Unknown feet determined by Unknown Unknown sx.

Size 4 1/2 Unknown feet determined by Unknown Unknown sx.

TOC Unknown Unknown feet determined by Unknown Unknown sx.

Hole Size Unknown Unknown feet determined by Unknown Unknown sx.

Total Depth 3823' Unknown feet determined by Unknown Unknown sx.

Injection Interval Unknown feet to Unknown feet

(perforated or open-hole; Indicate which) Unknown feet

Tubing Size 2 3/8 " lined with Unknown (type of internal coating) Unknown set in a packer at 3650 feet

Other type of tubing / casing seal if applicable Unknown feet

Other Data Unknown

1. Is this a new well drilled for injection? Yes  No

If no, for what purpose was the well originally drilled? Unknown

Oil Production Unknown

The Wiser Oil Company plans to convert this well to WIWY

2. Name of the Injection formation Grayburg-San Andres Vacuum

3. Name of Field or Pool (if applicable) Grayburg Jackson 7-Rivers-QN-GB-SA

4. Has the well ever been perforated in any other zone(s)? List all such perforated intervals and give plugging detail, i.e., sacks of cement or plug(s) used 3200-3800'


5. Give the names and depths of any over or underlying oil or gas zones (pools) in this area. Unknown

# INJECTION WELL DATA SHEET

OPERATOR The Wiser Oil Company LEASE Skelly Unit

WELL NO. #43 FOOTAGE LOCATION 765' FNL, 2058' FWL, Unit C SECTION 22 TOWNSHIP 17S RANGE 31E

### Schematic



### Well Construction Data

Surface Casing Set @ 539 ' Cemented with 250 feet determined by 250 sx.  
 TOC Surface feet determined by " "  
 Hole Size 11 "  
 Intermediate Casing Set @ " ' Cemented with " feet determined by " "  
 TOC " feet determined by " "  
 Hole Size " "  
 Long String Set @ 3757 ' Cemented with 425 feet determined by 425 sx.  
 TOC 1885 feet determined by Temn Survey "  
 Hole Size 7 7/8 "  
 Total Depth 3757 '  
 Injection Interval " feet to " feet

(perforated or open-hole; indicate which) \_\_\_\_\_ set in a  
 Tubing Size 2 " lined with \_\_\_\_\_ (type of internal coating) \_\_\_\_\_ feet

Other type of tubing / casing seal if applicable \_\_\_\_\_ packer at 3453 feet


1. Is this a new well drilled for injection? Yes  No   
 If no, for what purpose was the well originally drilled? \_\_\_\_\_  
 Oil Production \_\_\_\_\_

2. Name of the Injection formation Grayburg-San Andres Vacuum
3. Name of Field or Pool (if applicable) Grayburg Jackson 7-Rivers-QN-GB-SA
4. Has the well ever been perforated in any other zone(s)? List all such perforated intervals and give plugging detail, i.e., sacks of cement or plug(s) used 3128-3373', 3451-3461', 3721-3748'
5. Give the names and depths of any over or underlying oil or gas zones (pools) in this area. Fren Penn

# INJECTION WELL DATA SHEET

OPERATOR The Wiser Oil Company LEASE Skelly Unit  
 WELL NO. #45 FOOTAGE LOCATION 1980' FNL, 1980' FEL, Unit G SECTION 22 TOWNSHIP 17S RANGE 31E

## Schematic



## Well Construction Data

Surface Casing Set @ 603 ' Cemented with 150 SX.  
 Size 8 5/8 " feet determined by \_\_\_\_\_  
 TOC Surface  
 Hole Size 10 " "  
 Intermediate Casing  
 Size \_\_\_\_\_ " Cemented with \_\_\_\_\_ SX.  
 TOC \_\_\_\_\_ feet determined by \_\_\_\_\_  
 Hole Size \_\_\_\_\_ " "  
 Long String Set @ 3810 ' "  
 Size 5 1/2 " Cemented with 350 SX.  
 TOC 1720 feet determined by Cement Bond Log  
 Hole Size 8 " "  
 Total Depth 5040 '  
 Injection Interval \_\_\_\_\_ feet to \_\_\_\_\_ feet  
 (perforated or open-hole; indicate which) \_\_\_\_\_ set in a  
 Tubing Size 2 3/8 " lined with \_\_\_\_\_ packer at 3739 feet  
 (type of internal coating) \_\_\_\_\_

Other type of tubing / casing seal if applicable \_\_\_\_\_ feet  
 Other Data \_\_\_\_\_  
 1. Is this a new well drilled for injection? Yes  No   
 If no, for what purpose was the well originally drilled? \_\_\_\_\_  
 Oil Production \_\_\_\_\_

The Wiser Oil Company plans to convert this well to WTW  
 2. Name of the Injection formation Grayburg-San Andres Vacuum  
 3. Name of Field or Pool (if applicable) Grayburg Jackson 7-Rivers-ON-GB-SA  
 4. Has the well ever been perforated in any other zone(s)? List all such perforated intervals and give plugging detail, i.e., sacks of cement or plug(s) used 3181'-3455', 3741'-3804'  
 5. Give the names and depths of any over or underlying oil or gas zones (pools) in this area. \_\_\_\_\_

# INJECTION WELL DATA SHEET

OPERATOR The Wiser Oil Company

LEASE Skelly Unit

WELL NO. #47

1980' FNL, 660' FWL, Unit E

23

17S

31E

FOOTAGE LOCATION


SECTION

TOWNSHIP

RANGE

Schematic

Well Construction Data



Surface Casing 8 5/8 Set @ 725 Cemented with 75 feet determined by 75 sx.

TOC Surface Cemented with Unknown feet determined by Unknown "

Hole Size Unknown Cemented with Unknown feet determined by Unknown "

Intermediate Casing Unknown Cemented with Unknown feet determined by Unknown "

TOC Unknown Cemented with Unknown feet determined by Unknown "

Hole Size Unknown Cemented with Unknown feet determined by Unknown "

Long String Set @ 3230 Cemented with 155 feet determined by Temp Survey sx.

Size 7 Cemented with 155 feet determined by Temp Survey sx.

TOC 1810 Cemented with Unknown feet determined by Temp Survey "

Hole Size Unknown Cemented with Unknown feet determined by Unknown "

Total Depth 3826 feet

Injection Interval Unknown feet to Unknown feet

(perforated or open-hole; Indicate which) Unknown feet

Tubing Size 2 3/8 " lined with Unknown (type of internal coating) set in a

Other type of tubing / casing seal if applicable Unknown packer at 3653 feet

Other Data Unknown

1. Is this a new well drilled for injection? Yes  No

If no, for what purpose was the well originally drilled? Oil Production

The Wiser Oil Company plans to convert this well to WIV

2. Name of the Injection formation Grayburg-San Andres Vacuum

3. Name of Field or Pool (if applicable) Grayburg Jackson 7-Rivers-QN-GB-SA

4. Has the well ever been perforated in any other zone(s)? List all such perforated intervals and give plugging detail, i.e., sacks of cement or plug(s) used Unknown

5. Give the names and depths of any over or underlying oil or gas zones (pools) in this area. Unknown

# INJECTION WELL DATA SHEET

OPERATOR The Wiser Oil Company

LEASE Skelly Unit

WELL NO. #49

1980' FNL, 1980' FEL, Unit G

23

17S

31E


FOOTAGE LOCATION

SECTION

TOWNSHIP

RANGE

## Schematic



## Well Construction Data

Surface Casing Set @ 694 feet

Size 8 5/8 Cemented with 75 sx.

TOC Surface feet determined by 75 sx.

Hole Size Unknown "

Intermediate Casing Unknown "

Size Unknown Cemented with Unknown sx.

TOC Unknown feet determined by Unknown "

Hole Size Unknown "

Hole Size Unknown "

Long String Set @ 3250 feet

Size 7 Cemented with 150 sx.

TOC 1850 feet determined by Tempo Survey "

Hole Size Unknown "

Total Depth 3919' "

Injection Interval Unknown feet to Unknown feet

(perforated or open-hole; Indicate which)

Tubing Size 2 3/8 " lined with Unknown (type of internal coating) set in a packer at 3919 feet

Other type of tubing / casing seal if applicable \_\_\_\_\_ feet

Other Data \_\_\_\_\_

1. Is this a new well drilled for injection? Yes  No

If no, for what purpose was the well originally drilled? \_\_\_\_\_

Oil Production 2-1-45

The Wiser Oil Company plans to convert this well to WIV

2. Name of the Injection formation Gravbure-San Andres Vacuum

3. Name of Field or Pool (if applicable) Grayburg-Jackson 7-Rivers-QN-GB-SA


4. Has the well ever been perforated in any other zone(s)? List all such perforated intervals and give plugging detail, i.e., sacks of cement or plug(s) used 2320-2443'; 3410-70'; 3540-3620'

5. Give the names and depths of any over or underlying oil or gas zones (pools) in this area. 7 Rivers

# INJECTION WELL DATA SHEET

OPERATOR The Wiser Oil Company LEASE Skelly Unit  
 WELL NO. #50 FOOTAGE LOCATION 1980' FNL, 660' FEL, Unit H SECTION 23 TOWNSHIP 17S RANGE 31E

## Schematic



## Well Construction Data

Surface Casing Set @ 711 feet

Size 8 5/8 Cemented with 75 SX.  
 TOC Surface feet determined by 75

Hole Size Unknown Intermediate Casing  
 Size Unknown Cemented with Unknown SX.  
 TOC Unknown feet determined by Unknown

Hole Size Unknown Cemented with Unknown

Long String Set @ 3265 feet

Size 7 Cemented with 150 SX.  
 TOC 1720 feet determined by Temp. Survey

Hole Size Unknown Cemented with Unknown

Total Depth 3855 feet

Injection Interval Unknown feet to Unknown feet

(perforated or open-hole; Indicate which) Unknown feet  
 Tubing Size Unknown lined with Unknown packer at Unknown feet  
 (type of internal coating) Unknown feet

Other type of tubing / casing seal if applicable Unknown feet

Other Data Unknown

1. Is this a new well drilled for injection? Yes X No     
 If no, for what purpose was the well originally drilled?  
Oil Production 5-1-45 -- P&A 8-9-88

Wiser plans to re-enter this well and complete as WIIV

2. Name of the Injection formation Grayburg-San Andres Vacuum

3. Name of Field or Pool (if applicable) Grayburg Jackson 7-Rivers-QN-GB-SA

4. Has the well ever been perforated in any other zone(s)? List all such perforated intervals and give plugging detail, i.e., sacks of cement or plug(s) used None

5. Give the names and depths of any over or underlying oil or gas zones (pools) in this area. None

L. M. Johnson  
 D/W/1/88



# INJECTION WELL DATA SHEET

OPERATOR The Wisser Oil Company

LEASE Skelly Unit

WELL NO. #51

1980 FSL, 660' FEL, Unit I

22

17S

31E

FOOTAGE LOCATION

SECTION

TOWNSHIP

RANGE

## Schematic

## Well Construction Data

18" hole Set @ 202 Cemented with 230 sx.  
 Size 13 3/8" feet determined by Surface  
 TOC Surface  
 Hole Size 18 "  
 Intermediate Casing Set @ 3620' Cemented with 1775 sx.  
 Size 8 5/8 " feet determined by Temp Survey  
 TOC Temp Survey

11" hole Set @ 12,275 Cemented with 1750 sx.  
 Size 5 1/2 " feet determined by Temp Survey  
 TOC Temp Survey  
 Hole Size 7 7/8 "  
 Total Depth 12,275 feet  
 Injection Interval Temp Survey feet to Temp Survey feet

FORMATION	TOPS
Abshvartite	474'
Salt	656'-1620'
Yates	1780'
Seven Rivers	2110'
Grayburg	3132'
San Andres	3523'
Chlorieta	5016'
Yeso	5120'
Clearfork	5822'
Tubbs	6450'
Abq	7110'
Holcamp	8210'
Hueco	8964'
Penn	10173'
Dea Holmes	11114'
Atoka	11394'

8 5/8" 32# J-55 casing set @ 3620', w/1775 sx of cement. Top of cement outside the 8 5/8" casing is @ 666' by temp. survey

165 sx. plug w/1300# of sand from 4250' to 3710' and drilled out to 3820'

50 sx. plug 5100 to 4937'

50 sx. plug 8600 to 8437'

145 sx. of cement and 700# of sand mixed from 11,764 to 8,808'

125 sx. of cement from 12,275 to 11,764'

- Other type of tubing / casing seal if applicable \_\_\_\_\_ packer at 3756 feet
- Other Data \_\_\_\_\_
- Is this a new well drilled for injection? Yes  No
  - If no, for what purpose was the well originally drilled? \_\_\_\_\_
- Oil Production \_\_\_\_\_
- The Wisser Oil Company plans to convert this well to WIW \_\_\_\_\_
- Name of the Injection formation Grayburg-San Andres Vacuum
  - Name of Field or Pool (if applicable) Grayburg-Jackson 7-Rivers-QN-GB-SA
  - Has the well ever been perforated in any other zone(s)? List all such perforated intervals and give plugging detail, i.e., sacks of cement or plug(s) used 3574'-3650, 3620-3803', 3219-3606'
  - Give the names and depths of any over or underlying oil or gas zones (pools) in this area. \_\_\_\_\_

# INJECTION WELL DATA SHEET

OPERATOR The Wiser Oil Company

LEASE Skelly Unit

WELL NO. #55

660' FSL, 660' FWL, Unit M


22

17S

31E

FOOTAGE LOCATION SECTION TOWNSHIP RANGE

**Schematic**



**Well Construction Data**

Surface Casing Set @ 711 ' Cemented with 150 ' SX.  
 TOC Surface feet determined by 150 ' SX.  
 Hole Size 10 ' "  
 Intermediate Casing  
 Size 10 ' Cemented with 150 ' SX.  
 TOC Surface feet determined by 150 ' SX.  
 Hole Size 10 ' "  
 Long String Set @ 3474 ' Cemented with 345 ' SX.  
 Size 7 " Cemented with 345 ' SX.  
 TOC 1120 feet determined by Cement Bond Log "  
 Hole Size 8 "  
 Total Depth 3687 '  
 Injection Interval 3687 feet to 3687 feet  
 (perforated or open-hole; Indicate which) set in a  
 Tubing Size 2 3/8 " lined with 3679 (type of internal coating) feet  
 packer at 3679 feet

Perforations:  
 Grayburg  
 3200-3406'  
 Open Hole  
 Grayburg  
 3474-3335'  
 San Andres  
 3335-3687'

1. Is this a new well drilled for injection? Yes  No
2. Name of the Injection formation Grayburg-San Andres Vacuum
3. Name of Field or Pool (if applicable) Grayburg Jackson 7-Rivers-QN-GB-SA
4. Has the well ever been perforated in any other zone(s)? List all such perforated intervals and give plugging detail, i.e., sacks of cement or plug(s) used 3200-3406'
5. Give the names and depths of any over or underlying oil or gas zones (pools) in this area. \_\_\_\_\_

# INJECTION WELL DATA SHEET

OPERATOR The Wiser Oil Company


LEASE Skelly Unit

WELL NO. #57

FOOTAGE LOCATION 1980' FEL, 660' FSL, Unit O

SECTION 22 TOWNSHIP 17S RANGE 31E

## Schematic



Surface Casing Size 8 5/8 Set @ 751 Cemented with 150 feet determined by 150 SX.

TOC Surface Cemented with 150 feet determined by 150 SX.

Hole Size 10 Cemented with 150 feet determined by 150 SX.

Intermediate Casing Size 10 Cemented with 150 feet determined by 150 SX.

TOC Surface Cemented with 150 feet determined by 150 SX.

Hole Size 10 Cemented with 150 feet determined by 150 SX.

Long String Set @ 3618 Cemented with 330 feet determined by 330 SX.

Size 5 1/2 Cemented with 330 feet determined by 330 Calculation.

TOC 2031 Cemented with 330 feet determined by 330 Calculation.

Hole Size 8 Cemented with 330 feet determined by 330 Calculation.

Total Depth 3710 feet

Injection Interval 3618-3710 feet to 3710 feet

(perforated or open-hole; Indicate which) \_\_\_\_\_ feet

Tubing Size \_\_\_\_\_ " lined with \_\_\_\_\_ (type of internal coating) \_\_\_\_\_ feet

Other type of tubing / casing seal if applicable \_\_\_\_\_ packer at \_\_\_\_\_ feet

Other Data \_\_\_\_\_

1. Is this a new well drilled for injection? Yes  No

If no, for what purpose was the well originally drilled? Oil Production 2-16-59

The Wiser Oil Company plans to convert this well to WIW

2. Name of the injection formation Grayburg-San Andres Vacuum

3. Name of Field or Pool (if applicable) Grayburg Jackson 7-Rivers-QN-GB-SA

4. Has the well ever been perforated in any other zone(s)? List all such perforated intervals and give plugging detail, i.e., sacks of cement or plug(s) used 3262-3595'

5. Give the names and depths of any over or underlying oil or gas zones (pools) in this area. \_\_\_\_\_


# INJECTION WELL DATA SHEET

OPERATOR The Wisser Oil Company LEASE Skelly Unit

WELL NO. #59 660' FNL, 660' FEL, Unit A SECTION 21 TOWNSHIP 17S RANGE 31E

FOOTAGE LOCATION 660' FNL, 660' FEL, Unit A SECTION 21 TOWNSHIP 17S RANGE 31E

### Schematic



### Well Construction Data

Surface Casing Set @ 667 feet Cemented with 100 SX.  
 Size 8 5/8 Surface feet determined by 100 SX.  
 TOC Surface feet determined by 100 SX.  
 Hole Size 100 SX.  
 Intermediate Casing 100 feet determined by 100 SX.  
 Size 100 feet determined by 100 SX.  
 TOC 100 feet determined by 100 SX.  
 Hole Size 100 feet determined by 100 SX.  
 Long String Set @ 3011 feet determined by 100 SX.  
 Size 7 Cemented with 150 SX.  
 TOC 1640 feet determined by Temp Survey SX.  
 Hole Size 1640 feet determined by Temp Survey SX.  
 Total Depth 3671 feet determined by Temp Survey SX.  
 Injection Interval 3671 feet to 3671 feet  
 (perforated or open-hole; indicate which) 3671 feet  
 Tubing Size 2 3/8 lined with 2 3/8 packer at 3387 feet  
 (type of internal coating) 3387 feet  
 Other type of tubing / casing seal if applicable 3387 feet  
 Other Data 3387 feet

1. Is this a new well drilled for injection? Yes  No   
 If no, for what purpose was the well originally drilled? Oil Production


2. Name of the injection formation Grayburne-San Andres Vacuum
3. Name of Field or Pool (if applicable) Grayburn Jackson 7-Rivers-QN-GB-SA
4. Has the well ever been perforated in any other zone(s)? List all such perforated intervals and give plugging detail, i.e., sacks of cement or plug(s) used 2015-2110'; 2155-2205'; 2953-3011'
5. Give the names and depths of any over or underlying oil or gas zones (pools) in this area. Fren Paddock & Fren Penn

# INJECTION WELL DATA SHEET

OPERATOR The Wisser Oil Company LEASE Skelly Unit

WELL NO. #60 FOOTAGE LOCATION 660' FNL, 1980' FEL, Unit B SECTION 21 TOWNSHIP 17S RANGE 31E

### Schematic



### Well Construction Data

Surface Casing Set @ 640' Cemented with 100 SX Cement  
 Size 8 5/8" TOC Surface feet determined by "  
 Hole Size " Intermediate Casing "  
 Size " Cemented with " Cemented with " feet determined by " SX  
 TOC " feet determined by " SX  
 Hole Size "  
 Long String Set @ 2948' Cemented with 175 SX Cement  
 Size 7" TOC 1520' feet determined by Temp Survey  
 Hole Size "  
 Total Depth 3638'  
 Injection Interval 3570-3618' feet to 3328-3424' feet  
 (perforated or open-hole; indicate which) " lined with " set in a  
 Tubing Size " (type of internal coating) " packer at " feet

Other type of tubing / casing seal if applicable \_\_\_\_\_ feet  
 Other Data \_\_\_\_\_

1. Is this a new well drilled for injection? Yes  No   
 If no, for what purpose was the well originally drilled?  
Oil Production

2. The Wisser Oil Company plans to convert this well to WV
3. Name of the Injection formation Gravbure-San Andres Vacuum
4. Name of Field or Pool (if applicable) Grayburg Jackson 7-Rivers-QN-GB-SA
5. Has the well ever been perforated in any other zone(s)? List all such perforated intervals and give plugging detail, i.e., sacks of cement or plug(s) used 3570-3618', 3328-3424'
6. Give the names and depths of any over or underlying oil or gas zones (pools) in this area. Fren Paddock & Fren Penn

# INJECTION WELL DATA SHEET

OPERATOR The Wiser Oil Company

LEASE Skelly Unit

WELL NO. #61

660' FNL, 1980' FWL, Unit C

21

17S


31E

FOOTAGE LOCATION

SECTION TOWNSHIP

RANGE

**Schematic**



**Well Construction Data**

Surface Casing Set @ 660 ' Cemented with 100 ' SX.  
 Size 8 5/8 " Cemented with 100 ' SX.  
 TOC Surface feet determined by 100 ' SX.  
 Hole Size 10 " "

Intermediate Casing  
 Size 10 " Cemented with 100 ' SX.  
 TOC Surface feet determined by 100 ' SX.  
 Hole Size 10 " "

Hole Size 8 1/4 " "

Long String Set @ 2896 ' "

Size 7 " Cemented with 200 ' SX.  
 TOC Surface feet determined by 200 ' SX.  
 Hole Size 8 1/4 " "

Total Depth 3588 ' "

Injection Interval 3224-80' feet to 3345' feet  
 (perforated or open-hole; indicate which)

Tubing Size 2 7/8 " lined with 200 ' SX set in a 3588 ' TD

Robinson formation packer at 3345 ' feet  
 Other type of tubing / casing seal if applicable \_\_\_\_\_ feet  
 Other Data \_\_\_\_\_

1. Is this a new well drilled for injection? Yes  No   
 If no, for what purpose was the well originally drilled? \_\_\_\_\_

Oil Production \_\_\_\_\_

The Wiser Oil Company plans to convert this well to WIW \_\_\_\_\_

2. Name of the Injection formation Grayburn-San Andres Vacuum  
 3. Name of Field or Pool (if applicable) Grayburn Jackson 7-Rivers-QN-GB-SA  
 4. Has the well ever been perforated in any other zone(s)? List all such perforated intervals and give plugging detail, i.e., sacks of cement or plug(s) used 3224-80'  
 5. Give the names and depths of any over or underlying oil or gas zones (pools) in this area. \_\_\_\_\_


# INJECTION WELL DATA SHEET

OPERATOR The Wisser Oil Company LEASE Skelly Unit

WELL NO. #62 660' FNL, 660' FWL, Unit D SECTION 21 TOWNSHIP 17S RANGE 31E

FOOTAGE LOCATION 660' FNL, 660' FWL, Unit D SECTION 21 TOWNSHIP 17S RANGE 31E

### Schematic



### Well Construction Data

Surface Casing Set @ 593' Cemented with 150 sx.  
 Size 8 5/8" Surface feet determined by  
 TOC Surface feet determined by  
 Hole Size 11 1/4" Intermediate Casing  
 Size " Cemented with  
 TOC feet determined by sx.  
 Hole Size " feet determined by  
 Long String Set @ 2845' Cemented with  
 Size 7" Cemented with 200 sx.  
 TOC 1500 feet determined by Temp Survey  
 Hole Size 8 1/4"  
 Total Depth 3555'  
 Injection Interval feet to feet  
 (perforated or open-hole; Indicate which)  
 Tubing Size 2 3/8" lined with (type of internal coating) set in a  
American Flow packer at 3421 feet  
 Other type of tubing / casing seal if applicable  
 Other Data  
 1. Is this a new well drilled for injection? Yes  No   
 If no, for what purpose was the well originally drilled?  
Oil Production  
 The Wisser Oil Company plans to convert this well to WTW  
 2. Name of the injection formation Grayburn-San Andres Vacuum  
 3. Name of Field or Pool (if applicable) Grayburg Jackson 7-Rivers-QN-GB-SA  
 4. Has the well ever been perforated in any other zone(s)? List all such perforated intervals and give plugging detail, i.e., sacks of cement or plug(s) used  
 5. Give the names and depths of any over or underlying oil or gas zones (pools) in this area.


# INJECTION WELL DATA SHEET

OPERATOR The Wiser Oil Company LEASE Skelly Unit

WELL NO. #63 1980' FNL, 660' FWL, Unit E SECTION 21 TOWNSHIP 17S RANGE 31E

FOOTAGE LOCATION 1980' FNL, 660' FWL, Unit E SECTION 21 TOWNSHIP 17S RANGE 31E

### Schematic



### Well Construction Data

Surface Casing Set @ 608 ' Cemented with 150 SX  
 Size 8 5/8 " Surface feet determined by  
 TOC 1120 ' Hole Size 1 1/4 " Intermediate Casing  
 Size 7 " Cemented with 150 SX  
 TOC 1120 ' feet determined by Temp. Survey  
 Hole Size 8 1/4 " Long String Set @ 2864 ' Cemented with 150 SX  
 Size 7 " Cemented with 150 SX  
 TOC 1120 ' feet determined by Temp. Survey  
 Hole Size 8 1/4 " Total Depth 3571 '  
 Injection Interval \_\_\_\_\_ feet to \_\_\_\_\_ feet  
 (perforated or open-hole; Indicate which) set in a \_\_\_\_\_ feet  
 Tubing Size 2 3/8 " lined with \_\_\_\_\_ (type of internal coating) packer at 3511 feet

Other type of tubing / casing seal if applicable \_\_\_\_\_ feet  
 Other Data \_\_\_\_\_

1. Is this a new well drilled for injection? Yes  No   
 If no, for what purpose was the well originally drilled?  
Oil Production

2. Name of the Injection formation Grayburg-San Andres Vacuum
3. Name of Field or Pool (if applicable) Grayburg Jackson 7-Rivers-QN-GB-SA
4. Has the well ever been perforated in any other zone(s)? List all such perforated intervals and give plugging detail, i.e., sacks of cement or plug(s) used 3476-3479', 3527-30'
5. Give the names and depths of any over or underlying oil or gas zones (pools) in this area. \_\_\_\_\_



# INJECTION WELL DATA SHEET

OPERATOR The Wiser Oil Company

LEASE Skelly Unit


WELL NO. #65

2080' FNL, 1980' FEL, Unit G

21 SECTION 17S TOWNSHIP 31E RANGE

FOOTAGE LOCATION

## Schematic



## Well Construction Data

Surface Casing Set @ 609 ' Cemented with 400 SX.  
 Size 9 5/8 Surface feet determined by  
 TOC Surface feet determined by  
 Hole Size 12 1/4 " " "  
 Intermediate Casing  
 Size " Cemented with  
 TOC feet determined by  
 Hole Size " " "  
 Long String Set @ 4997 ' " "  
 Size 5 1/2 " Cemented with 825 SX.  
 TOC feet determined by  
 Hole Size 7 7/8 " " "  
 Total Depth 5001 ' " "  
 Injection Interval feet to feet

(perforated or open-hole; Indicate which)  
 Tubing Size 2 3/8 " lined with packer at 3247 feet set in a

Other type of tubing / casing seal if applicable  
 Other Data

1. Is this a new well drilled for injection? Yes  No   
 If no, for what purpose was the well originally drilled?  
Oil Production

2. The Wiser Oil Company plans to convert this well to WIW
3. Name of the Injection formation Grayburne-San Andres Vacuum
4. Name of Field or Pool (if applicable) Grayburne Jackson 7-Rivers-QN-GB-SA
5. Has the well ever been perforated in any other zone(s)? List all such perforated intervals and give plugging detail, i.e., sacks of cement or plug(s) used 3006-3240, 3267-3320, 3353-3456, 3642-3651, 4864-4904
6. Give the names and depths of any over or underlying oil or gas zones (pools) in this area. Glorietta-Fren Paddock & Fren Penn




# INJECTION WELL DATA SHEET

OPERATOR The Wisser Oil Company LEASE Skelly Unit

WELL NO. #68 FOOTAGE LOCATION 1650' FSL, 1980' FWL, Unit K SECTION 21 TOWNSHIP 17S RANGE 31E

### Schematic



### Well Construction Data

Surface Casing Size 8 5/8 Set @ 660 Cemented with 150 feet determined by Surface SX.

TOC 111 feet determined by Calculation

Hole Size 10 Intermediate Casing Size 10 Cemented with " feet determined by " SX.

TOC 111 Cemented with 290 feet determined by Calculation SX.

Hole Size 8 Long String Set @ 3248 Cemented with 150 feet determined by Calculation SX.

Size 7 Cemented with 290 feet determined by Calculation SX.

TOC 111 feet determined by Calculation

Hole Size 8 Total Depth 3511 Injection Interval 3044-3200' feet to 3511 feet

(perforated or open-hole; Indicate which)

Tubing Size 2 3/8 lined with 2 3/8 (type of internal coating) 3473 packer at 3473 feet set in a 3511 feet

- Other type of tubing / casing seal if applicable \_\_\_\_\_ feet
- Other Data \_\_\_\_\_
- Is this a new well drilled for injection? Yes  No
  - If no, for what purpose was the well originally drilled? Oil Production
  - The Wisser Oil Company plans to convert this well to WTW
  - Name of the injection formation Grayburg-San Andres Vacuum
  - Name of Field or Pool (if applicable) Grayburg Jackson 7-Rivers-QN-GB-SA
  - Has the well ever been perforated in any other zone(s)? List all such perforated intervals and give plugging detail, i.e., sacks of cement or plug(s) used 3248-3345', 3044-3200'
  - Give the names and depths of any over or underlying oil or gas zones (pools) in this area. \_\_\_\_\_

# INJECTION WELL DATA SHEET

OPERATOR

The Wisser Oil Company

LEASE Skelly Unit

WELL NO. #70


1980' FSL, 660' FEL, Unit I

23 SECTION 17S TOWNSHIP 31E RANGE

FOOTAGE LOCATION

Well Construction Data

## Schematic



Formation Tops	
Anhydrite	530
Salt	700-1670
Red Sand	2951
San Andres	3606

Surface Casing Set @ 600' Cemented with 100' SX.  
 Size 10 3/4" feet determined by  
 TOC Surface  
 Hole Size 13" Intermediate Casing  
 Size " Cemented with  
 TOC feet determined by  
 Hole Size " Long String Set @ 3223' Cemented with 200' SX.  
 Size 7" feet determined by Calculation  
 TOC 2133  
 Hole Size 8 7/8"  
 Total Depth 3890'  
 Injection Interval \_\_\_\_\_ feet to \_\_\_\_\_ feet  
 (perforated or open-hole; Indicate which)  
 Tubing Size 2 3/8" lined with \_\_\_\_\_ (type of internal coating) set in a packer at 3690' feet  
 Other type of tubing / casing seal if applicable  
 Other Data  
 1. Is this a new well drilled for injection? Yes  No   
 If no, for what purpose was the well originally drilled?  
 Oil Production 11-24-40 - TA 5-12-92  
 The Wisser Oil Company plans to convert this well to WIW  
 2. Name of the Injection formation Grayburg-San Andres Vacuum  
 3. Name of Field or Pool (if applicable) Grayburg Jackson 7-Rivers-QN-GB-SA  
 4. Has the well ever been perforated in any other zone(s)? List all such perforated intervals and give plugging detail, i.e., sacks of cement or plug(s) used 3288-3701', 3764-3866'  
 5. Give the names and depths of any over or underlying oil or gas zones (pools) in this area.

# INJECTION WELL DATA SHEET

OPERATOR The Wisser Oil Company

LEASE Skelly Unit

WELL NO. #71

1980' FSL, 1980' FEL, Unit J

23

17S

31E


FOOTAGE LOCATION

SECTION

TOWNSHIP

RANGE

## Schematic



## Well Construction Data

Surface Casing Set @ 751 feet to 3161 feet

Size 8 5/8 " Cemented with 95 SX

TOC Surface feet determined by Calculation

Hole Size 11 1/4 " "

Intermediate Casing Set @ 3202 feet to 3161 feet

Size 7 " Cemented with 150 SX

TOC 7 feet determined by Calculation

Hole Size 8 1/4 " "

Long String Set @ 3855 feet to 3161 feet

Size 4 1/2 " Cemented with 700 SX

TOC 1135 feet determined by Calculation

Hole Size 7 7/8 " "

Total Depth 3872 feet

Injection Interval 3243 feet to 3830 feet

(perforated or open-hole; indicate which)

Tubing Size 2 3/8 " lined with 3161 packer at 3161 feet set in a

Other type of tubing / casing seal if applicable \_\_\_\_\_

Other Data \_\_\_\_\_

1. Is this a new well drilled for injection? Yes  No   
If no, for what purpose was the well originally drilled? \_\_\_\_\_
2. Oil Production—Converted to WIW 3-13-68 P&A 4-27-82
3. Wisser plans to re-enter this well and complete as WIW
4. Name of the Injection formation Grayburg-San Andres Vacuum
5. Name of Field or Pool (if applicable) Grayburg Jackson 7-Rivers-QN-GB-SA
6. Has the well ever been perforated in any other zone(s)? List all such perforated intervals and give plugging detail, i.e., sacks of cement or plug(s) used 3243-3830'
7. Give the names and depths of any over or underlying oil or gas zones (pools) in this area. \_\_\_\_\_

# INJECTION WELL DATA SHEET

OPERATOR The Wisser Oil Company

LEASE Skelly Unit

WELL NO. #72

1980' FSL, 1980' FWL, Unit K

23

17S

31E


FOOTAGE LOCATION

SECTION

TOWNSHIP

RANGE

## Schematic



## Well Construction Data

Surface Casing Set @ 816 feet

Size 8 5/8 Cemented with 325 feet determined by Temp Survey SX.

TOC Surface feet determined by "

Hole Size 11 "

Intermediate Casing

Size " Cemented with " SX.

TOC " feet determined by "

Hole Size "

Long String Set @ 3854 feet

Size 4 1/2 Cemented with 400 SX.

TOC 1400 feet determined by Temp Survey

Hole Size 7 7/8 "

Total Depth 3854 feet

Injection Interval feet to feet

(perforated or open-hole; Indicate which)

Tubing Size 2 3/8 " lined with " (type of internal coating) set in a 3570 feet packer at 3570 feet

Other type of tubing / casing seal if applicable "

Other Data "

1. Is this a new well drilled for injection? Yes  No

If no, for what purpose was the well originally drilled? "

Oil Production "

The Wisser Oil Company plans to convert this well to WIW

2. Name of the Injection formation Grayburg-San Andres Vacuum

3. Name of Field or Pool (if applicable) Grayburg Jackson 7-Rivers-QN-GB-SA

4. Has the well ever been perforated in any other zone(s)? List all such perforated intervals and give plugging detail, i.e., sacks of cement or plug(s) used 3808-3830', 3747-3795', 3258-3683'

5. Give the names and depths of any over or underlying oil or gas zones (pools) in this area. "

# INJECTION WELL DATA SHEET


OPERATOR The Wiser Oil Company

LEASE Skelly Unit

WELL NO. #74 530' FSL, 330' FWL, Unit M SECTION 21 TOWNSHIP 17S RANGE 31E

FOOTAGE LOCATION 530' FSL, 330' FWL, Unit M SECTION 21 TOWNSHIP 17S RANGE 31E

**Schematic**



**Well Construction Data**

Surface Casing 8 5/8 Set @ 652 Cemented with 155 SX.  
 TOC Surface feet determined by "  
 Hole Size 10 "  
 Intermediate Casing " Cemented with " SX.  
 TOC " feet determined by "  
 Hole Size "  
 Long String Set @ 3225 Cemented with 200 SX.  
 TOC 7 feet determined by "  
 Hole Size 8 "  
 Total Depth 3900 '  
 Injection Interval " feet to " feet  
 (perforated or open-hole; Indicate which) " lined with 2 7/8 " packer at 3340 feet  
 Tubing Size 2 7/8 " (type of internal coating) " set in a " feet

Other type of tubing / casing seal if applicable " packer at 3340 feet

Other Data  
 1. Is this a new well drilled for injection? Yes  No   
 If no, for what purpose was the well originally drilled? Oil Production

2. Name of the injection formation The Wiser Oil Company plans to convert this well to WIW
3. Name of Field or Pool (if applicable) Grayburg-San Andres Vacuum  
Grayburg Jackson 7-Rivers-QN-CB-SA
4. Has the well ever been perforated in any other zone(s)? List all such perforated intervals and give plugging detail, i.e., sacks of cement or plug(s) used 3028-98', 3114-77', 3223-96', 3303-60', 3406-31'
5. Give the names and depths of any over or underlying oil or gas zones (pools) in this area. "

# INJECTION WELL DATA SHEET

OPERATOR The Wiser Oil Company

LEASE Skelly Unit

WELL NO. #76

720' FSL, 1980' FHL, Unit O

21

17S

31E


FOOTAGE LOCATION

SECTION

TOWNSHIP

RANGE

## Schematic



## Well Construction Data

Surface Casing	Set @ <u>663</u>	" Cemented with	" <u>150</u>	SX.
TOC	Surface	feet determined by	"	
Hole Size			"	
Intermediate Casing	Set @ <u>3333</u>	" Cemented with	" <u>250</u>	SX.
TOC	<u>7</u>	feet determined by	"	
Hole Size			"	
Long String	Set @ <u>3900</u>	" Cemented with	" <u>138</u>	SX.
Size	<u>4 1/2</u>	feet determined by	" <u>Calculation</u>	
TOC	<u>2882</u>			
Hole Size			"	
Total Depth	<u>3900</u>			
Injection Interval		feet to		feet
		(perforated or open-hole; indicate which)		set in a
Tubing Size		" lined with		feet
		(type of internal coating)		feet
Other type of tubing / casing seal if applicable		packer at		feet
Other Data				

1. Is this a new well drilled for injection? Yes  No
- If no, for what purpose was the well originally drilled?  
Oil Production—P&A 12-8-90
2. Wiser plans to re-enter this well and complete as WTW
3. Name of the Injection formation Grayburg-San Andres Vacuum  
Grayburg Jackson 7-Rivers-QN-GB-SA
4. Has the well ever been perforated in any other zone(s)? List all such perforated intervals and give plugging detail, i.e., sacks of cement or plug(s) used 2205-65', 3120-3565', 3731-94', 3809-72'
5. Give the names and depths of any over or underlying oil or gas zones (pools) in this area. Fren Penn

WISER OIL CO. SET AT 3895' (3120-3565')  
 IN LOG HOLE AND LOGS  
 SET AT 1172' BY TRIPLOGGING  
 SET AT 1172' BY TRIPLOGGING



# INJECTION WELL DATA SHEET

OPERATOR The Wisser Oil Company


LEASE Skelly Unit

WELL NO. #80 660' FSL, 1980' FEL, Unit O 23 17S 31E

FOOTAGE LOCATION SECTION TOWNSHIP RANGE

**Schematic**

**Well Construction Data**



Perforations:  
 Grayburg  
 3269-3581'  
 San Andres  
 3597-3710'  
 Open Hole:  
 San Andres  
 3758-3801'

- Surface Casing Set @ 785 ' Cemented with 100 sx.  
 Size 8 5/8 " feet determined by \_\_\_\_\_  
 TOC Surface feet determined by \_\_\_\_\_  
 Hole Size 10 " "
- Intermediate Casing  
 Size \_\_\_\_\_ " Cemented with \_\_\_\_\_  
 TOC \_\_\_\_\_ feet determined by \_\_\_\_\_  
 Hole Size \_\_\_\_\_ " "
- Long String Set @ 3758 ' Cemented with 375 sx.  
 Size 5 1/2 " feet determined by \_\_\_\_\_  
 TOC 1330 " Cement Bond Log \_\_\_\_\_  
 Hole Size 8 " "
- Total Depth 3878 ' "
- Injection Interval \_\_\_\_\_ feet to \_\_\_\_\_ feet  
 (perforated or open-hole; Indicate which) \_\_\_\_\_ set in a  
 Tubing Size 2 3/8 " lined with \_\_\_\_\_ (type of internal coating) \_\_\_\_\_  
 packer at 3833 feet
- Other type of tubing / casing seal if applicable \_\_\_\_\_ feet
- Other Data
1. Is this a new well drilled for injection? Yes  No   
 If no, for what purpose was the well originally drilled? \_\_\_\_\_
- Oil Production
- The Wisser Oil Company plans to convert this well to WIW
2. Name of the Injection formation Grayburg-San Andres Vacuum
3. Name of Field or Pool (if applicable) Grayburg Jackson 7-Rivers-QN-GB-SA
4. Has the well ever been perforated in any other zone(s)? List all such perforated intervals and give plugging detail, i.e., sacks of cement or plug(s) used 3597-3710', 3269-3581'
5. Give the names and depths of any over or underlying oil or gas zones (pools) in this area. \_\_\_\_\_

# INJECTION WELL DATA SHEET

OPERATOR The Wiser Oil Company

LEASE Skelly Unit

WELL NO. #82

660' FNL, 1980' FWL, Unit C

26

17S

31E


FOOTAGE LOCATION

SECTION

TOWNSHIP

RANGE

## Schematic



## Well Construction Data

Surface Casing Set @ 803 ' Cemented with 125 ' SX.  
 TOC Surface feet determined by 125 ' SX.  
 Hole Size 10 " "

Intermediate Casing  
 Size " Cemented with " SX.  
 TOC " feet determined by " "

Hole Size " "

Long String Set @ 3681 ' Cemented with 370 ' SX.  
 Size 5 1/2 " feet determined by 370 ' SX.  
 TOC " "

Hole Size 8 " "

Total Depth 3877 ' "

Injection Interval " feet to " feet  
 (perforated or open-hole; indicate which)

Tubing Size 2 3/8 " lined with " (type of internal coating) set in a packer at 3619 feet

- Other type of tubing / casing seal if applicable \_\_\_\_\_
1. Is this a new well drilled for injection? Yes  No   
 If no, for what purpose was the well originally drilled? \_\_\_\_\_
- Oil Production**
- The Wiser Oil Company plans to convert this well to WIW
2. Name of the Injection formation Grayburg-San Andres Vacuum
3. Name of Field or Pool (if applicable) Grayburg Jackson 7-Rivers-QN-GB-SA
4. Has the well ever been perforated in any other zone(s)? List all such perforated intervals and give plugging detail, i.e., sacks of cement or plug(s) used 3321-3517', 3555-3642', 3608-42', 3748-3877'
5. Give the names and depths of any over or underlying oil or gas zones (pools) in this area. \_\_\_\_\_

Perforations:  
 Grayburg  
 3321-3517'  
 3555-62'  
 3608-13'  
 3622-33'  
 3639-42'

Open Hole:  
 San Andres  
 3681-3738'  
 Perforations:  
 3748-3877'

PBTD 3662'

# INJECTION WELL DATA SHEET

OPERATOR The Wiser Oil Company

LEASE Skelly Unit

WELL NO. #84

660' FNL, 660' FEL, Unit A

27

17S

31E


FOOTAGE LOCATION

SECTION

TOWNSHIP

RANGE

## Schematic



## Well Construction Data

Surface Casing Set @ 778 ' Cemented with 100 ' SX.  
 Size 8 5/8 " feet determined by \_\_\_\_\_  
 TOC Surface " " "  
 Hole Size 10 " " "  
 Intermediate Casing " Cemented with \_\_\_\_\_ SX.  
 Size \_\_\_\_\_ " feet determined by \_\_\_\_\_  
 TOC \_\_\_\_\_ " " "  
 Hole Size \_\_\_\_\_ " " "  
 Long String Set @ 3708 ' Cemented with \_\_\_\_\_ SX.  
 Size 5 1/2 " feet determined by 365 " Calculation \_\_\_\_\_ SX.  
 TOC 1953 " " "  
 Hole Size 8 " " "  
 Total Depth 3920 ' " "  
 Injection Interval \_\_\_\_\_ feet to \_\_\_\_\_ feet  
 (perforated or open-hole; Indicate which) \_\_\_\_\_ set in a  
 Tubing Size 2 3/8 " lined with \_\_\_\_\_ (type of internal coating) \_\_\_\_\_ feet

Other type of tubing / casing seal if applicable \_\_\_\_\_ packer at 3737 feet

1. Is this a new well drilled for injection? Yes  No

If no, for what purpose was the well originally drilled? \_\_\_\_\_

## Oil Production

The Wiser Oil Company plans to convert this well to WIV

2. Name of the Injection formation Grayburg-San Andres Vacuum

3. Name of Field or Pool (if applicable) Grayburg Jackson 7-Rivers-QN-GB-SA

4. Has the well ever been perforated in any other zone(s)? List all such perforated intervals and give plugging detail, i.e., sacks of cement or plug(s) used 3426-3688', 3349-3400'

5. Give the names and depths of any over or underlying oil or gas zones (pools) in this area. \_\_\_\_\_

# INJECTION WELL DATA SHEET

OPERATOR The Wiser Oil Company

LEASE Skelly Unit

WELL NO. #86

660' FNL, 1900' FWL, Unit C

27

17S

31E

FOOTAGE LOCATION


SECTION

TOWNSHIP

RANGE

Schematic

Well Construction Data



Perforations:  
 Grayburg  
 3315-3542'  
 3562-3598'  
 Open Hole:  
 San Andres  
 3612-3769'

3769' TD

- Surface Casing Set @ 743' Cemented with 150' SX.  
 Size 8 5/8" Cemented with 150' SX.  
 TOC Surface feet determined by "  
 Hole Size 10" "  
 Intermediate Casing  
 Size " Cemented with " SX.  
 TOC " feet determined by "  
 Hole Size " "  
 Long String Set @ 3612' "  
 Size 7" Cemented with 345' SX.  
 TOC " feet determined by "  
 Hole Size 8" "  
 Total Depth 3769' "  
 Injection Interval " feet to " feet  
 (perforated or open-hole: Indicate which) set in a  
 Tubing Size 2 3/8" lined with " (type of internal coating) packer at 3573' feet  
 Other type of tubing / casing seal if applicable \_\_\_\_\_ feet  
 Other Data \_\_\_\_\_
1. Is this a new well drilled for injection? Yes  No   
 If no, for what purpose was the well originally drilled? \_\_\_\_\_  
 Oil Production \_\_\_\_\_
  2. The Wiser Oil Company plans to convert this well to WIW
  3. Name of the Injection formation Grayburg-San Andres Vacuum  
 Name of Field or Pool (if applicable) Grayburg Jackson 7-Rivers-QN-GB-SA
  4. Has the well ever been perforated in any other zone(s)? List all such perforated intervals and give plugging detail, i.e., sacks of cement or plug(s) used 3315-3542', 3562-3598'
  5. Give the names and depths of any over or underlying oil or gas zones (pools) in this area. \_\_\_\_\_

# INJECTION WELL DATA SHEET

OPERATOR The Wisser Oil Company

LEASE Skelly Unit

WELL NO. #88

660' FNL, 660' FEL, Unit A

28

17S

31E


FOOTAGE LOCATION

SECTION

TOWNSHIP

RANGE

## Schematic



## Well Construction Data

Surface Casing Set @ 603 ' Cemented with 100 ' sx.  
 Size 8 5/8 " feet determined by Surface  
 TOC 300 ' feet determined by 300 ' sx.  
 Hole Size 10 " feet determined by 10 " sx.  
 Intermediate Casing " Cemented with \_\_\_\_\_  
 Size \_\_\_\_\_ feet determined by \_\_\_\_\_  
 TOC \_\_\_\_\_ feet determined by \_\_\_\_\_  
 Hole Size \_\_\_\_\_ " feet determined by \_\_\_\_\_  
 Long String Set @ 3145 ' Cemented with 200 ' sx.  
 Size 7 " feet determined by 300 ' Cement Bond Log  
 TOC \_\_\_\_\_ feet determined by 300 ' Cement Bond Log  
 Hole Size 8 1/4 " feet determined by \_\_\_\_\_  
 Total Depth 4105 ' feet determined by \_\_\_\_\_  
 Injection Interval \_\_\_\_\_ feet to \_\_\_\_\_ feet

(perforated or open-hole; Indicate which) \_\_\_\_\_ feet to \_\_\_\_\_ feet  
 Tubing Size 2 3/8 " lined with \_\_\_\_\_ (type of internal coating) set in a  
 packer at 3618 feet

Other type of tubing / casing seal if applicable \_\_\_\_\_ feet  
 Other Data \_\_\_\_\_


1. Is this a new well drilled for injection? Yes  No   
 If no, for what purpose was the well originally drilled? \_\_\_\_\_
- Oil Production \_\_\_\_\_
2. The Wisser Oil Company plans to convert this well to WIW \_\_\_\_\_
3. Name of the Injection formation Grayburg-San Andres Vacuum
4. Name of Field or Pool (if applicable) Grayburg Jackson 7-Rivers-ON-GB-SA
5. Has the well ever been perforated in any other zone(s)? List all such perforated intervals and give plugging detail, i.e., sacks of cement or plug(s) used 3625-3690'
6. Give the names and depths of any over or underlying oil or gas zones (pools) in this area. \_\_\_\_\_

# INJECTION WELL DATA SHEET

OPERATOR The Wiser Oil Company LEASE Skelly Unit

WELL NO. #90 FOOTAGE LOCATION 680' FNL, 1980' FWL, Unit C SECTION 28 TOWNSHIP 17S RANGE 31E

### Schematic



### Well Construction Data

Surface Casing Set @ 653 ' Cemented with 1500 feet determined by 1500 sx.  
 TOC Surface feet determined by 1500 sx.  
 Hole Size 10 " Intermediate Casing  
 Cemented with 3484 ' feet determined by 3484 ' sx.  
 TOC 3484 ' Cemented with 3484 ' feet determined by 3484 ' sx.  
 Hole Size 8 " Long String Set @ 3484 ' Cemented with 335 feet determined by 335 ' sx.  
 TOC 3484 ' Cemented with 335 feet determined by 335 ' sx.  
 Hole Size 8 " Total Depth 3632 ' Injection Interval 3632 ' feet to 3632 ' feet  
 (perforated or open-hole; indicate which) set in a  
 Tubing Size 2 3/8 " lined with 3537 ' packer at 3537 ' feet  
 (type of internal coating)


- Other type of tubing / casing seal if applicable \_\_\_\_\_ packer at 3537 feet
- Other Data \_\_\_\_\_
- Is this a new well drilled for injection? Yes  No
  - If no, for what purpose was the well originally drilled? Oil Production-SI
  - The Wiser Oil Company plans to convert this well to WIW \_\_\_\_\_
  - Name of the Injection formation Grayburg-San Andres Vacuum
  - Name of Field or Pool (if applicable) Grayburg Jackson 7-Rivers-QN-GB-SA
  - Has the well ever been perforated in any other zone(s)? List all such perforated intervals and give plugging detail, i.e., sacks of cement or plug(s) used 3175-3390'
  - Give the names and depths of any over or underlying oil or gas zones (pools) in this area. \_\_\_\_\_

# INJECTION WELL DATA SHEET

OPERATOR The Wiser Oil Company LEASE Skelly Unit

WELL NO. #91 FOOTAGE LOCATION 660' FNL, 660' FWL, Unit D SECTION 28 TOWNSHIP 17S RANGE 31E

## Schematic



## Well Construction Data

Surface Casing Set @ 650 ' Cemented with 100 feet determined by 100 SX.

TOC Surface feet determined by 100 SX.

Hole Size 12 1/4 " "

Intermediate Casing Set @ 3025 ' Cemented with 150 feet determined by 150 SX.

TOC 3025 feet determined by 150 SX.

Hole Size 8 1/4 " "

Long String Set @ 3025 ' Cemented with 1360 feet determined by 150 SX.

TOC 1360 feet determined by 150 SX.

Hole Size 8 1/4 " "

Total Depth 3724 ' "

Injection Interval 3025 feet to 3724 feet

(perforated or open-hole; indicate which) \_\_\_\_\_ feet

Tubing Size 3 1/2 " lined with \_\_\_\_\_ (type of internal coating) \_\_\_\_\_ feet

Other type of tubing / casing seal if applicable \_\_\_\_\_ packer at \_\_\_\_\_ feet

Other Data \_\_\_\_\_

1. Is this a new well drilled for injection? Yes X No \_\_\_\_\_

If no, for what purpose was the well originally drilled? \_\_\_\_\_

Oil Production 11-16-46 -- Conv to WTW 3-31-71 -- P&A 5-12-90

Wiser plans to re-enter this well and complete as WTW

2. Name of the injection formation Grayburg-San Andres Vacuum

3. Name of Field or Pool (if applicable) Grayburg Jackson 7-Rivers-QN-GB-SA


4. Has the well ever been perforated in any other zone(s)? List all such perforated intervals and give plugging detail, i.e., sacks of cement or plug(s) used 2193-2245', 3343-65', 3487-3525'

5. Give the names and depths of any over or underlying oil or gas zones (pools) in this area. \_\_\_\_\_

# INJECTION WELL DATA SHEET

OPERATOR The Wiser Oil Company LEASE Skelly Unit  
 WELL NO. #92 1980' FNL, 660' FWL, Unit E SECTION 28 TOWNSHIP 17S RANGE 31E

## Schematic



## Well Construction Data

Surface Casing Size 8 5/8 Set @ 686 Cemented with 125 feet determined by 125 SX.  
 TOC Surface  
 Hole Size 10 Intermediate Casing Size 10 Cemented with 320 feet determined by 320 SX.  
 TOC "  
 Hole Size " Cemented with " feet determined by " SX.  
 Long String Size 5 1/2 Set @ 3575 Cemented with 320 feet determined by 320 SX.  
 TOC "  
 Hole Size 8 Total Depth 3720  
 Injection Interval 3720 feet to 3720 feet  
 (perforated or open-hole; Indicate which) 3720 set in a  
 Tubing Size 2 3/8 & 2 7/8 " lined with " (type of internal coating) " feet  
 packer at 3411 & 2965 feet  
 Other type of tubing / casing seal if applicable " feet  
 Other Data "  
 1. Is this a new well drilled for injection? Yes X No No  
 If no, for what purpose was the well originally drilled? Oil Production - P&A 11-28-90  
 The Wiser Oil Company plans to convert this well to WIW  
 2. Name of the Injection formation Grayburg-San Andres Vacuum  
 3. Name of Field or Pool (if applicable) Grayburg Jackson 7-Rivers-ON-GB-SA  
 4. Has the well ever been perforated in any other zone(s)? List all such perforated intervals and give plugging detail, i.e., sacks of cement or plug(s) used 3193-3535'  
 5. Give the names and depths of any over or underlying oil or gas zones (pools) in this area. "




# INJECTION WELL DATA SHEET

OPERATOR The Wiser Oil Company LEASE Skelly Unit

WELL NO. #93 1980' FNL, 1980' FWL, Unit F SECTION 28 TOWNSHIP 17S RANGE 31E

FOOTAGE LOCATION 1980' FNL, 1980' FWL, Unit F

### Schematic



### Well Construction Data

Surface Casing Set @ 682' Cemented with 95' SX.

Size 8 5/8" Cemented with 95' SX.

TOC Surface feet determined by "

Hole Size Unknown " "

Intermediate Casing " Cemented with " SX.

Size " feet determined by "

TOC " feet determined by "

Hole Size "

Long String Set @ 3609' Cemented with 365' SX.

Size 5 1/2" feet determined by Temp. Survey

TOC 1410' " "

Hole Size Unknown " "

Total Depth 3700'

Injection Interval " feet to " feet

(perforated or open-hole; indicate which)

Tubing Size " lined with " (type of internal coating) set in a " packer at " feet

Other type of tubing / casing seal if applicable " feet

Other Data

1. Is this a new well drilled for injection? Yes X No "  
 If no, for what purpose was the well originally drilled?  
Oil Production 12-21-59 - Converted to WIW - TA 7-25-88

2. Name of the Injection formation Grayburg-San Andres Vacuum

3. Name of Field or Pool (if applicable) Grayburg Jackson 7-Rivers-QN-GB-SA

4. Has the well ever been perforated in any other zone(s)? List all such perforated intervals and give plugging detail, i.e., sacks of cement or plug(s) used 3500-3579'

5. Give the names and depths of any over or underlying oil or gas zones (pools) in this area. "

Original Well Log, see Serial 1338  
 Call Unit # 5  
 (see Grayburg 1980/71)

**INJECTION WELL DATA SHEET**

OPERATOR The Wisser Oil Company

LEASE Skelly Unit

WELL NO. #94

1980' FNL, 1980' FEL, Unit G

28

17S

31E


FOOTAGE LOCATION

SECTION

TOWNSHIP

RANGE

**Schematic**



**Well Construction Data**

Surface Casing      Set @ 710      Cemented with 95      SX.

TOC      Surface      feet determined by                           "

Hole Size      10      "

Intermediate Casing

Size                                Cemented with                           SX.

TOC                                feet determined by                           "

Hole Size                                "

Long String      Set @ 3662      Cemented with                           SX.

Size      5 1/2      "      feet determined by 360      Calculation      SX.

TOC      1931      "

Hole Size      8      "

Total Depth      3767      "

Injection Interval                                feet to                           feet

(perforated or open-hole; indicate which)

Tubing Size      2      " lined with                           (type of internal coating)      set in a                           packer at 3665      feet

Other type of tubing / casing seal if applicable                     

Other Data

1. Is this a new well drilled for injection?      Yes X      No                     

If no, for what purpose was the well originally drilled?                     

Oil Production - P&A 11-30-90

The Wisser Oil Company plans to convert this well to WIW

2. Name of the Injection formation      Grayburg-San Andres Vacuum

3. Name of Field or Pool (if applicable)      Grayburg Jackson 7-Rivers-QN-GB-SA

4. Has the well ever been perforated in any other zone(s)? List all such perforated intervals and give plugging detail, i.e., sacks of cement or plug(s) used      3662-3767', 3294-3615'

5. Give the names and depths of any over or underlying oil or gas zones (pools) in this area.                     

P+Q 11-30-90

# INJECTION WELL DATA SHEET

OPERATOR The Wiser Oil Company

LEASE Skelly Unit

WELL NO. #95

1980' FNL, 660' FEL, Unit H

28

17S

31E


FOOTAGE LOCATION

SECTION

TOWNSHIP

RANGE

Schematic



Well Construction Data

Surface Casing Set @ 745 ' Cemented with 95 SX.  
 Size 8 5/8 Surface feet determined by \_\_\_\_\_  
 TOC \_\_\_\_\_  
 Hole Size Unknown " Intermediate Casing  
 Size \_\_\_\_\_ Cemented with \_\_\_\_\_ SX.  
 TOC \_\_\_\_\_ feet determined by \_\_\_\_\_  
 Hole Size \_\_\_\_\_ " Long String  
 Long String Set @ 3691 ' Cemented with \_\_\_\_\_ SX.  
 Size 5 1/2 " Cemented with 360 Temp. Survey  
 TOC 1831 feet determined by \_\_\_\_\_  
 Hole Size Unknown " Total Depth 3783 '  
 Injection Interval \_\_\_\_\_ feet to \_\_\_\_\_ feet  
 (perforated or open-hole; Indicate which) \_\_\_\_\_ set in a  
 Tubing Size \_\_\_\_\_ " lined with \_\_\_\_\_ (type of internal coating) \_\_\_\_\_ feet

Other type of tubing / casing seal if applicable \_\_\_\_\_ packer at \_\_\_\_\_ feet  
 Other Data \_\_\_\_\_

1. Is this a new well drilled for injection? Yes  No   
 If no, for what purpose was the well originally drilled?  
Oil Production 2-3-60 - Converted to WIW - TA 7-25-88

2. Name of the Injection formation Gravburg-San Andres Vacuum
3. Name of Field or Pool (if applicable) Grayburg Jackson 7-Rivers-QN-GB-SA
4. Has the well ever been perforated in any other zone(s)? List all such perforated intervals and give plugging detail, i.e., sacks of cement or plug(s) used 3337-3655'
5. Give the names and depths of any over or underlying oil or gas zones (pools) in this area. \_\_\_\_\_


# INJECTION WELL DATA SHEET

OPERATOR The Wiser Oil Company LEASE Skelly Unit

WELL NO. #97 1980' FNL, 1980' FEL, Unit G SECTION 27 TOWNSHIP 17S RANGE 31E

FOOTAGE LOCATION 1980' FNL, 1980' FEL, Unit G

### Schematic



### Well Construction Data

Surface Casing Set @ 880 ' Cemented with 125 ' SX.  
 Size 8 5/8 " Surface feet determined by  
 TOC 880 ' feet determined by  
 Hole Size 10 " "  
 Intermediate Casing  
 Size " Cemented with  
 TOC feet determined by "  
 Hole Size " feet determined by  
 Long String Set @ 3812 ' "  
 Size 5 1/2 " Cemented with 375 ' SX.  
 TOC 2009 ' feet determined by Calculation  
 Hole Size 8 " "  
 Total Depth 3945 ' "  
 Injection Interval feet to ' feet

(perforated or open-hole; Indicate which)  
 Tubing Size 2 " lined with \_\_\_\_\_ packer at 3812 ' feet  
 (type of internal coating) set in a

Other type of tubing / casing seal if applicable \_\_\_\_\_ feet  
 Other Data \_\_\_\_\_

1. Is this a new well drilled for injection? Yes  No
- If no, for what purpose was the well originally drilled? \_\_\_\_\_
- Oil Production - SI
2. The Wiser Oil Company plans to convert this well to WIW
3. Name of the Injection formation Grayburg-San Andres-Vacuum
4. Name of Field or Pool (if applicable) Grayburg Jackson 7-Rivers-QN-GB-SA
5. Has the well ever been perforated in any other zone(s)? List all such perforated intervals and give plugging detail, i.e., sacks of cement or plug(s) used 3429-3787"
6. Give the names and depths of any over or underlying oil or gas zones (pools) in this area. \_\_\_\_\_

# INJECTION WELL DATA SHEET

OPERATOR The Wiser Oil Company

LEASE Skelly Unit

WELL NO. #98

1980' FSL, 1980' FEL, Unit J

28

17S

31E


FOOTAGE LOCATION

SECTION

TOWNSHIP

RANGE

## Schematic



## Well Construction Data

Surface Casing      Set @ 769      Cemented with 100      sx.

Size 8 5/8      Surface      feet determined by \_\_\_\_\_

TOC \_\_\_\_\_      Intermediate Casing      Unknown      "

Hole Size \_\_\_\_\_      Size \_\_\_\_\_      Cemented with \_\_\_\_\_      sx.

TOC \_\_\_\_\_      TOC \_\_\_\_\_      feet determined by \_\_\_\_\_

Hole Size \_\_\_\_\_      Long String      Set @ 3730      "

Size 5 1/2      TOC \_\_\_\_\_      Cemented with \_\_\_\_\_      325      sx.

Hole Size \_\_\_\_\_      Hole Size \_\_\_\_\_      feet determined by \_\_\_\_\_

Total Depth 3810      Injection Interval \_\_\_\_\_      feet

Injection Interval \_\_\_\_\_      feet to \_\_\_\_\_      feet

(perforated or open-hole; Indicate which) \_\_\_\_\_      set in a \_\_\_\_\_

Tubing Size \_\_\_\_\_      " lined with \_\_\_\_\_      (type of internal coating) \_\_\_\_\_      feet

Other type of tubing / casing seal if applicable \_\_\_\_\_      packer at \_\_\_\_\_      feet

Other Data \_\_\_\_\_

1. Is this a new well drilled for injection?      Yes X      No \_\_\_\_\_

If no, for what purpose was the well originally drilled? \_\_\_\_\_

Oil Production 6-15-61 - Conv to WTW 12-29-67 - P&A 12-14-90

Wiser plans to re-enter this well and complete as WTW \_\_\_\_\_

2. Name of the Injection formation      Grayburg-San Andres Vacuum

3. Name of Field or Pool (if applicable)      Grayburg Jackson 7-Rivers-QN-GB-SA

4. Has the well ever been perforated in any other zone(s)? List all such perforated intervals and give plugging detail, i.e., sacks of cement or plug(s) used      3358-3624'

5. Give the names and depths of any over or underlying oil or gas zones (pools) in this area.      Cedar Lake-Morrow East

# INJECTION WELL DATA SHEET

OPERATOR The Wisser Oil Company

LEASE Skelly Unit

WELL NO. #99

1980' FSL, 1980' FWL, Unit K

28

17S

31E


FOOTAGE LOCATION

SECTION

TOWNSHIP

RANGE

**Schematic**



**Well Construction Data**

Surface Casing Set @ 732

Size 8 5/8 Cemented with 100 SX.

TOC Surface feet determined by 100

Hole Size 10 "

Intermediate Casing " Cemented with 100 SX.

TOC " feet determined by 100

Hole Size 10 "

Long String Set @ 3688

Size 5 1/2 " Cemented with 425 SX.

TOC 1422 feet determined by Temp Survey

Hole Size 8 "

Total Depth 3780

Injection Interval 3780 feet to 3780 feet

(perforated or open-hole; Indicate which)

Tubing Size 2 " lined with 3750 packer at 3750 feet

Other type of tubing / casing seal if applicable \_\_\_\_\_ set in a \_\_\_\_\_ feet

Other Data \_\_\_\_\_

1. Is this a new well drilled for injection? Yes  No

If no, for what purpose was the well originally drilled? Oil Production - P&A 9-15-88

The Wisser Oil Company plans to convert this well to WIW

2. Name of the Injection formation Grayburg-San Andres Vacuum

3. Name of Field or Pool (if applicable) Grayburg Jackson 7-Rivers-QN-GB-SA

4. Has the well ever been perforated in any other zone(s)? List all such perforated intervals and give plugging detail, i.e., sacks of cement or plug(s) used 3688-3780', 3326-3574'

5. Give the names and depths of any over or underlying oil or gas zones (pools) in this area. Cedar Lake-Morrow East

# INJECTION WELL DATA SHEET

OPERATOR The Wisser Oil Company

LEASE Skelly Unit

WELL NO. #100

1980' FSL, 660' FWL, Unit L

28

17S

31E


FOOTAGE LOCATION

SECTION

TOWNSHIP

RANGE

## Schematic



## Well Construction Data

Surface Casing Set @ 707 Cemented with 90 Sx.  
 Size 8 5/8 Surface feet determined by \_\_\_\_\_  
 TOC \_\_\_\_\_  
 Hole Size 10 Intermediate Casing  
 Intermediate Casing Size \_\_\_\_\_ Cemented with \_\_\_\_\_ Sx.  
 TOC \_\_\_\_\_ feet determined by \_\_\_\_\_  
 Hole Size \_\_\_\_\_  
 Long String Set @ 3632 Cemented with 370 Sx.  
 Size 5 1/2 TOC \_\_\_\_\_ feet determined by Tenn. Survey  
 TOC 1591  
 Hole Size 8  
 Total Depth 3734  
 Injection Interval \_\_\_\_\_ feet to \_\_\_\_\_ feet  
 (perforated or open-hole; Indicate which) \_\_\_\_\_ set in a  
 Tubing Size \_\_\_\_\_ " lined with \_\_\_\_\_ (type of internal coating) \_\_\_\_\_ feet

Other type of tubing / casing seal if applicable \_\_\_\_\_ packer at \_\_\_\_\_ feet  
 Other Data \_\_\_\_\_

1. Is this a new well drilled for injection? Yes X No \_\_\_\_\_  
 If no, for what purpose was the well originally drilled?  
Oil Production 12-4-59--Converted to WIW 3-30-71--P&A 12-17-90

### Wisser plans to re-enter this well and complete as WIW

2. Name of the Injection formation Grayburg-San Andres Vacuum
3. Name of Field or Pool (if applicable) Grayburg Jackson 7-Rivers-QN-GB-SA
4. Has the well ever been perforated in any other zone(s)? List all such perforated intervals and give plugging detail, i.e., sacks of cement or plug(s) used 3522-91'
5. Give the names and depths of any over or underlying oil or gas zones (pools) in this area. Cedar Lake-Morrow East

# INJECTION WELL DATA SHEET

OPERATOR The Wisser Oil Company

LEASE Skelly Unit

WELL NO. #101

1980' FNL, 660' FWL, Unit E

22

17S

31E


FOOTAGE LOCATION

SECTION

TOWNSHIP

RANGE

## Schematic



## Well Construction Data

Surface Casing Set @ 612 Cemented with 100 SX.  
 Size 8 5/8 feet determined by Surface  
 TOC Surface  
 Hole Size 10 1/4"  
 Intermediate Casing  
 Size \_\_\_\_\_ Cemented with \_\_\_\_\_ SX.  
 TOC \_\_\_\_\_ feet determined by \_\_\_\_\_  
 Hole Size \_\_\_\_\_"  
 Long String Set @ 3020 Cemented with 200 SX.  
 Size 7 feet determined by Cement Bond Log  
 TOC 400  
 Hole Size 8 1/4"  
 Total Depth 3892  
 Injection Interval \_\_\_\_\_ feet to \_\_\_\_\_ feet

(perforated or open-hole; Indicate which)  
 Tubing Size 2 " lined with \_\_\_\_\_ (type of internal coating) set in a  
 packer at 3426 feet

Other type of tubing / casing seal if applicable \_\_\_\_\_ feet

### Other Data

1. Is this a new well drilled for injection? Yes  No   
 If no, for what purpose was the well originally drilled? \_\_\_\_\_

### Oil Production

The Wisser Oil Company plans to convert this well to WIW

2. Name of the Injection formation Grayburg-San Andres Vacuum

3. Name of Field or Pool (if applicable) Grayburg Jackson 7-Rivers-QN-GB-SA

4. Has the well ever been perforated in any other zone(s)? List all such perforated intervals and give plugging detail, i.e., sacks of cement or plug(s) used \_\_\_\_\_

5. Give the names and depths of any over or underlying oil or gas zones (pools) in this area. Fren Penn



# INJECTION WELL DATA SHEET

OPERATOR The Wisser Oil Company

LEASE Skelly Unit


WELL NO. #103

560' FNL, 1980' FWL, Unit C

FOOTAGE LOCATION

SECTION 14 TOWNSHIP 17S RANGE 31E

**Schematic**



**Well Construction Data**

Surface Casing Size 8 5/8 Set @ 840 Cemented with 125 feet determined by Temp. Survey sx.

TOC 1839 Hole Size 10 Intermediate Casing Size 10 Cemented with 125 feet determined by Temp. Survey sx.

TOC 1839 Hole Size 8 Cemented with 125 feet determined by Temp. Survey sx.

Hole Size 8 Total Depth 3860 Injection Interval 3410-55; 3563-96 feet to 3860 feet

Long String Set @ 3642 Cemented with 125 feet determined by Temp. Survey sx.

Size 5 1/2 TOC 1839 Hole Size 8 Total Depth 3860 Injection Interval 3410-55; 3563-96 feet to 3860 feet

(perforated or open-hole; Indicate which) 2 " lined with 3330 packer at 3330 feet set in a

Other type of tubing / casing seal if applicable 3330 packer at 3330 feet

Other Data 3330 packer at 3330 feet

1. Is this a new well drilled for injection? Yes  No

If no, for what purpose was the well originally drilled? Oil Production 5-17-61

The Wisser Oil Company plans to convert this well to WIW

2. Name of the Injection formation Grayburg-San Andres Vacuum

3. Name of Field or Pool (if applicable) Grayburg-Jackson 7-Rivers-QN-GB-SA

4. Has the well ever been perforated in any other zone(s)? List all such perforated intervals and give plugging detail, i.e., sacks of cement or plug(s) used 3410-55; 3563-96

5. Give the names and depths of any over or underlying oil or gas zones (pools) in this area. 3860' TD

Perforations: Grayburg 3410-55' 3563-96'

Open Hole 3642-3860'

5 1/2" Casing @ 3642 375 sx

8" Hole Size

TOC @ 1839'

8 5/8" Casing @ 840 125 sx

125" Cement

3860' TD

# INJECTION WELL DATA SHEET

OPERATOR The Wiser Oil Company

LEASE Skelly Unit

WELL NO. #104

1980' FNL, 660' FWL, Unit E

14

17S

31E


FOOTAGE LOCATION

SECTION

TOWNSHIP

RANGE

**Schematic**



**Well Construction Data**

Surface Casing Set @ 801' Cemented with 95 sx.  
 Size 10 3/4" Surface feet determined by 95 sx.  
 TOC Surface feet determined by 95 sx.  
 Hole Size Unknown " Intermediate Casing  
 Size Unknown " Cemented with 95 sx.  
 TOC Unknown feet determined by 95 sx.  
 Hole Size Unknown " Long String Set @ 3305'  
 Size 7" Cemented with 150 sx.  
 TOC 1910' feet determined by Temp. Survey  
 Hole Size Unknown " Total Depth 3831'  
 Injection Interval 3831' feet to 3831' feet  
 (perforated or open-hole; indicate which) feet  
 Tubing Size 2 3/8" lined with 3654 packer at 3654 feet  
 (type of internal coating) set in a  
 Other type of tubing / casing seal if applicable \_\_\_\_\_ feet  
 Other Data \_\_\_\_\_

1. Is this a new well drilled for injection? Yes  No   
 If no, for what purpose was the well originally drilled? \_\_\_\_\_

**Oil Production**  
The Wiser Oil Company plans to convert this well to WTIW  
 2. Name of the Injection formation Grayburg-San Andres Vacuum  
 3. Name of Field or Pool (if applicable) Grayburg-Jackson 7-Rivers-QN-GB-SA  
 4. Has the well ever been perforated in any other zone(s)? List all such perforated intervals and give plugging detail, i.e., sacks of cement or plug(s) used 3314-3676'  
 5. Give the names and depths of any over or underlying oil or gas zones (pools) in this area. \_\_\_\_\_


# INJECTION WELL DATA SHEET

OPERATOR The Wiser Oil Company LEASE Skelly Unit

WELL NO. #106 660' FNL, 1980' FWL, Unit C SECTION 15 TOWNSHIP 17S RANGE 31E

FOOTAGE LOCATION 660' FNL, 1980' FWL, Unit C

### Schematic



### Well Construction Data

Surface Casing Set @ 626 ' Cemented with 300 SX.  
 Size 8 5/8 " feet determined by Surface  
 TOC Surface  
 Hole Size 11 "  
 Intermediate Casing  
 Size " Cemented with " SX.  
 TOC feet determined by "  
 Hole Size "  
 Long String Set @ 3692 ' Cemented with 550 SX.  
 Size 5 1/2 " feet determined by Cement Bond Log  
 TOC 1510  
 Hole Size 7 7/8 "  
 Total Depth 3692 '  
 Injection Interval feet to feet  
 (perforated or open-hole; Indicate which) set in a  
 Tubing Size 2 3/8 " lined with (type of internal coating) packer at 3506 feet

Other type of tubing / casing seal if applicable \_\_\_\_\_ feet  
 Other Data \_\_\_\_\_

1. Is this a new well drilled for injection? Yes  No   
 If no, for what purpose was the well originally drilled?  
Oil Production 2-19-71

2. Name of the Injection formation Grayburg-San Andres Vacuum
3. Name of Field or Pool (if applicable) Grayburg Jackson 7-Rivers-QN-GB-SA
4. Has the well ever been perforated in any other zone(s)? List all such perforated intervals and give plugging detail, i.e., sacks of cement or plug(s) used 3282-3510'
5. Give the names and depths of any over or underlying oil or gas zones (pools) in this area. \_\_\_\_\_

# INJECTION WELL DATA SHEET

OPERATOR The Wiser Oil Company

LEASE Skelly Unit

WELL NO. #107

1760 FNL, 660' FWL, Unit E

27

17S

31E


FOOTAGE LOCATION

SECTION

TOWNSHIP

RANGE

## Schematic



## Well Construction Data

Surface Casing Set @ 628 feet

Size 8 5/8 " Cemented with 260 feet determined by 260 sx.

TOC Surface feet determined by 260 feet

Hole Size 11 " "

Intermediate Casing Size 11 " Cemented with 260 feet determined by 260 sx.

TOC Surface feet determined by 260 feet

Hole Size 11 " "

Long String Set @ 3860 feet

Size 5 1/2 " Cemented with 650 feet determined by 650 sx.

TOC 540 feet determined by Calculation "

Hole Size 7 7/8 " "

Total Depth 3860 feet

Injection Interval 3424-3821 feet to 3821 feet

(perforated or open-hole; Indicate which) 3424-3821 feet

Tubing Size 2 7/8 " lined with 3755 packer at 3755 feet

(type of internal coating) 3755 feet

Other type of tubing / casing seal if applicable 3755 feet

Other Data 3755 packer at 3755 feet

1. Is this a new well drilled for injection? Yes  No

If no, for what purpose was the well originally drilled? Oil Production

2. Name of the Injection formation Grayburg-San Andres-Vacuum

3. Name of Field or Pool (if applicable) Grayburg-Jackson 7-Rivers-QN-GB-SA

4. Has the well ever been perforated in any other zone(s)? List all such perforated intervals and give plugging detail, i.e., sacks of cement or plug(s) used 3424-3821'

5. Give the names and depths of any over or underlying oil or gas zones (pools) in this area. 3860' TD

The Wiser Oil Company plans to convert this well to WTW

Name of the Injection formation Grayburg-San Andres-Vacuum

Name of Field or Pool (if applicable) Grayburg-Jackson 7-Rivers-QN-GB-SA

Has the well ever been perforated in any other zone(s)? List all such perforated intervals and give plugging detail, i.e., sacks of cement or plug(s) used 3424-3821'

Give the names and depths of any over or underlying oil or gas zones (pools) in this area. 3860' TD

# INJECTION WELL DATA SHEET

OPERATOR The Wisser Oil Company

LEASE Skelly Unit

WELL NO. #108

660' FNL, 660' FEL, Unit A

15

17S

31E


FOOTAGE LOCATION

SECTION

TOWNSHIP

RANGE

## Schematic



## Well Construction Data

Surface Casing Set @ 629 ' Cemented with 575 sx.  
 Size 8 5/8 feet determined by Surface  
 TOC Surface  
 Hole Size 11 "  
 Intermediate Casing  
 Size " Cemented with \_\_\_\_\_  
 TOC \_\_\_\_\_ feet determined by \_\_\_\_\_  
 Hole Size \_\_\_\_\_ "  
 Long String Set @ 3804 ' Cemented with 700 sx.  
 Size 5 1/2 feet determined by Calculation  
 TOC 228  
 Hole Size 7 7/8 "  
 Total Depth 3804 '  
 Injection Interval \_\_\_\_\_ feet to \_\_\_\_\_ feet  
 (perforated or open-hole; indicate which)  
 Tubing Size 2 3/8 " lined with \_\_\_\_\_ (type of internal coating) set in a  
 packer at 3284 feet

Other type of tubing / casing seal if applicable \_\_\_\_\_ feet

1. Is this a new well drilled for injection? Yes  No   
 If no, for what purpose was the well originally drilled?  
Oil Production 4-30-71

2. Name of the Injection formation Grayburg-San Andres Vacuum
3. Name of Field or Pool (if applicable) Grayburg Jackson 7-Rivers-ON-GB-SA
4. Has the well ever been perforated in any other zone(s)? List all such perforated intervals and give plugging detail, i.e., sacks of cement or plug(s) used 3375-3574'
5. Give the names and depths of any over or underlying oil or gas zones (pools) in this area. \_\_\_\_\_

# INJECTION WELL DATA SHEET

OPERATOR The Wisser Oil Company

LEASE Skelly Unit

WELL NO. #109

1980' FNL, 660' FWL, Unit E

15

17S

31E


FOOTAGE LOCATION

SECTION

TOWNSHIP

RANGE

**Schematic**



**Well Construction Data**

Surface Casing Set @ 621 ' Cemented with 350 SX  
 Size 8 5/8 " feet determined by Surface  
 TOC Surface feet determined by "  
 Hole Size 11 " feet determined by "  
 Intermediate Casing Size " Cemented with " SX  
 TOC " feet determined by "  
 Hole Size " feet determined by "  
 Long String Set @ 3810 ' Cemented with 680 SX  
 Size 5 1/2 " feet determined by Temp. Survey  
 TOC 1000 feet determined by "  
 Hole Size 7 7/8 " feet determined by "  
 Total Depth 3810 ' feet  
 Injection Interval " feet to " feet

(perforated or open-hole; indicate which) feet to feet  
 Tubing Size 2 7/8 " lined with " (type of internal coating) set in a  
 packer at 3607 feet

Other type of tubing / casing seal if applicable \_\_\_\_\_ feet  
 Other Data \_\_\_\_\_

1. Is this a new well drilled for injection? Yes  No   
 If no, for what purpose was the well originally drilled?  
Oil Production 9-2-71
2. The Wisser Oil Company plans to convert this well to WTW
3. Name of the Injection formation Grayburg-San Andres Vacuum
4. Name of Field or Pool (if applicable) Grayburg Jackson 7-Rivers-QN-GB-SA
5. Has the well ever been perforated in any other zone(s)? List all such perforated intervals and give plugging detail, i.e., sacks of cement or plug(s) used 3185-3604'
6. Give the names and depths of any over or underlying oil or gas zones (pools) in this area. \_\_\_\_\_

# INJECTION WELL DATA SHEET

OPERATOR The Wiser Oil Company

LEASE Skelly Unit

WELL NO. #110

1980' FNL, 1980' FEL, Unit G

14

17S

31E


FOOTAGE LOCATION

SECTION

TOWNSHIP

RANGE

## Schematic



## Well Construction Data

- Surface Casing Set @ 626' Cemented with 350 SX.  
 Size 8 5/8" feet determined by Surface  
 TOC  
 Hole Size 11" Intermediate Casing  
 Size " Cemented with " SX.  
 TOC feet determined by " SX.  
 Hole Size " Long String Set @ 3805' Cemented with 850 SX.  
 Size 5 1/2" feet determined by " SX.  
 TOC  
 Hole Size 7 7/8" Total Depth 3805'  
 Injection Interval feet to feet  
 (perforated or open-hole; indicate which) feet  
 Tubing Size 2 7/8" lined with (type of internal coating) 3739 feet  
 packer at feet  
 Other type of tubing / casing seal if applicable  
 Other Data
- Is this a new well drilled for injection? Yes  No
  - If no, for what purpose was the well originally drilled?  
Oil Production 9-4-71
  - The Wiser Oil Company plans to convert this well to WTW
  - Name of the injection formation Grayburg-San Andres Vacuum
  - Name of Field or Pool (if applicable) Grayburg Jackson 7-Rivers-QN-GB-SA
  - Has the well ever been perforated in any other zone(s)? List all such perforated intervals and give plugging detail, i.e., sacks of cement or plug(s) used 3316-98'; 3436-68'; 3501-96'; 3639-98'; 3708-18'
  - Give the names and depths of any over or underlying oil or gas zones (pools) in this area.

# INJECTION WELL DATA SHEET

OPERATOR The Wiser Oil Company

LEASE Skelly Unit

WELL NO. #111

1980' FSL, 660' FEL, Unit I

14

17S

31E


FOOTAGE LOCATION

SECTION

TOWNSHIP

RANGE

**Schematic**



**Well Construction Data**

Surface Casing Set @ 629 feet Cemented with 350 sacks.  
 Size 8 5/8 inches Surface feet determined by 350 sacks.  
 TOC 67 feet  
 Hole Size 7 7/8 inches  
 Intermediate Casing Set @ 3899 feet Cemented with 750 sacks.  
 Size 5 1/2 inches  
 TOC 67 feet determined by Calculation  
 Hole Size 7 7/8 inches  
 Long String Set @ 3899 feet  
 Size 5 1/2 inches Cemented with 750 sacks.  
 TOC 67 feet determined by Calculation  
 Hole Size 7 7/8 inches  
 Total Depth 3900 feet  
 Injection Interval 3835 feet to 3899 feet  
 (perforated or open-hole; indicate which) set in a  
 Tubing Size 2 7/8 inches lined with 3759 packer at 3835 feet  
 (type of internal coating)

Other type of tubing / casing seal if applicable \_\_\_\_\_ feet  
 Other Data \_\_\_\_\_

1. Is this a new well drilled for injection? Yes  No   
 If no, for what purpose was the well originally drilled?  
Oil Production 12-29-71

- The Wiser Oil Company plans to convert this well to WIW
- Name of the Injection formation Grayburg-San Andres Vacuum
  - Name of Field or Pool (if applicable) Grayburg Jackson 7-Rivers-QN-GB-SA
  - Has the well ever been perforated in any other zone(s)? List all such perforated intervals and give plugging detail, i.e., sacks of cement or plug(s) used 3354-3823'
  - Give the names and depths of any over or underlying oil or gas zones (pools) in this area. \_\_\_\_\_



# INJECTION WELL DATA SHEET

OPERATOR The Wisser Oil Company

LEASE Skelly Unit

WELL NO. #112

660' FNL, 660' FEL, Unit A

14

17S

31E


FOOTAGE LOCATION

SECTION

TOWNSHIP

RANGE

## Schematic



## Well Construction Data

Surface Casing Set @ 634 feet Cemented with 8 5/8 inch Surface 350 feet determined by Temp. Survey SX.

TOC 1010 feet determined by Temp. Survey SX.

Hole Size 11 inch Intermediate Casing 11 inch

Size 11 inch Cemented with 11 inch Intermediate Casing 11 inch

Hole Size 11 inch TOC 1010 feet determined by Temp. Survey SX.

Long String Set @ 3986 feet Cemented with 5 1/2 inch Casing 900 feet determined by Temp. Survey SX.

Size 5 1/2 inch TOC 1010 feet determined by Temp. Survey SX.

Hole Size 7 7/8 inch Total Depth 3987 feet

Injection Interval 3987 feet to 3987 feet

(perforated or open-hole; indicate which)

Tubing Size 2 7/8 inch lined with 2 7/8 inch packer at 3884 feet set in a 3987 feet

Other type of tubing / casing seal if applicable \_\_\_\_\_ (type of internal coating) \_\_\_\_\_ feet

Other Data \_\_\_\_\_ packer at \_\_\_\_\_ feet

1. Is this a new well drilled for injection? Yes  No

If no, for what purpose was the well originally drilled? \_\_\_\_\_

Oil Production 1-9-72

2. The Wisser Oil Company plans to convert this well to WIW
3. Name of the Injection formation Grayburg-San Andres Vacuum
4. Name of Field or Pool (if applicable) Grayburg Jackson 7-Rivers-QN-GB-SA
5. Has the well ever been perforated in any other zone(s)? List all such perforated intervals and give plugging detail, i.e., sacks of cement or plug(s) used 3409-3911'
6. Give the names and depths of any over or underlying oil or gas zones (pools) in this area. \_\_\_\_\_

# INJECTION WELL DATA SHEET

OPERATOR The Wiser Oil Company

LEASE Skelly Unit

WELL NO. #113

1980' FNL, 660' FEL, Unit H

14

17S

31E


FOOTAGE LOCATION

SECTION

TOWNSHIP

RANGE

**Schematic**



**Well Construction Data**

Surface Casing Set @ 617 ' Cemented with 350 ' SX.  
 Size 8 5/8 " Surface feet determined by 350 ' SX.  
 TOC Surface feet determined by 350 ' SX.  
 Hole Size 11 " " "  
 Intermediate Casing " Cemented with " " SX.  
 Size " feet determined by " " SX.  
 TOC " feet determined by " " SX.  
 Hole Size " " " "  
 Long String Set @ 3959 ' Cemented with 750 ' SX.  
 Size 5 1/2 " feet determined by Temp. Survey " SX.  
 TOC 760 " " "  
 Hole Size 7 7/8 " " "  
 Total Depth 3960 ' " "  
 Injection Interval 3960 ' feet to 3960 ' feet  
 (perforated or open-hole; Indicate which) set in a  
 Tubing Size 2 3/8 " lined with 3906 (type of internal coating) feet

Other type of tubing / casing seal if applicable \_\_\_\_\_ packer at 3906 feet

**Other Data**

- Is this a new well drilled for injection? Yes  No   
 If no, for what purpose was the well originally drilled? Oil Production 1-14-72

The Wiser Oil Company plans to convert this well to WIW

- Name of the injection formation Grayburg-San Andres Vacuum
- Name of Field or Pool (if applicable) Grayburg Jackson 7-Rivers-QN-GB-SA
- Has the well ever been perforated in any other zone(s)? List all such perforated intervals and give plugging detail, i.e., sacks of cement or plug(s) used 3376-3890'
- Give the names and depths of any over or underlying oil or gas zones (pools) in this area. \_\_\_\_\_

Perforations:  
Grayburg-San Andres  
3376-3890'

# INJECTION WELL DATA SHEET

OPERATOR The Wiser Oil Company

LEASE Skelly Unit

WELL NO. #121

660' FSL, 660' FWL, Unit M

23

17S

31E


FOOTAGE LOCATION

SECTION

TOWNSHIP

RANGE

Schematic



Well Construction Data

Surface Casing Set @ 673 ' Cemented with 300 sx.  
 Size 8 5/8 " feet determined by Surface  
 TOC 684 feet determined by Calculation  
 Hole Size 7 7/8 " feet determined by Calculation  
 Intermediate Casing Set @ 2600 ' Cemented with 375 sx.  
 Size 7 7/8 " feet determined by Calculation  
 TOC 684 feet determined by Calculation  
 Hole Size 7 7/8 " feet determined by Calculation  
 Long String Set @ 2600 ' Cemented with 375 sx.  
 Size 5 1/2 " feet determined by Calculation  
 TOC 684 feet determined by Calculation  
 Hole Size 7 7/8 " feet determined by Calculation  
 Total Depth 2600 ' feet determined by Calculation  
 Injection Interval \_\_\_\_\_ feet to \_\_\_\_\_ feet

(perforated or open-hole; Indicate which) feet to \_\_\_\_\_ feet  
 Tubing Size 2 3/8 " lined with \_\_\_\_\_ packer at \_\_\_\_\_ feet  
 (type of internal coating) \_\_\_\_\_ set in a \_\_\_\_\_ feet

Other type of tubing / casing seal if applicable \_\_\_\_\_ feet

Other Data

- Is this a new well drilled for injection? Yes  No
- If no, for what purpose was the well originally drilled? \_\_\_\_\_

Oil Production

- The Wiser Oil Company plans to convert this well to WTW
- Name of the Injection formation Graybure-San Andres Vacuum
- Name of Field or Pool (if applicable) Grayburg Jackson 7-Rivers-QN-GB-SA
- Has the well ever been perforated in any other zone(s)? List all such perforated intervals and give plugging detail, i.e., sacks of cement or plug(s) used 2374-2494'
- Give the names and depths of any over or underlying oil or gas zones (pools) in this area. \_\_\_\_\_


C-108  
APPLICATION FOR AUTHORIZATION TO INJECT  
SKELLY UNIT

V. AREA OF REVIEW

The attached maps show all wells and leases within two miles of the proposed injection wells with a one-half mile radius circle drawn around each proposed injection well.

# SKELLY UNIT


## Eddy County, New Mexico



# Skelly Unit

## The Wiser Oil Company

- New Water Injection Well
- Existing Water Injection Well
- Producing Oil Well
- ☉ Producing Gas Well
- ⚡ Producing Oil & Gas Well
- ⊖ Plugged and Abandoned Well
- Temporarily Abandoned Well



C-108  
APPLICATION FOR AUTHORIZATION TO INJECT  
SKELLY UNIT

VI. HALF MILE WELLS

The following is a table showing data for all wells which penetrate the proposed injection zone and which lie within the area of review.

Immediately following the table are schematics for the 25 wells within the area of review which have been plugged and abandoned as noted on the table.

**SU C-108 HALF-MILE WELL DATA SHEET**

NAME	OPERATOR	LOCATION	SEC	TSHP	RG	COMPL DATE	TP	TD	HOLE SIZE	CSG SIZE	DEPTH SET	SX CMT	PERFS	TBG/PKR	COMMENTS	LEASE
<b>Township 17 South, Range 31 East</b>																
H.E. West "B" #71	Devon Energy Operating Corporation	1335' FSL, 15' FEL, Unit I	9	17S	31E	1-20-96	O	3960'	12 1/4" 7 7/8"	8 5/8" 5 1/2"	552' 3959'	200 325	3796-3857' 3612-3701' 3241-3499'	2 7/8" @ 3878'		BLM LC-029426-B
H.E. West "B" #72	Devon Energy Operating Corporation	660' FSL, 735' FEL, Unit P	9	17S	31E	3-16-95	O	4160'	12 1/4" 7 7/8"	8 5/8" 5 1/2"	520' 4159'	425 2000	3911-4008' 3545-3623'	2 7/8" @ 4069'		BLM LC-029426-B
H.E. West "B" #2	Hondo Oil and Gas Company	330' FSL, 990' FEL, Unit P	9	17S	31E	1-23-38	⊖ P&A	3757'	12" 8"	9 5/8" 7"	700' 3250'	50 100	3587-3727'		P&A 9-27-89 (See Attached)	BLM LC-029426-B
H.E. West "B" #34	Devon Energy Operating Corporation	1980' FSL, 660' FEL, Unit I	10	17S	31E	10-27-88	O	3885'	12 1/4" 7 7/8"	8 5/8" 5 1/2"	629' 3885'	450 1650	3616-3802' 3341-3583'	2 3/8" @ 3761'		BLM LC-029426-B
H.E. West "B" #69	Devon Energy Operating Corporation	1470' FSL, 2550' FEL, Unit J	10	17S	31E	1-27-96	O	4040'	12 1/4" 7 7/8"	8 5/8" 5 1/2"	622' 4039'	380 1275	3673-3704' 3291-3558'	2 7/8" @ 3773'		BLM LC-029426-B
H.E. West "B" #68	Devon Energy Operating Corporation	1335' FSL, 1335' FEL, Unit J	10	17S	31E	1-29-96	O	4055'	12 1/4" 7 7/8"	8 5/8" 5 1/2"	619' 4054'	400 1200	3701-3707' 3297-3707'	2 7/8" @ 3754'		BLM LC-029426-B
H.E. West "B" #14	Devon Energy Operating Corporation	1980' FSL, 1980' FWL, Unit K	10	17S	31E	1-1-58	⊖ WTW	3632' 3950'	10" 7 7/8"	8 5/8" 7"	762' 3563'	100 100	3380-3396' 3343-3351' 3496-3537' 3773-3900'	2 3/8" @ 3368'	Converted to WTW 2-27-81	BLM LC-029426-B
H.E. West "B" #32	Devon Energy Operating Corporation	1980' FSL, 660' FWL, Unit L	10	17S	31E	9-27-88	⊖ WTW	3954'	12 1/4" 7 7/8"	8 5/8" 5 1/2"	582' 3954'	450 1600	3529-3754' 3451-3484' 3391-3424' 3314-3319' 3238-3897'	2 3/8" @ 3755'	Converted to WTW 5-3-96	BLM LC-029426-B
H.E. West "B" #70	Devon Energy Operating Corporation	1410' FSL, 1305' FWL, Unit L	10	17S	31E	2-11-96	O	4010'	12 1/4" 7 7/8"	8 5/8" 5 1/2"	572' 4009'	380 1150	3651-3786'	2 7/8" @ 3853'		BLM LC-029426-B
H.E. West "B" #21	Devon Energy Operating Corporation	660' FSL, 660' FWL, Unit M	10	17S	31E	5-14-59	⊖ WTW	3802' 3917'	12 1/4" 7 7/8"	10 3/4" 5 1/2"	734' 3802'	100 125	3362-3370' 3416-3775' 3802-3917' 3576-3773'	2" @ 3207'	Converted to WTW 10-4-89	BLM LC-029426-B
H.E. West B #41	Devon Energy Operating Corporation	660' FSL, 2020' FWL, Unit N	10	17S	31E	2-15-89	O	4008'	12 1/4" 7 7/8"	8 5/8" 5 1/2"	602' 4008'	400 1250	3301-3543' 3593-3793' 3831-3847' 3875-3943'	2 3/8" @ 3894'		BLM LC-029426-B
H.E. West B #20	Devon Energy Operating Corporation	660' FSL, 1980' FEL, Unit O	10	17S	31E	3-20-59	⊖ WTW		12" 8"	10 3/4" 5 1/2"	797' 3635'	100 100	3353-3634' 3677-3839' 3858-3937'	2 3/8" @ 3114'	Estimated TOC 3396' Converted to WTW 8-31-89	BLM LC-029426-B
H.E. West B #31	Devon Energy Operating Corporation	660' FSL, 660' FEL, Unit P	10	17S	31E	7-10-88	O	4218'	12 1/4" 7 7/8"	8 5/8" 5 1/2"	630' 4218'	450 1300	4041-4087' 4134-4138' 3820-95' 3905-61' 3301-91'	2 3/8" @ 3677'		BLM LC-029426-B
Lea C #14	Apache Corp.	1980' FSL, 660' FEL, Unit I	11	17S	31E	9-2-72	O	4020'	11" 7 7/8"	8 5/8" 5 1/2"	652' 4020'	350 1100	3429-3697' 3748-3987'	2 7/8" @ 3561'	Estimated TOC 950'	BLM LC-029418-B



**SU C-108 HALF-MILE WELL DATA SHEET**

NAME	OPERATOR	LOCATION	SEC	TSEIP	RG	COMPL DATE	TP	TD	HOLE SIZE	CSG SIZE	DEPTH SET	SX CMT	PERFS	TBG/ PKR	COMMENTS	LEASE
Lea C #4	Apache Corp.	1980' FSL, 1980' FEL, Unit J	11	17S	31E	5-6-61	Ø WTW	3798'		8 5/8" 5 1/2"	894' 3700'	125 385	3443-99' 3503-92' 3604-82'	2" @ 3612'	Estimated TOC 1460' Converted to WTW 5-23-74 TA	BLM LC- 029418-B
Lea "C" #8	Apache Corp.	1980' FSL, 1980' FWL, Unit K	11	17S	31E	5-23-72	O	3950'	11" 7 7/8"	8 5/8" 5 1/2"	620' 3950'	350 1300	3419-3886'	2.3/8" @ 3903'		BLM LC- 029418-B
Lea "C" #12	Apache Corp.	660' FSL, 660' FWL, Unit M	11	17S	31E	9-10-72	O	3910'	11" 7 7/8"	8 5/8" 5 1/2"	615' 3908'	350 1200	3327-3892'	2.3/8" @ 3867'		BLM LC- 029418-B
Lea C #9	Apache Corp.	660' FSL, 1980' FWL, Unit N	11	17S	31E	5-28-72	Ø WTW	3950'	11" 7 7/8"	8 5/8" 5 1/2"	621' 3950'	350 1300	3369-93' 3450-97' 3514-44' 3557' 3606-96' 3742-3778' 3820-78'	2.3/8" @ 3890'	Converted to WTW 5-10-74 TA	BLM LC- 029418-B
Lea C #5	Apache Corp.	760' FSL, 1980' FEL, Unit O	11	17S	31E	7-21-61	O	3816'		8 5/8" 5 1/2"	871' 3815'	100 365	3570-3648' 3666-3758'	2" @ 3507'	Estimated TOC 1950'	BLM LC- 029418-B
Lea C #13	Apache Corp.	660' FSL, 660' FEL, Unit P	11	17S	31E	9-3-72	Ø WTW	4000'	11" 7 7/8"	8 5/8" 5 1/2"	635' 4000'	375 1100	3360-3666' 3757-3988'	2.3/8" @ 3848'	Converted to WTW 8-15-77 TA	BLM LC- 029418-B
Puckett "A" #14	William A. & Edward R. Hudson	660' FSL, 660' FWL, Unit M	13	17S	31E		O								Incomplete OCD File	BLM LC- 029415-A
Puckett "A" #17	William A. & Edward R. Hudson	660' FSL, 1980' FWL, Unit N	13	17S	31E	3-8-60	O	3973'		9 5/8" 5 1/2"	545' 3971'	300 350	3547-3574' 3623-3721' 3923-3954'	2" @ 3548'		BLM LC- 029415-A
SU #102	The Wiser Oil Co.	660' FNL, 1980' FEL, Unit B	14	17S	31E	6-7-59	Ø WTW	3734'	10" 8"	8 5/8" 5 1/2"	851' 3679'	125 370	3596-3649' 3326-3649'	2.3/8" @ 3689'	Converted to WTW 3-21-73	BLM LC- 029418-B
SU #185	The Wiser Oil Co.	1287' FNL, 2590' FWL, Unit C	14	17S	31E	Pending	O	4150'	12 1/4" 7 7/8"	8 5/8" 5 1/2"	446' 4150'	325 900	3414-3602' 3963-74'	2.7/8" @ 4019'		BLM LC- 029418-B
SU #114	The Wiser Oil Co.	660' FNL, 660' FWL, Unit D	14	17S	31E	1-28-72	Ø P&A	3828'	11" 7 7/8"	8 5/8" 5 1/2"	630' 3827'	350 1100	3373-3772' 2289-2468'	2.3/8" @ 3766'	Converted San Andres to WTW 3-21-73 P&A 12-4-90 (See Attached) Drilling is pending	BLM LC- 029418-B
SU #193	The Wiser Oil Co.	2630' FNL, 1300' FWL, Unit E	14	17S	31E		O								Drilling is pending	BLM LC- 029418-B
SU #105	The Wiser Oil Co.	1980' FNL, 1980' FWL, Unit F	14	17S	31E	8-23-61	Ø WTW	3728'	10" 8"	8 5/8" 5 1/2"	821' 3728'	100 385	3694-3704' 3548-3704'	2" @ 3668'	Converted to WTW 4-23-68	BLM LC- 029418-B
SU #184	The Wiser Oil Co.	1393' FNL, 1437' FWL, Unit F	14	17S	31E		O								Drilling is pending	BLM LC- 029418-B
SU #194	The Wiser Oil Co.	2625' FNL, 2557' FWL, Unit F	14	17S	31E		O								Drilling is pending	BLM LC- 029418-B

**SU C-108 HALF-MILE WELL DATA SHEET**

NAME	OPERATOR	LOCATION	SEC	TSHP	RG	COMPL DATE	TP	TD	HOLE SIZE	CSG SIZE	DEPTH SET	SX CMT	PERFS	TBG/PKR	COMMENTS	LEASE
SU #186	The Wiser Oil Co.	1332' FNL, 1331' FEL, Unit G	14	17S	31E		O								Drilling is pending	BLM LC-029418-B
SU #195	The Wiser Oil Co.	2626' FNL, 1331' FEL, Unit G	14	17S	31E		O								Drilling is pending	BLM LC-029418-B
SU #22	The Wiser Oil Co.	1980' FSL, 1980' FEL, Unit J	14	17S	31E	Pre 1968	Ø WIW	3875' PB 3705'	8 5/8" 7"				3311-3608' Open Hole	2 3/8" @ 3210'	TOC 1990 / Crnt Bond Log Converted to WIW 3-11-68 Incomplete OCD & Wiser Well Files	BLM LC-029418-A
SU #24	The Wiser Oil Co.	1980' FSL, 660' FWL, Unit L	14	17S	31E	9-29-61	Ø WIW	3844'	8 5/8" 5 1/2"		772' 3844'	100 385	3555-3596' 3680-3760' 3799-3821' 3619-3661' 3282-3477'	2" @ 3492'	Converted to WIW 7-5-67	BLM LC-029418-A
SU #202	The Wiser Oil Co.	1409' FSL, 1310' FWL, Unit L	14	17S	31E		O	4050'	8 5/8" 5 1/2"		441' 4050'	325 1350			Drilling	BLM LC-029418-A
SU #120	The Wiser Oil Co.	760' FSL, 760' FWL, Unit M	14	17S	31E	11-29-77	O	2597'	11" 7 7/8"		636' 2597'	250 820	2360-2426'	2 3/8" @ 2452'		BLM LC-029418-A
SU #201	The Wiser Oil Co.	1272' FSL, 45' FWL, Unit M	14	17S	31E	10-16-96	O	4050'	8 5/8" 5 1/2"		439' 4050'	325 1150	3332-3500' 3570-78' 3798-3815'	2 7/8" @ 3868'		BLM LC-029418-A
SU #34	The Wiser Oil Co.	660' FSL, 1980' FWL, Unit N	14	17S	31E	6-16-61	Ø WIW	3850'	8 5/8" 5 1/2"		750' 3737'	100 380	3568-3716' 3286-3544'	2" @ 3172'	Converted to WIW 7-5-6 7	BLM LC-029418-A
SU #203	The Wiser Oil Co.	1300' FSL, 2539' FWL, Unit N	14	17S	31E		O								Drilling is pending	BLM LC-029418-A
SU #216	The Wiser Oil Co.	128' FSL, 2515' FWL, Unit N	14	17S	31E		O								Drilling is pending	BLM LC-029418-A
SU #35	The Wiser Oil Co.	660' FSL, 1980' FEL, Unit O	14	17S	31E	5-4-66	O	3941'	11" 7 7/8"		592' 3937'	350 250	3342-3553'	2 3/8" @ 3584'	TOC 3071' by Temp Svy	BLM LC-029418-A
SU #147	Texaco Producing Inc.	760' FSL, 1830' FEL, Unit O	14	17S	31E	9-1-78	Ø P&A	2700'	11" 7 7/8"		654' 2699'	275 575	2418-2546'	2 3/8" @ 2580'	P&A 5-12-87 (See Attached)	BLM LC-029418-A
SU #148	The Wiser Oil Co.	560' FSL, 560' FEL, Unit P	14	17S	31E	8-30-78	O	3730'	11" 7 7/8"		692' 3729'	275 1300	3342-3628'	2 3/8" @ 3653'		BLM LC-029418-A
SU #204	The Wiser Oil Co.	1278' FSL, 1273' FEL, Unit P	14	17S	31E		O	4150'	12 1/4" 7 7/8"		437' 4150'	325 1250			Drilling	BLM LC-029418-A
SU #183	The Wiser Oil Co.	1310' FNL, 153' FEL, Unit A	15	17S	31E		O								Drilling is pending	BLM LC-029420-A
SU #181	The Wiser Oil Co.	1303' FNL, 2606' FWL, Unit C	15	17S	31E		O	3950'	12 1/4" 7 7/8"		450' 3950'	325 750		2 7/8" @ 3709'	Drilling	BLM LC-029420-A

**SU C-108 HALF-MILE WELL DATA SHEET**

NAME	OPERATOR	LOCATION	SEC	TSHF	RG	COMPL DATE	TP	TD	HOLE SIZE	CSG SIZE	DEPTH SET	SX CMT	PERFS	TBG/ PKR	COMMENTS	LEASE
SU #19	The Wiser Oil Co.	1980' FNL, 1960' FWL, Unit F	15	17S	31E	9-28-60	Ø WTW	3670'	10" 8"	8 5/8" 5 1/2"	780' 3520'	100 385	3285-3294' 3337-3342' 3223-3462'	2" @ 3276'	Converted to WTW 3-11-68	BLM LC-029420-A
SU #180	The Wiser Oil Co.	1401' FNL, 1338' FWL, Unit F	15	17S	31E		Ø								Drilling is pending	BLM LC-029420-A
SU #153	Texasco Producing Co.	2080' FNL, 1880' FEL, Unit G	15	17S	31E	8-5-78	Ø P&A	2586'	11" 7 7/8"	8 5/8" 5 1/2"	631' 2629'	275 650	2331-2454' @ 2465'	2 3/8" @ 2465'	P&A 9-26-90 (See Attached)	BLM LC-029420-A
SU #21	The Wiser Oil Co.	1980' FNL, 660' FEL, Unit H	15	17S	31E	5-23-61	Ø WTW	3642'	10" 8"	8 5/8" 5 1/2"	751' 3546'	100 385	3260-3522'	2" @ 3520'	Converted to WTW 3-11-68	BLM LC-029420-A
SU #154	The Wiser Oil Co.	2130' FNL, 660' FEL, Unit H	15	17S	31E	9-11-78	Ø P&A	2650'	11" 7 7/8"	8 5/8" 5 1/2"	662' 2650'	325 500	2351-2474' @ 2561'	2 3/8" @ 2561'	P&A 9-20-91 (See Attached)	BLM LC-029420-A
SU #182	The Wiser Oil Co.	1423' FNL, 1260' FEL, Unit H	15	17S	31E		Ø								Drilling is pending	BLM LC-029420-A
SU #150	The Wiser Oil Co.	1880' FSL, 560' FEL, Unit I	15	17S	31E	7-31-78	Ø	2529'	11" 7 7/8"	8 5/8" 5 1/2"	615' 2629'	275 500	2337-98' 2403-61'	2 3/8" @ 2518'		BLM LC-029420-A
SU #26	The Wiser Oil Co.	1880' FSL, 1980' FEL, Unit J	15	17S	31E	2-24-61	Ø WTW	3764'	10" 8"	8 5/8" 5 1/2"	728' 3742'	125 350	3508-3514' 3554-3560' 3570-3580' 3234-3611'	2" @ 3507'	Converted to WTW 3-11-68	BLM LC-029420-A
SU #190	The Wiser Oil Co.	2622' FSL, 2465' FEL, Unit J	15	17S	31E		Ø								Drilling is pending	BLM LC-029420-A
SU #151	The Wiser Oil Co.	2130' FSL, 1980' FWL, Unit K	15	17S	31E	6-30-78	Ø P&A	2600'	11" 7 7/8"	8 5/8" 5 1/2"	582' 2599'	275 650	2302-95' 2400-24' 2440'	2 3/8" @ 2440'	P&A 9-25-90 (See Attached)	BLM LC-029420-A
SU #152	The Wiser Oil Co.	1830' FSL, 660' FWL, Unit L	15	17S	31E	8-4-78	Ø P&A	2549'	11" 7 7/8"	8 5/8" 5 1/2"	569' 2549'	275 555	2278-93' 2303-95' 2401'	2 3/8" @ 2452'	P&A 9-28-90 (See Attached)	BLM LC-029420-A
SU #189	The Wiser Oil Co.	2630' FSL, 1310' FWL, Unit L	15	17S	31E		Ø								Drilling is pending	BLM LC-029420-A
SU #198	The Wiser Oil Co.	1354' FSL, 1300' FWL, Unit L	15	17S	31E		Ø	4000'	12 1/4" 7 7/8"	8 5/8" 5 1/2"	448' 4000'	325 1150			Drilling	BLM LC-029420-A
SU #126	The Wiser Oil Co.	560' FSL, 760' FWL, Unit M	15	17S	31E	11-9-77	Ø	2539'	11" 7 7/8"	8 5/8" 5 1/2"	575' 2539'	125 200	2222-2366'	2 3/8" @ 2421'	Estimated TOC 1517	BLM LC-029420-A
SU #211	The Wiser Oil Co.	259' FSL, 1181' FWL, Unit M	15	17S	31E		Ø	4000'	12 1/4" 7 7/8"	8 5/8" 5 1/2"	436' 4000'	325 1250			Drilling	BLM LC-029420-A
SU #1	The Wiser Oil Co.	660' FSL, 1980' FWL, Unit N	15	17S	31E	6-11-54	Ø	12,098'	15" 12 1/4" 8 3/4"	13 3/8" 9 5/8" 5 1/2"	210' 3616' 11,970'	240 2600 1755	11,511-519'		Estimated TOC 3772' SI	BLM LC-029420-A

**SU C-108 HALF-MILE WELL DATA SHEET**

NAME	OPERATOR	LOCATION	SEC	TSHP	RG	COMPL DATE	TP	TD	HOLE SIZE	CSG SIZE	DEPTH SET	SX CMT	PERFS	TBG/PKR	COMMENTS	LEASE
SU #30	The Wiser Oil Co.	650' FSL, 2087' FWL, Unit N	15	17S	31E	5-22-66	Ø WIW P&A	3900'	11" 7 7/8"	8 5/8" 5 1/2"	533' 3900'	350 250	3508-3782' 3162-3448'	2 3/8" @ 3816'	TOC 2695' Converted to WIW 3-11-68 P&A 7-16-96 (See Attached) Drilling	BLM LC- 029420-A
SU #199	The Wiser Oil Co.	1310' FSL, 2346' FWL, Unit N	15	17S	31E		Ø	4000'	12 1/4" 7 7/8"	8 5/8" 5 1/2"	438' 4000'	325 1150				BLM LC- 029420-A
SU #127	The Wiser Oil Co.	560' FSL, 1880' FEL, Unit O	15	17S	31E	10-31-77	Ø	2550'	11" 7 7/8"	8 5/8" 5 1/2"	607' 2550'	125 450	2302-2425'	2 3/8" @ 2438'		BLM LC- 029420-A
SU #32	The Wiser Oil Co.	660' FSL, 660' FEL, Unit P	15	17S	31E	10-27-61	Ø WIW	3811'	10" 6"	8 5/8" 5 1/2"	725' 3808'	100 385	3521-3528' 3531-3546' 3585-3587' 3613-3615' 3231-3771'	2" @ 3492'	Converted to WIW 3-13-68	BLM LC- 029420-A
SU #200	The Wiser Oil Co.	1294' FSL, 1295' FEL, Unit P	15	17S	31E		Ø	4000'	12 1/4" 7 7/8"	8 5/8" 5 1/2"	440' 4000'	325 1150			Drilling	BLM LC- 029420-A
State "AE" #1	Xeric Oil & Gas Corp.	990' FNL, 990' FEL, Unit A	16	17S	31E	3-29-82	Ø	3600'	12 1/4" 7 7/8"	8 5/8" 5 1/2"	682' 3600'	500 700	3409-3439' 3319-3382'	2 3/8" @ 3511'		State V-184
Shell #1	Kersey & Co.	330' FNL, 330' FEL, Unit A	16	17S	31E	9-25-60	Ø P&A	3778'	10" 7"	8 5/8" 4 1/2"	677' 3775'	50 325	3726-44'	2 3/8" @ 3721'	Estimated TOC 1941' P&A 5-25-69 (See Attached)	State B-8095
Kersey State #1	Ray Westall	660' FNL, 1980' FEL, Unit B	16	17S	31E	5-16-38	Ø	3678' 3780'	10" 8 1/4"	8 1/4" 7"	635' 3138'	50 100	2234-97' 3453-3590' 3645-3749'	2 3/8" @ 3710'	TOC 2150' by Temp Svy PB to 2435' 12-10-79 Deepened 5-4-89 Estimated TOC 395'	State B-3105
State WK #1	Kersey & Co.	1990' FNL, 1990' FEL, Unit G	16	17S	31E	10-22-37	Ø		10" 8 1/4"	8 1/4" 7"	900' 3800'	200 400				State B-3105
Foran St. #1	SDX Resources, Inc.	2310' FNL, 330' FEL, Unit H	16	17S	31E	8-22-89	Ø	3844'	12 1/4" 7 7/8"	8 5/8" 5"	611' 3796'	425 650	3451-54' 3484-94' 3160-3343'	2 7/8" @ 3500'	Estimated TOC 947'	State V- 2207
State "B" #4	Trinity University & Closesit	1650' FSL, 660' FEL, Unit I	16	17S	31E	2-14-61	Ø	3782'	10" 8"	8 5/8" 5 1/2"	612' 3184'	50 250	None	2 3/8" @ 3425'	Estimated TOC 1982'	State B-2613
State "B" #1	Trinity University & Closesit	1980' FSL, 1980' FEL, Unit J	16	17S	31E	5-26-37	Ø	3700'		8 5/8" 7"	633' 3158'	35 50				State B-2613
State A #1	Trinity University and Closesit	1980' FSL, 1980' FWL, Unit K	16	17S	31E	2-15-37	Ø	3644'		8 5/8" 7"	598' 3510'	25 30				State B-3014
State A #2	Trinity University and Closesit	1650' FSL, 990' FWL, Unit L	16	17S	31E	4-23-38	Ø	3585'	10" 8 1/4"	8 5/8" 7"	600' 3026'	50 100			Estimated TOC 2175'	State B-3014
State AZ #1	Apache Corp.	990' FSL, 990' FWL, Unit M	16	17S	31E	1-13-38	Ø		12" 10"	10" 7"	576' 3046'	60 100	2100'		TOC 1650' by Temp Svy	State 741700
State AZ #2	Apache Corp.	330' FSL, 990' FWL, Unit M	16	17S	31E	8-21-49	Ø	2158'	11" 8"	8 5/8" 7"	578' 2040'	155		2" @ 2110'		State 741700

**SU C-108 HALF-MILE WELL DATA SHEET**

NAME	OPERATOR	LOCATION	SEC	TSHP	RG	COMPL DATE	TP	TD	HOLE SIZE	CSG SIZE	DEPTH SET	SX CMT	PERFS	TBG/ PKR	COMMENTS	LEASE
Macy #1	Kersey & Co.	990' FSL, 2310' FWL, Unit N	16	17S	31E	8-4-40	O	3571' PBTD 2330'	12 1/2" 10" 8"	10 3/4" 8 5/8" 7"	633' 2944'	50 150	2138-42'	2" @ 3525'	Recompleted 12-10-81	State B-8571
Macy #2	Kersey & Co.	330' FSL, 1650' FWL, Unit N	16	17S	31E	4-28-49	O	2148'	10" 8 1/4"	8 5/8" 7"	575' 2050'	10 50			Estimated TOC 1624'	State B-8571
Willow State #1	Maack Energy Corp.	330' FSL, 2280' FEL, Unit O	16	17S	31E	6-15-96	O&G	8990'	17 1/2" 12 1/4" 7 7/8"	13 3/8" 8 5/8" 5 1/2"	345' 3000' 8973'	370 710 1385	5005-5099'	2 7/8" @ 5142'	Estimated TOC 1916'	State B-2613
State "B" #2	Trinity University & Closesit	990' FSL, 2310' FEL, Unit O	16	17S	31E	1-13-41	O	3645'	10" 8"	8" 7"	585' 2998'	50 100			Estimated TOC 2083'	State B-2613
State "B" #3	Trinity University & Closesit	660' FEL, 660' FSL, Unit P	16	17S	31E	5-31-44	O	3670'	10" 8"	8 1/4" 7"	600' 3165'	50 100		2" @ 3177'	Estimated TOC 2083'	State B-2613
Superior Foster #1	Trinity Univ. & Closesit	355' FEL, 1650' FSL, Unit I	17	17S	31E	5-14-38	O	3542'		8 1/4" 6 5/8"	633' 2996'	50 125			Appears to be SI	BLM LC- 057523
Superior Foster #3	Trinity Univ. & Closesit	1650' FSL, 455' FEL, Unit I	17	17S	31E	8-9-50	O	2075'	8" 7"	8" 7"	520' 1997'	50 100				BLM LC- 057523
Turner "B" #32	Devon Energy Operating Corporation	330' FSL, 1650' FEL, Unit O	17	17S	31E	10-29-51	O	2021'		9 5/8" 7"	562' 1976'	50 100	1976-2021'	2" @ 2000'	Estimated TOC 680'	BLM LC- 029395-B
Turner "B" #1	Devon Energy Operating Corporation	990' FSL, 330' FEL, Unit P	17	17S	31E	11-21-38	O	3530'		8 5/8" 5 3/16"	595' 2895'	50 100				BLM LC- 029395-B
Turner "B" #30	Devon Energy Operating Corporation	660' FSL, 660' FEL, Unit P	17	17S	31E	11-28-49	Ø WTW	3507'		8 5/8" 7"	595' 3253'	50 100	3406-3498'	2 3/8" @ 3200'	TOC 1280' by Trnp Svy Converted to WTW 1-24-70	BLM LC- 029395-B
Turner "B" #31	Devon Energy Operating Corporation	330' FSL, 330' FEL, Unit P	17	17S	31E	11-7-51	O	2067'		9 5/8" 7"	578' 2024'	50 100		2" @ 2065'		BLM LC- 029395-B
Turner "B" #106	Socorro Petroleum Co.	15' FSL, 1305' FEL, Unit P	17	17S	31E	8-8-92	O	3863'	17 1/2" 12 1/4" 7 7/8"	13 3/8" 8 5/8" 5 1/2"	341' 1316' 3861'	400 400 900	2762-95' 2870-2926' 2981' 3032-53' 3145-68' 3706-18'	2 7/8" @ 3677'		BLM LC- 029395-B
Turner "B" #9	Devon Energy Operating Corporation	660' FNL, 660' FEL, Unit A	20	17S	31E	10-14-42	O			8 1/4" 7"	557' 2832'	50 100	3402-3482'	2 3/8" @ 3413'		BLM LC- 029395-B
Turner "B" #33	Devon Energy Operating Corporation	990' FNL, 330' FEL, Unit A	20	17S	31E	11-20-51	O		12" 8 3/4"	9 5/8" 7"	565' 1994'	50 100		2" @ 2037'	Estimated TOC 1405'	BLM LC- 029395-B
Turner "B" #122	Devon Energy Operating Corporation	1190' FNL, 330' FEL, Unit A	20	17S	31E		O								Drilling is pending	BLM LC- 029395-B
Turner "B" #8	Devon Energy Operating Corporation	660' FNL, 1980' FEL, Unit B	20	17S	31E	10-10-42	Ø WTW	3450'		8 1/4" 7"	542' 2802'	50 100	3318-3448'	2 3/8" @ 3250'	TOC 1490' by Trnp Svy Converted to WTW 1-3-68	BLM LC- 029395-B

**SU C-108 HALF-MILE WELL DATA SHEET**

NAME	OPERATOR	LOCATION	SEC	TSIP	RG	COMPL DATE	TP	TD	HOLE SIZE	CSG SIZE	DEPTH SET	SX CMT	PERFS	TBG/ PKR	COMMENTS	LEASE
Turner "B" #36	Devon Energy Operating Corporation	990' FNL, 1650' FEL, Unit B	20	17S	31E	12-20-51	O	1994'	12" 8 3/4"	8 5/8" 7"	556' 1994'	5 100	1948-1952' 1984-1988'	2" @ 1992'	Estimated TOC 1405'	BLM LC-029395-B
Turner "B" #103	Devon Energy Operating Corporation	1300' FNL, 1370' FEL, Unit B	20	17S	31E	7-13-92	O	3865'	17 3/4" 12 1/4" 7 7/8"	13 3/8" 8 5/8" 5 1/2"	341' 1305' 3860'	500 600 1050	2471-71' 2830-87' 2946-48' 3653-78'	2 7/8" @ 3663'		BLM LC-029395-B
Turner "B" #10	Atlantic Richfield Co.	1980' FNL, 1980' FEL, Unit G	20	17S	31E	12-14-42	Ø P&A	3450'		8 1/4" 7"	528' 2812'	50 100			P&A 7-14-77 (See Attached)	BLM LC-029395-B
Turner "B" #39	Avon Energy Corp.	2310' FNL, 1650' FEL, Unit G	20	17S	31E	12-9-52	O	2010	12" 8 3/4"	8 5/8" 7"	535' 1955'	50 100			Estimated TOC 1366' TA	BLM LC-029395-B
Turner "B" #11	Avon Energy Corp.	660' FNL, 660' FEL, Unit H	20	17S	31E	3-21-43	Ø WTW	3506'		8 1/4" 7"	861' 2829'	50 100			Converted to WTW 1-4-68	BLM LC-029395-B
Turner "B" #34	Avon Energy Inc.	2310' FNL, 330' FEL, Unit H	20	17S	31E	12-24-51	O	2057'	12" 8 3/4"	8 5/8" 7"	556' 2057'	50 106		2" @ 2050'	Estimated TOC 1433' TA	BLM LC-029395-B
Turner "B" #97	Avon Energy Corp.	2590' FNL, 1200' FEL, Unit H	20	17S	31E	3-19-91	O	3800'	14 1/4" 11" 7 7/8"	11 3/4" 8 5/8" 5 1/2"	369' 1369' 3789'	400 500 1050	3582-3549' 3281-3122' 3039-2856'	2 7/8" @ 3612'		BLM LC-029395-B
Turner "B" #19	ARCO O & Gas Co.	1980' FSL, 660' FEL, Unit I	20	17S	31E	8-26-45	Ø P&A	2096'		8 5/8" 7"	600' 2022'	50 100		2 3/8" @ 1720'	Estimated TOC 726' P&A 11-13-86 (See Attached)	BLM LC-029395-B
Turner "B" #51	Avon Energy Corp.	2055' FSL, 660' FEL, Unit I	20	17S	31E	1-7-58	O	3338'		8 5/8" 5 1/2"	636' 3210'	100 175	3070-3087' 2811-99' 2937-38'	2" @ 3027'		BLM LC-029395-B
Turner "B" #94	Avon Energy Corp.	1350' FSL, 1200' FEL, Unit I	20	17S	31E	3-7-91	O	3870'	14 1/4" 11" 7 7/8"	11 3/4" 8 5/8" 5 1/2"	362' 1407' 3807'	465 600 1100	3614-3607' 3233-3116' 3003-2942' 3256' 3044-3041'	2 7/8" @ 3669'		BLM LC-029395-B
Turner "B" #121	Devon Energy Operating Corporation	2410' FSL, 1100' FEL, Unit I	20	17S	31E		O								Drilling is pending	BLM LC-029395-B
Turner "B" #18	Avon Energy Corp.	1980' FSL, 1980' FEL, Unit J	20	17S	31E	6-13-45	O	2067'		8 1/4" 7"	535' 1945'	50 100			TA	BLM LC-029395-B
Turner "B" #78	Avon Energy Corp.	2080' FSL, 1980' FEL, Unit J	20	17S	31E	7-28-61	Ø WTW	3600'		8 5/8" 4 1/2"	531' 3600'	200 250	3046-50' 3085-90' 3095-3100' 3421-68'	2 3/8" @ 2949'	Converted to WTW 1-8-68	BLM LC-029395-B
Turner "B" #45	Atlantic Richfield Co.	2080' FEL, 600' FSL, Unit O	20	17S	31E	4-16-56	Ø P&A	3350'		8 5/8" 5 1/2"	558' 3349'	50 200			P&A 4-10-75 (See Attached)	BLM LC-029395-B
Turner "B" #21	ARCO O & Gas Co.	660' FSL, 1980' FEL, Unit O	20	17S	31E	1-30-46	Ø P&A	2139'		8" 7"	592' 2039'	50 100			Estimated TOC 743' P&A 8-16-86 (See Attached)	BLM LC-029395-B

**SU C-108 HALF-MILE WELL DATA SHEET**

NAME	OPERATOR	LOCATION	SEC	TSHP	RG	COMPL DATE	TP	TD	HOLE SIZE	CSG SIZE	DEPTH SET	SX CMT	PERFS	TBG/PKR	COMMENTS	LEASE
Turner "B" #72	Avon Energy Corp.	330' FSL, 1980' FEL, Unit O	20	17S	31E	10-13-60	O	7233'		8 5/8" 4 1/2"	1600' 7233'	600 1300	7152-7156' 3162-3286'	2 3/8" @ 5000'		BLM LC-029395-B
Turner "B" #120	Devon Energy Operating Corporation	1000' FSL, 2300' FEL, Unit O	20	17S	31E		O								Drilling is pending	BLM LC-029395-B
Turner "B" #20	Socorro Petr. Co.	760' FSL, 330' FEL, Unit P	20	17S	31E	11-23-45	Ø P&A	2184'		8 5/8" 7"	568' 2075'	50 100		2 7/8" @ 2000'	Estimated TOC 1400' P&A 6-21-86 (See Attached)	BLM LC-029395-B
Turner "B" #46	Avon Energy Corp.	660' FSL, 760' FEL, Unit P	20	17S	31E	6-26-56	Ø WTW	3449'		8 5/8" 5 1/2"	530' 3449'	50 225	3208-3226' 3306-3316'	2 3/8" @ 2966'	Converted to WTW 3-11-69	BLM LC-029395-B
Turner "B" #123	Devon Energy Operating Corporation	135' FSL, 1000' FEL, Unit P	20	17S	31E		O								Drilling is pending	BLM LC-029395-B
SU #129	The Wiser Oil Co.	660' FNL, 760' FEL, Unit A	21	17S	31E	10-6-77	O	2505'	11" 7 7/8"	8 5/8" 5 1/2"	587' 2505'	250 650	2178-2317'			BLM LC-029420-B
SU #4	The Wiser Oil Co.	810' FNL, 1980' FEL, Unit B	21	17S	31E	10-23-50	O	2227'	10" 8"	8 5/8" 7"	611' 1970'	150 175	2136-2207'	2" @ 2210'		BLM LC-029420-B
SU #5	The Wiser Oil Co.	330' FNL, 1650' FWL, Unit C	21	17S	31E	9-16-49	O	2165'	11" 8"	8 5/8" 7"	614' 2065'	150 150	Open Hole 2065-2165'	2 3/8" @ 2107'	Estimated TOC 442'	BLM LC-029420-B
SU #6	The Wiser Oil Co.	330' FNL, 990' FWL, Unit D	21	17S	31E	11-21-49	O	2112'	11" 8"	8 5/8" 7"	601' 2029'	150 155			Estimated TOC 352'	BLM LC-029420-B
SU #7	The Wiser Oil Co.	1874' FNL, 766' FWL, Unit E	21	17S	31E	9-9-50	O	2130'		8 5/8" 7"	607' 1980'	150 150		2"		BLM LC-029420-B
SU #8	The Wiser Oil Co.	1650' FNL, 2310' FWL, Unit F	21	17S	31E	10-16-50	O	2175'		8 5/8" 7"	610' 1970'	150 150		2" @ 273'		BLM LC-029420-B
SU #64	The Wiser Oil Co.	1980' FNL, 1980' FWL, Unit F	21	17S	31E	10-22-43	Ø WTW	3580'		8 5/8" 7"	619' 2907'	100 200	3521-3530' 3296-3268'	2 3/8" @ 2833'	Converted to WTW 8-1-68	BLM LC-029420-B
SU #220	The Wiser Oil Co.	1330' FNL, 1400' FWL, Unit F	21	17S	31E		O	3800'	12 1/4" 7 7/8"	8 5/8" 5 1/2"	446' 3800'	325 1300			Drilling	BLM LC-029420-B
SU #233	The Wiser Oil Co.	2620' FNL, 1343' FWL, Unit F	21	17S	31E		O								Drilling is pending	BLM LC-029420-B
SU #9	The Wiser Oil Co.	1980' FNL, 1980' FEL, Unit G	21	17S	31E	5-5-44	O	3262'	17 1/4" 8 1/4"	8 5/8" 5 1/2"	624' 2055' 2973'	100 150 300		2 3/8" @ 2155'	Estimated TOC 778	BLM LC-029420-B
SU #221	The Wiser Oil Co.	1390' FNL, 2530' FEL, Unit G	21	17S	31E		O	3850'	12 1/4" 7 7/8"	8 5/8" 5 1/2"	449' 3850'	325 1350			Drilling	BLM LC-029420-B
SU #10	The Wiser Oil Co.	1980' FNL, 660' FEL, Unit H	21	17S	31E	9-4-47	Ø WTW	2247'	10 1/4" 8"	8 5/8" 7"	610' 2156'	75 135	2238-2190'	2 3/8" @ 2073'	Converted to WTW 5-28-74	BLM LC-029420-B

**SU C-108 HALF-MILE WELL DATA SHEET**

NAME	OPERATOR	LOCATION	SEC	TSEP	RG	COMPL DATE	TP	TD	HOLE SIZE	CSG SIZE	DEPTH SET	SX CMT	PERFS	TBG/PKR	COMMENTS	LEASE
SU #66	The Wiser Oil Co.	2080' FNL, 710' FEL, Unit H	21	17S	31E	2-10-62	Ø WTW	3720'	9" 6 1/4"	7" 4 1/2"	610' 3714'	350 150	3568-3695' 3056-3483'	2" @ 3553'	Converted to WTW 8-1-60	BLM LC- 029420-B
SU #222	The Wiser Oil Co.	1380' FNL, 1300' FEL, Unit H	21	17S	31E		Ø	3900'	12 1/4" 7 7/8"	8 5/8" 5 1/2"	441' 3900'	325 1150			Drilling	BLM LC- 029420-B
SU #223	The Wiser Oil Co.	1340' FNL, 120' FEL, Unit H	21	17S	31E	8-7-96	Ø	3982'	12 1/4" 7 7/8"	8 5/8" 5 1/2"	452' 3982'	325 1050	3199-3356' 3397-3400' 3651-3723'			BLM LC- 029420-B
SU #149	The Wiser Oil Co.	2610' FSL, 150' FEL, Unit I	21	17S	31E	2-6-85	Ø	3900'	12 1/4" 7 7/8"	8 5/8" 5 1/2"	509' 3900'	400 1300	3109-3519'	2 3/8" @ 3060'		BLM LC- 029420-B
SU #12	The Wiser Oil Co.	1980' FSL, 1980' FEL, Unit J	21	17S	31E	12-4-46	Ø WTW	2235'	12 1/4" 9 1/4"	10 3/4" 8 5/8"	645' 2130'	100 150	2185-2231'		Converted to WTW 7-3-74	BLM LC- 029420-B
SU #67	The Wiser Oil Co.	1650' FSL, 1980' FEL, Unit J	21	17S	31E	1-1-58	Ø WTW	3353' 3557'	10" 8"	8 5/8" 7"	663' 3280'	150 325	3280-3353' Open Hole 3077-3237' 3365-3557'	2 3/8" @ 3441'	Converted to WTW 8-2-68	BLM LC- 029420-B
SU #235	The Wiser Oil Co.	2600' FSL, 1470' FEL, Unit J	21	17S	31E	3-20-96	O&G	3950'	12 1/4" 7 7/8"	8 5/8" 5 1/2"	495' 3950'	300 1800	3151-3349'	2 7/8" @ 3419'		BLM LC- 029420-B
SU #13	The Wiser Oil Co.	1980' FSL, 1980' FWL, Unit K	21	17S	31E	10-13-46	Ø	2200'	12 1/4" 9 1/4"	10 3/4" 8 5/8"	634' 2115'	100 115		2 3/8" @ 2173'		BLM LC- 029420-B
SU #234	The Wiser Oil Co.	2602' FSL, 2562' FWL, Unit K	21	17S	31E	6-14-96	Ø	3950'	12 1/4" 7 7/8"	8 5/8" 5 1/2"	492' 3955'	400 1650	3106-3311' 3678-3705' 3755-66'	2 7/8" @ 3695'		BLM LC- 029420-B
SU #14	The Wiser Oil Co.	1980' FSL, 660' FWL, Unit L	21	17S	31E	2-15-45	Ø	2139'	11 1/4" 9 1/4"	10 3/4" 8 5/8"	600' 2090'	100 150	2118-2135'			BLM LC- 029420-B
SU #69	The Wiser Oil Co.	1980' FSL, 760' FWL, Unit L	21	17S	31E	10-15-57	Ø WTW	3612'	10" 8"	8 5/8" 7"	640' 3130'	160 275	3130-3230' Open Hole 3263-3540' 2938-3238'	2 3/8" @ 2893'	Converted to WTW 4-13-71	BLM LC- 029420-B
SU #15	The Wiser Oil Co.	760' FSL, 660' FWL, Unit M	21	17S	31E	7-8-46	Ø	2210'	12 1/4" 9 1/4"	10 3/4" 8 5/8"	639' 2142'	100 100	2165-2205'			BLM LC- 029420-B
SU #246	The Wiser Oil Co.	1306' FSL, 1216' FWL, Unit M	21	17S	31E		Ø	3950'	12 1/4" 7 7/8"	8 5/8" 5 1/2"	451' 3950'	325 1450			Drilling	BLM LC- 029420-B
SU #16	The Wiser Oil Co.	660' FSL, 1980' FWL, Unit N	21	17S	31E	6-5-47	Ø WTW	2242'	12 1/4" 9 1/4"	10 3/4" 8 5/8"	651' 2181'	100 175	2197-2245'	2 3/8" @ 2146'	Converted to WTW 7-3-74	BLM LC- 029420-B
SU #75	The Wiser Oil Co.	660' FSL, 1650' FWL, Unit N	21	17S	31E	6-30-57	Ø WTW	3350'	10" 8"	8 5/8" 7"	663' 3286'	150 275	3446-3560' 3085-3199'		Converted to WTW 8-2-68	BLM LC- 029420-B
SU #247	The Wiser Oil Co.	1110' FSL, 2515' FWL, Unit N	21	17S	31E		Ø	3950'	12 1/4" 7 7/8"	8 5/8" 5 1/2"	485' 3950'	325 1750			Drilling	BLM LC- 029420-B



**SU C-108 HALF-MILE WELL DATA SHEET**

NAME	OPERATOR	LOCATION	SEC	TSHP	RG	COMPL DATE	TP	TD	HOLE SIZE	CSG SIZE	DEPTH SET	SX CMT	PERFS	TBG/PKR	COMMENTS	LEASE
SU #260	The Wiser Oil Co.	105' FSL, 2540' FWL, Unit N	21	17S	31E		O	3950'	12 1/4" 7 7/8"	8 5/8" 5 1/2"	494' 3950'	325 1150	3338-3508'		Drilling	BLM LC-029420-B
SU #77	The Wiser Oil Co.	330' FSL, 660' FEL, Unit P	21	17S	31E	1-11-58	W	3446' 3660	10" 8"	8 5/8" 7"	725' 3388'	150 325	3388-3446' Open Hole 3464-3660' 3181-3366'	2 3/8" @ 3516' 3133'	Converted to WTW 8-1-68	BLM LC-029420-B
SU #248	The Wiser Oil Co.	1240' FSL, 1190' FEL, Unit P	21	17S	31E	5-23-96	O	3950'	12 1/4" 7 7/8"	8 5/8" 5 1/2"	495' 3950'	400 1400	3301-3444' 3701-5'	2 7/8" @ 3411'		BLM LC-029420-B
SU #262	The Wiser Oil Co.	105' FSL, 125' FEL, Unit P	21	17S	31E	7-2-96	O	3950'	12 1/4" 7 7/8"	8 5/8" 5 1/2"	491' 3950'	325 1600	3401-3613'	2 7/8" @ 3361'		BLM LC-029420-B
SU #128	The Wiser Oil Co.	450' FNL, 450' FEL, Unit A	22	17S	31E	12-24-77	O	2550'	11" 7 7/8"	8 5/8" 5 1/2"	616' 2550'	275 560	2318-2436'	2 3/8" @ 2480'		BLM LC-029419-A
SU #226	The Wiser Oil Co.	1217' FNL, 1117' FEL, Unit A	22	17S	31E		O								Drilling is pending	BLM LC-029419-A
SU #227	The Wiser Oil Co.	1237' FNL, 41' FEL, Unit A	22	17S	31E	7-2-96	O	3950'	12 1/4" 7 7/8"	8 5/8" 5 1/2"	453' 3950'	325 1150	3337-3514'			BLM LC-029419-A
SU #42	The Wiser Oil Co.	660' FNL, 1980' FEL, Unit B	22	17S	31E	11-13-61	W	3794	11" 7 7/8"	8 5/8" 4 1/2"	616' 3794'	300 400	3481-3487' 3496-3508' 3514-3526' 3602-3606' 3188-3416'	2" @ 3451'	Converted to WTW 4-20-65	BLM LC-029419-A
SU #212	The Wiser Oil Co.	66' FNL, 2546' FEL, Unit B	22	17S	31E		O	4060'	12 1/4" 7 7/8"	8 5/8" 5 1/2"	449' 4060'	325 1150			Drilling	BLM LC-029419-A
SU #2	The Wiser Oil Co.	660' FNL, 1980' FWL, Unit C	22	17S	31E	8-26-44	O	3768' PBTD 2305'		8 5/8" 7"	619' 2102'	100 200	2102-2305'	2 3/8" @ 1874'		BLM LC-029419-A
SU #3	The Wiser Oil Co.	660' FNL, 660' FWL, Unit D	22	17S	31E	1-12-54	W	13196	18" 12 1/4" 7 7/8"	13 3/8" 9 5/8" 7"	211' 3800' 13112	230 2847 1415	11962-982' 2246-2282' 3578-3746'	2" @ 3721'	Converted to WTW 3-21-73	BLM LC-029419-A
SU #125	The Wiser Oil Co.	1980' FNL, 560' FWL, Unit E	22	17S	31E	10-1-77	O	2500'	11" 7 7/8"	8 5/8" 5 1/2"	640' 2500'	250 545	2380-2452' 2202-2326'	2 3/8" @ 2323'		BLM LC-029419-A
SU #224	The Wiser Oil Co.	1348' FNL, 1197' FWL, Unit E	22	17S	31E		O								Drilling is pending	BLM LC-029419-A
SU #44	The Wiser Oil Co.	1980' FNL, 1980' FWL, Unit F	22	17S	31E	3-13-59	W	3571' 3808'	10" 7 7/8"	8 5/8" 5 1/2"	680' 3472'	150 360	3472-3571' Open Hole 3376-3458' 3141-3343'	2 3/8" @ 3462'	Converted to WTW 4-20-65	BLM LC-029419-A
SU #115	The Wiser Oil Co.	2630' FNL, 1330' FWL, Unit F	22	17S	31E	3-12-74	O	3981'	12 1/4" 7 7/8"	8 5/8" 5 1/2"	666' 3981'	375 150	3350-3380' 3706-3768' 3832'	2 3/8" @ 3198'	TOC 200' by Temp Svy	BLM LC-029419-A

**SU C-108 HALF-MILE WELL DATA SHEET**

NAME	OPERATOR	LOCATION	SEC	TSH	RG	COMPL. DATE	TP	TD	HOLE SIZE	CSG SIZE	DEPTH SET	SX CMT	PERFS	TBG/PKR	COMMENTS	LEASE
SU #124	The Wiser Oil Co.	1880' FNL, 1880' FEL, Unit G	22	17S	31E	10-25-77	O	2550'	11" 7 7/8"	8 5/8" 5 1/2"	615' 2550'	125 470	2150-2229'	2 3/8" @ 2242'	Estimated TOC 149'	BLM LC-029419-A
SU #225	The Wiser Oil Co.	1357' FNL, 2580' FEL, Unit G	22	17S	31E	8-8-96	O	4000'	12 1/4" 7 7/8"	8 5/8" 5 1/2"	452' 4000'	325 1150	3290-3410'			BLM LC-029419-A
SU #46	The Wiser Oil Co.	1980' FNL, 560' FEL, Unit H	22	17S	31E	11-22-61	Ø WTW	3820'	11" 7 7/8"	8 5/8" 4 1/2"	650' 3820'	280 400	3509-3616' 3782-3808' 3202-3485'	2" @ 3471'	Converted to WIW 4-20-65	BLM LC-029419-A
SU #157	The Wiser Oil Co.	2600' FNL, 1310' FEL, Unit H	22	17S	31E	1-25-85	O	3705'	17 1/2" 12 1/4" 7 7/8"	13 3/8" 8 5/8" 5 1/2"	577' 1860' 3705'	700 900 875	3097-3452'	2 3/8" @ 3610'		BLM LC-029419-A
SU #118	The Wiser Oil Co.	1880' FSL, 660' FEL, Unit I	22	17S	31E	11-23-77	O	2580'	11" 7 7/8"	8 5/8" 5 1/2"	630' 2580'	275 655	2309-2433'	2 3/8" @ 2476'		BLM LC-029419-A
SU #52	The Wiser Oil Co.	1980' FSL, 1980' FEL, Unit J	22	17S	31E	1946	Ø WTW	3872'	10" 8" 6 1/2"	8 5/8" 7" 4 1/2"	655' 3130' 3030-3871'	100 150 250	3201-3842'	2 3/8" @ 3545'	TOC 1850' By Temp Svy, Converted to WIW 4-20-65 Deepened 4-24-67	BLM LC-029419-A
SU #156	The Wiser Oil Co.	2560' FSL, 2630' FEL, Unit J	22	17S	31E	1-14-85	O	3685'	12 1/4" 7 7/8"	8 5/8" 5 1/2"	511' 3685'	400 1650	3077-3544'	2 3/8" @ 3599'		BLM LC-029419-A
SU #53	The Wiser Oil Co.	1980' FSL, 1980' FWL, Unit K	22	17S	31E	11-6-58	Ø WTW	3497' 3808'	10" 8"	8 5/8" 7"	705' 3432'	125 320	3432-3497' Open Hole 3500-3808' 3168-3372'	2 3/8" @ 3731'	TOC 1000' By Temp Svy, Converted to WIW 2-24-87	BLM LC-029419-A
SU #117	The Wiser Oil Co.	1980' FSL, 1880' FWL, Unit K	22	17S	31E	9-15-77	O	2630'	12 1/4" 7 7/8"	8 5/8" 5 1/2"	623' 2630'	250 610	2470-2578' 2256-2380'	2 3/8" @ 2350'		BLM LC-029419-A
SU #54	The Wiser Oil Co.	1980' FSL, 660' FWL, Unit L	22	17S	31E	10-1-58	Ø WTW	3454' 3802'	10" 8"	8 5/8" 7"	675' 3399'	150 325	3399-3451' 3510-3788' 3127-3470'	2 3/8" @ 3490'	Converted to WIW 4-20-65	BLM LC-029419-A
SU #116	The Wiser Oil Co.	1330' FSL, 130' FWL, Unit L	22	17S	31E	4-27-74	O	4000'	12 1/4" 7 7/8"	8 5/8" 5 1/2"	672' 4000'	425 1100	3383-3614'	2 3/8" @ 3582'		BLM LC-029419-A
SU #123	The Wiser Oil Co.	560' FSL, 660' FWL, Unit M	22	17S	31E	9-20-77	O	2580'	12 1/4" 7 7/8"	8 5/8" 5 1/2"	636' 2580'	250 600	2285-2410'	2 3/8" @ 2424'		BLM LC-029419-A
SU #160	The Wiser Oil Co.	1270' FSL, 1310' FWL, Unit M	22	17S	31E	11-29-85	O	3900'	15" 11" 7 7/8"	11 3/4" 8 5/8" 5 1/2"	487' 1920' 3900'	500 900 1100	3302-3355'	2 3/8" @ 3347'		BLM LC-029419-A
SU #56	The Wiser Oil Co.	660' FSL, 1980' FWL, Unit N	22	17S	31E	8-23-58	Ø WTW	3580' 3711'	10" 8"	8 5/8" 7"	729' 3523'	150 475	3523-3580' Open Hole 3607-3698' 3483-3569' 3237-3468'	2 3/8" @ 3585'	Converted to WIW 3-29-68	BLM LC-029419-A
SU #159	The Wiser Oil Co.	1310' FSL, 2630' FWL, Unit N	22	17S	31E	10-23-85	O	4050'	15" 11" 7 7/8"	11 3/4" 8 5/8" 5 1/2"	500' 1888' 4050'	500 900 900	3375-3558'	2 3/8" @ 3225'		BLM LC-029419-A

**SU C-108 HALF-MILE WELL DATA SHEET**

NAME	OPERATOR	LOCATION	SEC	TSHP	RG	COMPL DATE	TP	TD	HOLE SIZE	CSG SIZE	DEPTH SET	SX CMT	PERFS	TBG/ PKR	COMMENTS	LEASE
SU #122	The Wiser Oil Co.	660' FSL, 1880' FEL, Unit O	22	17S	31E	10-17-77	O	2607'	11" 7/8"	8 5/8" 5 1/2"	632' 2607'	300 700	2337-2460'	2 3/8" @ 2460'		BLM LC-029419-A
SU #38	The Wiser Oil Co.	540' FSL, 660' FEL, Unit P	22	17S	31E	8-13-59	Ø WIW	3790' 3850'	10" 7/8"	8 5/8" 5 1/2"	760' 3589'	95 355	3502-3518' 3530-3540' 3255-3561' 3700-3850'	2 3/8" @ 3727'	Converted to WIW 3-11-68	BLM LC-029419-A
SU #158	The Wiser Oil Co.	1310' FSL, 1310' FEL, Unit P	22	17S	31E	10-8-85	O	4050'	15" 11"	11 3/4" 8 5/8" 5 1/2"	490' 1875' 900' 4050'	500 900	3372-3589' 3372-3774'	2 3/8" @ 3743'		BLM LC-029419-A
SU #145	The Wiser Oil Co.	660' FNL, 810' FEL, Unit A	23	17S	31E	8-12-78	Ø P&A	2650'	11" 7/8"	8 5/8" 5 1/2"	650' 2650'	275 625	2407-2535'	2 3/8" @ 2556'	P&A 2-19-88 (See Attached)	BLM LC-029418-A
SU #230	The Wiser Oil Co.	1198' FNL, 1296' FEL, Unit A	23	17S	31E		O								Drilling is pending	BLM LC-029418-A
SU #38	The Wiser Oil Co.	560' FNL, 1980' FEL, Unit B	23	17S	31E	4-15-66	Ø WIW	3935'	11" 7/8"	8 5/8" 5 1/2"	626' 3935'	350 250	3313-3618' 3842-3903'	2 3/8" @ 3559'	TOC @ 1850' by Tmp Svy Converted to WIW 3-11-68	BLM LC-029418-A
SU #229	The Wiser Oil Co.	1219' FNL, 2344' FEL, Unit B	23	17S	31E		O								Drilling is pending	BLM LC-029418-A
SU #146	The Wiser Oil Co.	810' FNL, 1980' FNL, Unit C	23	17S	31E	8-12-78	O	2650'	11" 7/8"	8 5/8" 5 1/2"	615' 2650'	275 525	2358-80'	2 3/8" @ 2510'		BLM LC-029418-A
SU #40	The Wiser Oil Co.	660' FNL, 660' FNL, Unit D	23	17S	31E	Pre 1944	Ø WIW	3828'		10 3/4" 8 5/8"			2324-2443' 3220-3820'	2 3/8" @ 2191' & 3140'	TOC @ 1700' by Tmp Svy Converted to WIW 3-11-68 4 1/2" Liner 3171-3827' Dual WIW Fren 7 Rivers & Grayburg-San Andres	BLM LC-029418-A
SU #119	The Wiser Oil Co.	1980' FNL, 560' FNL, Unit E	23	17S	31E	12-31-77	O	2580'	11" 7/8"	8 5/8" 5 1/2"	619' 2580'	275 625	2320-2443'	2 3/8" @ 2443'		BLM LC-029418-A
SU #228	The Wiser Oil Co.	1326' FNL, 1317' FNL, Unit E	23	17S	31E		O	4005'	12 1/2" 7/8"	8 5/8" 5 1/2"	441' 4005'	325 1150			Drilling	BLM LC-029418-A
SU #48	The Wiser Oil Co.	1980' FNL, 1980' FNL, Unit F	23	17S	31E	3-30-67	Ø WIW	3856'	10" 8"	8 5/8" 7"	740' 3248'	125 150	3712-3846' 3221-3638'	2 3/8" @ 3692'	TOC @ 1836' by Tmp Svy Converted to WIW 3-11-68	BLM LC-029418-A
SU #241	The Wiser Oil Co.	2558' FNL, 1455' FNL, Unit F	23	17S	31E		O	4000'	12 1/2" 7/8"	8 5/8" 5 1/2"	435' 4000'	325 1150			Drilling	BLM LC-029418-A
SU #143	The Wiser Oil Co.	2310' FNL, 1980' FEL, Unit G	23	17S	31E	7-4-78	O	2638'	11" 7/8"	8 5/8" 5 1/2"	619' 2637'	275 750	2365-2483'	2 3/8" @ 2507'		BLM LC-029418-A
SU #243	The Wiser Oil Co.	2616' FNL, 1343' FEL, Unit G	23	17S	31E		O								Drilling is pending	BLM LC-029418-A
SU #144	Texaco Producing Co.	1830' FNL, 810' FEL, Unit H	23	17S	31E	9-7-78	Ø P&A	2700'	11" 7/8"	8 5/8" 5 1/2"	667' 2699'	325 660	2384-2518'	2 3/8" @ 2559'	P&A 2-19-88 (See Attached)	BLM LC-029418-A

**SU C-108 HALF-MILE WELL DATA SHEET**

NAME	OPERATOR	LOCATION	SEC	TSHP	RG	COMPL DATE	TP	TD	HOLE SIZE	CSG SIZE	DEPTH SET	SX CMT	PERFS	TBG/PKR	COMMENTS	LEASE
SU #141	The Wiser Oil Co.	2210' FSL, 660' FEL, Unit I	23	17S	31E	7-6-78	O	2700'	11" 7 7/8"	8 5/8" 5 1/2"	668' 2700'	350 625	2392-2512'	2 3/8" @ 2546'	TA/CIPB @ 2350/35' (4sx) cement on top	BLM LC-029418-B
SU #242	The Wiser Oil Co.	2630' FSL, 2581' FEL, Unit J	23	17S	31E		O								Drilling is pending	BLM LC-029418-B
SU #255	The Wiser Oil Co.	1333' FSL, 2596' FEL, Unit J	23	17S	31E		O								Drilling is pending	BLM LC-029418-B
SU #256	The Wiser Oil Co.	1403' FSL, 1387' FEL, Unit J	23	17S	31E		O	4050'	12 1/4" 7 7/8"	8 5/8" 5 1/2"	442' 4050'	325 1250		Drilling	BLM LC-029418-B	
SU #142	The Wiser Oil Co.	1980' FSL, 2310' FWL, Unit K	23	17S	31E	7-17-78	O	2650'	11" 7 7/8"	8 5/8" 5 1/2"	650' 2649'	275 600	2354-2479'			BLM LC-029418-B
SU #73	The Wiser Oil Co.	2130' FSL, 660' FWL, Unit L	23	17S	31E	12-8-61	Ø	3835'	11" 7 7/8"	8 5/8" 4 1/2"	779' 3834'	350 400	3769-3814'	Converted to WTW 3-11-68	BLM LC-029418-B	
SU #240	The Wiser Oil Co.	2403' FSL, 78' FWL, Unit L	23	17S	31E		O	4050'	12 1/4" 7 7/8"	8 5/8" 5 1/2"	443' 4050'	325 1150		Drilling	BLM LC-029418-B	
SU #254	The Wiser Oil Co.	1360' FSL, 1229' FWL, Unit L	23	17S	31E		O	4050'	12 1/4" 7 7/8"	8 5/8" 5 1/2"	441' 4050'	325 1250		Drilling	BLM LC-029418-B	
SU #78	The Wiser Oil Co.	1278' FSL, 600' FWL, Unit M	23	17S	31E	11-15-41	O	3855'	9 5/8" 8 1/4"	8 5/8" 7"	620' 3190'	200 200	2 3/8" @ 3796'	TOC 1400' by Temp Svy	BLM LC-029418-B	
SU #253	The Wiser Oil Co.	1300' FSL, 27' FWL, Unit M	23	17S	31E		O	4000'	12 1/4" 7 7/8"	8 5/8" 5 1/2"	442' 4000'	325 1150		Drilling	BLM LC-029418-B	
SU #267	The Wiser Oil Co.	35' FSL, 1285' FWL, Unit M	23	17S	31E		O								Drilling is pending	BLM LC-029418-B
SU #79	The Wiser Oil Co.	660' FSL, 1980' FWL, Unit N	23	17S	31E	4-3-60	Ø	3798' 3894'	10" 8"	8 5/8" 5 1/2"	778' 3634'	100 375	3634-3798' Open Hole 3281-3610'	Converted to WTW 8-17-70	BLM LC-029418-B	
SU #139	The Wiser Oil Co.	510' FSL, 1980' FEL, Unit O	23	17S	31E	6-20-78	O	2679'	11" 7 7/8"	8 5/8" 5 1/2"	699' 2679'	275 800	2378-2469'			BLM LC-029418-B
SU #81	The Wiser Oil Co.	810' FSL, 660' FEL, Unit P	23	17S	31E	7-2-60	Ø	3840' 3910'	10" 8"	8 5/8" 5 1/2"	799' 3784'	100' 375'	3784-3940' Open Hole 3300-3618' 3625-3745'	Converted to WTW 8-14-70	BLM LC-029418-B	
SU #140	The Wiser Oil Co.	810' FSL, 810' FEL, Unit P	23	17S	31E	9-11-78	O	2700'	11" 7 7/8"	8 5/8" 5 1/2"	690' 2700'	275 600	2414-2542'			BLM LC-029418-B
Puckett "A" #3	William A. and Edward R. Hudson	660' FNL, 1980' FWL, Unit C	24	17S	31E	12-15-37	O	3900'		8 1/4" 7"	663' 3370'	50 150	3908-3920' 3932-84'			BLM LC-029415-A

**SU C-108 HALF-MILE WELL DATA SHEET**

NAME	OPERATOR	LOCATION	SEC	TSEP	RG	COMPL DATE	TP	TD	HOLE SIZE	CSG SIZE	DEPTH SET	SX CMT	PERFS	TBG/PKR	COMMENTS	LEASE
Puckett "A" #28	William A. & Edward R. Hudson	25' FNL, 1345' FWL, Unit C	24	17S	31E	10-16-64	WTW	3946'	11" 8"	8 5/8" 5 1/2"	595' 3943'	100 300	3678-3702' 3916-26'	2 3/8" @ 3618'		BLM LC-029415-A
Puckett "A" #13	Wm. A. & Ed. R. Hudson	660' FNL, 660' FWL, Unit D	24	17S	31E	Pre 1952	O	3980						3510'	Incomplete OCD File	BLM LC-029415-A
Puckett "A" #26	William A. and Edward R. Hudson	1295' FNL, 1295' FWL, Unit D	24	17S	31E	11-3-64	WTW	5250'	13 3/4" 9 7/8" 6 3/4"	10 3/4" 7 5/8" 5 1/2"	273' 4103'	270 400	3640-3658' 3915-3927'	2 3/8" @ 3580'	Converted to WTW 12-2-64	BLM LC-029415-A
Puckett "A" #10	Wm. A. & Ed. R. Hudson	1980' FNL, 660' FWL, Unit E	24	17S	31E	Pre 1941	O	3974'					3464-3974' open hole	3605'	Incomplete OCD File Deepened 1-3-73	BLM LC-029415-A
Puckett "24" Fed #1	Pennzoil United, Inc.	1800' FNL, 1980' FWL, Unit F	24	17S	31E	2-1-69	P&A (Dry)	10150'	17 1/2" 11"	13 3/8" 8 5/8"	756' 4182'	650 500			TOC 2360' by Temp Svy P&A 2-2-69 (See Attached)	BLM LC-029415-A
Puckett "A" #9	William A. and Edward R. Hudson	1980' FNL, 1980' FWL, Unit F	24	17S	31E	1941	O							3530'	Incomplete OCD File	BLM LC-029415-A
Puckett "A" #27	William A. and Edward R. Hudson	2615' FSL, 1345' FWL, Unit K	24	17S	31E	8-30-64	WTW	3903'	11" 8"	8 5/8" 5 1/2"	604' 3902'	100 150	3640-3652' 3669-3686' 3876-3881'	2 3/8" @ 3580'	Converted to WTW 12-2-64	BLM LC-029415-A
Puckett "A" #12	William A. and Edward R. Hudson	1980' FSL, 1980' FWL, Unit K	24	17S	31E	Pre 1952	O	3907'		8 5/8" 7"	590' 3283'				Incomplete OCD File	BLM LC-029415-A
Puckett "A" #8	William A. & Edward R. Hudson	1980' FSL, 660' FWL, Unit L	24	17S	31E	2-27-41	O	3956'	10" 7"	10" 7"	605' 3300'	80 150		2 3/8" @ 3965'	TOC 1060' by Temp Svy Deepened 5-1-73	BLM LC-029415-A
Puckett "B" #1	William A. & R. Hudson	660' FSL, 660' FWL, Unit M	24	17S	31E	4-22-41	O	3965'	10 3/4" 7"	10 3/4" 7"	695' 3302'	75 150	3425-3650' 3500-3700'	2 3/8" @ 3829'		BLM LC-029415-A
Puckett "B" #23	William A. & Edward R. Hudson	1295' FSL, 1295' FWL, Unit M	24	17S	31E	4-16-65	WTW O	3943'		8 5/8" 5 1/2"	587' 3938'	150 300	3519-33' 3658-72' 3833-38'	2" @ 3580'	Converted to Producer 11-22-76	BLM LC-029415-B
Lea D #2	Apache Corp.	710' FNL, 660' FEL, Unit A	26	17S	31E	8-22-60	O	3930'	10" 8"	8 5/8" 5 1/2"	843' 3863'	100 385	3584-89' 3621-94' 3703-3762' 3801-3805'	2 1/2" @ 3521'	Estimated TOC 2012' TA	BLM LC-029418-B
Lea D #1	Apache Corp.	660' FNL, 1980' FEL, Unit B	26	17S	31E	8-17-60	WTW	3873'	10" 8"	8 5/8" 5 1/2"	822' 3830'	100 355		2" @ 3822'	Estimated TOC 2123' Converted to WTW 10-2-70 TA	BLM LC-029418-B
SU #138	The Wiser Oil Co.	510' FNL, 1980' FWL, Unit C	26	17S	31E	7-1-78	O	2700'	11" 7 7/8"	8 5/8" 5 1/2"	695' 2700'	275 650	2410-98' 2509-37'	2 3/8" @ 2541'		BLM LC-029418-B
SU #83	The Wiser Oil Co.	660' FNL, 660' FWL, Unit D	26	17S	31E	5-6-60	WTW	3900'	10" 8"	8 5/8" 5 1/2"	783' 3700'	100 375	3700-3779' Open Hole 3323-3678'	2 3/8" @ 3223' & 2320'	Converted to WTW 3-11-68 TA	BLM LC-029418-A

**SU C-108 HALF-MILE WELL DATA SHEET**

NAME	OPERATOR	LOCATION	SEC	TSHF	RG	COMPL DATE	TP	TD	HOLE SIZE	CSG SIZE	DEPTH SET	SX CMT	PERFS	TBG/ PKR	COMMENTS	LEASE
SU #266	The Wiser Oil Co.	35' FNL, 33' FWL, Unit D	26	17S	31E	8-20-96	O	4100'	12 1/4" 7 7/8"	8 5/8" 5 1/2"	456' 4100'	325' 1050	3521-3625' 3685-3760' 3848-51' 3899-3915'	2 7/8" @ 3819'		BLM LC-029418-B
Lea D #8	Texas Exploration and Prod. Inc.	1980' FNL, 660' FWL, Unit E	26	17S	31E	8-16-72	Ø P&A	4000'	11" 7 7/8"	8 5/8" 5 1/2"	607' 4000'	350' 1500	3794-3968'	2 7/8" @ 3763'	P&A 12-6-91 (See Attached)	BLM LC-029418-B
Lea D #7	Apache Corp.	1980' FNL, 1980' FWL, Unit F	26	17S	31E	6-4-72	O	4000'	11" 7 7/8"	8 5/8" 5 1/2"	620' 4000'	350' 1100	3372-3728' 3772-3960'	2 3/8" @ 3768'		BLM LC-029418-B
Lea D #4	Apache Corp.	1880' FNL, 1980' FEL, Unit G	26	17S	31E	9-23-60	O	3860'	10" 8"	8 5/8" 5 1/2"	901' 3737'	100' 350	3395-3715'	2" @ 3767'	Estimated TOC 2177'	BLM LC-029418-B
Lea D #9	Texas Exploration and Prod. Inc.	1980' FSL, 1980' FWL, Unit K	26	17S	31E	3-16-75	Ø P&A	4100'	11" 7 7/8"	8 5/8" 5 1/2"	616' 4100'	375' 925	3903-3993' 4068' 4074' 2613-2987'	2 7/8" @ 3921'	P&A 12-4-90 (See Attached)	BLM LC-029418-B
SU #133	The Wiser Oil Co.	760' FNL, 660' FEL, Unit A	27	17S	31E	12-21-77	O	2700'	11" 7 7/8"	8 5/8" 5 1/2"	690' 2700'	275' 928	2422-2502'	2 3/8" @ 2538'		BLM LC-029419-B
SU #85	The Wiser Oil Co.	660' FNL, 1980' FEL, Unit B	27	17S	31E	4-23-59	Ø WTW	3754' 3803'	10" 7 7/8"	8 5/8" 5 1/2"	754' 3705'	150' 360	3705-3754' Open Hole 3339-3686'	2 3/8" @ 3216' & 2325'	TOC @ 1513' by Tmp Svy Converted to WTW 3-6-68	BLM LC-029419-B
SU #265	The Wiser Oil Co.	158' FNL, 1438' FEL, Unit B	27	17S	31E		O								Drilling is pending	BLM LC-029419-B
SU #278	The Wiser Oil Co.	1310' FNL, 1330' FEL, Unit B	27	17S	31E		O								Drilling is pending	BLM LC-029419-B
SU #132	The Wiser Oil Co.	760' FNL, 1900' FWL, Unit C	27	17S	31E	12-20-77	O	2600'	11" 7 7/8"	8 5/8" 5 1/2"	647' 2600'	300' 670	2372-2452'	2 3/8" @ 2477'		BLM LC-029419-B
SU #264	The Wiser Oil Co.	20' FNL, 2619' FWL, Unit C	27	17S	31E		O	3900'	12 1/4" 7 7/8"	8 5/8" 5 1/2"	448' 3900'	325' 1350			Drilling	BLM LC-029419-B
SU #87	The Wiser Oil Co.	330' FNL, 330' FWL, Unit D	27	17S	31E	11-30-57	O & WTW	3689'	10" 8"	8 5/8" 7"	728' 3461'	175' 310	1764-2125' 2343-2431' 3241-3552' 3569-3659'	2 3/8" @ 2000/ 2 7/8" @ 3200'	Producing in 7 Rivers Converted to WTW in Grayburg 12-16-71	BLM LC-029419-B
SU #263	The Wiser Oil Co.	15' FNL, 1262' FWL, Unit D	27	17S	31E		O								Drilling is pending	BLM LC-029419-B
SU #276	The Wiser Oil Co.	670' FNL, 1183' FWL, Unit D	27	17S	31E		O								Drilling is pending	BLM LC-029419-B

**SU C-108 HALF-MILE WELL DATA SHEET**

NAME	OPERATOR	LOCATION	SEC	TSHP	RG	COMPL DATE	TP	TD	HOLE SIZE	CSG SIZE	DEPTH SET	SX CMT	PERFS	TBG/PKR	COMMENTS	LEASE
SU #134	The Wiser Oil Co.	1860' FNL, 660' FWL, Unit E	27	17S	31E	12-13-77	O	2650'	11" 7 7/8"	8 5/8" 5 1/2"	679' 2650'	300 900	2386-2487'	2 3/8" @ 2487'		BLM LC-029419-B
SU #96	The Wiser Oil Co.	1980' FNL, 1980' FWL, Unit F	27	17S	31E	8-24-60	W	7990'	11" 7 7/8"	8 5/8" 5 1/2"	2075' 3770'	575 350	3770-3855' 3396-3662'	2" @ 3833'	Converted to WTW 3-6-68	BLM LC-029419-B
SU #135	The Wiser Oil Co.	2080' FNL, 2080' FEL, Unit G	27	17S	31E	12-19-77	O	2740'	11" 7 7/8"	8 5/8" 5 1/2"	706' 2740'	350 700	2466-2590'	2 3/8" @ 2609'		BLM LC-029419-B
SU #277	The Wiser Oil Co.	1330' FNL, 2628' FEL, Unit G	27	17S	31E	10-1-96	O	4100'	12 1/4" 7 7/8"	8 5/8" 5 1/2"	440' 4100'	325 1150	3542-3735'	2 7/8" @ 3858'		BLM LC-029419-B
Lynch B #1	Skelly Oil Co.	1980' FNL, 660' FEL, Unit H	27	17S	31E	1-5-43	O	4377'		8 5/8" 7"	758' 3330'	200 200				BLM LC-029419-B
SU #275	The Wiser Oil Co.	1270' FNL, 120' FEL, Unit A	28	17S	31E		O	4000'	12 1/4" 7 7/8"	8 5/8" 5 1/2"	445' 4000'	325 1450		Drilling		BLM LC-029420-B
SU #130	The Wiser Oil Co.	760' FNL, 760' FEL, Unit A	28	17S	31E	9-22-77	O	2550'	12 1/4" 7 7/8"	8 5/8" 5 1/2"	630' 2550'	250 620'	2300-2420'	2 3/8" @ 2450'		BLM LC-029420-B
SU #89	The Wiser Oil Co.	660' FNL, 1980' FEL, Unit B	28	17S	31E	5-21-58	W	3570' 3670'	10" 8"	8 5/8" 7"	675' 3506'	150 325	3506-3570' Open Hole 3570-3670' 3216-3432'	2 3/8" @ 3496'	Converted to WTW 8-2-68	BLM LC-029420-B
SU #261	The Wiser Oil Co.	30' FNL, 1400' FEL, Unit B	28	17S	31E		O	3957'	12 1/4" 7 7/8"	8 5/8" 5 1/2"	491' 3956'	325 1325	3384-3525' 3567-59'	2 7/8" @ 3463'	Drilling	BLM LC-029420-B
SU #137	The Wiser Oil Co.	810' FNL, 2080' FWL, Unit C	28	17S	31E	6-11-78	O	2550'	11" 7 7/8"	8 5/8" 5 1/2"	575' 2550'	250 825	2240-2320'	2 3/8" @ 2362'		BLM LC-029420-B
SU #272	The Wiser Oil Co.	1213' FNL, 1428' FWL, Unit C	28	17S	31E		O	3987'	12 1/4" 7 7/8"	8 5/8" 5 1/2"	439' 3987'	325 1150			Drilling	BLM LC-029420-B
SU #259	The Wiser Oil Co.	142' FNL, 1102' FWL, Unit D	28	17S	31E		O	4000'	12 1/4" 7 7/8"	8 5/8" 5 1/2"	446' 4000'	325 1250			Drilling	BLM LC-029420-B
SU #136	The Wiser Oil Co.	1830' FNL, 660' FWL, Unit E	28	17S	31E	6-19-78	O	2550'	11" 7 7/8"	8 5/8" 5 1/2"	625' 2549'	300 1110	2246-2339'	2 3/8" @ 2347'		BLM LC-029420-B
SU #283	The Wiser Oil Co.	2598' FNL, 1279' FWL, Unit E	28	17S	31E		O								Drilling is pending	BLM LC-029420-B
SU #131	The Wiser Oil Co.	1880' FNL, 1880' FEL, Unit G	28	17S	31E	10-1-77	O	2600'	11" 7 7/8"	8 5/8" 5 1/2"	650' 2600'	300 610	2231-2410'	2 3/8" @ 2530'		BLM LC-029420-B
SU #273	The Wiser Oil Co.	1387' FNL, 2529' FEL, Unit G	28	17S	31E		O								Drilling is pending	BLM LC-029420-B

**SU C-108 HALF-MILE WELL DATA SHEET**

NAME	OPERATOR	LOCATION	SEC	TSHF	RG	COMPL DATE	TP	TD	HOLE SIZE	CSG SIZE	DEPTH SET	SX CMT	PERFS	TBG/ PKR	COMMENTS	LEASE
SU #274	The Wiser Oil Co.	1443' FNL, 1462' FEL, Unit G	28	17S	31E		O								Drilling is pending	BLM LC-029420-B
SU #284	The Wiser Oil Co.	2600' FNL, 2564' FEL, Unit G	28	17S	31E	7-15-96	P&A	4150'	12 1/4" 7 7/8"	8 5/8"	447'	425	3554-4070'		P&A 7-15-96 (See Attached)	BLM LC-029420-B
SU #285	The Wiser Oil Co.	2606' FNL, 1173' FEL, Unit H	28	17S	31E		O								Drilling is pending	BLM LC-029420-B
SU #155	Texaco Prod. Inc.	2130' FSL, 1980' FWL, Unit K	28	17S	31E	6-15-78	Ø P&A	2680'	11" 7 7/8"	8 5/8" 5 1/2"	648' 2678'	275 1000	2354-2439'	2 3/8" @ 2482'	P&A 9-21-90 (See Attached)	BLM LC-029420-B
SU #161	The Wiser Oil Co.	1650' FSL, 2310' FWL, Unit K	28	17S	31E	4-25-95	O	12,08 0'	14 3/4" 11" 7 7/8"	11 3/4" 8 5/8" 5 1/2"	653' 5040' 12,08 0'	795 1710 700	11796-804' 11298-302' 3677-3680'	None	BLM LC-029420-B	
Dow "B" 28 Fed #1	Texaco Exploration and Production Inc.	1028' FSL, 1227' FEL, Unit P	28	17S	31E	5-1-96	G	12,72 5'	14" 11" 7 7/8"	11 3/4" 8 5/8" 5 1/2"	614' 5040' 12275	450 3000 2300	12,118-80'	2 7/8" @ 12024		BLM LC-029420-B
Turner B #22	Socorro Pet. Co.	660' FNL, 660' FEL, Unit A	29	17S	31E	4-17-46	Ø P&A	2242'		7" 5 1/2"	582' 2165'	50 100	Estimated TOC 700' P&A 12-4-86 (See Attached)	2 3/8"	BLM LC-029395-B	
Turner B #59	Avon Energy Corp.	560' FNL, 660' FEL, Unit A	29	17S	31E	2-22-59	O	3486'		10 3/4" 5 1/2"	593' 3486'	100 210	3290-3300' 3310-3314'	2 3/8" @ 3256'	BLM LC-029395-B	
Turner B #74	ARCO O & Gas Co.	330' FNL, 990' FEL, Unit A	29	17S	31E	11-21-60	Ø P&A	7250'	11" 7 7/8"	8 5/8" 4 1/2"	1600' 7207'	776 1300	7182-7192' 7076-84' 7098-7102' 7104-7117'	2 3/8" @ 7170'	TOC 1520' by Temp Svy P&A 12-14-86 (See Attached)	BLM LC-029395-B
Turner B #91	Avon Energy Corp.	140' FNL, 1270' FEL, Unit A	29	17S	31E	1-25-91	O	3620'	12 1/4" 7 7/8"	8 5/8" 5 1/2"	598' 3617'	465 1400	3382-3327' 3296-3205' 3125-3123'	2 7/8" @ 3417'	BLM LC-029395-B	
Turner B #69	Marbob Energy Corp.	380' FNL, 2310' FEL, Unit B	29	17S	31E	9-12-60	Ø P&A	7230'		13 3/8" 8 5/8" 4 1/2"	312' 1600' 7230'	100 1100 1100	6954-78' 7018-57' 7108-7132'	2 3/8" @ 7080'	P&A 8-1-94 (See Attached)	BLM LC-029395-B
Turner B #24	Atlantic Richfield Co.	660' FNL, 1979.4 FEL, Unit B	29	17S	31E	6-9-47	Ø P&A	2219'		8 5/8" 7"	532' 2112'	50 100		2' @ 2130'	P&A 3-24-76 (See Attached)	BLM LC-029395-B
Turner B #47	Avon Energy Corp.	560' FNL, 1980' FEL, Unit B	29	17S	31E	6-6-57	Ø WTW	3450'		10 3/4" 7"	558' 3450'	100 100	3396-3412' 3243-3270' 3290-3366' 3224-3392' 3045-3158'	2' @ 3341'	Converted to WTW 3-11-69.	BLM LC-029395-B
Turner B #85	Avon Energy Corp.	1305' FNL, 1335' FEL, Unit B	29	17S	31E	10-31-90	O	3600'	12 1/4" 7 7/8"	8 5/8" 5 1/2"	630' 3597'	465 1000	3180-3187' 3240-3268' 3370-3416' Add 3057-3154'	2 7/8" @ 3451'		BLM LC-029395-B
Turner B #49	Avon Energy Corp.	1980' FNL, 1980' FEL, Unit G	29	17S	31E	10-30-57	O	3600'		10 3/4" 7"	581' 3502'	100 100	3418-3430' 3446-3456'	2' @ 3371'		BLM LC-029395-B



**SUC-108 HALF-MILE WELL DATA SHEET**

NAME	OPERATOR	LOCATION	SEC	TSEP	RG	COMPL DATE	TP	TD	HOLE SIZE	CSG SIZE	DEPTH SET	SX CMT	PERFS	TBG/ PKR	COMMENTS	LEASE
Turner B #55	Avon Energy Corp.	1980' FNL, 660' FEL, Unit H	29	17S	31E	10-2-58	Ø WTW	3640'		10 3/4" 5 1/2"	631' 3640'	100 100	3600-3608' 3616-3624'	2 3/8" @ 3566'	Converted to WIW 3-11-69	BLM LC-029395-B
Turner B #62	Avon Energy Corp.	1980' FSL, 660' FEL, Unit I	29	17S	31E	7-29-59	O	3690'		8 5/8" 5 1/2"	648' 3690'	100 100	3500-3530' 3649-3652' 3656-3674'	2' @ 3486'		BLM LC-029395-B
Turner B #61	Avon Energy Corp.	1980' FSL, 1980' FEL, Unit J	29	17S	31E	6-3-59	Ø WTW	3661'		10 3/4" 5 1/2"	633' 3661'	100 100	3616-3646' 3506-3516' 3532-40' 3254-3586'	2' @ 3577'	Estimated TOC 2310' Converted to WIW 3-11-69	BLM LC-029395-B
Turner B #82	Avon Energy Corp.	2550' FSL, 1335' FEL, Unit J	29	17S	31E	11-26-90	O	3724'	12 1/4" 7 7/8"	8 5/8" 5 1/2"	602' 3724'	824 1040	3171-3616'	2 7/8" @ 3545'		BLM LC-029395-B
Turner B #88	Avon Energy Corp.	1335' FSL, 1335' FEL, Unit J	29	17S	31E	1-1-91	O	3747'	12 1/4" 7 7/8"	8 5/8" 5 1/2"	605' 3745'	550 550	3315-3688'	2 7/8" @ 3601'	Estimated TOC 936'	BLM LC-029395-B
Tracy 29 Fed #1	Coastal Management Corporation	950' FSL, 1980' FEL, Unit O	29	17S	31E	2-8-95	Dry	11857'	17 1/2" 11" 7 7/8"	13 3/8" 8 5/8" 5 1/2"	640' 4524' 11821	620 1975 1500	8496-8584' 8411-8445' 8327-8396' 11628-42'		Dry Hole Temporarily SI for evaluation	BLM LC-029395-B
Turner B #63	Avon Energy Corp.	660' FSL, 1980' FEL, Unit O	29	17S	31E	9-7-59	O	3670'		8 5/8" 5"	700' 3670'	100 100	3510-3530' 3604-3620' 3633-3641'	2' @ 3447'		BLM LC-029395-B
Turner B #68	Avon Energy Corp.	660' FSL, 660' FEL, Unit P	29	17S	31E	8-23-60	Ø WTW	3718'		8 5/8" 4 1/2"	730' 3718'	100 130	3454-3512' 3630-3604' 3550-3520' 3430-3491' 3375-3332'	2 3/8" @ 3409'	Converted to WIW 3-11-69	BLM LC-029395-B
Dow "B" 33 Fed. #2	Texaco Exploration & Production, Inc.	660' FNL, 2310' FWL, Unit C	33	17S	31E	12-24-93	O&G	12100'	14 3/4" 11" 7 7/8"	11 3/4" 8 5/8" 5 1/2"	679' 5100' 12100'	420 1593 1520	11818-11832' 11735-11754'	2 7/8" @ 11770'	TOC 3100' by Temp Svy	BLM LC-029420-B

LEASE

H. E. West "B" WELL NO. 2


P+A 9-27-89

9" csg set from 81-175' with 50 sx  
Drilled Well out to 175'  
Circulated to surface with 200 sx class "C"  
CEMENT  
(000 well file is incomplete)

9 5/8" casing set at 700' with 50 sx  
Hole size 12"

7" casing set at 3250' with 100 sx  
Total Depth 3757' Hole size 8"


SU 114



23 1/2" SET AT 620'  
14 1/2" Hole w/ 350 SX  
CMT. CURE.

5 1/2" SET AT 3827'  
w/ 7 1/2" Hole w/ 100 SX  
CMT. CURE.


SU #153  
P+A 9-26-90



25" 23" SET AT 1631'  
12" N. HOLE w/ 27.5 SX  
CMT. CIRC. (K-22)

5" 14" SET AT 2429'  
12" N. HOLE w/ 1450 SX  
CMT. CIRC. (K-55)

SU #147  
P+A 5-12-87



9% 72" CLASS W. CMT FROM 1654'  
CMT. CIRC. 11 1/2" DIA.

12 1/2 CLASS W. CMT FROM 711' TO 611' 5/12/87

5 1/2 CLASS W. CMT FROM 1822 TO 1725  
CMT. CIRC. 7 1/2" DIA.

12 1/2 CLASS W. CMT FROM 1822 TO 1725 5/12/87

SER. 5% CIBP @ 2350' CAT w/ 35' CAT 5/11/87

PERD: 2418 TO 2530 32' 12" DIA. CAT 175-40.  
2530 TO 2458 34' 37" DIA.

10 1/2 CLASS W. CMT FROM 13' TO SURF

BASE OF SHUT TIC

BASE OF SHUT 1725

TOP 2418

PERD 2458 RIVERS

SU#154  
P+A 9-20-91

K0-3900'  
G1-3890'

6 ss plug from 0-50'

3 3/8" 23" 4-SS SET @ 1662'  
IN 1 1/2" HOLE w/ 325 SX  
CMT. CIRC. TO SURF

25 ss plug 495'-707'

1696' TOP SALT

1684' BOTTOM SALT

25 ss plug 1669'-1926'

Set 15 ss thru cmt ret  
@ 2304' cap w/ 150' cmt

7-RINGS PERFS 2351'-2474' (21 HOLES)

5 1/2" 14" 4-SS SET @ 2150'  
IN 1 1/2" HOLE w/ 500 SX  
CMT. CIRC. TO SURF

PRD - 2104'

SU #151  
P+A 9-25-90

K0-3870'  
G1-3860'

7 ss plug 0-50'

25 ss Plug 335'-625'


25 ss Plug 1608'-1836'

Set 7.5 ss thru cmt ret  
@ 2210' cap w/ 50' cmt (555)

7-RINGS PERFS 2301'-2424' (24 holes)

5 1/2" 14.5" SET @ 2399'  
IN 1 1/2" HOLE w/ 650 SX  
CMT. CIRC. (4-SS)


PRD 2351'




8 1/2" 24" SET AT 502'  
IN 1 1/2" HOLE w/ 275 SX  
CMT. CIRC. (4-SS)

SU | WELL NO 30

P+A 7-16-96




SU#152  
P+A 9-28-90



WELL No  
SHA 41  
P#A 5-25-69

cement @ Surface



20 sk cement plug set @ base of 8 5/8" csg + @ 200' where 8 5/8" csg was recovered

8 5/8" casing set at 617' with 50' sk  
Hole size 10"


20 sk cement plug set in + out of 4 1/2" casing @ 1300'

Covered Perforations from 3288-3428' @ 20 sk

4 1/2" casing set at 3775' with 325' sk  
Total Depth 3178' Hole size 10"

WELL No  
TURNER B 10  
P#A 7-14-77

Spotted 10 sk cmt in top of 7" csg @ Surface



Set cement retainer @ 428'

8 1/4" casing set at 528' with 50' sk  
Hole size 7"

Pumped 55 sk cmt thru retainer + circ. in 8 5/8" x 7" annulus to surface

Perf 7" csg @ 628'


Spotted 90' cmt on top retainer

Set Plug @ 2460' Cemented thru retainer/100 sk Pumped cmt below retainer/2000'

7" casing set at 2812' with 100' sk  
Total Depth 3450' Hole size 7"

TURNER B" WELL NO. 45  
PFA 4-10-75

Spotted 10 sx cmt plug 25' to Surface.



Spotted 80 sx 660'-300' across 5 1/2" csg stub  
8 5/8" casing set at 558' with 50 sx

Hole size \_\_\_\_\_"

Cut 5 1/2" csg @ 610' + P.O.H.  
Cut 5 1/2" csg @ 770' - pulled 25' - unable to work free

Set Retainer @ 3095' Pumped + displaced 70 sx below retainer + left 5 sx on top.

5 1/2" casing set at 3349' with 200 sx  
Total Depth 3350' Hole size \_\_\_\_\_"

TURNER B" WELL NO. 19  
PFA 11-19-86

Spot 47 sx cmt 0'-177'  
Pumped 40 sx down 7" ann. 7" annulus  
Pumped 25 sx Thixotropic down 25 sx  
Circ. out 8 5/8" ann. Pumped Thixotropic into 8 5/8" ann.  
Pumped 30 sx down 7" ann.

Perforated - Cmt holes / 250 sx

Spot plug / 153 sx


8 5/8" casing set at 600' with 50 sx  
Hole size \_\_\_\_\_"

Plug / 150 sx


Plug / 74 sx

Plug / 150 sx

7" casing set at 2022' with 100 sx  
Total Depth 2096' Hole size \_\_\_\_\_"




Turner B #20  
P+A 6-20-86



Calc TOC 450'  
8 5/8" 28# @ 568'  
w/150 SX  
Calc TOC 1400'  
7" 20# @ 2075'  
w/100 SX


Turner "B" #21




8 5/8" 28# @ 591'  
w/150 SX  
10. 8.017"  
7" X @ 2039'  
w/100 SX



SU #144




SU #145



Pocket #24 Fed  
 P+A 2-1-69  
 Dry Hole

LEAD " #8  
 P#A 12-6-91



15 sk Plug

670-750' Plug/55sx  
 13 3/8" casing set at 756' with 650 sx  
 Hole size 17 1/2"

1120-1200' Plug/55sx

4132-4182' Plug/25sx  
 8 5/8" casing set at 4182' with 500 sx  
 Total Depth 16,150' Hole size 11"

5120-570' Plug/25sx  
 6590-6640' Plug/25sx  
 7285-7335' Plug/25sx  
 8798-8848' Plug/25sx  
 9620-9670' Plug/25sx


Set surface plug.

8 5/8" casing set at 607' with 350 sx  
 Hole size 11"  
 796' Circ. O.I.C cmt to surf.


Capped ret/200' (20sx) cmt.  
 Set cmt ret @ 3717'

5 1/2" casing set at 4000' with 1500 sx  
 Total Depth 4000' Hole size 7 7/8"

30  
WELL NO  
284  
P+A 7-15-96



Lee "D" #9  
P+A 12-4-90



SU #155


W.C. 3715  
C.A. 3715

7 5/8" Plug @ 30'

25 SX Plug 515' - 700'

25 SX Plug 1125' - 1810'

50# 15 SX THEN CMT BEI  
AT 2320' CAP W/ 10' CMT (35 SX)



8 5/8" 24" SET BIT (CMT)  
IN 1" HOLE W/ 25 SX  
CMT. CIRC. (K-55)

15' 7/8" PLUG


102' BOTTOM SALT

7-TRUERS PERFS 2354' - 2439' (15 HOLES)

5 1/2" 14" SFT AT 2165'  
14 7/8" HOLE W/ 100 SX  
CMT. CIRC. (K-55)

PrA 12-4-86  
TURNER "B" #22

1 JT 2 3/8" EUE BR TGG W/ 1000  
BALL VALVE



Spot 70' cmt inside  
CSG.

7" X 20" @ 582'  
w/ 50 SX  
1.2 G. 700'

5 1/2" X 14" @ 2165'  
w/ 100 SX


TOC @ SURF. (CALC.)  
Perf @ 170' - Pumped 100 SX  
TOC 198' by Temp SVU  
Perf @ 575' Pump 600 SX  
TOC @ 700 (CALC.)  
SALT @ 510' - 1470'

Cmt Ret @ 1400'  
Pumped 150 SX cmt

Cmt Ret @ 2060  
Pumped 100 SX cmt

2227' TD

P+A 12-14-86  
Turner B #74



Perf @ 70'  
Pumped 500 sx  
Circ to surf.

Pumped 200 sx  
below retainer

8 5/8" x 24# J-55 @ 1600'  
w/ 776 sx

1.25 200'

Spot 25 sx  
1984-2250'


Spot 25 sx  
2594-2950'

1/2" x 116.9.5# J-55 @ 7250'  
w/ 1300 sx

7250' TD

TOC @ SURF. (CIRC.)  
Perf @ 175' - Pump 100 sx / no circ  
Perf @ 360' - Pumped 200 sx / no circ  
SALT @ 736 - 1600'  
Cmt Ret @ 685' / 10' cmt  
Perf @ 1395'  
TOC @ 1520' (TEMP SURVEY)  
OTHER PRODUCING FM.  
FREN 7 RIVERS @ 2700'  
GRAYBERG-SANANDRES 2700'-3500'  
Spot 2194-2550' / 25 sx  
6799' PBD. SPOTTED 25 SX ABOVE  
PERFS 7076-7117'  
7126' C.I. BRIDGE PLUG TO  
ISOLATE PERFS. AT 7134-7141'  
7142' PBR S&Z PERFS. 7182-7192  
w/ 133 sx  
7207' PBD

Turner B #69 P+A 8-1-94



Spot 150  
5x C33A  
to surf  
Spot 25 sx  
@ 400'  
Spot  
10 sx  
@ 1350'  
Surface  
30' Surface plug  
312' 13 3/8  
Perf @ 360'  
Perf @ 1350'  
570' Surf. Plug  
4 1/2" x 1 1/4"  
1600' 8 5/8  
100' Cement plug  
@ 11650'

100'  
Cement plug of  
3800'

CIBP 6900 cap cement  
Perforated  
6994-6978'

CIBP 7030

PBD 7090'

7,230' 4 1/2"

Old Abo perfs 7108-33' and 7122-28' were squeeze cemented in 1964.  
Well was I.A. in January, 1971.

Turner B WELL No 24

PA 3-19-76

Spotted 10sx cmt @ Surface

8 5/8" casing set at 532' with 50' sx

Hole size \_\_\_\_\_"

Spotted 35sx across 8 5/8" csg shoe + Top of Salt  
500-600'


Cut 7" csg @ 909' + pulled.

Spotted 35sx across 7" csg stub 850-950'

Spotted 10sx on top CIBP - Top of Plug @ 1970'  
CIBP @ 2010'

7" casing set at 2112' with 160' sx

Total Depth 2219' Hole size \_\_\_\_\_"



C-108  
APPLICATION FOR AUTHORIZATION TO INJECT  
SKELLY UNIT

VII. PROPOSED OPERATION

1. Average Daily Rate of Fluids to be Injected: 150 BWPD  
Maximum Daily Rate of Fluids to be Injected: 250 BWPD
2. This is to be a closed injection system.
3. Average Injection Pressure: 2000 psi  
Maximum Injection Pressure; 2600 psi
4. Injection fluid will be obtained from the following sources:

Produced water: Water Analysis Reports on water produced from the Caprock Maljamar Unit are attached as Exhibit VII-A. The data contained therein is representative of water produced across the entire Skelly Unit.

Extraneous Water: A Water Analysis Report on extraneous water to be obtained from Double Eagle (City of Carlsbad), as prepared by Joe Hughes of Permian Treating Chemicals, is attached as Exhibit VII-B.

The Wiser Oil Company will use water from Double Eagle temporarily until water from Conoco has been secured and tied in. At that time, The Wiser Oil Company will provide a Conoco water analysis.

# Permian Treating Chemicals WATER ANALYSIS REPORT

## SAMPLE

Oil Co. : Wiser Oil Co.  
Lease : CMU Battery 'A'  
Well No. : Water Transfer Pump  
Salesman :

Sample Loc. :  
Date Reported : 30-May-1996  
Date Sampled : 30-May-1996

## ANALYSIS

- |   |                 |
|---|-----------------|
| 1. pH   | 6.900           |
| 2. Specific Gravity 60/60 F.                  | 1.092           |
| 3. CaCO <sub>3</sub> Saturation Index @ 80 F. | +0.459          |
|   | @ 140 F. +1.339 |

### Dissolved Gasses

	MG/L	EQ. WT.	*MEQ/L
4. Hydrogen Sulfide	60		
5. Carbon Dioxide	130		
6. Dissolved Oxygen	0.4		


### Cations

7. Calcium (Ca <sup>++</sup> )	2,505	/ 20.1 =	124.63
8. Magnesium (Mg <sup>++</sup> )	1,520	/ 12.2 =	124.59
9. Sodium (Na <sup>+</sup> ) (Calculated)	44,953	/ 23.0 =	1,954.48
10. Barium (Ba <sup>++</sup> )	Not Determined		


### Anions

11. Hydroxyl (OH <sup>-</sup> )	0	/ 17.0 =	0.00
12. Carbonate (CO <sub>3</sub> <sup>=</sup> )	0	/ 30.0 =	0.00
13. Bicarbonate (HCO <sub>3</sub> <sup>-</sup> )	561	/ 61.1 =	9.18
14. Sulfate (SO <sub>4</sub> <sup>=</sup> )	3,900	/ 48.8 =	79.92
15. Chloride (Cl <sup>-</sup> )	74,983	/ 35.5 =	2,112.20
16. Total Dissolved Solids	128,422		
17. Total Iron (Fe)	1	/ 18.2 =	0.05
18. Total Hardness As CaCO <sub>3</sub>	12,511		
19. Resistivity @ 75 F. (Calculated)	0.060 /cm.		

### LOGARITHMIC WATER PATTERN



### Calcium Sulfate Solubility Profile



COMPOUND	EQ. WT.	X	*meq/L	= mg/L.
Ca(HCO <sub>3</sub> ) <sub>2</sub>	81.04		9.18	744
CaSO <sub>4</sub>	68.07		79.92	5,440
CaCl <sub>2</sub>	55.50		35.53	1,972
Mg(HCO <sub>3</sub> ) <sub>2</sub>	73.17		0.00	0
MgSO <sub>4</sub>	60.19		0.00	0
MgCl <sub>2</sub>	47.62		124.59	5,933
NaHCO <sub>3</sub>	84.00		0.00	0
NaSO <sub>4</sub>	71.03		0.00	0
NaCl	58.46	1,952.08		114,119

\*Milli Equivalents per Liter

This water is slightly corrosive due to the pH observed on analysis. The corrosivity is increased by the content of mineral salts, and the presence of H<sub>2</sub>S, CO<sub>2</sub>, Oxygen in solution.



# Permian Treating Chemicals WATER ANALYSIS REPORT

## SAMPLE

Oil Co. : Wiser Oil Co.  
Lease : CMU Battery 'B'  
Well No. : Water Transfer Pump  
Salesman :

Sample Loc. :  
Date Reported : 30-May-1996  
Date Sampled : 30-May-1996

## ANALYSIS

- |   |          |        |
|---|----------|--------|
| 1. pH   |          | 6.500  |
| 2. Specific Gravity 60/60 F.                  |          | 1.091  |
| 3. CaCO <sub>3</sub> Saturation Index @ 80 F. |          | +0.095 |
|   | @ 140 F. | +0.975 |

### Dissolved Gasses

- |                     | MG/L | EQ. WT. | *MEQ/L |
|---------------------|------|---------|--------|
| 4. Hydrogen Sulfide | 60   |         |        |
| 5. Carbon Dioxide   | 150  |         |        |
| 6. Dissolved Oxygen | 0.6  |         |        |


### Cations

- |              |                     |                     |          |          |
|--------------|---------------------|---------------------|----------|----------|
| 7. Calcium   | {Ca <sup>++</sup> } | 2,605               | / 20.1 = | 129.60   |
| 8. Magnesium | {Mg <sup>++</sup> } | 1,276               | / 12.2 = | 104.59   |
| 9. Sodium    | {Na <sup>+</sup> }  | (Calculated) 45,740 | / 23.0 = | 1,988.70 |
| 10. Barium   | {Ba <sup>++</sup> } | Not Determined      |          |          |

### Anions

- |   |                                  |            |          |          |
|---|----------------------------------|------------|----------|----------|
| 11. Hydroxyl                            | {OH <sup>-</sup> }               | 0          | / 17.0 = | 0.00     |
| 12. Carbonate                           | {CO <sub>3</sub> <sup>=</sup> }  | 0          | / 30.0 = | 0.00     |
| 13. Bicarbonate                         | {HCO <sub>3</sub> <sup>-</sup> } | 586        | / 61.1 = | 9.59     |
| 14. Sulfate                             | {SO <sub>4</sub> <sup>=</sup> }  | 4,800      | / 48.8 = | 98.36    |
| 15. Chloride                            | {Cl <sup>-</sup> }               | 74,983     | / 35.5 = | 2,112.20 |
| 16. Total Dissolved Solids              |                                  | 129,990    |          |          |
| 17. Total Iron (Fe)                     |                                  | 2          | / 18.2 = | 0.08     |
| 18. Total Hardness As CaCO <sub>3</sub> |                                  | 11,760     |          |          |
| 19. Resistivity @ 75 F. (Calculated)    |                                  | 0.059 /cm. |          |          |


### LOGARITHMIC WATER PATTERN \*meq/L.



COMPOUND	EQ. WT.	X	*meq/L	= mg/L
Ca(HCO <sub>3</sub> ) <sub>2</sub>	81.04		9.59	77
CaSO <sub>4</sub>	68.07		98.36	6,693
CaCl <sub>2</sub>	55.50		21.65	1,200
Mg(HCO <sub>3</sub> ) <sub>2</sub>	73.17		0.00	
MgSO <sub>4</sub>	60.19		0.00	
MgCl <sub>2</sub>	47.62		104.59	4,980
NaHCO <sub>3</sub>	84.00		0.00	
NaSO <sub>4</sub>	71.03		0.00	
NaCl	58.46		1,985.96	116,090

\*Milli Equivalents per Liter

### Calcium Sulfate Solubility Profile



This water is slightly corrosive due to the pH observed on analysis. The corrosivity is increased by the content of mineral salts, and the presence of H<sub>2</sub>S, CO<sub>2</sub>, Oxygen in solution.

1) DUBK EAGLE FRESH (CYTRANTARS)  
WATER

Exhibit  
VII-B

## Permian Treating Chemicals

### WATER ANALYSIS REPORT

#### SAMPLE

Oil Co. : Wiser Oil Co.  
Lease : North Plant  
Well No. : Fresh Water  
Salesman :

Sample Loc. :  
Formation : 06-June-1996  
Date Analyzed: 06-June-1996

#### ANALYSIS

- |   |                 |
|---|-----------------|
| 1. pH   | 7.760           |
| 2. Specific Gravity 60/60 F.                  | 1.008           |
| 3. CaCO <sub>3</sub> Saturation Index @ 80 F. | +0.429          |
|   | @ 140 F. +1.029 |

#### Dissolved Gasses

	MG/L	EQ. WT.	*MEQ/L
4. Hydrogen Sulfide	Not Present		
5. Carbon Dioxide	Not Determined		
6. Dissolved Oxygen	Not Determined		


#### Cations

7. Calcium (Ca <sup>++</sup> )	33	/	20.1 =	1.64
8. Magnesium (Mg <sup>++</sup> )	13	/	12.2 =	1.07
9. Sodium (Na <sup>+</sup> ) (Calculated)	42	/	23.0 =	1.83
10. Barium (Ba <sup>++</sup> )	Below 10 (1)			

#### Anions

11. Hydroxyl (OH <sup>-</sup> )	0	/	17.0 =	0.00
12. Carbonate (CO <sub>3</sub> <sup>=</sup> )	0	/	30.0 =	0.00
13. Bicarbonate (HCO <sub>3</sub> <sup>-</sup> )	161	/	61.1 =	2.64
14. Sulfate (SO <sub>4</sub> <sup>=</sup> )	23	/	48.8 =	0.47
15. Chloride (Cl <sup>-</sup> )	50	/	35.5 =	1.41
16. Total Dissolved Solids	322			
17. Total Iron (Fe)	1	/	18.2 =	0.05
18. Total Hardness As CaCO <sub>3</sub>	138			
19. Resistivity @ 75 F. (Calculated)	2.310		/cm.	


#### LOGARITHMIC WATER PATTERN



#### PROBABLE MINERAL COMPOSITION

COMPOUND	EQ. WT. X	*meq/L =	mg/L.
Ca (HCO <sub>3</sub> ) <sub>2</sub>	81.04	1.64	133
CaSO <sub>4</sub>	68.07	0.00	0
CaCl <sub>2</sub>	55.50	0.00	0
Mg (HCO <sub>3</sub> ) <sub>2</sub>	73.17	0.99	73
MgSO <sub>4</sub>	60.19	0.07	4
MgCl <sub>2</sub>	47.62	0.00	0
NaHCO <sub>3</sub>	84.00	0.00	0
NaSO <sub>4</sub>	71.03	0.40	28
NaCl	58.46	1.41	82

#### Calcium Sulfate Solubility Profile



\*Milli Equivalents per Liter

This water is mildly corrosive due to the pH observed on analysis.  
The corrosivity is increased by the content of mineral salts in solution.

C-108  
APPLICATION FOR AUTHORIZATION TO INJECT  
SKELLY UNIT

VIII. GEOLOGICAL DATA


The proposed injection interval is in the Grayburg-San Andres Vacuum formations at an average TD of 3900 feet. The Grayburg formation primarily consists of quartz sands with dolomitic cementation; while the San Andres Vacuum formation primarily consists of dolomite with intermingled stringers of quartz sand with dolomitic cementation. The surface formation is Cretaceous and has no known sources of drinking water. The Ogallala aquifer and the Caprock overlies the northeastern portion of the Unit Area; while there are no known sources of drinking water underlying the injection interval.


Attached, as Exhibits VIII-A and VIII-B, are two Type Logs illustrating typical geology, lithology, thickness, and depths. Although this is generally representative of the Skelly Unit, and wells have been drilled which have come in right on target as illustrated here, there is a tendency for Skelly Unit wells to come in anywhere from 200' shallower to an extreme of 1000' shallower than illustrated on these logs.

TYPE LOG FOR  
GMI PRODUING  
INTERVALS

LMU 101  
1) SN LOG  
(BY HLS)  
(4/13/84)

Exhibit  
VIII-A





METEX /  
"SQUARE  
LAKE"  
S/S


"PREMIER"  
SAND

Loss of Sand  
Loss of Sand

TOP OF SAND

DOLOMITE

"VACUUM"



4250

4300


4350

4400

4450

CMU 261

DSN LOG  
(BY HCS)  
(6/13/96)



CCL (20.00)				TENSION	
0	MV	100		6000	LBS
GAMMA RAY				NEU POROSITY	
0	API COUNTS	100	3000	I	-1000



HALLIBURTON

Version No: 2.001nc2.0

Data File: 0613\_1684\_r0411.dat

Control File: plot\_01\_1.apc

Header File: 0613\_1684\_r0411.plot\_01\_1

Top Depth: —


Bottom Depth: 4551.75

Database Time: 06-13-96 16.03.41


TYPE LOG FOR CMU SHOWING  
FORMATION TOPS

Exhibit VIII-B

TYPE LOG

 HALLIBURTON		GAMMA COLLAR					
		DSN					
COMP. : WISER OIL COMPANY INC. WELL : CMU #160 FIELD : MALJAMAR GRAYBURG COUNTY : LEA	ST. N.M. MALJAMAR GRAYBURG	COMPANY WISER OIL COMPANY INC.					
		WELL CMU #160					
		FIELD MALJAMAR GRAYBURG			SAN ANDRES		
		COUNTY LEA			STATE N.M.		
		API NO. 38-025-32927					
		LOCATION : 48° FSL & 157° FSL UNIT LETTER M					
		OTHER SERVICES					
		SEC. 18 TWP. 17-S RGE. 33-E					
		PERMANENT DATUM GL ELEV. 4137' ELEV. K.B. 4149'					
		LOG MEASURED FROM KB 12.0 FT. ABOVE PERM. DATUM D.F. 0.0'					
DRILLING MEAS FROM KB 0.0' ELEV. 4137'							
DATE & TIME LOGGED		12/08/95 @ 32:00 TYPE OF FLUID IN HOLE WATER					
RUN No.	ONE	DENSITY OF FLUID		NA			
DEPTH - DRILLER	4850	FLUID LEVEL		FOL			
DEPTH - LOGGER	4788	CEMENT TOP EST/LOGGED NA					
BTM LOGGED INTERVAL	4787	EQUIPMENT : LOCATION : 7634 : -0888					
TOP LOGGED INTERVAL	SURF	RECORDED BY		HILL			
MAX RECORDED TEMP.	NA	WITNESSED BY MR. G. NEATON					
CEMENTING DATA		SURF. STRING	INT. STRING	PROD. STRING	LINER		
DATE/TIME CEMENTED	/	/	/	/	/		
PRIMARY/SQUEEZE							
COMPRESSIVE STR. EXPECTED @ : Hrs : Hrs : Hrs : Hrs							
CEMENT VOLUME							
CEMENT TYPE/WEIGHT							
MUD TYPE/MUD WGT.							
FORMULATION							
RUN		BOREHOLE RECORD		CASING AND TUBING RECORD			
No.	BIT SZ.	FROM	TO	SIZE	WGT.	FROM	TO
ONE				8.625	NA	0	1200
TWO	7.875	1200	4850	5.5	17.0	0	4850

FORM 11-81



ANHYDRITE

SALT

1100

1200

1300


1400


1500





1600


1700











3900

4000


4100

4200

4300

4400

4500



C-108  
APPLICATION FOR AUTHORIZATION TO INJECT  
SKELLY UNIT

IX. PROPOSED STIMULATION PROGRAM

Acid breakdown jobs will be done if new perforations are added. When treating old perforations, acid "wash" treatment will be done to remove scales and flow-back solids at formation face.

X. LOGGING DATA

The available logs are those on file with the Oil Conservation Division from the original operators of the wells.

XI. FRESH WATER WELLS

There are no fresh water wells in the area as recorded in the office of the State Engineer. There is one dry-hole which was drilled to the south of the Skelly Unit in Section 34 to a depth of 362', but it produced no water.

XII. Not applicable

C-108  
APPLICATION FOR AUTHORIZATION TO INJECT  
SKELLY UNIT

XIII. PROOF OF NOTICE

Copies of this C-108 Application have been mailed to the surface owners and to each leasehold operator within one-half mile of the proposed injection wells as identified on the mailing list attached as Exhibit XIII-A. An Affidavit of such notice is attached as Exhibit XIII-B. Copies of the certified receipts will be furnished upon request. The notice attached as Exhibit XIII-C is being published in the Hobbs Daily News-Sun. An Affidavit of Publication will be forwarded as soon as available.

EXHIBIT XIII-A

**Surface & Grazing Lease Owners:**

Bureau of Land Management  
District Office  
2901 W. Second St.  
Roswell, NM 88201

Mr. Hershel Caviness  
General Delivery  
Causey, NM 88113

Mr. Olane Caswell  
Caswell Ranches  
1702 Gilham  
Brownfield, Texas 79316

Mrs. Janice Caviness  
Caviness Cattle Co.  
P. O. Box 25  
Maljamar, NM 88264

Mr. Albert Osborn Ranch Manager  
Charles R. Martin, Inc.  
General Delivery - East Star Route  
Maljamar, NM 88264

**Offset Leasehold Owners:**

Ms. Mary H. Ard  
1440 Interfirst Tower  
Fort Worth, Texas 76102

Mr. Francis H. Bowden

Mr. & Mrs. E. M. Closuit, Sr.,  
& Laura M. Closuit Co-  
Trustees of the E. M. Closuit,  
Sr., Trust & the Laura M.  
Closuit Trust

Mr. William A. Hudson III  
616 Texas Street  
Fort Worth, Texas 76102

Mr. Delmar E. Hudson  
616 Texas Street  
Fort Worth, Texas 76102

Ms. Mary Terrell Hudson  
616 Texas Street  
Fort Worth, Texas 76102

Mr. William A. Hudson II  
616 Texas Street  
Fort Worth, Texas 76102

Mr. Jewell D. Iverson  
3131 S. Lewis Street  
Tulsa, OK 74145

Mr. Harold Kersey  
P. O. Box 316  
Artesia, NM 88210

Mr. Delmar H. Lewis  
616 Texas Street  
Fort Worth, Texas 76102

Ms. Francis Hill Hudson Stripling  
616 Texas Street  
Fort Worth, Texas 76102

Apache Corporation  
P. O. Box 1710  
Hobbs, NM 88241-1710

Atlantic Richfield Co.  
P. O. Box 1610  
Midland, Texas 79702

Avon Energy Corp.  
P. O. Box 1710  
Hobbs, NM 88240

Devon Energy Operating Corp.  
Suite 1500  
20 North Broadway  
OK City, OK 73102

Dorothy C. Monroe Estate  
2417 E. Skelly Drive  
Tulsa, OK 74105

Ms. Jeanne Closuit Long Trustee  
E. M. Closuit, Sr., Trust  
777 Taylor St., #E  
Fort Worth, Texas 76102-4919

Edward R. Hudson Trust  
616 Texas Street  
Fort Worth, Texas 76102



Harvey E. Yates Company  
P. O. Box 1933  
Roswell, NM 88202

Hunt Oil Company  
1445 Ross at Field  
Dallas, Texas 75219

Messrs. Peter C. & Alvin  
Iverson, Independent Executors  
of the Estate of Dorothy Iverson  
c/o Iverson III Inc.  
3454 S. Zunis  
Tulsa, OK 74105

Iverson III Inc.  
3454 S. Zunis  
Tulsa, OK 74105

Javelina Partners  
616 Texas Street  
Fort Worth, Texas 76102

Lindy's Living Trust  
616 Texas Street  
Fort Worth, Texas 76102

Marbob Energy Corp.  
P. O. Drawer 217  
Artesia, NM 88210

Marjorie Iverson Trust  
c/o NationsBank, Trustee u/w of  
acct 01/0258100  
P. O. Box 830308  
Dallas, Texas 75283-0308

Mr. Donald B. Moore  
Moore & Shelton Company,  
Ltd.  
1414 Sugar Creek Blvd.  
Sugar Land, Texas 77478

PAI Inc.  
P. O. Box 664  
Huntington Beach, CA 92648

S. J. Iverson Trust  
c/o NationsBank, Trustee u/w of  
acct 01/0258100  
P. O. Box 830308  
Dallas, Texas 75283-0308

Texaco Exploration &  
Production Inc.  
205 E. Bender Blvd.  
Hobbs, NM 88240-2331

**Offset Well Operators:**

Trinity University  
c/o Vice President for Fiscal Affairs  
715 Stadium Dr.  
San Antonio, Texas 78284

Xeric Oil and Gas Corporation  
P. O. Box 51311  
Midland, Texas 79710-1311

Mr. Ray Westall  
P. O. Box 4  
Loco Hills, NM 88255

Coastal Management Corporation  
P. O. Box 2726  
Midland, Texas 79702

Kersey & Co.  
P. O. Box 316  
Artesia, NM 88210

Mack Energy Corp.  
P. O. Box 960  
Artesia, NM 88211-0960

SDX Resources, Inc.  
P. O. Box 5061  
Midland, Texas 79704

Socorro Petroleum Co.  
P. O. Box 38  
Loco Hills, NM 88255

Closuit & Trinity University  
Maljamar, NM 88264

EXHIBIT XIII-B


AFFIDAVIT OF MAILING

STATE OF NEW MEXICO

COUNTY OF CHAVES

SS.

I, Bonita L. Limpus Jones, do solemnly swear that a copy of this Application has been mailed by certified mail, to each of the interested parties listed on Exhibit XIII-A.



Bonita L. Limpus Jones  
Consulting Landman with J. O. Easley, Inc.  
on behalf of The Wiser Oil Company

SWORN AND SUBSCRIBED TO before me this 31<sup>st</sup> day of December, 1996.

My Commibision Expires: 6-19-97



Notary Public

## EXHIBIT XIII-C

NOTICE TO BE PUBLISHED IN THE HOBBS DAILY NEWS-SUN  
ON WEDNESDAY, DECEMBER 4, 1996

### PROPOSED INJECTION WELLS

The Wiser Oil Company proposes to expand its Skelly Unit and inject water into 62 additional wells: 9 wells in Section 14, 11 wells in Section 15, 10 wells in Section 21, 7 wells in Section 22, 10 wells in Section 23, 1 well in Section 26, 4 wells in Section 27, and 10 wells in Section 28, all within T17S-R31E, Eddy County, New Mexico, to provide additional injection service for the existing Skelly Unit Waterflood, Order No. R-3214. The zones to be injected into are the Grayburg and San Andres Vacuum at an average TD of 3900' with a maximum injection rate of 250 BWPD/well at a maximum pressure of 2600 psi. Any interested parties with objection or request for hearing should notify the Oil Conservation Division at P. O. Box 2088, Santa Fe, New Mexico 87501, within 15 days of this notice. Any questions should be directed to Mike Jones with The Wiser Oil Company, at P. O. Box 2568, Hobbs, New Mexico 88241, 505-392-9797.