

Shahara Oil, LLC

207 W. McKay ♦ Carlsbad, NM 88220 ♦ 505-885-5433 ♦ Fax 505-885-4989

June 12, 1998

Mr. David Catanach
Oil Conservation Division
PO Box 6429
Santa Fe, NM 87505

JUN 15 1998

RE: Case No. 11973
Shahara Oil, LLC
Beeson "F" Federal Lease

Dear Mr. Catanach,

Enclosed please find our Revised Exhibit "C" to the C-108 which was presented at the referenced hearing for the Beeson "F" Federal Lease on May 28, 1998. I believe it is now complete after having searched files both at the OCD District Office and the BLM Offices. Also presented are the top of cement calculations or TOC obtained by CBL or Temperature Survey, if available. I believe this is all of the information that you requested.

Sincerely,



Perry L. Hughes

Enclosures

PLH/tm

**Revised
Exhibit "C"
Area of Review Well Data
Attachment to Beeson "F" Federal Lease C-108**

Operator - Well Name Location	Completion Date	TD	PBTD	Casing Size	Casing Depth	Cement Sacks	Top of Cement	Producing Interval	Stimulation	Current Status
Enron Oil & Gas Company State "A" #1 330' FSL & 1650' FEL, Unit O Section 36-T17S-R29E	03/09/40	2767'		8 1/4" 7"	594' 2650'	50sx 100sx	1127' 1800'	2741'-2767' 3010'-3104'	A w/3,000g S w/100q A w/3,000g F w/20,000g/20,000#	Producing
Marbob Energy Corporation Burch Keely Unit #193 660' FSL & 1980' FEL, Unit O Section 30-T17S-R30E	03/26/73	3438'	3432'	8 5/8" 4 1/2"	540' 3438'	100sx 325sx	Circ. Circ.	2745'-3212' 3397'-3404'	F w/90,000g/90,000# A w/4,000g	Producing
Marbob Energy Corporation Burch Keely Unit #192 660' FSL & 660' FEL, Unit P Section 30-T17S-R30E	05/10/88	3600'	3552'	8 5/8" 5 1/2"	3618' 3600'	350sx 900sx	Circ. Circ.	2507'-3390'	A w/ 8300 gals F w/78,000g/115,000#	Producing
Yates Petroleum Corporation Tallmadge #3 330' FNL & 330' FEL, Unit B Section 32-T17S-R30E	04/26/40	3129'		8 1/4" 7"	460' 2688'	30sx 50sx	1881'	3084'-3104'	S w/100qts	Producing
Enron Oil & Gas Sand Tank 32 State Com. #1 660' FNL & 1980' FWL, Unit N Section 32-T17S-R30E	09/30/96	11725'	11457'	8 5/8" 5 1/2"	4006' 11506'	1350sx 1550sx	Circ. Circ.	11205'-11352'		Producing
Yates Petroleum Corporation State B #9 990' FWL & 1650' FSL, Unit L Section 32-T17S-R30E	11/20/62	2922'		8 5/8" 5 1/2"	450' 2800'	50sx 110sx	1963'	2876'-2907'	A w/500g	Shut in
Yates Petroleum Corporation Scheunich B #6 2310' FNL & 2310' FWL, Unit F Section 32-T17S-R30E	05/01/40	2893'		8 1/4" 7"	498' 2790'	50sx 100sx	1176'	2868'-2893'	S w/100qts	Shut in
Yates Petroleum Corporation Yates A #8 990' FNL & 2231' FWL, Unit C Section 6-T18S-R30E	1940	2859'		8 1/4" 7"	473' 2740'	50sx 100sx	1126'	2822'-2859'	A w/2,000g F w/20,000g/28,750#	Shut in
Yates Petroleum Corporation Yates A #6 1650' FNL & 2310' FEL, Unit G Section 6-T18S-R30E	06/17/40	2855'		8 1/4" 7"	475' 2741'	50sx 100sx	1127'	2835'-2855'	S w/60qts F w/24,000g/24,000#	Shut in

**Revised
Exhibit "C"
Area of Review Well Data
Attachment to Beeson "F" Federal Lease C-108**

Operator - Well Name Location	Completion Date	TD	PBTD	Casing Size	Casing Depth	Cement Sacks	Top of Cement	Producing Interval	Stimulation	Current Status
Yates Petroleum Company Scheurich A #7	10/20/51	3100'		8"	475'	50sx				Shut in
1650' FNL & 330' FWL Unit E Section 32-T17S-R30E				5 1/2"	2784'	100sx	1505'	3078'-3087'	F w/42, 500#	
Yates Petroleum Company Scheurich #4 2525' FSL & 1435' FWL Unit K Section 32-T17S-R30E	05/13/41	2886'		8 1/4" 5 3/16"	486' 2820'	50sx 100sx	1541'	2820'-2886'	A w/500g	Shut in
Yates Petroleum Company Scheurich "A" #5 1260' FWL & 2310' FNL Unit E Section 32-T17S-R30E	09/47	2900'		8 1/4" 7"	491' 2813'	50sx 100sx	1199'	3863'-2900'	S w/140qts	TA
Yates Petroleum Company Ballard A #3 Unit H Section 1-T18S-R29E	10/39	2791'		8 1/4" 7"	450' 2665'	50sx 100sx	1051'	2769'-2791'	S w/80qts	TA
Roland R. Woolley Woolley 7-D 1660' FSL & 990' FWL Unit L Section 29-T17S-R30E	04/49 10/31/51	2780' 3076'		8 5/8" 7"	465' 2151'	50sx 100sx	537'	2200'-2228' 2467'-2500'	S w/100qts S w/160qts	TA
Yates Petroleum Company Yates A #4 Unit A Section 6-T18S-R30E	01/40	2850'		8 1/4" 7"	451' 2718'	50sx 100sx	1140'	2821'-2848'	S w/70qts	TA
Yates Petroleum Company Yates #6 2310' FNL & 990' FWL Unit E Section 6-T18S-R30E	08/27/47	2859'		8 5/8" 7"	439' 2695'	50sx 100sx	1081'	2813'-2850'	S w/120qts	TA
Yates Petroleum Company Brigham #3 250' FSL & 250' FEL Unit P Section 31-T17S-R30E	03/01/57	2870'		8 5/8" 5 1/2"	450' 2870'	50sx 100sx	1591'	2834'-2854'		TA
Yates Petroleum Company Yates A #1 330' FNL & 330' FWL Unit D Section 6-T18S-R30E	08/39	2810'		8 1/4" 7"	430' 2702'	50sx 100sx	1088'	2765'-2802'	S w/60qts	TA

**Revised
Exhibit "C"
Area of Review Well Data
Attachment to Beeson "F" Federal Lease C-108**

Operator - Well Name Location	Completion Date	TD	PBTD	Casing Size	Casing Depth	Cement Sacks	Top of Cement	Producing Interval	Stimulation	Current Status
Yates Petroleum Company Yates A #3 330' FNL & 2310' FEL Unit B Section 6-T18S-R30E	06/42	2845'		8 1/4" 7"	460' 2710'	50sx 100sx	1096'	2710'-2845'		TA
GP II Energy, Inc. Federal L #2 2310' FNL & 1290' FWL Unit E Section 31-T17S-R30E	06/41 10/67	3018' 3027'		8 1/4" 7" 4 1/2"	600' 2688' 2634'-3027'	50sx 100sx 45sx	1074' Circ	2997'-3018' 2750'-3012'	S w/100qts F w/20,000g/20,000#	W/W
GP II Energy, Inc. Federal "L" #7 660' FNL & 660' FWL Unit D Section 31-T17S-R30E	05/80	3400'	3392'	8 5/8" 4 1/2"	447' 3397'	300sx 700sx	Circ. Circ.	2791'-2968' 3192'-3210'	F w/40,000g/56,000# F w/30,000g/40,000#	Producing
Yates Petroleum Corporation Scheurich "A" #1 2310' FNL & 330' FWL Unit E Section 32-T17S-R30E	12/40	2893'		8" 7" 5 1/2"	2793' 3117'	100sx 100sx	1179'	2883'-2893' 2605'-2631' 2848'-2902' 3117'-3133'	S w/40qts Fw/20,000g/44,000# F w/9000g/4,250# Fw/10,000g/17,000#	Producing
Yates Petroleum Corporation Scheurich #3 2970' FNL & 4950' FEL Unit L Section 32-T17S-R30E	11/40	2887'		8 1/4" 7"	486' 2804'	50sx 100sx	1190'	2876'-2888'	S w/30qts	Producing
MNA Enterprises LTD., Co. State CA #1 990' FNL & 990' FWL Unit D Section 32-T17S-R30E	06/21/43	2962'		8" 7"	472' 2470'	50sx 100sx	856'	2815'-2845' 2570'-2620' 2570'-2610'	S w/150qts S w/140qts F w/20,000g/20,000#	Producing
Yates Petroleum Corporation Brigham #5 1320' FSL & 990' FEL Unit I Section 31-T17S-R30E	11/09/61	2883'	2740'	8 5/8" 4 1/2"	457' 2836'	50sx 100sx	1994'	2572'-2599'	F w/20,000g/20,000#	Producing
GP II Energy Inc. Federal L #4 1650' FNL & 1650' FWL Unit F Section 31-T17S-R30E	05/31/54	3034'	3023'	8 5/8" 7"	555' 3007'	50sx 50sx	1393'	2762'-2782'	F w/22,000g/22,000# F w/35,000g/45,000# F w/30,000g/35,000#	Producing
GP II Energy Inc. Federal M #5 2310' FSL & 2310' FEL Unit J Section 31-T17S-R30E	09/20/51	3120'	2848'	8 5/8" 7"	485' 2764'	50sx 100sx	1150'	3060'-3083' 2823'-2844' 3055'-3070' 3058'-3068'	S w/100qts F w/10,000g/10,000# F w/30,000g/30,000# F w/26,000g/26,000#	Producing

**Revised
Exhibit "C"
Area of Review Well Data
Attachment to Beeson "F" Federal Lease C-108**

Operator - Well Name Location	Completion Date	TD	PBTD	Casing Size	Casing Depth	Cement Sacks	Top of Cement	Producing Interval	Stimulation	Current Status
GP II Energy Inc. Federal K #1 1980' FSL & 990 FWL, Unit L Section 29-T17S-R30E	12/09/76	11140'		13 3/8" 9 5/8"	488' 3544'	500sx 1000sx	Circ 1173' TS	2474'-2500'	A w/2,000g F w/20,000g/33,500#	Producing
Vintage Drilling Co. Westall A State #7 2310' FSL & 990 FEL, Unit I Section 36-T17S-R29E	04/25/63	3072'		8 5/8" 5 1/2"	547' 3070'	50sx 135sx	2043'	2735'-2739' 2718'-2721'	F w/19,000G/18,000# F w/63,000g/50,000#	Producing
Vintage Drilling LLC Westall A State #5 2970' FSL & 330' FEL, Unit H Section 36-T17S-R29E	04/26/40	3112'	3090'	7" 4 1/2"	590' 3105'	25sx 135sx	1031'	2717'-2718' 2731'-2737'	F w/60,000g/45,000# F w/18,900g/6,000#	Producing
Vintage Drilling LLC Westall A State #3 1650' FSL & 1650' FEL, Unit J Section 36-T17S-R29E	10/26/39	2730'		8 1/4" 7"	522' 2603'	50sx 100sx	989'	2705'-2730'	S w/170qts F w/10,000g/16,000#	Producing
Vintage Drilling LLC Westall A State #1 1650' FSL & 330' FEL, Unit I Section 36-T17S-R29E	04/13/39	2775'		8 1/2" 7"	522' 2652'	50sx 100sx	1038'	2740'-2765'	S w/100qts	Producing
Shahara Oil LLC Beeson "F" Federal No. 4 1650' FSL & 2310' FWL, Unit K Section 31-T17S-R30E	03/40	2831'		8 1/4" 7"	646' 2718'	50sx 100sx	1104'	2812'-2831'	S w/100qts S w/220qts	TA
Shahara Oil LLC Beeson "F" Federal No. 5 2310' FNL & 1650' FEL, Unit G Section 31-T17S-R30E	04/40 05/51	2851' 3101'		8 1/4" 7" 5 1/2"	619' 2722' 2656'-2896'	50sx 100sx 45sx	1108'	3079'-3090'	S w/200qts	TA
Shahara Oil LLC Beeson "F" Federal No. 3 345' FSL & 2310' FWL, Unit N Section 31-T17S-R30E	12/14/39	2850'		8 1/4" 7"	757' 2678'	75sx 100sx	1064'	2679'-2850'	S w/100qts F w/21,000g/12,500#	Producing
Shahara Oil LLC Beeson "F" Federal No. 18 1000' FSL & 2225' FWL, Unit N Section 31-T17S-R30E	01/15/98	3300'	3250'	8 5/8" 5 1/2"	570' 3300'	310sx 1057sx	Circ Circ	2900'-3154'	A w/2,500g F w/21,000g/12,500#	Producing

**Revised
Exhibit "C"
Area of Review Well Data
Attachment to Beeson "F" Federal Lease C-108**

Operator - Well Name Location	Completion Date	TD	PBTD	Casing Size	Casing Depth	Cement Sacks	Top of Cement	Producing Interval	Stimulation	Current Status
Shahara Oil LLC										
Beeson "F" Federal No. 19 337' FSL & 1279' FWL, Unit N Section 31-T17S-R30E	12/28/97	3250'	3205'	8 5/8" 5 1/2"	502' 3300'	310sx 850sx	Circ Circ	2901'-3157'	A w/2,500g 15% NEFE F w/42,700g/70,000#	Producing
Shahara Oil LLC										
Beeson "F" Federal No. 20 985' FSL & 770' FWL, Unit M Section 31-T17S-R30E	12/12/97	3250'	3205'	8 5/8" 5 1/2"	501' 3250'	452sx 1030sx	Circ Circ	2773'-3124'	A w/3,000g 15% NEFE F w/42,000g/66,000#	Producing
Shahara Oil LLC										
Beeson "F" Federal No. 21 1653' FSL & 1287' FWL, Unit K Section 31-T17S-R30E	02/11/98	3350'	3300'	8 5/8" 5 1/2"	518' 3350'	310sx 1300sx	Circ Circ	2784'-3159'	A w/3,000g 15% NEFE F w/39,850g/75,000#	Producing
Shahara Oil LLC										
Beeson "F" Federal No. 22 1974' FNL & 992' FEL, Unit H Section 31-T17S-R30E	02/04/98	3375'	3325'	8 5/8" 5 1/2"	505' 3375'	410sx 990sx	Circ Circ	2836'-3311'	A w/3,000g 15% NEFE F w/33,400g/70,000#	Producing
Shahara Oil LLC										
Beeson "F" Federal No. 23 361' FSL & 2334' FEL, Unit O Section 29-T17S-R30E	02/04/98	3350'	3300'	8 5/8" 5 1/2"	507' 3350'	310sx 950sx	Circ Circ	3242'-3297' 2826'-3123'	A w/2,000g 15% NEFE F w/36,300g/17,000# A w/2,500g F w/26,900g/44,000# A w/3000g Fw/36,000g/70,000#	Producing
Shahara Oil LLC										
Beeson "F" Federal No. 24 1340' FNL & 904' FEL, Unit H Section 31-T17S-R30E	02/19/98	4824'	4774'	8 5/8" 5 1/2"	523' 4824'	560sx 1650sx	Circ Circ	3565'-3568' 2831'-3274'	A w/1000g 15% NEFE F w/43,000g/75,000#	Producing
Shahara Oil LLC										
Beeson "F" Federal No. 25 990' FSL & 1674' FEL, Unit O Section 29-T17S-R30E	02/20/98	3405'	3355'	8 5/8" 5 1/2"	515' 3405'	310sx 1375sx	Circ Circ	2808'-3283'	A w/ 3000g 15% NEFE F w/43,000g/75,000#	Producing
Shahara Oil LLC										
Beeson "F" Federal No. 27 1015' FNL & 1524' FEL, Unit B Section 31-T17S-R30E	02/24/98	3365'	3247'	8 5/8" 5 1/2"	520' 3365'	310sx 675sx	Circ Circ	2806'-3237'	A w/3,000g 15% NEFE	Producing

**Revised
Exhibit "C"
Area of Review Well Data
Attachment to Beeson "F" Federal Lease C-108**

Operator - Well Name Location	Completion Date	TD	PBTD	Casing Size	Casing Depth	Cement Sacks	Top of Cement	Producing Interval	Stimulation	Current Status
Shahara Oil LLC Beeson "F" Federal No. 12 990' FSL & 1571' FWL, Unit N Section 31-T17S-R30E	11/12/47	3081'		8 5/8" 7"	525' 2700'	75sx 100sx	1086'	2795'-2844' 3050'-3081'	S w/190qts S w/120qts	Producing
Shahara Oil LLC Beeson "F" Federal No. 11 1650' FNL & 330' FEL, Unit H Section 31-T17S-R30E	05/07/52	3100'	2949'	8 5/8" 7"	482' 3001'	50sx 100sx	1387'	3061'-3100' 2836'-2856'	A w/1,500g	Producing
Shahara Oil LLC Beeson "F" Federal No. 9 330' FSL & 2310' FWL, Unit N Section 29-T17S-R30E	10/04/76	3069'	2870'	8 5/8" 7"	625' 2941'	50sx 100sx	1327'	2791'-2794' 2800'-2806' 2537'-2544'	F w/20,000g/20,000# F w/30,000g/30,000#	Producing
Shahara Oil LLC Beeson "F" Federal No. 8 330' FSL & 1650' FEL, Unit O Section 29-T17S-R30E	08/20/41	3099'		8 1/4" 7"	686' 3017'	50sx 100sx	1403'	3080'-3099' 2320'-2980'	S w/100qts F w/22,300g/32,000# F w/140,000g/140,000#	Producing
Shahara Oil LLC Beeson "F" Federal No. 7 990' FNL & 330' FEL, Unit A Section 31-T17S-R30 E	08/22/51	3187'		8 5/8" 7" 5 1/2"	644' 2733' 2686'-2992'	50sx 100sx 56sx	1119'	3038'-3087' 2567'-2574' 2301'-2308'	S w/220qts F w/20,000g/20,000# F w/20,000g/20,000# F w/20,000g/20,000#	Producing
Shahara Oil LLC Beeson "F" Federal No. 2 330' FSL & 330' FWL, Unit M Section 31-T17S-R30E	08/39 04/76	2792' 3070'		8 1/4" 7" 4 1/2"	505' 2646' 3067'	50sx 100sx 350sx	1032'	2770'-2792' 2882'-2890' 3010'-3014'	S w/100qts F w/40,000g/40,000#	Producing
Shahara Oil LLC Beeson "F" Federal No. 26 1976' FSL & 820' FWL, Lot 3 Section 31-T17S-R30E	06/98	3365'	3223'	8 5/8" 5 1/2"	520' 3365'	310sx 675sx	Circ Circ	2789'-3126'	A w/3,000g F w/19,800g/30,000#	Producing

Note: TOC calculated if not otherwise indicated.