

**STATE OF NEW MEXICO
ENERGY, MINERALS AND NATURAL RESOURCES DEPARTMENT
OIL CONSERVATION DIVISION**

**IN THE MATTER OF THE HEARING
CALLED BY THE OIL CONSERVATION
DIVISION FOR THE PURPOSE OF
CONSIDERING:**

**CASE NO. 11879
ORDER NO. R-10936**

APPLICATION OF BURLINGTON RESOURCES OIL & GAS COMPANY FOR APPROVAL OF A PILOT PROJECT INCLUDING AN EXCEPTION FROM RULE 2(b) OF THE SPECIAL RULES AND REGULATIONS FOR THE BLANCO-MESAVERDE GAS POOL FOR PURPOSES OF ESTABLISHING A PILOT INFILL DRILLING PROGRAM WITHIN ITS SAN JUAN 27-5 UNIT WHEREBY UP TO FOUR WELLS MAY BE DRILLED ON A STANDARD GAS PRORATION UNIT TO DETERMINE PROPER WELL DENSITY AND WELL LOCATION REQUIREMENTS FOR MESAVERDE WELLS, RIO ARRIBA COUNTY, NEW MEXICO.

ORDER OF THE DIVISION

BY THE DIVISION:

This cause came on for hearing at 8:15 a.m. on November 6, 1997, at Santa Fe, New Mexico, before Examiner David R. Catanach.

NOW, on this 8th day of January, 1998, the Division Director, having considered the testimony, the record and the recommendations of the Examiner, and being fully advised in the premises,

FINDS THAT:

(1) Due public notice having been given as required by law, the Division has jurisdiction of this cause and the subject matter thereof.

(2) The Blanco-Mesaverde Gas Pool is currently governed by the General Rules for the Prorated Gas Pools of New Mexico/Special Rules and Regulations for the Blanco-Mesaverde Gas Pool as contained within Division Order No. R-8170, as amended. Rule Nos. 2(a) and 2(b) of the Special Rules and Regulations for the Blanco-Mesaverde Gas Pool require that a standard gas proration unit (GPU) comprise 320 acres, that the initial well on a GPU be located no closer than 790 feet from the outer boundary of the quarter section on which the well is located nor closer than 130 feet to any quarter-quarter section line or subdivision inner boundary, and that the infill well within a standard GPU be located in the quarter section not containing a Mesaverde well at a location which conforms to the setback requirements described above.

CASE NO. 11879
Order No. R-10936
Page -2-

(3) The applicant, Burlington Resources Oil & Gas Company (Burlington), seeks authority to institute a pilot infill drilling program within its San Juan 27-5 Unit whereby up to four wells may be drilled on a standard 320-acre gas proration unit. The applicant further seeks:

- a) to establish a 1/4 mile buffer zone within the outer boundary of the San Juan 27-5 Unit in which area standard well density for the Blanco-Mesaverde Gas Pool shall apply in order to protect the correlative rights of offset operators;
- b) an exception to Rule No. 2(b) of the Special Rules and Regulations for the Blanco-Mesaverde Gas Pool whereby it may locate the proposed infill wells anywhere within the proration unit provided that such wells are located no closer than 10 feet from any section, quarter-section or quarter-quarter section line;
- c) no increase in the gas allowable or in the method of calculating gas allowables in the Blanco-Mesaverde Gas Pool for any of the standard gas proration units targeted for the proposed infill drilling.

(4) The applicant is the current operator of the San Juan 27-5 Unit, a Federal exploratory unit comprising some 23,043.99 acres and encompassing Sections 1 through 36, Township 27 North, Range 5 West, NMPM, Rio Arriba County, New Mexico.

(5) According to applicant's testimony, the San Juan 27-5 Unit is not fully developed in the Blanco-Mesaverde Gas Pool at this time (160-acre infill wells).

(6) Applicant testified that the Mesaverde Participating Area (PA) and consequently the Mesaverde interest ownership within the San Juan 27-5 Unit has been fixed since 1981 and is not subject to further revisions.

(7) The evidence and testimony presented indicates that the applicant has undertaken a study to analyze the drainage efficiency of Mesaverde gas wells in the San Juan Basin. As part of this study, the applicant has examined various geologic and engineering factors which may affect ultimate gas recoveries.

(8) In its investigation, the applicant gathered initial shut-in wellhead pressure data from both the initial and infill wells on approximately 1,200 standard gas proration units within the San Juan Basin. Applicant then utilized this data to construct pressure drop maps.

(9) Applicant's data indicates that there are considerable pressure drop differences between areas in the San Juan Basin. Pressure drops range from greater than 30 psi/year to less than 5 psi/year.

CASE NO. 11879
Order No. R-10936
Page -3-

(10) The pressure drop within the San Juan 27-5 Unit is relatively low ranging from approximately 5-15 psi/year.

(11) Applicant, utilizing core data from the Mesaverde formation taken from wells in both the high and low pressure drop areas of the basin, as well as other geologic data, has reached the following geologic conclusions:

- a) the calculated pressure drops are a good indication of effective permeability in the Mesaverde reservoir;
- b) areas with low pressure drops are most likely not being efficiently and effectively drained by existing well density;
- c) the difference between areas of high and low pressure drop cannot be attributed to differences in matrix porosity and permeability, reservoir structure or reservoir thickness;
- d) the presence and density of natural fractures in the Mesaverde reservoir appear to account for the differences between areas of high and low pressure drop, and resulting differences in drainage efficiency;
- e) data from applicant's Mesaverde Strat Test Well No. 2, a pressure observation well, indicates that the Menefee interval, one of the primary producing intervals in the Mesaverde formation, exhibits near virgin reservoir pressure even though this interval has been produced in offset wells for a considerable period of time; and,
- f) the Menefee, Cliffhouse and Point Lookout to a lesser extent, can be laterally discontinuous from one well location to another.

(12) Applicant testified that in its reservoir modeling for the proposed pilot project, it will utilize geostatistics and stochastic modeling to input geologic parameters. According to applicant's evidence and testimony, this method of analyzing geologic data allows you to capture and quantify the correlatability and directionality of existing data, and distribute this data in a non-averaging method between data points.

(13) Utilizing geostatistics and stochastic modeling allows the input of more realistic geologic data which should ultimately result in a much more accurate and realistic flow simulation within the Mesaverde reservoir.

(14) Applicant presented engineering evidence and testimony which indicates that:

CASE NO. 11879
Order No. R-10936
Page 4

- a) in high pressure drop areas, (i.e. those areas containing natural fractures in the Mesaverde formation), the recovery rates of gas, based upon volumetrics and decline curve analysis, range from approximately 60-80 percent of the original gas in place. Correspondingly, those areas of low pressure drop typically exhibit low recovery rates of gas in the range of approximately 20-50 percent of original gas in place;
- b) the recovery rate of gas from the San Juan 27-5 Unit, subsequent to the completion of 160-acre infill drilling, will be approximately 31 percent of the original gas in place.
- (15) Due to the low recovery rates within the San Juan 27-5 Unit, applicant has determined this to be an ideal location to conduct the pilot infill drilling study.
- (16) The applicant presented the results of a reservoir simulation study conducted on that portion of the San Juan 27-5 Unit comprising Sections 3, 4, 9 and 10. The simulation was conducted using runs which assume 1, 2, 3 and 4 additional wells are drilled per section. The results indicate that significant increases in ultimate gas recovery are achieved by drilling additional infill wells per section.
- (17) Applicant estimates that by drilling an additional two wells per section within the San Juan 27-5 Unit, ultimate gas recovery from the unit will increase from approximately 37.3 BCFG to approximately 50.7 BCFG.
- (18) Applicant has notified all interest owners in the San Juan 27-5 Unit of its application in this case.
- (19) No offset operator and/or interest owner appeared at the hearing in opposition to the application.
- (20) Preliminary geologic and engineering data indicate that the proposed pilot infill drilling program within the San Juan 27-5 Unit will allow the applicant the opportunity to test the effectiveness of its geostatistics and stochastic modeling, will allow the applicant the opportunity to gather additional geologic and engineering data to determine proper well density in this portion of the Blanco-Mesaverde Gas Pool, will allow the recovery of additional gas reserves from the San Juan 27-5 Unit which may otherwise not be recovered, thereby preventing waste, and will not violate correlative rights.
- (21) The applicant should be authorized to conduct its pilot infill drilling program within its entire San Juan 27-5 Unit area with the exception of the following described "buffer zone":

CASE NO. 11879
Order No. R-10936
Page -5-

TOWNSHIP 27 NORTH, RANGE 5 WEST, NMPM

Section 1: N/2, SE/4
Sections 2 through 5: N/2
Section 6: N/2, SW/4
Sections 7, 18, 19, 30: W/2
Sections 12, 13, 24, 25: E/2
Section 31: W/2, SE/4
Sections 32 through 35: S/2
Section 36: S/2, NE/4

IT IS THEREFORE ORDERED THAT:

(1) The applicant, Burlington Resources Oil & Gas Company, is hereby authorized to conduct a pilot infill drilling program within its San Juan 27-5 Unit whereby up to four wells may be drilled on a standard gas proration unit in the Blanco-Mesaverde Gas Pool.

(2) The pilot project area shall comprise applicant's entire San Juan 27-5 Unit area with the exception of the following described "buffer zone", in which area standard well density for the Blanco-Mesaverde Gas Pool shall apply:

TOWNSHIP 27 NORTH, RANGE 5 WEST, NMPM

Section 1: N/2, SE/4
Sections 2 through 5: N/2
Section 6: N/2, SW/4
Sections 7, 18, 19, 30: W/2
Sections 12, 13, 24, 25: E/2
Section 31: W/2, SE/4
Sections 32 through 35: S/2
Section 36: S/2, NE/4

(3) As an exception to Rule No. 2(b) of the Special Rules and Regulations for the Blanco-Mesaverde Gas Pool, the applicant is hereby authorized to drill the infill wells within the pilot project area anywhere within a standard gas proration unit provided that such wells are located no closer than 10 feet from any section, quarter-section or quarter-quarter section line.

(4) The wells and/or standard gas proration units within the pilot project area shall not receive a gas allowable greater than that which would normally be assigned a proration unit containing two wells in the Blanco-Mesaverde Gas Pool.

(5) Jurisdiction of this cause is retained for the entry of such further orders as the Division may deem necessary.

CASE NO. 11879
Order No. R-10936
Page -6-

DONE at Santa Fe, New Mexico, on the day and year hereinabove designated.

STATE OF NEW MEXICO
OIL CONSERVATION DIVISION



KATHLEEN A. GARLAND
Acting Director

S E A L

KELLAHIN AND KELLAHIN

ATTORNEYS AT LAW
EL PATIO BUILDING
117 NORTH GUADALUPE
POST OFFICE BOX 2265

TELEPHONE (505) 982-4285
TELEFAX (505) 982-2047

W. THOMAS KELLAHIN*

*NEW MEXICO BOARD OF LEGAL SPECIALIZATION
RECOGNIZED SPECIALIST IN THE AREA OF
NATURAL RESOURCES-OIL AND GAS LAW

SANTA FE, NEW MEXICO 87504-2265

FACSIMILE COVER SHEET

JASON KELLAHIN (RETIRED 1991)

DATE: January 14, 1998

NUMBER OF PAGE -7-

TIME: 9: AM

TO: Alan Alexander

FROM: W. THOMAS KELLAHIN

OF: Burlington Resources Oil & Gas Company

FAX NO: (505) 326-9781

REF: San Juan 27-5 Unit Mesaverde Infill Program
NMOCD Case 11879
Order R-10936

Dear Alan:

Please find attached a copy of the referenced Division order which approves Burlington's referenced application. Please call me if you have any questions.

Regards,



This information contained in this Facsimile Message and Transmission is **ATTORNEY PRIVILEGED AND CONFIDENTIAL** information intended only for the use of the individual or entity named above. If the reader of this message is not the intended recipient, or the employee or agent responsible to deliver it to the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this communication is strictly prohibited. If you have received this Facsimile in error, please immediately notify us by telephone and return the original message to us at the above address via the U.S. Postal Service