

CAMPBELL, CARR, BERGE
& SHERIDAN, P.A.
LAWYERS

MICHAEL B. CAMPBELL
WILLIAM F. CARR
BRADFORD C. BERGE
MARK F. SHERIDAN
MICHAEL H. FELDEWERT
ANTHONY F. MEDEIROS
PAUL R. OWEN
KATHERINE M. MOSS

JACK M. CAMPBELL
OF COUNSEL

OIL CONSERVATION DIV.

99 MAR -2 PM 2:18

JEFFERSON PLACE
SUITE 1 - 110 NORTH GUADALUPE
POST OFFICE BOX 2208
SANTA FE, NEW MEXICO 87504-2208
TELEPHONE: (505) 988-4421
FACSIMILE: (505) 983-6043
E-MAIL: ccbspa@ix.netcom.com

March 2, 1999

HAND DELIVERED

Mr. David R. Catanach
Hearing Examiner
Oil Conservation Division
New Mexico Department of Energy,
Minerals and Natural Resources
2040 South Pacheco Street
Santa FE, New Mexico 87505


Re: *Oil Conservation Division Case 12123*

Dear Mr. Catanach:

Enclosed is the information requested by you at the September 24, 1998 hearing in Case 12123.

If you need anything further from us, please advise.

Very truly yours,



WILLIAM F. CARR

WFC:mlh

Enclosures

cc: Kevin F. Hickey (w/o enclosures)

P-1A 6/9/98

TEXACO INC
VGMU NO. 130
API# 3002520046

0.0 - 62.0' CEMENT PLUG
0.0 - 30.0' CEMENT PLUG
30.0 - 30.0' SQUEEZE PERFS


0.0 - 1575.0' CEMENT
0.0 - 1550.0' CEMENT

0.0 - 1550.0' 11.750" OD SURF CSG
0.0 - 3374.0' CEMENT

0.0 - 3374.0' 8.625" OD INT CSG

3240.0 - 6853.0' CEMENT

519 FSL & 1839 FWL
SEC 36, TWN 17 S, RANGE 34 E
ELEVATION: 3997 GR
COMPLETION DATE: 02-18-63
COMPLETION INTERVAL: 5916 - 6017 (GLRT)
IP: 504 BOPD, 0 MCFD, 0 BWPD (FLOWING)




1349.0 - 1755.0' CEMENT PLUG
1198.0 - 1498.0' CEMENT PLUG
0.0 - 1550.0' 14.750" OD HOLE
1575.0 - 1575.0' SQUEEZE PERFS
1346.0 - 1752.0' CEMENT PLUG
2293.0 - 2293.0' SQUEEZE PERFS
2133.0 - 2293.0' CEMENT PLUG
2403.0 - 2809.0' CEMENT PLUG
1550.0 - 3374.0' 10.750" OD HOLE
0.0 - 6850.0' 2.875" OD TBG
0.0 - 6852.0' 2.875" OD TBG
2403.0 - 2809.0' CEMENT PLUG
3041.0 - 3447.0' CEMENT PLUG
3041.0 - 3447.0' CEMENT PLUG
3935.0 - 4341.0' CEMENT PLUG
3935.0 - 4341.0' CEMENT PLUG
5266.0 - 5875.0' CIBP
5266.0 - 5875.0' CIBP
6115.0 - 6119.0' PERFS
5907.0 - 6131.0' PERFS
5916.0 - 6017.0' PERFS
6246.0 - 6271.0' ABANDONED PERFS
3374.0 - 6853.0' 7.875" OD HOLE
6304.0 - 6372.0' ABANDONED PERFS
6460.0 - 6477.0' ABANDONED PERFS
6170.0 - 6271.0' CEMENT PLUG
6273.0 - 6280.0' RETAINER
6430.0 - 6440.0' RETAINER

KB ELEV: 4008'
TD: 6853'

P&A: 2-02-96

TEXACO E&P INC.
NM "0" STATE NCT-1 No. 22
0.0 - 400.0' CEMENT PLUG
API# 30 025 20319

0.0 - 1549.0' CEMENT
830.0 - 1100.0' CEMENT PLUG
0.0 - 1549.0' 11 3/4" OD 42.00#/ft SURF CSG
1223.0 - 1800.0' CEMENT




1194.0 - 1600.0' CEMENT PLUG
1194.0 - 1600.0' CEMENT PLUG
0.0 - 1549.0' 15" OD HOLE

2494.0 - 2800.0' CEMENT PLUG
2344.0 - 2750.0' CEMENT PLUG
2450.0 - 2750.0' CEMENT PLUG
2750.0 - 2800.0' RETAINER
3327.0 - 3733.0' CEMENT PLUG
3327.0 - 3733.0' CEMENT PLUG
4144.0 - 4550.0' CEMENT PLUG
1000.0 - 6794.0' 2.875" OD 6.40#/ft TBG
1000.0 - 6794.0' 2.875" OD 6.40#/ft TBG
4144.0 - 4550.0' CEMENT PLUG

2845.0 - 6794.0' CEMENT

500 FSL & 560 FWL
SEC 36, TWN 17 S, RANGE 34 E
ELEVATION: 4010 DF
COMPLETION DATE: 12-03-63
COMPLETION INTERVALS: 5929 - 6035 (Glorieta)
6726 - 6774 (Blirehry)



6000.0 - 6200.0' RETAINER
5253.0 - 6000.0' CEMENT PLUG
5420.0 - 5820.0' CEMENT PLUG
5861.0 - 6030.0' ABANDONED PERFS
6021.0 - 6120.0' ABANDONED PERFS
5820.0 - 6030.0' RETAINER
6726.0 - 6774.0' ABANDONED PERFS
1549.0 - 6794.0' 7.875" OD HOLE
6726.0 - 6774.0' ABANDONED PERFS
6030.0 - 6035.0' RETAINER
6605.0 - 6610.0' CIBP

