PKR1030027 6059 2MD

'E ENERGY COMPANY

105 South Fourth Street

Artesia, New Mexico 88210

Fax (505) 748-4576

OI DEC 28 PM 2: 20

December 12, 2001

Lori Wrotenbery **NM-OCD** P.O. Box 2088 Santa Fe, NM 87505

(30-015-31905)

Metropolis 'AZL' State Com #1 Re:

Application for Authorization to Inject

Dear Ma'am:

Please find enclosed an Application for Authorization to Inject for the referenced Metropolis 'AZL' State Com #1. We are proposing to re-enter this recently plugged and abandoned well and deepen the well to the Devonian and Ellenburger formations and convert the well to a disposal well. The well would be utilized to dispose of produced water from the Dagger Draw field and to dispose of acid gas generated from the Agave Energy Plant that "sweetens" sour gas from Dagger Draw.

Please review the enclosed information. If you have questions or need further information please contact me at 505-748-4520. Since this application is subject to administrative approval, we have provided proof of public notice. We appreciate your cooperation in this matter.

Sincerely.

Paul Ragsdale

Vice-President

PR/wn

Enclosure

CC: Tim Gumm, OCD-Artesia

STATE OF NEW MEXICO ENERGY, MINERALS AND NATURAL RESOURCES DEPARTMENT Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, New Mexico 87505

FORM C-108 Revised 4-1-98

APPLICATION FOR AUTHORIZATION TO INJECT

I.	PURPOSE: Secondary Recovery Pressure Maintenance X Disposal Storage Application qualifies for administrative approval? Yes No
II.	OPERATOR: Agave Energy Company
	ADDRESS: 105 South Fourth Street Artesia, NM 88210
	CONTACT PARTY: Paul Ragsdale PHONE: 505-748-4520
III.	WELL DATA: Complete the data required on the reverse side of this form for each well proposed for injection. Additional sheets may be attached if necessary.
IV.	Is this an expansion of an existing project? Yes X No If yes, give the Division order number authorizing the project:
V.	Attach a map that identifies all wells and leases within two miles of any proposed injection well with a one-half mile radius circle drawn around each proposed injection well. This circle identifies the well's area of review.
VI.	Attach a tabulation of data on all wells of public record within the area of review which penetrate the proposed injection zone. Such data shall include a description of each well's type, construction, date drilled, location, depth, record of completion, and a schematic of any plugged well illustrating all plugging detail.
VII.	Attach data on the proposed operation, including:
*VIII.	 Whether the system is open or closed; Proposed average and maximum injection pressure; Sources and an appropriate analysis of injection fluid and compatibility with the receiving formation if other than reinjected produced water; and, If injection is for disposal purposes into a zone not productive of oil or gas at or within one mile of the proposed well, attach a chemical analysis of the disposal zone formation water (may be measured or inferred from existing literature, studies, nearby wells, etc.). Attach appropriate geologic data on the injection zone including appropriate lithologic detail, geologic name, thickness, and depth. Give the geologic name, and depth to bottom of all underground sources of drinking water (aquifers containing waters with total dissolved solids concentrations of 10,000 mg/l or less) overlying the proposed injection zone as well as any such sources known to be immediately underlying the injection interval.
IX.	Describe the proposed stimulation program, if any.
*X.	Attach appropriate logging and test data on the well. (If well logs have been filed with the Division, they need not be resubmitted)
*XI.	Attach a chemical analysis of fresh water from two or more fresh water wells (if available and producing) within one mile of any injection or disposal well showing location of wells and dates samples were taken.
XII.	Applicants for disposal wells must make an affirmative statement that they have examined available geologic and engineering data and find no evidence of open faults or any other hydrologic connection between the disposal zone and any underground sources of drinking water.
XIII.	Applicants must complete the "Proof of Notice" section on the reverse side of this form.
XIV.	Certification: I hereby certify that the information submitted with this application is true and correct to the best of my knowledge and belief.
	NAME: Paul Ragsdale TITLE: Vice President
	NAME: Paul Ragsdale TITLE: Vice President SIGNATURE: DATE: // - 26-07
*	If the information required under Sections VI, VIII, X, and XI above has been previously submitted, it need not be resubmitted. Please show the date and circumstances of the earlier submittal:

III. WELL DATA

- A. The following well data must be submitted for each injection well covered by this application. The data must be both in tabular and schematic form and shall include:
 - (1) Lease name; Well No.; Location by Section, Township and Range; and footage location within the section.
 - (2) Each casing string used with its size, setting depth, sacks of cement used, hole size, top of cement, and how such top was determined.
 - (3) A description of the tubing to be used including its size, lining material, and setting depth.
 - (4) The name, model, and setting depth of the packer used or a description of any other seal system or assembly used.

Division District Offices have supplies of Well Data Sheets which may be used or which may be used as models for this purpose. Applicants for several identical wells may submit a "typical data sheet" rather than submitting the data for each well.

- B. The following must be submitted for each injection well covered by this application. All items must be addressed for the initial well. Responses for additional wells need be shown only when different. Information shown on schematics need not be repeated.
 - (1) The name of the injection formation and, if applicable, the field or pool name.
 - (2) The injection interval and whether it is perforated or open-hole.
 - (3) State if the well was drilled for injection or, if not, the original purpose of the well.
 - (4) Give the depths of any other perforated intervals and detail on the sacks of cement or bridge plugs used to seal off such perforations.
 - (5) Give the depth to and the name of the next higher and next lower oil or gas zone in the area of the well, if any.

XIV. PROOF OF NOTICE

All applicants must furnish proof that a copy of the application has been furnished, by certified or registered mail, to the owner of the surface of the land on which the well is to be located and to each leasehold operator within one-half mile of the well location.

Where an application is subject to administrative approval, a proof of publication must be submitted. Such proof shall consist of a copy of the legal advertisement which was published in the county in which the well is located. The contents of such advertisement must include:

- (1) The name, address, phone number, and contact party for the applicant;
- (2) The intended purpose of the injection well; with the exact location of single wells or the Section, Township, and Range location of multiple wells;
- (3) The formation name and depth with expected maximum injection rates and pressures; and,
- (4) A notation that interested parties must file objections or requests for hearing with the Oil Conservation Division, 1220 South St. Francis Dr., Santa Fe, New Mexico 87505, within 15 days.

NO ACTION WILL BE TAKEN ON THE APPLICATION UNTIL PROPER PROOF OF NOTICE HAS BEEN SUBMITTED.

NOTICE: Surface owners or offset operators must file any objections or requests for hearing of administrative applications within 15 days from the date this application was mailed to them.

C-108

Application For Authorization To Inject Agave Energy Company Metropolis 'AZL' State Com #1 Sec. 36-18S-25E Unit K Eddy County, New Mexico

- I. The purpose of completing this well is to make a disposal well for produced Canyon water and acid gas consisting of H₂S and CO₂ into the Devonian and Ellenburger.
- II. Operator: Agave Energy Company

105 South Fourth Street Artesia, NM 88210 (505) 748-4555

- III. Well Data: See Attachment A
- IV. This is not an expansion of an existing project
- V. See attached map, Attachment B
- VI. No wells within the area of review penetrate the proposed injection zone.
- VII. 1. Proposed average daily injection volume approximately 10,000 BWPD.
 - 2. This will be a closed system.
 - 3. Proposed average injection pressure: unknown Proposed maximum injection pressure: 1995 psi
 - 4. Sources of injected water would be produced water from the Canyon. (Attachment C)
 - 5. See Attachment C, for gas analysis.
- VIII. The proposed injection interval is open hole from 9900' to TD.
- IX. The proposed disposal interval may be acidized with 7-1/2% HCL acid, or 12-3 HF acid.
- X. Logs were filed at your office when the well was drilled.

- XI. 2 windmills exist within one-mile radius of the subject location.
- XII. Agave Energy Company has examined geologic and engineering data and has found that there is no evidence of faulting in the proposed interval.
- XIII. Proof of Notice
 - A. Certified letters sent to the surface owner and offset operators attached (Attachment D)
 - B. Copy of legal advertisement attached. (Attachment E)
- XIV. Certification is signed.

Agave Energy Company Metropolis 'AZL' State Com #1 Sec. 36-18S-25E Unit K

Attachment A

III. Well Data

A. 1. Lease Name/Location
Metropolis 'AZL' State Com #1
Sec. 36-18S-25E Unit K
1650' FSL & 1650' FWL


2. Casing Strings:
Present Well Condition:
20" NA
13 3/8" 48# @ 404'. Cement w/450 sx (circ).
8 5/8" 24# @ 1203'. Cement w/600 sx (circ).
7 7/8" Open hole to 9360'. Well D&A'd.


Present Status: Plugged

- 3. Proposed well condition:
 See Attachment A Proposed Status.
 5 1/2" casing set @ 9900'
 2 7/8" 6.4#, N-80 tubing @ 9800'
- 4. Propose to use Guiberson or Baker plastic-coated or nickel-plated packer set at 9800'.
- B. 1. Injection Formation: Devonian, Ellenburger.
 - 2. Injection interval will be open hole from 9900' to TD.
 - 3. Well was originally drilled as an exploratory Morrow well. Well will be a Devonian and Ellenburger water and acid gas disposal well (9900'-11400') when work is completed.
 - 4. Next higher (shallower) oil or gas zone within 2 miles: Morrow. Next lower (deeper) oil or gas zone within 2 miles: None.

WELL NAME	:Metropolis 'A	AZL' State Com #1 FI	ELD:	
		1650' FSL & 1650' FWL		
		KB:	CASING PROG	D A M
		IPLETION DATE:		
COMMENTS	: Propose to r	e-enter, deepen to 11,400' and	20" NA	40'
	convert to a	disposal well.	13 3/8" 48# H-40	404'
			8 5/8" 24# J-55 5 ½" 15.5#	1203' 9900'
			3 /2 10.5#	9300
San And	Iress	20" @ 40' 17 ½" Hole 13 3/8" @ 404' w/		
	Abo	2 7/8" 6.4# N-80 Tubing		
	Wolfcamp	 		
	Strawn	7 7/8" Hole		
	Morrow			
	Chester	/)		
	Chester	Nickel Plated Packer @ 98	800'	
	Woodford (/)	Proposed	
	}	\(Status	
	Devonian	5 1/2" @ 9900'		
		(
	Montoya ()		
	Ellenburger	(
		>		
	Mississippi	\		
	Granite	\		
	Stanto	<		
		TD @ 11,400'		

LOCATION:	36-18S-25E 1650' FS	SL & 1650' FWL		
	RO:KB:			
SPUD DATE:	08/01/01 COMPL	ETION DATE:	CASING PROGR	RAM
	P&A 0		20" NA	40'
			13 3/8" 48# H-40	404'
			8 5/8" 24# J-55	1203'
	1.1/		,	
<u> </u>	60'			
		20" @ 40)'	
		17 ½" Hole		
		1/ ½ Hole		
		$ \setminus \rangle$		
		13 3/8" @ 404	1' w/450 sx (circ)	
	447'	\ \		
		//		
San Andress		12 1/4" Hole		
	827'	/ \		
)\ <u> </u>	[\(
	1240'	8 5/8" @ 1203' v	w/600 sx (circ)	
)		
	\ /	1		
		1		
Glo	rieta 2190'	1		
		7 7/8" Hole		
) (
	(
.1	1504		~	
Abo	4504'		Current	
			<u>Status</u>	
Wo	fcamp 5791')		
	()			
) (
Stra	wn 8216'			
Moi	row \$ 8911'			
		TD @ 9360'		





Petrolite Corporation 422 West Main Street Artesia, NM 88210-2041

TRETOLITE DIVISION

(505) 746-3588 Fax (505) 746-3580

> Reply to: P.O. Box 1140 Artesia, NM 88211-7531

WATER ANALYSIS REPORT

Company : YATES PETROLEUM Date : 02/23/96
Address : ARTESIA, NM Date Sampled : 02/22/96
Lease : QUEEN Analysis No. : 0226

Well : WATER WELL Sample Pt. : UNKNOWN


	ANALYSIS			mg/L	•	* meq/L
1.	pH	7.3				
2.	H2S	O PPM	,			
3.	Specific Gravity	1.005	,			
4.	-	ls		1039.3		
5.	Suspended Solids			NR		
6.	-			NR		
7.	Dissolved CO2			NR		
8.	Oil In Water			NR		
9.	Phenolphthalein Alkal	inity (Caco3)			
10.	Methyl Orange Alkalin	ity (Cac	203)			
11.	Bicarbonate		HCO3	195.0	нсо3	3.2
12.	Chloride		Cl	149.0	Cl	4.2
13.	Sulfate		504	400.0	so4	8.3
14.	Calcium		Ca	146.0	Ca	7.3
15.	Magnesium		Mg	51.1	Mg	4.2
16.	Sodium (calculated)		Na	97.5	Na	4.2
17.	Iron		Fe	0.8		
18.	Barium		Ba	0.0		
19.	Strontium		Sr	0.0		
20.	Total Hardness (CaCO3	()		575.0		

PROBABLE MINERAL COMPOSITION

*milli equivalents per Liter	Compound Equiv w	vt X meq/L =	mg/L
++			
7 *Ca < *HCO3 3	Ca(HCO3)2 81.0	3.2	259
/>	CaSO4 68.1	4.1	278
4 *Mg> *SO4 8	CaCl2 55.5		
</td <td>Mg(HCO3)2 73.2</td> <td></td> <td></td>	Mg(HCO3)2 73.2		
4 *Na> *Cl 4	MgSO4 60.2	4.2	253
+	MgCl2 47.6		
Saturation Values Dist. Water 20 C	NaHCO3 84.0		
CaCO3 13 mg/L	Na2SO4 71.0	0.0	3
Ca504 * 2H2O 2090 mg/L	NaCl 58.4	4.2	246
BaSO4 2.4 mg/L			

REMARKS:

----- ANDY MILLER



SCALE TENDENCY REPORT

Company : YATES PETROLEUM Date : 02/23/96
Address : ARTESIA, NM Date Sampled : 02/22/96

Lease : QUEEN Analysis No. : 0226

Well : WATER WELL Analyst : SHAWNA MATTHEWS


Sample Pt. : UNKNOWN

STABILITY INDEX CALCULATIONS (Stiff-Davis Method) CaCO3 Scaling Tendency

S.I. = 0.1 at 60 deg. F or 16 deg. C S.I. = 0.2 at 80 deg. F or 27 deg. C S.I. = 0.2 at 100 deg. F or 38 deg. C S.I. = 0.3 at 120 deg. F or 49 deg. C S.I. = 0.4 at 140 deg. F or 60 deg. C

CALCIUM SULFATE SCALING TENDENCY CALCULATIONS (Skillman-McDonald-Stiff Method) Calcium Sulfate

S = 1212 at 60 deg. F or 16 deg C S = 1227 at 80 deg. F or 27 deg C S = 1216 at 100 deg. F or 38 deg C S = 1207 at 120 deg. F or 49 deg C S = 1198 at 140 deg. F or 60 deg C



Petrolite Corporation 422 West Main Street Artesia, NM 88210-2041

TRETOLITE DIVISION

(505) 746-3588 Fax (505) 746-3580

> Reply to: P.O. Box 1140 Artesia, NM 88211-7531

WATER ANALYSIS REPORT

Company : YATES PETROLEUM : ARTESIA, NMN Address

Date Sampled : 02/14/96 Analysis No. : 0223

Date : 02/15/96

Lease

: NORTH WINDMILL

Well Sample Pt. :


	ANALYSIS			mg/L		* meq/L
1.	pН	7.5				
2.	H2S	O PPM				
3.	Specific Gravity	1.000				
4.	Total Dissolved Solid	ls		1065.3		
5.	Suspended Solids			NR		
6.	Dissolved Oxygen			NR		
7.	Dissolved CO2			NR		
8.	Oil In Water			NR		
9.	Phenolphthalein Alkal	inity (CaCO3)			
10.	Methyl Orange Alkalin	ity (Cac	203)			
11.	Bicarbonate		нсо3	134.0	нсо3	2.2
12.	Chloride		Cl	85.0	C1	2.4
13.	Sulfate		504	550.0	SO4	11.5
14.	Calcium		Ca	134.0	Ca	6.7
15.	Magnesium		Mg	59.6	Mg	4.9
16.	Sodium (calculated)		Na	102.5	Na	4.5
17.	Iron		Fe	0.3		
18.	Barium		Ba	0.0		
19.	Strontium		Sr	0.0		
20.	Total Hardness (CaCO3)		580.0		

PROBABLE MINERAL COMPOSITION

*milli equivalents per Liter	Compound	Equiv wt	X meq/L =	= mg/L
++ ++				
7 *Ca < *HCO3 2	Ca (HCO3)2	81.0	2.2	. 178
/	CaSO4	68.1	4.5	306
5 *Mg> *SO4 11	CaC12	55.5		
	Mg(HCO3)2	73.2		
4 *Na> *Cl 2	MgSO4	60.2	4.9	295
++	MgCl2	47.6		
Saturation Values Dist. Water 20 C	NaHCO3	84.0		
CaCO3 13 mg/L	Na2SO4	71.0	2.1	146
CaSO4 * 2H2O 2090 mg/L BaSO4 2.4 mg/L	NaCl	58.4	2.4	140
3,				

REMARKS:

----- ANDY MILLER



SCALE TENDENCY REPORT

Company : YATES PETROLEUM Date : 02/15/96
Address : ARTESIA, NMN Date Sampled : 02/14/96
Lease : NORTH WINDMILL Analysis No. : 0223

Well :

Sample Pt. :

STABILITY INDEX CALCULATIONS (Stiff-Davis Method) CaCO3 Scaling Tendency

S.I. = 0.1 at 60 deg. F or 16 deg. C S.I. = 0.2 at 80 deg. F or 27 deg. C S.I. = 0.2 at 100 deg. F or 38 deg. C S.I. = 0.3 at 120 deg. F or 49 deg. C S.I. = 0.4 at 140 deg. F or 60 deg. C

CALCIUM SULFATE SCALING TENDENCY CALCULATIONS (Skillman-McDonald-Stiff Method) Calcium Sulfate

S = 1121 at 60 deg. F or 16 deg C S = 1137 at 80 deg. F or 27 deg C S = 1128 at 100 deg. F or 38 deg C S = 1119 at 120 deg. F or 49 deg C S = 1110 at 140 deg. F or 60 deg C

Analyst : SHAWNA MATTHEWS

ELLENOISE LINE C Page 7

83B 808

"Let your interest in measurement be our concern" PRECISION SERVICE, INC.

DOS

P.O. Box 3659 * Camper, Wyoming 82802 * (307) 237-9327 P.O. Box 2604 * Roswell, New Mexico 88201 * (505) 622-9874

Run No.

930226-5

Analysis Results Summary

Date Run 02/26/93 Date Sampled 02/25/93

Analysis for YATES PETROLEUM CORPORATION

Field: DAGGER DRAW

GPANGL. L50

Well Mame: ACID GAS

Purpose: WEELLY

Producer: YATES PETROLEUM CORPORATION County: EDDY

Sta. Number:

State: NM

Sampling Temp:

DEG ?

Sampled By: KARL HARNY Atmos Temp: 57

Pressure Base: 14.730

DEG P

Volume/day: Pressure on Cylinder: 11

PSIG

Formation:

Line Pressure: 24.2 PSIA

GAS COMPONENT ANALYSIS

Mol X GPM

Real BTU Dry: Real BTU Wet: 416 408

Real Calc. Specific Gravity: 1.324

Field Specific Gravity: 1.314

Carbon Dioxide CO2 38.311

Standard Pressure:

14.696

Mitrogen N2 0.019 Hydrogen Sulfide H2S 60.810 BTU Dry: BTO Wet: 415 407

Methane 0.340 0.058 CI

Z Factor: # Value:

0.9926 1.3106

0.009 0.003 Iso-Butane IC4 Nor-Botane NC4 0.049 0.015 Iso-Pentane IC5 0.045 0.018

Avg Hol Weight: 38,0743 Avg Cuft/Gal: 67.9661

0.098 0.035

0.265

26 Lb Product: 0.3077

Nor-Pentane NC5 Hexanes Plus C6+ 0.319 0.137

Methane+ GPM: 0.265 Ethane+ GPM: 0.207 0.207

TOTAL

100.000

Propane+ GPM: Butane+ GPM: 0.207 Pentane+ GPM: 0.189

REMARKS:

H2S ON LOCATION: 60.810 X = 608,100 PPM

Approved by: JEFF DECK

Fri Feb 26 16:17:37 1993





TRETOLITE DMSION

(505) 746-3588 Fax (505) 746-3580

> Reply to: P.O. Box FF Artesia, NM 88211-7531

WATER ANALYSIS REPORT

: YATES PETROLEUM : ARTESIA, NEW MEXICO Date : 01/12/94
Date Sampled : 01/12/94
Analysis No. : 546 Company Address : CLIFFORD : BATTERY Lease

Well : TANK Sample Pt.

	ANALYSIS		mg/L		* meq/L
1. 2. 3. 4. 5.	pH 7.0 H2S 140 1 Specific Gravity 1.009 Total Dissolved Solids Suspended Solids Dissolved Oxygen		6842.7 NR NR		
6. 7. 8. 9.	Dissolved CO2 Oil In Water Phenolphthalein Alkalinity Methyl Orange Alkalinity (CaCO3)	NR NR		
	Bicarbonate Chloride Sulfate Calcium Magnesium	HCO3 Cl SO4 Ca Mg	817.0 2449.0 1375.0 700.0 280.0	HCO3 C1 SO4 Ca Mg	13.4 69.1 28.6 34.9 23.0
16. 17. 18. 19.	Sodium (calculated) Iron Barium Strontium Total Hardness (CaCO3)	Na Fe Ba Sr	1221.7 NR NR NR 2901.0	Na	53.1

PROBABLE MINERAL COMPOSITION

*milli equivalents per Liter		Compound	Equiv wt	X meq/L	= mg/L
35 *Ca < *HCO3 /> 23 *Mg> *SO4 /	29	Ca (HCO3) 2 CaSO4 CaCl2 Mg(HCO3) 2	81.0 68.1 55.5 73.2	13.4 21.5	1085 1466
53 *Na> *Cl' Saturation Values Dist. Water		MgSO4 MgCl2 NaHCO3	60.2 47.6 84.0	7.1 15.9	427 759
CaCO3 13 mg CaSO4 * 2H2O 2090 mg BaSO4 2.4 mg	/L	Na2SO4 NaCl	71.0 58.4	53.1	3106

REMARKS:

A. MILLER / FILE

Petrolite Oilfield Chemicals Group

Respectfully submitted, STEVE TIGERT

SCALE TENDENCY REPORT

: YATES PETROLEUM Date : 01/12/94 Company Date Sampled: 01/12/94 Analysis No.: 546 : ARTESIA, NEW MEXICO Address : CLIFFORD

Lease Well : BATTERY Analyst : STEVE TIGERT

Sample Pt. : TANK

STABILITY INDEX CALCULATIONS (Stiff-Davis Method) CaCO3 Scaling Tendency

0.8 at 60 deg. F or 0.8 at 80 deg. F or 0.9 at 100 deg. F or 0.9 at 120 deg. F or 0.9 at 140 deg. F or S.I. = 16 deg. C 27 deg. C 38 deg. C 49 deg. C S.I. = S.I. = S.I. = S.I. =60 deg. C

CALCIUM SULFATE SCALING TENDENCY CALCULATIONS (Skillman-McDonald-Stiff Method) Calcium Sulfate

16 deg C 2241 at 60 deg. F or 2331 at 80 deg. F or 27 deg C 2364 at 100 deg. F or 38 deg C 2360 at 120 deg. F or 49 deg C 2346 at 140 deg. F or 60 deg C S = S ≔ S =

Petrolite Oilfield Chemicals Group

Respectfully submitted, STEVE TIGERT

ATTACHMENT D

105 South Fourth Street

Artesia, New Mexico 88210

(505) 748-4555

Fax (505) 748-4576

December 12, 2001

Lori Wrotenbery NM-OCD P.O. Box 2088 Santa Fe, NM 87505

Re:

Metropolis 'AZL' State Com #1

Application for Authorization to Inject

Dear Ma'am:

Please find enclosed an Application for Authorization to Inject for the referenced Metropolis 'AZL' State Com #1. We are proposing to re-enter this recently plugged and abandoned well and deepen the well to the Devonian and Ellenburger formations and convert the well to a disposal well. The well would be utilized to dispose of produced water from the Dagger Draw field and to dispose of acid gas generated from the Agave Energy Plant that "sweetens" sour gas from Dagger Draw.

Please review the enclosed information. If you have questions or need further information please contact me at 505-748-4520. Since this application is subject to administrative approval, we have provided proof of public notice. We appreciate your cooperation in this matter.

Sincerely.

Paul Ragsdale //
Vice-President

PR/wn

Enclosure

CC: Tim Gumm, OCD-Artesia

105 South Fourth Street

Artesia, New Mexico 88210

(505) 748-4555

Fax (505) 748-4576

December 12, 2001

State of New Mexico Commissioner of Public Lands P.O. Box 1148 Santa Fe, NM 87504-1148

Ladies and Gentlemen:

Enclosed please find a copy of form C-108 (Application for Authority to Inject) for the proposed Metropolis 'AZL' State Com #1 located in Unit K of Section 36-18S-25E, Eddy County, New Mexico.

Should you have any questions, please feel free to contact me at (505) 748-4520.

Sincerely,

Paul Ragsdale

Vice-President

PR/wn

105 South Fourth Street

Artesia, New Mexico 88210

(505) 748-4555

Fax (505) 748-4576

December 12, 2001

Gretchen E. Ainsworth 4681 Mt. Longs Drive San Diego, CA 92117

Ladies and Gentlemen:

Enclosed please find a copy of form C-108 (Application for Authority to Inject) for the proposed Metropolis 'AZL' State Com #1 located in Unit K of Section 36-18S-25E, Eddy County, New Mexico.

Should you have any questions, please feel free to contact me at (505) 748-4520.

Sincerely,

Paul Ragsdale

Vice-President

PR/wn

105 South Fourth Street

Artesia, New Mexico 88210

(505) 748-4555

Fax (505) 748-4576

December 12, 2001

Fred C. Alley Trust 21 Friendswood Longview, TX 75605

Ladies and Gentlemen:

Enclosed please find a copy of form C-108 (Application for Authority to Inject) for the proposed Metropolis 'AZL' State Com #1 located in Unit K of Section 36-18S-25E, Eddy County, New Mexico.

Should you have any questions, please feel free to contact me at (505) 748-4520.

Sincerely,

Paul Ragsdale &

Vice-President

PR/wn

105 South Fourth Street

Artesia, New Mexico 88210

(505) 748-4555

Fax (505) 748-4576

December 12, 2001

Tracy A. Elwell 850 Del Verde Circle #6 Sacramento, CA 95833

Ladies and Gentlemen:

Enclosed please find a copy of form C-108 (Application for Authority to Inject) for the proposed Metropolis 'AZL' State Com #1 located in Unit K of Section 36-18S-25E, Eddy County, New Mexico.

Should you have any questions, please feel free to contact me at (505) 748-4520.

Sincerely,

Paul Ragsdale

Vice-President

PR/wn

105 South Fourth Street

Artesia, New Mexico 88210

(505) 748-4555

Fax (505) 748-4576

December 12, 2001

Marian Fletcher 2575 Irvine Ave. Costa Mesa, CA 92627

Ladies and Gentlemen:

Enclosed please find a copy of form C-108 (Application for Authority to Inject) for the proposed Metropolis 'AZL' State Com #1 located in Unit K of Section 36-18S-25E, Eddy County, New Mexico.

Should you have any questions, please feel free to contact me at (505) 748-4520.

Sincerely,

Paul Ragsdale

Vice-President

PR/wn

105 South Fourth Street

Artesia, New Mexico 88210

(505) 748-4555

Fax (505) 748-4576

December 12, 2001

Glenn R. Fuller 205 Charter Oaks Walnut Creek, CA 94596

Ladies and Gentlemen:

Enclosed please find a copy of form C-108 (Application for Authority to Inject) for the proposed Metropolis 'AZL' State Com #1 located in Unit K of Section 36-18S-25E, Eddy County, New Mexico.

Should you have any questions, please feel free to contact me at (505) 748-4520.

Sincerely,

Paul Ragsdale (Vice-President

PR/wn

105 South Fourth Street

Artesia, New Mexico 88210

(505) 748-4555

Fax (505) 748-4576

December 12, 2001

James F. Klages 6026 Ticonderoga Court Burke, VA 02201

Ladies and Gentlemen:

Enclosed please find a copy of form C-108 (Application for Authority to Inject) for the proposed Metropolis 'AZL' State Com #1 located in Unit K of Section 36-18S-25E, Eddy County, New Mexico.

Should you have any questions, please feel free to contact me at (505) 748-4520.

Sincerely,

Paul Ragsdale^C Vice-President

Vicc-i icsideli

PR/wn

105 South Fourth Street

Artesia, New Mexico 88210

(505) 748-4555

Fax (505) 748-4576

December 12, 2001

Margaret A. Nolan 1336 Western Avenue Glendale, CA 91201

Ladies and Gentlemen:

Enclosed please find a copy of form C-108 (Application for Authority to Inject) for the proposed Metropolis 'AZL' State Com #1 located in Unit K of Section 36-18S-25E, Eddy County, New Mexico.

Should you have any questions, please feel free to contact me at (505) 748-4520.

Sincerely,

Paul Ragsdale

Vice-President

PR/wn

105 South Fourth Street

Artesia, New Mexico 88210

(505) 748-4555

Fax (505) 748-4576

December 12, 2001

Frederick N. Rames 25 Holua Way Wahiawa, HI 96786

Ladies and Gentlemen:

Enclosed please find a copy of form C-108 (Application for Authority to Inject) for the proposed Metropolis 'AZL' State Com #1 located in Unit K of Section 36-18S-25E, Eddy County, New Mexico.

Should you have any questions, please feel free to contact me at (505) 748-4520.

Sincerely,

Paul Ragsdale Vice-President

PR/wn

105 South Fourth Street

Artesia, New Mexico 88210

(505) 748-4555

Fax (505) 748-4576

December 12, 2001

Ballard E. Spencer Trust, Inc. First National Bank of Artesia C/o Trust Department P.O. Drawer AA Artesia, NM 88210

hogidale

Ladies and Gentlemen:

Enclosed please find a copy of form C-108 (Application for Authority to Inject) for the proposed Metropolis 'AZL' State Com #1 located in Unit K of Section 36-18S-25E, Eddy County, New Mexico.

Should you have any questions, please feel free to contact me at (505) 748-4520.

Sincerely,

Paul Ragsdale

Vice-President

PR/wn

Attachment E

Legal Notice

Agave Energy Company, 105 South Fourth Street, Artesia, NM 88210, has filed form C-108 (Application for Authorization to Inject) with the New Mexico Oil Conservation Division seeking administrative approval for an injection well. The proposed well, the "Metropolis AZL State Com #1" located 1650' FSL & 1650' FWL of Section 36, Township 18 South, Range 25 East of Eddy County, New Mexico, will be used for salt water disposal. Disposal waters and acid gas from the Canyon will be re-injected into the Devonian and Ellenburger formations at a depth of 9900'-11400' with a maximum pressure of 1995 psi and a maximum rate 10,000 BWPD.

All interested parties opposing the aforementioned must file objections or request for a hearing with the Oil Conservation Division, 2040 South Pacheco Street, Santa Fe, NM 87501, within 15 days. Additional information can be obtained by contacting Paul Ragsdale at (505) 748-4520.

105 South Fourth Street

Artesia, New Mexico 88210

(505) 748-4555

Fax (505) 748-4576

December 12, 2001

Artesia Daily Press 503 West Main St. Artesia, NM 88210

Ladies and Gentlemen:

Agave Energy Company desires to place a public notice in your newspaper for one day. The notice is enclosed.

Please place this notice in your paper on Friday, December 14, 2001, and forward a copy of it along with your billing as soon as possible to:

Agave Energy Company 105 South Fourth Street Artesia, NM 88210 Attn: Paul Ragsdale

If you have any questions, please contact me at 748-4520. Thank you for your cooperation in this matter.

Sincerely,

Paul Ragsdale Vice-President

PR/wn