


SCALE
4" = 1 Mile



T
25
S


BEFORE EXAMINER NUTTER

OIL CONSERVATION COMMISSION

Tide EXHIBIT NO. 2

CASE NO. 1561

LEA COUNTY
NEW MEXICO



LEA COUNTY
NEW MEXICO

TIDEWATER OIL COMPANY

A. B. COATES "C" NO. 17
PARALLEL STRING, OIL/OIL
DUAL, PRESENTED IN COMPLIANCE
TO NMOCC ORDER NO.

2 $\frac{3}{8}$ " Tubing to McKee Section

2 $\frac{3}{8}$ " Tubing to Ellenburger Section

13 $\frac{3}{8}$ " Set at 516'
Cemented to Surface

9 $\frac{5}{8}$ " Set at 3316'
Cemented to Surface

Top of Perforations at 7210'

Bottom of Perforations at 7320'

200# diff across ykr

*grow 42°
GOR 1000 to 1
BHP 2770 psi*

*27 B/hw
DST 3 hr*

Tubing for McKee Section Set in
Baker Parallel Tubing Anchor at 7389

Baker Model "D" Production Packer
Set at 7700'

Tubing for Ellenburger section
Set at 7932

7" set @ 7909' & cemented back
to 5550'.

*grow 45°
GOR 1100 to 1
BHP 3150 psi*

*175 BD
in 3 1/2 hrs
1500 B/D*

*same
\$75,000
by hand*

open hole

T.D. 7950'