



PETROLEUM AND ITS PRODUCTS

ROSWELL DISTRICT

W. A. SHELLSHEAR
District Manager

E. S. GREAR
District Exploration Manager

M. I. TAYLOR
District Production Manager

G. A. PRICE
District Services Manager

GULF OIL CORPORATION

P. O. DRAWER 669 — ROSWELL, NEW MEXICO

September 30, 1959

FORT WORTH
PRODUCTION DIVISION

Oil Conservation Commission
State of New Mexico
Post Office Box 871
Santa Fe, New Mexico

Attention: Mr. A. L. Porter, Jr.

Re: CASE 1782: Application of
Gulf Oil Corporation for an
Oil-Oil Dual Completion of
its Eunice King Well No. 10
in the Wantz-Abo and Paddock
Pools, Section 28-21S-37E,
Lea County, New Mexico

Gentlemen:

Gulf Oil Corporation respectfully requests that
the subject Case 1782, which is scheduled for the examiner
hearing October 7, 1959, be continued until the next sched-
uled examiner hearing.

Yours very truly,

GULF OIL CORPORATION

W. A. Shellshear



PETROLEUM AND ITS PRODUCTS

GULF OIL CORPORATION

P. O. DRAWER 1290 FORT WORTH 1, TEXAS

H. P. REARDON
DIVISION
PETROLEUM ENGINEER

Oct 7
FORT WORTH
PRODUCTION DIVISION

September 17, 1959

Oil Conservation Commission
State of New Mexico
P. O. Box 871
Santa Fe, New Mexico

Re: Application for Approval to Complete Gulf's Eunice King Well No. 10 as an ~~Oil-Oil~~ Dual, Wantz Abo and Paddock Pools, Section 28, T-21-S, R-37-E, Lea County, New Mexico

Gentlemen:

Gulf Oil Corporation respectfully submits application for permission to oil-oil dually complete subject well utilizing two strings of tubing, and requests that the Commission set this matter for Examiner Hearing at an early date. A hearing is being requested for this oil-oil dual completion as the two zones involved have not previously been approved by the Commission.

The following facts are offered in support of this application:

- (1) Gulf Oil Corporation is the owner and operator of 320-acre Eunice King Lease, which consists of the N/2 of Section 28, T-21-S, R-37-E, Lea County, New Mexico. Subject well is located 660 feet from the north line and 1980 feet from the east line of said Section 28.
- (2) The 13-3/8" casing in Gulf's Eunice King Well No. 10 was set at 297 feet and the cement was circulated. The 9-5/8" casing was set at 2850 feet with 1300 sacks. The 7" casing was set and cemented with 800 sacks at a depth of 7865 feet. Applicant proposes to plug back to a depth of 7350 feet and selectively perforate the 7" casing opposite the Abo formation in the interval 7150 to 7250 feet and in the Paddock zone from 5120 feet to 5230 feet.
- (3) If approved, the subject well will be dually completed through the use of parallel strings of tubing as shown in the diagrammatic sketch attached hereto. The two producing intervals will

Looked
mailed
9-24-59
JH

