



BEFORE EXAMINER NUTTER

OIL CONSERVATION COMMISSION

Ap-1 EXHIBIT NO. 1

CASE NO. 1946

DIAGRAMATIC SKETCH OF MECHANICAL INSTALLATION
OF PROPOSED OIL-OIL DUAL COMPLETION
LEONARD OIL COMPANY-RED. GINSBERG #9
JUSTIS BLINEBRY - JUSTIS FUSSELMAN
(UNDESIGNATED POOLS)



SCHLUMBERGER WELL SURVEYING CORPORATION

HOUSTON, TEXAS



Induction-Electrical Log

COUNTY LEA
FIELD or LOCATION JUSTIS
WELL GINSBERG FEDERAL # 9
COMPANY LEONARD OIL COMPANY

COMPANY LEONARD OIL

COMPANY

WELL GINSBERG FEDERAL

9

FIELD JUSTIS

LOCATION SEC. 31-25S-38E

COUNTY LEA

STATE NEW MEXICO

Other Surveys

SGR, MLL

Location of Well

350' FROM N/L

330' FROM W/L

Elevation: D.F.:


468 K.B.: 3059

or G.L.: 3049


FILING No.

RUN No.	ONE				
Date	5-17-60				
First Reading	6957				
Last Reading	2270				
Feet Measured	4687				
Csg. Schlum.	2270				
Csg. Driller	2260				
Depth Reached	6958				
Bottom Driller	6954				
Depth Datum	KB 10' AB. GL				
Mud Nat.	CHEM.				
Dens. Visc.	9.2 43				
Mud Resist.	.56 @ 69 °F	@ °F	@ °F	@ °F	@ °F
" Res. BHT	.40 @ 100 °F	@ °F	@ °F	@ °F	@ °F
Rmf	.3 @ 100 °F	@ °F	@ °F	@ °F	@ °F
Rmc	@ °F	@ °F	@ °F	@ °F	@ °F
" pH	@ °F	@ °F	@ °F	@ °F	@ °F
" Wtr. Loss	16 CC 30 min.	CC 30 min.	CC 30 min.	CC 30 min.	CC 30 min.
Bit Size	8 3/4"				
Spcgs.—AM	16"				
MN	34.5'				
IND.	6 FF 40				
Opr. Rig Time	2 1/2 HOURS				
Truck No.	2526-HOBBS				
Recorded By	DAVIS				
Witness	HIX				

DIAGRAMATIC SKETCH OF MECHANICAL INSTALLATION
 OF PROPOSED OIL-OIL DUAL COMPLETION
 LEONARD OIL COMPANY-FED. GINSBERG #9
 JUSTIS BLINEBRY - JUSTIS FUSSELMAN
 (UNDESIGNATED POOLS)



ILLEGIBLE



Leonard Oil Company

BOX 708

Roswell, New Mexico

May 31, 1960

ROBERT J. LEONARD
PRESIDENT

TELEPHONE OFFICE 000

JUN 1 AM 8:34

Case 1996

New Mexico Oil Conservation Commission
Box 871
Santa Fe, New Mexico

Attention of Mr. A. L. Porter, Jr.

Re: Our Federal Ginsberg #9.

Gentlemen:

Enclosed please find Leonard Oil Company's Application for Dual Completion for their Federal Ginsberg Well #9 located 330' from the North and West lines of Sec. 31, Twp. 25 S., Rge. 38 E., Lea County, New Mexico.

Also enclosed is diagrammatic sketch of mechanical installation of the proposed dual completion, and a plat showing the location of all wells in the area, along with the names and addresses of all offsetting operators.

We shall appreciate your placing this on the docket for hearing before an examiner at your earliest convenience.

If we can furnish any additional information concerning this matter, please advise.

Very truly yours,

Robert J. Leonard

General Manager.

Enclosures

FH:R

cc to All Operators listed in Item 5 of Application.

*Docket
Mailed
6-9-60*

DIAGRAMATIC SKETCH OF MECHANICAL INSTALLATION
OF PROPOSED OIL-OIL DUAL COMPLETION
LEONARD OIL COMPANY-FED. GINSBERG #9
JUSTIS BLINEBRY - JUSTIS FUSSELMAN
(UNDESIGNATED POOLS)

481 GOR
38.8 Fuss
38.5 Ham
Dome 3
38.1 " 4
406/1

GOR 640/1
#5 Carlson
BL 2327 BHP
grav. 38.9
2-3/8 EUE tubing w/
beveled couplings @5000'

13 3/8 @353 w/350 sx.
Cement circulated.

9 5/8 @2265 w/300 sx.
Cement circulated.

No BHP on BL

Ham Dome
Carlson 23

2692 GOR

Blinebry perfs interval
5050 - 5600
Julf #5 Arnett
Ransley

BHP 2270
grav 39.0
GOR 491/1
Ham Dome

#2 Carlson

Fed
BL 2326 BHP
grav 39.8
GOR 1232/1
BHP 2536 (Dst)

Pan Am
5 STAJ
grav. 39.8
GOR 441/1

2-3/8 EUE tubing latched into
packer @6892'

Brown Oil Tool type 2 bridging
plug assembly

Brown BP-4 production packer @6892

Fusselman perfs 6934 - 46

7" casing @6957 w/415 sx.
Top cement @2200.

500