GOVERNOR EDWIN L. MECHEM CHAIRMAN

State of New Mexico Oil Conservation Commission

LAND COMMISSIONER E. S. JOHNNY WALKER MEMBER



STATE GEOLOGIST
A. L. PORTER, JR.
SECRETARY - DIRECTOR

April 28, 1961

Mr. Burns	Errebo		•
Simms Bui	lding		٠.
Box 466	- .		
Albuquerq	ue, New	Mexi	CO

Re:	Case No. 2237	
	Order No. R-1944	
	Applicant: Socony Mobil Oil Co.	

Dear Sir:

Enclosed herewith are two copies of the above-referenced Commission order recently entered in the subject case.

Very truly yours,

A. L. PORTER, Jr.

Secretary-Director

ir/					
Carbon copy	of	order	also	sent	to:
Hobbs OCC Artesia OCC Aztec OCC	*				
OTHER					

OIL CONSERVATION COMMISSION

P. O. BOX 871 SANTA FE, NEW MEXICO 6 ac 2237

March 13, 1961

Mobil Oil Company P. O. Box 2406 Hobbs, New Mexico

> Re: Unorthodox Location for Socony Hobil E. O. Carson Well No. 23, undesignated San Andres Pool, Lea County, New Mexico

Gentlemen:

Reference is made to your request for administrative approval of an unorthodox location for your E. O. Carson Well No. 23 (formerly E. O. Carson Well No. 1-SWD).

Inasmuch as Commission Rule 104(f) provides for administrative approval of unorthodox locations only in instances where the application is based on topographic conditions, it will be necessary to have a hearing on this matter.

If you wish, we will treat your application for administrative approval as an application for hearing and will docket it for the April 5th examiner hearing.

Very truly yours,

OLIVER E. PAYME General Counsel

OEP/esr

CC: Oil Conservation Commission P. O. Box 2045 Hobbs, New Mexico



Mobil Oil Company

A Division of Socony Mobil Oil Company, Inc.
P. O. BOX 2406. HOBBS. NEW MEXICO

April 7, 1961

New Mexico Oil Conservation Commission

P. O. Box 871

Santa Fe, New Mexico

Attn: Mr. D. S. Nutter

jbe

CASE 2237

ADDITIONAL INFORMATION

Dear Mr. Nutter:

As requested by you during the hearing on the subject case the following information from our well files is offered for your information:

Well - E. O. Carson SWD-1 (subject well)

- 1. 13-3/8" set at 343' with 10 sx. circ.
- 2. 9-5/8" set at 2786' with 1000 sx. circ.
- 3. 7" set at 4100' with cement circ. (amount circulated not specified)

If anything else is required, let me know.

Yours very truly,

nrh

J. C. Gordon, Jr.