NEW MEXICO OIL CONSERVATION COMMISSION

SANTA FE, NEW MEXICO

BRITCATION FOR BUAL COURT ET

set for	an I	124
haring	Market Market St. St. St. St. St. St. St. St. St. St	7-3-58

Field Nam	re Fren	& Greyb	urg Jackson	2 · · · · · · · · · · · · · · · · · · ·	County	ty	Date	November 21, 1962	
Operator Skelly 011 Company				Lease Dow #Pr			Well N	o. 21	
Location	Unit	1	Section 21		Township 17-S		Range	31-E	
of Well	o Novi Max			on heretofore a	<u> </u>	mpletion of a wel	l in the	se same pools or in the same	
zones 2. If answ	within one wer is yes,	mile of the	subject well? YE e such instance: O	ES NO					
3. The following facts are submitted:		nitted:	Upper Zone			Lower Zone			
a. Nar	me of rese	voir		Seven Rive) YE		San	Andres	
F	p and Bott Pay Section	n.	220	6-22901 (E	stimated)	3428-3	14941	(Estimated)	
	Perforation	iction (Oil	or Gas)	01.1			OLI.		
	thod of Pro			Pump			Pump		
		Artificial	Lift) (Please mark YES		· · · · · · · · · · · · · · · · · · ·			- 100g	
	thereon	erators to	log is not available he lease on which the company - 520	at the time appl his well is loca Feat Broad	ication is filed, it sl ted together with the	nall be submitted	as prov	itervals of perforation indicated ided by Rule 112-A.)	
			- Dox 6-A - I						
Cetty	OLL Co	mbsuh -	20x 547 - Hob	do, New Mac	xico				
5. Were al	ll operator	s listed in on	tem 5 above notifie	d and furnished	a copy of this applic	ation? YES	. NO	If answer is yes, give dat	
			rsigned, state that I	am the	ist. Supt.	of the		lly 011 Company	
		Octo 1	ion and that the fact MAILED	s stated therein	are true, correct and	d complete to the	best of		

Commission will hold the application for a period of twenty (20) days from date of receipt by the Commission's Santa Fe office. If, after said twenty-day period, no protest nor request for hearing is received by the Santa Fe office, the application will then be processed.

NOTE: If the proposed dual completion will result in an unorthodox well location and/or sange-standard proration unit in either or both of the producing zones, then separate application for approval of the same should be fixed sime sangular with this application.