


Case No. 384
Exhibit No.
Oct. 9, 1968

BEFORE EXAMINER UTZ
CONSERVATION COMMISSION
CASE NO. 384
EXHIBIT NO.

S E N T I N E L	
Location of Well: Sec. 20-21S-37E 554' fr S/L 1086' fr N/L	COMPANY: GULF OIL CORP. WELL: #2 HARDY HUNT NO.: I FIELD: EUNICE LOCATION: SEC. 20-21S-37E COUNTY: LEA STATE: NEW MEXICO
Elevation K.B.: D.F.: 3495 or G.L.:	FILING No.:
COUNTY: LEA FIELD OR LOCATION: EUNICE WELL: #2 HARDY COMPANY: GULF OIL CORP.	



GULF OIL CORPORATION

C. L. HARDY NO. 2
PADDOCK OIL-BLINEBRY OIL - DUAL COMPLETION

ELEV. = 3,495' D.F.
TBG. H = 10.0' & 11.0'

13-3/8" O.D. CSG. @ 303'
CMTD. W/300 SX. & CIRCULATED

2-3/8" TBG.

2-3/8" TBG. SET @ 5,940'

9-5/8" O.D. CSG. @ 2,913'
CMTD. W/1300 SX. TOC
@ 1,315' BY TS

PADDOCK PERFS. @ 5,148-55'

SQUEEZED PADDOCK PERFS.
@ 5,162-70' & 5,182-5,226'

BAKER PARALLEL ANCHOR @ 5,178'

BAKER RECEPT. SEAL ASSY. @ 5,704'

BAKER MODEL "D" PKR. @ 5,705'

BLINEBRY PERFS. @ 5,770-74';
5,788-90'; 5,842-44';
5,862-64' & 5,907-09'.

SN @ 5,895'

GOT TYPE "BC" CV @ 5,904'

CAPPED W/CMT. TO ABOUT 6,431'

BAKER CI BP @ 6,486'

BAKER MODEL DA PKR. @ 6,542'

7" O.D. CSG. @ 6,603'
CMTD. W/700 SX.

SN @ 6,606'

CV @ 6,617' (Closed)

DRINKARD ZONE (6-1/4" O.H.)

T.D. @ 6,675'

BEFORE EXAMINER UTZ

OIL CONSERVATION COMMISSION

EXHIBIT NO. 3

CASE NO. 3874

CASE NO. 3874

EXHIBIT NO. 3

October 9, 1968