

Proposed Injection Rate:
500 BPD @ 2100 PSI
Injection Water Source:
Nonpotable water purchased from
Skelly Oil Company's Jal Water
System.

Valve and Pressure gauge
on annular space between
Tbg. and Csg.

8 5/8" Casing @ 390'
cmt. circ. w/250 sks.

2 3/8" Tubing @ 3494'
4 1/2" Packer @ 3496'

Perfs. 3546' - 3556'

Perfs. 3567' - 3576'

Perfs. 3586' - 3590'

Perfs. 3614' - 3620'

Perfs. 3630' - 3634'

Perfs. 3642' - 3644'

Perfs. 3650' - 3654'

PENROSE SAND

4 1/2" Casing @ 3700'
cmt. w/400 sks.

*250 v.1 (circ. h
to bring c. to 2200')*

BEFORE EXAMINER NUTTER
OIL CONSERVATION COMMISSION

Anadarko EXHIBIT NO. 23

CASE NO. 4681

Submitted by _____

Hearing Date March 15, 1972

L. M. P. S. U. 25-3
1650 FEL & 990 FNL
Sec. 28, T-22-S, R-37-E
Lea Co., New Mexico

TYPICAL WATER INJECTION
WELL COMPLETION



**ANADARKO
PRODUCTION COMPANY**

Unit Operator
Langlie-Mattix Penrose Sand Unit
Lea County, New Mexico
EXHIBIT
OCC March 15, 1972
Examiner Hearing
Unorthodox Water Injection
Well Locations