# BEFORE THE OIL CONSERVATION COMMISSION OF THE STATE OF NEW MEXICO

IN THE MATTER OF THE HEARING CALLED BY THE OIL CONSERVATION COMMISSION OF NEW MEXICO FOR THE PURPOSE OF CONSIDERING:

> CASE NO. 4953 Order No. R-4549

APPLICATION OF ATLANTIC RICHFIELD COMPANY FOR A PRESSURE MAINTENANCE PROJECT, EDDY COUNTY, NEW MEXICO.

#### ORDER OF THE COMMISSION

#### BY THE COMMISSION:

This cause came on for hearing at 9 a.m. on April 25, 1973, at Santa Fe, New Mexico, before Examiner Richard L. Stamets.

NOW, on this 15th day of June, 1973, the Commission, a quorum being present, having considered the testimony, the record, and the recommendations of the Examiner, and being fully advised in the premises,

#### FINDS:

- (1) That due public notice having been given as required by law, the Commission has jurisdiction of this cause and the subject matter thereof.
- (2) That the applicant, Atlantic Richfield Company, seeks authority to institute a pressure maintenance project in the Empire-Abo Pool in its Empire-Abo Unit Area, Eddy County, New Mexico, by initially limiting reservoir voidage, and within one year by reinjection of approximately 70 percent of the produced gas, as plant residue gas, into the Abo formation through eight wells in Section 36, Township 17 South, Range 27 East, Sections 3, 4, and 9, Township 18 South, Range 27 East, and Sections 26, 31, 32, and 33, Township 17 South, Range 28 East.
- (3) That the applicant further seeks the designation of the project area and the promulgation of special rules and regulations governing said project, including provision for the assignment of special allowables to wells in the project area based on reservoir voidage factors, net gas-oil ratios, the shutting in or curtailment of less efficient wells, and allowable credit for gas injection wells.
- (4) That initially the project area should comprise only the following described area:

-2-Case No. 4953 Order No. R-4549

#### EDDY COUNTY, NEW MEXICO

TOWNSHIP 17 SOUTH, RANGE 27 EAST, NMPM

Section 34: S/2 SE/4

Section 36: S/2

TOWNSHIP 17 SOUTH, RANGE 28 EAST, NMPM

Section 25: S/2 and S/2 N/2

Section 26: S/2, S/2 NE/4, and SE/4 NW/4

Section 27: N/2 S/2, SE/4 SE/4, and SW/4 SW/4

Section 31: S/2 and S/2 N/2

Section 32: S/2, NE/4, S/2 NW/4, and NE/4 NW/4 Section 33: S/2, NE/4, S/2 NW/4, and NE/4 NW/4

Section 34: N/2, SW/4, and N/2 SE/4

Section 35: N/2 and N/2 S/2

Section 36: N/2 NW/4 and SW/4 NW/4

TOWNSHIP 17 SOUTH, RANGE 29 EAST, NMPM

Section 29: S/2 NW/4 and N/2 SW/4

Section 30: SW/4, S/2 N/2, and N/2 SE/4

### TOWNSHIP 18 SOUTH, RANGE 27 EAST, NMPM

Section 1: All

Section 2: S/2, NE/4 NE/4, SW/4 NE/4, S/2 NW/4, and

NW/4 NW/4

Section 3: All

Section 4: SE/4, S/2 NE/4, S/2 SW/4, and NE/4 SW/4

Section 8: E/2 SE/4 and SE/4 NE/4

Section 9: All

Section 10: W/2 and NE/4

Section 11: NW/4, W/2 NE/4, and NE/4 NE/4

Section 15: N/2 NW/4 and SW/4 NW/4

Section 16: N/2, SW/4, N/2 SE/4, and SW/4 SE/4

Section 17: S/2 NE/4, NE/4 NE/4, SE/4 NW/4, NE/4 SW/4,

and N/2 SE/4

#### TOWNSHIP 18 SOUTH, RANGE 28 EAST, NMPM

Section 4: N/2 NW/4, SW/4 NW/4, and NW/4 NE/4

Section 5: NE/4 and N/2 NW/4

Section 6: NW/4, N/2 SW/4, N/2 SE/4, SW/4 SE/4, S/2 NE/4, and NE/4 NE/4

- (5) That the applicant has been a major operator in the Empire-Abo Pool and that with a majority of the other operators in said pool has conducted extensive reservoir evaluations and studies in and of said pool.
- (6) That said evaluations and studies show that the Empire-Abo Pool will be more efficiently produced through the curtailment of production from high gas-oil ratio wells or by reinjection of plant residue gas or both, and operation of the pool on a net reservoir voidage basis.

-3-Case No. 4953 Order No. R-4549

- (7) That said evaluations and studies show that production from the project area as described in Finding (4) of this order should be limited to the average reservoir voidage for the project area for the calendar year 1972 or 30,000 barrels of oil per day, whichever is less, except that after reinjection of approximately 70 percent of the produced gas has been achieved, the production from said project area should be limited to the average reservoir voidage for the calendar year 1972 or 40,192 barrels of oil per day, whichever is less.
- (8) That to provide incentive for the reinjection of produced gas prior to achievement of the full 70 percent reinjection planned, production in excess of the aforementioned 30,000 barrels per day should be permitted within the project area. Said excess production should be computed in accordance with the following formula and should be limited to 10,192 barrels per day:

Additional Allowable in Excess of 30,000 BOPD = 97.07 2 MCF gas inj. previous month x 10 MCF gas prod. previous month

+ 
$$\left(\frac{\text{MCF gas inj. previous month x 10}}{\text{MCF gas prod. previous month}}\right)$$

- (9) That the aforesaid pressure maintenance project, designated the ARCO Empire-Abo Unit Pressure Maintenance Project, and comprising the above-described area, is in the interest of conservation and should result in the recovery of approximately thirty million barrels of additional oil from said reservoir.
- (10) That an administrative procedure should be established whereby said project area may be contracted or expanded for good cause shown and whereby additional injection wells and producing wells at orthodox and unorthodox locations in the project area may be approved without the necessity of notice and hearing.
- (11) That special rules and regulations for the operation of the ARCO Empire-Abo Unit Pressure Maintenance Project should be promulgated and, for operational convenience, such rules should provide certain flexibility in authorizing the production of the project allowable from any well or wells in the project area in any proportion, provided that no well in the project area which directly or diagonally offsets a well not committed to said unit producing from the same common source of supply should be allowed to produce more than two top unit allowables for the Empire-Abo Pool.
- (12) That approval of the application for a pressure maintenance project and the proposed special rules therefore is in the interest of sound conservation practices and will not cause waste or harm correlative rights.

-4-Case No. 4953 Order No. R-4549

#### IT IS THEREFORE ORDERED:

(1) That the applicant, Atlantic Richfield Company, is hereby authorized to institute a pressure maintenance project in the Empire-Abo Pool in its Empire-Abo Unit Area, Eddy County, New Mexico, to be designated the ARCO Empire-Abo Unit Pressure Maintenance Project, initially by the shutting in or curtailment of production from less efficient wells within the project and within 12 months after the effective date of this order by the reinjection of approximately 70 percent of the produced gas, as plant residue gas, into the Abo formation, through the following described wells:

MET T

OPERATOR	LEASE NAME	NO.	SECTION	LOCATION
Amoco Amoco Exxon	Malco "H" Federal Windfuhr Federal Chalk Bluff Draw Unit "A"	2 4 4	3 4 9	H J C
All in Tow	nship 18 South, Range 2	7 East, NA	IPM.	
M. Yates I	II Dooley Abo State	2	36	J
In Townshi	p 17 South, Range 27 Ea	st, NMPM.		
Hondo	State "A"	21	26	K
Amoco	State "BM"	1	31	K
Amoco	State "BV"	1	32	F
Arco	M. Yates B (ARC)	8	33	G

All in Township 17 South, Range 28 East, NMPM.

- (2) That the injection should be through 2 3/8-inch internally coated tubing installed in a packer set within 100 feet of the uppermost perforations, and that the casing-tubing annulus should be fitted with a pressure gauge in order to determine leakage in the casing, tubing, or packer.
- (3) That Special Rules and Regulations governing the operation of the ARCO Empire-Abo Unit Pressure Maintenance Project, Eddy County, New Mexico, are hereby promulgated as follows:

# SPECIAL RULES AND REGULATIONS FOR THE EMPIRE-ABO PRESSURE MAINTENANCE PROJECT

RULE 1. The project area of the ARCO Empire-Abo Unit Pressure Maintenance Project, hereinafter referred to as the Project, shall comprise the area described as follows:

-5-Case No. 4953 Order No. R-4549

# EDDY COUNTY, NEW MEXICO

TOWNSHIP 17 SOUTH, RANGE 27 EAST, NMPM

Section 34: S/2 SE/4

Section 36: S/2

TOWNSHIP 17 SOUTH, RANGE 28 EAST, NMPM

Section 25: S/2 and S/2 N/2

Section 26: S/2, S/2 NE/4, and SE/4 NW/4

Section 27: N/2 S/2, SE/4 SE/4, and SW/4 SW/4

Section 31: S/2 and S/2 N/2

S/2, NE/4, S/2 NW/4, and NE/4 NW/4Section 32:

S/2, NE/4, S/2 NW/4, and NE/4 NW/4Section 33:

Section 34: Section 35: N/2, SW/4, and N/2 SE/4

N/2 and N/2 S/2

N/2 NW/4 and SW/4 NW/4Section 36:

TOWNSHIP 17 SOUTH, RANGE 29 EAST, NMPM Section 29: S/2 NW/4 and N/2 SW/4

Section 30: SW/4, S/2 N/2, and N/2 SE/4

TOWNSHIP 18 SOUTH, RANGE 27 EAST, NMPM

Section 1: **A11** 

Section S/2, NE/4 NE/4, SW/4 NE/4, S/2 NW/4, and 2:

NW/4 NW/4

Section 3: **A11** 

Section 4: SE/4, S/2 NE/4, S/2 SW/4, and NE/4 SW/4

Section 8: E/2 SE/4 and SE/4 NE/4

Section 9: All

Section 10: W/2 and NE/4

Section 11: NW/4, W/2 NE/4, and NE/4 NE/4

Section 15: N/2 NW/4 and SW/4 NW/4

Section 16: N/2, SW/4, N/2 SE/4, and SW/4 SE/4

Section 17: S/2 NE/4, NE/4 NE/4, SE/4 NW/4, NE/4 SW/4,

and N/2 SE/4

TOWNSHIP 18 SOUTH, RANGE 28 EAST, NMPM

Section 4: N/2 NW/4, SW/4 NW/4, and NW/4 NE/4

Section 5: NE/4 and N/2 NW/4

Section 6: NW/4, N/2 SW/4, N/2 SE/4, SW/4 SE/4,

S/2 NE/4, and NE/4 NE/4

The allowable for the Project shall be the sum of the allowables of the several wells within the project area, including those wells which are shut in, curtailed, or used as injection wells. Allowables for all wells shall be determined in a manner hereinafter prescribed.

That the maximum daily project allowable shall be an amount of oil which will result in reservoir voidage no greater than the average daily reservoir voidage in the project -6-Case No. 4953 Order No. R-4549

area for the calendar year 1972 or 30,000 barrels of oil per day, whichever is less, except that after reinjection of approximately 70 percent of the produced gas has been achieved the maximum daily project allowable shall be an amount of oil which will result in reservoir voidage no greater than the average daily reservoir voidage for the project area for the year 1972 or 40,192 barrels of oil per day, whichever is less.

RULE 4. That after gas reinjection has commenced but before the full 70 percent reinjection has been achieved, allowable in addition to the above-described 30,000 barrels per day may be assigned to the project area, provided that said allowable shall be based on gas produced and injected in the project area and shall be computed in accordance with Rule 10 below and the following formula and shall not exceed 10,192 barrels of oil per day:

Additional Allowable in Excess of 30,000 BOPD = 97.07  $\left(\frac{\text{MCF gas inj. previous month } \times 10}{\text{MCF gas prod. previous month}}\right)^2$ 

+ MCF gas inj. previous month x 10 MCF gas prod. previous month

- RULE 5. That all calculations of reservoir voidage shall be in accordance with the formula set out in Attachment "A" to this order utilizing the Table of Fluid Properties set out in Attachment "B" of this order.
- RULE 6. Allowable credit for injection wells may be transferred to producing wells within the project area, as may the allowable credit for producing wells which, in the interest of more efficient operation of the Project, are shut in or curtailed because of high gas-oil ratio or are shut in for any of the following reasons: Pressure regulation, control of pattern or sweep efficiencies, or to observe changes in pressures or changes in characteristics of reservoir liquids or progress of sweep.
- RULE 7. The allowable credit assigned to any well which is shut in or which is curtailed in accordance with the provisions of Rule 6 which allowable credit is to be transferred to any well or wells in the project area for production, shall in no event be greater than its ability to produce during the test prescribed by Rule 9 below or greater than the current top unit allowable for the pool during the month of transfer, whichever is less.
- RULE 8. The allowable credit assigned to any injection well on a 40-acre proration unit shall be top unit allowable for the Empire-Abo Pool.

-7-Case No. 4953 Order No. R-4549

- RULE 9. The allowable credit assigned to any well which is shut in or curtailed in accordance with Rule 6, shall be determined by a 24-hour test at a stabilized rate of production, which shall be the final 24-hour period of a 72-hour test throughout which the well should be produced in the same manner and at a constant rate. The daily tolerance limitation set forth in Commission Rule 502 I (a) and the limiting gas-oil ratio (2,000 to 1) for the pool shall be waived during such tests. The project operator shall notify all operators offsetting the well, as well as the Commission, of the exact time such tests are to be conducted. Tests may be witnessed by representatives of the offsetting operators and the Commission, if they so desire.
- RULE 10. The allowable credit for residue gas injection shall be calculated in accordance with the appropriate fluid properties current in the reservoir (as determined in accordance with Attachment "B" to this Order) and shall be shown on the Pressure Maintenance Project Operator's Monthly Report.
- RULE 11. The basic allowable assigned to each producing well in the Project shall be equal to the well's ability to produce or to top unit allowable for the pool, whichever is less. Wells capable of producing more than top unit allowable may also receive transfer allowable, provided however, that no producing well in the project area which directly or diagonally offsets a well not committed to the unit producing from the same common source of supply shall receive an allowable or produce in excess of two times top unit allowable for the pool.
- RULE 12. Each month the project operator shall submit to the Commission a Pressure Maintenance Project Operator's Report, on a form prescribed by the Commission, outlining thereon the data required, and requesting allowables for each of the several wells in the Project as well as the total project allowable. The aforesaid Pressure Maintenance Project Operator's Report shall be filed in lieu of Form C-120 for the Project.
- RULE 13. The Commission shall, upon review of the report and after any adjustments deemed necessary, calculate the allowable for each well in the Project for the next succeeding month in accordance with these rules. The sum of the allowables so calculated shall be assigned to the Project and may be produced from the wells in the Project in any proportion except that no well in the Project which directly or diagonally offsets a well not committed to the unit producing from the same common source of supply shall produce in excess of two times top unit allowable for the pool.
- RULE 14. The Secretary-Director of the Commission is nereby authorized to approve such additional producing wells and injection wells at orthodox and unorthodox locations within the boundaries of the ARCO Empire-Abo Unit Area as may be necessary to complete an efficient production and injection pattern, provided

-8-Case No. 4953 Order No. R-4549

said wells are drilled no closer than 660 feet to the outer boundary of said unit nor closer than 10 feet to any quarter-quarter section or subdivision inner boundary and provided that no well shall be approved for gas injection when such well is located closer than 1650 feet to a tract which is not committed to the unit and on which is located a well producing from the same common source of supply. To obtain such approval, the project operator shall file proper application with the Commission, which application, if it seeks authorization to convert additional wells to injection or to drill additional production or injection wells shall include the following:

- (1) A plat identifying the lands committed to the unit agreement and those lands not committed to said agreement, and showing the location of the proposed well, all wells within the unit area, and offset operators.
- (2) A schematic drawing of the proposed well which fully describes the casing, tubing, perforated interval, and depth.
- (3) A letter stating that all offset operators to the proposed well have been furnished a complete copy of the application and the date of notification.

The Secretary-Director may approve the proposed well if, within 20 days after receiving the application, no objection to the proposal is received. The Secretary-Director may grant immediate approval, provided waivers of objection are received from all offset operators.

- RULE 15. Expansion or contractions of the project area may be approved by the Secretary-Director of the Commission administratively when good cause is shown therefor.
- (4) That jurisdiction of this cause is retained for the entry of such further orders as the Commission may deem necessary.

DONE at Santa Fe, New Mexico, on the day and year hereinabove designated.


STATE OF NEW MEXICO OIL CONSERVATION COMMISSION

// // - ...

.R. TRUJILLO, Chairman

MEX J. ARMEJO, Member

A. L. PORTER, Jr., Member & Secretary



## EMPIRE ABO UNIT

#### Reservoir Voidage Formula:

Equation 1: 
$$V_{rvb} = Q_o \left[ B_o + (R_{pn} - R_g) B_g \right] + (Q_{wp} - Q_{we}) B_w$$

#### Where:

Vrvb = Reservoir voidage, bbls. per day

Qo = 011 production rate, Stock tank bbls. per day

Bo = Oil formation volume factor (1), reservoir

.volumetric bbls/stock tank bbl.

Rpn = Net producing gas-oil ratio, MCF/S.T.B.O.

$$R_{pn} = R_p(1.0 - \frac{G_1}{G_p})$$

Where:  $R_p = \text{producing gas-oil ratio, MCF/BO}$ 

G<sub>1</sub> = daily volume of gas injected, MCF/Day

Gp = daily volume of gas produced, MCF/Day

R<sub>s</sub> = Solution gas-oil ratio<sup>(2)</sup>, MCF/STBO

 $B_{g}$  = Gas formation volume factor(3), RVB/MCF

Qwp = Water production rate, S.T.B.W./Day

Qwe = Aquifer water influx rate, S.T.B.W./Day, determined from reservoir numeric model runs to be 1950 BWPD

Bw = Water formation volume factor, RVBW/STBW, use 1.0

(1), (2), (3): These values calculated from Table of Fluid Properties, Attachment "B".

#### EMPIRE ABO UNIT AREA

Table of Fluid Properties (P Base = 15.025  $P_{bp}$  = 2231) Tres. =  $109^{\circ}$ F (5690 R)

P <sub>r</sub> (PSIA)	BO (RVBO/STBO)	Bg RVB/MCF	Rs (MCF/BBL)	Z
15.025	1.000	194.696	0	1.0
100	1.125	28.229	.180	.965
200	1.163	13.749	.235	.940
300	1.193	8.970	.290	.920
400	1.218	6.692	.345	.915
500	1.244	5.236	. 395	.895
600	1.263	4.276	.445	.877
700	1.285	3.644	.495	.872
800	1.304	3.108	.540	.850
900	1.325	2.746	.585	.845
1000	1.344	2.437	.625	.833
1100	1.364	2.178	.675	.819
1200	1.384	1.962	.725	805 ،
1300	1.404	1.790	.775	.795
1400	1.425	1.649	.825	.789
1500	1.445	1.516	.875	.777
1600	1.465	1.404	.925	.768
1700	1.485	1.304	.975	.758
1800	1,505	1.220	1.025	.751
1900	1.525	1.147	1.075	.745
2000	1.548	1.053	1.125	.720
2100	1.573	1.000	1.175	.718
2200	1.597	.953	1.225	。 <b>717</b>
2231	1,606	.939	1.250	.716

 $P_r$  = Reservoir average pressure at datum -2264 subsea, 1bs/in<sup>2</sup> absolute.

B<sub>o</sub> = Oil formation volume factor, reservoir volumetric bbls/stock tank bbl.

Bg = Gas formation volume factor, reservoir volumetric bbls/thousand std. cu. ft.

R<sub>s</sub> = Solution Gas/Oil Ratio, Thousand std. cu. ft/stock tank bbls. oil.

Z = Gas Compressibility Factor.