

Case 5711

Dresser Atlas

COMPENSATED

COMPENSATED

*Densilog
Neutron*

FILE NO.

COMPANY HANSON OIL CORPORATIONWELL GUTMAN NO. 7FIELD WANTZ (GRANITE WASH)COUNTY LEA STATE NEW MEXICO

LOCATION:

810' FNL & 880' FWLSEC 19 TWP 22-S RGE 38-E

Other Services

BHC AL
L/L
ML/L-CPermanent Datum GROUND LEVEL Elev. 3328Log Measured from K. B., 11 Ft. Above Permanent DatumDrilling Measured from K. B.Elevations:
KB 3339
DF
GL 3328

Date	6-7-75			
Run No.	ONE			
Depth—Driller	7475			
Depth—Logger	7473			
Bottom Logged Interval	7471			
Top Logged Interval	SURFACE			
Casing—Driller	8 5/8 1193	@	@	@
Casing—Logger	1192			
Bit Size	7 7/8"			
Type Fluid in Hole	SALT MUD STARCH-OIL			
Density and Viscosity	9.7 35			
pH and Fluid Loss	6 10 cc		cc	cc
Source of Sample	CIRCULATED			
Rm @ Meas. Temp.	.050 @ 76 °F	@	°F	@ °F
Rmf @ Meas. Temp.	.042 @ 76 °F	@	°F	@ °F
Rmc @ Meas. Temp.	.071 @ 76 °F	@	°F	@ °F
Source of Rmf and Rmc	MEAS. MEAS.			
Rm @ BHT	.031 @ 123 °F	@	°F	@ °F
Time Since Circ.	8 HOURS			
Max. Rec. Temp. Deg. F	123 °F		°F	°F
Equip. No. and Location	6123 HOBBS			
Recorded By	MOEHRKE			
Witnessed By	MR. KINCH			



COMPENSATED

COMPENSATED

*Densilog
Neutron*

FILE NO.	COMPANY HANSON OIL CORPORATION				
	WELL GUTMAN NO. 7				
	FIELD WANTZ (GRANITE WASH)				
	COUNTY LEA STATE NEW MEXICO				
	LOCATION: 810' FNL & 880' FWL			Other Services BHC AL L/L ML/L-C	
	SEC 19	TWP 22-S	RGE 38-E		
Permanent Datum	GROUND LEVEL			Elev.	3328
Log Measured from	K. B.			11	Ft. Above Permanent Datum
Drilling Measured from	K. B.				
Date	6-7-75				
Run No	ONE				
Depth—Driller	7475				
Depth—Logger	7473				
Bottom Logged Interval	7471				
Top Logged Interval	SURFACE				
Casing—Driller	8 5/8	1193	@	@	@
Casing—Logger		1192			
Rit Size	7 7/8"				
Type Fluid in Hole	SALT MUD				
	STARCH-OIL				
Density and Viscosity	9.7	35			
pH and Fluid Loss	6	10 cc	cc	cc	cc
Source of Sample	CIRCULATED				
Rm @ Meas. Temp.	.050 @ 76 °F	@	°F	@	°F
Rmf @ Meas. Temp.	.042 @ 76 °F	@	°F	@	°F
Rmc @ Meas. Temp.	.071 @ 76 °F	@	°F	@	°F
Source of Rmf and Rmc	MEAS. MEAS.				
Rm @ BHT	.031 @ 123 °F	@	°F	@	°F
Time Since Circ	8 HOURS				
Max Rec. Temp. Deg. F	123 °F	°F		°F	°F
Equip. No. and Location	6123 HOBBS				
Recorded By	MOEHRKE				
Witnessed By	MR. KINCHELOE				



COMPENSATED

COMPENSATED

*Densilog
Neutron*

FILE NO.

COMPANY HANSON OIL CORPORATION

WELL GUTMAN NO. 7

FIELD WANTZ (GRANITE WASH)

COUNTY LEA STATE NEW MEXICO

LOCATION:

810' FNL & 880' FWL

Other Services

BHC AL

L/L

ML/L-C

SEC 19 TWP 22-S RGE 38-E

Permanent Datum

GROUND LEVEL

Elev. 3328

Elevations:

KB 3339

Log Measured from

K. B.

11

Ft. Above Permanent Datum



DF

Drilling Measured from

K. B.

GL 3328

Date	6-7-75				
Run No	ONE				
Depth—Driller	7475				
Depth—Logger	7473				
Bottom Logged Interval	7471				
Top Logged Interval	SURFACE				
Casing—Driller	8 5/8 1193	@	@	@	@
Casing—Logger	1192				
Bit Size	7 7/8"				
Type Fluid in Hole	SALT MUD STARCH-OIL				
Density and Viscosity	9.7 35				
pH and Fluid Loss	6 10 cc	cc	cc	cc	cc
Source of Sample	CIRCULATED				
Rm @ Meas. Temp.	.050 @ 76 °F	@ °F	@ °F	@ °F	@ °F
Rmf @ Meas. Temp.	.042 @ 76 °F	@ °F	@ °F	@ °F	@ °F
Rmc @ Meas. Temp.	.071 @ 76 °F	@ °F	@ °F	@ °F	@ °F
Source of Rmf and Rmc	MEAS. MEAS.				
Rm @ BHT	.031 @ 123 °F	@ °F	@ °F	@ °F	@ °F
Time Since Circ	8 HOURS				
Max Rec Temp. Deg. F.	123 °F	°F	°F	°F	°F
Equip No. and Location	6123 HOBBS				
Recorded By	MOEHRKE				
Witnessed By	MR. KINCHELOE				



LOCATION
COUNTY LEA STATE NEW MEXICO
FIELD WANTZ (GRANITE WASH)
WELL GUTMAN NO. 7
COMPANY HANSON OIL CORPORATION

Neutron

COMPENSATED