DOCKET: Examiners Hearing - Thursday, September 9, 1993

Case #10818 - Project Area: S/2, Section 25, T7S, R31E

Map

STRANGE FEDERAL #1

Exhibit #1

Exhibit #2

Offset Operators

Exhibit #3

Horizontal Drilling Procedure

Exhibit #4

Schematic

TO THE PART OF THE

OIL CONSERVATION DIVISION

CAPPLEAR FILLISH NO.4-1,2,3,4

	Tripord Prince	J.E. Grounded H.B.R.	Boskelf	STATE TO STATE OF THE STATE OF	4	The state of the s		Ž.	Company of the Compan		Weithers 2.
7-1	Anna Kimmons B. K. Smith, etai LaRue & Muncy	STRANGE FEDERAL #1 Unit P, SE/4SE/4,Se Tomahawk San Andres Chaves County, New	0 7	EXHIBIT #1	Energy etal Richardson) Graves, etal			4436 21 15677 4433 31 15 - 15 -	Yates, etal	4450 2 56387 M.M. Arthrell 1.1. 23 56387 M.M. Arthrell 1.1	Addison Terreco Schumon, Terred Mass 1 Masser March March Masser
Tions Pet, and Egystland	U.S. "Fed (TAI) \$100 (_ #1 /4,Sec.25,T7S,R31E ndres Field New Mexico	ng -Sept. 9, 1993	Hypela Murchu Oner	Sundance Sundance Sundance Sundance Sundance Sundance Ingramifed Ingramifed U.S.	Hurphy Oper, 116, 147, 14000	(8. 5) respectively.	(Belco, etal) (B	Arrange Spings (R.N. Excited)	Consider Francisco	Midded R.M. Enfield Wright R.M. Enfield Wright R.M. Enfield R.M. Enfield R.M. Enfield R.M. Enfield R.M. Enfield
# 1 61.94 200 1189 1915 1915 1915 1915 1915 1915 1915	Reads. Podde Sun	1 San Section Strains 7 June 1 San Read to Strains 7 June 1 San Section Strains 7 June 1 San Section Strains 8 June 1 San Section Strains 8 June 1 San Section Strains 9 San Sect	yens yen 1	Murphy Oper Sundance Oileted "Strenge-red" Statistic Holested 13418 13529	Sundanes Poye-Fed.	respondence de la produce de l	SISOIS 4 F37 Union Tex. Which Text Text Text Text Text Text Text Text	Murphy Open Frish, wooden Murphy Open Frish Tridos	Oakson-Fed." MR MacCurdy Chg-Fed. Talloco	15015 Ener Flog Redfern, 15015 H.	tyle Scole Tr. la
Armstrong Ener. 57531	Dev. Co. Illipa. Feet. 4000	Macrath Vales Ret, etal Results for Bases 15	Tross Westi-Res Marson Meson Westi-Res Marson Meson Wats Part etal 1232		u.s.	اعسمد	Weeth Res	Westh Res	Flog. Redfern, etal	Flog-Redfernetal	22 US.
Marches Attack for the August from Petrolet 85		Shope Murphy Open Gyndence Gyndence Gyndence Shope Gyndence 14	G \ \63794\	Murphy Oper. At. Sundance feet of the state		Yotes Fel.	Wille Mille	*Booker M. Reders TA. Southgraft	(Arnoco)	Figg Redfern, et al. Figg Redfern, et al. Figg Redfern, et al. Southard', Booker, 41. Figg Redfern, et al. Fig R	23 20 1891 23 20 1891 23 20 1891 Flog-Redfern 18617 Antico-Fed. 1897 Flog-Redfern 18617 Antico-Fed. 1997 Ant
Flog-Redferri Armstrong Ener 4 1 94 5731 5731 Fermon-libert 5811-Fed. 1043-24	S.B.Repd Freiliged D.A.G. See	12.24 12.24 13.24 13.24 13.24	Yates Pet, etal David Petyetal Bewanee 1/2 Shumway & Klariun Chandler 1/2	David Pet, etal A.P. Sulherland 8 1 91 60130 43534 16830 21668 21668 21668	(C.Loveless, Ir. 1 to 10439) • 2: ×1 • 2: ×1 • Center-Fed."	Frankling of the sport of the s	Coreless 5 State	Apple Sand Union B	JFG Ent.	The same of the sa	Placemon Jones, eral
es and	101	Redferm	1		Tries for the state of the stat	A STATE OF THE PARTY OF THE PAR	"Cone Fee	Addition of the control of the contr		Pas Southord(s)	Conc. Fed. 185.7
Tate	U.S.	Y⊕+e≠ Pet,e† 83503 8 98	Cochept Governe	Champin Champin Champin Gara Trains Dial-3-Ty	WI WI	27	Strate Prod.	Murph LG-3	Moral Coco	Ray Westall 0392502 Flog Pedfern Westall-	

Case #10818

STRANGE FEDERAL #1, #2 & #3 S/2, Section 25, T7S, R31E

Offset Operators:

Yates Petroleum Corporation 105 South 4th Artesia, NM 88210

Murphy Operating Corporation P.O. Box 2648 Roswell, NM 88202

Docket: Examiners Hearing - Thursday, September 9, 1993

Case # 10818

STRANGE FEDERAL #1

Unit P, SE/4SE/4 Section 25, T7S, R31E Tomahawk San Andres Field Chaves County, New Mexico

HORIZONTAL DRILLING PROCEDURE

- 1. Set cement retainer @ 4072'. Cement squeeze perforations 4078' to 4172'.
- 2. Set packer @ 3650'. Cement squeeze perforations 3894' to 4066'.
- 3. Drill out cement to 4072'. Pressure test casing to 1000 psi.
- 4. Mill section in $5\frac{1}{2}$ " casing from approximately 3996' to 4046'. Set cement plug. Drill out cement to approximately 4026'.
- 5. Run directional survey.
- 6. Kickoff cement plug at approximately 4026'.
- 7. Drill 60+ feet radii curve to an inclination of approximately 85 to 90 degrees. Conduct surveys every 5 feet of the arc.
- 8. Drill laterally approximately 800+ feet in a direction of our choice, thru a vertical depth of approximately 4080' to 4124'.
- 9. Conduct surveys every 30 feet in the lateral.
- 10. A distance of 100 feet will be maintained by the horizontal hole from the lease line.

STRANGE FEDERAL #1



