

JULY THRU DECEMBER, 1989
MARKET DEMAND PERCENTAGE FACTOR: 100%

ORDER NO. A-261
SCHEDULE NO. 51 VOLUME 3
AZTEC DISTRICT

STATE OF NEW MEXICO
ENERGY, MINERALS, AND NATURAL RESOURCES DEPARTMENT
OIL CONSERVATION DIVISION

OIL PRORATION SCHEDULE

VOLUME 3 OF THE PRORATION SCHEDULE COVERS ALL PRODUCING OIL
WELLS IN DIVISION DISTRICT #3 WHICH COMPRISES MCKINLEY,
RIO ARRIBA, SAN JUAN, AND SANDOVAL COUNTIES, NEW MEXICO

GAS-OIL RATIO TEST SCHEDULE FOR 1989
ON LAST PAGE

SPECIAL POOL RULES REQUIRE TESTING AT SPECIFIC TIMES FOR EACH POOL

INDEX

PRORATION ORDER
EXPLANATION OF SYMBOLS
TRANSPORTER ABBREVIATION CODES

SUPPLEMENT LISTING
PRORATION SCHEDULE
BONUS ALLOWABLE

IMMEDIATELY NOTIFY DISTRICT SUPERVISOR OF ANY ERRORS

AZTEC DISTRICT OFFICE, 1000 RIO BRAZOS ROAD, AZTEC, NEW MEXICO 87410

TELEPHONE (505) 334-6178

NEW MEXICO OIL PRORATION SCHEDULE
EXPLANATION OF SYMBOLS

SYMBOL

M MARGINAL - Indicates a proration unit which is incapable of producing an allowable equivalent to top unit allowable for the pool on the most recent test.

N NON-MARGINAL - Indicates a proration unit capable of producing the top oil allowable for the pool on the most recent test.

*N EFFECTIVE GAS-OIL-RATIO - Indicates well in which the gas-oil-ratio is above pool limits and the oil allowable is reduced, or a gas well capable of producing gas in excess of the daily top casinghead gas allowable for the pool.

() AMOUNT OF PRODUCTION ON MOST RECENT GAS-OIL-RATIO TEST - Shown for wells in pools with scheduled GOR tests.

DOWNHOLE COMMINGLED LIMITATION - Indicates well is downhole commingled and allowable stated is maximum allowable for zone authorized by downhole commingle order.

& ACREAGE FACTOR ADJUSTMENT - Indicates maximum allowable for proration unit after acreage factor adjustment.

GW GAS WELL - Indicates well with GOR in excess of 100,000 cubic feet of gas per barrel of oil producing from an oil pool, or as set by special pool rules.

/ CHANGE - Indicates change since last proration schedule.
(This is primarily for OCD use.)

Volume III of the proration schedule covers all producing oil wells in District III, (Aztec District) which comprises McKinley, Rio Arriba, San Juan, and Sandoval Counties, New Mexico.

VATES PET CORP.
SPOT MARKET NOMINATIONS
WESTERN CRUDE OIL PURCH. CO.
MARREN PETROLEUM CORPORATION
WINTERSHALL CORP
URIAN EXPLORATION INC.
VANDALISM
UNION OIL CO OF CALIFORNIA
UNITED GAS PIPELINE CO.
THRAFTWAY COMPANY
TEXACO TRADING & TRANSPORTATION
TRANSFERRED OIL
TESORO PETROLEUM CORPORATION
TEXAS NEW MEXICO PIPELINE COMPANY
TIFFANY GAS CO.
TENNECO OIL COMPANY
TESORO CRUDE OIL CC
SUNTERRA & UTP
SUN EXPLORATION & PRODUCTION CO.
SUNTERRA GAS GATHERING COMPANY
SUNTERRA AND EL PASO
SUN REFINING AND MARKETING COMPANY
SPUR PIPELINE COMPANY
SCURLOCK OIL COMPANY
SKELLY OIL COMPANY
SHELL PIPELINE CORPORATION
SOUTHAID AND GATHERING COMPANY
SHELL WESTERN E & P INC.
SOUTHERN UNION GAS COMPANY
ROBERT L. BAYLESS
ROSS CARBOGAS AND TRANSPORTATION
PRIDE PIPELINE
PEC VALCO, INC.
PHILLIPS 66 NATURAL GAS CO.
PIETRO LEVIS CORPORATION
PIETRO PRODUCTION CORP.
PETROLEUM ENERGY
PELTO OIL COMPANY
PETROLEUM CONSULTANTS INCORPORATED
PACIFIC ATLANTIC MARKETING, INC.
PETRO SOURCE, INC.
PETRO RESOURCES CORP.
O.I.H.G., INC.
OXY CITY SERVICE
NORTHEAST PIPELINE CORP.
NEW MEXICO GAS MARKETING, INC.
NORTHERN GAS GATHERING INC.
NORTHEAST P.L. & COLUMBUS
NORTHEAST PIPELINE & COLUMBUS
MONSANTO COMPANY
MOBIL PIPELINE COMPANY
MESSA PETROLEUM
JEROME P. MCNUGH
MCDONOUGH OIL COMPANY
MARATHON OIL COMPANY
MANCOS CORPORATION
USE ON LEASE OIL OR GAS
LOST OIL OR GAS
LIQUID ENERGY CORPORATION
KODCH SERVICE INC.
KODCH GATHERING SYSTEMS
J.W.M. PETROLEUM CORP.
JAKE L. HAMMON
JEM RESOURCES, INC.
INDREX, INC.
THE INDEPENDENT PIPE LINE
HICKS OIL & GAS CO.
HNG OIL CO.
HADSON GAS SYSTEMS, INC.
HAMON OIL CO.
GENERAL PETROLEUM INCORPORATED
GRAVES OIL COMPANY
GULF REFINING COMPANY
GENERAL AMERICAN OIL CO. OF TEXAS
GIANT REFINERY
GIANT INDUSTRIES, INC.
FREE POOL DRUG, INC.
FOUR FOUR INC.
FAMARIS OIL AND REFINING COMPANY
EL PASO NATURAL GAS COMPANY
ENRON OIL AND GAS CO.
EL PASO GAS MARKETING
DUGAN PRODUCTION CORPORATION
DIASH OIL & GAS CO., INC.
DELTA GAS PIPELINE CORP
DAKOTA RESOURCES, INC.
CITATION OIL GAS CORP.
CITIES SERVICE OIL AND GAS CORP.
CRM SWD INC.
COQUINA
COMPTON CORP
COLLMAN OIL & GAS
CABOT PIPELINE
CEDAR MOUNTAIN PETROLEUM CORP.
CITIES SERVICE OIL COMPANY
COLORADO INTERSTATE GAS CO.
Citgo
CitiGas Corp.
CHARTER CRUDE OIL
COLUMBUS ENERGY
BASIC SEDIMENT AND WATER
BENSOM MONTAIN GREER DRILLING CORPORATION
BASIN FUELS INCORPORATED
BCO INCORPORATED
BARBER OIL INCORPORATED
AZTEC ENERGY CORP
ASHLAND CHEMICAL COMPANY
ANEAD AND GAS
AZTEC OIL AND GAS CORP.
ARKRAY PET. CORP.

[illegible]

[illegible]

SOUTHERN AND RIVALTY CO.									
Frontier B	2	D-09-27-11	S.I.	(8)	7	I-27-24-04	M	1875	"
"	3	E-04-27-11	S.I.	(5)	9	A-30-24-04	M	1800	"
"	4	M-04-27-11	S.I.	(5)	10	K-34-24-04	M	1800	"
"	5	A-09-27-11	S.I.	(11)	11	I-34-24-04	M	1800	"
Frontier E	1	D-04-27-11	S.I.	(9)	12	O-34-24-04	M	1800	"
"	1E	B-04-17-11	9655	(11)	15	P-34-24-04	M	2000	"
Hillside (4)	1E	B-04-17-11	9655	(11)	16	G-34-24-04	M	2000	"
Santa Fe 6	1	J-09-27-11	27838	(8)	17	B-34-24-04	M	2000	"
"	2	K-05-27-11	S.I.	(6)	18	G-34-24-04	M	1833	"
LA PLATA-GALLUP									
(150) Acte Spacing									
Top Allowable 320									
BENSON-MONTIN-BREER DRILLING CORP.									
LA PLATA MANCOS WATERLOO									
LA PLATA MANCOS Unit									
(11)	2	I-08-32-13	1660	(11)	17	D-03-23-04	M	1500	"
(11)	2	I-08-32-13	1660	(11)	18	O-03-23-04	M	1500	"
Acreege Factor 6	95	C-06-31-13	T.A.	(8)	20	B-03-23-04	M	2125	"
Acreege Factor 57		N-31-32-13	Input	(14)	22	I-10-23-04	M	11473	"
La Plata	(1)	B-32-32-13	1500	(5)	23	F-10-23-04	M	1800	"
La Plata Mancos Unit NP		A-09-33-04	2600	(12)	24	K-10-23-04	M	923	"
(13)	7	M-29-32-13	1846	(11)	25	A-10-23-04	M	750	"
Standard of Texas	1	M-05-31-13	T.A.	(11)	26	L-10-23-04	M	909	"
LEGGS-ENIRADA									
(50) Acte Spacing									
Top Allowable 850									
TEXACO, INC.									
Sanita Fe Leggs	1	D-11-21-10	S.I.	(9)	1	A-04-23-04	M	3333	"
"	2	N-11-21-10	S.I.	(5)	4	P-04-23-04	M	400	"
LANDRITH GALLUP-DARKOTA, SOUTH									
(40) Acte Spacing									
Top Allowable 107									
GREAT WESTERN RESOURCES, INC.									
Robert L. Bayless	1	I-05-23-04	1117	(5)	15	C-08-23-04	M	733	"
Jicarilla Tr. 362 60	2	K-05-23-04	904	(5)	18	A-07-23-04	M	1200	"
"	(21)	A-08-23-04	TSIM	(5)	20	K-08-23-04	M	2000	"
"	(6)			(11)	22	I-07-23-04	M	273	"
GNACE OIL COMPANY									
Jicarilla Tr. Contract 47									
(10)	1	D-11-23-04	1100	(12)	23	J-06-23-04	M	800	"
(15)	2	E-11-23-04	2067	(13)	24	K-06-23-04	M	2303	"
(15)	3	F-11-23-04	1286	(13)	25	L-06-23-04	M	2303	"
(15)	4	E-11-23-04	1286	(13)	26	M-06-23-04	M	2303	"
(15)	5	F-11-23-04	1286	(13)	27	N-06-23-04	M	2303	"
(16)	6	A-13-23-04	812	(13)	30	D-12-23-04	M	2500	"
(16)	7	A-13-23-04	1000	(13)	31	C-16-23-04	M	2900	"
(16)	8	B-11-23-04	1952	(13)	32	C-16-23-04	M	2566	"
(22)	10	K-11-23-04	889	(17)	34	D-16-23-04	M	857	"
(22)	11	B-11-23-04	889	(17)	35	B-14-23-04	M	1000	"
(27)	15	B-11-23-04	807	(15)	50	A-15-23-04	M	2600	"
(31)	16	D-11-23-04	1000	(15)	51	O-19-23-04	M	528	"
(16)	17	D-11-23-04	1770	(17)	52	D-19-23-04	M	528	"
(16)	18	A-11-23-04	1572	(17)	53	D-19-23-04	M	661	"
(49)	19	H-11-23-04	1789	(13)	54	D-19-23-04	M	1100	"
(33)	20	L-11-23-04	1500	(13)	55	D-19-23-04	M	1100	"
(33)	21	B-11-23-04	1500	(13)	56	E-19-23-04	M	1100	"
(33)	22	P-11-23-04	1500	(13)	57	E-19-23-04	M	1100	"
(33)	23	M-11-23-04	1500	(13)	58	E-19-23-04	M	1100	"
(33)	24	N-11-23-04	1500	(13)	59	E-19-23-04	M	1100	"
(33)	25	J-11-23-04	1500	(13)	60	E-19-23-04	M	1100	"
(33)	26	K-11-23-04	1500	(13)	61	E-19-23-04	M	1100	"
(33)	27	L-11-23-04	1500	(13)	62	E-19-23-04	M	1100	"
(33)	28	M-11-23-04	1500	(13)	63	E-19-23-04	M	1100	"
(33)	29	N-11-23-04	1500	(13)	64	E-19-23-04	M	1100	"
(33)	30	J-11-23-04	1500	(13)	65	E-19-23-04	M	1100	"
(33)	31	K-11-23-04	1500	(13)	66	E-19-23-04	M	1100	"
(33)	32	L-11-23-04	1500	(13)	67	E-19-23-04	M	1100	"
(33)	33	M-11-23-04	1500	(13)	68	E-19-23-04	M	1100	"
(33)	34	N-11-23-04	1500	(13)	69	E-19-23-04	M	1100	"
(33)	35	J-11-23-04	1500	(13)	70	E-19-23-04	M	1100	"
(33)	36	K-11-23-04	1500	(13)	71	E-19-23-04	M	1100	"
(33)	37	L-11-23-04	1500	(13)	72	E-19-23-04	M	1100	"
(33)	38	M-11-23-04	1500	(13)	73	E-19-23-04	M	1100	"
(33)	39	N-11-23-04	1500	(13)	74	E-19-23-04	M	1100	"
(33)	40	J-11-23-04	1500	(13)	75	E-19-23-04	M	1100	"
(33)	41	K-11-23-04	1500	(13)	76	E-19-23-04	M	1100	"
(33)	42	L-11-23-04	1500	(13)	77	E-19-23-04	M	1100	"
(33)	43	M-11-23-04	1500	(13)	78	E-19-23-04	M	1100	"
(33)	44	N-11-23-04	1500	(13)	79	E-19-23-04	M	1100	"
(33)	45	J-11-23-04	1500	(13)	80	E-19-23-04	M	1100	"
(33)	46	K-11-23-04	1500	(13)	81	E-19-23-04	M	1100	"
(33)	47	L-11-23-04	1500	(13)	82	E-19-23-04	M	1100	"
(33)	48	M-11-23-04	1500	(13)	83	E-19-23-04	M	1100	"
(33)	49	N-11-23-04	1500	(13)	84	E-19-23-04	M	1100	"
(33)	50	J-11-23-04	1500	(13)	85	E-19-23-04	M	1100	"
(33)	51	K-11-23-04	1500	(13)	86	E-19-23-04	M	1100	"
(33)	52	L-11-23-04	1500	(13)	87	E-19-23-04	M	1100	"
(33)	53	M-11-23-04	1500	(13)	88	E-19-23-04	M	1100	"
(33)	54	N-11-23-04	1500	(13)	89	E-19-23-04	M	1100	"
(33)	55	J-11-23-04	1500	(13)	90	E-19-23-04	M	1100	"
(33)	56	K-11-23-04	1500	(13)	91	E-19-23-04	M	1100	"
(33)	57	L-11-23-04	1500	(13)	92	E-19-23-04	M	1100	"
(33)	58	M-11-23-04	1500	(13)	93	E-19-23-04	M	1100	"
(33)	59	N-11-23-04	1500	(13)	94	E-19-23-04	M	1100	"
(33)	60	J-11-23-04	1500	(13)	95	E-19-23-04	M	1100	"
(33)	61	K-11-23-04	1500	(13)	96	E-19-23-04	M	1100	"
(33)	62	L-11-23-04	1500	(13)	97	E-19-23-04	M	1100	"
(33)	63	M-11-23-04	1500	(13)	98	E-19-23-04	M	1100	"
(33)	64	N-11-23-04	1500	(13)	99	E-19-23-04	M	1100	"
(33)	65	J-11-23-04	1500	(13)	100	E-19-23-04	M	1100	"
(33)	66	K-11-23-04	1500	(13)	101	E-19-23-04	M	1100	"
(33)	67	L-11-23-04	1500	(13)	102	E-19-23-04	M	1100	"
(33)	68	M-11-23-04	1500	(13)	103	E-19-23-04	M	1100	"
(33)	69	N-11-23-04	1500	(13)	104	E-19-23-04	M	1100	"
(33)	70	J-11-23-04	1500	(13)	105	E-19-23-04	M	1100	"
(33)	71	K-11-23-04	1500	(13)	106	E-19-23-04	M	1100	"
(33)	72	L-11-23-04	1500	(13)	107	E-19-23-04	M	1100	"
(33)	73	M-11-23-04	1500	(13)	108	E-19-23-04	M	1100	"
(33)	74	N-11-23-04	1500	(13)	109	E-19-23-04	M	1100	"
(33)	75	J-11-23-04	1500	(13)	110	E-19-23-04	M	1100	"
(33)	76	K-11-23-04	1500	(13)	111	E-19-23-04	M	1100	"
(33)	77	L-11-23-04	1500	(13)	112	E-19-23-04	M	1100	"
(33)	78	M-11-23-04	1500	(13)	113	E-19-23-04	M	1100	"
(33)	79	N-11-23-04	1500	(13)	114	E-19-23-04	M	1100	"
(33)	80	J-11-23-04	1500	(13)	115	E-19-23-04	M	1100	"
(33)	81	K-11-23-04	1500	(13)	116	E-19-23-04	M	1100	"
(33)	82	L-11-23-04	1500	(13)	117	E-19-23-04	M	1100	"
(33)	83	M-11-23-04	1500	(13)	118	E-19-23-04	M	1100	"
(33)	84	N-11-23-04	1500	(13)	119	E-19-23-04	M	1100	"
(33)	85	J-11-23-04	1500	(13)	120	E-19-23-04	M	1100	"
(33)	86	K-11-23-04	1500	(13)	121	E-19-23-04	M	1100	"
(33)	87	L-11-23-04	1500	(13)	122	E-19-23-04	M	1100	"
(33)	88	M-11-23-04	1500	(13)	123	E-19-23-04	M	1100	"
(33)	89	N-11-23-04	1500	(13)	124	E-19-23-04	M	1100	"
(33)	90	J-11-23-04	1500	(13)	125	E-19-23-04	M	1100	"
(33)	91	K-11-23-04	1500	(13)	126	E-19-23-04	M	1100	"
(33)	92	L-11-23-04	1500	(13)	127	E-19-23-04	M	1100	"
(33)	93	M-11-23-04	1500	(13)	128	E-19-23-04	M	1100	"
(33)	94	N-11-23-04	1500	(13)	129	E-19-23-04	M	1100	"
(33)	95	J-11-23-04	1500	(13)	130	E-19-23-04	M	1100	"
(33)	96	K-11-23-04	1500	(13)	131	E-19-23-04	M	1100	"
(33)	97	L-11-23-04	1500	(13)	132	E-19-23-04	M	1100	"
(33)	98	M-11-23-04	1500	(13)	133	E-19-23-04	M	1100	"
(33)	99	N-11-23-04	1500	(13)	134	E-19-23-04	M	1100	"
(33)	100	J-11-23-04	1500	(13)	135	E-19-23-04	M	1100	"
(33)	101	K-11-23-04	1500	(13)	136	E-19-23-04	M	1100	"
(33)	102	L-11-23-04	1500	(13)	137	E-19-23-04	M	1100	"
(33)	103	M-11-23-04	1500	(13)	138	E-19-23-04	M	1100	"
(33)	104	N-11-23-04	1500	(13)	139	E-19-23-04	M	1100	"
(33)	105	J-11-23-							

-56-

[illegible]

GAS-OIL RATIO TEST SCHEDULE FOR 1989

POOL	TEST PERIOD	DEADLINE FILING DATE
Alamito-Gallup	May	June 10
Angels Peak-Gallup, Assoc.	April & May *	June 10
Angels Peak-Gallup, Assoc.	Oct. & Nov. *	Dec. 10
Armenta-Gallup	June	July 10
Beautiful Mountain-Miss.	May	June 10
Big Gap-Pennsylvanian	May	June 10
Bisti Gallup, South	June	July 10
Bisti Lower Gallup	June	July 10
Blanco Tocito, South	April	May 10
Blanco Tocito, South	Oct.	Nov. 10
Blue Mesa Mesaverde	Oct.	Nov. 10
Cha Cha-Gallup	June	July 10
Counselors Gallup-Dakota	June	July 10
Cuervo-Gallup	June	July 10
Devils Fork-Gallup, Assoc.	April & May *	June 10
Devils Fork-Gallup, Assoc.	Oct. & Nov. *	Dec. 10
Dufers Point Gallup-Dakota	June	July 10
Eagle Mesa-Entrada*	May	June 10
Escrito-Gallup, Assoc.	April & May *	June 10
Escrito-Gallup, Assoc.	Oct. & May *	Dec. 1
Franciscan Lake-Mesaverde	May	June 10
Gallegos-Gallup, Assoc.	April & May *	June 10
Gallegos-Gallup, Assoc.	Oct. & Nov. *	Dec. 10
Gallo Dakota	June	July 10
Gavilan Mancos	April & May	June 10
Gavilan-Greenhorn-Graneros Dakota	April & May	June 10
Hospah Dakota	May & June	July 10
Hospah Lower Sand, South	May & June	July 10
Hospah Upper Sand	May & June	July 10
Hospah Upper Sand, South	May & June	July 10
Knickerbocker Buttes-Gallup	May	July 10
LaPlata-Gallup	June	July 10
Leggs-Entrada*	June	July 10
Lindrith Gallup-Dakota, South	May	June 10
Lindrith Gallup-Dakota, West	April & May	June 10
Lybrook-Gallup	May & June	July 10
Marcelina-Dakota	May	June 10
Meadows Gallup	June	July 10
Media-Entrada*	May	June 10
Media-Entrada, Southwest*	May	June 10
Media-Gallup	May	June 10
Nageezi-Gallup	May	June 10
Nose Rock Hospah	May	June 10
Ojito-Gallup-Dakota	May	June 10
Ojito-Gallup-Dakota, Northeast	May	June 10
Ojo Encino-Entrada*	May	June 10
Otero-Gallup	June	July 10
Otero-Sanastee	June	July 10
Papers Wash-Entrada*	May	June 10
Parlay-Mesaverde	June	July 10
Pinon-Gallup	June	July 10
Pot mesa Mesaverde	June	July 10
Regina-Gallup	July	Aug. 10
Rio Puerco Mancos	April	July 10
Simpson-Gallup	July	Aug. 10
Sleeper-Pictured Cliffs	June	July 10
Snake Eyes-Entrada*	June	July 10
Star-Mesaverde	May	June 10
Tapacito-Gallup, Assoc.	May *	June 10
Tapacito-Gallup, Assoc.	Nov.*	Dec. 10
Tocito Dome Penn. "D", Assoc.	May *	June 10
Tocito Dome Penn. "D", Assoc.	Nov.*	Dec. 10
Tocito Dome Penn. Assoc. No.	May *	June 10
Tocito Dome Penn. Assoc. No.	Nov.*	Dec. 10
Tom-Dovonian	June	July 10
Vanada-Mesaverde	June	July 10
White Wash-Mancos-Dakota	June	July 10
Wild Horse-Dakota	July	July 10
All Undesignated Wells	May & June	Aug. 10

*Special Pool Rules Require Testing at Specific Time for Each Pool

*Oil Productivity Tests Only

(WEST TONTO-PENNSYLVANIAN GAS POOL - Cont'd.)

Failure to file new Forms C-102 with the Commission dedicating 320 acres to a well or to obtain a non-standard unit approved by the Commission within 60 days from the effective date of this order shall subject the well to cancellation of allowable.

(3) That jurisdiction of this cause is retained for the entry of such further orders as the Commission may deem necessary.

DONE at Santa Fe, New Mexico, on the day and year hereinabove designated.

PAPERS WASH-ENTRADA OIL POOL
(Special Depth Bracket Allowable)
McKinley County, New Mexico

Order No. R-5419, Adopting a Special Depth Bracket Allowable for the Papers Wash-Entrada Oil Pool, McKinley County, New Mexico, May 1, 1977.

Application of Dome Petroleum Corporation for a Special Depth Bracket Allowable, McKinley County, New Mexico.

CASE NO. 5907
Order No. R-5419

ORDER OF THE COMMISSION

BY THE COMMISSION: This cause came on for hearing at 9 a.m. on April 20, 1977, at Santa Fe, New Mexico, before Examiner Richard L. Stamets.

NOW, on this 26th day of April, 1977, the Commission, a quorum being present, having considered the testimony, the record, and the recommendations of the Examiner, and being fully advised in the premises,

FINDS:

(1) That due public notice having been given as required by law, the Commission has jurisdiction of this cause and the subject matter thereof.

(2) That the applicant, Dome Petroleum Corporation, seeks a special depth bracket allowable of 750 barrels per day for the Papers Wash-Entrada Oil Pool, McKinley County, New Mexico.

(3) That the wells in said Papers Wash-Entrada Oil Pool are capable of producing large volumes of oil and water.

(4) That the ultimate recovery of oil in said pool will not be adversely affected by high rates of production but will instead be improved thereby.

(5) That approval of the application should serve to prevent waste and will not violate correlative rights.

(6) That the subject application should be approved.

IT IS THEREFORE ORDERED:

(1) That effective May 1, 1977, a special depth bracket allowable of 750 barrels of oil per day is hereby established for the Papers Wash-Entrada Oil Pool, McKinley County, New Mexico.

(2) That jurisdiction of this cause is retained for the entry of such further orders as the Commission may deem necessary.

DONE at Santa Fe, New Mexico, on the day and year hereinabove designated.

SNAKE EYES-ENTRADA OIL POOL
(Special Depth Bracket Allowable)
San Juan County, New Mexico

Order No. R-5421, Adopting a Special Depth Bracket Allowable for the Snake Eyes-Entrada Oil Pool, San Juan County, New Mexico, May 1, 1977.

Application of Dome Petroleum Corporation for Pool Creation and a Special Depth Bracket Allowable, San Juan County, New Mexico.

CASE NO. 5909
Order No. R-5421

ORDER OF THE COMMISSION

BY THE COMMISSION: This cause came on for hearing at 9 a.m. on April 20, 1977, at Santa Fe, New Mexico, before Examiner Richard L. Stamets.

NOW, on this 26th day of April, 1977, the Commission, a quorum being present, having considered the testimony, the record, and the recommendations of the Examiner, and being fully advised in the premises,

FINDS:

(1) That due public notice having been given as required by law, the Commission has jurisdiction of this cause and the subject matter thereof.

(2) That the applicant, Dome Petroleum Corporation, is the owner of the Santa Fe 20 Well No. 1, located in Unit G in Section 20, Township 21 North, Range 8 West, NMPM, San Juan County, New Mexico.


(3) That said well was completed as an oil well capable of producing from the Entrada formation on February 10, 1977, through perforations from 5604 feet to 5612 feet.

(4) That the applicant seeks the creation of a new pool for Entrada production for said well.

SECTION 15

TOWNSHIP 15 North

RANGE 5 West




Merion Oil & Gas Corp.
Federal 15 well ab. 2
1980 Fm - 980 Fm
Spud: 3/18/77
Roper Wash Enbridge
Completion
Cumulative Production
(Est. Production 1184)
Gas - 4 MCF
Oil - 18,942 bbls.
Water - 6,386,745 bbls.

Merion Oil & Gas Corp.
Nouvie Althea 15 well ab. 5
2310 Fm - 980 Fm
Spud: 3/26/77
Roper Wash Enbridge
Completion
Cumulative Production
(Est. Production 9186)
Gas - 5 MCF
Oil - 6,241,111 bbls.
Water - 95,325,981 bbls.

Althea
Standard Surface
Production 550 Fm
+ 1400 Fm

COUNTY McKinleyPOOL Papers Wash - Entrada OilTOWNSHIP 19 NorthRANGE 5 West

NMPM



Description: $\frac{NW}{4}$ Sec 15 (R-5401, 3-15-77)

Ext: $\frac{N}{2} \frac{SW}{4}$ Sec 15 (R-5470, 7-1-77) Ext: $\frac{SE}{4} \frac{SW}{4}$ Sec 15, -

- $\frac{NE}{4} \frac{SE}{4}$ Sec 16, $\frac{NE}{4} \frac{NW}{4}$ Sec 22 (R-5779, 8-1-78)

STATE OF NEW MEXICO
ENERGY AND MINERALS DEPARTMENT

NO. OF COPIES RECEIVED		
DISTRIBUTION		
SANTA FE		
FILE		
U.S.G.S.		
LAND OFFICE		
TRANSPORTER	OIL	
	GAS	
OPERATOR		
PROMOTION OFFICE		

OIL CONSERVATION DIVISION
P. O. BOX 2088
SANTA FE, NEW MEXICO 87501

Form C-104
Revised 10-01-78
Format 06-01-83
Page 1

REQUEST FOR ALLOWABLE
AND
AUTHORIZATION TO TRANSPORT OIL AND NATURAL GAS

I.

Operator
Merrion Oil & Gas Corp.

Address
P. O. Box 840, Farmington, New Mexico 87499

Reason(s) for filing (Check proper box)

☐ New Well	Change in Transporter of:	
☐ Recompletion	☐ Oil	☐ Dry Gas
☐ Change in Ownership	☐ Casinghead Gas	☐ Condensate

Other (Please explain)
Change of Operator

If change of ownership give name and address of previous owner Texaco Oil, Inc., Box EE, Cortez, Colorado 81321

II. DESCRIPTION OF WELL AND LEASE

Lease Name Federal 15	Well No. 2	Pool Name, including Formation <u>Papers Wash Entrada</u>	Kind of Lease State, Federal or Fee Federal	Lease No. NM 4953
Location Unit Letter <u>E</u> ; <u>1980</u> Feet From The <u>North</u> Line and <u>990</u> Feet From The <u>West</u>				
Line of Section <u>15</u> Township <u>19N</u> Range <u>05W</u> . NMPM, <u>McKinley</u> County				

III. DESIGNATION OF TRANSPORTER OF OIL AND NATURAL GAS

Name of Authorized Transporter of Oil ☐ or Condensate ☐	Address (Give address to which approved copy of this form is to be sent)
Name of Authorized Transporter of Casinghead Gas ☐ or Dry Gas ☐	Address (Give address to which approved copy of this form is to be sent)
If well produces oil or liquids, give location of tanks.	Unit Sec. Twp. Rge. Is gas actually connected? When

If this production is commingled with that from any other lease or pool, give commingling order number:

NOTE: Complete Parts IV and V on reverse side if necessary.

VI. CERTIFICATE OF COMPLIANCE

I hereby certify that the rules and regulations of the Oil Conservation Division have been complied with and that the information given is true and complete to the best of my knowledge and belief.

T. Greg Merrion
T. Greg Merrion (Signature)

Production Engineer

(Title)

12/28/87

(Date)

OIL CONSERVATION DIVISION

APPROVED

BY

TITLE

SUPERVISOR DISTRICT 3

This form is to be filed in compliance with RULE 1104.

If this is a request for allowable for a newly drilled or deepened well, this form must be accompanied by a tabulation of the deviation tests taken on the well in accordance with RULE 111.

All sections of this form must be filled out completely for allowable on new and recompleted wells.

Fill out only Sections I, II, III, and VI for changes of owner, well name or number, or transporter, or other such change of condition.

Separate Forms C-104 must be filed for each pool in multiply completed wells.

STATE OF NEW MEXICO
ENERGY AND MINERALS DEPARTMENT

NO. OF COPIES RECEIVED		
DISTRIBUTION		
SANTA FE		
FILE		
U.S.G.S.		
LAND OFFICE		
TRANSPORTER	OIL	
	GAS	
OPERATOR		
PRODUCTION OFFICE		

OIL CONSERVATION DIVISION

P. O. BOX 2088
SANTA FE, NEW MEXICO 87501

Form C-104
Revised 10-01-78
Format 06-01-83
Page 1

REQUEST FOR ALLOWABLE
AND
AUTHORIZATION TO TRANSPORT OIL AND NATURAL GAS

JAN 12 1988

I.

Operator Merrion Oil & Gas Corp.	
Address P. O. Box 840, Farmington, New Mexico 87499	
Reason(s) for filing (Check proper box)	Other (Please explain)
☐ New Well ☐ Recompletion ☐ Change in Ownership	☐ Change in Transporter of: ☒ Oil ☐ Casinghead Gas ☐ Dry Gas ☐ Condensate

If change of ownership give name and address of previous owner: Texaco, Inc.

II. DESCRIPTION OF WELL AND LEASE

Lease Name Federal 15	Well No. 2	Pool Name, including Formation Papers Wash Entrada	Kind of Lease State, Federal or Fee Federal	Lease No. NM 4953
Location Unit Letter <u>E</u> ; <u>1980</u> Feet From The <u>North</u> Line and <u>990</u> Feet From The <u>West</u> Line of Section <u>15</u> Township <u>19N</u> Range <u>05W</u> , NMPM, <u>McKinley</u> County				

III. DESIGNATION OF TRANSPORTER OF OIL AND NATURAL GAS


Name of Authorized Transporter of Oil ☒ or Condensate ☐ Giant Refining Company	Address (Give address to which approved copy of this form is to be sent) 7226 N. 16th Street, Phoenix, AZ 85021					
Name of Authorized Transporter of Casinghead Gas ☐ or Dry Gas ☐	Address (Give address to which approved copy of this form is to be sent)					
If well produces oil or liquids, give location of tanks.	Unit E	Sec. 15	Twp. 19N	Rge. 05W	Is gas actually connected?	When

If this production is commingled with that from any other lease or pool, give commingling order number: _____

NOTE: Complete Parts IV and V on reverse side if necessary.

VI. CERTIFICATE OF COMPLIANCE

I hereby certify that the rules and regulations of the Oil Conservation Division have been complied with and that the information given is true and complete to the best of my knowledge and belief.


(Signature)
Operations Manager
(Title)
1/11/88
(Date)

OIL CONSERVATION DIVISION

APPROVED JAN 12 1988
BY 
TITLE SUPERVISOR DISTRICT # 3

This form is to be filed in compliance with RULE 1104.

If this is a request for allowable for a newly drilled or deepened well, this form must be accompanied by a tabulation of the deviation tests taken on the well in accordance with RULE 111.

All sections of this form must be filled out completely for allowable on new and recompleted wells.

Fill out only Sections I, II, III, and VI for changes of owner, well name or number, or transporter, or other such change of condition.

Separate Forms C-104 must be filed for each pool in multiply completed wells.

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
TRANSPORTER	OIL ☐ GAS ☐
OPERATOR	
PRORATION OFFICE	

NEW MEXICO OIL CONSERVATION COMMISSION
REQUEST FOR ALLOWABLE
AND
AUTHORIZATION TO TRANSPORT OIL AND NATURAL GAS

Form C-104
Supersedes Old C-104 and C-110
Effective 1-1-65

RECEIVED
MAR 14 1984
OIL CON. DIV.
DIST. 3

1. Operator TEXACO Inc.,
Address P. O. Box 2100, Denver, Colorado 80201
Reason for filing (Check proper box)
New Well ☐ Change in Transporter of: Oil ☐ Dry Gas ☐
Recompletion ☐ Casinghead Gas ☐ Condensate ☐
Change in OPERATION ☒ Other (Please explain) [REDACTED]

If change of ownership give name and address of previous owner Dome Petroleum Corp., 1625 Broadway, Denver, Colorado

II. DESCRIPTION OF WELL AND LEASE

Lease Name <u>FEDERAL 15</u>	Well No., Pool Name, Including Formation <u>2 PAPERS WITH ENTRADA</u>	Kind of Lease State, Federal or Free <u>FEDERAL</u>	Lease No. <u>nm4953</u>
Location Unit Letter <u>E</u> : <u>1980</u> Feet From The <u>north</u> Line and <u>090</u> Feet From The <u>WEST</u> Line of Section <u>15</u> Township <u>19N</u> Range <u>5W</u> , NMPM, <u>McKinley</u> County			

III. DESIGNATION OF TRANSPORTER OF OIL AND NATURAL GAS

Name of Authorized Transporter of Oil ☐ or Condensate ☐ <u>DERMIDON CORPORATION</u>	Address (Give address to which approved copy of this form is to be sent) <u>Box 1701 Farmington, N.M. 87401</u>
Name of Authorized Transporter of Casinghead Gas ☐ or Dry Gas ☐	Address (Give address to which approved copy of this form is to be sent)
If well produces oil or liquids, give location of tanks.	Unit Sec. Twp. Rge. is gas actually connected? When <u>F 15 19N 5W</u> <u>NO</u>

If this production is commingled with that from any other lease or pool, give commingling order number:

V. COMPLETION DATA

Designate Type of Completion - (X)	Oil Well	Gas Well	New Well	Workover	Deepen	Plug Back	Same Res't.	Diff. Res't.
Date Spudded	Date Compl. Ready to Prod.	Total Depth	P.B.T.D.					
Elevations (DF, H&B, RT, GR, etc.)	Name of Producing Formation	Top Oil/Gas Pay	Tubing Depth					
Perforations	Depth Casing Shoe							
TUBING, CASING, AND CEMENTING RECORD								
HOLE SIZE	CASING & TUBING SIZE	DEPTH SET	SACKS CEMENT					

VI. TEST DATA AND REQUEST FOR ALLOWABLE OIL WELL

(Test must be after recovery of total volume of load oil and must be equal to or exceed top allowable for this depth or be for full 24 hours)

Date First New Oil Run To Tanks	Date of Test	Producing Method (Flow, pump, gas lift, etc.)
Length of Test	Tubing Pressure	Casing Pressure
Actual Prod. During Test	Oil - Bbls.	Water - Bbls. Gas - MCF

RECEIVED
MAY 07 1984
OIL CON. DIV.
DIST. 3

GAS WELL

Actual Prod. Test - MCF/G	Length of Test	Bbls. Condensate/MMCF	Gravity of Condensate
Producing Method (pilot, back prod.)	Tubing Pressure (Shut-in)	Casing Pressure (Shut-in)	Choke Size

VII. CERTIFICATE OF COMPLIANCE

I hereby certify that the rules and regulations of the Oil Conservation Commission have been complied with and that the information given above is true and complete to the best of my knowledge and belief.
TEXACO Inc. as Operator for Texaco Oils

Robert R. Mark
(Signature)
Field Surt.

3-8-84

OIL CONSERVATION COMMISSION

APPROVED MAY 07 1984
BY Frank J. [Signature]
Inc. TITLE SUPERVISOR DISTRICT 3

This form is to be filed in compliance with RULE 1104.
If this is a request for allowable for a newly drilled or deepened well, this form must be accompanied by a tabulation of the deviation tests taken on the well in accordance with RULE 111.
All sections of this form must be filled out completely for allowable on new and recompleted wells.
Fill out only Sections I, II, III, and VI for changes of owner, well name or number, or transporter, or other such change of condition.

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
TRANSPORTER	OIL
	GAS
OPERATOR	
PRORATION OFFICE	

**NEW MEXICO OIL CONSERVATION COMMISSION
REQUEST FOR ALLOWABLE
AND
AUTHORIZATION TO TRANSPORT OIL AND NATURAL GAS**

Form C-104
Supersedes Old C-104 and C-110
Effective 1-1-65

I. OPERATOR

Operator
TEXACO INC.

Address
P. O. Box 2100, Denver, CO. 80201

Reason(s) for filing (Check proper box)

New Well ☐	Change in Transporter of: Oil ☐ Dry Gas ☐	Other (Please explain) This report change of ownership from Texaco Oils Inc. to Texaco Producing Inc.
Recompletion ☐	Casinghead Gas ☐ Condensate ☐	
Change in Ownership ☒		

If change of ownership give name and address of previous owner **Texaco Oils Inc., P. O. Box 2100, Denver, CO. 80201**

II. DESCRIPTION OF WELL AND LEASE

Lease Name Federal 15	Well No. 2	Pool Name, including Formation Papers Wash Entrada	Kind of Lease State, Federal or Fee Federal	Lease No. NM4953
Location				
Unit Letter E	1980	Feet From The North Line and	990	Feet From The West
Line of Section 15	Township 19N	Range 5W	NMPM, McKinley County	

III. DESIGNATION OF TRANSPORTER OF OIL AND NATURAL GAS

Name of Authorized Transporter of Oil ☒ or Condensate ☐ Giant Refinery	Address (Give address to which approved copy of this form is to be sent) P.O. Box 9156, Phoenix, AZ 85068
Name of Authorized Transporter of Casinghead Gas ☐ or Dry Gas ☐	Address (Give address to which approved copy of this form is to be sent)
If well produces oil or liquids, give location of tanks.	Unit Sec. Twp. Rge. Is gas actually connected? When
E 15 19N 5W	

If this production is commingled with that from any other lease or pool, give commingling order number:

IV. COMPLETION DATA

Designate Type of Completion - (X)	Oil Well	Gas Well	New Well	Workover	Deepen	Plug Back	Same Res'v.	Diff. Res'v.
Date Spudded	Date Compl. Ready to Prod.	Total Depth	P.B.T.D.					
Elevations (DF, RKB, RT, GR, etc.)	Name of Producing Formation	Top Oil/Gas Pay	Tubing Depth					
Perforations	Depth Casing Shoe							
TUBING, CASING, AND CEMENTING RECORD								
HOLE SIZE	CASING & TUBING SIZE	DEPTH SET	SACKS CEMENT					

V. TEST DATA AND REQUEST FOR ALLOWABLE OIL WELL (Test must be after recovery of total volume of load oil and be equal to or exceed top allowable for this depth or be for full 24 hours)

Date First New Oil Run To Tanks	Date of Test	Producing Method (Flow, pump, gas lift, etc.)	RECEIVED JUN 26 1987 OIL CON. DIST. 3
Length of Test	Tubing Pressure	Casing Pressure	
Actual Prod. During Test	Oil - Bbls.	Water - Bbls.	

GAS WELL

Actual Prod. Test-MCF/D	Length of Test	Bbls. Condensate/MMCF	Gravity of Condensate
Testing Method (pilot, back pr.)	Tubing Pressure (Shut-in)	Casing Pressure (Shut-in)	Choke Size

VI. CERTIFICATE OF COMPLIANCE

I hereby certify that the rules and regulations of the Oil Conservation Commission have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

**TEXACO INC. As Operator for
TEXACO PRODUCING INC.**

SIGNED: A. A. KLEIER

(Signature)

AREA SUPERINTENDENT

(Title)

6/19/87

(Date)

OIL CONSERVATION COMMISSION

APPROVED **JUN 26 1987**, 19

BY **Barry J. Chang**

TITLE **SUPERVISION DISTRICT # 3**

This form is to be filed in compliance with RULE 1104.

If this is a request for allowable for a newly drilled or deepened well, this form must be accompanied by a tabulation of the deviation tests taken on the well in accordance with RULE 111.

All sections of this form must be filled out completely for allowable on new and recompleted wells.

Fill out only Sections I, II, III, and VI for changes of owner, well name or number, or transporter or other such change of condition.

Separate Forms C-104 must be filed for each pool in multiply completed wells.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPLICATE*
(Other instructions on reverse side)

Budget Bureau No. 1004-0135
Expires August 31, 1985

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL ☒ GAS WELL ☐ OTHER ☐	7. UNIT AGREEMENT NAME
2. NAME OF OPERATOR TEXACO Inc.	8. FARM OR LEASE NAME Federal 15
3. ADDRESS OF OPERATOR P. O. Box EE, Cortez, CO 81321 (303) 565-8401	9. WELL NO. 2
4. LOCATION OF WELL (Report location clearly and in accordance with any instructions on reverse side. See also space 17 below.) At surface 1980' FNL, 990' FWL Sec. 15, T19N, R5W	10. FIELD AND POOL, OR WILDCAT Papers Wash.
14. PERMIT NO.	11. SEC., T., S., M., OR B.L. AND SURVEY OR AREA Sec. 15, T19N, R5W
15. ELEVATIONS (Show whether at top of etc.)	12. COUNTY OR PARISH 13. STATE McKinley New Mexico

RECEIVED

MAY 28 1987

BUREAU OF LAND MANAGEMENT
FARMINGTON RESOURCE AREA

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF	☐	WATER SHUT-OFF	☐
FRACTURE TREAT	☐	FRACTURE TREATMENT	☐
SHOOT OR ACIDIZE	☐	SHOOTING OR ACIDIZING	☐
REPAIR WELL	☐	(Other)	☐
(Other)	☐	(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)	☐

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.) *

Referencing the attached BLM letter of May 18, 1987, Texaco has not performed the Menefee recompletion proposed on the April 8, 1986 Sundry Notice. Texaco Inc. could not obtain proper co-owner approval to perform the workover. The Federal 15-2 is still uneconomical to produce and has remained shut in due to economics. Texaco is currently in the process of initiating a sale of the well and requests BLM approval to leave the subject well shut in. Should the potential sale fail to materialize, a Sundry Notice will be filed with Texaco's future plans for the Federal 15-2.

RECEIVED
JUN -1 1987
OIL CON. DIV
DIST. 3

18. I hereby certify that the foregoing is true and correct
SIGNED Alan A. Kleier TITLE Area Superintendent DATE May 27, 1987
(This space for Federal or State office use)

APPROVED BY _____
CONDITIONS OF APPROVAL, IF ANY:

TITLE _____

ACCEPTED FOR RECORD
DATE _____

MAY 29 1987

*See Instructions on Reverse Side

FARMINGTON RESOURCE AREA

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

BLM(5) JNH-LAA-FILE



United States Department of the Interior

BUREAU OF LAND MANAGEMENT
Caller Service 4104
Farmington, New Mexico 87499

IN REPLY REFER TO:

NM-4953 (WC)
3162.3-2 (016)

MAY 18 1987

CERTIFIED—RETURN RECEIPT REQUESTED
P-488-625-963

Texaco, Inc.
P.O. Box EE
Cortez, CO 81321

Gentlemen:

Reference is made to your well No. 2 Federal 15, SW/4NW/4 sec. 15, T. 19 N., R. 5 W., McKinley County, New Mexico, lease NM-4953 and your Sundry Notice dated April 8, 1986, requesting approval to plugback and test the Menefee formation. If the workover has been completed, you are required to submit a subsequent report. If the workover has not been completed, you are required to submit your plans of when the work is to be performed.

Failure to submit the above within 30 days of receipt of this letter may result in an assessment for noncompliance pursuant to 43 CFR 3163.1.

You are further advised that any instructions, orders or decisions issued by the Bureau of Land Management are subject to an administrative review pursuant to 43 CFR 3165.3(b) and appeal pursuant to 43 CFR 3165.4 and 43 CFR 4.700.

If you have any questions, contact Stephen Mason with this office at (505) 325-4572.

Sincerely,

FOR Ron Fellows
Area Manager

RECEIVED

JUN -1 1987

CON. DIV.

17 3

FOUR CORNERS AREA			
MAY 19 1987			
AAK	TAM		
MOV	AMS		
EIG	ELS		
MLK	RLW		
TJS			
BRH	DFC		
RLH	HANDL		
AH	FILE		
NER	RETURN TO		
	WISE BOX		

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well ☒ gas well ☐ other ☐

2. NAME OF OPERATOR
TEXACO INC.

3. ADDRESS OF OPERATOR
P. O. BOX EE CORTEZ, CO. 81321

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: 1980' FNL, 990 FWL
AT TOP PROD. INTERVAL:
AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

TEST WATER SHUT-OFF ☐
FRACTURE TREAT ☒
SHOOT OR ACIDIZE ☐
REPAIR WELL ☐
PULL OR ALTER CASING ☐
MULTIPLE COMPLETE ☐
CHANGE ZONES ☒
ABANDON* ☐
(other) ☐

SUBSEQUENT REPORT OF:

RECEIVED

APR 10 1986

BUREAU OF LAND MANAGEMENT
FARMINGTON RESOURCE AREA

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Texaco Inc. proposes to recompleate from the Entrada to the Menefee formation by the following procedure.

1. MIRUSU.
 2. Set CIBP @ 5150. Drop 5 sxs cement. Pressure test to 1600 psi.
 3. Set RBP @ 2200. Drop 2 sxs sand. Perforate to 1650', 1554', 1430' & 1370'. Block squeeze w/ a total of 1200 sxs cement.
 4. WOC. DOC.
 5. Pressure test squeeze holes to 1000 psi.
 6. Perforate 1393-1400 & 1579-1585 w/ 1 jsfpf.
 7. Acidize w/1200 gallons 15% NE-HCl.
 8. Fracture treat w/65,000 gallons gelled water & 60,000 lbs sand.
 9. Flow back load. Place on pump. ROMOSU
- Subsurface Safety Valve: Manu. and Type _____

18. I hereby certify that the foregoing is true and correct

SIGNED John R. Marx TITLE Area Supt. DATE 4/10/86

(This space for Federal or State Officer use)

APPROVED BY _____
CONDITIONS OF APPROVAL, IF ANY:

TITLE _____ DATE _____

BLM(4) NMOGC(2) JNH - LAA - ARM - EAE

"Approval of this action does not warrant that the applicant holds legal or equitable rights or title to this lease."

*See Instructions on Reverse Side

OPERATOR

AREA MANAGER

5. LEASE	NM
6. IF INDIAN, ALLOTTEE OR TRIBE NAME	
7. UNIT AGREEMENT NAME	
8. FARM OR LEASE NAME	Federal
9. WELL NO.	#2
10. FIELD OR WILDCAT NAME	Papers Wash
11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA	Sec 15, T19N, R5W
12. COUNTY OR PARISH	McKinley
13. STATE	N.M.
14. API NO.	
15. ELEVATIONS (SHOW DE KDB, AND WD)	6617' KB

APPROVED
AS AMENDED

JUN -1 1987

APR 15 1986

John R. Marx
AREA MANAGER

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
TRANSPORTER	OIL GAS
OPERATOR	
PRORATION OFFICE	

NEW MEXICO OIL CONSERVATION COMMISSION
REQUEST FOR ALLOWABLE
AND
AUTHORIZATION TO TRANSPORT OIL AND NATURAL GAS

Form C-104
Supersedes Old C-104 and C-110
Effective 1-1-65

I. Operator
TEXACO INC.

Address
P. O. Box EE, Cortez, CO. 81321

Reason(s) for filing (Check proper box)

New Well	☐	Change in Transporter of:		Other (Please explain)
Recompletion	☐	Oil	☒	Previous transporter was Gary Energy Corp., now it is Giant Industries Inc.
Change in Ownership	☐	Casinghead Gas	☐	
		Dry Gas	☐	
		Condensate	☐	

If change of ownership give name and address of previous owner

II. DESCRIPTION OF WELL AND LEASE

Lessee Name Federal 15	Well No. 2	Pact Name, including Formation Papers Wash Entrada	Kind of Lease State, Federal or Fee Federal	Lease No. NM4953
Location Unit Letter E, 1980 Feet From The N Line and 990 Feet From The W Line of Section 15 Township 19N Range 5W, NMPM, McKinley County				

III. DESIGNATION OF TRANSPORTER OF OIL AND NATURAL GAS

Name of Authorized Transporter of Oil ☒ or Condensate ☐ Giant Industries Inc. Refinery	Address (Give address to which approved copy of this form is to be sent) P. O. Box 9156, Phoenix, AZ. 85068
Name of Authorized Transporter of Casinghead Gas ☐ or Dry Gas ☐	Address (Give address to which approved copy of this form is to be sent)
If well produces oil or liquids, give location of tanks.	Unit Sec. Twp. Rge. Is gas actually connected? When
	F 15 19N 5W

If this production is commingled with that from any other lease or pool, give commingling order number:

IV. COMPLETION DATA

Designate Type of Completion - (X)	Oil Well	Gas Well	New Well	Workover	Deepen	Plug Back	Same Res'v.	Diff. Res'v.
Date Spudded	Date Compl. Ready to Prod.	Total Depth	P.B.T.D.					
Elevations (DF, RKB, RT, GR, etc.)	Name of Producing Formation	Top Oil/Gas Pay	Tubing Depth					
Perforations	Depth Casing Shoe							
TUBING, CASING, AND CEMENTING RECORD								
HOLE SIZE	CASING & TUBING SIZE	DEPTH SET	SACKS CEMENT					

V. TEST DATA AND REQUEST FOR ALLOWABLE OIL WELL

(Test must be after recovery of total volume of load oil and must be equal to or greater than allowable for this depth or be for full 24 hours)

Date First New Oil Run To Tanks	Date of Test	Producing Method (Flow, pump, gas lift, etc.)
Length of Test	Tubing Pressure	Casing Pressure
Actual Prod. During Test	Oil - Bbls.	Water - Bbls.

APR 30 1987
OIL CON. DIV.
DIST. 3

GAS WELL

Actual Prod. Test - MCF/D	Length of Test	Bbls. Condensate/MMCF	Gravity of Condensate
Testing Method (pilot, back pr.)	Tubing Pressure (Shut-in)	Casing Pressure (Shut-in)	Choke Size

VI. CERTIFICATE OF COMPLIANCE

I hereby certify that the rules and regulations of the Oil Conservation Commission have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

SIGNED: A. A. KLEIER

(Signature)

AREA SUPERINTENDENT

(Title)

APR 27 1987

(Date)

OIL CONSERVATION COMMISSION

APPROVED

APR 30 1987

BY

SUPERVISOR DISTRICT 3

TITLE

This form is to be filed in compliance with RULE 1104.

If this is a request for allowable for a newly drilled or deepened well, this form must be accompanied by a tabulation of the deviation tests taken on the well in accordance with RULE 111.

All sections of this form must be filled out completely for allowable on new and recompleted wells.

Fill out only Sections I, II, III, and VI for changes of owner, well name or number, or transporter, or other such change of condition.

Separate Forms C-104 must be filed for each pool in multiply completed wells.

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
TRANSPORTER	OIL
	GAS
OPERATOR	
PRORATION OFFICE	

**NEW MEXICO OIL CONSERVATION COMMISSION
REQUEST FOR ALLOWABLE
AND
AUTHORIZATION TO TRANSPORT OIL AND NATURAL GAS**

Form C-104
Supersedes Old C-104 and C-110
Effective 1-1-85

Operator TEXACO INC.	
Address P.O. Box EE, Cortez, CO. 81321	
Reason(s) for filing (Check proper box)	Other (Please explain)
New Well ☐	Previous transporter was Permian, now it is Gary Energy Corp.
Recompletion ☐	
Change in Ownership ☐	
Change in Transporter of:	
Oil ☒	Dry Gas ☐
Casinghead Gas ☐	Condensate ☐

If change of ownership give name and address of previous owner _____

I. DESCRIPTION OF WELL AND LEASE

Lease Name Federal 15	Well No. 2	Pool Name, including Formation Papers Wash Entrada	Kind of Lease State, Federal or Fee Federal	Lease No. NM4953
Location				
Unit Letter E ; 1980' Feet From The North Line and 990' Feet From The West				
Line of Section 15 Township 19N Range 5W , NMPM, McKinley County				

I. DESIGNATION OF TRANSPORTER OF OIL AND NATURAL GAS

Name of Authorized Transporter of Oil ☒ or Condensate ☐	Address (Give address to which approved copy of this form is to be sent)
Gary Energy Corp.	115 Inverness Dr., Englewood, CO. 80112
Name of Authorized Transporter of Casinghead Gas ☐ or Dry Gas ☐	Address (Give address to which approved copy of this form is to be sent)
If well produces oil or liquids, give location of tanks.	Unit Sec. Twp. Rge. Is gas actually connected? When
	F 15 19N 5W

If this production is commingled with that from any other lease or pool, give commingling order number: _____

I. COMPLETION DATA

Designate Type of Completion - (X)	Oil Well	Gas Well	New Well	Workover	Deepen	Plug Back	Same Res'v.	Diff. Res'v.
Date Spudded	Date Compl. Ready to Prod.		Total Depth		P.B.T.D.			
Elevations (DF, RKB, RT, GR, etc.)	Name of Producing Formation		Top Oil/Gas Pay		Tubing Depth			
Perforations					Depth Casing Shoe			
TUBING, CASING, AND CEMENTING RECORD								
HOLE SIZE	CASING & TUBING SIZE		DEPTH SET		SACKS CEMENT			

I. TEST DATA AND REQUEST FOR ALLOWABLE OIL WELL

(Test must be after recovery of total volume of load oil and must be equal to or exceed top allowable for this depth or be for full 24 hours)

Date First New Oil Run To Tanks	Date of Test	Producing Method (Flow, pump, gas lift, etc.)	
Length of Test	Tubing Pressure	Casing Pressure	Choke Size
Actual Prod. During Test	Oil - Bbls.	Water - Bbls.	Gas - MCF

GAS WELL

Actual Prod. Test-MCF/D	Length of Test	Bbls. Condensate/MMCF	Gravity of Condensate
Testing Method (pilot, back pr.)	Tubing Pressure (shut-in)	Casing Pressure (shut-in)	Choke Size

I. CERTIFICATE OF COMPLIANCE

I hereby certify that the rules and regulations of the Oil Conservation Commission have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

SIGNED **A. R. MARX**

(Signature)

AREA SUPERINTENDENT

(Title)

10/10/86

OIL CONSERVATION COMMISSION

APPROVED _____

OCT 20 1986

BY _____

SUPERVISOR DISTRICT # 3

TITLE _____

This form is to be filed in compliance with RULE 1104.
If this is a request for allowable for a newly drilled or deepened well, this form must be accompanied by a tabulation of the deviation tests taken on the well in accordance with RULE 111.
All sections of this form must be filled out completely for allowable on new and recompleted wells.

Fill out only Sections I, II, III, and VI for changes of owner, well name or number, or transporter, or other such change of condition.

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☒ gas ☐ other ☐
2. NAME OF OPERATOR
TEXACO INC.
3. ADDRESS OF OPERATOR
P. O. BOX EE CORTEZ, CO. 81321
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: 1980' FNL, 990 FWL
AT TOP PROD. INTERVAL:
AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

TEST WATER SHUT-OFF ☐
FRACTURE TREAT ☒
SHOOT OR ACIDIZE ☐
REPAIR WELL ☐
PULL OR ALTER CASING ☐
MULTIPLE COMPLETE ☐
CHANGE ZONES ☒
ABANDON* ☐
(other) ☐

SUBSEQUENT REPORT OF:

RECEIVED

APR 10 1986

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

BUREAU OF LAND MANAGEMENT
FARMINGTON RESOURCE AREA

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Texaco Inc. proposes to recompleate from the Entrada to the Menefee formation by the following procedure.

1. MIRUSU.
2. Set CIBP @ 5150. Drop 5 sxs cement. Pressure test to 1600 psi.
3. Set RBP @ 2200. Drop 2 sxs sand. Perforate squeeze holes to 1650', 1554', 1430' & 1370'. Block squeeze w/ a total of 15000 lbs cement.
4. WOC. DOC.
5. Pressure test squeeze holes to 1000 psi.
6. Perforate 1393-1400 & 1579-1585 w/ 1 jspf.
7. Acidize w/1200 gallons 15% NE-HCl.
8. Fracture treat w/65,000 gallons gelled water @ 0,000 sand.
9. Flow back load. Place on pump. ROMOSU

Subsurface Safety Valve: Manu. and Type _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED John R. Marx TITLE Area Supt. DATE 4/8/86

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____
CONDITIONS OF APPROVAL, IF ANY:

BLM(4) NMOGC(2) JNH - LAA - ARM TAE

"Approval of this action does

not represent that the applicant
has a legal or equitable right

*See Instructions on Reverse Side

NMOCOIL CON. DIV.
DIST. 3

APR 15 1986

For AREA MANAGER

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments.

Items 22 and 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Item 29: Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

Item 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

37. SUMMARY OF POROUS ZONES: SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF; CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES				38. GEOLOGIC MARKERS		
FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	NAME	MEAS. DEPTH	TRUE VERT. DEPTH
				La Ventana	522'	
				Pt. Lookout	2025'	
				Mancos Shale	2115'	
				Gallup	2945'	
				Sanostee	3608'	
				Greenhorn	3920'	
				Graneros	4010'	
				Dakota	4142'	
				Morrison	4260'	
				Summerville	5115'	
				Todilto	5151'	
				Entrada	5182'	
				Carmel	5407'	

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN DUPLICATE*

(See other in-
structions on
reverse side)Form approved.
Budget Bureau No. 42-R355.6.

5. LEASE DESIGNATION AND SERIAL NO.

NM 4953

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Federal 15

9. WELL NO.

2

10. FIELD AND POOL, OR WILDCAT

Undesignated Entrada

11. SEC., T., R., M., OR BLOCK AND SURVEY
OR AREA

SEC. 15, T19N, R5W

12. COUNTY OR
PARISH

McKinley

13. STATE

N.M.

WELL COMPLETION OR RECOMPLETION REPORT AND LOG *

1a. TYPE OF WELL: OIL WELL ☒ GAS WELL ☐ DRY ☐ Other _____

b. TYPE OF COMPLETION:

NEW WELL ☒ WORK OVER ☐ DEEP-EN ☐ PLUG BACK ☐ DIFF. RESVR. ☐ Other _____

2. NAME OF OPERATOR

Dome Petroleum Corporation

3. ADDRESS OF OPERATOR % Minerals Management Inc., Suite 105,
501 Airport Drive, Farmington, New Mexico 87401

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)*

At surface 990' FWL, 1780' FNL, SEC. 15, T19N, R5W

At top prod. interval reported below 1980'

At total depth

14. PERMIT NO.

DATE ISSUED

15. DATE SPUDDED 2-18-77 16. DATE T.D. REACHED 2-26-77 17. DATE COMPL. (Ready to prod.) 18. ELEVATIONS (DF, REB, RT, GR, ETC.)* 6604' GR, 6617' KB 19. ELEV. CASINGHEAD 6604'

20. TOTAL DEPTH, MD & TVD 5428' 21. PLUG, BACK T.D., MD & TVD 5370' 22. IF MULTIPLE COMPL., HOW MANY* 23. INTERVALS DRILLED BY 0-5428' 24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)* 5183'-5380' Entrada 25. WAS DIRECTIONAL SURVEY MADE no

26. TYPE ELECTRIC AND OTHER LOGS RUN

Dual Induction-Laterolog, CNL-Density

27. WAS WELL CORRED

no

28. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
10 3/4"	32.75	203'	15"	200 SX	
7"	23	5426'	8 3/4"	328 SX & 355 SX	
				2 stage w/DV @ 2785'	

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
					2 7/8	3030'	

31. PERFORATION RECORD (Interval, size and number)

5184'-5192' w/2 SPF

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED

33. PRODUCTION

DATE FIRST PRODUCTION		PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump)				WELL STATUS (Producing or shut-in)	
3-15-77		Flowing					
DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD	OIL—BBL.	GAS—MCF.	WATER—BBL.	GAS-OIL RATIO
3-16-77	24	Open	→	276	TSTM	0	---
FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BBL.	GAS—MCF.	WATER—BBL.	OIL GRAVITY-API (CORR.)	
45	45	→	276	TSTM	0	32.4	

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)

No gas

35. LIST OF ATTACHMENTS

None

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

Area Manager

SIGNED

TITLE

Minerals Management Inc

DATE

3-31-77

*(See Instructions and Spaces for Additional Data on Reverse Side)

INSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments.

Items 22 and 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Item 29: "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

Item 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

37. SUMMARY OF POROUS ZONES: SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF; CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES				38. GEOLOGIC MARKERS		
FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	NAME	MEAS. DEPTH	TRUE VERT. DEPTH
				La Ventana	522'	
				Pt. Lookout	2025'	
				Mancos Shale	2115'	
				Gallup	2945'	
				Sanostee	3608'	
				Greenhorn	3920'	
				Graneros	4010'	
				Dakota	4142'	
				Morrison	4260'	
				Summerville	5115'	
				Todilto	5151'	
				Entrada	5182'	
				Carmel	5407'	

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN DUPLICATE*

(See other in-
structions on
reverse side)Form approved.
Budget Bureau No. 42-R355.6.

5. LEASE DESIGNATION AND SERIAL NO.

NM 4953

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Federal 15

9. WELL NO.

2

10. FIELD AND POOL, OR WILDCAT

Undesignated Entrada

11. SEC., T., R., M., OR BLOCK AND SURVEY
OR AREA

SEC. 15, T19N, R5W

12. COUNTY OR

PARISH

McKinley

13. STATE

N.M.

1a. TYPE OF WELL:

OIL

WELL

☒

GAS

WELL

☐

DRY

☐

Other

b. TYPE OF COMPLETION:

NEW

WELL

☒

WORK

OVER

☐

DEEP-

EN

☐

PLUG

BACK

☐

DIFF.

RESVR.

☐

Other

2. NAME OF OPERATOR

Dome Petroleum Corporation

3. ADDRESS OF OPERATOR % Minerals Management Inc., Suite 105,

501 Airport Drive, Farmington, New Mexico 87401

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)*

At surface 990' FWL, 1780' FNL, SEC. 15, T19N, R5W

At top prod. interval reported below 1980

At total depth

14. PERMIT NO.

DATE ISSUED

15. DATE SPUDDED

2-18-77

16. DATE T.D. REACHED

2-26-77

17. DATE COMPL. (Ready to prod.)

18. ELEVATIONS (DF, REB, RT, OR, ETC.)*

6604' GR, 6617' KB

19. ELEV. CASINGHEAD

6604'

20. TOTAL DEPTH, MD & TVD

5428'

21. PLUG, BACK T.D., MD & TVD

5370'

22. IF MULTIPLE COMPL.,
HOW MANY*23. INTERVALS
DRILLED BY

ROTARY TOOLS

0-5428'

CABLE TOOLS

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)*

5183'-5380' Entrada

25. WAS DIRECTIONAL
SURVEY MADE

no

26. TYPE ELECTRIC AND OTHER LOGS RUN

Dual Induction-Laterolog, CNL-Density

27. WAS WELL CORED

no

28. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
10 3/4"	32.75	203'	15"	200 SX	
7"	23	5426'	8 3/4"	328 SX & 355 SX	
				2 stage w/DV @ 2785'	

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	BACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
					2 7/8	3030'	

31. PERFORATION RECORD (Interval, size and number)

5184'-5192' w/2 SPF

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED

33.*

PRODUCTION

DATE FIRST PRODUCTION 3-15-77		PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump) Flowing				WELL STATUS (Producing or shut-in)	
DATE OF TEST 3-16-77	HOURS TESTED 24	CHOKE SIZE Open	PROD'N. FOR TEST PERIOD →	OIL—BBL. 276	GAS—MCF. TSTM	WATER—BBL. 0	GAS-OIL RATIO ---
FLOW. TUBING PRESS. 45	CASING PRESSURE 45	CALCULATED 24-HOUR RATE →	OIL—BBL. 276	GAS—MCF. TSTM	WATER—BBL. 0	OIL GRAVITY-API (CORR.) 32.4	

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)

No gas

TEST WITNESSED BY

W. E. Landry

35. LIST OF ATTACHMENTS

None

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

Area Manager

SIGNED

TITLE

Minerals Management Inc

DATE

3-31-77

*(See Instructions and Spaces for Additional Data on Reverse Side)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPPLICATE*
(Other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R1424.

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL ☒ GAS WELL ☐ OTHER ☐	5. LEASE DESIGNATION AND SERIAL NO. NM 4953
2. NAME OF OPERATOR Dome Petroleum Corporation	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
3. ADDRESS OF OPERATOR 8 Minerals Management Inc., Suite 105, 501 Airport Drive, Farmington, New Mexico 87401	7. UNIT AGREEMENT NAME
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.) At surface	8. FARM OR LEASE NAME Federal 15
14. PERMIT NO.	9. WELL NO. 2
15. ELEVATIONS (Show whether DF, RT, GR, etc.) 6604' GR 6617' KB	10. FIELD AND POOL, OR WILDCAT Undesignated-Entrada
	11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA SEC. 15, T19N, R5W
	12. COUNTY OR PARISH McKinley
	13. STATE N.M.

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other) Production Casing

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

2-27-77

Ran 5429' 7"-23# K-55 ST&C CSG. Set at 5426'.

Cemented 1st stage w/228 sx 65-35 Poz 10# Gilsonite/sx followed w/100 sx Class "A" cement w/10% CaCl.

Cemented 2nd stage w/305 sx 65-35 Poz 10# Gilsonite/sx followed w/50 sx Class "A" cement w/10% CaCl.

CONFIDENTIAL



18. I hereby certify that the foregoing is true and correct

SIGNED

J. Amund Hell

TITLE

Area Manager

Minerals Management Inc

DATE

3-1-77

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPPLICATE*
(Other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R1424.

SUNDRY NOTICES AND REPORTS ON WELLS		5. LEASE DESIGNATION AND SERIAL NO.	
(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)		NM4953	
1. OIL WELL ☒ GAS WELL ☐ OTHER ☐		6. IF INDIAN, ALLOTTEE OR TRIBE NAME	
2. NAME OF OPERATOR Dome Petroleum Corporation		7. UNIT AGREEMENT NAME	
3. ADDRESS OF OPERATOR c/o Minerals Management Inc., Suite 105, 501 Airport Drive, Farmington, New Mexico 87401		8. FARM OR LEASE NAME Federal 15	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 1980'FNL, 990'FWL, SEC. 15, T19N, R5W		9. WELL NO. 2	
14. PERMIT NO.		10. FIELD AND POOL, OR WILDCAT	
15. ELEVATIONS (Show whether DF, RT, GR, etc.) 6604'GR, 6617'KB		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA SEC. 15, T19N, R5W	
		12. COUNTY OR PARISH McKinley	13. STATE N.M.

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data


NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF ☐	PULL OR ALTER CASING ☐	WATER SHUT-OFF ☐	REPAIRING WELL ☐
FRACTURE TREAT ☐	MULTIPLE COMPLETE ☐	FRACTURE TREATMENT ☐	ALTERING CASING ☐
SHOOT OR ACIDIZE ☐	ABANDON* ☐	SHOOTING OR ACIDIZING ☐	ABANDONMENT* ☐
REPAIR WELL ☐	CHANGE PLANS ☐	(Other) <u>Spud & set surface casing</u> ☒	
(Other) ☐		(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)	

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

2-15-77 Spud 15" hole at 10:00 p.m.

2-16-77 Ran 4 jts (191') 10 3/4" 32.75# H-40 ST&C CSG. Set @ 203' KB. Cemented w/200 sx Class "B" w/2% CaCl. Circulate cement.

CONFIDENTIAL



RECEIVED

FEB 22 1977

U. S. GEOLOGICAL SURVEY
DURANGO, COLO.

18. I hereby certify that the foregoing is true and correct.
SIGNED T. Arnold Hall TITLE Area Manager DATE February 17, 1977
Minerals Management Inc

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

NO. OF COPIES RECEIVED	5
DISTRIBUTION	
SANTA FE	1
FILE	1
U.S.G.S.	
LAND OFFICE	
TRANSPORTER	OIL 1 GAS
OPERATOR	23
PRORATION OFFICE	

NEW MEXICO OIL CONSERVATION COMMISSION
REQUEST FOR ALLOWABLE
AND
AUTHORIZATION TO TRANSPORT OIL AND NATURAL GAS

Form C-104
Supersedes Old C-104 and C-110
Effective 1-1-65

I. Operator
Dome Petroleum Corporation
Address: Minerals Management Inc., Suite 105,
501 Airport Drive, Farmington, New Mexico 87401
Reason(s) for filing (Check proper box)
New Well ☒ Change in Transporter of:
Recompletion ☐ Oil ☐ Dry Gas ☐
Change in Ownership ☐ Casinghead Gas ☐ Condensate ☐
Other (Please explain)

If change of ownership give name
and address of previous owner

II. DESCRIPTION OF WELL AND LEASE

Lessee Name Federal 15	Well No. 2	Pool Name, Including Formation Indesignated Entrada	Kind of Lease State, Federal or Fee Federal	Lease No. NM4953
Location Unit Letter E 1980 Feet From The North Line and 990 Feet From The West Line of Section 15 Township 19N Range 5W NMPM, McKinley County				

III. DESIGNATION OF TRANSPORTER OF OIL AND NATURAL GAS

Name of Authorized Transporter of Oil ☐ or Condensate ☐ Permian Corporation	Address (Give address to which approved copy of this form is to be sent) Box 1701, Farmington, N.M. 87401
Name of Authorized Transporter of Casinghead Gas ☐ or Dry Gas ☐	Address (Give address to which approved copy of this form is to be sent)
If well produces oil or liquids, give location of tanks.	Unit Sec. Twp. Rge. Is gas actually connected? When F 15 19N 5W ---

If this production is commingled with that from any other lease or pool, give commingling order number:

IV. COMPLETION DATA

Designate Type of Completion - (X) X	Oil Well ☒ Gas Well ☐ New Well ☐ Workover ☐ Deepen ☐ Plug Back ☐ Same Res'v. ☐ Diff. Res'v. ☐
Date Spudded 2-15-77	Date Compl. Ready to Prod. 3-15-77
Elevations (DF, RKB, RT, GR, etc.) 6604'GR, 6617'KB	Name of Producing Formation Entrada
Perforations 5184'-5192'	Top Oil/Gas Pay 5184'
TUBING, CASING, AND CEMENTING RECORD	
HOLE SIZE 15"	CASING & TUBING SIZE 10 3/4"-32.75#
8 3/4"	7" -23#
---	2 7/8"
DEPTH SET 203'	SACKS CEMENT 200 sx
5426'	683 sx (2-stage)
3030'	---
---	---

V. TEST DATA AND REQUEST FOR ALLOWABLE OIL WELL

(Test must be after recovery of total volume of load oil and must be equal to or exceed top allowable for this depth or be for full 24 hours)

Date First New Oil Run To Tanks 3-15-77	Date of Test 3-16-77	Producing Method (Flow, pump, gas lift, etc.) Flow
Length of Test 24 hours	Tubing Pressure 45	Casing Pressure 45
Actual Prod. During Test 276	Oil-Bbls. 276	Water-Bbls. 0
		Gas-MCF TSTM

GAS WELL

Actual Prod. Test-MCF/D	Length of Test	Bbls. Condensate/MCF	Gravity of Condensate
Testing Method (pilot, back pr.)	Tubing Pressure (shut-in)	Casing Pressure (shut-in)	Choke Size

VI. CERTIFICATE OF COMPLIANCE

I hereby certify that the rules and regulations of the Oil Conservation Commission have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

J. Arnold Self
Area Manager (Signature)
Minerals Management Inc. (Title)

March 17, 1977 (Date)

OIL CONSERVATION COMMISSION

APPROVED MAR 18 1977
BY H. E. Majewski
TITLE

This form is to be filed in compliance with RULE 1104.
If this is a request for allowable for a newly drilled or deepened well, this form must be accompanied by a tabulation of the deviation tests taken on the well in accordance with RULE 111.
All sections of this form must be filled out completely for allowable on new and recompleted wells.
Fill out only Sections I, II, III, and VI for changes of owner, well name or number, or transporter or other such change of condition.
Separate Forms C-104 must be filed for each pool in multiply completed wells.

**NEW MEXICO OIL CONSERVATION COMMISSION
WELL LOCATION AND ACREAGE DEDICATION PLAT**

Form C-102
Supersedes C-128
Effective 1-1-65

All distances must be from the outer boundaries of the Section.


Operator Dome Petroleum Corporation			Lease Federal 15		Well No. 2
Unit Letter E	Section 15	Township 19N	Range 5W	County McKinley	
Actual Footage Location of Well:					
1980 feet from the North line and 990 feet from the West line					
Ground Level Elev. 6604	Producing Formation Entrada	Pool Undesignated		Dedicated Acreage: 40 Acres	

1. Outline the acreage dedicated to the subject well by colored pencil or hachure marks on the plat below.
2. If more than one lease is dedicated to the well, outline each and identify the ownership thereof (both as to working interest and royalty).
3. If more than one lease of different ownership is dedicated to the well, have the interests of all owners been consolidated by communitization, unitization, force-pooling, etc?

☐ Yes ☐ No If answer is "yes," type of consolidation _____

If answer is "no," list the owners and tract descriptions which have actually been consolidated. (Use reverse side of this form if necessary.) _____

No allowable will be assigned to the well until all interests have been consolidated (by communitization, unitization, forced-pooling, or otherwise) or until a non-standard unit, eliminating such interests, has been approved by the Commission.




CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief.

Name *J. Arnold Smith*
 Position _____
 Area Manager _____
 Company _____
Minerals Management Inc.
 Date _____

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my knowledge and belief.

Date Surveyed November 10, 1976
 Registered Professional Engineer and/or Land Surveyor *Fred B. Kerr Jr.*
Fred B. Kerr Jr.
 Certificate No. 3950



UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK DRILL ☒ DEEPEN ☐ PLUG BACK ☐			5. LEASE DESIGNATION AND SERIAL NO. NM 4953	
b. TYPE OF WELL OIL WELL ☒ GAS WELL ☐ OTHER ☐ SINGLE ZONE ☒ MULTIPLE ZONE ☐			6. IF INDIAN, ALLOTTEE OR TRIBE NAME	
2. NAME OF OPERATOR Dome Petroleum Corporation			7. UNIT AGREEMENT NAME	
3. ADDRESS OF OPERATOR c/o Minerals Management Inc. 501 Airport Dr., Suite 105, Farmington, N.M. 87401			8. FARM OR LEASE NAME Federal 15	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)* At surface 1980' FNL, 990' FWL, SEC. 15, T19N, R5W At proposed prod. zone			9. WELL NO. 2	
14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE* 30 miles Southwest 44 Trading Post			10. FIELD AND POOL, OR WILDCAT Undesignated-Entrada	
15. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drlg. unit line, if any) 660'			11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA SEC. 15, T19N, R5W	
18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT. 700'			12. COUNTY OR PARISH McKinley	
19. PROPOSED DEPTH 5400'			13. STATE N.M.	
20. ROTARY OR CABLE TOOLS Rotary			17. NO. OF ACRES ASSIGNED TO THIS WELL 40	
21. ELEVATIONS (Show whether DF, RT, GR, etc.) 6604' GR			22. APPROX. DATE WORK WILL START* February 15, 1977	
23. PROPOSED CASING AND CEMENTING PROGRAM				

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
15"	10 3/4"	32.75#	200'	200 sx
8 3/4"	7"	23#	5400'	300-500 sx (2 stage)

Dome Petroleum Corporation (Operator) proposes to drill a Jurassic test to 5400'. Completion will be determined from logs. A Series 900 (3000 psi) WP blowout preventer will be used. The BOP will be pressure tested before drilling surface plug. Pertinent formation tops are estimated as Point Lookout 1994', Gallup 2928', Graneros 4004', Dakota 4140', Entrada 5160'. Drill Stem tests will be taken where necessary for evaluation. No abnormal pressures and temperatures are anticipated. Drilling should require approximately 15 days.

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measurements and true vertical depths. Give blowout preventer program, if any.

24.

SIGNED

*J. Arnold Sull*Area Manager
Minerals Management Inc. DATE 1-19-77

(This space for Federal or State office use)

PERMIT NO.

APPROVAL DATE

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

*OK**SK*

PAPERS WASH ENTRADA

(Oil)

T. 19 N., R. 5 W., NMPM

McKinley County, New Mexico

By: Alan C. Bryant

Dome Petroleum Corporation

GEOLOGY**Regional Setting:** Southern flank, San Juan Basin**Surface Formations:** Cretaceous, Lewis Shale, Pictured Cliffs Sandstone, and Fruitland Formation**Exploration Method Leading to Discovery:** Seismic and sub-surface geology**Type of Trap:** Eolian dune structure**Producing Formation:** Jurassic, Entrada Sandstone**Gross Thickness and Lithology of Reservoir Rocks:** 225 feet maximum, eolian sandstone**Geometry of Reservoir Rock:** Approximately 100 feet thick off-dune, building up to 225 feet on-dune**Other Significant Shows:** None**Oldest Stratigraphic Horizon Penetrated:** Jurassic, Chinle Formation**DISCOVERY WELL****Name:** Dome No. 15-1 Federal**Location:** SE NW (2210' FNL and 1650' FWL) sec. 15, T. 19 N., R. 5 W., NMPM**Elevation (KB):** 6,601 feet**Date of Completion:** October 31, 1976**Total Depth:** 5,390 feet**Production Casing:** 7" at 5,242 feet with 600 sacks of cement**Perforations:** 5,160 to 5,169 feet with 2 shots per foot**Stimulation:** None**Initial Potential:** 360 BOD, pumping**Bottom Hole Pressure:** 2,120 psig at 5,160 feet**DRILLING AND COMPLETION PRACTICES**

Surface casing, 9 5/8", set at 200 feet with 200 sacks of cement. Drill 8 3/4" hole to total depth. In areas of known lost circulation in lower "Gallup" sandstone, mud is pre-treated with 10 percent lost circulation material, reducing to 5 percent from Dakota Sandstone to total depth. Entrada Sandstone is penetrated 8 feet and a drill-stem test run. Drill to total depth 25 feet into Chinle (for seismic control) and log with Dual Induction Laterolog and CNL Density log. Sonic log is run occasionally for seismic correlation. Production casing, 7", is run to total depth and cemented to surface in two stages with approximately 1,000 sacks of cement. Oil is circulated in hole and swabbed down to about 3,000 feet. Top 6 to 8 feet of Entrada is perforated and 2 7/8" to 3 1/2" production tubing is run to 3,000 feet. Wells often flow oil to surface after perforating with no stimulation. Wells are placed on production with beam-type pump, which may be replaced later with downhole submersible pump, if justified.

RESERVOIR DATA**Productive Area:**

Proved (as determined geologically): 405 acres

Unproved: 0 acres

Approved Spacing: 40 acres

No. of Producing Wells: 6

No. of Abandoned Wells: 0

No. of Dry Holes: 2

Average Net Pay: 19.8 feet over 405 acres, 37 feet in producing wells**Porosity:** 26.1 percent**Permeability:** 290 millidarcies**Water Saturation:** 53 percent, includes basal 4 to 13 feet oil-water transition zone**Initial Field Pressure:** 2,120 psig at 5,160 feet**Type of Drive:** Fluid expansion and strong bottom water drive**Oil Characteristics and Analysis:** Paraffin base, low asphalt, low sulphur, 32.5° API gravity at 60°F, pour point 75°F**Associated Water Characteristics and Analysis:** Fresh, 3,010 ppm total dissolved solids**Original Gas, Oil, and Water Contact Datums:** Oil-water + 1,400 feet**Estimated Primary Recovery:** Confidential**Type of Secondary Recovery:** Confidential**Estimated Ultimate Recovery:** Confidential**Present Daily Average Production:** 690 BOD**Market Outlets:** Trucked to Farmington-Bloomfield area by Permian Corporation**FIELD COMMENTARY**

The Papers Wash Entrada oil field is located 75 miles southeast of Farmington, and 24 miles west of Cuba, New Mexico, in the northeastern corner of McKinley County. Geologically, it is situated on the southern flank of the San Juan Basin, where the regional dip is to the northeast.

Oil is found at the crest of an Upper Jurassic, Entrada eolian sand dune, which, within the field, varies in thickness from 181 to 225 feet, thinning rapidly off-dune to a regional thickness of about 100 feet. Oil pay thicknesses range from 34 to 41 feet. The probable source of the oil is the dense, petroliferous limestone of the overlying Todilto Limestone which also provides a seal. Within the field, the Todilto varies in thickness from 8 to 35 feet and also contains gypsum and anhydrite which increase in proportion to the limestones as the formation thickens to about 100 feet off-dune.

Due to a strong water drive in a highly porous (average 26.1 percent) and permeable (average 290 millidarcies) sandstone, the produced water-cut increased rapidly from zero at the commencement of production to 50 percent within a few months, necessitating the installation of a water-disposal

system. Downhole submersible pumps are planned to be installed in 1978 which, it is anticipated, will produce 4,000 barrels of fluid per day per well, of which 10 percent will be oil.


REFERENCES

Personal and operator's records.

NO. OF WELLS @ YR. END				PRODUCTION	
YEAR	TYPE	PROD.	SI/ABN	OIL IN BARRELS ANNUAL	GAS IN MCF CUMULATIVE
1976	Oil	1		10,746	10,746
	Gas				
1977	Oil	6		233,676	244,422
	Gas				
	Oil				
	Gas				


PAPERS WASH - ENTRADA FIELD

Mc Kinley County, New Mexico



STRUCTURE-TOP ENTRADA FM.

C. I. = 20'




CROSS SECTION A-A'

COUNTY McKinley POOL Papers Wash - Entrada Oil.

TOWNSHIP 19 North

RANGE 5 West

NMPM



Description: $\text{NW}\frac{1}{4}$ Sec 15 (R-5401, 3-15-77)

Ext: $\text{N}\frac{1}{2}\text{SW}\frac{1}{4}$ Sec 15 (R-5470, 7-1-77) Ext: $\text{SE}\frac{1}{4}\text{SW}\frac{1}{4}$ Sec 15, -
- $\text{NE}\frac{1}{4}\text{SE}\frac{1}{4}$ Sec 16, $\text{NE}\frac{1}{4}\text{NW}\frac{1}{4}$ Sec 22 (R-5779, 8-1-78)

Proposed Production Unit