

Mobil Exploration & Producing U.S. Inc.

October 24, 1990

P.O. BOX 633
MIDLAND, TEXAS 79702

MIDLAND DIVISION

Oil Conservation Division
P. O. Box 2088
Santa Fe, New Mexico, 87501 (3)

WATER DISPOSAL WELL
STATE SEC. 27 LEASE - WELL NO. 1
VACUUM DEVONIAN, SOUTH FIELD
LEA COUNTY, NEW MEXICO

Gentlemen:

Mobil Exploration & Producing U.S. Inc., as agent for Mobil Producing Texas & New Mexico, Inc. (MPTM), respectfully requests authority to dispose of produced water into the Devonian formation in the subject well.

Conversion of this well to a water disposal well is necessary to economically dispose of lease and off lease water. The same water as permitted for disposal in the State Sec. 27 #2 will be disposed into the #1. The purpose for converting #1 is as back-up capacity to #2. Presently #1 is still P&A'd and we wish to permit the well before Mobil spends money to re-enter it.

The supporting information for this application is organized in accordance with Form C-108.

If any further information is needed concerning this application, please call J. W. Dixon at (915) 688-2452.

Yours very truly,



G. N. Miller
Environmental, Regulatory,
& Loss Prevention Supervisor

Mobil Exploration & Producing U.S. Inc.
as agent for
Mobil Producing Texas & New Mexico, Inc.

JWD/fc
attachments

cc: w/attachments
Offset Operators
Surface Owner
New Mexico State Land Office
P. O. Box 1148, Santa Fe, NM 87501
District Director OCD - Hobbs

BEFORE EXAMINATION	
OIL CONSERVATION	
3-7-91	1
CASE NO.	10233

APPLICATION FOR AUTHORIZATION TO INJECT

- I. Purpose: ☐ Secondary Recovery ☐ Pressure Maintenance ☒ Disposal ☐ Storage
Application qualifies for administrative approval? ☐ yes ☒ no
- II. Operator: MOBIL Producing Texas & New Mexico, Inc.
Address: c/o Mobil Exploration & Producing U.S. Inc., Box 633, Midland, TX 79702
Contact party: Judy W. Dixon Phone: (915) 688-2452
- III. Well data: Complete the data required on the reverse side of this form for each well proposed for injection. Additional sheets may be attached if necessary.
- IV. Is this an expansion of an existing project? ☐ yes ☒ no
If yes, give the Division order number authorizing the project _____.
- V. Attach a map that identifies all wells and leases within two miles of any proposed injection well with a one-half mile radius circle drawn around each proposed injection well. This circle identifies the well's area of review.
- * VI. Attach a tabulation of data on all wells of public record within the area of review which penetrate the proposed injection zone. Such data shall include a description of each well's type, construction, date drilled, location, depth, record of completion, and a schematic of any plugged well illustrating all plugging detail. *No wells other than our current disposal well.*
- VII. Attach data on the proposed operation, including:
1. Proposed average and maximum daily rate and volume of fluids to be injected;
 2. Whether the system is open or closed;
 3. Proposed average and maximum injection pressure;
 4. Sources and an appropriate analysis of injection fluid and compatibility with the receiving formation if other than reinjected produced water; and
 5. If injection is for disposal purposes into a zone not productive of oil or gas at or within one mile of the proposed well, attach a chemical analysis of the disposal zone formation water (may be measured or inferred from existing literature, studies, nearby wells, etc.).
- *VIII. Attach appropriate geological data on the injection zone including appropriate lithologic detail, geological name, thickness, and depth. Give the geologic name, and depth to bottom of all underground sources of drinking water (aquifers containing waters with total dissolved solids concentrations of 10,000 mg/l or less) overlying the proposed injection zone as well as any such source known to be immediately underlying the injection interval.
- IX. Describe the proposed stimulation program, if any.
- * X. Attach appropriate logging and test data on the well. (If well logs have been filed with the Division they need not be resubmitted.)
- * XI. Attach a chemical analysis of fresh water from two or more fresh water wells (if available and producing) within one mile of any injection or disposal well showing location of wells and dates samples were taken.
- XII. Applicants for disposal wells must make an affirmative statement that they have examined available geologic and engineering data and find no evidence of open faults or any other hydrologic connection between the disposal zone and any underground source of drinking water.
- XIII. Applicants must complete the "Proof of Notice" section on the reverse side of this form.
- XIV. Certification
- I hereby certify that the information submitted with this application is true and correct to the best of my knowledge and belief.
- Name: Judy W. Dixon Title Env/Reg. Technician
Signature: *Judy W. Dixon* Date: 10/24/90
- * If the information required under Sections VI, VIII, X, and XI above has been previously submitted, it need not be duplicated and resubmitted. Please show the date and circumstance of the earlier submittal.

Case #9337, Order, #R-8645 dated May 5, 1988 - State Section 27 #2

DISTRIBUTION: Original and one copy to Santa Fe with one copy to the appropriate Division district office.

OIL CONSERVATION DIVISION

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

P.O. Box 2088

Santa Fe, New Mexico 87504-2088

DISTRICT II
P.O. Drawer DD, Aramis, NM 88210

DISTRICT III
1000 Rio Arriba Rd., Alamo, NM 87410

API NO. (assigned by OCD on New Wells)
30-025-03141

5. Indicate Type of Lease

STATE ☒ FEE ☐

6. State Oil & Gas Lease No.
NM-587

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. Type of Work:

DRILL ☐ RE-ENTER ☒ DEEPEN ☐ PLUG BACK ☐
b. Type of Well: Disposal
OIL WELL ☐ GAS WELL ☐ OTHER ☐ SINGLE ZONE ☒ MULTIPLE ZONE ☐

7. Lease Name or Unit Agreement Name

State Section 27

2. Name of Operator

Mobil Producing Tx. & N.M. Inc.

8. Well No.

1

3. Address of Operator

c/o Mobil Exploration & Producing U.S. Inc.
P.O. Box 633, Midland, Texas 79702

9. Pool name or Wildcat

Vacuum Devonian South

4. Well Location

Unit Letter B : 660 Feet From The North Line and 1983 Feet From The East Line

Section 27 Township 18S Range 35E NMMPM County

10. Proposed Depth

13,970

11. Formation
Devonian

12. Rotary or C.T.
Rotary

13. Elevations (Show whether DP, RT, GR, etc.)

3887' GL

14. Kind & Status Plug. Bond
Blanket on File

15. Drilling Contractor
Unknown

16. Approx. Date Work will start
AS soon as possible

17.

PROPOSED CASING AND CEMENT PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	SACKS OF CEMENT	EST. TOP
17"	13-3/8"	48#	360'	350	Circ to surface
12-1/4"	9-5/8"	36#	3800'	3500	Circ to surface
	7-5/8"	26.4, 29.7, 33.7#	11,800	1165	Temp survey

7-5/8" csg cmt @ 1689

- MIRU WO unit. NU BOP, test.
- RIH, dress off csg stub @ 1689.
- DD into Devonian to TD of \pm 13,970.
- Run OH logs, analyze.
- RIH w/test tbg. set pkr @ \pm 11,750'.
- Acidize OH Devonian section 11,800-13,970 w/2000 gal 15% HCL acid + 10,000 gal gelled 15% HCL acid + 6000# graded rock salt.
- Test disposal rate/pressure into Devonian.
- POOH w/test tbg, RIH w/Duolined tubing (3-1/2 or 4-1/2") plus perm. pkr. Set pkr @ \pm 11,750'. Load, test annulus.
- Put well on prod. water disposal.

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: IF PROPOSAL IS TO DEEPEN OR PLUG BACK, GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PRODUCTIVE ZONE. GIVE BLOWOUT PREVENTER PROGRAM, IF ANY.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

TITLE

Regulatory Technician

10/11/90

TYPE OR PRINT NAME

Judy W. Dixon

Mobil Producing Texas & New Mexico Inc.
acting by and through its agent
Mobil Exploration & Producing U.S.

TELEPHONE NO (915) 688-24

(This space for State Use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:


DATE 4-23-90 WELL NO. 1 LEASE State Section 27

FIELD Vacuum Devonian South LOCATION 660' FNL & 1983' FEL Unit B Sec 27, T18S,
Lea County, New Mexico

SIGNED A G Elwood

GL 3887'
DF 3895'
KB 3896'
ZERO KB (9'AGL)

PROPOSED WELLBORE DIAGRAM



Proposed TD. 13,970'

Submit to Appropriate
District Office
State Lease - 4 copies
Fee Lease - 3 copies

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-102
Revised 1-1-89

OIL CONSERVATION DIVISION

P.O. Box 2088

Santa Fe, New Mexico 87504-2088

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Aramis, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

WELL LOCATION AND ACREAGE DEDICATION PLAT

All Distances must be from the outer boundaries of the section

Operator Mobil Producing Tx. & N. M. Inc.			Lease State Sec. 27		Well No. 1
Unit Letter B	Section 27	Township T-18-S	Range R-35-E	County NMJM	Lea
Actual Footage Location of Well: 1983 feet from the East line and 660 feet from the North line					
Ground level Elev. 3887'		Producing Formation Devonian		Pool South Vacuum	
				Dedicated Acreage: 80	Acres

1. Outline the acreage dedicated to the subject well by colored pencil or lacquer marks on the plat below.
2. If more than one lease is dedicated to the well, outline each and identify the ownership thereof (both as to working interest and royalty).
3. If more than one lease of different ownership is dedicated to the well, have the interest of all owners been consolidated by communitization, unitization, force-pooling, etc.?

☐ Yes ☐ No If answer is "yes" type of consolidation _____

If answer is "no" list the owners and tract descriptions which have actually been consolidated. (Use reverse side of this form if necessary.) _____

No allowable will be assigned to the well until all interests have been consolidated (by communitization, unitization, force-pooling, or otherwise) or until a non-standard unit, eliminating such interest, has been approved by the Division.

OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief.

Signature *Judy Dixon*

Printed Name
Judy Dixon

Position
Environmental & Regulatory

Company
Mobil Producing Texas & New Mexico
acting by and through its agent
Mobil Exploration & Producing U.S.
Date


SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my knowledge and belief.

Date Surveyed

Signature & Seal of
Professional Surveyor

Certificate No.



	Yates	Yates
State	State	McAlpin
	Hondo	Hanley Petroleum
	Mobil	
	Exxon	Union
State	State	St. Vrain Unit
State	State	Union of Calif.
State	State	State

Reserve _____ Permit depth _____

Special instructions _____

Date work is commenced _____, 19____ Sept.

Location approved by _____ Location made by _____

**THE STATE OF TEXAS
COUNTY OF MIDLAND**

I hereby certify that this plat only represents conditions as they actually exist on this lease; that said plat which is drawn to the scale indicated herein, is to the best of my knowledge true and correct; that it accurately shows said lease with all wells on same; that number and locations of said wells are as indicated herein; and that this plat accurately reflects all pertinent and required data.

**IMMOBILIZED BY
EXPLORATION & MINING DEPARTMENT
MIDLAND DIVISION - MIDLAND, TEXAS**

LEASE 81919 Sec. 27
 DISTRICT Mobbs LEASE NO. NM-587
 LOCATION MADE _____ 19____ WELL NO. _____
 TOTAL ACRES IN LEASE 160 ACRES COVERED BY PLAT 160
 DESCRIPTION NE 1/4 Sec. 27, T18S, R35E

160 COUNTY New Mexico

DRAWN A.D. Reed DATE 8-22-88 FIELD South Vainan Development
 SCALE 1" = 1000' FILE NO. 88

VACUUM, MID.

REEVES W.

VACUUM, SO.

HONEYDEW UNIT
H.E. YATES (OPER.)

Mobil Producing
Texas & New Mexico Inc.
Midland Division

EXHIBIT "A"
STATE SEC. 27 #1
VACUUM DEVONIAN SOUTH FIELD
LEA COUNTY, NEW MEXICO

STATE SEC. 27 #1 SWD PERMIT APPLICATION

C-108

I. Disposal

II. Mobil

III. A. 1. State Sec. 27 #1, 660' FNL & 1983' FEL, Sec. 27, T185, R35

2. 13 3/8" csg @ 360' cmt w/350 sks of cmt, circ to surface
9 5/8" csg @ 3800' cmt w/3500 sks of cmt, circ to surface
7 5/8" csg @ 11,800' cmt w/1165 sks of cmt, TOC by temp
survey @ 1715'
7 5/8" csg cmt @ 1689'

3. 3 1/2 or 4 1/2" Duolined tubing (fiberglass lining) set @
11,750'

4. 7 5/8" permanent pkr + seal assembly set @ 11,750'

B. 1. Devonian, South Vacuum

2. Proposed, 11,800 - 13,970', open hole
Devonian Formation
3. Originally drilled as Devonian producer
4. Devonian perfs @ 11,650-668' squeezed w/150 sks
5. Bone Springs, \pm 8850'

IV. Yes, Division order # R-8645 dated 5-5-88

V. See attached map, Exhibit "A"

VI. Application filed March 2, 1988 for disposal permit for State
Sec. 27 #2

- VII.
1. Average rate = 10,000 BWPD
Maximum rate = 20,000 BWPD
 2. Closed system
 3. Average injection pressure = 0 (operate on gravity feed)
Maximum injection pressure = 2390 psi
.2 psi/FT
 4. See attached Exhibit "B", plus chemical analysis of source
water, statement from previous Reservoir Engineer
 5. See attached Exhibit "C"

VIII. 1. Lithologic detail

- a) Composition - Devonian, white to tan, medium to coarse crystalline with vuggy to cavernous porosity
- b) Type structure - faulted anticline
- c) Average porosity - 13%
- d) Average permeability - 5 to 30 md

2. Geologic name - Devonian

3. Thickness - average, 500'

4. Average top of pay - 12,000'

5. Overlying fresh water zones, 10,000 ppm or less TDS:

- a) Ogalalla @ 300'
- b) Santa Rosa @ 1400'

6. There are no fresh water zones immediately underlying the injection zone.

IX. Acidize Devonian w/2,000 gal 15% HCL acid + 10,000 gal gelled 15% HCL acid + 6000 lbs graded rock salt. Maximum treating rate = 5 BPM, maximum treating pressure = 5000 psi. Flush treatment with 50 bbls biocide-treated fresh water.

X. Well will need to be deepened from present PBTD of 11,752' to proposed new TD of 13,970'. At that time, open-hole logs will be run and filed with the OCD.

XI. See attached Exhibit "D"

XII. MPTM has examined the available geologic and engineering data and finds no evidence of open faults or other hydrological connection between the Devonian Formation and any underground source of drinking water.

XIII. See attached Exhibits "E" and "F" for Proof of Notice

Also attached:

- Proposed sketch
- Map (Exhibit A) with 1/2 mile radius drawn

Exhibit "B"

INTEROFFICE CORRESPONDENCE

DATE: Feb. 15, 1988

TO: Ann Moore

CC:

With regards to the water capatability test conducted on fluids to be injected into the State 27 well #2 SWDW, the following statement can be made :

A composite of produced water which represents the typical injection fluid consists of Abo (46%), San Andres (48%), Glorieta (2%), Pennsylvania (3%), and Blinberry (1%). This water was combined with Devonian produced water in varying amounts. In summary, the Devonian water alone, and mixtures of Devonian from 0 to 50% with the proposed injection fluid formed carbonate scale. Calcium sulfate becomes evident in the high percent composite range of 80 - 100%. Thus a scale prevention program is needed and chemical treatment of the well will be done as required to control both types of scale.

Ann, attached is a copy of the analysis performed by NL Treating Chemicals. If you have any questions, please give me a call at ext. 2076.

Thanks

Jack Hamner
RM - 240
Project Reservoir Engineer



NL Treating Chemicals/NL Industries, Inc.
P.O. Box 60020, Houston, Texas 77205
Tel. (713) 987-5400 Telex: 4620243 NLOS UI

Water Analysis Re

						SHEET NUMBER 2	
COMPANY Mobil Producing Texas & New Mexico						DATE	
FIELD Vacuum				COUNTY OR PARISH Lea		STATE New Mexico	
LEASE OR UNIT North Vacuum Abo				SAMPLE SOURCE Unit #235		WATER SOURCE (FORMATION) Abo	
DEPTH, FT.	BHT, °F	SAMPLE SOURCE	TEMP, °F 64	WATER, BBL/DAY	OIL, BBL/DAY	GAS, MMCF/DAY	
DATE SAMPLED 12-16-87		TYPE OF WATER: <input type="checkbox"/> PRODUCED <input type="checkbox"/> SUPPLY <input type="checkbox"/> WATERFLOOD <input type="checkbox"/> SALT WATER DISPOSAL TYPE OF PRODUCTION: <input type="checkbox"/> PRIMARY <input type="checkbox"/> WATERFLOOD <input type="checkbox"/> CO ₂ FLOOD <input type="checkbox"/> POLYMER FLOOD <input type="checkbox"/> STEAMFLOOD					

WATER ANALYSIS PATTERN (NUMBER BESIDE ION SYMBOL INDICATES meq/L SCALE UNIT)

Na ⁺	20	15	10	5	0	5	10	15	20	Cl ⁻
Ca ⁺⁺										HCO ₃ ⁻
Mg ⁺⁺										SO ₄ ⁼
Fe ⁺⁺⁺										CO ₃ ⁼

DISSOLVED SOLIDS

CATIONS

Total Hardness
Calcium, Ca⁺⁺
Magnesium, Mg⁺⁺
Iron (Total), Fe⁺⁺⁺
Barium, Ba⁺⁺
Sodium, Na⁺ (Calc.)

meq/L

128

50

78

75.1

mg/L

1,000

952

1,727

DISSOLVED GASES

Hydrogen Sulfide, H₂S
Carbon Dioxide, CO₂
Oxygen, O₂

mg/L

mg/L

mg/L

PHYSICAL PROPERTIES

pH (Field)

7.2

En (Redox Potential)

MV

Specific Gravity

Turbidity, FTU Units

Total Dissolved Solids (Calc.)

11,361 mg/L

Stability Index @ 80 °F

+0.81

@ 100 °F

+0.30

@ 120 °F

+0.45

CaSO₄ Solubility @ °F

mg/L

@ °F

mg/L

Max. CaSO₄ Possible (Calc.)

mg/L

Max. BaSO₄ Possible (Calc.)

mg/L

Residual Hydrocarbons

ppm (Vol/Vol)

SUSPENDED SOLIDS (QUALITATIVE)

☐ Sulfide ☐ Iron Oxide ☐ Calcium Carbonate ☐ Calcium Sulfate ☐ Acid Insoluble

REMARKS AND RECOMMENDATIONS:

ENGINEER Dickerson/Sivker	DIST. NO. 821	ADDRESS	OFFICE PHONE	HOME PHONE
ANALYZED BY	DATE	DISTRIBUTION		

NL Treating Chemicals

 NL Treating Chemicals: NL Industries, Inc.
 P.O. Box 60020, Houston, Texas 77205
 Tel. (713) 957-5400 Telex: 4620243 NLOS UI

Water Analysis R

						SHEET NUMBER 1	
COMPANY Mobil Producing Texas & New Mexico						DATE	
FIELD Vacuum				COUNTY OR PARISH Lea		STATE New Mexico	
LEASE OR UNIT Bridges-State Leases		SAMPLE SOURCE #193		WATER SOURCE (FORMATION) San Andres			
DEPTH, FT.	SHT. °F	SAMPLE SOURCE	TEMP. °F	WATER, BBL/DAY	GIL BBL/DAY	GAS, MMCF/DAY	
			70				
DATE SAMPLED 12-16-87		TYPE OF WATER: <input type="checkbox"/> PRODUCED <input type="checkbox"/> SUPPLY <input type="checkbox"/> WATERFLOOD <input type="checkbox"/> SALT WATER DISPOSAL TYPE OF PRODUCTION: <input type="checkbox"/> PRIMARY <input type="checkbox"/> WATERFLOOD <input type="checkbox"/> CO ₂ FLOOD <input type="checkbox"/> POLYMER FLOOD <input type="checkbox"/> STEAM FLOOD					

WATER ANALYSIS PATTERN
 (NUMBER BESIDE ION SYMBOL INDICATES meq/L SCALE UNIT)

Na ⁺	20	15	10	5	0	5	10	15	20	Cl ⁻
Ca ⁺⁺										HCO ₃ ⁻
Mg ⁺⁺										SO ₄ ⁼
Fe ⁺⁺⁺										CO ₃ ⁼

DISSOLVED SOLIDS

CATIONS	meq/L	mg/L
Total Hardness	282	
Calcium, Ca ⁺⁺	156	3,120
Magnesium, Mg ⁺⁺	126	1,537
Iron (Total), Fe ⁺⁺⁺		
Sodium, Ba ⁺⁺		
Sodium, Na ⁺ (Calc.)	974.7	22,418
ANIONS		
Chloride, Cl ⁻	1,193.1	42,000
Sulfate, SO ₄ ⁼	57.3	2,750
Carbonate, CO ₃ ⁼		
Bicarbonate, HCO ₃ ⁻	12.2	744
Hydroxyl, OH ⁻		
Silica, Si ⁼	4.1	65

DISSOLVED GASES

Hydrogen Sulfide, H ₂ S	mg/L
Carbon Dioxide, CO ₂	mg/L
Oxygen, O ₂	mg/L
PHYSICAL PROPERTIES	
pH (Field)	6.63
En (Redox Potential)	MV
Specific Gravity	
Turbidity, FTU Units	
Total Dissolved Solids (Calc.)	72,634 mg/L
Stability Index @ 80 °F	+0.21
@ 100 °F	+0.35
@ 120 °F	+0.52
CaSO ₄ Solubility @ °F	mg/L
@ °F	mg/L
Max. CaSO ₄ Possible (Calc.)	mg/L
Max. BaSO ₄ Possible (Calc.)	mg/L
Residual Hydrocarbons	ppm (Vol/Vol)

DISSOLVED SOLIDS (QUALITATIVE)

 Iron Sulfide ☐ Iron Oxide ☐ Calcium Carbonate ☐ Calcium Sulfate ☐ Acid Insoluble ☐
REMARKS AND RECOMMENDATIONS:

ENGINEER Dickerson/Slyker	DIST. NO. 821	ADDRESS	OFFICE PHONE	HOME PHONE
------------------------------	------------------	---------	--------------	------------

NL Treating Chemicals

 NL Treating Chemicals/NL Industries, Inc.
 P.O. Box 60020, Houston, Texas 77205
 Tel. (713) 987-5400 Telex: 4620243 NLOS UI

Water Analysis Re

						SHEET NUMBER
						3
COMPANY						DATE
Mobil Producing Texas & New Mexico						
FIELD				COUNTY OR PARISH	STATE	
Vacuum				Lea	New Mexico	
LEASE OR UNIT		SAMPLE SOURCE		WATER SOURCE (FORMATION)		
Bridges-State Leases		#114		Glorieta		
DEPTH, FT.	BHT, °F	SAMPLE SOURCE	TEMP, °F	WATER, BS/DAY	OIL, BS/DAY	GAS, MMCF/DAY
			53			
DATE SAMPLED		TYPE OF WATER <input type="checkbox"/> PRODUCED <input type="checkbox"/> SUPPLY <input type="checkbox"/> WATERFLOOD <input type="checkbox"/> SALT WATER DISPOSAL				
12-16-87		TYPE OF PRODUCTION: <input type="checkbox"/> PRIMARY <input type="checkbox"/> WATERFLOOD <input type="checkbox"/> CO ₂ FLOOD <input type="checkbox"/> POLYMER FLOOD <input type="checkbox"/> STEAMFLOOD				

WATER ANALYSIS PATTERN
 (NUMBER BESIDE ION SYMBOL INDICATES mg/L SCALE UNIT)

Na ⁺	20	15	10	5	0	5	10	15	20	Cl ⁻
Ca ⁺⁺										HCO ₃ ⁻
Mg ⁺⁺										SO ₄ ⁼
Fe ⁺⁺										CO ₃ ⁼

DISSOLVED SOLIDS

 CATIONS
 Total Hardness
 Calcium, Ca⁺⁺
 Magnesium, Mg⁺⁺
 Iron (Total), Fe⁺⁺
 Barium, Ba⁺⁺
 Sodium, Na⁺ (Calc.)

mg/L

mg/L

276

188

88

3.698.9

85.075

130.000

2.275

458

72

231.712

+0.77

+0.96

+1.21

4.5

7.5

47.4

3.915.5

4.5

7.5

47.4

3.915.5

4.5

7.5

47.4

3.915.5

4.5

7.5

47.4

3.915.5

4.5

7.5

47.4

3.915.5

4.5

7.5

47.4

3.915.5

4.5

DISSOLVED GASES

 Hydrogen Sulfide, H₂S
 Carbon Dioxide, CO₂
 Oxygen, O₂

 mg/L
 mg/L
 mg/L

PHYSICAL PROPERTIES

 pH (Field)
 Eh (Redox Potential)
 Specific Gravity
 Turbidity, FTU Units

 6.45
 MV
 231.712

Total Dissolved Solids (Calc.)

231.712 mg/L

Stability Index @ 80°F

+0.77

@ 100°F

+0.96

@ 120°F

+1.21

 CaSO₄ Solubility @ °F

mg/L

@ °F

mg/L

 Max. CaSO₄ Possible (Calc.)

mg/L

 Max. BaSO₄ Possible (Calc.)

mg/L

Residual Hydrocarbons

percent (Vol/Vol)

UNSPENDED SOLIDS (QUALITATIVE)

 Iron Sulfide ☐ Iron Oxide ☐ Calcium Carbonate ☐ Calcium Sulfate ☐ Acid Insoluble ☐
REMARKS AND RECOMMENDATIONS:

ENGINEER	DIST. NO.	ADDRESS	OFFICE PHONE	HOME PHONE
Dickerson/Sivker	821			
ANALYZED BY	DATE	INTERPRETER		

NL Treating Chemicals

 NL Treating Chemicals/NL Industries, Inc.
 P.O. Box 60020, Houston, Texas 77205
 Tel. (713) 967-5400 Telex: 4620243 NLOS UI

Water Analysis Re

						SHEET NUMBER 5	
COMPANY Mobil Producing Texas & New Mexico						DATE	
FIELD Vacuum				COUNTY OR PARISH Lea		STATE New Mexico	
EASE OR UNIT Bridges-State Leases		SAMPLE SOURCE #120		WATER SOURCE (FORMATION) Upper Penn			
DEPTH, FT.	DEPTH, °F	SAMPLE SOURCE	TEMP, °F	WATER, BBL/DAY	OIL, BBL/DAY	GAS, MMCF/DAY	
			72				
DATE SAMPLED 12-16-87		TYPE OF WATER: <input type="checkbox"/> PRODUCED <input type="checkbox"/> SUPPLY <input type="checkbox"/> WATERFLOOD <input type="checkbox"/> SALT WATER DISPOSAL TYPE OF PRODUCTION: <input type="checkbox"/> PRIMARY <input type="checkbox"/> WATERFLOOD <input type="checkbox"/> CO ₂ FLOOD <input type="checkbox"/> POLYMER FLOOD <input type="checkbox"/> STEAMFLOOD					

WATER ANALYSIS PATTERN
 (NUMBER BESIDE ION SYMBOL INDICATES meq/L SCALE UNIT)

Na ⁺	20	15	10	5	0	5	10	15	20	Cl ⁻
Ca ⁺⁺										HCO ₃ ⁻
Mg ⁺⁺										SO ₄ ⁼
Fe ⁺⁺⁺										CO ₃ ⁼

DISSOLVED SOLIDS

	meq/L	mg/L
TOTAL HARDNESS	246	
Calcium, Ca ⁺⁺	132	2,640
Magnesium, Mg ⁺⁺	114	1,391
Iron (Total), Fe ⁺⁺⁺		
Barium, Ba ⁺⁺		
Sodium, Na ⁺ (Calc.)	2.197	50.531
Chloride, Cl ⁻	2,366.2	84,000
Sulfate, SO ₄ ⁼	46.4	3,225
Bicarbonate, CO ₃ ⁼		
Carbonate, HCO ₃ ⁻	12	732
Hydroxyl, OH ⁻		
Sulfide, S ⁼	16.4	264

DISSOLVED GASES

Hydrogen Sulfide, H ₂ S	mg/L
Carbon Dioxide, CO ₂	mg/L
Oxygen, O ₂	mg/L
PHYSICAL PROPERTIES	
pH (Field)	6.16
Eh (Redox Potential)	MV
Specific Gravity	
Turbidity, FTU Units	
Total Dissolved Solids (Calc.)	141,813 mg/L
Stability Index @ 80°F	+0.13
@ 100°F	+0.03
@ 120°F	+0.22
CaSO ₄ Solubility @ °F	mg/L
@ °F	mg/L
Max. CaSO ₄ Possible (Calc.)	mg/L
Max. BaSO ₄ Possible (Calc.)	mg/L
Residual Hydrocarbons	ppm (Vol/Vol)

SPENDED SOLIDS (QUALITATIVE)

 Sulfide ☐ Iron Oxide ☐ Calcium Carbonate ☐ Calcium Sulfate ☐ Acid Insoluble ☐
REMARKS AND RECOMMENDATIONS:

ENGINEER Lickerson/Slyker	DIST. NO. 821	ADDRESS	OFFICE PHONE	HOME PHONE
ANALYZED BY	DATE 12/17/87	DISTRIBUTION <input type="checkbox"/> CUSTOMER <input type="checkbox"/>	<input type="checkbox"/> REGION <input type="checkbox"/>	<input type="checkbox"/> DISTRICT

NL Treating
Chemicals

 NL Treating Chemicals/NL Industries, Inc.
P.O. Box 60020, Houston, Texas 77205
Tel. (713) 987-5400 Telex: 4820243 NL0S UI

Water Analysis R

COMPANY						SHEET NUMBER	
Mobil Producing Texas & New Mexico						7	
FIELD						DATE	
Vacuum							
COUNTY OR PARISH				STATE			
Lea				New Mexico			
LEASE OR UNIT		SAMPLE SOURCE		WATER SOURCE (FORMATION)			
Bridges-State Leases		#165		Middle Penn			
DEPTH, FT.	BHT, °F	SAMPLE SOURCE	TEMP, °F	WATER, BBL/DAY	OIL, BBL/DAY	GAS, MMCF/DAY	
DATE SAMPLED		TYPE OF WATER: <input type="checkbox"/> PRODUCED <input type="checkbox"/> SUPPLY <input type="checkbox"/> WATERFLOOD <input type="checkbox"/> SALT WATER DISPOSAL					
12-16-87		TYPE OF PRODUCTION: <input type="checkbox"/> PRIMARY <input type="checkbox"/> WATERFLOOD <input type="checkbox"/> CO ₂ FLOOD <input type="checkbox"/> POLYMER FLOOD <input type="checkbox"/> STEAMFLOOD					

WATER ANALYSIS PATTERN
(NUMBER BESIDE ION SYMBOL INDICATES meq/L SCALE UNIT)

Na ⁺	20	15	10	5	0	5	10	15	20	Cl ⁻
Ca ⁺⁺										HCO ₃ ⁻
Mg ⁺⁺										SO ₄ ⁼
Fe ⁺⁺⁺										CO ₃ ⁼

DISSOLVED SOLIDS
CATIONS

Total Hardness

 Calcium, Ca⁺⁺

 Magnesium, Mg⁺⁺

 Iron (Total), Fe⁺⁺⁺

 Barium, Ba⁺⁺

 Sodium, Na⁺ (Calc.)

ANIONS

 Chloride, Cl⁻

 Sulfate, SO₄⁼

 Carbonate, CO₃⁼

 Bicarbonate, HCO₃⁻

 Hydroxyl, OH⁻

 Sulfide, S⁼

meq/L

172

100

72

647.9

33.9

mg/L

2,000

878

23,000

1,625

DISSOLVED GASES

 Hydrogen Sulfide, H₂S

 Carbon Dioxide, CO₂

 Oxygen, O₂
PHYSICAL PROPERTIES

pH (Lab)

Eh (Redox Potential)

Specific Gravity

Turbidity, FTU Units

Total Dissolved Solids (Calc.)

Stability Index @ _____ °F

@ _____ °F

@ _____ °F

 CaSO₄ Solubility @ _____ °F

@ _____ °F

 Max. CaSO₄ Possible (Calc.)

 Max. BaSO₄ Possible (Calc.)

Residual Hydrocarbons

mg/L

mg/L

mg/L

7.7

MV

mg/L

mg/L

mg/L

mg/L

mg/L

ppm (Vol/Vol)

DISSOLVED SOLIDS (QUALITATIVE)
☐ Iron Sulfide ☐ Iron Oxide ☐ Calcium Carbonate ☐ Calcium Sulfate ☐ Acid Insoluble

REMARKS AND RECOMMENDATIONS:

Note: Small sample of water obtained.

ENGINEER	DIST. NO.	ADDRESS	OFFICE PHONE	HOME PHONE
Lickerson/Slyker	821			
ANALYZED BY	DATE	DISPATCHED BY		

						SHEET NUMBER 4
COMPANY Mobil Producing Texas & New Mexico						DATE
FIELD Vacuum				COUNTY OR PARISH Lea		STATE New Mexico
LEASE OR UNIT Bridges-State Leases		SAMPLE SOURCE #27		WATER SOURCE (FORMATION) Blinberry		
DEPTH, FT.	BHT, °F	SAMPLE SOURCE	TEMP, °F	WATER, BBL/DAY	OIL, BBL/DAY	GAS, MMCF/DAY
			52			
DATE SAMPLED 12-16-87		TYPE OF WATER: <input type="checkbox"/> PRODUCED <input type="checkbox"/> SUPPLY <input type="checkbox"/> WATERFLOOD <input type="checkbox"/> SALT WATER DISPOSAL TYPE OF PRODUCTION: <input type="checkbox"/> PRIMARY <input type="checkbox"/> WATERFLOOD <input type="checkbox"/> CO ₂ FLOOD <input type="checkbox"/> POLYMER FLOOD <input type="checkbox"/> STEAMFLOOD				

WATER ANALYSIS PATTERN
 (NUMBER BESIDE ION SYMBOL INDICATES meq/l SCALE UNIT)

	Na ⁺ 20	15	10	5	0	5	10	15	20	
Ca ⁺⁺										HCO ₃ ⁻
Mg ⁺⁺										SO ₄ ⁼
Fe ⁺⁺⁺										CO ₃ ⁼

DISSOLVED SOLIDS

	meq/l	mg/l
CATIONS		
Total Hardness	734	
Calcium, Ca ⁺⁺	546	10,920
Magnesium, Mg ⁺⁺	188	2,294
Iron, Fe ⁺⁺⁺		
Aluminum, Al ⁺⁺⁺ (Calc.)	2,665.7	61,311
ANIONS		
Chloride, Cl ⁻	3,352.1	119,000
Sulfate, SO ₄ ⁼	41.7	2,000
Carbonate, CO ₃ ⁼		
Bicarbonate, HCO ₃ ⁻	5.9	360
Hydroxyl, OH ⁻		
Sulfide, S ⁼		

DISSOLVED GASES

Hydrogen Sulfide, H ₂ S	mg/l
Carbon Dioxide, CO ₂	mg/l
Oxygen, O ₂	mg/l
PHYSICAL PROPERTIES	
pH (Field)	7.05
En (Redox Potential)	MV
Specific Gravity	
Turbidity, FTU Units	
Total Dissolved Solids (Calc.)	105,885 mg/l
Stability Index @ 80°F	+1.55
@ 100°F	+1.74
@ 120°F	+1.97
CaSO ₄ Solubility @ °F	mg/l
@ °F	mg/l
Max. CaSO ₄ Possible (Calc.)	mg/l
Max. BaSO ₄ Possible (Calc.)	mg/l
Residual Hydrocarbons	ppm (Vol/Vol)

UNPENDED SOLIDS (QUALITATIVE)

 Sulfide ☐ Iron Oxide ☐ Calcium Carbonate ☐ Calcium Sulfate ☐ Acid Insoluble ☐
REMARKS AND RECOMMENDATIONS:

TO ENGINEER Dickerson/Silver	DIST. NO. 821	ADDRESS	OFFICE PHONE	HOME PHONE
ANALYZED BY	DATE	DISTRIBUTION <input type="checkbox"/> CUSTOMER		



January 20, 1988

Mr. David Howell
Mobil Producing Texas & New Mexico
P. O. Box 1800
Hobbs, New Mexico 88240

Subject: Vacuum Area Waters - Compatibility Study with
Devonian Brine

Dear Mr. Howell:

Appended are individual produced water analyses pertaining to those Mr. Dickerson and I took with you on December 16, 1987. Also included is the Union's Devonian water analysis.

A mixture of your produced water was made as follows:

Abo	46%
San Andres	48%
Glorieta	2%
Pennsylvania	3%
Blinbry	1%

That mixture was blended with Devonian water in 10% increments. Samples were placed in an oven for 5 days at 100°.

The "Compatibility" appendage describes how samples reacted. Brief general summary comments are these:

1. No major initial incompatibility was seen at the time of mixing.
2. Moderate calcium carbonate deposition was found in the Devonian by itself (100%).
3. Mixtures were stable and stayed clear in the 90%-60% Devonian range.
4. Calcium carbonate deposition was seen in all samples from 50% Devonian to 0% (or 100% composite produced water mixture).
5. Calcium sulfate deposition was observed in the 80%-100% composite produced water ratios.

Mobil Producing Texas & New Mexico
Page Two

In summary, the Devonian alone, and mixtures of Devonian from 50% to 0% formed carbonate scale. Calcium sulfate becomes a known in the high percent composite mixture range.

In other words, scale prevention treatment is advisable throughout most of the mixing range. One treatment can handle both kinds of scale.

We would be pleased to discuss this report with you at a mutually agreeable time.

Very truly yours,

Wayne Dickerson *John V. Slyker*
Wayne Dickerson John V. Slyker
Sales Engineer Sales Representative

/cg

cc: W. Reeves
D. Seale



REPORT OF TEST

NL Treating Chemicals/NL Industries, Inc.
P. O. Box 4305 Houston, Texas 77210

			SHEET NUMBER
COMPANY			DATE
Mobil Producing Texas & New Mexico			12-16-57
FIELD OR PLANT		COUNTY OR PARISH	STATE
Vacuum Area Leases		Lea	New Mexico
LEASE OR UNIT	WELL(S) NAME & NO.	SAMPLE SOURCE	
		See Below	
TYPE SAMPLE		TYPE TEST	
		Compatibility of Devonian with Mix	
REASON FOR TEST			
Possible Salt Water Disposal			
RESULTS:			

Compatibility Mixture %		Observations (100°F)	
Composite		Initial	5 days
Devonian	Produced Waters	Appearance	
100	0	Clear	Moderate calcium carbonate Depos
90	10	Clear	No deposition
80	20	Clear	No deposition
70	30	Clear	No deposition
60	40	Slightly hazy	No deposition
50	50	Slightly hazy	Moderate calcium carbonate deposit
40	60	Slightly hazy; slight gray cast	Slight calcium carbonate depositio
30	70	Slightly hazy, slight gray cast	Slight calcium carbonate depositio
20	80	Slightly hazy, slight gray cast	Moderate calcium sulfate & slight calcium carbonate depositions; slight iron compounds precipitated.
10	90	Slightly hazy; slight gray cast	Heavy calcium sulfate deposition; moderate calcium carbonate formed, + moderate iron compounds deposited.
0	100	Slightly hazy, slight gray cast	Heavy calcium sulfate deposited; moderate calcium carbonate precipitated; moderate amount of insoluble iron compounds formed

REMARKS & RECOMMENDATIONS:

Source	Composite Produced Water Ratios Mixture %
Abo	46
San Andres	48
Clorieta	2
Pennsylvania	3
Blinberry	1

TEST ENGINEER DIST NO ADDRESS
Dickerson 201



P.O. BOX 2187
HOBBS, N.M. 88240

PHONE: (505) 393-7726

WATER ANALYSIS REPORT

Report for:	Date sampled: 5-8-90
cc: DONNA ELWOOD-JR. GARCIA	Date reported: 5-9-90
cc:	Lease or well #: SNYDER WINDMILL
cc:	County: State:
Company: MOBIL	Formation:
Address:	Depth:
Service Engineer: OWEN ROBERTS	Submitted by: OWEN ROBERTS

CHEMICAL COMPOSITION :	mg/L	meq/L
Chloride (Cl)	50	1
Iron (Fe) (total)	3.0	
Total hardness	230	
Calcium (Ca)	48	2
Magnesium (Mg)	26	2
Bicarbonates (HCO ₃)	146	2
Carbonates (CO ₃)	n/a	
Sulfates (SO ₄)	39	1
Hydrogen sulfide (H ₂ S)	15	
Carbon dioxide (CO ₂)	39	
Sodium (Na)	2	0
Total dissolved solids	312	
Barium (Ba)	n/a	
Strontium (Sr)	n/a	
Specific Gravity	1.000	
Density (#/gal.)	8.334	
pH	6.350	
IONIC STRENGTH	0.01	

Stiff-Davis (CaCO₃) Stability Index :

$$SI = pH - pCa - pAlk - K$$

$$SI @ 86 F = -0.74$$

$$104 F = -0.53$$

$$122 F = -0.30$$

$$140 F = -0.06$$

$$158 F = +0.19$$

This water is 2389 mg/l (%-100.00%) under ITS CALCULATED
CaSO₄ saturation value at 82 F.

SATURATION= 2389 mg/L

PRESENT= 0 mg/L

Randolph Scott
REPORTED BY RANDOLPH SCOTT

CHEMIST


DATE 4-23-90 WELL NO. 1 LEASE State Section 27

FIELD Vacuum Devonian South LOCATION 660' FNL & 1983' FEL Unit B Sec 27, T18S, R
Lea County, New Mexico

SIGNED D G Elwood

GL 3887'
DF 3895'
KB 3896'
ZERO KB (9'AGL)

PRESENT WELLBORE DIAGRAM



20 sk surface cmt plug, csg cut 3' below surface, P&A marker welded on

13 ³/₈" 48 ^{lb}/_{ft} H-40 csg set to 360' w/ 350 sks.
cmt circ (17" hole)

7 ⁵/₈" csg cut @ 1689', spot 30 sk cmt plug 740 - 1638'

Primary TOC (95 ¹/₈ - 75 ¹/₈) @ 1715' (temp survey)

9 ⁵/₈" 36 ^{lb}/_{ft} J-55 csg set to 3800' w/ 3500 sks,
cmt circ (12 ¹/₄" hole)

Wellbore loaded w/ mud

Cmt retainer set @ $\pm 11,260'$, squeezed perfs left 2 bbls cmt on retainer TOC @ $\pm 11,200'$

Devonian Perfs

11,650 - 11,668' squeezed w/ 1150 sks

-SPF 72 hole

PBD = 11,752'

7 ⁵/₈" 26.4, 29.7, & 33.7 ^{lb}/_{ft} N-80 Buttress + X-line csg
set to 11,800' w/ 1165 sks

TD: 11,800'
PBD: 11,752'


DATE 4-23-90 WELL NO. 1 LEASE State Section 27

FIELD Vacuum Devonian South LOCATION 660' FNL & 1983' FEL Unit B Sec 27, T18S,
Lea County, New Mexico

SIGNED A G Elwood

GL 3887'
DF 3895'
KB 3896'
ZERO KB (9' AGC)


PROPOSED WELLBORE DIAGRAM



State of New Mexico



W.R. HUMPHRIES
COMMISSIONER



Commissioner of Public Lands

March 10, 1988

P.O. BOX 1148
SANTA FE, NEW MEXICO 87504-1148

Mobil Exploration & Producing U.S., Inc.
P. O. Box 633
Midland, Texas 79702

Re: Water Disposal Well
State Section 27 Lease
Well No. 2
Vacuum Devonian, South Field
Lea County, New Mexico

Attn: Mr. C. A. Moore

Gentlemen:

In connection with the above application submitted to the Oil Conservation Division by Mobil's letter dated March 2, 1988, the Land Commissioner has no objections at this time as to the above application, but reserves the right to refuse to grant an easement if it would be detrimental to the Trust Lands.

Because an oil and gas lessee is entitled to dispose of the Salt Water produced exclusively from wells located on the leased premises, no salt water disposal easement will be needed; however, if any of the salt water to be injected is produced from wells outside of the leased lands, you must apply for a Salt Water Disposal Easement.

Copies to:

*To Hill
W. Perry Bruce
F. O. Prando
A. J. Smith
L. Farmer
March 23, 1988*

Very truly yours,

W. R. Humphries
Commissioner of Public Lands

F. O. Prando

By: Floyd O. Prando, Director
Oil and Gas Division
A/C 505-827-3744

WRH:FOP:cw

cc: Oil Conservation Division

RECEIVED

MAR 14 1988

ENV. & REG.

Mobil

MOBIL PRODUCING TEXAS & NEW MEXICO, INC.
STATE SEC. 27, WELL #1
SOUTH VACUUM (DEVONIAN) FIELD
LEA COUNTY, TEXAS

EXHIBIT "F"

OFFSET OPERATORS

Arco Oil & Gas Co.
P. O. Box 1610
Midland, Tx 79702

Exxon Company, USA
P. O. Box 1600
Midland, Texas 79702

Hanley Petroleum
445 W. Wall - Suite 1500
Midland, Tx. 79701

Hondo Oil & Gas
P. O. Box 2208
Roswell, NM 88202

UNOCAL Corporation
P. O. Box 671
Midland, Texas 79702

Yates Energy
P. O. Box 2323
Roswell, NM 88202

SURFACE OWNER

Snyder Ranches, Inc.
P. O. Box 2158
Lovington, New Mexico 88260

Mobil Exploration & Producing U.S. Inc.

October 24, 1990

P.O. BOX 833
MIDLAND, TEXAS 79702

MIDLAND DIVISION

**CERTIFIED MAIL
RETURN RECEIPT REQUESTED**

Arco Oil & Gas Co.
P. O. Box 1610
Midland, Tx 79702


**NOTICE OF APPLICATION FOR
WATER DISPOSAL WELL
STATE SEC. 27 LEASE, WELL NO. 1
VACUUM DEVONIAN, SOUTH FIELD
LEA COUNTY, NEW MEXICO**

Gentlemen:

Mobil Exploration & Producing U.S. Inc., as agent for Mobil Producing Texas & New Mexico, Inc., (MPTM), has made application to the Oil Conservation Division of New Mexico for authority to dispose of produced water into a reservoir not productive of oil or gas in the above captioned well.

A copy of this application is furnished to you for your information.

Yours very truly,



G. N. Miller
Environmental, Regulatory &
Loss Prevention Supervisor

Mobil Exploration & Producing U.S. Inc.
as agent for
Mobil Producing Texas & New Mexico, Inc.

JWD:fc
attachments

xc: Oil Conservation Division

Mobil Exploration & Producing U.S. Inc.

October 24, 1990

P O BOX 633
MIDLAND, TEXAS 79702

CERTIFIED MAIL RETURN RECEIPT REQUESTED

MIDLAND DIVISION

Hanley Petroleum
415 W. Wall - Suite 1500
Midland, Texas 79701


NOTICE OF APPLICATION FOR
WATER DISPOSAL WELL
STATE SEC. 27 LEASE, WELL NO. 1
VACUUM DEVONIAN, SOUTH FIELD
LEA COUNTY, NEW MEXICO

Gentlemen:

Mobil Exploration & Producing U.S. Inc., as agent for Mobil Producing Texas & New Mexico, Inc., (MPTM), has made application to the Oil Conservation Division of New Mexico for authority to dispose of produced water into a reservoir not productive of oil or gas in the above captioned well.

A copy of this application is furnished to you for your information.

Yours very truly,



G. N. Miller
Environmental, Regulatory &
Loss Prevention Supervisor

Mobil Exploration & Producing U.S. Inc.
as agent for
Mobil Producing Texas & New Mexico, Inc.

JWD:fc
attachments

xc: Oil Conservation Division

Mobil Exploration & Producing U.S. Inc.

October 24, 1990

P.O. BOX 633
MIDLAND, TEXAS 79702

MIDLAND DIVISION

CERTIFIED MAIL
RETURN RECEIPT REQUESTED

UNOCAL Corporation
P. O. Box 671
Midland, Texas 79702


NOTICE OF APPLICATION FOR
WATER DISPOSAL WELL
STATE SEC. 27 LEASE, WELL NO. 1
VACUUM DEVONIAN, SOUTH FIELD
LEA COUNTY, NEW MEXICO

Gentlemen:

Mobil Exploration & Producing U.S. Inc., as agent for Mobil Producing Texas & New Mexico, Inc., (MPTM), has made application to the Oil Conservation Division of New Mexico for authority to dispose of produced water into a reservoir not productive of oil or gas in the above captioned well.

A copy of this application is furnished to you for your information.

Yours very truly,



G. N. Miller
Environmental, Regulatory &
Loss Prevention Supervisor

Mobil Exploration & Producing U.S. Inc.
as agent for
Mobil Producing Texas & New Mexico, Inc.

JWD:fc
attachments

xc: Oil Conservation Division

Mobil Exploration & Producing U.S. Inc.

October 24, 1990

P.O. BOX 633
MIDLAND, TEXAS 79702

MIDLAND DIVISION

**CERTIFIED MAIL
RETURN RECEIPT REQUESTED**

Exxon Company, USA
P. O. Box 1600
Midland, Texas 79702


**NOTICE OF APPLICATION FOR
WATER DISPOSAL WELL
STATE SEC. 27 LEASE, WELL NO. 1
VACUUM DEVONIAN, SOUTH FIELD
LEA COUNTY, NEW MEXICO**

Gentlemen:

Mobil Exploration & Producing U.S. Inc., as agent for Mobil Producing Texas & New Mexico, Inc., (MPTM), has made application to the Oil Conservation Division of New Mexico for authority to dispose of produced water into a reservoir not productive of oil or gas in the above captioned well.

A copy of this application is furnished to you for your information.

Yours very truly,



G. N. Miller
Environmental, Regulatory &
Loss Prevention Supervisor

Mobil Exploration & Producing U.S. Inc.
as agent for
Mobil Producing Texas & New Mexico, Inc.

JWD:fc
attachments

xc: Oil Conservation Division

Mobil Exploration & Producing U.S. Inc.

October 24, 1990

P.O. BOX 633
MIDLAND, TEXAS 79702

MIDLAND DIVISION

CERTIFIED MAIL
RETURN RECEIPT REQUESTED

Yates Energy
P. O. Box 2323
Roswell, NM 88202


NOTICE OF APPLICATION FOR
WATER DISPOSAL WELL
STATE SEC. 27 LEASE, WELL NO. 1
VACUUM DEVONIAN, SOUTH FIELD
LEA COUNTY, NEW MEXICO

Gentlemen:

Mobil Exploration & Producing U.S. Inc., as agent for Mobil Producing Texas & New Mexico, Inc., (MPTM), has made application to the Oil Conservation Division of New Mexico for authority to dispose of produced water into a reservoir not productive of oil or gas in the above captioned well.

A copy of this application is furnished to you for your information.

Yours very truly,



G. N. Miller
Environmental, Regulatory &
Loss Prevention Supervisor

Mobil Exploration & Producing U.S. Inc.
as agent for
Mobil Producing Texas & New Mexico, Inc.

JWD:fc
attachments

xc: Oil Conservation Division

Mobil Exploration & Producing U.S. Inc.

October 24, 1990

P.O. BOX 833
MIDLAND, TEXAS 79702

MIDLAND DIVISION

CERTIFIED MAIL
RETURN RECEIPT REQUESTED

Snyder Ranches, Inc.
P. O. Box 2158
Lovington, New Mexico 88260


NOTICE OF APPLICATION FOR
WATER DISPOSAL WELL
STATE SEC. 27 LEASE, WELL NO. 1
VACUUM DEVONIAN, SOUTH FIELD
LEA COUNTY, NEW MEXICO

Gentlemen:

Mobil Exploration & Producing U.S. Inc., as agent for Mobil Producing Texas & New Mexico, Inc., (MPTM), has made application to the Oil Conservation Division of New Mexico for authority to dispose of produced water into a reservoir not productive of oil or gas in the above captioned well.

A copy of this application is furnished to you for your information.

Yours very truly,



G. N. Miller
Environmental, Regulatory &
Loss Prevention Supervisor

Mobil Exploration & Producing U.S. Inc.
as agent for
Mobil Producing Texas & New Mexico, Inc.

JWD:fc
attachments

xc: Oil Conservation Division

Mobil Exploration & Producing U.S. Inc.

October 24, 1990

P.O. BOX 633
MIDLAND, TEXAS 79702

MIDLAND DIVISION

**CERTIFIED MAIL
RETURN RECEIPT REQUESTED**

Hondo Oil & Gas
P.O. Box 2208
Roswell, New Mexico 88202


**NOTICE OF APPLICATION FOR
WATER DISPOSAL WELL
STATE SEC. 27 LEASE, WELL NO. 1
VACUUM DEVONIAN, SOUTH FIELD
LEA COUNTY, NEW MEXICO**

Gentlemen:

Mobil Exploration & Producing U.S. Inc., as agent for Mobil Producing Texas & New Mexico, Inc., (MPTM), has made application to the Oil Conservation Division of New Mexico for authority to dispose of produced water into a reservoir not productive of oil or gas in the above captioned well.

A copy of this application is furnished to you for your information.

Yours very truly,



G. N. Miller
Environmental, Regulatory &
Loss Prevention Supervisor

Mobil Exploration & Producing U.S. Inc.
as agent for
Mobil Producing Texas & New Mexico, Inc.

JWD:fc
attachments

xc: Oil Conservation Division

Affidavit of Publication

STATE OF NEW MEXICO)
) ss.
COUNTY OF LEA)

Joyce Clemens being first duly sworn on oath deposes and says that he is Adv. Director of THE LOVINGTON DAILY LEADER, a daily newspaper of general paid circulation published in the English language at Lovington, Lea County, New Mexico; that said newspaper has been so published in such county continuously and uninterruptedly for a period in excess of Twenty-six (26) consecutive weeks next prior to the first publication of the notice hereto attached as hereinafter shown; and that said newspaper is in all things duly qualified to publish legal notices within the meaning of Chapter 167 of the 1937 Session Laws of the State of New Mexico.

That the notice which is hereto attached, entitled
Application For Authorization To
Inject

and numbered in the
..... Court of Lea
County, New Mexico, was published in a regular and
entire issue of THE LOVINGTON DAILY LEADER and
not in any supplement thereof, once each week on the
same day of the week, for one (1)
consecutive weeks, beginning with the issue of

October 18, 1990
and ending with the issue of
October 18, 1990

And that the cost of publishing said notice is the
sum of \$ 8.57

which sum has been (Paid) ~~CASHED~~ as Court Costs

Joyce Clemens

Subscribed and sworn to before me this 23rd
day of October, 1990

Ms. Jean Sevier
Notary Public, Lea County, New Mexico

My Commission Expires Sept. 28, 1994

LEGAL NOTICE
APPLICATION FOR
AUTHORIZATION TO INJECT
1. Mobil Producing TX&NM Inc.,
P.O. Box 633, Midland, Texas 70702.
Attention: G. N. Miller, (915)688-1753,
will apply for permission to inject
produced water into the following
well/wells for the purpose of Disposal.
2. Well Name and Number: State Sec.
27 No. 1
Location: 660 FNL & 1983 FEL Sec.
27
Section: 27, T 18-S, R 35-E
County: Lea
3. Formation Name: Devonian
Injection Interval: 11,800-13,970
Maximum Injection Rate: 20,000
BWPD
Maximum Pressure: 2390 PSI
4. Interested parties who can show that
they are adversely affected by this
application, must file objections or
requests for hearing with the Energy and
Minerals Department, Oil Conservation
Division, P.O. Box 2088, Santa Fe, New
Mexico 87501 within 15 days after this
publication.
Published in the Lovington Daily
Leader October 18, 1990.